
ProofKey Work Treasury

Keep Ethereum Safe approvals.
Reserve a Creditcoin work budget.
Track payment through to withdrawal.

Sole human creator: Venkatagirish Pamidigantam

AI-assisted development through Codex and Claude

Final cover: 14 September 2026 • Technical evidence: 9-10 September 2026

PROBLEM

| Approval and payment are different problems

- **Approval is not proof of payment**

An approval can establish permission to spend, while payment remains a separate event that must be observed and recorded.

- **Separate systems require explicit reconciliation**

A team's established Ethereum approval process and its existing Creditcoin budget are not one shared ledger of payment state.

- **Buyers and workers need distinct states**

Reserved, owed, recognized, and actually received must stay distinguishable across the two-chain workflow.

Intended scope

Intended users already have this Ethereum and Creditcoin setup. This is not proof that ordinary fiat-paying businesses will adopt ProofKey.

WHAT IT IS

A prefunded, milestone-based work treasury


For Ethereum-Safe organizations with a genuine reason to pay on Creditcoin.

- The Safe keeps authority. Nothing moves to a new governance system.
- One epoch = one immutable, fully escrowed budget.
- Output: portable evidence of completed work payments.

Not: a bridge, a lending product, a credit score, a reputation system, a marketplace.

HOW IT WORKS

One authorized flow, two chains



Funding reaches Creditcoin through a separately disclosed route. **ProofKey is not a bridge.**

Two conservation laws on two chains — not one equation

	Ethereum source	Creditcoin target
Law	<code>cap = available + unresolved + earned + returned</code>	<code>recognized + amount ≤ cap</code>
Backed by value?	No — authorization only	Yes — escrowed native value

Every recognized allocation is backed one-for-one by native value the sponsor escrowed before any work was recognized. Recognition can never exceed the cap; no economic right is recognized twice; no claim is paid twice.

COMPANION LINE — SAME SLIDE, NOT A FOOTNOTE

Ethereum authorizes a budget; it does not prove the Creditcoin epoch is funded. The application requires observed target funding before requesting binding worker consent; the contracts do not enforce that ordering.

EVIDENCE

What's verifiable, today

Claim	Evidence
Native verification is real	5 events from <code>0x0FD2</code> across 3 mined paths — <code>evidence/judge-verification.json</code> , captured 2026-09-09
Accounting closes	4 testnet epochs; 143 CTC in / 143 CTC out / 0 liabilities (<i>CTC value reconciliation, captured 2026-09-09 — not a count of checks</i>)
One program end to end	Epoch <code>0x6d6a2554...</code> : cap 120 = 55 paid + 65 returned; conservation true
Anyone can re-check	<code>npm run judge:verify</code> — no key, wallet, <code>.env</code> or compiler
Tests	47 Foundry · 59 SDK · 6 participant · 21 evidence-checker · 0 failed · typecheck clean (2026-09-10)

WHAT THE PRODUCT DOES TODAY

Implemented, Participant Product

- Buyer-prepared offers
- Worker review and wallet signing
- Saved jobs and milestones
- Follow-up work
- Paid-work records
- Replacement settlement
- Program closeout
- Independent tree rebuild in-browser

What this release does not include

- Mainnet Safe authority
- Sponsored delivery (gasless participation)
- ERC-20 / USDT.C support
- External receipt consumer
- Independent pilots

**None of these is implemented in this release.
This slide must never be presented as current capability.**

LIMITS

What this is not, and what it can't do

- Not audited. Native verifier is **mocked** in tests; live `0x0FD2` behaviour is an external assumption.
- Testnet, test CTC, team-controlled actors. No adoption, revenue or independent-user claim.
- Cannot judge work quality, prevent collusion, or recover funds after a valid payout.
- A worker can be induced to do source-final work that is unpayable if the target epoch was never funded. The **app** prevents this; the **contracts** do not.
- ERC-20 is not enabled in this revision: `validateConfig` forces `asset == address(0)`.

Verify the Guided Demo evidence path

Guided Demo is the current presentation. On-chain links are historical recorded receipts, not a live verification claim.

1	Current no-wallet demo pvgirish.github.io/ProofKey-Work-Treasury/demo.html	Current presentation
2	Repository github.com/pvgirish/ProofKey-Work-Treasury	Current source
3	Native integration guide github.com/.../ATTESTCOIN-INTEGRATION.md	Pinned commit c1aa4cd
4	Native authentication receipt blockscout.com/tx/0x803...542	Historical receipt
5	Source coordinator etherscan.io/address/0xcF50...138	Historical record
6	Target treasury blockscout.com/address/0x06c7...22DA	Historical record