**Table S1:** List of metabolites

<b>Abbreviation</b>	Official name	Compartiment	Formula	Charge
10fthf	10-Formyltetrahydrofolate	Cytosol	C20H22N7O7	-1
12dgr_HP	1,2-Diacylglycerol, <i>Helicobacter pylori</i> specific	Cytosol	C36H68O5	0
13dpg	3-Phospho-D-glyceroyl phosphate	Cytosol	C3H4O10P2	-4
1p3h5c	L-1-Pyrroline-3-hydroxy-5-carboxylate	Cytosol	C5H6NO3	-1
1pyr5c	1-Pyrroline-5-carboxylate	Cytosol	C5H6NO2	-1
23dhdp	2,3-Dihydrodipicolinate	Cytosol	C7H5NO4	-2
23dhmb	(R)-2,3-Dihydroxy-3-methylbutanoate	Cytosol	C5H9O4	-1
23dhmp	(R)-2,3-Dihydroxy-3-methylpentanoate	Cytosol	C6H11O4	-1
25aics	(S)-2-[5-Amino-1-(5-phospho-D-ribosyl)imidazole-4-	Cytosol	C13H15N4O12P	-4
200.00	carboxamido]succinate	Cytoco.	01011101110121	•
25dhpp	2,5-Diamino-6-hydroxy-4-(5'-phosphoribosylamino)-pyrimidine	Cytosol	C9H14N5O8P	-2
26dap-LL	LL-2,6-Diaminoheptanedioate	Cytosol	C7H14N2O4	0
26dap-M	meso-2,6-Diaminoheptanedioate	Cytosol	C7H14N2O4	0
2ahbut	(S)-2-Aceto-2-hydroxybutanoate	Cytosol	C4H9NO2	0
2ahhmd	2-Amino-4-hydroxy-6-hydroxymethyl-7,8-dihydropteridine	Cytosol	C7H8N5O8P2	-3
	diphosphate	,		
2ahhmp	2-Amino-4-hydroxy-6-hydroxymethyl-7,8-dihydropteridine	Cytosol	C7H9N5O2	0
2cpr5p	1-(2-Carboxyphenylamino)-1-deoxy-D-ribulose 5-phosphate	Cytosol	C12H13NO9P	-3
2dda7p	2-Dehydro-3-deoxy-D-arabino-heptonate 7-phosphate	Cytosol	C7H10O10P	-3
2ddg6p	2-Dehydro-3-deoxy-D-gluconate 6-phosphate	Cytosol	C6H8O9P	-3
2dhp	2-Dehydropantoate	Cytosol	C6H9O4	-1
2dmmq6	2-Demethylmenaquinone 8	Cytosol	C40H54O2	0
2dr1p	2-Deoxy-D-ribose 1-phosphate	Cytosol	C5H9O7P	-2
2dr5p	2-Deoxy-D-ribose 5-phosphate	Cytosol	C5H9O7P	-2
2kmb	2-keto-4-methylthiobutyrate	Cytosol	C5H7O3S	-1
2mahmp	2-Methyl-4-amino-5-hydroxymethylpyrimidine diphosphate	Cytosol	C6H8N3O7P2	-3
2me4p	2-C-methyl-D-erythritol 4-phosphate	Cytosol	C5H11O7P	-2
2mecdp	2-C-methyl-D-erythritol 2,4-cyclodiphosphate	Cytosol	C5H10O9P2	-2
2obut	2-Oxobutanoate	Cytosol	C4H5O3	-1
2ombzl	2-Octaprenyl-6-methoxy-1,4-benzoquinol	Cytosol	C47H72O3	0
2ommbl	2-Octaprenyl-3-methyl-6-methoxy- 1,4-benzoquinol	Cytosol	C48H74O3	0
2oph	2-Octaprenylphenol	Cytosol	C46H70O	0
2p4c2me	2-phospho-4-(cytidine 5'-diphospho)-2-C-methyl-D-erythritol	Cytosol	C46H70O	-4
2pg	D-Glycerate 2-phosphate	Cytosol	C3H4O7P	-3
2shchc	2-Succinyl-6-hydroxy-2,4-cyclohexadiene-1-carboxylate	Cytosol	C11H10O6	-2
34hpp	3-(4-Hydroxyphenyl)pyruvate	Cytosol	C9H7O4	-1
3dhq	3-Dehydroquinate	Cytosol	C7H9O6	-1
3dhsk	3-Dehydroshikimate	Cytosol	C7H7O5	-1
3hoctaACP	R-3-hydroxy-octadecanoic-ACP	Cytosol	C29H55N2O9PRS	-1
3hpalmACP	R-3-hydroxy-palmitoyl-ACP	Cytosol	C27H51N2O9PRS	-1
3ig3p	C'-(3-Indolyl)-glycerol 3-phosphate	Cytosol	C11H12NO6P	-2
3mob	3-Methyl-2-oxobutanoate	Cytosol	C5H7O3	- -1
3mop	(S)-3-Methyl-2-oxopentanoate	Cytosol	C6H9O3	-1
3ophb	3-Octaprenyl-4-hydroxybenzoate	Cytosol	C47H69O3	-1
3pg	3-Phospho-D-glycerate	Cytosol	C3H4O7P	-3
3php	3-Phosphohydroxypyruvate	Cytosol	C3H2O7P	-3
3psme	5-O-(1-Carboxyvinyl)-3-phosphoshikimate	Cytosol	C10H9O10P	-4
4abut	4-Aminobutanoate	Cytosol	C4H9NO2	0
4abz	4-Aminobenzoate	Cytosol	C7H6NO2	-1
4adcho	4-amino-4-deoxychorismate	Cytosol	C10H10NO5	-1
4ampm	4-Amino-2-methyl-5-phosphomethylpyrimidine	Cytosol	C6H8N3O4P	-2
4c2me	4-(cytidine 5'-diphospho)-2-C-methyl-D-erythritol	Cytosol	C14H23N3O14P2	-2
4h2oglt	4-Hydroxy-2-oxoglutarate	Cytosol	C5H4O6	-2
4hba	4-Hydroxy-benzyl alcohol	Cytosol	C7H8O2	0
4hbz	4-Hydroxybenzoate	Cytosol	C7H5O3	-1
4hglusa	L-4-Hydroxyglutamate semialdehyde	Cytosol	C5H9NO4	0
4hpro-LT	trans-4-Hydroxy-L-proline	Cytosol	C5H9NO3	0
	a.a.s . Hydroxy = promito	0,10001	201.01100	J

Abbreviation	Official name	Compartiment	Formula	Charge
4mhetz	4-Methyl-5-(2-hydroxyethyl)-thiazole	Cytosol	C6H9NOS	0
4mop	4-Methyl-2-oxopentanoate	Cytosol	C6H9O3	-1
4mpetz	4-Methyl-5-(2-phosphoethyl)-thiazole	Cytosol	C6H8NO4PS	-2
4pasp	4-Phospho-L-aspartate	Cytosol	C4H6NO7P	-2
4ppan	D-4'-Phosphopantothenate	Cytosol	C9H15NO8P	-3
4ppcys	N-((R)-4-Phosphopantothenoyl)-L-cysteine	Cytosol	C12H20N2O9PS	-3
4r5au	4-(1-D-Ribitylamino)-5-aminouracil	Cytosol	C9H16N4O6	0
5aizc	5-amino-1-(5-phospho-D-ribosyl)imidazole-4-carboxylate	Cytosol	C9H11N3O9P	-3
5aop	5-Amino-1-(3-pinospino-b-nbosynimidazole-4-carboxyrate	Cytosol	C5H9NO3	0
5aprbu	5-Amino-4-oxopernanoate 5-Amino-6-(5'-phosphoribitylamino)uracil	Cytosol	C9H15N4O9P	-2
•	5-Amino-6-(5'-phosphoribosylamino)uracil	Cytosol	C9H13N4O9P	-2 -2
5apru		,		
5caiz	5-phosphoribosyl-5-carboxyaminoimidazole	Cytosol	C9H11N3O9P	-3
5mdr1p	5-Methylthio-5-deoxy-D-ribose 1-phosphate	Cytosol	C6H11O7PS	-2
5mdru1p	5-Methylthio-5-deoxy-D-ribulose 1-phosphate	Cytosol	C6H11O7PS	-2
5mta	5-Methylthioadenosine	Cytosol	C11H15N5O3S	0
5mthf	5-Methyltetrahydrofolate	Cytosol	C20H24N7O6	-1
5mtr	5-Methylthio-D-ribose	Cytosol	C6H12O4S	0
6pgc	6-Phospho-D-gluconate	Cytosol	C6H10O10P	-3
6pgl	6-phospho-D-glucono-1,5-lactone	Cytosol	C6H9O9P	-2
8aonn	8-Amino-7-oxononanoate	Cytosol	C9H17NO3	0
aa	Acrylamide	Cytosol	C3H5NO	0
aa[e]	Acrylamide	Extracellular	C3H5NO	0
aacoa	Acetoacetyl-CoA	Cytosol	C25H36N7O18P3S	-4
ac	Acetate	Cytosol	C2H3O2	-1
ac[e]	Acetate	Extracellular	C2H3O2	-1
acac	Acetoacetate	Cytosol	C4H5O3	-1
acac[e]	Acetoacetate	Extracellular	C4H5O3	-1
acACP	Acetyl-ACP	Cytosol	C13H23N2O8PRS	-1
acald	Acetaldehyde	Cytosol	C2H4O	0
acald[e]	Acetaldehyde	Extracellular	C2H4O	0
accoa	Acetyl-CoA	Cytosol	C23H34N7O17P3S	-4
acgam1p	N-Acetyl-D-glucosamine 1-phosphate	Cytosol	C8H14NO9P	-2
achms	O-Acetyl-L-homoserine	Cytosol	C6H11NO4	0
acmam	N-Acetyl-D-muramoate	Cytosol	C11H18NO8	-1
acmama	N-Acetyl-D-muramoyl-L-alanine	Cytosol	C14H23N2O9	-1
ACP	acyl carrier protein	Cytosol	C11H21N2O7PRS	-1
acryl	Acrylate	Cytosol	C3H4O2	0
acser	O-Acetyl-L-serine	Cytosol	C5H9NO4	0
actACP	Acetoacetyl-ACP	Cytosol	C15H25N2O9PRS	-1
actp	Acetyl phosphate	Cytosol	C2H3O5P	-2
ad	Acetamide	Cytosol	C2H5NO	0
ad[e]	Acetamide	Extracellular	C2H5NO	0
ade	Adenine	Cytosol	C5H5N5	0
ade[e]	Adenine	Extracellular	C5H5N5	0
adn	Adenosine	Cytosol	C10H13N5O4	0
adn[e]	Adenosine	Extracellular	C10H13N5O4	0
adp	ADP	Cytosol	C10H12N5O10P2	-3
•	ADP-L-glycero-D-manno-heptose-7-phosphate	Cytosol	C17H24N5O19P3	-3 -2
	ADP-D-glycero-D-manno-heptose	Cytosol	C17H25N5O16P2	-2
adphep-D,D		-	C17H25N5O16P2	
adphep-L,D	ADP-L-glycero-D-manno-heptose	Cytosol	C5H16N4	-2
agm	Agmatine	Cytosol		2
ahcys	S-Adenosyl-L-homocysteine	Cytosol	C14H20N6O5S	0
ahdt	$\hbox{$2-$Amino-4-hydroxy-6-(erythro-1,2,3-trihydroxypropyl)$dihydropteridine triphosphate}$	Cytosoi	C9H13N5O13P3	-3
aicar	5-Amino-1-(5-Phospho-D-ribosyl)imidazole-4-carboxamide	Cytosol	C9H13N4O8P	-2
air	5-amino-1-(5-phospho-D-ribosyl)imidazole	Cytosol	C8H12N3O7P	-2
akg	2-Oxoglutarate	Cytosol	C5H4O5	-2
akg[e]	2-Oxoglutarate	Extracellular	C5H4O5	-2
alaala	D-Alanyl-D-alanine	Cytosol	C6H12N2O3	0

Abbreviation	Official name	Compartiment	Formula	Charge
ala-B	beta-Alanine	Cytosol	C3H7NO2	0
alac-S	(S)-2-Acetolactate	Cytosol	C5H7O4	-1
ala-D	D-Alanine	Cytosol	C3H7NO2	0
ala-D[e]	D-Alanine	Extracellular	C3H7NO2	0
ala-L	L-Alanine	Cytosol	C3H7NO2	0
ala-L[e]	L-Alanine	Extracellular	C3H7NO2	0
amet	S-Adenosyl-L-methionine	Cytosol	C15H23N6O5S	1
ametam	S-Adenosylmethioninamine	Cytosol	C14H24N6O3S	2
amob	S-Adenosyl-4-methylthio-2-oxobutanoate	Cytosol	C15H19N5O6S	0
amp	AMP	Cytosol	C10H12N5O7P	-2
anth	Anthranilate	Cytosol	C7H6NO2	-1
aps	Adenosine 5'-phosphosulfate	Cytosol	C10H12N5O10PS	-2
ara5p	D-Arabinose 5-phosphate	Cytosol	C5H9O8P	-2
arg-L	L-Arginine	Cytosol	C6H15N4O2	1
arg-L[e]		Extracellular	C6H15N4O2	1
	L-Arginine N(omega)-(L-Arginino)succinate	Cytosol	C10H17N4O6	-1
argsuc asn-L		Cytosol	C4H8N2O3	0
	L Asparagine	Extracellular	C4H8N2O3	0
asn-L[e]	L-Asparagine		C4H6NO4	-1
asp-L	L-Aspartate	Cytosol		
asp-L[e]	L-Aspartate	Extracellular	C4H6NO4	-1
aspsa	L-Aspartate 4-semialdehyde	Cytosol	C4H7NO3	0
atp	ATP	Cytosol	C10H12N5O13P3	-4
btamp	Biotinyl-5'-AMP	Cytosol	C20H27N7O9PS	-1
btn - 100 - 100	Biotin	Cytosol	C7H5O6	-3
c190cACP	19 carbon cyclopropane-ACP	Cytosol	C30H55N2O8PRS	-1
cbasp	N-Carbamoyl-L-aspartate	Cytosol	C5H6N2O5	-2
cbp	Carbamoyl phosphate	Cytosol	CH2NO5P	-2
cdp	CDP	Cytosol	C9H12N3O11P2	-3
cdpdag_HP	CDP-Diacylglycerol, Helicobacter pylori specific	Cytosol	C45H79N3O15P2	-2
cdpea	CDPethanolamine	Cytosol	C11H19N4O11P2	-1
cgly	Cys-Gly	Cytosol	C5H10N2O3S	0
chor	Chorismate	Cytosol	C10H8O6	-2
cit	Citrate	Cytosol	C6H5O7	-3
cit[e]	Citrate	Extracellular	C6H5O7	-3
citr-L	L-Citrulline	Cytosol	C6H13N3O3	0
clpn_HP	Cardiolipin, Helicobacter pylori specific	Cytosol	C75H140O17P2	-2
cmp	CMP	Cytosol	C9H12N3O8P	-2
cmpkdo	CMP-3-deoxy-D-manno-octulosonate	Cytosol	C17H24N3O15P	-2
co2	CO2	Cytosol	CO2	0
co2[e]	CO2	Extracellular	CO2	0
coa	Coenzyme A	Cytosol	C21H32N7O16P3S	-4
core_lps_hp	Core oligosaccharide plus lipidA, Helicobacter pylori specific	Cytosol	C129H237N2O62P2	1
cpppg1	Coproporphyrinogen I	Cytosol	C36H40N4O8	-4
cpppg3	Coproporphyrinogen III	Cytosol	C36H40N4O8	-4
ctp	CTP	Cytosol	C9H12N3O14P3	-4
cys-L	L-Cysteine	Cytosol	C3H7NO2S	0
cys-L[e]	L-Cysteine	Extracellular	C3H7NO2S	0
cyst-L	L-Cystathionine	Cytosol	C7H14N2O4S	0
cytd	Cytidine	Cytosol	C9H13N3O5	0
cytd[e]	Cytidine	Extracellular	C9H13N3O5	0
dad-2	Deoxyadenosine	Cytosol	C10H13N5O3	0
dad-2[e]	Deoxyadenosine	Extracellular	C10H13N5O3	0
dadp	dADP	Cytosol	C10H12N5O9P2	-3
damp	dAMP	Cytosol	C10H12N5O6P	-2
dann	7,8-Diaminononanoate	Cytosol	C9H21N2O2	1
datp	dATP	Cytosol	C10H12N5O12P3	-4
db4p	3,4-dihydroxy-2-butanone 4-phosphate	Cytosol	C4H7O6P	-2
dcamp	N6-(1,2-Dicarboxyethyl)-AMP	Cytosol	C14H14N5O11P	-4
dcdp	dCDP	Cytosol	C9H12N3O10P2	-3

Abbreviation	Official name	Compartiment	Formula	Charge
dctp	dCTP	Cytosol	C9H12N3O13P3	-4
dcyt	Deoxycytidine	Cytosol	C9H13N3O4	0
dcyt[e]	Deoxycytidine	Extracellular	C9H13N3O4	0
dgdp	dGDP	Cytosol	C10H12N5O10P2	-3
dgmp	dGMP	Cytosol	C10H12N5O7P	-3 -2
		Cytosol	C10H13N5O4	0
dgsn	Deoxyguanosine dGTP	-	C10H13N5O4	-4
dgtp		Cytosol	C3H5O6P	
dhap dhf	Dihydroxyacetone phosphate 7,8-Dihydrofolate	Cytosol		-2 -1
	· ·	Cytosol	C19H20N7O6	
dhna	1,4-Dihydroxy-2-naphthoate	Cytosol	C11H7O4	-1
dhnpt	2-Amino-4-hydroxy-6-(D-erythro-1,2,3-trihydroxypropyl)-7,8-dihydropteridine	Cytosol	C9H14N5O4	1
dhor-S	(S)-Dihydroorotate	Cytosol	C5H5N2O4	-1
dhpmp	Dihydroneopterin monophosphate	Cytosol	C9H13N5O7P	-1
dhpt	Dihydropteroate	Cytosol	C14H13N6O3	-1
dhptd	4,5-dihydroxy-2,3-pentanedione	Cytosol	C5H8O4	0
din	Deoxyinosine	Cytosol	C10H12N4O4	0
dkmpp	2,3-diketo-5-methylthio-1-phosphopentane	Cytosol	C6H9O6PS	-2
dmlz	6,7-Dimethyl-8-(1-D-ribityl)lumazine	Cytosol	C13H18N4O6	0
dmpp	Dimethylallyl diphosphate	Cytosol	C5H9O7P2	-3
dnad	Deamino-NAD+	Cytosol	C21H24N6O15P2	-2
dpcoa	Dephospho-CoA	Cytosol	C21H33N7O13P2S	-2
dtbt	Dethiobiotin	Cytosol	C10H17N2O3	-1
dtdp	dTDP	Cytosol	C10H13N2O11P2	-3
dtmp	dTMP	Cytosol	C10H13N2O8P	-3 -2
dttp	dTTP	Cytosol	C10H13N2O14P3	- <u>2</u> -4
=	dUDP	-	C9H11N2O11P2	-3
dudp		Cytosol		-3 -2
dump	dUMP	Cytosol	C9H11N2O8P	
duri	Deoxyuridine Deoxyuridine	Cytosol	C9H12N2O5	0
duri[e]	Deoxyuridine	Extracellular	C9H12N2O5	0
dutp	dUTP	Cytosol	C9H11N2O14P3	-4
dxyl	1-deoxy-D-xylulose	Cytosol	C5H10O4	0
dxyl5p	1-deoxy-D-xylulose 5-phosphate	Cytosol	C5H9O7P	-2
e4hglu	L-erythro-4-Hydroxyglutamate	Cytosol	C5H8NO5	-1
e4p	D-Erythrose 4-phosphate	Cytosol	C4H7O7P	-2
etoh	Ethanol	Cytosol	C2H6O	0
etoh[e]	Ethanol	Extracellular	C2H6O	0
f1p	D-Fructose 1-phosphate	Cytosol	C6H11O9P	-2
f6p	D-Fructose 6-phosphate	Cytosol	C6H11O9P	-2
fad	Flavin adenine dinucleotide	Cytosol	C27H31N9O15P2	-2
fadh2	Flavin adenine dinucleotide (reduced form)	Cytosol	C27H33N9O15P2	-2
fc1p	L-Fuculose 1-phosphate	Cytosol	C6H11O8P	-2
fdp	D-Fructose 1,6-bisphosphate	Cytosol	C6H10O12P2	-4
fdxox	Oxidized ferredoxin	Cytosol	X	0
fdxrd	Reduced ferredoxin	Cytosol	XH2	0
fe2	Iron (II)	Cytosol	Fe	2
fe2[e]	Iron (II)	Extracellular	Fe	2
fe3	Iron (III)	Cytosol	Fe	3
fe3[e]	Iron (III)	Extracellular	Fe	3
fgam	N2-Formyl-N1-(5-phospho-D-ribosyl)glycinamide	Cytosol	C8H13N2O9P	-2
ficytcc553	Ferricytochrome c-553	Cytosol	C42H54FeN8O6S2	3
fmn	FMN	Cytosol	C17H19N4O9P	-2
fmnh2	Reduced FMN	Cytosol	C17H21N4O9P	-2
focytcc553	Ferrocytochrome c-553	Cytosol	C42H54FeN8O6S2	2
for	Formate	Cytosol	CH1O2	-1
for[e]	Formate	Extracellular	CH1O2	-1
fpram	2-(Formamido)-N1-(5-phospho-D-ribosyl)acetamidine	Cytosol	C8H15N3O8P	-1
fprica	5-Formamido-1-(5-phospho-D-ribosyl)imidazole-4-carboxamide	Cytosol	C10H13N4O9P	-2

Abbreviation	Official name	Compartiment	Formula	Charge
frdp	Farnesyl diphosphate	Cytosol	C15H25O7P2	-3
frmd	Formamide	Cytosol	CH3NO	0
fum	Fumarate	Cytosol	C4H2O4	-2
fum[e]	Fumarate	Extracellular	C4H2O4	-2
g1p	D-Glucose 1-phosphate	Cytosol	C6H11O9P	-2
g3p	Glyceraldehyde 3-phosphate	Cytosol	C3H5O6P	-2
g6p	D-Glucose 6-phosphate	Cytosol	C6H11O9P	-2
gal	D-Galactose	Cytosol	C6H12O6	0
gal[e]	D-Galactose	Extracellular	C6H12O6	0
gal1p	alpha-D-Galactose 1-phosphate	Cytosol	C6H11O9P	-2
gam1p	D-Glucosamine 1-phosphate	Cytosol	C6H13NO8P	-1
gam6p	D-Glucosamine 6-phosphate	Cytosol	C6H13NO8P	-1
gar	N1-(5-Phospho-D-ribosyl)glycinamide	Cytosol	C7H14N2O8P	-1
gcald	Glycolaldehyde	Cytosol	C2H4O2	0
gdp	GDP	Cytosol	C10H12N5O11P2	-3
gdpddman	GDP-4-dehydro-6-deoxy-D-mannose	Cytosol	C16H21N5O15P2	-2
gdpfuc	GDP-L-fucose	Cytosol	C16H23N5O15P2	-2
gdpmann	GDP-D-mannose	Cytosol	C16H23N5O16P2	-2
glc-D	D-Glucose	Cytosol	C6H12O6	0
glc-D[e]	D-Glucose	Extracellular	C6H12O6	0
gln-L	L-Glutamine	Cytosol	C5H10N2O3	0
gln-L[e]	L-Glutamine	Extracellular	C5H10N2O3	0
glu1sa	L-Glutamate 1-semialdehyde	Cytosol	C5H9NO3	0
glu5sa	L-Glutamate 5-semialdehyde	Cytosol	C5H9NO3	0
gluala	5-L-Glutamyl-L-alanine	Cytosol	C8H13N2O5	-1
glu-D	D-Glutamate	Cytosol	C5H8NO4	-1
glu-L	L-Glutamate	Cytosol	C5H8NO4	-1
glu-L[e]	L-Glutamate	Extracellular	C5H8NO4	-1
glutrna	L-Glutamyl-tRNA(Glu)	Cytosol	C8H13N2O5	0
glx	Glyoxylate	Cytosol	C2H1O3	-1
gly	Glycine	Cytosol	C2H5NO2	0
gly[e]	Glycine	Extracellular	C2H5NO2	0
glyald	D-Glyceraldehyde	Cytosol	C3H6O3	0
glyc	Glycerol	Cytosol	C3H8O3	0
glyc3p	Glycerol 3-phosphate	Cytosol	C3H7O6P	-2
glyclt	Glycolate	Cytosol	C2H3O3	-1
gmhep17bp	D-Glycero-D-manno-heptose 1,7-bisphosphate	Cytosol	C7H12O13P2	-4
gmhep1p	D-Glycero-D-manno-heptose 1-phosphate	Cytosol	C7H13O10P	-2
gmhep7p	D-Glycero-D-manno-heptose 7-phosphate	Cytosol	C7H13O10P	-2
gmp	GMP	Cytosol	C10H12N5O8P	-2
grdp	Geranyl diphosphate	Cytosol	C10H17O7P2	-3
gsn	Guanosine	Cytosol	C10H13N5O5	0
gsn[e]	Guanosine	Extracellular	C10H13N5O5	0
gthrd	Reduced glutathione	Cytosol	C10H16N3O6S	-1
gtp	GTP	Cytosol	C10H12N5O14P3	-4
gua	Guanine	Cytosol	C5H5N5O	0
gua[e]	Guanine	Extracellular	C5H5N5O	0
h h	H+	Cytosol	H	1
h[e]	H+	Extracellular	Н	1
h2[e]	H2	Extracellular	H2CO2	0
h2co3	carbonic acid	Cytosol	H2CO3	
h2co3[e]	carbonic acid	Extracellular	H2CO3 C5H9O8P2	0 -3
h2mb4p	1-hydroxy-2-methyl-2-(E)-butenyl 4-diphosphate	Cytosol		
h2o h2o[a]	H2O H2O	Cytosol Extracellular	H2O H2O	0
h2o[e] h2o2	Hydrogen peroxide	Cytosol	H2O2	0
h2s	Hydrogen sulfide	Cytosol	H2S	0
hco3	Bicarbonate	Cytosol	HCO3	-1
hcys-L	L-Homocysteine	Cytosol	C4H9NO2S	0
.10y0 L	2.10.1100,000110	Cy10001	5 /1 1011020	3

Abbreviation	Official name	Compartiment	Formula	Charge
his-L	L-Histidine	Cytosol	C6H9N3O2	0
his-L[e]	L-Histidine	Extracellular	C6H9N3O2	0
hmbil	Hydroxymethylbilane	Cytosol	C40H38N4O17	-8
hmfurn	4-hydroxy-5-methyl-3(2H)-furanone	Cytosol	C5H6O3	0
hom-L	L-Homoserine	Cytosol	C4H9NO3	0
hxan	Hypoxanthine	Cytosol	C5H4N4O	0
hxan[e]	Hypoxanthine	Extracellular	C5H4N4O	0
iasp	Iminoaspartate	Cytosol	C4H4NO4	-1
ichor	Isochorismate	Cytosol	C10H8O6	-2
icit	Isocitrate	Cytosol	C6H5O7	-3
ile-L	L-Isoleucine	Cytosol	C6H13NO2	0
ile-L[e]	L-Isoleucine	Extracellular	C6H13NO2	0
imp	IMP	Cytosol	C10H11N4O8P	-2
indole	Indole	Cytosol	C8H7N	0
ins	Inosine	Cytosol	C10H12N4O5	0
ipdp	Isopentenyl diphosphate	Cytosol	C5H9O7P2	-3
kdo	3-Deoxy-D-manno-2-octulosonate	Cytosol	C8H13O8	-1
kdo8p	3-Deoxy-D-manno-octulosonate 8-phosphate	Cytosol	C8H12O11P	-3
kdolipid4_HP	KDO-lipid IV(A), Helicobacter pylori specific	Cytosol	C90H166N2O26P	-3
lac-D	D-Lactate	Cytosol	C3H5O3	-1
lac-L	L-Lactate	Cytosol	C3H5O3	-1
lac-L[e]	L-Lactate	Extracellular	C3H5O3	-1
lald-L	L-Lactaldehyde	Cytosol	C3H6O2	0
leu-L	L-Leucine	Cytosol	C6H13NO2	0
leu-L[e]	L-Leucine	Extracellular	C6H13NO2	0
lipidA_HP	Lipid A, Helicobacter pylori specific	Cytosol	C82H155N2O19P	-2
lipidX_HP	Lipid X Helicobacter pylori specific	Cytosol	C40H76NO12P	-2
lps_HP	Lipopolysacharide, Helicobacter pylori specific	Cytosol	C188H344N4O105P2	10
lys-L	L-Lysine	Cytosol	C6H15N2O2	1
lys-L[e]	L-Lysine	Extracellular	C6H15N2O2	1
malACP	Malonyl-[acyl-carrier protein]	Cytosol	C14H22N2O10PRS	-2
malcoa	Malonyl-CoA	Cytosol	C24H33N7O19P3S	-5
mal-L	L-Malate	Cytosol	C4H4O5	-2
mal-L[e]	L-Malate	Extracellular	C4H4O5	-2
man1p	D-Mannose 1-phosphate	Cytosol	C6H11O9P	-2
man6p	D-Mannose 6-phosphate	Cytosol	C6H11O9P	-2
methf	5,10-Methenyltetrahydrofolate	Cytosol	C20H20N7O6	-1
met-L	L-Methionine	Cytosol	C5H11NO2S	0
met-L[e]	L-Methionine	Extracellular	C5H11NO2S	0
mlthf	5,10-Methylenetetrahydrofolate	Cytosol	C20H22N7O6	-1
mql6	Menaquinol 6	Cytosol	C41H58O2	0
mqn6	Menaquinone 6	Cytosol	C41H56O2	0
myrsACP	Myristoyl-ACP (n-C14:0ACP)	Cytosol	C25H47N2O8PRS	-1
na1	Sodium	Cytosol	Na	1
na1[e]	Sodium	Extracellular	Na	1
nad	Nicotinamide adenine dinucleotide	Cytosol	C21H26N7O14P2	-1
nadh	Nicotinamide adenine dinucleotide - reduced	Cytosol	C21H27N7O14P2	-2
nadp	Nicotinamide adenine dinucleotide phosphate	Cytosol	C21H25N7O17P3	-3
nadph	Nicotinamide adenine dinucleotide phosphate - reduced	Cytosol	C21H26N7O17P3	-4
nh4	Ammonium	Cytosol	H4N	1
nh4[e]	Ammonium	Extracellular	H4N	1
ni2	Ni2+	Cytosol	Ni2	2
ni2[e]	Ni2+	Extracellular	Ni2	2
nicrnt	Nicotinate D-ribonucleotide	Cytosol	C11H12NO9P	-2
nmn	Nicotinamide D-ribonucleotide	Cytosol	C11H14N2O8P	-1
nmn[e]	Nicotinamide D-ribonucleotide	Extracellular	C11H14N2O8P	-1
no	Nitric oxide	Cytosol	NO	0
no[e]	Nitric oxide	Extracellular	NO	0
no2	Nitrite	Cytosol	NO2	-1

Abbreviation	Official name	Compartiment	Formula	Charge
no2[e]	Nitrite	Extracellular	NO2	-1
no3	Nitrate	Cytosol	NO3	-1
no3[e]	Nitrate	Extracellular	NO3	-1
02	02	Cytosol	O2	0
02-	Superoxide anion	Cytosol	O2-	-1
o2[e]	02	Extracellular	O2	0
oaa	Oxaloacetate	Cytosol	C4H2O5	-2
ocdcaACP	Octadecanoyl-ACP (n-C18:0ACP)	Cytosol	C29H55N2O8PRS	- -1
octdp	all-trans-Octaprenyl diphosphate	Cytosol	C40H65O7P2	-3
octeACP	Octadecenoyl-ACP (n-C18:1ACP)	Cytosol	C29H53N2O8PRS	-1
orn	Ornithine	Cytosol	C5H13N2O2	1
orn[e]	Ornithine	Extracellular	C5H13N2O2	1
orot	Orotate	Cytosol	C5H3N2O4	-1
orot[e]	Orotate	Extracellular	C5H3N2O4	-1
orot5p	Orotidine 5'-phosphate	Cytosol	C10H10N2O11P	-3
ра_Нр	Phosphatidic acid, <i>Helicobacter pylori</i> specific	Cytosol	C36H67O8P	-2
pac	Phenylacetic acid	Cytosol	C8H7O2	- -1
pad	2-Phenylacetamide	Cytosol	C8H9NO	0
palmACP	Palmitoyl-ACP (n-C16:0ACP)	Cytosol	C27H51N2O8PRS	-1
pan4p	Pantetheine 4'-phosphate	Cytosol	C11H21N2O7PS	-2
pant-R	(R)-Pantoate	Cytosol	C6H11O4	- -1
pap	Adenosine 3',5'-bisphosphate	Cytosol	C10H11N5O10P2	-4
paps	3'-Phosphoadenylyl sulfate	Cytosol	C10H11N5O13P2S	-4
pe_HP	Phosphatidylethanolamine, <i>Helicobacter pylori</i> specific	Cytosol	C38H74NO8P	0
pep	Phosphoenolpyruvate	Cytosol	C3H2O6P	-3
peptido_EC	Peptidoglycan subunit of Escherichia coli	Cytosol	C40H62N8O21	-2
pg_HP	Phosphatidylglycerol, <i>Helicobacter pylori</i> specific	Cytosol	C39H74O10P	- -1
pgp_HP	Phosphatidylglycerol phosphate, <i>Helicobacter pylori</i> specific	Cytosol	C39H73O13P2	-3
phe-L	L-Phenylalanine	Cytosol	C9H11NO2	0
phe-L[e]	L-Phenylalanine	Extracellular	C9H11NO2	0
pheme	Protoheme	Cytosol	C34H30FeN4O4	-2
pheme[e]	Protoheme	Extracellular	C34H30FeN4O4	-2
phom	O-Phospho-L-homoserine	Cytosol	C4H8NO6P	-2
phpyr	Phenylpyruvate	Cytosol	C9H7O3	- -1
pi	Phosphate	Cytosol	HO4P	-2
pi[e]	Phosphate	Extracellular	HO4P	-2
pime	Pimelate	Cytosol	C7H10O4	-2
pime[e]	Pimelate	Extracellular	C7H10O4	-2
pmcoa	Pimeloyl-CoA	Cytosol	C37H62N7O17P3S	-4
pnto-R	(R)-Pantothenate	Cytosol	C9H16NO5	-1
ppbng	Porphobilinogen	Cytosol	C10H13N2O4	-1
pphn	Prephenate	Cytosol	C10H8O6	-2
ppi	Diphosphate	Cytosol	HO7P2	-3
ppp9	Protoporphyrin	Cytosol	C34H32N4O4	-2
pppg9	Protoporphyrinogen IX	Cytosol	C34H38N4O4	-2
pram	5-Phospho-beta-D-ribosylamine	Cytosol	C5H11NO7P	-1
pran	N-(5-Phospho-D-ribosyl)anthranilate	Cytosol	C12H13NO9P	-1
pro-L	L-Proline	Cytosol	C5H9NO2	0
pro-L[e]	L-Proline	Extracellular	C5H9NO2	0
prpp	5-Phospho-alpha-D-ribose 1-diphosphate	Cytosol	C5H8O14P3	-5
ps_HP	Phosphatidylserine, <i>Helicobacter pylori</i> specific	Cytosol	C39H73NO10P	-1
pser-D	D-O-Phosphoserine	Cytosol	C3H6NO6P	-2
pser-L	O-Phospho-L-serine	Cytosol	C3H6NO6P	-2
ptrc	Putrescine	Cytosol	C4H14N2	2
pyr	Pyruvate	Cytosol	C3H3O3	-1
pyr[e]	Pyruvate	Extracellular	C3H3O3	-1
quln	Quinolinate	Cytosol	C7H3NO4	-2
r1p	alpha-D-Ribose 1-phosphate	Cytosol	C5H9O8P	-2
r5p	alpha-D-Ribose 5-phosphate	Cytosol	C5H9O8P	-2
•	• •	-		

Abbreviation	Official name	Compartiment	Formula	Charge
rhcys	S-Ribosyl-L-homocysteine	Cytosol	C9H17NO6S	0
rib-D	D-Ribose	Cytosol	C5H10O5	0
ribflv	Riboflavin	Cytosol	C17H20N4O6	0
ru5p-D	D-Ribulose 5-phosphate	Cytosol	C5H9O8P	-2
s7p	Sedoheptulose 7-phosphate	Cytosol	C7H13O10P	-2
sbzcoa	O-Succinylbenzoyl-CoA	Cytosol	C32H39N7O20P3S	-5
ser-D	D-Serine	Cytosol	C3H7NO3	0
ser-D[e]	D-Serine	Extracellular	C3H7NO3	0
ser-L	L-Serine	Cytosol	C3H7NO3	0
ser-L[e]	L-Serine	Extracellular	C3H7NO3	0
skm	Shikimate	Cytosol	C7H9O5	-1
skm5p	Shikimate 5-phosphate	Cytosol	C7H8O8P	-3
sl26da	N-Succinyl-LL-2,6-diaminoheptanedioate	Cytosol	C11H16N2O7	-2
sl2a6o	N-Succinyl-2-L-amino-6-oxoheptanedioate	Cytosol	C11H12NO8	-3
so3	Sulfite	Cytosol	038	-2
so4	Sulfate	Cytosol	O4S	-2 -2
	Sulfate	Extracellular	O4S	-2 -2
so4[e]		Cytosol	C7H22N3	3
spmd	Spermidine Spermidine	-		4
sprm	Spermine Sussingto comisidebyde thismin diphenhete enion	Cytosol	C10H30N4 C16H21N4O10P2S	
ssaltpp	Succinate semialdehyde-thiamin diphosphate anion	Cytosol	C10H21N4O10P2S	-3
sucbz	o-Succinylbenzoate	Cytosol		-5
SUCC	Succinate	Cytosol	C4H4O4	-2
succ[e]	Succinate	Extracellular	C4H4O4	-2
succoa	Succinyl-CoA	Cytosol	C25H35N7O19P3S	-5
suchms	O-Succinyl-L-homoserine	Cytosol	C8H12NO6	-1
thdp	2,3,4,5-Tetrahydrodipicolinate	Cytosol	C7H7NO4	-2
thf	5,6,7,8-Tetrahydrofolate	Cytosol	C19H22N7O6	-1
thm	Thiamin	Cytosol	C12H17N4OS	1
thm[e]	Thiamin	Extracellular	C12H17N4OS	1
thmmp	Thiamin monophosphate	Cytosol	C12H16N4O4PS	-1
thmpp	Thiamine diphosphate	Cytosol	C12H16N4O7P2S	-2
thr-L	L-Threonine	Cytosol	C4H9NO3	0
thr-L[e]	L-Threonine	Extracellular	C4H9NO3	0
thymd	Thymidine	Cytosol	C10H14N2O5	0
thymd[e]	Thymidine	Extracellular	C10H14N2O5	0
trdox	Oxidized thioredoxin	Cytosol	X	0
trdrd	Reduced thioredoxin	Cytosol	XH2	0
trnaglu	tRNA (Glu)	Cytosol	R	0
trp-L	L-Tryptophan	Cytosol	C11H12N2O2	0
trp-L[e]	L-Tryptophan	Extracellular	C11H12N2O2	0
tyr-L	L-Tyrosine	Cytosol	C9H11NO3	0
tyr-L[e]	L-Tyrosine	Extracellular	C9H11NO3	0
u23ga_HP	UDP-2(3-hydroxyoctadecanoyl)-3(3-hydroxypalmetoyl)glucosamine	Cytosol	C49H87N3O20P2	-2
u2ga_HP	UDP-2,3-hydroxyoctadecanoyl-octadecanoyl-D-glucosamine	Cytosol	C51H92N3O19P2	-1
u2hga_HP	UDP-2-hydroxyoctadecanoyl-D-glucosamine	Cytosol	C33H58N3O18P2	-1
u3aga_HP	UDP-3-O-(3-hydroxypalmetoyl)-N-acetylglucosamine	Cytosol	C33H55N3O19P2	-2
u3hga_HP	UDP-3-O(3-hydroxypalmetoyl)-D-glucosamine	Cytosol	C31H54N3O18P2	-1
uaagmda	Undecaprenyl-diphospho-N-acetylmuramoyl-(N-acetylglucosamine)-L	•	C95H152N8O28P2	-4
uaagmaa	ala-D-glu-meso-2,6-diaminopimeloyl-D-ala-D-ala	. Cytosoi	0301110211002012	7
uaccg	UDP-N-acetyl-3-O-(1-carboxyvinyl)-D-glucosamine	Cytosol	C20H26N3O19P2	-3
uacgam	UDP-N-acetyl-D-glucosamine	Cytosol	C17H25N3O17P2	-2
uagmda	Undecaprenyl-diphospho-N-acetylmuramoyl-L-alanyl-D-glutamyl-	Cytosol	C87H139N7O23P2	<u>-</u>
g.1144	meso-2,6-diaminopimeloyl-D-alanyl-D-alanine	- ,	2020111 0201 2	-1
uama	UDP-N-acetylmuramoyl-L-alanine	Cytosol	C23H33N4O20P2	-3
uamag	UDP-N-acetylmuramoyl-L-alanyl-D-glutamate	Cytosol	C28H39N5O23P2	-4
uamr	UDP-N-acetylmuramate	Cytosol	C20H28N3O19P2	-3
udcpdp	Undecaprenyl diphosphate	Cytosol	C55H89O7P2	-3

<b>Abbreviation</b>	Official name	Compartiment	Formula	Charge
udcpp	Undecaprenyl phosphate	Cytosol	C55H89O4P	-2
udp	UDP	Cytosol	C9H11N2O12P2	-3
udpg	UDPglucose	Cytosol	C15H22N2O17P2	-2
udpgal	UDPgalactose	Cytosol	C15H22N2O17P2	- -2
ugam	UDP-glucosamine	Cytosol	C15H24N3O16P2	<u>-</u> -1
ugmd	UDP-N-acetylmuramoyl-L-alanyl-D-gamma-glutamyl-meso-2,6-diaminopimelate	Cytosol	C35H51N7O26P2	-4
ugmda	UDP-N-acetylmuramoyl-L-alanyl-D-glutamyl-meso-2,6-diaminopimeloyl-D-alanyl-D-alanine	Cytosol	C41H61N9O28P2	-4
ump	UMP	Cytosol	C9H11N2O9P	-2
uppg1	Uroporphyrinogen I	Cytosol	C40H36N4O16	-8
uppg3	Uroporphyrinogen III	Cytosol	C40H36N4O16	-8
ura	Uracil	Cytosol	C4H4N2O2	0
ura[e]	Uracil	Extracellular	C4H4N2O2	0
urea	Urea	Cytosol	CH4N2O	0
urea[e]	Urea	Extracellular	CH4N2O	0
uri	Uridine	Cytosol	C9H12N2O6	0
uri[e]	Uridine	Extracellular	C9H12N2O6	0
utp	UTP	Cytosol	C9H11N2O15P3	-4
val-L	L-Valine	Cytosol	C5H11NO2	0
val-L[e]	L-Valine	Extracellular	C5H11NO2	0
xan	Xanthine	Cytosol	C5H4N4O2	0
xan[e]	Xanthine	Extracellular	C5H4N4O2	0
xmp	Xanthosine 5'-phosphate	Cytosol	C10H11N4O9P	-2
xtsn	Xanthosine	Cytosol	C10H12N4O6	0
xu5p-D	D-Xylulose 5-phosphate	Cytosol	C5H9O8P	-2

Table S2A: List of genes and reactions included in i IT341 GSM/GPR

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
HP0002, HP1574	RBFSa	Riboflavin synthase	[c]: 4r5au + db4p> dmlz + (2) h2o + pi	4	EC 2.5.1.9	RibC, RibE	Riboflavin Metabolism	Fassbinder et al., 2000; Tomb et al., 1997
HP0002, HP1574	RBFSb	Riboflavin synthase	[c] : (2) dmlz> 4r5au + ribflv	4	EC 2.5.1.9	RibC, RibE	Riboflavin Metabolism	Fassbinder et al., 2000; Tomb et al., 1997
HP0003	KDOPS	3-deoxy -D-manno-octulosonic -acid 8-phosphate	[c] : ara5p + h2o + pep> kdo8p + pi	2	EC 4.1.2.16	KdsA	LPS Biosynthesis	Tomb et al., 1997
HP0004, HP1186	HCO3E	carbonic anhydrase	[c] : co2 + h2o <==> h + hco3	4		IcfA, Cah	Others	Chirica et al., 2002; Mobley et al., 2001; Tomb et al., 1997
HP0005	OMPDC	Orotidine-5'-phosphate decarboxylase	[c] : h + orot5p> co2 + ump	4	EC 4.1.1.23	PyrF	UTP/CTP de novo Synthesis	Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP0006	PANTS	Pantothenate synthase	[c] : ala-B + atp + pant-R> amp + h + pnto-R + ppi	2	EC 6.3.2.1	PanC	Pantothenate/ CoA Blosynthesis	Tomb et al., 1997
HP0026	CS	Citrate synthase	atp[c] + h2o[c] + so4[e]> adp[c] + h[c] + pi[c] + so4[c]	4	EC 4.1.3.7	Glta	TCA cycle	Dunkley et al., 1999; Pitson et al., 1999; Tomb et al., 1997
HP0027	ICDHyr	Isocitrate dehydrogenase (NADP)	[c] : icit + nadp <==> akg + co2 + nadph	4	EC 1.1.1.42	lcd	TCA cycle	Pitson et al., 1999; Tomb et al., 1997
HP0029	DBTSr	Dethiobiotin synthase	[c] : atp + co2 + dann <==> adp + dtbt + (3) h + pi	2	EC 6.3.3.3	BioD	Biotin Biosynthesis	Tomb et al., 1997
HP0034	ASP1DC	Aspartate 1-decarboxylase	[c] : asp-L + h> ala-B + co2	4	EC 4.1.1.11	PanD	Pantothenate/ CoA Blosynthesis	Kwon et al., 2002; Tomb et al., 1997
HP0043	MAN1PT2r	Mannose-1-phosphate guanylyltransferase (GDP)	[c] : gdp + h + man1p <==> gdpmann + pi	4	EC 2.7.7.22	AlgA	Fucose Biosynthesis	Wu et al., 2002; Boneca et al., 2003.
HP0043	MAN6PI	Mannose-6-phosphate isomerase	[c] : man6p <==> f6p	4	EC 5.3.1.8	ManC	Fucose Biosynthesis	Wu et al., 2002; Boneca et al, 2003
HP0044	GMAND	GDP-D-mannose dehydratase	[c] : gdpmann> gdpddman + h2o	4	EC 4.2.1.47	Gmd	Fucose Biosynthesis	Wu et al., 2001; Boneca et al, 2003
HP0045	GFUCS	GDP-L-fucose synthase	[c] : gdpddman + h + nadph> gdpfuc + nadp	4	EC 1.1.1.271	Fcl	Fucose Biosynthesis	Wu et al., 2001; Boneca; et al, 2003
HP0055	PROt4r	Proline transporter	na1[e] + pro-L[e] <==> na1[c] + pro-L[c]	2		PutP	Transport	Mobley et al., 2001; Tomb et al., 1997
HP0056	P5CD	1-Pyrroline-5-carboxylate dehydrogenaseII	[c]: 1pyr5c + (2) h2o + nad> glu-L + h + nadh	2	EC 1.5.1.12	PutA	Glutamate Metabolism	Tomb et al., 1997
HP0056	PUTA3	1-Pyrroline-5-carboxylate dehydrogenase	[c] : glu5sa + h2o + nad> glu-L + (2) h + nadh	2	EC 1.5.1.12	PutA	Glutamate Metabolism	Tomb et al., 1997
HP0056	4HGLSD	L-4-Hydroxyglutamate semialdehyde dehydrogenase, mitochondrial	[c]: 4hglusa + h2o + nad <==> e4hglu + (2) h + nadh	2	EC 1.5.1.12	PutA	Glyoxylate Metabolism	Tomb et al., 1997
HP0056	HPROx	L-Hydroxyproline oxidase (NAD)	[c]: 4hpro-LT + nad> 1p3h5c + (2) h + nadh	2	EC1.5.1.12	PutA	Glyoxylate Metabolism	Tomb et al., 1997
HP0056	PHCD	L-1-Pyrroline-3-hydroxy-5-carboxylate dehydrogenase	[c]: 1p3h5c + (2) h2o + nad> e4hglu + h + nadh	2	EC 1.5.1.12	PutA	Glyoxylate Metabolism	Tomb et al., 1997
HP0056	PROD2	Proline dehydrogenase	[c] : fad + pro-L> 1pyr5c + fadh2 + h	2	EC 1.5.99.8	PutA	Proline Metabolism	Tomb et al., 1997
HP0067 -HP0070, HP0072-73	UREA	Urease	[c]: (2) h + h2o + urea> co2 + (2) nh4	4	EC 3.5.1.5	UreA, UreB, UreE, UreF, UreG, UreH		Mobley et al., 2001; Tomb et al., 1997; Bauerfeind et al., 1997; Kelly, 1998
HP0071	UREAt	Urea transport via facilitate diffusion	urea[e] <==> urea[c]	4		Urel	Transport	Weeks et al., 2000; Bury-Mone et al., 2001; Tomb et al., 1997
HP0075	PGAMT	Phosphoglucosamine mutase	[c] : gam1p <==> gam6p	4	EC 5.4.2.10	GlmM	Aminosugar Metabolism	De Reuse et al., 1997; Tomb et al., 1997
HP0086	MDH4	Malate dehydrogenase (menaquinone 6 as acceptor)	[c] : mal-L + mqn6> mql6 + oaa	4	EC 1.1.99.16	Mqo	TCA cycle	Kather et al., 2000; Boneca et al., 2003
HP0089	MTAN	Methylthioadenosine nucleosidase	[c] : 5mta + h2o> 5mtr + ade	2	EC 3.2.2.16	Mtn	Methionine Salvage Pathway	Sekowska et al., 2004; Tomb et al., 1997
HP0089	AHCYSNS	S-Adenosylhomocysteine nucleosidase	[c] : ahcys + h2o> ade + rhcys	2	EC 3.2.2.9	Mtn	Others	Tomb et al., 1997
HP0090	MCOATA	Malonyl-CoA-ACP transacylase	[c] : ACP + malcoa <==> coa + malACP	2	EC 2.3.1.39	FabD	Fatty Acid Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0093, HP0094, HP0159, HP0208, HP0279, HP0826, HP1416	LPSSYN-HP	Formation for LPS from Core oligosaccharide-Lipid A and Ochain	[c] : adphep-D,D + core_lps_hp + (3) gdpfuc + (2) uacgam + udpg + (2 udpgal> adp + (3) gdp + lps_HP + (5) udp	) 3		RfaC, RfaJ, FutC, GalTb	LPS Biosynthesis	Monteiro et al., 2000; Logan et al., 2000; Dumon et al., 2004; Tomb et al., 1997
HP0096, HP0397	PGCD	Phosphoglycerate dehydrogenase	[c]: 3pg + nad> 3php + h + nadh	2	EC 1.1.1.95	SerA	Serine Metabolism	Tomb et al., 1997
HP0098	THRS	Threonine synthase	[c] : h2o + phom> pi + thr-L	2	EC 4.2.3.1	ThrC	Threonine Biosynthesis	Tomb et al., 1997
HP0105	RHCCE	S-Ribosylhomocysteine cleavage enzyme	[c] : rhcys> dhptd + hcys-L	4		LuxS	Others	Zhu et al., 2003; Forsyth and Cover, 2000; Tomb et al., 1997
HP0106	AHSERL2	O-Acetylhomoserine (thiol)-lyase	[c] : achms + h2s> ac + h + hcys-L	2	EC 4.2.99.8	MetB	Methionine Metabolism	Tomb et al., 1997
HP0106	METB1r	Cystathionine gamma-synthase	[c] : achms + cys-L <==> ac + cyst-L + h	2	EC2.5.1.48	MetB	Methionine Metabolism	Tomb et al., 1997
HP0106	SHSL1r	O-Succinylhomoserine lyase reversible	[c] : cys-L + suchms <==> cyst-L + h + succ	2	EC2.5.1.48	MetB	Methionine Metabolism	Tomb et al., 1997
HP0106	SHSL2r	O-Succinylhomoserine lyase (H2S)	[c]: h2s + suchms <==> h + hcys-L + succ	2	EC2.5.1.48	MetB	Methionine Metabolism	Tomb et al., 1997
HP0106	SHSL4r	O-Succinylhomoserine lyase (elimination), reversible	[c]: h2o + suchms <==> 2obut + h + nh4 + succ	2	EC2.5.1.48	MetB	Methionine Metabolism	Tomb et al., 1997
HP0107	CYSS	Cysteine synthase	[c]: acser + h2s> ac + cys-L + h	2	EC 4.2.99.8	CysK	Methionine Metabolism	Tomb et al., 1997
HP0112	FCLPA	L-Fuculose 1-phosphate aldolase	[c] : fc1p <==> dhap + lald-L	2	EC 4.1.2.17	FucA	Fucose Biosynthesis	Boneca et al., 2003; Joerger et al., 2000; Tomb et al., 1997
HP0121	PPS	Phosphoenolpyruvate synthase	[c] : atp + h2o + pyr> amp + (2) h + pep + pi	2	EC 2.7.9.2	Ppsa	Glycolysis	Tomb et al., 1997
HP0132	SERD-L	L-Serine deaminase	[c] : ser-L> nh4 + pyr	4	EC4.3.1.17	SdaA	Serine Metabolism	Mobley et al., 2001; Nagata et al., 2003; Mendz and Hazell, 1995; Tomb et al., 1997
HP0132	THRD-L	L-Threonine deaminase	[c] : thr-L> 2obut + nh4	2	EC4.3.1.19	SdaA	Threonine Metabolism	Tomb et al., 1997
HP0133	SERt2r	L-Serine reversible transport via proton symport	$h[e] + ser-L[e] \le h[c] + ser-L[c]$	2		SdaC	Transport	Mobley et al., 2001; Tomb et al., 1997
HP0134	DDPA	3-Deoxy-D-arabino-heptulosonate 7-phosphate synthetase	[c]: e4p + h2o + pep> 2dda7p + pi	2	EC 4.1.2.15	Dhs1	Chorismate Biosynthesis	Tomb et al., 1997
HP0140, HP0141	L-LACt2r	L-Lactate reversible transport via proton symport	$h[e] + lac-L[e] \le h[c] + lac-L[c]$	2		LctP	Transport	Tomb et al., 1997
HP0144 - HP0147, HP1227		Cytochrome c 553 oxidase, Hpylori	(4) focytcc553[c] + (5.98) h[c] + o2[c]> (4) ficytcc553[c] + (2) h[e] + (1.99) h2o[c] + (0.0050) o2-[c]	4	EC 1.9.3.1	FixO, FixP	, Respiratory chain	Tsukita et al., 1999; Nagata et al., 1996; Nagata et al., 1998; Tomb et al., 1997
HP0154	ENO	Enolase	[c]: 2pg <==> h2o + pep	2	EC 4.2.1.11	Eno	Glycolysis	Tomb et al., 1997
HP0157	SHKK	Shikimate kinase	[c] : atp + skm> adp + h + skm5p	2	EC 2.7.1.71	AroK	Chorismate Biosynthesis	Tomb et al., 1997
HP0163	PPBNGS	Porphobilinogen synthase	[c]: (2) 5aop> h + (2) h2o + ppbng	2	EC 4.2.1.24	HemB	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0176	FBA	Fructose-bisphosphate aldolase	[c] : fdp <==> dhap + g3p	4	EC 4.1.2.13	Fba	Glycolysis	Hoffman et al., 1996; Tomb et al., 1997
HP0176	FBA2	D-Fructose 1-phosphate D-glyceraldehyde-3-phosphate-lyase	[c] : f1p <==> dhap + glyald	2	EC 4.1.2.13	Fba	Others	Tomb et al., 1997
HP0183	GHMT2r	Glycine hydroxymethyltransferase, reversible	[c] : ser-L + thf <==> gly + h2o + mlthf	2	EC 2.1.2.1	GlyA	Glycine Metabolism	Tomb et al., 1997

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
HP0191, HP0192, HP0193	FRD5	Fumarate reductase	[c] : fum + mql6 <==> mqn6 + succ	4	EC 1.3.99.1	FrdA, FrdB, FrdC	TCA cycle	Ge et al., 1997; Mendz, Hazell et al. 1995; Tomb et al., 1997
HP0194	TPI	Triose-phosphate isomerase	[c] : dhap <==> g3p	4	EC 5.3.1.1	Tpi	Glycolysis	Hoffman et al., 1996; Mendz, Hazell et al. 1994a; Tomb et al., 1997
HP0196	U23GAAT-HP	UDP-3-O-(3-hydroxypalmetoyl)glycosamine acyltransferase	[c] : 3hoctaACP + u3hga_HP> ACP + h + u23ga_HP	2		LpxD	LPS Biosynthesis	Tomb et al., 1997
HP0197	METAT	Methionine adenosyltransferase	[c] : atp + h2o + met-L> amet + pi + ppi	2	EC 2.5.1.6	MetX	Spermidine Biosynthesis	Tomb et al., 1997
HP0198	NDPK8	Nucleoside-diphosphate kinase (ATP:dADP)	[c] : atp + dadp <==> adp + datp	2	EC 2.7.4.6	Ndk	dATP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0198	NDPK7	Nucleoside-diphosphate kinase (ATP:dCDP)	[c] : atp + dcdp <==> adp + dctp	2	EC 2.7.4.6	Ndk	dCTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0198	NDPK5	Nucleoside-diphosphate kinase (ATP:dGDP)	[c] : atp + dgdp <==> adp + dgtp	2	EC 2.7.4.6	Ndk	dGTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0198	NDPK4	Nucleoside-diphosphate kinase (ATP:dTDP)	[c] : atp + dtdp <==> adp + dttp	2	EC 2.7.4.6	Ndk	dTTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0198	NDPK6	Nucleoside-diphosphate kinase (ATP:dUDP)	[c] : atp + dudp <==> adp + dutp	2	EC 2.7.4.6	Ndk	dUTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0198	NDPK1	Nucleoside-diphosphate kinase (ATP:GDP)	[c] : atp + gdp <==> adp + gtp	2	EC 2.7.4.6	Ndk	GTP de novo Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0198	NDPK3	Nucleoside-diphosphate kinase (ATP:CDP)	[c] : atp + cdp <==> adp + ctp	2	EC 2.7.4.6	Ndk	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP0198	NDPK2	Nucleoside-diphosphate kinase (ATP:UDP)	[c] : atp + udp <==> adp + utp	4	EC 2.7.4.6	Ndk	UTP/CTP de novo Synthesis	Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP0202	KAS-HP2	B-ketoacyl synthase	[c]: accoa + h + malACP> actACP + co2 + coa	2	EC2.3.1.41	FabH	Fatty Acid Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0202	ACOATA	Acetyl-CoA ACP transacylase	[c] : ACP + accoa <==> acACP + coa	2	EC 2.3.1.38	FabH	Fatty Acid Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0212	SDPDS	Succinyl-diaminopimelate desuccinylase	[c]: h2o + sl26da> 26dap-LL + succ	4	EC 3.5.1.18	DapE	Lysine Biosynthesis	Karita et al., 1997; Tomb et al., 1997
HP0215	DASYN-HP	CDP-Diacylglycerol synthetase Hp specific	[c] : ctp + h + pa_Hp <==> cdpdag_HP + ppi	2	EC 2.7.7.41	CdsA	Glycerolipid Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0216	DXPRIi	1-deoxy-D-xylulose reductoisomerase	[c] : dxyl5p + h + nadph> 2me4p + nadp	2	EC1.1.1.267	Dxr	Isoprenoid Biosynthesis	Boneca et al., 2003
HP0228	SULabc	Sulfate transport via ABC system	atp[c] + h2o[c] + so4[e]> adp[c] + h[c] + pi[c] + so4[c]	2		Sop	Transport	Boneca et al., 2003
HP0230	KDOCT	3-deoxy-manno-octulosonate cytidylyltransferase	[c] : ctp + kdo> cmpkdo + ppi	2	EC 2.7.7.38	KdsB	LPS Biosynthesis	Tomb et al., 1997
HP0237	HMBS	Hydroxymethylbilane synthase	[c]: h2o + (4) ppbng> hmbil + (4) nh4	2	EC 4.3.1.8	HemC	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0239	GLUTRR	Glutamyl-tRNA reductase	[c] : glutrna + h + nadph> glu1sa + nadp + trnaglu	2	EC1.2.1	HemA	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0240	OCTDPS	Octaprenyl pyrophosphate synthase	[c] : frdp + (5) ipdp> octdp + (5) ppi	2	EC2.5.1	IspB	Others	Mobley et al., 2001; Tomb et al., 1997
HP0255	ADSS	Adenylosuccinate synthase	[c]: asp-L + gtp + imp> dcamp + gdp + (2) h + pi	2	EC 6.3.4.4	PurA	ATP de novo Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0266, HP0581	DHORTS	Dihydroorotase	[c] : dhor-S + h2o <==> cbasp + h	4	EC 3.5.2.3	PyrC	UTP/CTP de novo Synthesis	Shepley, 1995; Tomb et al., 1997
HP0279	RFAC-HP	Formation of lipidA and sugar core for Hpylori LPS	[c]: adphep-D,D + adphep-L,D + adphep7p-L,D + kdolipid4_HP + (2) udpg + udpgal -> (3) adp + core_lps_hp + (3) udp	3	504004	RfaC	LPS Biosynthesis	Monteiro et al., 2000; Tomb et al., 1997
HP0283	DHQS	3-dehydroquinate synthase	[c] : 2dda7p> 3dhq + pi	2	EC4.2.3.4	AroB	Chorismate Biosynthesis	Tomb et al., 1997
HP0290	DAPDC	Diaminopimelate decarboxylase	[c] : 26dap-M + h> co2 + lys-L	2	EC 4.1.1.20	LysA	Lysine Biosynthesis	Tomb et al., 1997
HP0291	CHORM	Chorismate mutase	[c] : chor> pphn	2	EC 5.4.99.5	PheA	Phenylalanine Biosynthesis	Boneca et al., 2003; Tomb et al., 1997
HP0293	PABB	aminodeoxychorismate synthase	[c] : chor + nh4> 4adcho + h2o	2	EC6.3.5.8	PabB	Folate Biosynthesis	Tomb et al., 1997
HP0294	AMID2	Aliphatic amidase, 2-Phenylacetamide	[c] : h2o + pad> nh4 + pac	4	EC3.5.1.4	AmiE	Others	Skouloubris et al., 2001; Tomb et al., 1997
HP0294	AMID4	Aliphatic amidase, acetamide	[c]: ad + h2o> ac + nh4	4	EC3.5.1.4	AmiE	Others	Skouloubris et al., 2001; Tomb et al., 1997
HP0294	AMID5	Aliphatic amidase, acrylamide	[c] : aa + h2o> acryl + nh4	4	EC3.5.1.4	AmiE	Others	Skouloubris et al., 2001; Tomb et al., 1997
HP0306	G1SATi	Glutamate-1-semialdehyde aminotransferase	[c] : glu1sa> 5aop	2	EC 5.4.3.8	HemL	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0313	NARK	Nitrite transport	no2[c]> no2[e]	2	E00740	NarK	Transport	Tomb et al., 1997
HP0321	GK1	Guanylate kinase (GMP:ATP)	[c] : atp + gmp <==> adp + gdp	2	EC 2.7.4.8	Gmk	GTP de novo Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0321	DGK1	Deoxyguanylate kinase (dGMP:ATP)	[c] : atp + dgmp <==> adp + dgdp	4	EC 2.7.4.8	Gmk NadE	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP0329	NADS1	NAD synthase (nh3)	[c] : atp + dnad + nh4> amp + h + nad + ppi	2	EC 6.3.1.5	IIvC	Nicotinate Biosynthesis	Kang et al., 2003; Tomb et al., 1997
HP0330	KARA2i	Ketol-acid reductoisomerase (2-Aceto-2-hydroxybutanoate)	[c]: 2ahbut + h + nadph -> 23dhmp + nadp	2	EC 1.1.1.86	llvC	Isoleucine Metabolism	Tomb et al., 1997
HP0330 HP0349	KARA1i CTPS1	Acetohydroxy acid isomeroreductase	[c] : alac-S + h + nadph> 23dhmb + nadp	4	EC 1.1.1.86 EC 6.3.4.2	PyrG	Valine Metabolism	Tomb et al., 1997 Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP0354	DXPS	CTP synthase (NH3)	[c] : atp + nh4 + utp> adp + ctp + (2) h + pi	2	EC2.2.1.7	Dxs	UTP/CTP de novo Synthesis	Tomb et al., 1997
HP0360	UDPG4E	1-Deoxy-D-xylulose 5-phosphate synthase UDPglucose 4-epimerase	[c] : g3p + h + pyr> co2 + dxyl5p [c] : udpg <==> udpgal	4	EC 5.1.3.2	GalE	Isoprenoid Biosynthesis  LPS Biosynthesis	Kwon et al., 1998; Tomb et al., 1997
HP0364, HP0680	RNDR1			2	EC 1.17.4.1	NrdA, NrdB		
HP0364, HP0680	RNDR3	Ribonucleoside-diphosphate reductase (ADP) Ribonucleoside-diphosphate reductase (CDP)	[c] : adp + trdrd> dadp + h2o + trdox [c] : cdp + trdrd> dcdp + h2o + trdox	2	EC 1.17.4.1	NrdA, NrdB	dATP Biosynthesis dCTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997 Mobley et al., 2001; Tomb et al., 1997
HP0364, HP0680	RNDR2			4	EC 1.17.4.1	NrdA, NrdB	dGTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0364, HP0680	RNDR4	Ribonucleoside-diphosphate reductase (GDP) Ribonucleoside-diphosphate reductase (UDP)	[c] : gdp + trdrd> dgdp + h2o + trdox [c] : trdrd + udp> dudp + h2o + trdox	2	EC 1.17.4.1	NrdA, NrdB	dUTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0370, HP0371, HP0557, HP0950	ACCOACr	Acetyl-CoA carboxylase, reversible reaction	[c]: accoa + atp + hco3 <==> adp + h + malcoa + pi	4	EC 6.4.1.2		, Fatty Acid Synthesis	Burns et al., 1995; Tomb et al., 1997
HP0372	DCTPD	DCTP deaminase	[c] : dctp + h + h2o> dutp + nh4	2	EC 3.5.4.13	Dcd	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP0372	DCTPD2	DCTP deaminase	[c] : ctp + h + h2o> nh4 + utp	2	EC 3.5.4.13	Dcd	Nucleotide interconversion	Tomb et al., 1997
HP0376	FCLT	Ferrochelatase	[c] : fe2 + ppp9> (2) h + pheme	2	EC 4.99.1.1	HemH	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0380	GLUDy	Glutamate dehydrogenase (NADP)	[c] : glu-L + h2o + nadp <==> akg + h + nadph + nh4	4	EC 1.4.1.4	GdhA	Glutamate Metabolism	Mobley et al., 2001; Tomb et al., 1997
HP0381	PPPGO	Protoporphyrinogen oxidase	[c] : (1.5) o2 + pppg9> (3) h2o + ppp9	2	EC 1.3.3.4	HemK	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0389	SPODM	Superoxide dismutase	[c]: (2) h + (2) o2> h2o2 + o2	4	EC 1.15.1.1	SodB	ROS detoxification	Seyler et al., 2001; Tomb et al., 1997
HP0396	OPHBDC	Octaprenyl-hydroxybenzoate decarboxylase	[c] : 3ophb + h> 2oph + co2	2	EC4.1.1	UbiD	Ubiquinone Biosynthesis	Boneca et al., 2003
HP0400	DMPPS	1-Hydroxy-2-methyl-2-(E)-butenyl 4-diphosphate reductase	[c]: h + h2mb4p + nadh> dmpp + h2o + nad	2		IspH	Isoprenoid Biosynthesis	Boneca et al., 2003
HP0400	IPDPS	(dmpp)  1-Hydroxy-2-methyl-2-(E)-butenyl 4-diphosphate reductase (ipd		2	EC1.17.1.2	IspH	Isoprenoid Biosynthesis	Boneca et al., 2003
HP0401	PSCVT	3-Phosphoshikimate 1-carboxyvinyltransferase	[c] : pep + skm5p <==> 3psme + pi	2	EC 2.5.1.19	AroA	Chorismate Biosynthesis	Tomb et al., 1997

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
HP0409	GMPS2	GMP synthase	[c] : atp + gln-L + h2o + xmp> amp + glu-L + gmp + (2) h + ppi	2	EC 6.3.5.2	GuaA	GTP de novo Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0422	GLUDC	Glutamate Decarboxylase	[c] : glu-L + h> 4abut + co2	2	EC 4.1.1.15	SpeA	Glutamate Metabolism	Tomb et al., 1997
HP0422	ARGDC	Arginine decarboxylase	[c] : arg-L + h> agm + co2	2	EC 4.1.1.19	SpeA	Spermidine Biosynthesis	Tomb et al., 1997
HP0476, HP0643	GLUTRS	Glutamyl-tRNA synthetase	[c] : atp + glu-L + trnaglu> amp + glutrna + ppi	2	EC 6.1.1.17	GltX	Heme biosynthesis	Tomb et al., 1997
HP0493	PAPPT3	Phospho-N-acetylmuramoyl-pentapeptide-transferase (meso-2,6-diaminopimelate)	[c]: udcpp + ugmda> uagmda + ump	2	EC 2.7.8.13	MraY	Peptidoglycan Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0494	UAMAGS	UDP-N-acetylmuramoyl-L-alanyl-D-glutamate synthetase	[c] : atp + glu-D + uama> adp + h + pi + uamag	2	EC 6.3.2.9	MurD	Peptidoglycan Biosynthesis	Tomb et al., 1997
HP0509	GLYCTO1	Glycolate oxidase	[c] : glyclt + o2> glx + h2o2	2	EC1.1.3.15	GlcD	Others	Mobley et al., 2001; Tomb et al., 1997
HP0510	DHDPRy	Dihydrodipicolinate reductase (NADPH)	[c]: 23dhdp + h + nadph> nadp + thdp	2	EC 1.3.1.26	DapB	Lysine Biosynthesis	Tomb et al., 1997
HP0512	GLNS	Glutamine synthetase	[c] : atp + glu-L + nh4> adp + gln-L + h + pi	4	EC 6.3.1.2	GlnA	Glutamine Biosynthesis	Garner et al., 1998; Tomb et al., 1997
HP0549	GLUR	Glutamate racemase	[c] : glu-D <==> glu-L	2	EC 5.1.1.3	Glr	Others	Mobley et al., 2001; Tomb et al., 1997
HP0558	KAS-HP	β-ketoacyl synthase	[c]: acACP + h + malACP> ACP + actACP + co2	2	EC2.3.1.41	FabF	Fatty Acid Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0558, HP0561, HP0195, HP1376 HP0558, HP0561.	C140SN C160SN	Fatty acid biosynthesis (n-C14:0)	[c] : actACP + (17) h + (5) malACP + (12) nadph> (5) ACP + (5) co2 + (6) h2o + myrsACP + (12) nadp	2		FabZ	Fatty Acid Synthesis Fatty Acid Synthesis	Tomb et al., 1997
HP0195, HP1376	CTOUSN	Fatty acid biosynthesis (n-C16:0)	[c]: actACP + (20) h + (6) malACP + (14) nadph> (6) ACP + (6) co2 + (7) h2o + (14) nadp + palmACP	2		FabF, FabG, Fabi, FabZ	Fatty Acid Synthesis	Tomb et al., 1997
HP0558, HP0561, HP0195, HP1376	C180SN	Fatty acid biosynthesis (n-C18:0)	[c]: actACP + (23) h + (7) malACP + (16) nadph> (7) ACP + (7) co2 + (8) h2o + (16) nadp + ocdcaACP	2		FabF, FabG, FabI, FabZ	Fatty Acid Synthesis	Tomb et al., 1997
HP0558, HP0561, HP0195, HP1376	C181SN	Fatty acid biosynthesis (n-C18:1)	[c]: actACP + (22) h + (7) malACP + (15) nadph> (7) ACP + (7) co2 + (8) h2o + (15) nadp + octeACP	2			Fatty Acid Synthesis	Tomb et al., 1997
HP0558, HP0561, HP0195, HP1376	KAS15	3-Hydroxy-octadecanoyl-ACP synthesis	[c]: (2) h + malACP + nadph + palmACP> 3hoctaACP + ACP + co2 + nadp	2		FabF, FabG, Fabl, FabZ	Fatty Acid Synthesis	Tomb et al., 1997
HP0195, HP1376, HP0195, HP1376, HP0416	C190cSN	Fatty acid biosynthesis (C19:0cSN)	[c]: amet + octeACP> ahcys + c190cACP + h	2			Fatty Acid Synthesis	Tomb et al., 1997
HP0566	DAPE	Diaminopimelate epimerase	[c] : 26dap-LL <==> 26dap-M	2	EC 5.1.1.7	DapF	Lysine Biosynthesis	Tomb et al., 1997
HP0572	ADPT	Adenine phosphoribosyltransferase	[c] : ade + prpp> amp + ppi	4	EC 2.4.2.7	Apt	Salvage pathway of ATP	Mendz, Jimenez et al. 1994b; Mobley et al., 2001; Tomb et al., 1997
HP0574	RPI	Ribose-5-phosphate isomerase	[c] : r5p <==> ru5p-D	4	EC 5.3.1.6	Rpi	Pentose-Phosphate-Pathway	Mendz and Hazell, 1991; Boneca et al., 2003
HP0577	FTHFLi	Formate-tetrahydrofolate ligase	[c] : atp + for + thf> 10fthf + adp + pi	2	EC 6.3.4.3	FoID	THF Metabolism	Tomb et al., 1997
HP0577	MTHFC	Methenyltetrahydrofolate cyclohydrolase	[c]: h2o + methf <==> 10fthf + h	2	EC 3.5.4.9	FoID	THF Metabolism	Tomb et al., 1997
HP0577	MTHFD	Methylenetetrahydrofolate dehydrogenase (NADP)	[c] : mlthf + nadp <==> methf + nadph	2	EC 1.5.1.5	FoID	THF Metabolism	Tomb et al., 1997
HP0587	ADCL	4-Aminobenzoate synthase	[c]: 4adcho> 4abz + h + pyr	2	EC4.1.3.38	PabC	Folate Biosynthesis	Tomb et al., 1997
HP0588 - HP0591	OOR	Ferredoxin oxidoreductase	[c] : akg + coa + fdxox + h -> co2 + fdxrd + succoa	4	EC1.2.7.3	OorA, OorB, OorC, OorD	TCA cycle	Hughes et al., 1998; Tomb et al., 1997
HP0598	AOXSr	8-Amino-7-oxononanoate synthase	[c] : ala-L + h + pmcoa <==> 8aonn + co2 + coa	2	EC 2.3.1.47	BioF	Biotin Biosynthesis	Tomb et al., 1997
HP0604	UPPDC1	Uroporphyrinogen decarboxylase (uroporphyrinogen III)	[c]: (4) h + uppg3> (4) co2 + cpppg3	2	EC 4.1.1.37	HemE	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0604	UPPDC2	Uroporphyrinogen decarboxylase (uroporphyrinogen I)	[c]: (4) h + uppg1> (4) co2 + cpppg1	2	EC 4.1.1.37	HemE	Heme biosynthesis	Tomb et al., 1997
HP0618	ADK1	Adenylate kinase	[c] : amp + atp <==> (2) adp	2	EC 2.7.4.3	Adk	ATP de novo Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0618	DADK	Deoxyadenylate kinase	[c] : atp + damp <==> adp + dadp	4	EC 2.7.4.11	Adk	Nucleotide interconversion	Mobley et al., 2001; Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP0620	PPA	Inorganic diphosphatase	[c]: h2o + ppi> h + (2) pi	4	EC 3.6.1.1	Ppa	Others	Oliva et al., 2000; Tomb et al., 1997
HP0623	UAMAS	UDP-N-acetylmuramoyl-L-alanine synthetase	[c] : ala-L + atp + uamr> adp + h + pi + uama	2	EC 6.3.2.8	MurC	Peptidoglycan Biosynthesis	Tomb et al., 1997
HP0624	SDPTA	Succinyldiaminopimelate transaminase	[c] : akg + sl26da <==> glu-L + sl2a6o	2	EC 2.6.1.17	AspB	Lysine Biosynthesis	Tomb et al., 1997
HP0625	MECDPDH	2C-Methyl-D-erythritol 2,4 cyclodiphosphate dehydratase	[c] : 2mecdp + h> h2mb4p + h2o	2		IspG	Isoprenoid Biosynthesis	Boneca et al., 2003
HP0626	THDPS	Tetrahydrodipicolinate succinylase	[c]: h2o + succoa + thdp> coa + sl2a6o	2	EC 2.3.1.117	DapD	Lysine Biosynthesis	Tomb et al., 1997
HP0630	NADPHQR	NADPH Quinone Reductase	[c] : h + mqn6 + nadph> mql6 + nadp	4	EC1.6.5.5	MdaB	Respiratory chain	Wang and Maier, 2004; Tomb et al., 1997
HP0631 - HP0634	HYDA1	Hydrogenase (Menaquinone)	(2) h[c] + h2[e] + mqn6[c]> (2) h[e] + mql6[c]	4	EC1.12.7.2	HydA, HydB, HydC, HydD	Respiratory chain	Benoit et al., 2004; Maier et al., 1996; Tomb et al., 1997
HP0642, HP1161	FLDO	NAD(P)H-flavin oxidoreductase	[c] : fmnh2 + nadp> fmn + h + nadph	4	FC 2 7 7 2	Fdo, FldA	Respiratory chain	Marais et al., 2003; Tomb et al., 1997
HP0646	GALU	UTP-glucose-1-phosphate uridylyltransferase	[c] : g1p + h + utp <==> ppi + udpg	4	EC 2.7.7.9	GalU Mur7	LPS Biosynthesis	Tomb et al., 1997, Kim et al., 2004
HP0648	UAGCVT	UDP-N-acetylglucosamine 1-carboxyvinyltransferase	[c] : pep + uacgam> pi + uaccg	2	EC 2.5.1.7	MurZ	Aminosugar Metabolism	Tomb et al., 1997
HP0649	ASPT DSD D	L-Aspartase  Phosphosoring phosphatase (D. soring)	[c] : asp-L> fum + nh4	4	EC 4.3.1.1	AspA	Aspartate Metabolism	Mendz and Hazell, 1995; Tomb et al., 1997
HP0652 HP0652	PSP-D PSP-L	Phosphoserine phosphatase (D-serine)	[c] : h2o + pser-D> pi + ser-D	2	EC 3.1.3.3 EC 3.1.3.3	SerB SerB	Serine Metabolism	Tomb et al., 1997 Tomb et al., 1997
HP0652 HP0663	CHORS	Phosphoserine phosphatase (L-serine)  Chorismate synthase	[c] : h2o + pser-L> pi + ser-L [c] : 3psme> chor + pi	4	EC 3.1.3.3 EC4.2.3.5	AroC	Serine Metabolism Chorismate Biosynthesis	Ahn et al., 2004; Tomb et al., 1997
HP0665, HP1226	CPPPGO		[c] : cpppg3 + (2) h + o2> (2) co2 + (2) h2o + pppg9	2	EC 1.3.3.3	HemN	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0672	ASPTA	Coproporphyrinogen oxidase (O2 required) Aspartate transaminase	[c]: akg + asp-L <==> glu-L + oaa	2	EC 1.3.3.3 EC 2.6.1.1	AspB2	Aspartate Metabolism	Tomb et al., 1997
HP0672	EHGLAT	L-erythro-4-Hydroxyglutamate:2-oxoglutarate aminotransferase		2	EC 2.6.1.1	AspB2	Glyoxylate Metabolism	Tomb et al., 1997
HP0672	PHETA1	Phenylalanine transaminase	[c] : akg + phe-L <==> glu-L + phpyr	2	EC 2.6.1.58	AspB2	Phenylalanine Biosynthesis	Tomb et al., 1997
HP0672	TYRTA	Tyrosine transaminase	[c] : akg + tyr-L <==> 34hpp + glu-L	2	EC 2.6.1.5	AspB2	Tyrosine Biosynthesis	Tomb et al., 1997
HP0683	G1PACT	Glucosamine-1-phosphate N-acetyltransferase	[c] : accoa + gam1p> acgam1p + coa + h	2	EC 2.3.1.157	GlmU	Aminosugar Metabolism	Tomb et al., 1997
HP0683	UAGDP	UDP-N-acetylglucosamine diphosphorylase	[c] : acgam1p + h + utp> ppi + uacgam	2	EC 2.7.7.23	GlmU	Aminosugar Metabolism	Tomb et al., 1997
HP0683	UAGDP2	UDP-glucosamine diphosphorylase	[c] : gam1p + h + utp> ppi + ugam	1	EC2.7.7.23	GlmU	Aminosugar Metabolism	Tomb et al., 1997
HP0687	FE2abc	Iron (II) transport via ABC system	atp[c] + fe2[e] + h2o[c]> adp[c] + fe2[c] + h[c] + pi[c]	4		FeoB	Transport	Velayudhan et al., 2000; Tomb et al., 1997
HP0690	ACACT1r	Acetyl-CoA C-acetyltransferase	[c]:(2)accoa <==> aacoa + coa	2	EC 2.3.1.9	AtoB	Others	Tomb et al., 1997

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
HP0691, HP0692	OCOAT1	3-Oxoacid CoA-transferase (Succinyl-CoA: acetoacetate)	[c] : acac + succoa> aacoa + succ	4	EC 2.8.3.5	YxjD, YxjE	TCA cycle	Corthesy-Theulaz et al., 1997; Boneca et al., 2003
HP0700	DAGK-HP	Diacylglycerol kinase Hp specific	[c] : 12dgr_HP + atp> adp + h + pa_Hp	2	EC2.7.1.107	DgkA	Glycerolipid Synthesis	Tomb et al., 1997
HP0723	ASNN	L-Asparaginase	[c]: asn-L + h2o> asp-L + nh4	4	EC 3.5.1.1	AnsB	Asparagine Metabolism	Stark et al., 1997; Mendz and Hazell, 1995; McGee et al., 1999
HP0723	ASNS2	Asparagine synthetase	[c] : asp-L + atp + nh4> amp + asn-L + h + ppi	4	EC 6.3.1.1	AnsB	Asparagine Metabolism	Tomb et al., 1997
HP0724	ASNt2	L-Asparagine transport in via proton symport	asn-L[e] + h[e]> asn-L[c] + h[c]	2		DcuA	Transport	Tomb et al., 1997
HP0724	ASPt2r	L-Aspartate reversible transport via proton symport	asp-L[e] + h[e] <==> asp-L[c] + h[c]	4		DcuA	Transport	Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP0724	MALt2r	L-Malate reversible transport via proton symport	h[e] + mal-L[e] <==> h[c] + mal-L[c]	4		DcuA	Transport	Mendz, Meek et al. 1998; Tomb et al., 1997
HP0724	SUCCt2	Succinate transport via proton symport	h[e] + succ[e] <==> h[c] + succ[c]	4		DcuA	Transport	Mendz, Meek et al. 1998; Tomb et al., 1997
HP0724	SUCFUMti	Succinate:fumarate antiporter	fum[e] + succ[c] <==> fum[c] + succ[e]	4		DcuA	Transport	Mendz, Meek et al. 1998; Tomb et al., 1997
HP0735	HXPRT	Hypoxanthine phosphoribosyltransferase (Hypoxanthine)	[c] : hxan + prpp> imp + ppi	4	EC 2.4.2.8	Gpt	Salvage pathway of GTP	Mendz, Jimenez et al. 1994b; Mobley et al., 2001; Tomb et al., 1997
HP0735	GUAPRT	Guanine phosphoribosyltransferase	[c] : gua + prpp> gmp + ppi	4	EC 2.4.2.8	Gpt	Salvage pathway of GTP	Mendz, Jimenez et al. 1994b; Mobley et al., 2001; Tomb et al., 1997
HP0735	XPPT	Xanthine phosphoribosyltransferase	[c] : prpp + xan> ppi + xmp	2	EC 2.4.2.22	Gpt	Salvage pathway of XTP	Tomb et al., 1997
HP0736	PSERT	Phosphoserine transaminase	[c]: 3php + glu-L> akg + pser-L	2	EC 2.6.1.52	SerC	Serine Metabolism	Tomb et al., 1997
HP0737	PGPP-HP	Phosphatidylglycerol phosphate phosphatase Hp specific	[c] : h2o + pgp_HP> pg_HP + pi	3	EC 3.1.3.27	PgpA	Glycerolipid Synthesis	Hirai et al., 1995; Tomb et al., 1997
HP0738	ALAALAr	D-Alanine-D-alanine ligase	[c]: (2) ala-D + atp <==> adp + alaala + h + pi	2	EC 6.3.2.4	Dd1A	Peptidoglycan Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0740	UGMDDS	UDP-N-acetylmuramoyl-L-alanyl-D-glutamyl-meso-2,6-	[c] : alaala + atp + ugmd> adp + h + pi + ugmda	2	EC 6.3.2.15	MurF	Peptidoglycan Biosynthesis	Tomb et al., 1997
		diaminopimeloyl-D-alanyl-D-alanine synthetase						
HP0742	PRPPS	Phosphoribosylpyrophosphate synthetase	[c] : atp + r5p <==> amp + h + prpp	2	EC 2.7.6.1	PrsA	IMP Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0772	AMAA	N-acetylmuramoyl-L-alanine amidase	[c] : acmama + h2o> acmam + ala-L	2	EC 3.5.1.28	AmiA	Peptidoglycan Biosynthesis	Tomb et al., 1997
HP0777	UMPK	UMP kinase	[c] : atp + ump <==> adp + udp	4	EC2.7.4	PyrH	UTP/CTP de novo Synthesis	Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP0779	ACONT	Aconitase	[c] : cit <==> icit	4	EC 4.2.1.3	Acnb	TCA cycle	Pitson et al., 1999; Tomb et al., 1997
HP0802	GTPCII	GTP cyclohydrolase II	[c] : gtp + (3) h2o> 25dhpp + for + (2) h + ppi	4	EC 3.5.4.25	RibA	Riboflavin Metabolism	Fassbinder et al., 2000; Tomb et al., 1997
HP0804	DB4PS	3,4-Dihydroxy-2-butanone 4-phosphate synthase	[c] : ru5p-D> db4p + for + h	4		RibB	Riboflavin Metabolism	Worst et al., 1998; Fassbinder et al., 2000; Tomb et al., 1997
HP0808	ACPS	Acyl Carrier Protein Synthase	[c]: coa + h2o> (2) h + pan4p + pap	2	EC2.7.8.7	AcpS	Pantothenate/ CoA Blosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0814	THZSN	Thiazole synthesis from xylulose	[c]: cys-L + dxyl + tyr-L> 4hba + 4mhetz + co2 + h + h2o + nh4 + pyr	2		ThiF	Thiamin Biosynthesis	Tomb et al., 1997
HP0818, HP0819	PROabc	L-proline transport via ABC system	atp[c] + h2o[c] + pro-L[e]> adp[c] + h[c] + pi[c] + pro-L[c]	2		ProV, ProWX	Transport	Tomb et al., 1997
HP0822	HSDy	Homoserine dehydrogenase (NADPH)	[c] : hom-L + nadp <==> aspsa + h + nadph	2	EC 1.1.1.3	MetL	Threonine Biosynthesis	Tomb et al., 1997
HP0822, HP1229	ASPK	Aspartate kinase	[c] : asp-L + atp <==> 4pasp + adp	2	EC 2.7.2.4	MetL, LysC	Aspartate Metabolism	Tomb et al., 1997
HP0824, HP0825, HP1164, HP1458	TRDR	Thioredoxin reductase (NADPH)	[c]: h + nadph + trdox> nadp + trdrd	2	EC 1.8.1.9	TrxA, TrxB	Others	Mobley et al., 2001; Tomb et al., 1997
HP0828, HP1212, HP1131 - HP1137	ATPS4r	ATP synthase (four protons for one ATP)	adp[c] + (4) h[e] + pi[c] <==> atp[c] + (3) h[c] + h2o[c]	2	EC 3.6.3.14	AtpA, AtpB, AtpC, AtpD, AtpE, AtpF, AtpG, AtpH	Respiratory chain	Mobley et al., 2001; Tomb et al., 1997
HP0829	IMPD	IMP dehydrogenase	[c]: h2o + imp + nad> h + nadh + xmp	2	EC 1.1.1.205	GuaB	GTP de novo Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP0831	DPCOAK	Dephospho-CoA kinase	[c] : atp + dpcoa> adp + coa + h	2	EC 2.7.1.24	CoaE	Pantothenate/ CoA Blosynthesis	Boneca et al., 2003
HP0832	SPMS	Spermidine synthase	[c]: ametam + ptrc> 5mta + h + spmd	4	EC 2.5.1.16	SpeE	Spermidine Biosynthesis	Tomb et al., 1997; Lu et al., 2004
HP0832	SPRMS	Spermine synthase	[c]: ametam + spmd> 5mta + h + sprm	2	EC 2.5.1.22	SpeE	Spermidine Biosynthesis	Tomb et al., 1997
HP0843	TMPPP	Thiamine-phosphate diphosphorylase	[c]: 2mahmp + 4mpetz + h> ppi + thmmp	2	EC 2.5.1.3	ThiB	Thiamin Biosynthesis	Tomb et al., 1997
HP0844	PMPK	Phosphomethylpyrimidine kinase	[c] : 4ampm + atp> 2mahmp + adp	2	EC 2.7.4.7	ThiD	Thiamin Biosynthesis	Tomb et al., 1997
HP0845	HETZK	Hydroxyethylthiazole kinase	[c]: 4mhetz + atp> 4mpetz + adp + h	2	EC 2.7.1.50	ThiM	Thiamin Biosynthesis	Tomb et al., 1997
HP0854	GMPR	GMP reductase	[c]: gmp + (2) h + nadph> imp + nadp + nh4	2	EC 1.7.1.7	GuaC	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP0857	S7PI	Sedoheptulose 7-phosphate isomerase	[c] : s7p> gmhep7p	2	EC5	GmhA	LPS Biosynthesis	Tomb et al., 1997
HP0858	GMHEPAT	D-Glycero-D-manno-hepose 1-phosphate adenyltransferase	[c] : atp + gmhep1p + h> adphep-D,D + ppi	2		RfaE	LPS Biosynthesis	Tomb et al., 1997
HP0858	GMHEPK	D-Glycero-D-manno-heptose 7-phosphate kinase	[c] : atp + gmhep7p> adp + gmhep17bp + h	2		RfaE	LPS Biosynthesis	Tomb et al., 1997
HP0859	AGMHE	ADP-D-glycero-D-manno-heptose epimerase	[c] : adphep-D,D> adphep-L,D	2	EC 5.1.3.20	RfaD	LPS Biosynthesis	Tomb et al., 1997
HP0860	GMHEPPA	D-Glycero-D-manno-heptose 1,7-bisphosphate phosphatase	[c] : gmhep17bp + h2o> gmhep1p + pi	2		YaeD	LPS Biosynthesis	Tomb et al., 1997
HP0865	DUTPDP	DUTP diphosphatase	[c] : dutp + h2o> dump + h + ppi	2	EC 3.6.1.23	Dut	dTTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP0867	LPADSS-HP	LipidA_HP disaccaride synthase	[c] : lipidX_HP + u2ga_HP> (2) h + lipidA_HP + udp	3	_0 0.0.1.20	LpxB	LPS Biosynthesis	Moran et al., 1997; Tomb et al., 1997
HP0871	CDAPPA-HP	CDP-Diacylglycerol pyrophosphatase Hp specific	[c] : cdpdag_HP + h2o> cmp + (2) h + pa_Hp	2	EC 3.6.1.26	Cdh	Glycerolipid Synthesis	Tomb et al., 1997
HP0875	CAT	Catalase	[c] : (2) h2o2> (2) h2o + o2	4	EC 1.11.1.6	KatA	ROS detoxification	Loewen et al., 2004; Bai et al., 2003; Bauerfeind et al., 1997; Tomb et al., 1997; Harris and Hazell, 2003
HP0903	ACKr	Acetate kinase	[c] : ac + atp <==> actp + adp	2	EC 2.7.2.1	AckA	Others	Mobley et al., 2001; Tomb et al., 1997
HP0905	PTAr	Phosphotransacetylase	[c]: accoa + pi <==> actp + coa	2	EC 2.3.1.8	Pta	Others	Tomb et al., 1997
HP0919, HP1237	CBPS	Carbamoyl-phosphate synthase (glutamine-hydrolysing)	[c]: (2) atp + gln-L + h2o + hco3> (2) adp + cbp + glu-L + (2) h + pi	4	EC 6.3.5.5	PyrAa, PyrAb	UTP/CTP de novo Synthesis	Davids et al., 2002; Tomb et al., 1997
HP0921, HP1346	GAPD	Glyceraldehyde-3-phosphate dehydrogenase	[c]: g3p + nad + pi <==> 13dpg + h + nadh	4	EC 1.2.1.12	Gap	Glycolysis	Hoffman et al., 1996; Tomb et al., 1997
HP0928	GTPCI	GTP cyclohydrolase I	[c] : gtp + h2o> ahdt + for + h	2	EC 3.5.4.16	FolE	Folate Biosynthesis	Tomb et al., 1997
HP0929	DMATT	Dimethylallyltranstransferase	[c] : dmpp + ipdp> grdp + ppi	2	EC 2.5.1.1	IspA	Others	Mobley et al., 2001; Tomb et al., 1997
HP0929	GRTT	Geranyltranstransferase	[c] : grdp + ipdp> frdp + ppi	2	EC 2.5.1.10	IspA	Others	Mobley et al., 2001; Tomb et al., 1997
HP0930	ACP1(FMN)	Acid phosphatase (FMN)	[c] : fmn + h2o> pi + ribflv	2	EC 3.1.3.2	SurF	Riboflavin Metabolism	Tomb et al., 1997
HP0936	PROt2r	L-Proline reversible transport via proton symport	h[e] + pro-L[e] <==> h[c] + pro-L[c]	2		ProP	Transport	Tomb et al., 1997
HP0941	ALAR	Alanine racemase	[c] : ala-L <==> ala-D	2	EC 5.1.1.1	Alr	Alanine Metabolism	Tomb et al., 1997
1117/0941	ALAR	Alamine ideemase	[U] . ala-L \==> did-D	2	EU 0.1.1.1	All	Alamille Ivietabolism	romo et di., 1997

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
HP0942	ALAt2	L-Alanine transport in via proton symport	ala-L[e] + h[e]> ala-L[c] + h[c]	2		DagA	Transport	Mobley et al., 2001; Tomb et al., 1997
HP0942	ALAt4	Alanine-Sodium symporter	ala-L[e] + na1[e]> ala-L[c] + na1[c]	2		DagA	Transport	Mobley et al., 2001; Tomb et al., 1997
HP0942	DALAt2	D-Alanine transport via proton symport	ala-D[e] + h[e]> ala-D[c] + h[c]	2		DagA	Transport	Mobley et al., 2001; Tomb et al., 1997
HP0942	DSERt2	D-serine transport via proton symport	h[e] + ser-D[e]> h[c] + ser-D[c]	2		DagA	Transport	Mobley et al., 2001; Tomb et al., 1997
HP0942	GLYt2	Glycine transport in via proton symport	gly[e] + h[e]> gly[c] + h[c]	2		DagA	Transport	Mobley et al., 2001; Tomb et al., 1997
HP0943	DAAD	D-Amino acid dehydrogenase	[c] : ala-D + fad + h2o> fadh2 + nh4 + pyr	4	EC 1.4.99.1	DadA	Alanine Metabolism	Nagata et al., 2003; Tomb et al., 1997
HP0957	MOAT-HP	Kdo-Lipid IV (A) formation	[c] : cmpkdo + lipidA_HP> cmp + h + kdolipid4_HP	2		KdtA	LPS Biosynthesis	Tomb et al., 1997
HP0961	G3PD1	Glycerol-3-phosphate dehydrogenase (NAD)	[c] : glyc3p + nad <==> dhap + h + nadh	2	EC 1.1.1.94	GpsA	Glycerolipid Synthesis	Tomb et al., 1997
HP0961	G3PD2	Glycerol-3-phosphate dehydrogenase (NADP)	[c] : glyc3p + nadp <==> dhap + h + nadph	2	EC 1.1.1.94	GpsA	Glycerolipid Synthesis	Tomb et al., 1997
HP0974	PGM	Phosphoglycerate mutase	[c]: 2pg <==> 3pg	2	EC 5.4.2.1	Pgm	Glycolysis	Tomb et al 1997
HP0976	AMAOTr	Adenosylmethionine-8-amino-7-oxononanoate transaminase	[c]: 8aonn + amet <==> amob + dann	2	EC 2.6.1.62	BioA	Biotin Biosynthesis	Tomb et al., 1997
HP1011	DHORD3	Dihydroorotic acid dehydrogenase (menaquinone 6)	[c] : dhor-S + mqn6 <==> mql6 + orot	4	EC 1.3.3.1	PyrD	UTP/CTP de novo Synthesis	Copeland et al., 2000; Tomb et al., 1997
HP1013	DHDPS	Dihydrodipicolinate synthase	[c]: aspsa + pyr> 23dhdp + h + (2) h2o	2	EC 4.2.1.52	DapA	Lysine Biosynthesis	Tomb et al., 1997
HP1016	PGSA-HP	Phosphatidylglycerol synthase Hp specific	[c] : cdpdag_HP + glyc3p <==> cmp + h + pgp_HP	2	EC 2.7.8.5	PgsA	Glycerolipid Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP1017	ARGt2r	L-Arganine reversible transport via proton symport	arg-L[e] + h[e] <==> arg-L[c] + h[c]	4		RocE	Transport	Mendz and Burns, 2003; Tomb et al., 1997
HP1017	ORNt2r	Orntithine reversible transport in via proton symport	h[e] + orn[e] <==> h[c] + orn[c]	2	E040440	RocE	Transport	Mobley et al., 2001; Tomb et al., 1997
HP1020 HP1020	MECDPS MEPCT	2-C-Methyl-D-erythritol 2,4-cyclodiphosphate synthase	[c]: 2p4c2me> 2mecdp + cmp	2	EC4.6.1.12 EC2.7.7.60	IspDF IspDF	Isoprenoid Biosynthesis	Boneca et al., 2003 Boneca et al., 2003
HP1036	HPPK	2-C-Methyl-D-erythritol 4-phosphate cytidylyltransferase	[c]: 2me4p + ctp + h> 4c2me + ppi [c]: 2ahhmp + atp> 2ahhmd + amp + h	2	EC 2.7.6.3	FolK	Isoprenoid Biosynthesis Folate Biosynthesis	Tomb et al., 1997
HP1038	DHQD	2-Amino-4-hydroxy-6-hydroxymethyldihydropteridine diphosphokinase     3-Dehydroquinate dehydratase	[c] : 3dhq <==> 3dhsk + h2o	4	EC 4.2.1.10	AroQ	Chorismate Biosynthesis	Lee et al., 2003; Tomb et al., 1997
HP1045	ACS	Acetyl-CoA synthetase	[c]: ac + atp + coa> accoa + amp + ppi	2	EC 6.2.1.1	AcoE	Others	Mobley et al., 2001; Tomb et al., 1997
HP1050	HSK	Homoserine kinase	[c] : atp + hom-L> adp + h + phom	2	EC 2.7.1.39	ThrB	Threonine Biosynthesis	Tomb et al., 1997
HP1052	UHGADA-HP	UDP-3-O-acetylglucosamine deacetylase	[c]: h2o + u3aga_HP> ac + u3hga_HP	2	20 2.1.1.00	EnvA	LPS Biosynthesis	Tomb et al., 1997
HP1058	MOHMT	3-Methyl-2-oxobutanoate hydroxymethyltransferase	[c]: 3mob + h2o + mlthf> 2dhp + thf	2	EC 2.1.2.11	PanB	Pantothenate/ CoA Blosynthesis	Tomb et al., 1997
HP1071	PSSA-HP	Phosphatidylserine synthase Hp specific	[c]: cdpdag_HP + ser-L <==> cmp + h + ps_HP	4	EC 2.7.8.8	PssA	Glycerolipid Synthesis	Ge and Taylor, 1997; Tomb et al., 1997
HP1077, HP1576	Nlabc	Nickel transport via ABC system	atp[c] + h2o[c] + ni2[e]> adp[c] + h[c] + ni2[c] + pi[c]	4		NixA, AbcC	Transport	Hendricks and Mobley, 1997; Tomb et al., 1997
HP1084	ASPCT	Aspartate carbamoyltransferase	[c] : asp-L + cbp> cbasp + h + pi	4	EC 2.1.3.2	PyrB	UTP/CTP de novo Synthesis	Burns et al., 1997; Tomb et al., 1997
HP1087	FMNAT	FMN adenylyltransferase	[c] : atp + fmn + h> fad + ppi	2	EC 2.7.7.2	RibF	Riboflavin Metabolism	Tomb et al., 1997
HP1087	RBFK	Riboflavin kinase	[c]: atp + ribflv> adp + fmn + h	2	EC 2.7.1.26	RibF	Riboflavin Metabolism	Tomb et al., 1997
HP1088	TKT1	Transketolase	[c]:r5p + xu5p-D <==> g3p + s7p	4	EC 2.2.1.1	Tkta1	Pentose-Phosphate-Pathway	Mendz and Hazell, 1991; Tomb et al., 1997
HP1088	TKT2	Transketolase	[c]: e4p + xu5p-D <==> f6p + g3p	4	EC 2.2.1.1	Tkta2	Pentose-Phosphate-Pathway	Mendz and Hazell, 1991; Tomb et al., 1997
HP1091	AKGt2r	2-Oxoglutarate reversible transport via symport	akg[e] + h[e] <==> akg[c] + h[c]	2		KgtP	Transport	Tomb et al., 1997
HP1099	EDA	2-Dehydro-3-deoxy-phosphogluconate aldolase	[c] : 2ddg6p> g3p + pyr	4	EC 4.1.2.14	Eda	Entner-Doudouroff Pathway	Hoffman et al., 1996; Mendz, Hazell et al. 1994a; Tomb et al., 1997
HP1099	DDPGA	2-Dehydro-3-deoxy-phosphogluconate aldolase	[c] : 4h2oglt <==> glx + pyr	2	EC 4.1.2.14	Eda	Glyoxylate Metabolism	Tomb et al., 1997
HP1100	EDD	6-Phosphogluconate dehydratase	[c] : 6pgc> 2ddg6p + h2o	4	EC 4.2.1.12	Edd	Entner-Doudouroff Pathway	Hoffman et al., 1996; Mendz, Hazell et al. 1994a; Tomb et al., 1997
HP1101	G6PDH2	Glucose 6-phosphate dehydrogenase	[c] : g6p + nadp> 6pgl + h + nadph	4	EC 1.1.1.49	G6pdh2	Pentose-Phosphate-Pathway	Mendz and Hazell, 1991; Mendz, Hazell et al. 1994a; Tomb et al., 1997
HP1102	PGL	6-Phosphogluconolactonase	[c] : 6pgl + h2o> 6pgc + h	4	EC 3.1.1.31	DevB	Pentose-Phosphate-Pathway	Mendz and Hazell, 1991; Tomb et al., 1997
HP1103	HEX1	Glucokinase (D-glucose:ATP)	[c] : atp + glc-D> adp + g6p + h	4	EC 2.7.1.1	Glk	Glycolysis	Mendz and Hazell, 1993; Tomb et al., 1997
HP1104	ALCD2y	Alcohol dehydrogenase (ethanol, NADP)	[c] : etoh + nadp <==> acald + h + nadph	4	EC1.1.1.2	Cad	Others	Salmela et al., 1993; Tomb et al., 1997
HP1108 - HP1111		Pyruvate dehydrogenase - FMN dependent	[c]: coa + fmn + h + pyr> accoa + co2 + fmnh2	4	EC 1.2.7.1	PorA, PorB, PorC, PorD		Hoffman et al., 1996; Hughes et al., 1995; Tomb et al., 1997
HP1112	ADSL1r	Adenylsuccinate lyase	[c] : dcamp <==> amp + fum	2	EC 4.3.2.2	PurB	ATP de novo Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP1112	ADSL2r	Adenylosuccinate lyase	[c]: 25aics <==> aicar + fum	2	EC 4.3.2.2	PurB	IMP Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP1118	GTMLT	γ-Glutamyltransferase	[c] : ala-L + gthrd> cgly + gluala	4	EC 2.3.2.2	Ggt	Others	Chevalier et al., 1999; Tomb et al., 1997
HP1140 HP1155	BACCL UAGPT3	Biotin-[acetyl-CoA-carboxylase] ligase  UDP-N-acetylglucosamine-N-acetylmuramyl- (pentapeptide)pyrophosphoryl-undecaprenol N-acetylglucosamir	[c] : atp + btn + h> btamp + ppi [c] : uacgam + uagmda> h + uaagmda + udp	2	EC 6.3.4.15	BirA MurG	Biotin Biosynthesis Peptidoglycan Biosynthesis	Tomb et al., 1997 Mobley et al., 2001; Tomb et al., 1997
HP1158	HPROa	transferase L-Hydroxyproline reductase (NAD)	[c] : 1p3h5c + (2) h + nadh> 4hpro-LT + nad	2	EC 1.5.1.2	ProC	Glyoxylate Metabolism	Tomb et al., 1997
HP1158	P5CR	Pyrroline-5-carboxylate reductase	[c]: 1pyr5c + (2) h + nadph> nadp + pro-L	2	EC 1.5.1.2	ProC	Proline Metabolism	Tomb et al., 1997
HP1166	PGI	Glucose-6-phosphate isomerase	[c]: g6p <==> f6p	4	EC 5.3.1.9	Pgi	Glycolysis	Hoffman et al., 1996; Mendz and Hazell, 1991; Mendz, Hazell et al. 1994a
HP1169 - HP1172		L-Glutamine transport via ABC system	atp[c] + gln-L[e] + h2o[c]> adp[c] + gln-L[c] + h[c] + pi[c]	2		GlnH, GlnP, GlnQ		Mobley et al., 2001; Tomb et al., 1997
HP1174	GALt2	D-Galactose transport in via proton symport	gal[e] + h[e]> gal[c] + h[c]	2		GluP	Transport	Tomb et al., 1997
HP1174	GLCt2	D-Glucose transport in via proton symport	glc-D[e] + h[e]> glc-D[c] + h[c]	4		GluP	Transport	Mendz, Burns et al. 1995; Tomb et al., 1997
HP1178	DURIPP	Deoxyuridine phosphorylase	[c] : duri + pi <==> 2dr1p + ura	2	EC2.4.2.23	DeoD	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP1178	PUNP5	Purine-nucleoside phosphorylase (Inosine)	[c] : ins + pi <==> hxan + r1p	2	EC 2.4.2.1	DeoD	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP1178	PUNP6	Purine-nucleoside phosphorylase (Deoxyinosine)	[c]: din + pi <==> 2dr1p + hxan	2	EC 2.4.2.1	DeoD	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP1178	PUNP1	Purine-nucleoside phosphorylase (Adenosine)	[c] : adn + pi <==> ade + r1p	4	EC 2.4.2.1	DeoD	Salvage pathway of ATP	Mobley et al., 2001; Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP1178	PUNP2	Purine-nucleoside phosphorylase (Deoxyadenosine)	[c] : dad-2 + pi <==> 2dr1p + ade	2	EC 2.4.2.1	DeoD	Salvage pathway of ATP	Mobley et al., 2001; Tomb et al., 1997
HP1178	PUNP3	Purine-nucleoside phosphorylase (Guanosine)	[c] : gsn + pi <==> gua + r1p	4	EC 2.4.2.1	DeoD	Salvage pathway of GTP	Mobley et al., 2001; Mendz, Jimenez et al. 1994a; Tomb et al., 1997

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
HP1178	PUNP4	Purine-nucleoside phosphorylase (Deoxyguanosine)	[c] : dgsn + pi <==> 2dr1p + gua	2	EC 2.4.2.1	DeoD	Salvage pathway of GTP	Mobley et al., 2001; Tomb et al., 1997
HP1178	PUNP7	Purine-nucleoside phosphorylase (Xanthosine)	[c] : pi + xtsn <==> r1p + xan	2	EC 2.4.2.1	DeoD	Salvage pathway of XTP	Mobley et al., 2001; Tomb et al., 1997
HP1179	PPM	Phosphopentomutase	[c] : r1p <==> r5p	2	EC 5.4.2.7	DeoB	Nucleotide interconversion	Tomb et al., 1997
HP1179	PPM2	Phosphopentomutase 2 (deoxyribose)	[c] : 2dr1p <==> 2dr5p	2	EC 5.4.2.7	DeoB	Nucleotide interconversion	Tomb et al., 1997
HP1180	ADNt2	Adenosine transport in via proton symport	adn[e] + h[e]> adn[c] + h[c]	4		NupC	Transport	Mobley et al., 2001; Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP1180	CYTDt2	Cytidine transport in via proton symport	cytd[e] + h[e]> cytd[c] + h[c]	2		NupC	Transport	Mobley et al., 2001; Tomb et al., 1997
HP1180	DADNt2	Deoxyadenosine transport in via proton symport	dad-2[e] + h[e]> dad-2[c] + h[c]	4		NupC	Transport	Mobley et al., 2001; Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP1180	DCYTt2	Deoxycytidine transport in via proton symport	dcyt[e] + h[e]> dcyt[c] + h[c]	2		NupC	Transport	Mobley et al., 2001; Tomb et al., 1997
HP1180	DURIt2	Deoxyuridine transport in via proton symport	duri[e] + h[e]> duri[c] + h[c]	2		NupC	Transport	Mobley et al., 2001; Tomb et al., 1997
HP1180	THMDt2	Thymidine transport in via proton symport	h[e] + thymd[e]> h[c] + thymd[c]	2		NupC	Transport	Mobley et al., 2001; Tomb et al., 1997
HP1180	URIt2	Uridine transport in via proton symport	h[e] + uri[e]> h[c] + uri[c]	4		NupC	Transport	Mobley et al., 2001; Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP1183, HP1552	NAt3-1	Sodium proton antiporter (H:NA is 1:1)	h[e] + na1[c] <==> h[c] + na1[e]	4		NhaA, NapA	Transport	Tomb et al., 1997
HP1189	ASAD	Aspartate-semialdehyde dehydrogenase	[c]: aspsa + nadp + pi <==> 4pasp + h + nadph	4	EC 1.2.1.11	Asd	Aspartate Metabolism	Moore et al., 2002; Tomb et al., 1997
HP1210	SERAT	Serine O-acetyltransferase	[c]: accoa + ser-L <==> acser + coa	2	EC 2.3.1.30	CysE	Methionine Metabolism	Tomb et al., 1997
HP1218	PRAGSr	Phosphoribosylglycinamide synthase	[c] : atp + gly + pram <==> adp + gar + h + pi	2	EC 6.3.4.13	PurD	IMP Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP1221	UDCPDPS	Undecaprenyl diphosphate synthase	[c] : frdp + (8) ipdp> (8) ppi + udcpdp	2	EC2.5.1.31	UppS	Others	Boneca et al., 2003
HP1222	LDH-D1	D-Lactate dehydrogenase	[c] : lac-D + mqn6 <==> mql6 + pyr	2	EC1.1.2.4	Dld	Respiratory chain	Mobley et al., 2001; Tomb et al., 1997
HP1224	UPP3S	Uroporphyrinogen-III synthase	[c] : hmbil> h2o + uppg3	2	EC 4.2.1.75	HemD	Heme biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP1227, HP1538 - HP1540	BC10	Cytochrome bc1 complex (complex III)	(2) ficytcc553[c] + (2) h[c] + mql6[c]> (2) focytcc553[c] + (4) h[e] + mqn6[c]	2	EC1.10.2.2	C553, FbcF, FbcH		Tomb et al., 1997
HP1228	DNMPPA	Dihydroneopterin monophosphate dephosphorylase	[c] : dhpmp + h2o> dhnpt + pi	2	EC3.6.1	InvA	Folate Biosynthesis	Tomb et al., 1997
HP1228	DNTPPA	Dihydroneopterin triphosphate pyrophosphatase	[c] : ahdt + h2o> dhpmp + h + ppi	2	EC3.6.1	InvA	Folate Biosynthesis	Boneca et al., 2003
HP1232	DHPS	Dihydropteroate synthase (PPi)	[c]: 2ahhmp + 4abz> dhpt + h2o	2	EC 2.5.1.15	FoIP	Folate Biosynthesis	Tomb et al., 1997
HP1232	FOLD3	Dihydropteroate synthase (H2O)	[c] : 2ahhmd + 4abz> dhpt + ppi	2	EC2.5.1.15	FoIP	Folate Biosynthesis	Tomb et al., 1997
HP1238	FORAMD	Formamidase	[c] : frmd + h2o> for + nh4	4	EC 3.5.1.49	AmiF	Others	Skouloubris et al., 2001; Boneca et al., 2003; Tomb et al., 1997
HP1249	SHK3Dr	Shikimate dehdrogenase	[c]: 3dhsk + h + nadph <==> nadp + skm	2	EC 1.1.1.25	AroE	Chorismate Biosynthesis	Tomb et al., 1997
HP1257	ORPT	Orotate phosphoribosyltransferase	[c] : orot5p + ppi <==> orot + prpp	4	EC 2.4.2.10	PyrE	UTP/CTP de novo Synthesis	Mendz, Jimenez et al. 1994a; Tomb et al., 1997; Kim, Song et al. 2003
HP1260 - HP1273	NDH-1	NADH dehydrogenase (menaquinone) (complex I)	(3) h[c] + mqn6[c] + nadph[c]> (2) h[e] + mql6[c] + nadp[c]	4	EC1.6.5.3	Nqo10, Nqo11, Nqo12, Nqo13, Nqo14, Nqo3, Nqo4, Nqo5, Nqo6, Nqo7, Nqo8, Nqo9, NuoE, NuoF	Respiratory chain	Smith et al., 2000; Tomb et al., 1997
HP1275	PMANM	Phosphomannomutase	[c]: man1p <==> man6p	2	EC 5.4.2.8	AlgC	Fucose Biosynthesis	Boneca et al., 2003
HP1277, HP1278	TRPS1	Tryptophan synthase (indoleglycerol phosphate)	[c]: 3ig3p + ser-L> g3p + h2o + trp-L	2	EC 4.2.1.20	TrpA, TrpB	Tryptophan Biosynthesis	Tomb et al., 1997
HP1277, HP1278	TRPS2	Tryptophan synthase (indole)	[c]: indole + ser-L> h2o + trp-L	2	EC 4.2.1.20	TrpA, TrpB	Tryptophan Biosynthesis	Tomb et al., 1997
HP1277, HP1278	TRPS3	Tryptophan synthase (indoleglycerol phosphate)	[c] : 3ig3p> g3p + indole	2	EC 4.2.1.20	TrpA, TrpB	Tryptophan Biosynthesis	Tomb et al., 1997
HP1279	IGPS	Indole-3-glycerol-phosphate synthase	[c]: 2cpr5p + h> 3ig3p + co2 + h2o	2	EC 4.1.1.48	TrpC	Tryptophan Biosynthesis	Tomb et al., 1997
HP1279	PRAIi	Phosphoribosylanthranilate isomerase (irreversible)	[c] : pran> 2cpr5p	2	EC 5.3.1.24	TrpC	Tryptophan Biosynthesis	Tomb et al., 1997
HP1280	ANPRT	Anthranilate phosphoribosyltransferase	[c] : anth + prpp> ppi + pran	2	EC 2.4.2.18	TrpD	Tryptophan Biosynthesis	Tomb et al., 1997
HP1281, HP1282	ANS2	Anthranilate synthase 2	[c]: chor + nh4> anth + h + h2o + pyr	2		TrpE	Chorismate Metabolism	Tomb et al., 1997
HP1281, HP1282	ANS	Anthranilate synthase	[c]: chor + gln-L> anth + glu-L + h + pyr	2	EC 4.1.3.27	TrpE	Tryptophan Biosynthesis	Tomb et al., 1997
HP1290	NMNTP	Nicotinamide D-ribonucleotide transport	h[e] + nmn[e]> h[c] + nmn[c]	2		PnuC	Transport	Tomb et al., 1997
HP1325	FUM	Fumarase	[c] : fum + h2o <==> mal-L	4	EC 4.2.1.2	FumC	TCA cycle	Pitson et al., 1999; Tomb et al., 1997
HP1337	NMNAT	Nicotinamide-nucleotide adenylyltransferase	[c] : atp + h + nmn> nad + ppi	2	EC 2.7.7.1	NadD	Nicotinate Biosynthesis	Boneca et al., 2003
HP1337	NNAT	Nicotinate-nucleotide adenylyltransferase	[c]: atp + h + nicrnt> dnad + ppi	2	EC 2.7.7.18	NadD	Nicotinate Biosynthesis	Boneca et al., 2003
HP1345	PGK	Phosphoglycerate kinase	[c]: 3pg + atp <==> 13dpg + adp	2	EC 2.7.2.3	Pgk	Glycolysis	Tomb et al., 1997
HP1348	PASYN-HP	Phosphatidic acid synthase Hp specific	[c]: c190cACP + glyc3p + myrsACP> (2) ACP + pa_Hp	2	EC2.3.1.51	PIsB, PIsC	Glycerolipid Synthesis	Mobley et al., 2001; Tomb et al., 1997
HP1355	NNDPR	Nicotinate-nucleotide diphosphorylase (carboxylating)	[c]: (2) h + prpp + quln> co2 + nicrnt + ppi	4	EC 2.4.2.19	NadC	Nicotinate Biosynthesis	Kim, Kim et al. 2003; Tomb et al., 1997
HP1356	QULNS	Quinolinate synthase	[c]: dhap + iasp> (2) h2o + pi + quln	2		NadA	Nicotinate Biosynthesis	Tomb et al., 1997
HP1357	PSD-HP	Phosphatidylserine decarboxylase Hp specific	[c] : h + ps_HP> co2 + pe_HP	3	EC 4.1.1.65	Psd	Glycerolipid Synthesis	Mobley et al., 2001; Hirai et al., 1995; Tomb et al., 1997
HP1360	HBZOPT	Hydroxybenzoate octaprenyltransferase	[c]: 4hbz + octdp> 3ophb + ppi	2	EC2.5.1	UbiA	Ubiquinone Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP1375	UAGAAT-HP	UDP-N-acetylglucosamine acyltransferase	[c] : 3hpalmACP + uacgam <==> ACP + u3aga_HP	4	EC2.3.1.129	LpxA	LPS Biosynthesis	Lee and Suh, 2003; Tomb et al., 1997
HP1380	PPND	Prephenate dehydrogenase	[c] : nad + pphn> 34hpp + co2 + nadh	2	EC 1.3.1.12	TyrA	Tyrosine Biosynthesis	Tomb et al., 1997
HP1385	FBP	Fructose-bisphosphatase	[c] : fdp + h2o> f6p + pi	4	EC 3.1.3.11	Fbp	Glycolysis	Hoffman et al., 1996; Tomb et al., 1997
HP1386	RPE	Ribulose 5-phosphate 3-epimerase	[c] : ru5p-D <==> xu5p-D	2	EC 5.1.3.1	Rpe	Pentose-Phosphate-Pathway	Tomb et al 1997
HP1394	NADK	NAD kinase	[c] : atp + nad> adp + h + nadp	2	EC 2.7.1.23	PpnK	Nicotinate Biosynthesis	Tomb et al., 1997
HP1398	ALAD-L	L-Alanine dehydrogenase	[c] : ala-L + h2o + nad> h + nadh + nh4 + pyr	4	EC 1.4.1.1	Ald	Alanine Metabolism	Nagata et al., 2003; Tomb et al., 1997
HP1399	ARGN	Arginase	[c] : arg-L + h2o> orn + urea	4	EC 3.5.3.1	RocF	Urea Cycle	Mendz, Holmes et al. 1998; Mendz and Hazell, 1996; Tomb et al., 1997
	FEDCabc	Iron (III) dicitrate transport via ABC system	atp[c] + (2) cit[e] + fe3[e] + h20[c]> adp[c] + (2) cit[c] + fe3[c] + h[c] + pi[c]			FecA, FecD, FecE	•	Velayudhan et al., 2000; Waidner et al., 2002

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
HP1406	BTS2	Biotin synthase (ala-L producing)	[c] : cys-L + dtbt <==> ala-L + btn + (2) h	2	EC2.8.1.6	BioB	Biotin Biosynthesis	Tomb et al., 1997
HP1418	UAPGR	UDP-N-acetylenolpyruvoylglucosamine reductase	[c]: h + nadph + uaccg> nadp + uamr	2	EC 1.1.1.158	MurB	Aminosugar Metabolism	Tomb et al., 1997
HP1434, HP1141	FTHFD	Formyltetrahydrofolate deformylase	[c]: 10fthf + h2o> for + h + thf	2	EC 3.5.1.10	PurU, Fmt	THF Metabolism	Mobley et al., 2001; Tomb et al., 1997
HP1443	CDPMEK	4-(Cytidine 5'-diphospho)-2-C-methyl-D-erythritol kinase	[c]: 4c2me + atp> 2p4c2me + adp + h	2	EC2.7.1.148	IspE	Isoprenoid Biosynthesis	Boneca et al., 2003
HP1461	CCP	Cytochrome c peroxidase	[c]: (2) focytcc553 + (2) h + h2o2> (2) ficytcc553 + (2) h2o	4	EC1.11.1.5	Cper	ROS detoxification	Marcelli et al., 1996; Tomb et al., 1997
HP1468	ILETA	Isoleucine transaminase	[c] : akg + ile-L <==> 3mop + glu-L	2	EC 2.6.1.42	IIvE	Isoleucine Metabolism	Tomb et al., 1997
HP1468	LEUTA	Leucine transaminase	[c] : akg + leu-L <==> 4mop + glu-L	2	EC 2.6.1.6	IIvE	Leucine Metabolism	Tomb et al., 1997
HP1468	VALTA	Valine transaminase	[c] : akg + val-L <==> 3mob + glu-L	2	EC 2.6.1.42	IIvE	Valine Metabolism	Tomb et al., 1997
HP1474	URIDK2r	Uridylate kinase (dUMP)	[c] : atp + dump <==> adp + dudp	2	EC2.7.4.9	Tmk	dTTP Biosynthesis	Mobley et al., 2001; Tomb et al., 1997
HP1474	DTMPK	DTMP kinase	[c] : atp + dtmp <==> adp + dtdp	2	EC 2.7.4.9	Tmk	Nucleotide interconversion	Mobley et al., 2001; Tomb et al., 1997
HP1474	TMDK1	Thymidine kinase (ATP:thymidine)	[c] : atp + thymd> adp + dtmp + h	4	EC 2.7.1.21	Tmk	Nucleotide interconversion	Mendz, Jimenez et al. 1994a; Tomb et al., 1997
HP1475	PTPATi	Pantetheine-phosphate adenylyltransferase	[c] : atp + h + pan4p> dpcoa + ppi	4	EC 2.7.7.3	KdtB	Pantothenate/ CoA Blosynthesis	Eom et al., 2003; Tomb et al., 1997
HP1483	AMMQT6	S-Adenosylmethionine methyltransferase	[c]: 2dmmq6 + amet> ahcys + h + mqn6	2	EC2.1.1	UbiE	Menaquinone Biosynthesis	Lee et al., 1997; Tomb et al., 1997
HP1483	OMBZLM	2-Octaprenyl-6-methoxy-benzoquinol methylase	[c]: 2ombzl + amet> 2ommbl + ahcys + h	4	EC2.1.1	UbiE	Ubiquinone Biosynthesis	Lee et al., 1997; Tomb et al., 1997
HP1491	Plt2r	Phosphate reversible transport via symport	h[e] + pi[e] <==> h[c] + pi[c]	2		PitB	Transport	Tomb et al., 1997
HP1494	UAAGDS	UDP-N-acetylmuramoyl-L-alanyl-D-glutamyl-meso-2,6-diaminopimelate synthetase	[c]: 26dap-M + atp + uamag> adp + h + pi + ugmd	2	EC 6.3.2.13	MurE	Peptidoglycan Biosynthesis	Tomb et al., 1997
HP1495	TALA	Transaldolase	[c]: g3p + s7p <==> e4p + f6p	4	EC 2.2.1.2	Tal	Pentose-Phosphate-Pathway	Mendz and Hazell, 1991; Tomb et al., 1997
HP1505	APRAUR	5-Amino-6-(5-phosphoribosylamino)uracil reductase	[c] : 5apru + h + nadph> 5aprbu + nadp	4	EC 1.1.1.193	RibD	Riboflavin Metabolism	Fassbinder et al., 2000; Tomb et al., 1997
HP1505	DHPPDA	Diaminohydroxyphosphoribosylaminopyrimidine deaminase	[c]: 25dhpp + h + h2o> 5apru + nh4	4	EC 3.5.4.26	RibD	Riboflavin Metabolism	Fassbinder et al., 2000; Tomb et al., 1997
HP1506	GLUt2r	L-Glutamate transport via proton symport, reversible	$glu-L[e] + h[e] \le glu-L[c] + h[c]$	2		GitS	Transport	Mobley et al., 2001; Tomb et al., 1997
HP1510	DHNPA	Dihydroneopterin aldolase	[c] : dhnpt> 2ahhmp + gcald + h	2	EC 4.1.2.25	FolB	Folate Biosynthesis	Tomb et al., 1997
HP1532	GF6PTA	Glutamine-fructose-6-phosphate transaminase	[c] : f6p + gln-L> gam6p + glu-L	2	EC 2.6.1.16	GlmS	Aminosugar Metabolism	Tomb et al., 1997
HP1533	TMDSf	Thymidylate synthase (Flavin-dependent)	[c] : dump + fmnh2 + mlthf> dtmp + fmn + thf	4	EC 2.1.1.45	ThyX	Nucleotide interconversion	Myllykallio et al., 2002; Tomb et al., 1997
HP1545	DHFS	Dihydrofolate synthase	[c] : atp + dhpt + glu-L> adp + dhf + pi + h	2	EC 6.3.2.12	FolC	Folate Biosynthesis	Tomb et al., 1997
HP1563	NTRARz	nitrate reductase (TRDRD)	[c] : no3 + trdrd> h2o + no2 + trdox	4		AhpC	Nitrite Metabolism	Bryk et al., 2000; Tomb et al., 1997
	CHCOAL	6-Carboxyhexanoate-CoA ligase	[c] : atp + coa + pime> amp + pmcoa + ppi	1	EC 6.2.1.14		Biotin Biosynthesis	Ploux et al., 1992
	KAS14	3-Hydroxy-palmetoyl-ACP synthesis	[c] : (2) h + malACP + myrsACP + nadph> 3hpalmACP + ACP + co2 + nadp	1			Fatty Acid Synthesis	Model proposal
	DHFRi	Dihydrofolate reductase (irreversible)	[c] : dhf + h + nadph> nadp + thf	1	EC 1.5.1.3		Folate Biosynthesis	Model proposal
	GLUN	Glutaminase	[c] : gln-L + h2o> glu-L + nh4	4	EC 3.5.1.2		Glutamate Metabolism	Stark et al., 1997; Mendz and Hazell, 1995; McGee et al., 1999
	ORNTA	Ornithine transaminase	[c] : akg + orn> glu-L + glu5sa	1	EC 2.6.1.13		Glutamate Metabolism	Model proposal
	CLPNS-HP	Cardiolipin Synthase (Hpi)	[c] : (2) pg_HP <==> clpn_HP + glyc	3			Glycerolipid Synthesis	Hirai et al., 1995; Mobley et al., 2001
	GLYK	Glycerol kinase	[c]: atp + glyc> adp + glyc3p + h	1	EC 2.7.1.30		Glycerolipid Synthesis	Model proposal
	PEPT-HP	Ethanolamine phosphotransferase	[c] : cmp + h + pe_HP <==> 12dgr_HP + cdpea	1	EC 2.7.8.1		Glycerolipid Synthesis	Model proposal
	PHCHGS	L-1-Pyrroline-3-hydroxy-5-carboxylate spontaneous conversion to L-4-Hydroxyglutamate semialdehyde		4	EC 2.1.2.3		Glyoxylate Metabolism	Mahlau at al. 2004
	AIRCZ	Phosphoribosylaminoimidazolecarboxamide formyltransferase	[c] : 10fthf + aicar <==> fprica + thf	2	EC 2.1.2.3		IMP Synthesis	Mobley et al., 2001
	AIRC2r AIRC3	Phosphoribosylaminoimidazole carboxylase  Phosphoribosylaminoimidazole carboxylase (mutase rxn)	[c] : air + atp + hco3 <==> 5caiz + adp + h + pi	2	L04.1.1.21		IMP Synthesis	Mobley et al., 2001
	GARFTI		[c] : 5aizc <==> 5caiz	2	EC 2.1.2.2		IMP Synthesis	Mahlay et al. 2001
	GART	Phosphoribosylglycinamide formyltransferase, irreversible	[c] : 10fthf + gar> fgam + h + thf	2	EG 2.1.2.2		IMP Synthesis	Mobiley et al., 2001
		GAR transformylase-T	[c] : atp + for + gar> adp + fgam + h + pi	4	EC 2.4.2.14		IMP Synthesis	Mobiley et al., 2001
	GLUPRT IMPC	Glutamine phosphoribosyldiphosphate amidotransferase	[c] : gln-L + h2o + prpp> glu-L + ppi + pram	2	EC 2.4.2.14 EC 3.5.4.10		IMP Synthesis	Mobiley et al., 2001
	PRAIS	IMP cyclohydrolase	[c] : h2o + imp <==> fprica	2	EC 6.3.3.1		IMP Synthesis	Mobiley et al., 2001
		Phosphoribosylaminoimidazole synthase	[c] : atp + fpram> adp + air + (2) h + pi	2			IMP Synthesis	Mobiley et al., 2001
	PRASCS	Phosphoribosylaminoimidazolesuccinocarboxamide synthase	[c] : 5aizc + asp-L + atp <==> 25aics + adp + h + pi		EC 6.3.2.6		IMP Synthesis	Mobley et al., 2001
	PRFGS	Phosphoribosylformylglycinamidine synthase	[c] : atp + fgam + gln-L + h2o> adp + fpram + glu-L + h + pi	2	EC 6.3.5.3		IMP Synthesis	Mobley et al., 2001
	A5PISO	Arabinose-5-phosphate isomerase	[c] : ru5p-D <==> ara5p	1	EC 5.3.1.13		LPS Biosynthesis	Model proposal
	GALK	Galactokinase	[c] : atp + gal> adp + gal1p + h	1	EC 2.7.1.6		LPS Biosynthesis	Model proposal
	GALTI	Galactose-1-phosphate uridylyltransferase (irreversible)	[c] : gal1p + h + utp> ppi + udpgal	1	EC 2.7.7.10		LPS Biosynthesis	Model proposal
	KDOPP	3-Deoxy-manno-octulosonate-8-phosphatase	[c] : h2o + kdo8p> kdo + pi	1	EC 3.1.3.45		LPS Biosynthesis	Model proposal
	RFA-HP	Adphep7p-L,D formation	[c] : adphep-L,D + atp> adp + adphep7p-L,D + h	1			LPS Biosynthesis	Model proposal
	U2GAAT	U2hga_Hp formation	[c] : 3hoctaACP + ugam> ACP + u2hga_HP	1			LPS Biosynthesis	Moran et al., 1997
	U2GAAT2	U2ga_Hp formation	[c] : ocdcaACP + u2hga_HP> ACP + u2ga_HP	1			LPS Biosynthesis	Moran et al., 1997
	USHD-HP	UDP-sugar hydrolase	[c] : h2o + u23ga_HP> (2) h + lipidX_HP + ump	1			LPS Biosynthesis	Model proposal
	DHNAOT2	1,4-Dihydroxy-2-naphthoate octaprenyltransferase	[c] : dhna + octdp> 2dmmq6 + co2 + h + ppi	1			Menaquinone Biosynthesis	Model proposal
	ICHORSi	Isochorismate Synthase	[c] : chor> ichor	1	EC5.4.4.2		Menaquinone Biosynthesis	Model proposal
	NPHS	Naphthoate synthase	[c]: sbzcoa> coa + dhna	1	EC 4.1.3.36		Menaquinone Biosynthesis	Model proposal
	OXGDC2	2-Oxoglutarate decarboxylase	[c] : akg + h + thmpp> co2 + ssaltpp	1	EC 4.1.1.71		Menaquinone Biosynthesis	Model proposal
	SHCHCS2	2-Succinyl-6-hydroxy-2,4-cyclohexadiene 1-carboxylate synthase	[c] : ichor + ssaltpp> 2shchc + pyr + thmpp	1	EC2.5.1.64		Menaquinone Biosynthesis	Model proposal

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
	SUCBZL	O-Succinylbenzoate-CoA ligase	[c] : atp + coa + sucbz> amp + ppi + sbzcoa	1	EC 6.2.1.26		Menaquinone Biosynthesis	Model proposal
	SUCBZS	O-Succinylbenzoate-CoA synthase	[c] : 2shchc> h2o + sucbz	1			Menaquinone Biosynthesis	Model proposal
	HSERTA	Homoserine O-trans-acetylase	[c] : accoa + hom-L <==> achms + coa	1	EC 2.3.1.31		Methionine Metabolism	Model proposal
	DKMPPD	2,3-Diketo-5-methylthio-1-phosphopentane degradation reaction	[c] : dkmpp + h2o + o2> 2kmb + for + (2) h + pi	1			Methionine Salvage Pathway	Sekowska et al., 2004
	MDRPDr	5-Methylthio-5-deoxy-D-ribulose 1-phosphate dehydratase	[c] : 5mdru1p <==> dkmpp + h2o	1			Methionine Salvage Pathway	Sekowska et al., 2004
	MTRI	5-Methylthioribose-1-phosphate isomerase	[c] : 5mdr1p <==> 5mdru1p	1	EC 5.3.1.23		Methionine Salvage Pathway	Sekowska et al., 2004
	MTRK	5-Methylthioribose kinase	[c]: 5mtr + atp> 5mdr1p + adp + h	1	EC 2.7.1.100		Methionine Salvage Pathway	Sekowska et al., 2004
	UNK2	2-Keto-4-methylthiobutyrate transamination	[c]: 2kmb + gln-L + h> glu-L + met-L	1			Methionine Salvage Pathway	Sekowska et al., 2004
	ASPO2	L-Aspartate oxidase	[c]: asp-L + nad> (2) h + iasp + nadh	1	EC1.4.3.16		Nicotinate Biosynthesis	Model proposal
	NO	Peroxynitrite formation (spontanous)	[c]: no + o2> no3	4			Nitrite Metabolism	Bryk et al., 2000; Nagata et al., 1998
	CYTK1	Cytidylate kinase (CMP)	[c] : atp + cmp <==> adp + cdp	1	EC 2.7.4.14		Nucleotide Interconversion	Model proposal
	DURIK1	Deoxyuridine kinase (ATP:Deoxyuridine)	[c]: atp + duri> adp + dump + h	1			Nucleotide Interconversion	Model proposal
	UPPRT	Uracil phosphoribosyltransferase	[c] : prpp + ura> ppi + ump	4	EC 2.4.2.9		Nucleotide Interconversion	Mendz, Jimenez et al. 1994a; Mobley et al., 2001
	H2CO3D	Carboxylic acid dissociation	[c] : co2 + h2o <==> h2co3	4	EC 4.2.1.1		Others	
	ADSK	Adenylyl-sulfate kinase	[c]: aps + atp> adp + h + paps	1	EC 2.7.1.25		Others	Model proposal
	DHPTDC	4,5-Dihydroxy-2,3-pentanedione cyclization (spontaneous)	[c] : dhptd> h2o + hmfurn	4			Others	Zhu et al., 2003
	GCALDDr	Glycolaldehyde dehydrogenase	[c]: gcald + h2o + nad <==> glyclt + (2) h + nadh	1	EC 1.2.1.21		Others	Model proposal
	H2CO3D2	Carboxylic acid dissociation	[c]: h + hco3 <==> h2co3	4			Others	spontanous
	LacR	Lactate racemase	[c]: lac-L <==> lac-D	1	EC 5.1.2.1		Others	Model proposal
	ME1-rev	Malic enzyme	[c]: mal-L + nad <==> co2 + nadh + pyr	4	EC1.1.1.37		Others	Mendz, Hazell et al. 1994b
	PAPSR	Phosphoadenylyl-sulfate reductase (thioredoxin)	[c]: paps + trdrd> (2) h + pap + so3 + trdox	1	EC 1.8.4.8		Others	Model proposal
	PGMT	Phosphoglucomutase	[c]: g1p <==> g6p	1	EC 5.4.2.2		Others	Model proposal
	PYRDC	Pyruvate decarboxylase	[c]: h + pyr> acald + co2	1	EC 4.1.1.1		Others	Model proposal
	SADT2	Sulfate adenyltransferase	[c]: atp + gtp + h2o + so4> aps + gdp + pi + ppi	1			Others	Model proposal
	SULR	Sulfite reductase (NADPH2)	[c]: (3) h2o + h2s + (3) nadp <==> (5) h + (3) nadph + so3	1	EC 1.8.2.2		Others	Model proposal
	sink-ahcys(c)	sink S-Adenosyl-L-homocysteine	[c] : ahcys <==>				Others	Model proposal
	sink-amob©	sink S-Adenosyl-4-methylthio-2-oxobutanoate	[c] : amob <==>				Others	Model proposal
	BPNT	3',5'-Bisphosphate nucleotidase	[c] : h2o + pap> amp + pi	1	EC 3.1.3.7		Pantothenate/ CoA Blosynthesis	Model proposal
	DPR	2-Dehydropantoate 2-reductase	[c]: 2dhp + h + nadph> nadp + pant-R	1	EC 1.1.1.169		Pantothenate/ CoA Blosynthesis	Model proposal
	PNTK	Pantothenate kinase	[c]: atp + pnto-R> 4ppan + adp + h	1	EC 2.7.1.33		Pantothenate/ CoA Blosynthesis	Model proposal
	PPCDC	Phosphopantothenoylcysteine decarboxylase	[c]: 4ppcys + h> co2 + pan4p	1	EC 4.1.1.36		Pantothenate/ CoA Blosynthesis	Model proposal
	PPNCL2	Phosphopantothenate-cysteine ligase	[c]: 4ppan + ctp + cys-L> 4ppcys + cmp + h + ppi	1	EC 6.3.2.5		Pantothenate/ CoA Blosynthesis	Model proposal
	G6PDH1	Glucose-6-phosphate dehydrogenase	[c] : g6p + nad> 6pgl + h + nadh	4	EC1.1.1.47		Pentose-Phosphate-Pathway	Hoffman et al., 1996; Mendz, Hazell et al. 1994a;
	GND	Phosphogluconate dehydrogenase	[c]: 6pgc + nadp> co2 + nadph + ru5p-D	4	EC 1.1.1.44		Pentose-Phosphate-Pathway	Mendz and Hazell, 1991
	PPTGS	Peptidoglycan subunit synthesis	[c] : uaagmda> h + peptido_EC + udcpdp	1			Peptidoglycan Biosynthesis	Model proposal
	UDCPDP	Undecaprenyl-diphosphatase	[c] : h2o + udcpdp> h + pi + udcpp	1	EC 3.6.1.27		Peptidoglycan Biosynthesis	Model proposal
	PPNDH	Prephenate dehydratase	[c]: h + pphn> co2 + h2o + phpyr	2	EC 4.2.1.51		Phenylalanine Biosynthesis	
	G5SADr	L-Glutamate 5-semialdehyde dehydratase, reversible	[c] : glu5sa <==> 1pyr5c + h + h2o	4			Proline Metabolism	Voet, 1999
	ADD	Adenine deaminase	[c]: ade + h + h2o> hxan + nh4	4	EC 3.5.4.2		Purine metabolism	Mendz et al., 1997
	ADNUC	Adenosine nucleosidase	[c] : adn + h2o> ade + rib-D	4	EC 3.2.2.7		Purine metabolism	Mendz, Jimenez et al. 1994b; Mobley et al., 2001
	GNNUC	Guanosine nucleosidase	[c] : gsn + h2o> gua + rib-D	4	EC3.2.2.1		Purine metabolism	Mendz, Jimenez et al. 1994b; Mobley et al., 2001
	FADOX	Flavodoxin oxidase (Menaquinone)	[c] : fadh2 + mqn6> fad + mql6	1			Respiratory chain	Model proposal
	FRDO	Ferrrodoxin oxidase (NADPH)	[c] : fdxrd + nadp> fdxox + h + nadph	1			Respiratory chain	Model proposal
	PMDPHT	Pyrimidine phosphatase	[c]: 5aprbu + h2o> 4r5au + pi	1			Riboflavin Metabolism	Model proposal
	ADMDCr	Adenosylmethionine decarboxylase	[c] : amet + h <==> ametam + co2	1	EC 4.1.1.50		Spermidine Biosynthesis	Model proposal
	AGMT	Agmatinase	[c] : agm + h2o> ptrc + urea	1	EC 3.5.3.11		Spermidine Biosynthesis	Model proposal
	AKO	α-Ketoglutarate oxidase	[c]: akg + fad + h2o> co2 + fadh2 + succ	4			TCA cycle	Pitson et al., 1999
	MALS	Malate synthase	[c]: accoa + glx + h2o> coa + h + mal-L	4	EC 4.1.3.2		TCA cycle	Pitson et al., 1999
	MTHFR2	5,10-Methylenetetrahydrofolate reductase (NADH)	[c]: (2) h + mlthf + nadh> 5mthf + nad	1			THF Metabolism	Model proposal
	AAtr	Acrylamide transport via diffusion	aa[e] <==> aa[c]	4			Transport	Orbach and Finkelstein, 1980
	ACACt2	Acetoacetate transport via proton symport	acac[e] + h[e] <==> acac[c] + h[c]	1			Transport	Model proposal
	ACALDt	Acetaldehyde reversible transport	acald[e] <==> acald[c]	4			Transport	Salmela et al., 1993
	ACt2r	Acetate reversible transport via proton symport	ac[e] + h[e] <==> ac[c] + h[c]	1			Transport	Model proposal
	ADEt2	Adenine transport in via proton symport	ade[e] + h[e]> ade[c] + h[c]	4			Transport	Mendz, Jimenez et al. 1994b
	ADtr	Acetamide transport via diffusion	ad[e]> ad[c]	4			Transport	Orbach and Finkelstein, 1980
	ASNabc	L-Asparagine transport via ABC system	asn-L[e] + atp[c] + h2o[c]> adp[c] + asn-L[c] + h[c] + pi[c]	1			Transport	Model proposal
	CO2t	CO2 transporter via diffusion	co2[e] <==> co2[c]	4			Transport	Diffusion
	CYSabc	L-Cysteine transport via ABC system	atp[c] + cys-L[e] + h2o[c]> adp[c] + cys-L[c] + h[c] + pi[c]	1			Transport	Model proposal
	ETOHt2r	Ethanol reversible transport via proton symport	etoh[e] + h[e] <==> etoh[c] + h[c]	1			Transport	Model proposal

Gene Locus	Abbreviation	Official Name	Equation	Confidence Level	EC Number	Protein Description	Pathway	References
	FORt	Formate transport via diffusion	for[e] <==> for[c]	4			Transport	Orbach and Finkelstein, 1980
	FUMt3	Fumarate transport, irrve	fum[c] + h[e]> fum[e] + h[c]	4			Transport	Mendz, Meek et al. 1998
	GSNt2	Guanosine transport in via proton symport	gsn[e] + h[e]> gsn[c] + h[c]	4			Transport	Mendz, Jimenez et al. 1994b
	GUAt	Guanine transport	gua[e] <==> gua[c]	4			Transport	Mendz, Jimenez et al. 1994b
	H2CO3TP	H2CO3 transport	h2co3[e] <==> h2co3[c]	4			Transport	Mendz, Jimenez et al. 1994a
	H2Ot	H2O transport via diffusion	h2o[e] <==> h2o[c]	4			Transport	
	HEMEti	(Proto-) Heme transport	atp[c] + h2o[c] + pheme[e]> adp[c] + h[c] + pi[c] + pheme[c]	4			Transport	Worst et al., 1999
	HISabc	L-Histidine transport via ABC system	atp[c] + h2o[c] + his-L[e]> adp[c] + h[c] + his-L[c] + pi[c]	1			Transport	Model proposal
	HYXNt	Hypoxanthine transport	hxan[e] <==> hxan[c]	4			Transport	Mendz, Jimenez et al. 1994b
	ILEabc	L-Isoleucine transport via ABC system	atp[c] + h2o[c] + ile-L[e]> adp[c] + h[c] + ile-L[c] + pi[c]	1			Transport	Model proposal
	LEUabc	L-Leucine transport via ABC system	atp[c] + h2o[c] + leu-L[e]> adp[c] + h[c] + leu-L[c] + pi[c]	1			Transport	Nedenskov, 1994
	LYSt2r	L-Lysine reversible transport via proton symport	h[e] + lys-L[e] <==> h[c] + lys-L[c]	1			Transport	Model proposal
	METabc	L-Methionine transport via ABC system	atp[c] + h2o[c] + met-L[e]> adp[c] + h[c] + met-L[c] + pi[c]	1			Transport	Model proposal
	NH4t2r	Ammonia transport in via proton symport	nh4[e] <==> nh4[c]	1			Transport	Model proposal
	NO3t2	Nitrate transport in via proton symport, in	h[e] + no3[e]> h[c] + no3[c]	2			Transport	
	NO3t3	Nitrate transport out via proton antiport, out	h[e] + no3[c]> h[c] + no3[e]	3			Transport	Model proposal
	NOt	Nitric oxide transport	no[e] <==> no[c]	4			Transport	
	O2t	O2 transport (diffusion)	o2[e] <==> o2[c]	4			Transport	
	OROATP	Orotate transport via ABC system	h[e] + orot[e]> h[c] + orot[c]	4			Transport	Mendz, Jimenez et al. 1994b
	PHEt2r	L-Phenylalanine reversible transport via proton symport	$h[e] + phe-L[e] \le h[c] + phe-L[c]$	1			Transport	Model proposal
	PIMEtr	Pimelate transport, reversible	pime[e] <==> pime[c]	1			Transport	Ploux et al., 1992
	PYRt2r	Pyruvate reversible transport via proton symport	$h[e] + pyr[e] \le h[c] + pyr[c]$	1			Transport	Model proposal
	THMabc	Thiamine transport via ABC system	atp[c] + h2o[c] + thm[e]> adp[c] + h[c] + pi[c] + thm[c]	4			Transport	Model proposal
	THRt2r	L-Threonine reversible transport via proton symport	h[e] + thr-L[e] <==> h[c] + thr-L[c]	1			Transport	Model proposal
	TRPt2r	L-Tryptophan reversible transport via proton symport	h[e] + trp-L[e] <==> h[c] + trp-L[c]	1			Transport	Model proposal
	TYRt2r	L-Tyrosine reversible transport via proton symport	h[e] + tyr-L[e] <==> h[c] + tyr-L[c]	1			Transport	Model proposal
	URAt2	Uracil transport in via proton symport	h[e] + ura[e]> h[c] + ura[c]	4			Transport	Mendz, Jimenez et al. 1994a
	VALabc	L-Valine transport via ABC system	atp[c] + h2o[c] + val-L[e]> adp[c] + h[c] + pi[c] + val-L[c]	1			Transport	Model proposal
	XANt2	Xanthine transport in via proton symport	h[e] + xan[e]> h[c] + xan[c]	1			Transport	Model proposal
	ARGSL	Argininosuccinate lyase	[c] : argsuc <==> arg-L + fum	4	EC 4.3.2.1		Urea Cycle	Mendz and Hazell, 1996
	ARGSS	Argininosuccinate synthase	[c] : asp-L + atp + citr-L> amp + argsuc + h + ppi	4	EC 6.3.4.5		Urea Cycle	Mendz and Hazell, 1996
	OCBTi	Ornithine carbamoyltransferase, irreversible	[c] : cbp + orn> citr-L + h + pi	4	EC 2.1.3.3		Urea Cycle	Mendz and Hazell, 1996

## References:

Ahn, H. J., J. K. Yang, et al. 2003. Crystallization and preliminary X-ray crystallographic studies of chorismate synthase from Helicobacter pylori. Acta Crystallogr D Biol Crystallogr 59: 569-71.

Bai, Y., Y. L. Zhang, et al. 2003. Recombinant Helicobacter pylori catalase. World J Gastroenterol 9: 1119-22.

Bauerfeind, P., R. Garner, et al. 1997. Synthesis and activity of Helicobacter pylori urease and catalase at low pH. Gut 40: 25-30.

Benoit, S., N. Mehta, et al. 2004. Requirement of hydD, hydE, hypC and hypE genes for hydrogenase activity in Helicobacter pylori. Microb Pathog 36: 153-7.

Boneca, I. G., H. de Reuse, et al. 2003. A revised annotation and comparative analysis of Helicobacter pylori genomes. Nucleic Acids Res 31: 1704-14.

Bryk, R., P. Griffin, et al. 2000. Peroxynitrite reductase activity of bacterial peroxiredoxins. Nature 407: 211-5.

Burns, B. P., G. L. Mendz, et al. 1997. In situ properties of Helicobacter pylori aspartate carbamoyltransferase. Arch Biochem Biophys 347: 119-25.

Burns, B. P., S. L. Hazell, et al. 1995. Acetyl-CoA carboxylase activity in Helicobacter pylori and the requirement of increased CO<sub>2</sub> for growth. Microbiology 141: 3113-8.

Bury-Mone, S., S. Skouloubris, et al. 2001. The Helicobacter pylori Urel protein: role in adaptation to acidity and identification of residues essential for its activity and for acid activation. Mol Microbiol 42: 1021-34.

Chevalier, C., J. M. Thiberge, et al. 1999. Essential role of Helicobacter pylori gamma-glutamyltranspeptidase for the colonization of the gastric mucosa of mice. Mol Microbiol 31: 1359-72.

Chirica, L. C., C. Petersson, et al. 2002. Expression and localization of alpha- and beta-carbonic anhydrase in Helicobacter pylori. Biochim Biophys Acta 1601: 192-9.

Copeland, R. A., J. Marcinkeviciene, et al. 2000. Helicobacter pylori-selective antibacterials based on inhibition of pyrimidine biosynthesis. J Biol Chem 275: 33373-8.

Corthesy-Theulaz, I. E., G. E. Bergonzelli, et al. 1997. Cloning and characterization of Helicobacter pylori succinyl CoA:acetoacetate CoA-transferase, a novel prokaryotic member of the CoA-transferase family. J Biol Chem 272: 25659-67.

Davids, W., J. Gamieldien, et al. 2002. Positive selection scanning reveals decoupling of enzymatic activities of carbamoyl phosphate synthetase in Helicobacter pylori. J Mol Evol 54: 458-64.

De Reuse, H., A. Labigne, et al. 1997. The Helicobacter pylori ureC gene codes for a phosphoglucosamine mutase. J Bacteriol 179: 3488-93.

Dumon, C., E. Samain, et al. 2004. Assessment of the two Helicobacter pylori alpha-1,3-fucosyltransferase ortholog genes for the large-scale synthesis of LewisX human milk oligosaccharides by metabolically engineered Escherichia coli. Biotechnol Prog 20: 412-9.

Dunkley, M. L., S. J. Harris, et al. 1999. Protection against Helicobacter pylori infection by intestinal immunisation with a 50/52-kDa subunit protein. FEMS Immunol Med Microbiol 24: 221-5.

Eom, S. J., H. J. Ahn, et al. 2003. Crystallization and preliminary X-ray crystallographic studies of phosphopantetheine adenylyltransferase from Helicobacter pylori. Acta Crystallogr D Biol Crystallogr 59: 561-2.

Fassbinder, F., M. Kist, et al. 2000. Structural and functional analysis of the riboflavin synthesis genes encoding GTP cyclohydrolase II (ribA), DHBP synthase (ribBA), riboflavin synthase (ribC), and riboflavin deaminase/reductase (ribD) from Helicobacter pylori strain P1. FEMS Microbiol 1 191: 191-7.

Forsyth, M. H. and T. L. Cover. 2000. Intercellular communication in Helicobacter pylori: luxS is essential for the production of an extracellular signaling molecule. Infect Immun 68: 3193-9.

Garner, R. M., J. Fulkerson, Jr., et al. 1998. Helicobacter pylori glutamine synthetase lacks features associated with transcriptional and posttranslational regulation. Infect Immun 66: 1839-47.

Ge, Z. and D. E. Taylor. 1997. The Helicobacter pylori gene encoding phosphatidylserine synthase: sequence, expression, and insertional mutagenesis. J Bacteriol 179: 4970-6.

Harris, A. G. and S. L. Hazell. 2003. Localisation of Helicobacter pylori catalase in both the periplasm and cytoplasm, and its dependence on the twin-arginine target protein, KapA, for activity. FEMS Microbiol Lett 229: 283-9.

```
Hendricks, J. K. and H. L. Mobley. 1997. Helicobacter pylori ABC transporter: effect of allelic exchange mutagenesis on urease activity. J Bacteriol 179: 5892-902.
Hirai, Y., M. Haque, et al. 1995. Unique cholesteryl glucosides in Helicobacter pylori: composition and structural analysis. J Bacteriol 177: 5327-33.
Hoffman, P. S., A. Goodwin, et al. 1996. Metabolic activities of metronidazole-sensitive and -resistant strains of Helicobacter pylori: repression of pyruvate oxidoreductase and expression of isocitrate lyase activity correlate with resistance. J Bacteriol 178: 4822-9.
```

Hughes, N. J., C. L. Clayton, et al. 1998. Helicobacter pylori porCDAB and oorDABC genes encode distinct pyruvate: flavodoxin and 2-oxoglutarate: acceptor oxidoreductases which mediate electron transport to NADP. J Bacteriol 180: 1119-28.

Hughes, N. J., P. A. Chalk, et al. 1995. Identification of carboxylation enzymes and characterization of a novel four-subunit pyruvate:flavodoxin oxidoreductase from Helicobacter pylori. J Bacteriol 177: 3953-9.

Joerger, A. C., C. Gosse, et al. 2000. Catalytic action of fuculose 1-phosphate aldolase (class II) as derived from structure-directed mutagenesis. Biochemistry 39: 6033-41.

Kang, G. B., Y. S. Kim, et al. 2003. Crystallization and X-ray analysis of NH3-dependent NAD+ synthetase from Helicobacter pylori. Protein Pept Lett 10: 418-21.

Karita, M., M. L. Etterbeek, et al. 1997. Characterization of Helicobacter pylori dapE and construction of a conditionally lethal dapE mutant. Infect Immun 65: 4158-64.

Kather, B., K. Stingl, et al. 2000. Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase. J Bacteriol 182: 3204-9.

Kim, H., C. A. Wu, et al. 2004. Crystallization and preliminary X-ray crystallographic study of UDP-glucose pyrophosphorylase (UGPase) from Helicobacter pylori. Acta Crystallogr D Biol Crystallogr 60: 1447-9.

Kim, M. K., H. E. Song, et al. 2003. Crystallization and preliminary X-ray crystallographic analysis of orotate phosphoribosyltransferase from Helicobacter pylori. Mol Cells 15: 361-3.

Kim, M. K., Y. S. Kim, et al. 2003. Crystallization and preliminary X-ray crystallographic analysis of quinolinate phosphoribosyltransferase of Helicobacter pylori. Acta Crystallogr D Biol Crystallogr 59: 1265-6.

Kwon, A. R., B. I. Lee, et al. 2002. Crystallization and preliminary X-ray crystallographic analysis of aspartate 1-decarboxylase from Helicobacter pylori. Acta Crystallogr D Biol Crystallogr 58: 861-3.

Kwon, D. H., J. S. Woo, et al. 1998. The effect of galE gene inactivation on lipopolysaccharide profile of Helicobacter pylori. Curr Microbiol 37: 144-8.

Lee, B. I. and S. W. Suh. 2003. Crystal structure of UDP-N-acetylglucosamine acyltransferase from Helicobacter pylori. Proteins 53: 772-4.

Lee, B. I., J. E. Kwak, et al. 2003. Crystal structure of the type II 3-dehydroquinase from Helicobacter pylori. Proteins 51: 616-7.

Lee, P. T., A. Y. Hsu, et al. 1997. A C-methyltransferase involved in both ubiquinone and menaquinone biosynthesis: isolation and identification of the Escherichia coli ubiE gene. J Bacteriol 179: 1748-54.

Loewen, P. C., X. Carpena, et al. 2004. Structure of Helicobacter pylori catalase, with and without formic acid bound, at 1.6 A resolution. Biochemistry 43: 3089-103.

Logan, S. M., J. W. Conlan, et al. 2000. Functional genomics of Helicobacter pylori: identification of a beta-1,4 galactosyltransferase and generation of mutants with altered lipopolysaccharide. Mol Microbiol 35: 1156-67.

Lu, P. K., S. Y. Chien, et al. 2004. Crystallization and preliminary X-ray diffraction analysis of spermidine synthase from Helicobacter pylori. Acta Crystallogr D Biol Crystallogr 60: 2067-9.

Maier, R. J., C. Fu, et al. 1996. Hydrogen uptake hydrogenase in Helicobacter pylori. FEMS Microbiol Lett 141: 71-6.

Marais, A., C. Bilardi, et al. 2003. Characterization of the genes rdxA and frxA involved in metronidazole resistance in Helicobacter pylori. Res Microbiol 154: 137-44.

Marcelli, S. W., H. T. Chang, et al. 1996. The respiratory chain of Helicobacter pylori: identification of cytochromes and the effects of oxygen on cytochrome and menaquinone levels. FEMS Microbiol Lett 138: 59-64.

McGee, D. J., F. J. Radcliff, et al. 1999. Helicobacter pylori rocF is required for arginase activity and acid protection in vitro but is not essential for colonization of mice or for urease activity. J Bacteriol 181: 7314-22.

Mendz, G. L. and B. P. Burns. 2003. Characterization of arginine transport in Helicobacter pylori. Helicobacter 8: 245-51

Mendz, G. L. and S. L. Hazell. 1991. Evidence for a pentose phosphate pathway in Helicobacter pylori. FEMS Microbiology Letters 84: 331-336.

Mendz, G. L. and S. L. Hazell, 1993, Fumarate catabolism in Helicobacter pylori, Biochem Mol Biol Int 31: 325-32.

Mendz, G. L. and S. L. Hazell. 1993. Glucose phosphorylation in Helicobacter pylori. Arch Biochem Biophys 300: 522-5.

Mendz, G. L. and S. L. Hazell. 1995. Aminoacid utilization by Helicobacter pylori. Int J Biochem Cell Biol 27: 1085-93.

Mendz, G. L. and S. L. Hazell. 1996. The urea cycle of Helicobacter pylori. Microbiology 142 (Pt 10): 2959-67.

Mendz, G. L., A. J. Shepley, et al. 1997, Purine metabolism and the microaerophily of Helicobacter pylori. Arch Microbiol 168: 448-56.

Mendz, G. L., B. M. Jimenez, et al. 1994a. De novo synthesis of pyrimidine nucleotides by Helicobacter pylori. J Appl Bacteriol 77: 1-8.

Mendz, G. L., B. M. Jimenez, et al. 1994b. Salvage synthesis of purine nucleotides by Helicobacter pylori. J Appl Bacteriol 77: 674-81.

Mendz, G. L., B. P. Burns, et al. 1995. Characterisation of glucose transport in Helicobacter pylori. Biochim Biophys Acta 1244: 269-76.

Mendz, G. L., D. J. Meek, et al. 1998. Characterization of fumarate transport in Helicobacter pylori. J Membr Biol 165: 65-76.

Mendz, G. L., E. M. Holmes, et al. 1998. In situ characterization of Helicobacter pylori arginase. Biochim Biophys Acta 1388: 465-77.

Mendz, G. L., S. L. Hazell, et al. 1994a. Pyruvate metabolism in Helicobacter pylori. Arch Microbiol 162: 187-92.

Mendz, G. L., S. L. Hazell, et al. 1994b. The Entner-Doudoroff pathway in Helicobacter pylori. Arch Biochem Biophys 312: 349-56.

Mendz, G. L., S. L. Hazell, et al. 1995. Fumarate reductase: a target for therapeutic intervention against Helicobacter pylori. Arch Biochem Biophys 321: 153-9.

Mobley, H. L., G. L. Mendz, et al. 2001. Helicobacter pylori - Physiology and Genetics. Washington: ASM Press.608p.

Monteiro, M. A., B. J. Appelmelk, et al. 2000. Lipopolysaccharide structures of Helicobacter pylori genomic strains 26695 and J99, mouse model H. pylori Sydney strain, H. pylori P466 carrying sialvl Lewis X. and H. pylori UA915 expressing Lewis B classification of H. pylori lipopolysaccharides into glycotype families. Eur J Biochem 267: 305-20.

Moore, R. A., W. E. Bocik, et al. 2002. Expression and purification of aspartate beta-semialdehyde dehydrogenase from infectious microorganisms. Protein Expr Purif 25: 189-94.

Moran, A. P., B. Lindner, et al. 1997. Structural characterization of the lipid A component of Helicobacter pylori rough- and smooth-form lipopolysaccharides. J Bacteriol 179: 6453-63.

Myllykallio, H., G. Lipowski, et al. 2002. An alternative flavin-dependent mechanism for thymidylate synthesis. Science 297: 105-7.

Nagata, K., H. Yu, et al. 1998. Helicobacter pylori generates superoxide radicals and modulates nitric oxide metabolism. J Biol Chem 273: 14071-3.

Nagata, K., S. Tsukita, et al. 1996. A cb-type cytochrome-c oxidase terminates the respiratory chain in Helicobacter pylori. Microbiology 142 (Pt 7): 1757-63.

Nagata, K., Y. Nagata, et al. 2003. L-Serine, D- and L-proline and alanine as respiratory substrates of Helicobacter pylori: correlation between in vitro and in vivo amino acid levels. Microbiology 149: 2023-30.

Nedenskov, P. 1994. Nutritional requirements for growth of Helicobacter pylori. Appl Environ Microbiol 60: 3450-3.

Oliva, G., I. Romero, et al. 2000. Characterization of the inorganic pyrophosphatase from the pathogenic bacterium Helicobacter pylori. Arch Microbiol 174: 104-10.

Orbach, E. and A. Finkelstein. 1980. The nonelectrolyte permeability of planar lipid bilayer membranes. J Gen Physiol 75: 427-36.

Pitson, S. M., G. L. Mendz, et al. 1999. The tricarboxylic acid cycle of Helicobacter pylori. Eur J Biochem 260: 258-67.

Ploux, O., P. Soularue, et al. 1992. Investigation of the first step of biotin biosynthesis in Bacillus sphaericus. Purification and characterization of the pimeloyl-CoA synthase, and uptake of pimelate. Biochem J 287 (Pt 3): 685-90.

Salmela, K. S., R. P. Roine, et al. 1993. Characteristics of Helicobacter pylori alcohol dehydrogenase. Gastroenterology 105: 325-30.

Sekowska, A., V. Denervaud, et al. 2004. Bacterial variations on the methionine salvage pathway. BMC Microbiol 4: 9.

Seyler, R. W., Jr., J. W. Olson, et al. 2001. Superoxide dismutase-deficient mutants of Helicobacter pylori are hypersensitive to oxidative stress and defective in host colonization. Infect Immun 69: 4034-40.

Shepley, A. J., G. L. Mendz, and S. L. Hazell. (1995). The essential role of de novo pyrimidine nucleotide biosynthesis in Helicobacter pylori, abstr. POS-1-54. In Proceedings of the 7th FAOBMB Congress, Australian Society for Biochemistry and Molecular Biology, Sydney, Australia. Skouloubris, S., A. Labigne, et al. 2001. The AmiE aliphatic amidase and AmiF formamidase of Helicobacter pylori: natural evolution of two enzyme paralogues. Mol Microbiol 40: 596-609.

Smith, M. A., M. Finel, et al. 2000. Characteristics of the aerobic respiratory chains of the microaerophiles Campylobacter jejuni and Helicobacter pylori. Arch Microbiol 174: 1-10.

Stark, R. M., M. S. Suleiman, et al. 1997. Amino acid utilisation and deamination of glutamine and asparagine by Helicobacter pylori. J Med Microbiol 46: 793-800.

Tomb, J. F., O. White, et al. 1997. The complete genome sequence of the gastric pathogen Helicobacter pylori. Nature 388: 539-547.

Tsukita, S., S. Koyanagi, et al. 1999. Characterization of a cb-type cytochrome c oxidase from Helicobacter pylori. J Biochem (Tokyo) 125: 194-201.

Velayudhan, J., N. J. Hughes, et al. 2000. Iron acquisition and virulence in Helicobacter pylori: a major role for FeoB, a high-affinity ferrous iron transporter. Mol Microbiol 37: 274-86.

Voet, D., Voet, J. G., Pratt, C. W. 1999. Fundamentals of Biochemistry. New York: Wileyp.

Waidner, B., S. Greiner, et al. 2002. Essential role of ferritin Pfr in Helicobacter pylori iron metabolism and gastric colonization. Infect Immun 70: 3923-9.

Wang, G. and R. J. Maier. 2004. An NADPH quinone reductase of Helicobacter pylori plays an important role in oxidative stress resistance and host colonization. Infect Immun 72: 1391-6.

Weeks, D. L., S. Eskandari, et al. 2000. A H+-gated urea channel: the link between Helicobacter pylori urease and gastric colonization. Science 287: 482-5.

Worst, D. J., J. Maaskant, et al. 1999. Multiple haem-utilization loci in Helicobacter pylori. Microbiology 145 (Pt 3): 681-8.

Worst, D. J., M. M. Gerrits, et al. 1998. Helicobacter pylori ribBA-mediated riboflavin production is involved in iron acquisition. J Bacteriol 180: 1473-9.

Wu, B., Y. Zhang, et al. 2001. Identification and characterization of GDP-d-mannose 4,6-dehydratase and GDP-l-fucose sonthetase in a GDP-l-fucose biosynthetic gene cluster from Helicobacter pylori. Biochem Biophys Res Commun 285: 364-71.

Wu, B., Y. Zhang, et al. 2002. Bifunctional phosphomannose isomerase/GDP-D-mannose pyrophosphorylase is the point of control for GDP-D-mannose biosynthesis in Helicobacter pylori. FEBS Lett 519: 87-92.

Zhu, J., E. Dizin, et al. 2003. S-Ribosylhomocysteinase (LuxS) is a mononuclear iron protein. Biochemistry 42: 4717-26.

 Table S2B:
 List of exchange reactions included in i IT341 GSM/GPR

Abbreviation	Official name	Reaction	Direction
BiomassHP	growth demand		Irreversible
DM-hmfurn(c)	4-hydroxy-5-methyl-3(2H)-furanone demand	[c] : hmfurn>	Irreversible
EX_aa(e)	Acetamide exchange	[e] : aa <==>	Reversible
EX_ac(e)	Acetate exchange	[e] : ac <==>	Reversible
EX_acac(e)	Acetoacetate exchange	[e] : acac <==>	Reversible
EX_acald(e)	Acetaldehyde exchange	[e] : acald <==>	Reversible
EX_ad(e)	Acrylamide exchange	[e] : ad <==>	Reversible
EX_ade(e)	Adenine exchange	[e] : ade <==>	Reversible
EX_adn(e)	Adenosine exchange	[e] : adn <==>	Reversible
EX_akg(e)	2-Oxoglutarate exchange	[e] : akg <==>	Reversible
EX_ala-D(e)	D-Alanine exchange	[e] : ala-D <==>	Reversible
EX_ala-L(e)	L-Alanine exchange	[e] : ala-L <==>	Reversible
EX_arg-L(e)	L-Arginine exchange	[e] : arg-L <==>	Reversible
EX_asn-L(e)	L-Asparagine exchange	[e] : asn-L <==>	Reversible
EX_asp-L(e)	L-Aspartate exchange	[e] : asp-L <==>	Reversible
EX_cit(e)	Citrate exchange	[e] : cit <==>	Reversible
EX_co2(e)	CO2 exchange	[e] : co2 <==>	Reversible
EX_cys-L(e)	L-Cysteine exchange	[e] : cys-L <==>	Reversible
EX_cytd(e)	Cytidine exchange	[e] : cytd <==>	Reversible
EX_dad-2(e)	Deoxyadenosine exchange	[e] : dad-2 <==>	Reversible
EX_dcyt(e)	Deoxycytidine exchange	[e] : dcyt <==>	Reversible
EX_duri(e)	Deoxyuridine exchange	[e] : duri <==>	Reversible
EX_etoh(e)	Ethanol exchange	[e] : etoh <==>	Reversible
EX_fe2(e)	Fe2+ exchange	[e] : fe2 <==>	Reversible
EX_fe3(e)	Fe3+ exchange	[e] : fe3 <==>	Reversible
EX_for(e)	Formate exchange	[e] : for <==>	Reversible
EX_fum(e)	Fumarate exchange	[e] : fum <==>	Reversible
EX_gal(e)	D-Galactose exchange	[e] : gal <==>	Reversible
EX_glc(e)	D-Glucose exchange	[e] : glc-D <==>	Reversible
EX_gln-L(e)	L-Glutamine exchange	[e] : gln-L <==>	Reversible
EX_glu-L(e)	L-Glutamate exchange	[e] : glu-L <==>	Reversible
EX_gly(e)	Glycine exchange	[e] : gly <==>	Reversible
EX_gsn(e)	Guanosine exchange	[e] : gsn <==>	Reversible
EX_gua(e)	Guanine exchange	[e] : gua <==>	Reversible
EX_h(e)	H+ exchange	[e] : h <==>	Reversible
EX_h2(e)	H2 exchange	[e] : h2 <==>	Reversible
EX_h2co3(e)	carbonic acid exchange	[e]: h2co3 <==>	Reversible
EX_h2o(e)	H2O exchange	[e] : h2o <==>	Reversible
EX_his-L(e)	L-Histidine exchange	[e] : his-L <==>	Reversible
EX_hxan(e)	Hypoxanthine exchange	[e] : hxan <==>	Reversible
EX_ile-L(e)	L-Isoleucine exchange	[e] : ile-L <==>	Reversible
EX_lac-L(e)	L-Lactate exchange	[e] : lac-L <==>	Reversible
EX_leu-L(e)	L-Leucine exchange	[e] : leu-L <==>	Reversible
EX_lys-L(e)	L-Lysine exchange	[e] : lys-L <==>	Reversible
EX_mal-L(e)	L-Malate exchange	[e] : mal-L <==>	Reversible
EX_met-L(e)	L-Methionine exchange	[e] : met-L <==>	Reversible
EX_na1(e)	Sodium exchange	[e] : na1 <==>	Reversible
EX_nh4(e)	Ammonia exchange	[e] : nh4 <==>	Reversible
EX_ni2(e)	Ni2+ exchange	[e] : ni2 <==>	Reversible Reversible
EX_nmn(e) EX_no(e)	NMN exchange	[e] : nmn <==> [e] : no <==>	Reversible
EX_no2(e)	Nitrite exchange	[e] : no2 <==>	Reversible
L/_1102(E)	Nitrite exchange	[6] . 1102 \/	I VE A CI SIDIG