AEROSPACE ENGINEERING · STUDENT PROJECT

Lambert Studio


I turned a university assignment on orbit determination into an **interactive mission-design studio** that rediscovers the routes of Voyager, Cassini and Galileo from physics alone.



THE STARTING POINT

Two sightings of a satellite. Find its orbit.


A ground station measures azimuth, elevation and range twice, 2.5 hours apart. Solving **Lambert's problem** (the maths behind every interplanetary mission) turns those six numbers into the complete orbit.




a = 28,184 km · e = 0.768 · i = 20.34° · period 13 h 04 min

WHAT IT DOES

Eight modules, one desktop app




Real satellites (CelesTrak)




Manoeuvre planner

J2 + drag orbit prediction

Asteroid flybys (NASA/JPL)



Solar system (JPL DE440s)



Porkchop & launch windows

GRAVITY ASSISTS

Let the planets do the work

Routes with up to four flybys, including repeat visits to the same planet (multi-revolution Lambert), optimised over thousands of launch dates and flight times, then **explained step by step**.



Cassini's launch period: flying direct to Saturn costs **20.7 km/s**; the flyby route needs **7.8 km/s**.

MISSION PLAYBACK

+10.48 km/s

Voyager at Jupiter, May 1979. No fuel.



A full-screen, cinematic replay of any mission: the camera swings to each planet, time slows at every flyby, and live telemetry shows the spacecraft passing solar escape speed.

VALIDATED

It rediscovered history

The optimiser is never told the real dates, only the planets and a launch period.

Mariner 10 · Venus flyby	6 Feb 1974	1.6 days off
Voyager · launch	2 Sep 1977	2.2 days off
Galileo · Venus flyby	22 Feb 1990	12 days off
Cassini · launch	16 Oct 1997	1.4 days off
Cassini · Earth flyby	17 Aug 1999	4 hours off
Hohmann LEO → GEO	3.8926 km/s	textbook 3.893

103 automated validation checks · **27** pytest tests · browser-driven UI tests

HOW IT WAS BUILT

Seven phases, each verified before the next

01 Rebuilt the Lambert solver and checked it against textbook examples

02 Desktop app: Python physics + local API + Three.js/WebGL interface

03 Live data: CelesTrak, NASA/JPL Horizons, SBDB, DE440s ephemeris

04 Manoeuvres, and a J2 + drag integrator (SciPy DOP853)

05 Gravity assists: batch + multi-revolution Lambert, beam search

06 Mission playback, free camera, NASA-sourced input suggestions

07 pytest suite, Windows .exe (PyInstaller), course hand-in

STACK & TAKEAWAYS

≈11,000 lines. One lesson: verify everything.

Python · NumPy · SciPy · Skyfield · sgp4 · Three.js · Plotly · pytest · PyInstaller · git

Screenshots can look right and still be wrong; a wider search turned Cassini from worse-than-direct into the historical route; and knowing where the maths breaks (resonant orbits) matters as much as the maths.

Built with **Claude Code** as an AI pair-programming assistant, with every step directed, run and checked by me.