

[Home](#) [Online](#) [2013](#) [2010](#) [Interop Programs](#) [Library](#) [Forums](#) [Gallery](#) [Lync Blogs](#)[Expand All](#)[Print](#)[TechNet Library](#)[Other Microsoft Products and Technologies](#)[Lync Server](#)[Microsoft Lync Server 2013](#)[Operations](#)[Lync Server Management Shell](#)[Lync Server 2013 Cmdlets Index](#)[Approve-CsDeviceUpdateRule](#)[Backup-CsPool](#)[Clear-CsDeviceUpdateFile](#)[Clear-CsDeviceUpdateLog](#)[Clear-CsPersistentChatRoom](#)[Convert-CsUserData](#)[Copy-CsVoicePolicy](#)[Debug-CsAddressBookReplication](#)[Debug-CsInterPoolReplication](#)[Debug-CsIntraPoolReplication](#)[Debug-CsLisConfiguration](#)[Debug-CsUnifiedContactStore](#)[Disable-CsAdDomain](#)[Disable-CsAdForest](#)[Disable-CsComputer](#)[Disable-CsHostingProvider](#)[Disable-CsMeetingRoom](#)[Disable-CsPublicProvider](#)[Disable-CsUser](#)[Enable-CsAdDomain](#)[Enable-CsAdForest](#)[Enable-CsComputer](#)[Enable-CsHostingProvider](#)[Enable-CsMeetingRoom](#)

Set-CsUser

[Lync Server 2013](#) [Other Versions ▾](#)**Topic Last Modified:** 2013-03-25

Modifies Lync Server properties for an existing user account. Properties can be modified only for accounts that have been enabled for use with Lync Server. This cmdlet was introduced in Lync Server 2010.

Syntax

Examples

EXAMPLE 1

In Example 1, the **Set-CsUser** cmdlet is used to modify the user account with the Identity Pilar Ackerman. In this case, the account is modified to enable Enterprise Voice, the Microsoft implementation of VoIP. This task is carried out by adding the EnterpriseVoiceEnabled parameter, and then setting the parameter value to \$True.

```
Set-CsUser -Identity "Pilar Ackerman" -Enterpri
```

EXAMPLE 2

[Enable-CsPublicProvider](#)
[Enable-CsReplica](#)
[Enable-CsTopology](#)
[Enable-CsUser](#)
[Export-CsArchivingData](#)
[Export-CsConfiguration](#)
[Export-CsLisConfiguration](#)
[Export-CsPersistentChatData](#)
[Export-CsRgsConfiguration](#)
[Export-CsUserData](#)
[Get-CsAccessEdgeConfiguration](#)
[Get-CsAdContact](#)
[Get-CsAdDomain](#)
[Get-CsAddressBookConfiguration](#)
[Get-CsAdForest](#)
[Get-CsAdminRole](#)
[Get-CsAdminRoleAssignment](#)
[Get-CsAdPrincipal](#)
[Get-CsAdServerSchema](#)
[Get-CsAdUser](#)
[Get-CsAllowedDomain](#)
[Get-CsAnalogDevice](#)
[Get-CsAnnouncement](#)
[Get-CsApplicationEndpoint](#)
[Get-CsArchivingConfiguration](#)
[Get-CsArchivingPolicy](#)
[Get-CsAudioConferencingProvider](#)
[Get-CsAudioTestServiceApplication](#)
[Get-CsAutodiscoverConfiguration](#)
[Get-CsAVEdgeConfiguration](#)
[Get-CsBackupServiceConfiguration](#)
[Get-CsBackupServiceStatus](#)
[Get-](#)
[CsBandwidthPolicyServiceConfiguratio](#)
[Get-CsBlockedDomain](#)
[Get-CsCallParkOrbit](#)
[Get-CsCdrConfiguration](#)
[Get-CsCertificate](#)
[Get-CsClientAccessLicense](#)
[Get-CsClientCertificate](#)
[Get-CsClientPinInfo](#)

In Example 2, all the users in the Finance department have their accounts enabled for Enterprise Voice. In this command, the **Get-CsUser** cmdlet and the **LdapFilter** parameter are first used to return a collection of all the users who work in the Finance department. That information is then piped to the **Set-CsUser** cmdlet, which enables Enterprise Voice for each account in the collection.

```
Get-CsUser -LdapFilter "Department=Finance" | Set-CsUser
```

Detailed Description

The **Set-CsUser** cmdlet enables you to modify the Lync Server-related user account attributes that are stored in Active Directory Domain Services. For example, you can disable or re-enable a user for Lync Server; enable or disable a user for audio/video (A/V) communications; or modify a user's private line and line URI numbers. The **Set-CsUser** cmdlet can be used only for users who have been enabled for Lync Server.

The only attributes you can modify using the **Set-CsUser** cmdlet are attributes related to Lync Server. Other user account attributes, such as the user's job title or department, cannot be modified by using this cmdlet.

Who can run this cmdlet: By default, members of the following groups are authorized to run the **Set-CsUser** cmdlet locally: RTCUniversalUserAdmins. To return a list of all the role-based access control (RBAC) roles this cmdlet has been assigned to (including any custom RBAC roles you have created yourself), run the following command from the Windows PowerShell prompt:

```
Get-CsAdminRole | Where-Object {$_.Cmdlets -match "Set-CsUser\b"}
```

Parameters

Input Types

String or Microsoft.Rtc.Management.ADConnect.Schema.ADUser object. The **Set-CsUser** cmdlet accepts a pipelined string value representing the Identity of a user account that has been enabled for

[Get-CsClientPolicy](#)
[Get-CsClientVersionConfiguration](#)
[Get-CsClientVersionPolicy](#)
[Get-CsClientVersionPolicyRule](#)
[Get-CsClsConfiguration](#)
[Get-CsClsRegion](#)
[Get-CsClsScenario](#)
[Get-CsClsSearchTerm](#)
[Get-CsClsSecurityGroup](#)
[Get-CsCommonAreaPhone](#)
[Get-CsComputer](#)
[Get-CsConferenceDirectory](#)
[Get-CsConferenceDisclaimer](#)
[Get-CsConferencingConfiguration](#)
[Get-CsConferencingPolicy](#)
[Get-CsConfigurationStoreLocation](#)
[Get-CsCpsConfiguration](#)
[Get-CsDatabaseMirrorState](#)
[Get-CsDeviceUpdateConfiguration](#)
[Get-CsDeviceUpdateRule](#)
[Get-CsDiagnosticConfiguration](#)
[Get-CsDiagnosticHeaderConfiguration](#)
[Get-CsDialInConferencingConfiguration](#)
[Get-CsDialInConferencingAccessNumber](#)
[Get-CsDialInConferencingDtmfConfiguration](#)
[Get-CsDialInConferencingLanguageList](#)
[Get-CsDialPlan](#)
[Get-CsEffectivePolicy](#)
[Get-CsEnhancedEmergencyServiceDisclaimer](#)
[Get-CsExternalAccessPolicy](#)
[Get-CsExUmContact](#)
[Get-CsFileTransferFilterConfiguration](#)
[Get-CsFIPSConfiguration](#)
[Get-CsHealthMonitoringConfiguration](#)
[Get-CsHostedVoicemailPolicy](#)

Lync Server. The cmdlet also accepts pipelined instances of the Active Directory user object.

Return Types

The **Set-CsUser** cmdlet does not return any objects.

See Also

Other Resources

[Disable-CsUser](#)

[Enable-CsUser](#)

[Get-CsUser](#)

[Move-CsUser](#)

Did you find this helpful?

☐

Yes

☐

No

Get-CsHostingProvider
Get-CsImFilterConfiguration
Get-CsKerberosAccountAssignment
Get-CsLisCivicAddress
Get-CsLisLocation
Get-CsLisPort
Get-CsLisServiceProvider
Get-CsLisSubnet
Get-CsLisSwitch
Get-CsLisWirelessAccessPoint
Get-CsLocationPolicy
Get-CsManagementConnection
Get-
CsManagementStoreReplicationStatus
Get-CsMcxConfiguration
Get-CsMediaConfiguration
Get-CsMeetingConfiguration
Get-CsMeetingRoom
Get-CsMobilityPolicy
Get-
CsNetworkBandwidthPolicyProfile
Get-CsNetworkConfiguration
Get-CsNetworkInterface
Get-CsNetworkInterRegionRoute
Get-CsNetworkInterSitePolicy
Get-CsNetworkRegion
Get-CsNetworkRegionLink
Get-CsNetworkSite
Get-CsNetworkSubnet
Get-CsOAuthConfiguration
Get-CsOAuthServer
Get-CsOnlineUser
Get-
CsOutboundCallingNumberTranslation
Get-CsOutboundTranslationRule
Get-CsPartnerApplication
Get-CsPersistentChatAddin
Get-CsPersistentChatCategory
Get-
CsPersistentChatComplianceConfiguration
Get-CsPersistentChatConfiguration

Get-CsPersistentChatEligiblePrincipal
Get-CsPersistentChatEndpoint
Get-CsPersistentChatPolicy
Get-CsPersistentChatRoom
Get-CsPersistentChatState
Get-CsPinPolicy
Get-CsPool
Get-CsPoolBackupRelationship
Get-CsPoolFabricState
Get-CsPoolUpgradeReadinessState
Get-CsPresencePolicy
Get-CsPresenceProvider
Get-CsPrivacyConfiguration
Get-CsProxyConfiguration
Get-CsPstnUsage
Get-CsPublicProvider
Get-CsPushNotificationConfiguration
Get-CsQoEConfiguration
Get-CsRegistrarConfiguration
Get-CsReportingConfiguration
Get-CsRgsAgentGroup
Get-CsRgsConfiguration
Get-CsRgsHolidaySet
Get-CsRgsHoursOfBusiness
Get-CsRgsQueue
Get-CsRgsWorkflow
Get-CsRoutingConfiguration
Get-CsServerApplication
Get-CsServerVersion
Get-CsService
Get-CsSimpleUrlConfiguration
Get-CsSipDomain
Get-
CsSipResponseCodeTranslationRule
Get-CsSite
Get-CsStaticRoutingConfiguration
Get-CsTenant
Get-
CsTenantFederationConfiguration
Get-CsTenantHybridConfiguration
Get-CsTenantPublicProvider

Get-CsTestDevice
Get-CsTestUserCredential
Get-CsTopology
Get-CsTrunk
Get-CsTrunkConfiguration
Get-CsTrustedApplication
Get-CsTrustedApplicationEndpoint
Get-CsTrustedApplicationComputer
Get-CsTrustedApplicationPool
Get-CsUCPhoneConfiguration
Get-CsUICulture
Get-CsUnassignedNumber
Get-CsUser
Get-CsUserAcp
Get-CsUserDatabaseState
Get-CsUserPoolInfo
Get-CsUserReplicatorConfiguration
Get-CsUserServicesConfiguration
Get-CsUserServicesPolicy
Get-CsVoiceConfiguration
Get-
CsVoicemailReroutingConfiguration
Get-CsVoiceNormalizationRule
Get-CsVoicePolicy
Get-CsVoiceRoute
Get-CsVoiceRoutingPolicy
Get-CsVoiceTestConfiguration
Get-CsWatcherNodeConfiguration
Get-CsWebServiceConfiguration
Get-CsWindowsService
Get-CsXmppAllowedPartner
Get-CsXmppGatewayConfiguration
Grant-CsArchivingPolicy
Grant-CsClientPolicy
Grant-CsClientVersionPolicy
Grant-CsConferencingPolicy
Grant-CsDialPlan
Grant-CsExternalAccessPolicy
Grant-CsHostedVoicemailPolicy
Grant-CsLocationPolicy
Grant-CsMobilityPolicy

Grant-CsOUPermission
Grant-CsPersistentChatPolicy
Grant-CsPinPolicy
Grant-CsPresencePolicy
Grant-CsSetupPermission
Grant-CsUserServicesPolicy
Grant-CsVoicePolicy
Grant-CsVoiceRoutingPolicy
Import-CsAnnouncementFile
Import-CsCertificate
Import-CsConfiguration
Import-CsDeviceUpdate
Import-
CsLegacyConferenceDirectory
Import-CsLegacyConfiguration
Import-CsLisConfiguration
Import-CsPersistentChatData
Import-CsRgsAudioFile
Import-CsRgsConfiguration
Import-CsUserData
Install-CsAdServerSchema
Install-CsDatabase
Install-CsMirrorDatabase
Invoke-CsArchivingDatabasePurge
Invoke-CsBackupServiceSync
Invoke-CsCdrDatabasePurge
Invoke-CsDatabaseFailover
Invoke-CsManagementServerFailover
Invoke-
CsManagementStoreReplication
Invoke-CsPoolFailBack
Invoke-CsPoolFailOver
Invoke-CsQoEDatabasePurge
Invoke-CsStorageServiceFlush
Invoke-CsUcsRollback
Lock-CsClientPin
Merge-CsLegacyTopology
Move-CsAnalogDevice
Move-CsApplicationEndpoint
Move-CsCommonAreaPhone
Move-CsConferenceDirectory

Move-CsExUmContact
Move-CsLegacyUser
Move-CsManagementServer
Move-CsMeetingRoom
Move-CsRgsConfiguration
Move-CsUser
New-CsAddressBookConfiguration
New-CsAdminRole
New-CsAllowedDomain
New-CsAnalogDevice
New-CsAnnouncement
New-CsArchivingConfiguration
New-CsArchivingPolicy
New-CsAutodiscoverConfiguration
New-CsAVEdgeConfiguration
New-
CsBandwidthPolicyServiceConfiguration
New-CsBlockedDomain
New-CsCallParkOrbit
New-CsCdrConfiguration
New-CsClientPolicy
New-CsClientPolicyEntry
New-CsClientVersionConfiguration
New-CsClientVersionPolicy
New-CsClientVersionPolicyRule
New-CsClsConfiguration
New-CsClsProvider
New-CsClsRegion
New-CsClsScenario
New-CsClsSecurityGroup
New-CsCommonAreaPhone
New-CsConferenceDirectory
New-CsConferencingConfiguration
New-CsConferencingPolicy
New-CsCpsConfiguration
New-CsDeviceUpdateConfiguration
New-CsDiagnosticConfiguration
New-
CsDiagnosticHeaderConfiguration
New-CsDiagnosticsFilter

New-
CsDialInConferencingAccessNumber
New-
CsDialInConferencingConfiguration
New-
CsDialInConferencingDtmfConfigurati
New-CsDialPlan
New-CsEdgeDomainPattern
New-CsEdgeAllowList
New-CsEdgeAllowAllKnownDomains
New-CsExtendedTest
New-CsExternalAccessPolicy
New-CsExUmContact
New-
CsFileTransferFilterConfiguration
New-CsFIPSConfiguration
New-
CsHealthMonitoringConfiguration
New-CsHostedVoicemailPolicy
New-CsHostingProvider
New-CsImFilterConfiguration
New-CsIssuedCertId
New-CsKerberosAccount
New-CsKerberosAccountAssignment
New-CsLocationPolicy
New-CsMcxConfiguration
New-CsMediaConfiguration
New-CsMeetingConfiguration
New-CsMobilityPolicy
New-
CsNetworkBandwidthPolicyProfile
New-CsNetworkBWAlternatePath
New-CsNetworkBWPolicy
New-CsNetworkInterRegionRoute
New-CsNetworkInterSitePolicy
New-
CsNetworkMediaBypassConfiguration
New-CsNetworkRegion
New-CsNetworkRegionLink
New-CsNetworkSite
New-CsNetworkSubnet
New-CsOAuthServer

New-
CsOutboundCallingNumberTranslationRule
New-CsOutboundTranslationRule
New-CsPartnerApplication
New-CsPersistentChatAddin
New-CsPersistentChatCategory
New-
CsPersistentChatComplianceConfiguration
New-CsPersistentChatConfiguration
New-CsPersistentChatEndpoint
New-CsPersistentChatPolicy
New-CsPersistentChatRoom
New-CsPinPolicy
New-CsPresencePolicy
New-CsPresenceProvider
New-CsPrivacyConfiguration
New-CsProxyConfiguration
New-CsPublicProvider
New-
CsPushNotificationConfiguration
New-CsQoEConfiguration
New-CsRegistrarConfiguration
New-CsReportingConfiguration
New-CsRgsAgentGroup
New-CsRgsAnswer
New-CsRgsCallAction
New-CsRgsHoliday
New-CsRgsHolidaySet
New-CsRgsHoursOfBusiness
New-CsRgsPrompt
New-CsRgsQuestion
New-CsRgsQueue
New-CsRgsTimeRange
New-CsRgsWorkflow
New-CsRoutingConfiguration
New-CsServerApplication
New-CsSimpleUrl
New-CsSimpleUrlConfiguration
New-CsSimpleUrlEntry
New-CsSipDomain
New-CsSipProxyCustom

New-CsSipProxyRealm
New-CsSipProxyTCP
New-CsSipProxyTLS
New-CsSipProxyTransport
New-CsSipProxyUseDefault
New-CsSipProxyUseDefaultCert
New-
CsSipResponseCodeTranslationRule
New-CsStaticRoute
New-CsStaticRoutingConfiguration
New-CsTestDevice
New-CsTrunkConfiguration
New-CsTrustedApplication
New-CsTrustedApplicationComputer
New-CsTrustedApplicationEndpoint
New-CsTrustedApplicationPool
New-CsUCPhoneConfiguration
New-CsUnassignedNumber
New-CsUserReplicatorConfiguration
New-CsUserServicesConfiguration
New-CsUserServicesPolicy
New-
CsVoicemailReroutingConfiguration
New-CsVoiceNormalizationRule
New-CsVoicePolicy
New-CsVoiceRegex
New-CsVoiceRoute
New-CsVoiceRoutingPolicy
New-CsVoiceTestConfiguration
New-CsWatcherNodeConfiguration
New-CsWebLink
New-CsWebOrigin
New-CsWebServiceConfiguration
New-CsWebTrustedCACertificate
New-CsXmppAllowedPartner
Publish-CsLisConfiguration
Publish-CsTopology
Remove-
CsAddressBookConfiguration
Remove-CsAdminRole
Remove-CsAllowedDomain

[Remove-CsAnalogDevice](#)
[Remove-CsAnnouncement](#)
[Remove-CsArchivingConfiguration](#)
[Remove-CsArchivingPolicy](#)
[Remove-
CsAutodiscoverConfiguration](#)
[Remove-CsAVEdgeConfiguration](#)
[Remove-
CsBackupServiceConfiguration](#)
[Remove-
CsBandwidthPolicyServiceConfiguratio](#)
[Remove-CsBlockedDomain](#)
[Remove-CsCallParkOrbit](#)
[Remove-CsCdrConfiguration](#)
[Remove-CsCertificate](#)
[Remove-CsClientPolicy](#)
[Remove-
CsClientVersionConfiguration](#)
[Remove-CsClientVersionPolicy](#)
[Remove-CsClientVersionPolicyRule](#)
[Remove-CsClsConfiguration](#)
[Remove-CsClsRegion](#)
[Remove-CsClsScenario](#)
[Remove-CsClsSecurityGroup](#)
[Remove-CsCommonAreaPhone](#)
[Remove-CsConferenceDirectory](#)
[Remove-CsConferenceDisclaimer](#)
[Remove-
CsConferencingConfiguration](#)
[Remove-CsConferencingPolicy](#)
[Remove-
CsConfigurationStoreLocation](#)
[Remove-CsCpsConfiguration](#)
[Remove-
CsDeviceUpdateConfiguration](#)
[Remove-CsDeviceUpdateRule](#)
[Remove-CsDiagnosticConfiguration](#)
[Remove-
CsDiagnosticHeaderConfiguration](#)
[Remove-
CsDialInConferencingAccessNumber](#)
[Remove-
CsDialInConferencingConfiguration](#)

Remove-
CsDialInConferencingDtmfConfigurati
Remove-CsDialPlan
Remove-
CsEnhancedEmergencyServiceDisclaim
Remove-CsExternalAccessPolicy
Remove-CsExUmContact
Remove-
CsFileTransferFilterConfiguration
Remove-CsFIPSConfiguration
Remove-
CsHealthMonitoringConfiguration
Remove-CsHostedVoicemailPolicy
Remove-CsHostingProvider
Remove-CsImFilterConfiguration
Remove-
CsKerberosAccountAssignment
Remove-CsLisLocation
Remove-CsLisPort
Remove-CsLisServiceProvider
Remove-CsLisSubnet
Remove-CsLisSwitch
Remove-CsLisWirelessAccessPoint
Remove-CsLocationPolicy
Remove-CsManagementConnection
Remove-CsMcxConfiguration
Remove-CsMediaConfiguration
Remove-CsMeetingConfiguration
Remove-CsMobilityPolicy
Remove-
CsNetworkBandwidthPolicyProfile
Remove-CsNetworkConfiguration
Remove-CsNetworkInterRegionRoute
Remove-CsNetworkInterSitePolicy
Remove-CsNetworkRegion
Remove-CsNetworkRegionLink
Remove-CsNetworkSite
Remove-CsNetworkSubnet
Remove-CsOAuthServer
Remove-
CsOutboundCallingNumberTranslatio
Remove-CsOutboundTranslationRule

Remove-CsPartnerApplication
Remove-CsPersistentChatAddin
Remove-CsPersistentChatCategory
Remove-
CsPersistentChatComplianceConfiguration
Remove-
CsPersistentChatConfiguration
Remove-CsPersistentChatEndpoint
Remove-CsPersistentChatMessage
Remove-CsPersistentChatPolicy
Remove-CsPersistentChatRoom
Remove-CsPinPolicy
Remove-CsPresencePolicy
Remove-CsPresenceProvider
Remove-CsPrivacyConfiguration
Remove-CsProxyConfiguration
Remove-CsPublicProvider
Remove-
CsPushNotificationConfiguration
Remove-CsQoEConfiguration
Remove-CsRegistrarConfiguration
Remove-CsReportingConfiguration
Remove-CsRgsAgentGroup
Remove-CsRgsHolidaySet
Remove-CsRgsHoursOfBusiness
Remove-CsRgsQueue
Remove-CsRgsWorkflow
Remove-CsRoutingConfiguration
Remove-CsServerApplication
Remove-CsSimpleUrlConfiguration
Remove-CsSipDomain
Remove-
CsSipResponseCodeTranslationRule
Remove-
CsStaticRoutingConfiguration
Remove-CsTestDevice
Remove-CsTestUserCredential
Remove-CsTrunkConfiguration
Remove-CsTrustedApplication
Remove-
CsTrustedApplicationComputer

Remove-
CsTrustedApplicationEndpoint
Remove-CsTrustedApplicationPool
Remove-CsUCPhoneConfiguration
Remove-CsUnassignedNumber
Remove-CsUserAcp
Remove-
CsUserReplicatorConfiguration
Remove-
CsUserServicesConfiguration
Remove-CsUserServicesPolicy
Remove-CsUserStoreBackupData
Remove-CsVoiceConfiguration
Remove-
CsVoicemailReroutingConfiguration
Remove-CsVoiceNormalizationRule
Remove-CsVoicePolicy
Remove-CsVoiceRoute
Remove-CsVoiceRoutingPolicy
Remove-CsVoiceTestConfiguration
Remove-
CsWatcherNodeConfiguration
Remove-CsWebServiceConfiguration
Remove-CsXmppAllowedPartner
Request-CsCertificate
Reset-CsDeviceUpdateRule
Reset-CsPoolRegistrarState
Restore-CsDeviceUpdateRule
Revoke-CsClientCertificate
Revoke-CsOUPermission
Revoke-CsSetupPermission
Search-CsClsLogging
Set-CsAccessEdgeConfiguration
Set-CsAddressBookConfiguration
Set-CsAdminRole
Set-CsAllowedDomain
Set-CsAnalogDevice
Set-CsAnnouncement
Set-CsApplicationServer
Set-CsArchivingConfiguration
Set-CsArchivingPolicy
Set-CsArchivingServer

Set-CsAudioTestServiceApplication
Set-CsAutodiscoverConfiguration
Set-CsAVEdgeConfiguration
Set-CsBackupServiceConfiguration
Set-
CsBandwidthPolicyServiceConfiguration
Set-CsBlockedDomain
Set-CsCallParkOrbit
Set-
CsCallParkServiceMusicOnHoldFile
Set-CsCdrConfiguration
Set-CsCertificate
Set-CsClientPin
Set-CsClientPolicy
Set-CsClientVersionConfiguration
Set-CsClientVersionPolicy
Set-CsClientVersionPolicyRule
Set-CsClsConfiguration
Set-CsClsRegion
Set-CsClsScenario
Set-CsClsSearchTerm
Set-CsClsSecurityGroup
Set-CsCommonAreaPhone
Set-CsConferenceDisclaimer
Set-CsConferenceServer
Set-CsConferencingConfiguration
Set-CsConferencingPolicy
Set-CsConfigurationStoreLocation
Set-CsCpsConfiguration
Set-CsDeviceUpdateConfiguration
Set-CsDiagnosticConfiguration
Set-
CsDiagnosticHeaderConfiguration
Set-
CsDialInConferencingAccessNumber
Set-
CsDialInConferencingConfiguration
Set-
CsDialInConferencingDtmfConfigurati
Set-CsDialPlan
Set-CsDirector
Set-CsEdgeServer

Set-
CsEnhancedEmergencyServiceDisclaimer
Set-CsExternalAccessPolicy
Set-CsExUmContact
Set-CsFileTransferFilterConfiguration
Set-CsFIPSConfiguration
Set-
CsHealthMonitoringConfiguration
Set-CsHostedVoicemailPolicy
Set-CsHostingProvider
Set-CsImFilterConfiguration
Set-CsKerberosAccountAssignment
Set-CsKerberosAccountPassword
Set-CsLisLocation
Set-CsLisPort
Set-CsLisServiceProvider
Set-CsLisSubnet
Set-CsLisSwitch
Set-CsLisWirelessAccessPoint
Set-CsLocationPolicy
Set-CsManagementConnection
Set-CsManagementServer
Set-CsMcxConfiguration
Set-CsMediaConfiguration
Set-CsMediationServer
Set-CsMeetingConfiguration
Set-CsMeetingRoom
Set-CsMobilityPolicy
Set-CsMonitoringServer
Set-
CsNetworkBandwidthPolicyProfile
Set-CsNetworkConfiguration
Set-CsNetworkInterRegionRoute
Set-CsNetworkInterSitePolicy
Set-CsNetworkRegion
Set-CsNetworkRegionLink
Set-CsNetworkSite
Set-CsNetworkSubnet
Set-CsOAuthConfiguration
Set-CsOAuthServer

Set-
CsOutboundCallingNumberTranslationRule
Set-CsOutboundTranslationRule
Set-CsPartnerApplication
Set-CsPersistentChatActiveServer
Set-CsPersistentChatAddin
Set-CsPersistentChatCategory
Set-
CsPersistentChatComplianceConfiguration
Set-CsPersistentChatConfiguration
Set-CsPersistentChatPolicy
Set-CsPersistentChatRoom
Set-CsPersistentChatState
Set-CsPinPolicy
Set-CsPresencePolicy
Set-CsPresenceProvider
Set-CsPrivacyConfiguration
Set-CsProxyConfiguration
Set-CsPstnGateway
Set-CsPstnUsage
Set-CsPublicProvider
Set-CsPushNotificationConfiguration
Set-CsQoEConfiguration
Set-CsRegistrar
Set-CsRegistrarConfiguration
Set-CsReportingConfiguration
Set-CsRgsAgentGroup
Set-CsRgsConfiguration
Set-CsRgsHolidaySet
Set-CsRgsHoursOfBusiness
Set-CsRgsQueue
Set-CsRgsWorkflow
Set-CsRoutingConfiguration
Set-CsServerApplication
Set-CsSimpleUrlConfiguration
Set-CsSipDomain
Set-
CsSipResponseCodeTranslationRule
Set-CsSite
Set-CsStaticRoutingConfiguration
Set-CsTenantPublicProvider

Set-CsTenantHybridConfiguration

Set-

CsTenantFederationConfiguration

Set-CsTestDevice

Set-CsTestUserCredential

Set-CsTrunkConfiguration

Set-CsTrustedApplication

Set-CsTrustedApplicationEndpoint

Set-CsTrustedApplicationPool

Set-CsUCPhoneConfiguration

Set-CsUICulture

Set-CsUnassignedNumber

Set-CsUser

Set-CsUserAcp

Set-CsUserDatabaseState

Set-CsUserReplicatorConfiguration

Set-CsUserServer

Set-CsUserServicesConfiguration

Set-CsUserServicesPolicy

Set-CsVoiceConfiguration

Set-

CsVoicemailReroutingConfiguration

Set-CsVoiceNormalizationRule

Set-CsVoicePolicy

Set-CsVoiceRoute

Set-CsVoiceRoutingPolicy

Set-CsVoiceTestConfiguration

Set-CsWatcherNodeConfiguration

Set-CsWebServer

Set-CsWebServiceConfiguration

Set-CsXmppAllowedPartner

Set-CsXmppGatewayConfiguration

Show-CsClsLogging

Start-CsClsLogging

Start-CsWindowsService

Stop-CsClsLogging

Stop-CsWindowsService

Sync-CsClsLogging

Sync-CsUserData

Test-CsAddressBookService

Test-CsAddressBookWebQuery

Test-CsASConference
Test-CsAudioConferencingProvider
Test-CsAVConference
Test-CsAEdgeConnectivity
Test-CsCertificateConfiguration
Test-CsClientAuthentication
Test-CsComputer
Test-CsDatabase
Test-CsDataConference
Test-CsDialInConferencing
Test-CsDialPlan
Test-CsExStorageConnectivity
Test-CsExStorageNotification
Test-CsExUMConnectivity
Test-CsExUMVoiceMail
Test-CsFederatedPartner
Test-CsGroupExpansion
Test-CsGroupIM
Test-CsIM
Test-CsInterTrunkRouting
Test-CsKerberosAccountAssignment
Test-CsLisCivicAddress
Test-CsLisConfiguration
Test-CsLocationPolicy
Test-CsMcxConference
Test-CsMcxP2PIM
Test-CsMcxPushNotification
Test-CsOUPermission
Test-CsP2PAV
Test-CsPersistentChatMessage
Test-CsPhoneBootstrap
Test-CsPresence
Test-CsPstnOutboundCall
Test-CsPstnPeerToPeerCall
Test-CsRegistration
Test-CsReplica
Test-CsSetupPermission
Test-CsTopology
Test-CsTrunkConfiguration
Test-CsUcwaConference
Test-CsUnifiedContactStore

[Test-CsVoiceNormalizationRule](#)
[Test-CsVoicePolicy](#)
[Test-CsVoiceRoute](#)
[Test-CsVoiceTestConfiguration](#)
[Test-CsVoiceUser](#)
[Test-CsWatcherNodeConfiguration](#)
[Test-CsWebApp](#)
[Test-CsWebAppAnonymous](#)
[Test-CsWebScheduler](#)
[Test-CsXmppIM](#)
[Uninstall-CsDatabase](#)
[Uninstall-CsMirrorDatabase](#)
[Unlock-CsClientPin](#)
[Unpublish-CsLisConfiguration](#)
[Update-CsAddressBook](#)
[Update-CsAdminRole](#)
[Update-CsClsLogging](#)
[Update-CsTenantMeetingUrl](#)
[Update-CsUserData](#)
[Update-CsUserDatabase](#)

[Manage Your Profile](#)

[Newsletter](#) | [Contact Us](#) | [Privacy Statement](#) | [Terms of Use](#) | [Trademarks](#) | [Site Feedback](#)  © 2014 Microsoft