

d40|40c6_d40|42s69qi000cqmv10

IP

192.168.0.14

OPEN PORT

Memory

SSH

ssh ip172-18-0-75-d40|40c69qi000cqmv0g@direct.labs.plz

DELETE

 EDITOR

```
#####
#           WARNING!!!!
# This is a sandbox environment. Using personal credentials
# is HIGHLY! discouraged. Any consequences of doing so are
# completely the user's responsibilites.
#
# The PWD team.
#####
[node1] (local) root@192.168.0.14 ~
$ 
```

```
#####
# WARNING!!!!
#
# This is a sandbox environment. Using personal credentials
# is HIGHLY! discouraged. Any consequences of doing so are
# completely the user's responsibilites.
#
# The PWD team.
#####
[node1] (local) root@192.168.0.14 ~
$ docker pull ubuntu
Using default tag: latest
latest: Pulling from library/ubuntu
4b3ffd8ccb52: Pull complete
Digest: sha256:66460d557b25769b102175144d538d88219c077c678a49af4afca6fbfc1b5252
Status: Downloaded newer image for ubuntu:latest
docker.io/library/ubuntu:latest
[node1] (local) root@192.168.0.14 ~
$ docker images
```

```
$ docker pull library/ubuntu:latest
Using default tag: latest
latest: Pulling from library/ubuntu
4b3ffd8ccb52: Pull complete
Digest: sha256:66460d557b25769b102175144d538d88219c077c678a49af4afc6fbfc
Status: Downloaded newer image for ubuntu:latest
docker.io/library/ubuntu:latest
[node1] (local) root@192.168.0.14 ~
$ docker images
REPOSITORY      TAG          IMAGE ID      CREATED        SIZE
ubuntu          latest       97bed23a3497   3 weeks ago   78.1MB
[node1] (local) root@192.168.0.14 ~
$
```

```
latest: Pulling from library/ubuntu
4b3ffd8ccb52: Pull complete
Digest: sha256:66460d557b25769b102175144d538d88219c077c678a49af4afca6fbfc1b5252
Status: Downloaded newer image for ubuntu:latest
docker.io/library/ubuntu:latest
[node1] (local) root@192.168.0.14 ~
$ docker images
REPOSITORY      TAG          IMAGE ID      CREATED        SIZE
ubuntu          latest        97bed23a3497   3 weeks ago   78.1MB
[node1] (local) root@192.168.0.14 ~
$ docker run -it ubuntu
root@35373f90a66e:/# apt update
Get:1 http://archive.ubuntu.com/ubuntu noble InRelease [256 kB]
Get:2 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:3 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [1169 kB]
Get:4 http://archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:5 http://archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:6 http://archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [331 kB]
Get:7 http://archive.ubuntu.com/ubuntu noble/universe amd64 Packages [19.3 MB]
Get:8 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [2638 kB]
Get:9 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1599 kB]
Get:10 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [33.1 kB]
Get:11 http://archive.ubuntu.com/ubuntu noble/main amd64 Packages [1808 kB]
Get:12 http://archive.ubuntu.com/ubuntu noble/restricted amd64 Packages [117 kB]
Get:13 http://archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [2759 kB]
Get:14 http://archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [35.9 kB]
Get:15 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1956 kB]
Get:16 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1939 kB]
Get:17 http://archive.ubuntu.com/ubuntu noble-backports/main amd64 Packages [49.4 kB]
Get:18 http://archive.ubuntu.com/ubuntu noble-backports/universe amd64 Packages [33.9 kB]
Fetched 34.4 MB in 3s (10.1 MB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
2 packages can be upgraded. Run 'apt list --upgradable' to see them.
root@35373f90a66e:/# █
```

Get:10 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 nginx amd64 1.24.0-2
Fetched 2025 kB in 1s (2320 kB/s)
debconf: delaying package configuration, since apt-utils is not installed
Selecting previously unselected package libelf1t64:amd64.
(Reading database ... 4381 files and directories currently installed.)
Preparing to unpack .../0-libelf1t64_0.190-1.1ubuntu0.1_amd64.deb ...
Unpacking libelf1t64:amd64 (0.190-1.1ubuntu0.1) ...
Selecting previously unselected package libbpf1:amd64.
Preparing to unpack .../1-libbpf1_1%3a1.3.0-2build2_amd64.deb ...
Unpacking libbpf1:amd64 (1:1.3.0-2build2) ...
Selecting previously unselected package libmn10:amd64.
Preparing to unpack .../2-libmn10_1.0.5-2build1_amd64.deb ...
Unpacking libmn10:amd64 (1.0.5-2build1) ...
Selecting previously unselected package libxtables12:amd64.
Preparing to unpack .../3-libxtables12_1.8.10-3ubuntu2_amd64.deb ...
Unpacking libxtables12:amd64 (1.8.10-3ubuntu2) ...
Selecting previously unselected package libcap2-bin.
Preparing to unpack .../4-libcap2-bin_1%3a2.66-5ubuntu2.2_amd64.deb ...
Unpacking libcap2-bin (1:2.66-5ubuntu2.2) ...
Selecting previously unselected package iproute2.
Preparing to unpack .../5-iproute2_6.1.0-1ubuntu6.2_amd64.deb ...
Unpacking iproute2 (6.1.0-1ubuntu6.2) ...
Selecting previously unselected package libatmlt64:amd64.
Preparing to unpack .../6-libatmlt64_1%3a2.5.1-5.1build1_amd64.deb ...
Unpacking libatmlt64:amd64 (1:2.5.1-5.1build1) ...
Selecting previously unselected package libpam-cap:amd64.
Preparing to unpack .../7-libpam-cap_1%3a2.66-5ubuntu2.2_amd64.deb ...
Unpacking libpam-cap:amd64 (1:2.66-5ubuntu2.2) ...
Selecting previously unselected package nginx-common.
Preparing to unpack .../8-nginx-common_1.24.0-2ubuntu7.5_all.deb ...
Unpacking nginx-common (1.24.0-2ubuntu7.5) ...
Selecting previously unselected package nginx.
Preparing to unpack .../9-nginx_1.24.0-2ubuntu7.5_amd64.deb ...
Unpacking nginx (1.24.0-2ubuntu7.5) ...
Setting up libatmlt64:amd64 (1:2.5.1-5.1build1) ...
Setting up nginx-common (1.24.0-2ubuntu7.5) ...

```
/usr/local/share/perl/5.38.2 /usr/lib/x86_64-linux-gnu/perl5/5.38 /usr/share/perl5 /usr/lib/x86_64-linux-gnu/perl-base /usr/lib/x86_64-linux-gnu/perl/5.38 /usr/share/p  
/usr/local/lib/site_perl) at /usr/share/perl5/Debconf/FrontEnd/Readline.pm line 8.)  
debconf: falling back to frontend: Teletype  
Setting up libelffit64:amd64 (0.190-1.1ubuntu0.1) ...  
Setting up libcap2-bin (1:2.66-5ubuntu2.2) ...  
Setting up libmnl0:amd64 (1.0.5-2build1) ...  
Setting up libxtables12:amd64 (1.8.10-3ubuntu2) ...  
Setting up libpam-cap:amd64 (1:2.66-5ubuntu2.2) ...  
debconf: unable to initialize frontend: Dialog  
debconf: (No usable dialog-like program is installed, so the dialog based frontend cannot be used. at /usr/share/perl5/Debconf/FrontEnd/Dialog.pm line 79.)  
debconf: falling back to frontend: Readline  
debconf: unable to initialize frontend: Readline  
debconf: (Can't locate Term/ReadLine.pm in @INC (you may need to install the Term::ReadLine module) (@INC entries checked: /etc/perl /usr/local/lib/x86_64-linux-gnu/perl/5.3  
2 /usr/local/share/perl/5.38.2 /usr/lib/x86_64-linux-gnu/perl5/5.38 /usr/share/perl5 /usr/lib/x86_64-linux-gnu/perl-base /usr/lib/x86_64-linux-gnu/perl/5.38 /usr/share/perl/  
38 /usr/local/lib/site_perl) at /usr/share/perl5/Debconf/FrontEnd/Readline.pm line 8.)  
debconf: falling back to frontend: Teletype  
Setting up libbpfl:amd64 (1:1.3.0-2build2) ...  
Setting up iproute2 (6.1.0-1ubuntu6.2) ...  
debconf: unable to initialize frontend: Dialog  
debconf: (No usable dialog-like program is installed, so the dialog based frontend cannot be used. at /usr/share/perl5/Debconf/FrontEnd/Dialog.pm line 79.)  
debconf: falling back to frontend: Readline  
debconf: unable to initialize frontend: Readline  
debconf: (Can't locate Term/ReadLine.pm in @INC (you may need to install the Term::ReadLine module) (@INC entries checked: /etc/perl /usr/local/lib/x86_64-linux-gnu/perl/5.38.  
2 /usr/local/share/perl/5.38.2 /usr/lib/x86_64-linux-gnu/perl5/5.38 /usr/share/perl5 /usr/lib/x86_64-linux-gnu/perl-base /usr/lib/x86_64-linux-gnu/perl/5.38 /usr/share/perl/5.  
38 /usr/local/lib/site_perl) at /usr/share/perl5/Debconf/FrontEnd/Readline.pm line 8.)  
debconf: falling back to frontend: Teletype  
Setting up nginx (1.24.0-2ubuntu7.5) ...  
invoke-rc.d: could not determine current runlevel  
invoke-rc.d: policy-rc.d denied execution of start.  
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...  
root@35373f90a66e:/# nginx -v  
nginx version: nginx/1.24.0 (Ubuntu)  
root@35373f90a66e:/# exit  
exit  
[node1] (local) root@192.168.0.14 ~
```



```
Setting up libbpfl:amd64 (1:1.3.0-2build2) ...
debconf: frontend: Teletype
debconf: unable to initialize frontend: Dialog
debconf: falling back to frontend: Readline
debconf: unable to initialize frontend: Readline
debconf: (Can't locate Term/ReadLine.pm in @INC (you may need to install the Term::ReadLine module) (@INC entries checked: /usr/share/perl5 /usr/lib/x86_64-linux-gnu/perl-b
2 /usr/local/share/perl/5.38.2 /usr/lib/x86_64-linux-gnu/perl5/5.38 /usr/share/perl5 /usr/lib/x86_64-linux-gnu/perl-b
38 /usr/local/lib/site_perl) at /usr/share/perl5/Debconf/FrontEnd/Readline.pm line 8.)
debconf: falling back to frontend: Teletype
Setting up nginx (1.24.0-2ubuntu7.5) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of start.
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
root@35373f90a66e:/# nginx -v
nginx version: nginx/1.24.0 (Ubuntu)
root@35373f90a66e:/# exit
exit
[node1] (local) root@192.168.0.14 ~
$ docker ps -a
CONTAINER ID        IMAGE       COMMAND      CREATED      STATUS          PORTS     NAMES
35373f90a66e        ubuntu      "/bin/bash"   2 minutes ago   Exited (0) About a minute ago
[node1] (local) root@192.168.0.14 ~
$ docker commit <CONTAINER_ID> seuusuario/ubuntu-nginx:v1
bash: CONTAINER_ID: No such file or directory
[node1] (local) root@192.168.0.14 ~
$ docker images
REPOSITORY        TAG      IMAGE ID      CREATED      SIZE
ubuntu            latest   97bed23a3497   3 weeks ago   78.1MB
[node1] (local) root@192.168.0.14 ~
$
```

Use this token as a password when you sign in from the Docker CLI client. [Learn more](#)

Make sure you copy your personal access token now. Your personal access token is displayed once. It isn't stored and can't be retrieved later.

Access token description

pedrovilker

Expires on

Never

Access permissions

Public Repo Read-only

To use the access token from your Docker CLI client:

1. Run

```
$ docker login -u pvkr7
```

2. At the password prompt, enter the personal access token.

```
dckr_pat_AdOoNCKTSr7dH0uzQkwhzQAsDF8
```

[Back to access tokens](#)

Add a category 

General Tags Image Management  Categories Webhooks Settings 

Tags

This repository contains 1 tag(s).

Tag	OS	Type	Published
v1		Image	Less than 1 day

[See all](#) 

Repository overview INCOMPLETE

An overview describes what your image does and how to run it. It displays in [the public view of your repository](#) once you have pushed some content.

[Add overview](#)