

AI? $\leftarrow$ AN? (Language models)
w/ - Agent

Capabilities

conplex

chat

structured
output

> tools

multimodal

streaming

reasoning

Limitations

hallucination

undeterministic

context window

? Ability to
take action

lack of access
to (data)
internal data

? Inter-knowledge base

✓ search

✓ k.w
search

semantic
search

hybrid

llm

Ased

Seneca ✓

turning documents exploration


① chunk size: 1k / 1k / 2k

② chunk strategy:


Recursive splitting

Character test
= Split

1k/1k/1k



③ Search result size



① Generate
eval data

Evaluation

Testing ✓
Code functions

test data 1

1

Effectively

test data 2

2

chunk

test data 3

⋮

chunk

100

① evaluation method


✓ $e \rightarrow$ abstract $\uparrow$


① Apply method to each loop part
✓ report the results

✓ passing
✓ deepen
✓ modular eval $\rightarrow$ non initiated
architect
coupled with
1st order call


✓ fasten update process process
✓ argued $\leftarrow$ 2 to long data then call
Thread $\leftarrow$ callback


evaluate $\rightarrow$ parallel / concurrent
execution





Hybrid Search Service





recall :

$$\frac{\text{len}(\text{expected. actual})}{\text{len}(\text{actual})}$$

prec :

$$\frac{\text{len}(\text{true} \cap \text{actual})}{\text{len}(\text{actual})}$$



F1-Score :

② - ①

$$= \frac{\frac{1}{\text{recall}} + \frac{1}{\text{precision}}}{2}$$

$$= \frac{\text{prec} + \text{recall}}{2}$$

math language



③