

Lab 8: Proofs by Numerical Induction

Note to reader: these aren't exactly the most **wordy** proofs - you should make yours wordier :).

1. (some points) For all natural numbers $n \geq 2$, $3^n > n^2$.

Solution:

Claim. For all natural numbers $n \geq 2$, $3^n > n^2$

Proof. (Induct on n .)

Base Case ($n = 2$):

$$3^2 = 9 > 4 = 2^2$$

Induction Step:

Choose a $k \in \mathbb{N}$ with $k \geq 2$, and assume $3^k > k^2$

$$\begin{aligned} 3^{k+1} &= 3 \cdot 3^k \\ &> 3 \cdot k^2 && \text{(by IH)} \end{aligned}$$

$$\begin{aligned} &= k^2 + k^2 + k^2 \\ &= k^2 + k \cdot k + k \cdot k \\ &\geq k^2 + 2k + 2 \cdot 2 && \text{(since } k \geq 2\text{)} \\ &= k^2 + 2k + 4 \\ &> k^2 + 2k + 1 \\ &= (k+1)^2 \end{aligned}$$

Therefore $3^{k+1} > (k+1)^2$ □

2. (some points) For all natural numbers $n \geq 1$, $\sum_{i=1}^n 2^{i-1} = 2^n - 1$

Solution:

Claim. For all natural numbers $n \geq 1$, $\sum_{i=1}^n 2^{i-1} = 2^n - 1$

Proof. (Induct on n .)

Base Case ($n = 1$):

$$\sum_{i=1}^1 2^{i-1} = 1, \text{ and } 2^1 - 1 = 1.$$

So therefore $\sum_{i=1}^1 2^{i-1} = 2^1 - 1$

Inductive Step:

Assume that for some positive integer k , $\sum_{i=1}^k 2^{i-1} = 2^k - 1$

$$\begin{aligned}\sum_{i=1}^{k+1} 2^{i-1} &= \sum_{i=1}^k 2^{i-1} + 2^k \\ &= 2^k - 1 + 2^k \\ &= 2(2^k) - 1 \\ &= 2^{k+1} - 1\end{aligned}\quad \text{(by IH)}$$

$$\text{So } \sum_{i=1}^{k+1} 2^{i-1} = 2^{k+1} - 1 \quad \square$$

3. (some points) For all natural numbers, $n \geq 7$, $3^n < n!$.

Solution: proof goes here

4. (some points) For all natural numbers $n \geq 1$, $\sum_{i=1}^n 2i = n(n+1)$.

Solution: proof goes here

5. (some points) For all $n \in \mathbb{N}$, $n^2 - 3n$ is even.

Solution: this is a proof