
Paria River Ranch / snow through the year


OCTOBER FOCUS / EXPLORATORY SATELLITE CONTEXT + NOAA STATION NORMALS

OCTOBER / typical monthly snow cover



1:163,366 | Grid north | NAD83 / UTM 12N

Nominal 500m cells; ESA input 1km. DLR 2000-2025; ESA through 2023.
Average of source medians; method partly unreproduced. Not snow depth or a daily/trip probability. Zero typical cover does not mean no snow.
Not locally validated; small summer patches may be artifacts.



SATELLITE SCALE (%) / same colors in every month

0 1 5 10 25 50 75 100

NEARBY STATIONS / MONTHLY NEW SNOWFALL (INCHES), 1991-2020

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	OCT 15: depth >=1in
Page / 4,270ft	1.4*	0.4*	0.2*	0.1*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	1.0*	Page: 0.0% (19 years)
Kanab / 4,900ft	5.4*	5.8	1.8*	1.8	0.0	0.0	0.0	0.0	0.0	0.2	1.8	5.3	Kanab: 0.1% (27 years)

Station probabilities: smoothed 29-day calendar window around Oct 15; not trip odds. Nearby stations can lie outside these map frames.
* Provisional normal (<24 complete years); months/flags in source data. Elevation alone cannot predict snow on a shaded or exposed trail.

SOURCES (click for URLs) S01 NOAA NCEI; S02 Celik & Hengl / OpenGeoHub, DOI 10.5281/zenodo.20610475, CC-BY-4.0; S03 NOAA ENSO

08 OCT 2026 / PLANNING DRAFT / El Nino / La Nina can shift winter patterns; neither predicts October trail snow / GeoPDF: main map only