# The Canoe Traveller's Network

*The instructor's key / Ordinary tandem team / Double carries / Model assumptions, not observed travel times*

---

## I. THREE PRE-DESIGNED JOURNEYS

### A - Inner circuit / 13.25-27.25 h

*Clearwater - West Pike - Pine - Little Caribou - Caribou - Clearwater*

### B - Eastern circuit / 19.5-40.75 h

*Clearwater - West Pike - East Pike - John - Little John - McFarland*
*Pine - Little Caribou - Caribou - Clearwater*

### C - Rose out and back / 17.25-33.25 h

*Clearwater - Mountain - Watap - Rove - Rose; return by the same chain*

Totals are moving + handling hours, not days or daily targets.
Rest, camps, queues, difficult weather and windbound waits add time.
Both directions use the same broad scenario envelope; wind direction
changes which end of the range is plausible.

## II. HOW THE HOURS ARE RECKONED

Paddle: geographic water-path distance, plus 15-30% indirect travel;
20-35% on more winding paths. Divide by 4 km/h (favourable) or
2 km/h (adverse but travelable). These are teaching assumptions.

Carry: 2 loaded walks at 2-3 km/h, 1 return at 3-4 km/h,
plus 10-20 minutes of handling per connection. One rod = 5.0292 m.

Bounds round outward to quarter hours. A 0-0.25 h label means
a brief nonzero leg. All rod counts are derived, not official counts.

## III. READING THE SPARSE CHART

Each lake has at most one printed time range:
the longest modeled landing-to-landing crossing.
Its exact endpoint pair is recorded in the layer
and the table below. Shorter crossings may take
less time. An unnumbered lake has no modeled
crossing. All alternatives remain in the register.

Bent carries echo recorded trail geometry. Small
IDs identify them; rods are kept in the CSV.
No inference should be made from an absent link.

Landmark leaders associate a feature with a lake,
not a measured sight line. Water-visible features
have published lake-view evidence. (walk) marks
waterfalls reached on foot, not a canoe sighting.

Landmark coordinates and viewing descriptions
are in the geographic project and LANDMARKS.md.
Generic DEM summit candidates are hidden there;
they are not shown as visible landmarks here.

## IV. THE HYPOTHETICAL EXERCISE

S marks the Clearwater departure. The three
original trips remain in the key. Extra lakes widen
the study area; they do not certify a through-route.
All time ranges are scenarios, not predictions.
The diagram cannot supply bearings or distances.

### SOURCES & REPRODUCTION

MN DNR waters / USFS trails / published lake views
Friends of BWCA digitized loop / Parks Canada history
Sources: docs/SOURCES.md and docs/LANDMARKS.md
Assumptions and original geometry are bundled.

---

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| a | Clearwater / West Pike | | carry | 1.04 | - | 1-1.75 h | approximate* |
| b | West Pike / Pine | | carry | 1.62 | - | 1.5-2.5 h | USFS + shore |
| c | West Pike / East Pike | | carry | 0.92 | - | 1-1.75 h | USFS + shore |
| d | East Pike / John | | carry | 1.07 | - | 1-2 h | USFS + shore |
| e | John / Little John | | carry | 0.08 | - | 0-0.5 h | USFS + shore |
| f | Little John / McFarland | | river | 0.03 | - | 0-0.25 h | approximate* |
| g | McFarland / Pine | | carry | 0.05 | - | 0-0.5 h | USFS + shore |
| h | Pine / Little Caribou | | carry | 0.40 | - | 0.5-1 h | approximate* |
| i | Little Caribou / Caribou | | carry | 0.10 | - | 0.25-0.5 h | approximate* |
| j | Caribou / Clearwater | | carry | 1.05 | - | 1-1.75 h | USFS + shore |
| k | Clearwater / Mountain | | carry | 0.42 | - | 0.5-1 h | USFS + shore |
| l | Mountain / Watap | | carry | 0.47 | - | 0.5-1 h | USFS + shore |
| n | Rove / Rose | | carry | 3.28 | - | 3-4.75 h | USFS + shore |
| o | Caribou / Deer | | carry | 0.24 | - | 0.25-0.75 h | USFS + shore |
| p | Pine / Canoe | | carry | 2.32 | - | 2.25-3.5 h | USFS + shore |
| q | Canoe / Alder | | carry | 0.13 | - | 0.25-0.75 h | USFS + shore |
| r | Canoe / Crystal | | carry | 0.26 | - | 0.25-0.75 h | USFS + shore |
| s | Rose / Duncan | | carry | 0.39 | - | 0.5-1 h | USFS + shore |
| t | Duncan / Bearskin | | carry | 0.43 | - | 0.5-1 h | USFS + shore |
| u | Mountain / Fan | | carry | 0.36 | - | 0.5-1 h | USFS + shore |
| v | Fan / Vaseux | | carry | 0.23 | - | 0.25-0.75 h | USFS + shore |
| w | Vaseux / Moose | | carry | 0.75 | - | 0.75-1.5 h | USFS + shore |
| m | Watap / Rove | | narrows | <0.01 | - | 0-0.25 h | approximate* |
| A01 | Little North / Little Gunflint | | carry | 0.09 | - | 0-0.5 h | USFS + shore |
| A02 | Alder / East Bearskin | | carry | 0.26 | - | 0.25-0.75 h | USFS + shore |
| A03 | Aspen / East Bearskin | | carry | 0.51 | - | 0.5-1.25 h | USFS + shore |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| A04 | Hungry Jack / Flour | | carry | 0.71 | - | 0.75-1.5 h | USFS + shore |
| A05 | Skipper / Poplar | | carry | 1.62 | - | 1.5-2.5 h | USFS + shore |
| A06 | Little Trout / Rum | | carry | 0.32 | - | 0.25-1 h | USFS + shore |
| A07 | Flour / Aspen | | carry | 0.54 | - | 0.5-1.25 h | USFS + shore |
| A08 | South / Rat | | carry | 0.40 | - | 0.5-1 h | USFS + shore |
| A09 | Moss / Duncan | | carry | 0.28 | - | 0.25-0.75 h | USFS + shore |
| A10 | Partridge / Duncan | | carry | 0.84 | - | 0.75-1.5 h | USFS + shore |
| A11 | Bearskin / Hungry Jack | | carry | 0.11 | - | 0.25-0.5 h | USFS + shore |
| A12 | Henson / Gaskin | | carry | 0.46 | - | 0.5-1 h | USFS + shore |
| A13 | Swallow / Pillsbery | | carry | 0.45 | - | 0.5-1 h | USFS + shore |
| A14 | Caribou (Poplar) / Horseshoe | | carry | 0.12 | - | 0.25-0.5 h | USFS + shore |
| A15 | Lower George / Karl | | carry | 0.17 | - | 0.25-0.75 h | USFS + shore |
| A16 | Rum / Kroft | | carry | 0.27 | - | 0.25-0.75 h | USFS + shore |
| A17 | Lux / Carl | | carry | 0.07 | - | 0-0.5 h | USFS + shore |
| A18 | Rush / One Island | | carry | 0.33 | - | 0.25-1 h | USFS + shore |
| A19 | Rush / Little Rush | | carry | 0.22 | - | 0.25-0.75 h | USFS + shore |
| A20 | Horseshoe / Vista | | carry | 0.14 | - | 0.25-0.75 h | USFS + shore |
| A21 | Meeds / Swallow | | carry | 0.55 | - | 0.5-1.25 h | USFS + shore |
| A22 | Flour / East Bearskin | | carry | 0.43 | - | 0.5-1 h | USFS + shore |
| A23 | Flour / Moon | | carry | 0.48 | - | 0.5-1 h | USFS + shore |
| A24 | Little Rush / Skipper | | carry | 0.09 | - | 0.25-0.5 h | USFS + shore |
| A25 | Omega / Henson | | carry | 0.18 | - | 0.25-0.75 h | USFS + shore |
| A26 | Horseshoe / Allen | | carry | 0.28 | - | 0.25-0.75 h | USFS + shore |
| A27 | North / South | | carry | 0.42 | - | 0.5-1 h | USFS + shore |
| A28 | Kroft / Ram | | carry | 0.35 | - | 0.25-1 h | USFS + shore |
| A29 | Pillsbery / Henson | | carry | 0.27 | - | 0.25-0.75 h | USFS + shore |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| A30 | Omega / Winchell | | carry | 0.25 | - | 0.25-0.75 h | USFS + shore |
| A31 | Portage / One Island | | carry | 0.83 | - | 0.75-1.5 h | USFS + shore |
| A32 | Rose / Rat | | carry | 0.04 | - | 0-0.5 h | USFS + shore |
| A33 | Poplar / Meeds | | carry | 1.46 | - | 1.5-2.5 h | USFS + shore |
| A34 | Moon / East Bearskin | | carry | 0.52 | - | 0.5-1.25 h | USFS + shore |
| A35 | East Bearskin / Crocodile | | carry | 0.62 | - | 0.5-1.25 h | USFS + shore |
| A36 | Missing Link / Snipe | | carry | 0.67 | - | 0.75-1.25 h | USFS + shore |
| A37 | Muskeg / Kiskadinna | | carry | 0.90 | - | 0.75-1.75 h | USFS + shore |
| A38 | Gaskin / Winchell | | carry | 0.29 | - | 0.25-0.75 h | USFS + shore |
| A39 | Round / Missing Link | | carry | 0.71 | - | 0.75-1.5 h | USFS + shore |
| A40 | Allen / Jump | | carry | 0.10 | - | 0.25-0.5 h | USFS + shore |
| A41 | Cross Bay / Rib | | carry | 0.30 | - | 0.25-0.75 h | USFS + shore |
| A42 | Horseshoe / Gaskin | | carry | 0.50 | - | 0.5-1.25 h | USFS + shore |
| A43 | Karl / Long Island | | carry | 0.20 | - | 0.25-0.75 h | USFS + shore |
| A44 | Winchell / Wanihigan | | carry | 0.07 | - | 0-0.5 h | USFS + shore |
| A45 | Kiskadinna / Omega | | carry | 0.19 | - | 0.25-0.75 h | USFS + shore |
| A46 | Tuscarora / Missing Link | | carry | 1.82 | - | 1.75-3 h | USFS + shore |
| A47 | Jump / Gaskin | | carry | 0.10 | - | 0.25-0.5 h | USFS + shore |
| A48 | Poplar / Lizz | | carry | 0.25 | - | 0.25-0.75 h | USFS + shore |
| A49 | Iron / Portage | | carry | 0.16 | - | 0.25-0.75 h | USFS + shore |
| A50 | Allen / Pillsbery | | carry | 0.47 | - | 0.5-1 h | USFS + shore |
| A51 | Misquah / Little Trout | | carry | 1.02 | - | 1-1.75 h | USFS + shore |
| W01 | Clearwater | S-a | paddle | 9.82 | 15-30% | 2.75-6.5 h | water model |
| W02 | Clearwater | S-j | paddle | 1.97 | 15-30% | 0.5-1.5 h | water model |
| W03 | Clearwater | S-k | paddle | 7.54 | 15-30% | 2-5 h | water model |
| W04 | Clearwater | a-j | paddle | 8.48 | 20-35% | 2.5-5.75 h | water model |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| W05 | Clearwater | a-k | paddle | 2.54 | 15-30% | 0.5-1.75 h | water model |
| W06 | Clearwater | j-k | paddle | 6.23 | 15-30% | 1.75-4.25 h | water model |
| W07 | West Pike | a-b | paddle | 6.07 | 15-30% | 1.5-4 h | water model |
| W08 | West Pike | a-c | paddle | 6.07 | 15-30% | 1.5-4 h | water model |
| W09 | West Pike | b-c | paddle | 0.00 | 15-30% | same landing | water model |
| W10 | East Pike | c-d | paddle | 5.83 | 15-30% | 1.5-4 h | water model |
| W11 | John | d-e | paddle | 2.09 | 15-30% | 0.5-1.5 h | water model |
| W12 | Little John | e-f | paddle | 0.90 | 15-30% | 0.25-0.75 h | water model |
| W13 | McFarland | f-g | paddle | 4.00 | 20-35% | 1-2.75 h | water model |
| W14 | Pine | b-g | paddle | 5.49 | 15-30% | 1.5-3.75 h | water model |
| W15 | Pine | b-h | paddle | 6.12 | 15-30% | 1.75-4 h | water model |
| W16 | Pine | b-p | paddle | 6.21 | 15-30% | 1.75-4.25 h | water model |
| W17 | Pine | g-h | paddle | 11.51 | 15-30% | 3.25-7.5 h | water model |
| W18 | Pine | g-p | paddle | 11.61 | 15-30% | 3.25-7.75 h | water model |
| W19 | Pine | h-p | paddle | 0.13 | 15-30% | 0-0.25 h | water model |
| W20 | Little Caribou | h-i | paddle | 1.00 | 15-30% | 0.25-0.75 h | water model |
| W21 | Caribou | i-j | paddle | 5.52 | 15-30% | 1.5-3.75 h | water model |
| W22 | Caribou | i-o | paddle | 5.37 | 15-30% | 1.5-3.5 h | water model |
| W23 | Caribou | j-o | paddle | 0.22 | 15-30% | 0-0.25 h | water model |
| W24 | Mountain | k-l | paddle | 1.02 | 20-35% | 0.25-0.75 h | water model |
| W25 | Mountain | k-u | paddle | 10.97 | 15-30% | 3-7.25 h | water model |
| W26 | Mountain | l-u | paddle | 11.38 | 15-30% | 3.25-7.5 h | water model |
| W27 | Watap | l-m | paddle | 3.26 | 15-30% | 0.75-2.25 h | water model |
| W28 | Rove | m-n | paddle | 1.91 | 15-30% | 0.5-1.25 h | water model |
| W29 | Rose | A32-T | paddle | 6.10 | 15-30% | 1.75-4 h | water model |
| W30 | Rose | A32-n | paddle | 7.66 | 15-30% | 2-5 h | water model |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| W31 | Rose | A32-s | paddle | 5.03 | 20-35% | 1.5-3.5 h | water model |
| W32 | Rose | T-n | paddle | 1.57 | 15-30% | 0.25-1.25 h | water model |
| W33 | Rose | T-s | paddle | 2.19 | 15-30% | 0.5-1.5 h | water model |
| W34 | Rose | n-s | paddle | 3.71 | 15-30% | 1-2.5 h | water model |
| W35 | Deer | T-o | paddle | 0.33 | 15-30% | 0-0.25 h | water model |
| W36 | Canoe | p-q | paddle | 1.33 | 15-30% | 0.25-1 h | water model |
| W37 | Canoe | p-r | paddle | 0.71 | 20-35% | 0-0.5 h | water model |
| W38 | Canoe | q-r | paddle | 0.74 | 15-30% | 0-0.5 h | water model |
| W39 | Crystal | T-r | paddle | 1.82 | 15-30% | 0.5-1.25 h | water model |
| W40 | Duncan | A09-A10 | paddle | 1.99 | 20-35% | 0.5-1.5 h | water model |
| W41 | Duncan | A09-s | paddle | 2.71 | 15-30% | 0.75-2 h | water model |
| W42 | Duncan | A09-t | paddle | 0.95 | 15-30% | 0.25-0.75 h | water model |
| W43 | Duncan | A10-s | paddle | 3.66 | 15-30% | 1-2.5 h | water model |
| W44 | Duncan | A10-t | paddle | 2.40 | 15-30% | 0.5-1.75 h | water model |
| W45 | Duncan | s-t | paddle | 2.09 | 15-30% | 0.5-1.5 h | water model |
| W46 | Bearskin | A11-t | paddle | 1.15 | 15-30% | 0.25-0.75 h | water model |
| W47 | Fan | u-v | paddle | 0.33 | 15-30% | 0-0.25 h | water model |
| W48 | Vaseux | v-w | paddle | 0.37 | 15-30% | 0-0.25 h | water model |
| W49 | Moose | T-w | paddle | 3.40 | 15-30% | 0.75-2.25 h | water model |
| W50 | Hungry Jack | A04-A11 | paddle | 2.20 | 15-30% | 0.5-1.5 h | water model |
| W51 | Moss | A09-T | paddle | 1.00 | 20-35% | 0.25-0.75 h | water model |
| W52 | Partridge | A10-T | paddle | 1.09 | 15-30% | 0.25-0.75 h | water model |
| W53 | Rat | A08-A32 | paddle | 0.52 | 15-30% | 0-0.5 h | water model |
| W54 | South | A08-A27 | paddle | 4.26 | 15-30% | 1-3 h | water model |
| W55 | North | A27-T | paddle | 1.65 | 15-30% | 0.25-1.25 h | water model |
| W56 | Little Gunflint | A01-T | paddle | 1.19 | 15-30% | 0.25-1 h | water model |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| W57 | Little North | A01-T | paddle | 0.93 | 15-30% | 0.25-0.75 h | water model |
| W58 | Iron | A49-T | paddle | 3.06 | 15-30% | 0.75-2 h | water model |
| W59 | Portage | A31-A49 | paddle | 1.05 | 20-35% | 0.25-0.75 h | water model |
| W60 | One Island | A18-A31 | paddle | 0.70 | 15-30% | 0-0.5 h | water model |
| W61 | Rush | A18-A19 | paddle | 0.18 | 20-35% | 0-0.25 h | water model |
| W62 | Little Rush | A19-A24 | paddle | 0.87 | 15-30% | 0-0.75 h | water model |
| W63 | Poplar | A05-A33 | paddle | 2.61 | 20-35% | 0.75-2 h | water model |
| W64 | Poplar | A05-A48 | paddle | 2.47 | 15-30% | 0.5-1.75 h | water model |
| W65 | Poplar | A33-A48 | paddle | 1.86 | 20-35% | 0.5-1.5 h | water model |
| W66 | Caribou (Poplar) | A14-T | paddle | 1.23 | 15-30% | 0.25-1 h | water model |
| W67 | Horseshoe | A14-A20 | paddle | 2.78 | 20-35% | 0.75-2 h | water model |
| W68 | Horseshoe | A14-A26 | paddle | 1.36 | 15-30% | 0.25-1 h | water model |
| W69 | Horseshoe | A14-A42 | paddle | 2.88 | 20-35% | 0.75-2 h | water model |
| W70 | Horseshoe | A20-A26 | paddle | 3.92 | 20-35% | 1-2.75 h | water model |
| W71 | Horseshoe | A20-A42 | paddle | 3.44 | 20-35% | 1-2.5 h | water model |
| W72 | Horseshoe | A26-A42 | paddle | 4.04 | 20-35% | 1-2.75 h | water model |
| W73 | Lizz | A48-T | paddle | 0.56 | 15-30% | 0-0.5 h | water model |
| W74 | Meeds | A21-A33 | paddle | 3.18 | 15-30% | 0.75-2.25 h | water model |
| W75 | Swallow | A13-A21 | paddle | 0.09 | 15-30% | 0-0.25 h | water model |
| W76 | Pillsbery | A13-A29 | paddle | 0.42 | 15-30% | 0-0.5 h | water model |
| W77 | Pillsbery | A13-A50 | paddle | 1.30 | 15-30% | 0.25-1 h | water model |
| W78 | Pillsbery | A29-A50 | paddle | 1.72 | 15-30% | 0.25-1.25 h | water model |
| W79 | Allen | A26-A40 | paddle | 0.74 | 15-30% | 0-0.5 h | water model |
| W80 | Jump | A40-A47 | paddle | 0.40 | 15-30% | 0-0.5 h | water model |
| W81 | Gaskin | A12-A38 | paddle | 2.89 | 20-35% | 0.75-2 h | water model |
| W82 | Gaskin | A12-A42 | paddle | 4.55 | 15-30% | 1.25-3 h | water model |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| W83 | Gaskin | A12-A47 | paddle | 3.84 | 15-30% | 1-2.5 h | water model |
| W84 | Gaskin | A38-A42 | paddle | 2.46 | 20-35% | 0.5-1.75 h | water model |
| W85 | Gaskin | A38-A47 | paddle | 1.75 | 20-35% | 0.5-1.25 h | water model |
| W86 | Gaskin | A42-A47 | paddle | 0.95 | 20-35% | 0.25-0.75 h | water model |
| W87 | Henson | A12-A25 | paddle | 3.76 | 15-30% | 1-2.5 h | water model |
| W88 | Henson | A12-A29 | paddle | 0.39 | 15-30% | 0-0.5 h | water model |
| W89 | Henson | A25-A29 | paddle | 3.50 | 15-30% | 1-2.5 h | water model |
| W90 | Omega | A25-A30 | paddle | 0.76 | 15-30% | 0-0.5 h | water model |
| W91 | Omega | A25-A45 | paddle | 2.54 | 15-30% | 0.5-1.75 h | water model |
| W92 | Omega | A30-A45 | paddle | 2.30 | 20-35% | 0.5-1.75 h | water model |
| W93 | Winchell | A30-A38 | paddle | 7.13 | 15-30% | 2-4.75 h | water model |
| W94 | Winchell | A30-A44 | paddle | 2.04 | 20-35% | 0.5-1.5 h | water model |
| W95 | Winchell | A38-A44 | paddle | 7.00 | 15-30% | 2-4.75 h | water model |
| W96 | Wanihigan | A44-T | paddle | 0.56 | 15-30% | 0-0.5 h | water model |
| W97 | Kiskadinna | A37-A45 | paddle | 3.28 | 15-30% | 0.75-2.25 h | water model |
| W98 | Muskeg | A37-T | paddle | 0.52 | 15-30% | 0-0.5 h | water model |
| W99 | Long Island | A43-T | paddle | 3.57 | 20-35% | 1-2.5 h | water model |
| W100 | Karl | A15-A43 | paddle | 0.27 | 15-30% | 0-0.25 h | water model |
| W101 | Cross Bay | A41-T | paddle | 1.44 | 15-30% | 0.25-1 h | water model |
| W102 | Rib | A41-T | paddle | 0.92 | 20-35% | 0.25-0.75 h | water model |
| W103 | Lower George | A15-T | paddle | 0.47 | 15-30% | 0-0.5 h | water model |
| W104 | Missing Link | A36-A39 | paddle | 0.67 | 20-35% | 0-0.5 h | water model |
| W105 | Missing Link | A36-A46 | paddle | 0.78 | 15-30% | 0-0.75 h | water model |
| W106 | Missing Link | A39-A46 | paddle | 0.72 | 15-30% | 0-0.5 h | water model |
| W107 | Tuscarora | A46-T | paddle | 1.24 | 15-30% | 0.25-1 h | water model |
| W108 | Round | A39-T | paddle | 0.63 | 15-30% | 0-0.5 h | water model |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.

# The Canoe Traveller's Network

*The reckoning of each passage / Source-backed distances; modeled hours / All distances below are geographic*

| ID | Lake / connection | Points | Mode | Base km | Extra paddle | Hours | Evidence |
|---|---|---|---|---|---|---|---|
| W109 | East Bearskin | A02-A03 | paddle | 5.71 | 15-30% | 1.5-3.75 h | water model |
| W110 | East Bearskin | A02-A22 | paddle | 2.38 | 15-30% | 0.5-1.75 h | water model |
| W111 | East Bearskin | A02-A34 | paddle | 3.56 | 20-35% | 1-2.5 h | water model |
| W112 | East Bearskin | A02-A35 | paddle | 2.81 | 15-30% | 0.75-2 h | water model |
| W113 | East Bearskin | A03-A22 | paddle | 3.77 | 15-30% | 1-2.5 h | water model |
| W114 | East Bearskin | A22-A34 | paddle | 1.60 | 15-30% | 0.25-1.25 h | water model |
| W115 | East Bearskin | A34-A35 | paddle | 2.46 | 15-30% | 0.5-1.75 h | water model |
| W116 | Flour | A04-A07 | paddle | 0.89 | 15-30% | 0.25-0.75 h | water model |
| W117 | Flour | A04-A22 | paddle | 4.08 | 15-30% | 1-2.75 h | water model |
| W118 | Flour | A04-A23 | paddle | 4.15 | 15-30% | 1-2.75 h | water model |
| W119 | Flour | A07-A22 | paddle | 3.50 | 20-35% | 1-2.5 h | water model |
| W120 | Flour | A07-A23 | paddle | 3.58 | 15-30% | 1-2.5 h | water model |
| W121 | Flour | A22-A23 | paddle | 1.82 | 20-35% | 0.5-1.25 h | water model |
| W122 | Aspen | A03-A07 | paddle | 0.61 | 20-35% | 0-0.5 h | water model |
| W123 | Moon | A23-A34 | paddle | 1.02 | 15-30% | 0.25-0.75 h | water model |
| W124 | Crocodile | A35-T | paddle | 2.29 | 15-30% | 0.5-1.5 h | water model |
| W125 | Vista | A20-T | paddle | 0.64 | 15-30% | 0-0.5 h | water model |
| W126 | Lux | A17-T | paddle | 0.54 | 15-30% | 0-0.5 h | water model |
| W127 | Carl | A17-T | paddle | 0.55 | 15-30% | 0-0.5 h | water model |
| W128 | Misquah | A51-T | paddle | 0.40 | 15-30% | 0-0.5 h | water model |
| W129 | Little Trout | A06-A51 | paddle | 0.70 | 15-30% | 0-0.5 h | water model |
| W130 | Rum | A06-A16 | paddle | 0.76 | 15-30% | 0-0.5 h | water model |
| W131 | Kroft | A16-A28 | paddle | 0.51 | 15-30% | 0-0.5 h | water model |
| W132 | Ram | A28-T | paddle | 0.31 | 15-30% | 0-0.25 h | water model |

** Approximate passage sketches or short water links. Full source records, exact hours and assumptions: data/leg-times.csv.*

Paddle points use connecting carry IDs. S = departure; T = imagined turn. Only the longest crossing is printed per lake.