

Relatório de Critérios de Aceite — HU #9867 · Gerenciar Perfis de Acesso ao Georreferenciamento

Sprint 9 · Painel de Georreferenciamento do Tenant · CA10 · Evidências end-to-end no client

Gerado em: 05/07/2026

Branch: sprint9-geo-busca-setor (client f1a3ce2 — governança entregue na HU-GEO-01 #9862; nenhum código novo nesta HU)

Specs de origem: hu-geo-01-painel-georreferenciamento-evolucao.md (RN10/RN21 — papel geo_panel_viewer) · molde add-on LGPD HUs #9760/#9762

Ambiente: API e2e :8090 (esuas_app / esuas_e2e) · client build preview :4173

Organização (tenant): E2E CadÚnico · Fortaleza · IBGE 2304400

Ferramenta: playwright-cli (Chromium) + Pest 4

Resumo

1 critério de aceite (CA10). A governança — papel add-on dedicado "Acesso ao Painel de Georreferenciamento" (geo_panel_viewer, level 27), atribuível e revogável pelo Master no drawer "Gerenciar perfis de acesso" da tela de detalhes do Profissional — foi entregue na HU-GEO-01 (#9862), no molde dos papéis LGPD das HUs #9760/#9762; esta HU (#9867) é 100% evidência, sem código novo. O ciclo completo foi dirigido ao vivo: operador SEM o perfil (menu ausente), Master vincula o perfil no detalhe do profissional e salva (aplicação imediata), o usuário do profissional passa a ver o menu Georreferenciamento e abre o painel, e por fim o Master REVOGA o perfil (o vínculo volta ao estado original — confirmado no banco: apenas papel operador). Segurança: permissões geo-panel.* são RESTRITAS (não herdadas pelo operador comum) e o papel é isolado por tenant. Regressão: Pest geo-panel 51 testes / 186 asserções (inclui matriz de autorização 403/tenant).

CA	CRITÉRIO	STATUS
CA10	Atribuição de perfil pelo Master com efeito imediato (PO)	ATENDIDO · navegador

CA10 — Atribuição de perfil pelo Master com efeito imediato (PO)







ATENDIDO · navegador

Critério (Gherkin): Dado que sou Master e acesso a área de detalhes de um profissional do município, Quando vinculo o perfil de inteligência territorial ao seu cadastro e salvo, Então o Usuário atrelado a ele passa a visualizar o menu de Georreferenciamento de forma imediata.

Como foi testado: 1) Login como **operador** (sem o perfil) → menu Georreferenciamento AUSENTE. 2) Login como **Master** → Profissionais → Visualizar "E2E Operador CadÚnico" → card **Perfis de acesso** → Gerenciar → marcar **Acesso ao Painel de Georreferenciamento** → Salvar perfis. 3) Login como operador → menu presente → abrir o painel. 4) Master REVOGA o perfil (drawer) → banco restaurado (papel operador apenas).

Resultado observado:

- Antes do vínculo: sidebar do operador sem o item Georreferenciamento (estado de contraste).
- Drawer "Gerenciar perfis de acesso" do detalhe do profissional lista o perfil "Acesso ao Painel de Georreferenciamento" com descrição de escopo (painel + busca + export, dados agregados sem PII); aviso na UI: "As permissões são aplicadas imediatamente após salvar".
- Após salvar: toast "Perfis de acesso atualizados com sucesso", perfil listado no card do profissional, e papel geo_panel_viewer gravado em user_tenant_role (verificado no banco).
- Usuário do profissional (operador) passa a ver o menu Georreferenciamento de forma imediata no acesso seguinte e abre o painel completo (/app/georreferenciamento).
- Revogação pelo mesmo drawer remove o papel (banco: somente 'operador') — ciclo conceder/revogar completo, isolado por tenant (papel no Tenant A não abre o Tenant B; cobertura Pest no apêndice).



Anexo — Cobertura automatizada (Pest, --filter=GeoPanel — 51 testes / 186 asserções, inclui matriz de autorização por papel e isolamento de tenant)

```
PASS Tests\Unit\Services\Geo\GeoPanelQueryServiceTest
✓ it filters extreme_poverty by per_capita_income against the configu... 0.32s
✓ it filters single_person as exactly one ACTIVE member 0.03s
✓ it filters receives_pbf on the family flag 0.01s
✓ it filters member flags (child_labor, homeless_situation, has_disab... 0.05s
✓ it filters indigenous_quilombola as an OR between the two family fl... 0.02s
✓ it filters gpte by any traditional group, refinable by traditional_... 0.02s
✓ it intersects multiple criteria with AND (RN06) 0.03s
✓ it classifies expired as more than 24 months since source_updated_a... 0.02s
✓ it classifies expiring as between 19 and 24 months since source_upd... 0.02s
✓ it restricts by sector_uuid (SQLite fallback: sector city = family... 0.02s
✓ it aggregates by sector, groups anonymous points and computes the b... 0.02s
✓ it ignores families without an active locatable address point 0.02s
✓ it scopes every aggregate to the given tenant (RN01) 0.02s
✓ it validates that a sector belongs to the tenant municipality (RN08... 0.01s
```

```
PASS Tests\Feature\Api\Client\GeoPanelExportTest
✓ it creates a pending export with the immutable filters snapshot and... 0.06s
✓ it blocks the export with 422 and the guidance message when no effe... 0.02s
✓ it requires the map image for pdf exports and stores it under the t... 0.03s
✓ it rejects a map image that is not a base64 png 0.02s
✓ it lists and shows only the exports of the active tenant, 404 on cr... 0.03s
✓ it downloads a completed export and refuses one still pending 0.03s
✓ it generates the xlsx from the filters snapshot with the tenant pre... 0.04s
✓ it generates the pdf composing the map image sent by the client (CA... 0.13s
✓ it marks the export as failed with the error message when the job f... 0.02s
✓ it neutralizes formula injection on every text cell of the spreadsh... 0.01s
```

```
PASS Tests\Feature\Api\Client\GeoPanelLayerDataTest
✓ it merges a globally published layer after the builtins, keeping th... 0.02s
✓ it shows a selected-audience layer only to the covered tenant (CA43... 0.02s
✓ it never lists draft or inactive layers on the tenant panel (CA48/R... 0.02s
✓ it reflects audience/status changes on the very next fetch – no cac... 0.02s
✓ it executes the layer criteria strictly under each consumer tenant... 0.03s
✓ it answers 404 (never 403) for a layer that is not visible to the t... 0.03s
✓ it serves the CURRENT definition of the layer – an admin edit refle... 0.03s
✓ it shapes the payload by representation: markers, boundaries and he... 0.03s
✓ it denies the layer data endpoint to an operator without the geo_pa... 0.02s
```

```
PASS Tests\Feature\Api\Client\GeoPanelTest
✓ it returns the tenant municipality with geometry, centroid and the... 0.04s
✓ it responds 409 geo_panel.city_unavailable when the tenant has no r... 0.02s
✓ it responds 409 when the municipality geometry exists but is inacti... 0.02s
✓ it lists exactly the 3 builtin layers with the stable contract (CA2... 0.02s
✓ it serves the census sectors of the tenant municipality as a GeoJSO... 0.02s
✓ it serves the tenant social units as anonymous points with type_cod... 0.02s
✓ it applies the AND intersection of combined criteria scoped to the... 0.03s
✓ it never leaks families from another tenant in the search (RN01/CA3... 0.02s
✓ it returns an empty payload when no record matches, so the map stay... 0.02s
✓ it rejects a search without any effective criterion (Seção 10 – reg... 0.02s
✓ it rejects a sector_uuid that belongs to another municipality (RN08... 0.02s
✓ it always includes the fixed RN07 indicator in the summary, even wi... 0.03s
✓ it aggregates the summary by census sector under the active filters... 0.02s
✓ it denies every geo-panel endpoint to the base operator without the... 0.02s
✓ it grants the full panel to the operator once the geo_panel_viewer... 0.03s
✓ it grants the full panel to the Master without any add-on role (RN2... 0.02s
✓ it does not let the geo_panel_viewer role in Tenant A open the pane... 0.02s
✓ it exposes geo_panel_viewer as an add-on role, never a hierarchy po... 0.02s
```

```
Tests: 51 passed (186 assertions)
Duration: 1.87s
```