## 11.4: Working with Taylor Series

# Limits by Taylor Series

**Example** (LC 31.1-31.2). Evaluate the following limit using its Taylor series:

$$\lim_{x \to 0} \frac{12x - 8x^3 - 6\sin(2x)}{x^5}$$

**Example.** Evaluate the following limit using its Taylor series:

$$\lim_{x \to \infty} 2x^2 \left( e^{-2/x^2} - 1 \right)$$

#### Differentiating Power Series

**Example** (LC 31.3-31.4). The differential equation

$$y'(t) + 4y = 8;$$
  $y(0) = 0$ 

is satisfied by the function

$$y(t) = \sum_{k=1}^{\infty} \frac{8(-4)^{k-1}t^k}{k!}$$

Find y'(t) as a power series.

Identify the function y(t) represented by this power series.

$$e^x = 1 + \sum_{k=1}^{\infty} \frac{x^k}{k!}$$

### **Integrating Power Series**

Example (LC 31.5-31.6). Given that

$$x\cos(x^3) = \sum_{k=0}^{\infty} \frac{(-1)^k x^{6k+1}}{(2k)!}, \text{ for } |x| < \infty$$

Evalute  $\int_0^1 x \cos(x^3) dx$  as an infinite series

Using the Alternating Series Estimation Theorem, what is the bound on  $|R_3|$ ?

## Representing Real Numbers

**Example** (LC 31.7). Given that  $\tan^{-1}(x) = \sum_{k=0}^{\infty} \frac{(-1)^k x^{2k+1}}{2k+1}$ , for  $|x| \le 1$ , can we approximate  $\frac{\pi}{3}$  using  $x = \sqrt{3}$ ?

**Example** (LC 31.8). Evaluate  $\sum_{k=0}^{\infty} \frac{(\ln(2))^k}{k!}$ .

**Example.** Let 
$$f(x) = \begin{cases} \frac{e^x - 1}{x}, & x \neq 0 \\ 1, & x = 0 \end{cases}$$
. Using  $f(x)$  and  $f'(x)$ , evaluate 
$$\sum_{k=1}^{\infty} \frac{k \, 2^{k-1}}{(k+1)!}$$

## Representing Functions as Power Series

**Example** (LC 31.9-31.10). Consider the following Taylor series:

$$\sum_{k=1}^{\infty} (-1)^{k+1} \frac{3^k}{k \, 5^k}$$

What function is being represented by this power series?

What does the sum of the series equal?

Example. Identify the function represented by

$$\sum_{k=0}^{\infty} (-1)^k \frac{x^{5k}}{3^k}$$