
## 2.1: Functions and Their Graphs

## Definition.

A function is a rule that assigns to each element in a set A one and only one element in a set B.

In the context above, the set A is called the **domain**, and the set B is called the **range**.



**Example.** Let  $f(x) = 2x^2 - 2x + 1$ . Evaluate the following

$$f(1) f(-2)$$

$$f(a)$$
  $f(a+h)$ 

**Example.** Find the domain and range of the following functions:


$$f(x) = x$$


$$A = \pi r^2$$

$$y = \sqrt{x - 1}$$

$$y = \frac{1}{x^2 - 4}$$

**Example.** An open box is to be made from a rectangular piece of cardboard 16 inches long and 10 inches wide by cutting away identical squares (x inches by x inches) from each corner and folding up the resulting flaps. Find an expression that gives the volume V of the box as a function of x. What is the domain of the function?





## Definition.

A **piecewise** function is a function with different definitions for different portions of the domain.

**Example.** Rewrite the following as piecewise functions:

$$|x| = \frac{x}{|x|} =$$

$$|x-1| + |4-x| =$$

## Definition. (Vertical Line Test)

A curve in the xy-plane is the graph of a function y = f(x) (an explicit function) if and only if each vertical line intersects it in at most one point

**Example.** Use the vertical line test on the following graphs to determine which graphs may represent an explicit function:

