1 BACKGROUND

1.1 DECOWHY Lettering font

PLEASE NOTE: THIS IS A FREE FONT. IT CANNOT BE SOLD.

This font was created from web pictures of Genesee & Wyoming family of engines.

Genesee & Wyoming Inc. owns or leases 116 freight railroads worldwide organized in locally managed operating regions with 7,300 employees serving 3,000 customers.



No attempt has been made to create all G&W's variants. An outline is provided to allow creation of additional road logo's if you have access to a vector graphic tool like Adobe Illustrator, CorelDraw, Inkscape, or Affinity Designer. The curved lettering along the insides of the circular outline is particularly tricky as they employ variable character spacing. Of the available options, Adobe and Corel are priced in the professional range, while Inkscape is free and Designer is ~ $50.

2 USAGE

2.1 Installation

The file is distributed as part of a ZIP file that includes this document as well as the font itself and other related documentation.

The files need to be UNZIPPED from the distribution file into a temporary work area, like **C:\TEMP.** *(I'll assume that you used c:|temp from here on…)*

Now you can install the font from the windows **CONTROL PANEL**.

You can often just double-click the TTF file and the system will provide an install option.

Your system may be different, but for Windows 7, you would select **START → Settings → Control Panel → FONTS → FILE [pull down] → INSTALL NEW FONT**

From here you would select your new file **C:\temp\DECOWHY.ttf**

That's it, the font is installed.



As with all other TTF fonts on your system, the “**DECOWHY.ttf**” file enclosed within the ZIP file belongs in the **FONTS** folder of your windows operating system. This is the only way this file would be useful.

3 Font Usage:

The UPERCASE glyphs match the lowercase glyphs. The actual lettering shapes are a *best guess* and might not match real-world 100%.

This type of lettering is only used on engines, from what I can tell.

Letters: (font size 48)

ABCDEFGHIJ

KLMNOPQRST

UVWXYZ

Numbers: (font size 48)

0123456789

Note: Completely *made up* numbers to match the style. G&W does not use numbers in this font style. Use a standard SWISS STYLE font for numbering, like "HELVETICA"


3.1 Special Keys

The emblems are styled after those used on Genesee & Wyoming Diesel Photographs.

	?	Providence & Worcester –internal– Logo (Manually Add the yellow fill)
Our Goal Every Day	#	Part of Zero Injuries slogan (black)
Zero Injuries	$	Part of Zero Injuries slogan (grey)
0	%	Part of Zero Injuries slogan (yellow)
&	&	Full Size &

	\	Toledo, Peoria Western
	)	New England Central
	*	Background color mask for NECR (yellow)
	@	NECR -internal- Logo
	+	Genesee & Wyoming

	,	Rail Link
	-	Choice Terminal (hyphen)
	<	Illinois Midland
	/	Buffalo & Pittsburg
	|	(Vertical Bar) Bay Line Railroad

	:	Generic Blank with &
	;	Generic Blank
	?	Providence & Worcester -internal- Logo (Manually Add the yellow fill)

Note:


- The -internal- logo inserts are intentionally over-sized.
- The P&W logo is purposely a closed shape so a "yellow" fill operation can be made.
- The NECR logo makes use of a background "yellow fill" shape using the "*" (asterisk) key which is then followed by the "@" (at symbol) in black as an overlay.

3.2 Special Instructions

Creating the Zero Injuries slogan

Note: Setting the background color is not important, but it helps

GOAL: (reference picture from Internet)



3.2.1 How to create it

Step 1:

Create the bottom part of the slogan with a drop shadow.

1. Using the "#" character, set to 200 pitch, color Black
2. Using the same"#" character, set color to White and carefully place to create drop shadow effect

Not all examples use "white text with a drop shadow".

Note: This example uses specific font pitch values. Consider them to be a reference for the ratios in font pitch values needed when using different sizes.



Drop Shadow Effect:



Step 2:

Create the ZERO, Using the same process for drop shadow mentioned in step 1

1. Using the "%" character, Pitch 450, Color Black, place according to reference image
2. Using the "%" Character, Pitch 450, Color Yellow, move into place to form the drop shadow

   Result:



Note: Recreating this slogan does take some good pixel editor skills. You might not get it right on the first try.

Step 3:

Add "Zero Injuries" text.

1. Using the "$" character, Pitch 425, Color Black, place according to reference image
2. Using the "$" character, Pitch 425, Color White, move into place to form drop shadow



And the safety slogan is now complete.

3.3 Permission

This is a copyrighted free font. It is not public domain. It may not be edited, altered, or manipulated in any way, or used in part or incorporated into any other commercial graphic material without approval from the font author.

Give Proper Credit when used.

CC BY-NC 4.0 US 

VERSION 1.2 - 06/15/2024

Pete Willard www.railsimstuff.com petewillard@gmail.com