# 网站js压缩

## 1. 安装node.js

## 1.1 下载nodejs


官网地址: <a href="https://nodejs.org/en/">https://nodejs.org/en/</a>, 根据系统版本下载nodejs软件,下载地址:

64 1 mindows: https://nodejs.org/dist/v8.11.1/node-v8.11.1-x64.msi 32 mindows: https://nodejs.org/dist/v8.11.1/node-v8.11.1-x86.msi Download the Node, is source code or a pre-built installer for your platform, and start developing today.



#### 1.2 安装步骤


1.2.1 双击安装包,如下所示:



1.2.2 点击上述的Run, 出现如下界面:




1.2.3 点击Next,如下:




1.2.4 勾选同意协议,确定安装,Node.js默认安装目录为 "C:\Program Files\nodejs\", 你可以修改目录,并点击 next (下一步)




1.2.5 点击树形图标来选择你需要的安装模式,然后点击下一步 next (下一步)



1.2.6 点击 Install(安装)开始安装Node.js。你也可以点击 Back(返回)来修改先前的配置。然后并点击 next(下一步):



1.2.7 点击 Finish (完成) 按钮退出安装向导



1.2.8 根据上述步骤完成,最后检测系统是否安装成功, node -v 检测,显示版本号表示安装成功



2.安装fis并压缩js

2.1 打开windows中cmd窗口

敲入如下命令:

# npm install fis3 -g

然后敲入fis3-v看下是否安装成功,如果安装成功后会显示对应的版本号

然后进入需要压缩的代码目录下

>d:

### cd /usr/local/debugger

D:\>cd D:\noweclipse\workspace2\credit-wuhu\credit-website\src\main\debugger\_ 搜狗拼音输入法 半 :

敲入命令: fis3 release -d ../webapp

如果显示错误, 判断是否安装了插件, 用命令安装插件

npm install fis3-hook-relative -g

然后再用fis3 release -d ../webapp 压缩js,如果成功后会显示如下:

D:\noweclipse\workspace2\credit-wuhu\credit-website\src\main\debugger> D:\noweclipse\workspace2\credit-wuhu\credit-website\src\main\debugger>fis3 release -d/webapp1
[INFO] Currently running fis3 (C:\Users\admin1\AppData\Roaming\npm\node_module:\fis3\)
Ω
······································
103.46s
D:\noweclipse\workspace2\credit-wuhu\credit-website\src\main\debugger>_