

CHUNKYMONKEY

Git and LFS Tools

A practical repository checker for Unity Editor projects

Manual version	0.1.5
Minimum Editor	6000.0.40f1
Menu	Tools > ChunkyMonkey > Repo Doctor
Package type	Editor-only C# source

Use this manual to install the package, run the first scan, understand each result, apply repository rules safely, and resolve common setup problems.

Contents

Find the section you need. Every procedure uses the exact labels shown in the Editor window.

1	Before you start	Page 3
2	Install and open Repo Doctor	Page 4
3	Read the scan results	Page 5
4	Apply repository rules safely	Page 6
5	Troubleshooting	Page 7
6	Technical reference	Page 8

Fast start

Import the complete Assets/ChunkyMonkey folder, open Tools > ChunkyMonkey > Repo Doctor, review the counts, and expand Details before applying changes.

1. Before you start

The package is designed for projects that use, or will use, Git version control.

1.1 Requirements

1. Unity Editor 6000.0.40f1 or newer.
2. A project you can edit and scan locally.
3. Git LFS installed outside the Editor if you want the generated LFS rules to affect file tracking.

1.2 What the tool changes

- Nothing changes during import, window opening, or scanning.
- Apply .gitignore appends missing generated-folder rules to the project root .gitignore file.
- Apply LFS Rules appends missing patterns to the project root .gitattributes file.

1.3 What the tool never does

- It does not install or execute Git or Git LFS.
- It does not commit, push, upload, or migrate repository history.
- It does not delete folders or create missing .meta files.
- It does not use accounts, network calls, telemetry, or external services.

Recommended preparation

Commit or back up .gitignore and .gitattributes before using either apply button. This makes every change easy to review and undo.

2. Install and open Repo Doctor

No configuration or account is required.

2.1 Install from My Assets

1. Open Window > Package Manager.
2. Select My Assets, locate ChunkyMonkey Git and LFS Tools, and choose Download.
3. Choose Import and keep the complete Assets/ChunkyMonkey folder selected.
4. Wait for script compilation to finish, then confirm the Console contains no package errors.

2.2 Open the window

1. Open the project you want to check.
2. Select Tools > ChunkyMonkey > Repo Doctor.
3. Wait for the automatic first scan.
4. Read the six overview counts before expanding Details.

Window area	Purpose
Overview cards	Counts for each repository check.
Actions	Refresh and the two explicit apply buttons.
Details	Expandable paths, warnings, and missing rule lines.

Safe first run

Scanning is read-only. Repository files change only after you click Apply .gitignore or Apply LFS Rules.

3. Read the scan results

A zero count means that check found no issue. Expand Details for exact paths and missing rules.

Result	Meaning	Next action
Missing .meta	Assets without a matching metadata file.	Inspect in the Editor and restore or recreate as appropriate.
Generated folders	Project output folders found at the root.	Keep them out of version control.
Git ignore gaps	Recommended ignore rules not found.	Review, then use Apply .gitignore.
Missing LFS rules	Recommended binary patterns not found.	Review, then use Apply LFS Rules.
Large assets	Files under Assets/ that are at least 50 MB.	Confirm whether each file belongs in LFS.
Scan warnings	A check could not read a file or folder.	Expand the warning and check permissions.

3.1 Result limits

- Missing .meta lists up to 200 entries.
- Large assets lists up to 100 files.
- Large assets are files under Assets/ that are at least 50 MB.

3.2 Interpreting warnings

- Project is not inside Git means the project root has no .git directory. Other file checks still run.
- Scan warnings identify paths that could not be checked, usually because of file permissions or a transient file operation.

Important

A missing .meta warning is informational. Let the Editor recreate the file when appropriate, then verify references before committing it.

4. Apply repository rules safely

The two apply actions are explicit, append-only changes to root repository files.

4.1 Apply .gitignore

1. Expand Details > Missing .gitignore rules and review the proposed lines.
2. Click Apply .gitignore.
3. Open the root .gitignore file in your version-control client.
4. Review the appended ChunkyMonkey block, then click Refresh.

4.2 Apply LFS Rules

1. Expand Details > Missing .gitattributes LFS rules and review the proposed patterns.
2. Click Apply LFS Rules.
3. Open the root .gitattributes file and review the appended lines.
4. Confirm Git LFS is configured outside the Editor, then click Refresh.

Existing history

Adding .gitattributes rules affects future Git behavior. It does not migrate large files that were already committed. Use your normal Git LFS migration process when history must change.

4.3 Undo a change

1. Open the changed file in your version-control client.
2. Revert the appended lines or restore the previous file version.
3. Return to Repo Doctor and click Refresh.

5. Troubleshooting

Start with the symptom below. The package does not require a network connection or account.

Symptom	Resolution
Menu is missing	Wait for compilation. Open Console and resolve the first script error.
Not inside Git	Confirm the .git directory is at the same project root as Assets.
Rule remains missing	Confirm the file is at the project root, check spelling, then click Refresh.
LFS file is not tracked	Configure Git LFS outside the Editor. Existing history needs a separate migration.
Scan warning	Expand Details > Scan warnings and check permissions for the listed path.
Counts look stale	Click Refresh after external file changes or version-control operations.

5.1 Clean reinstall

1. Close the Repo Doctor window.
2. Remove only the Assets/ChunkyMonkey folder from the project.
3. Wait for the Editor to finish refreshing.
4. Import the latest package again with every file selected.
5. Open Repo Doctor and confirm the version in the included changelog is 0.1.5.

Need help?

Visit chunkymonkey.dev and include your Editor version, operating system, the exact Console error, and the relevant Scan warnings text.

6. Technical reference

Use this page to confirm compatibility, package scope, and known limits before importing.

Minimum Editor	6000.0.40f1
Platforms	Windows, macOS, and Linux Editors
Render pipelines	Built-in, Universal, and High Definition
Runtime content	None
Dependencies	No required Unity or third-party packages
External services	None
Network or telemetry	None
Native plugins	None
Source	Five readable C# files and one Editor assembly
Large file threshold	50 MB

6.1 Files the tool may read

- The project root, Assets folder, .gitignore, and .gitattributes.
- The .git directory presence check. Repository contents are not uploaded.

6.2 Files the tool may write

- The root .gitignore file after Apply .gitignore is clicked.
- The root .gitattributes file after Apply LFS Rules is clicked.

6.3 Removal

Remove Assets/ChunkyMonkey to uninstall the package. Repository rules already added to .gitignore or .gitattributes remain until you remove them manually.