VIDYAPEETH

BATCH CODE: 12-AN181MA-2026

SUBJECT NAME: Zoology

CHAPTER NAME:
Structural organisation in Animal

Lecture No. 04

By- Murshid Zafar Sir

Today's Goal

Subtopic .. Epithelial Tissue.

Subtopic ..

Subtopic ..

Topic: Quick Last Lecture Revision – 01

- CONTENT

Epithelial Tissue

→ Function = Covering & lining.

→ Cells of epithelial tissue are compactely packed with little intercellular space.

→ Intercellular space ↓ → Intercellular substance ↓

↓

एक cell दूसरे cell से आपस में नहीं जुड़ पायेगा so [cells को Jodne के लिए cell-junction पाया जाता है] Epithelial tissue



Cell Jn found in all four type of tissue but cell Jn frequently found in Epithelial tissue.

Sabse Jyada.

→ Due to compactly packed cell blood vessel & lymph vessel unable to pierce

→ Blood vessel absent in Epithelial tissue so epithelial tissue is **avascular**

Q' Epithelial tissue avascular होता है तो इसे nutrition कौन सा tissue देता है?

Ans:- Connective tissue.

Epithelial tissue get their nutrition from underlining connective tissue.

Epithelial tissue grow up on C. Tissue for nutrition.

Basement Membrane

Q B. Membrane किन का Tissue बनाता है?

Ans:- E. Tissue + C. Tissue

C. Tissue को nutrition E. Tissue से जाता है through a process i.e diffusion. via B. Membrane.

Features of B. Membrane

→ Non-cellular

→ Non-living

→ Thin

→ Selectively permeable.

Epithelial tissue originate first during embryonic development.

Epithelial tissue have high regeneration power.

PYQ

Free surface of E.T either face out side the environment or body fluid.



Free surface of E.T get modified in to two Functional Structure

① **Microvilli**



→ Microvilli ↑es surface area for Absorption.

Microvilli found in
(i) Small Intestine
(ii) Gall bladder

② **Cilia**

→ Cilia responsible for **unidirectional** movement of substance.

Cilia found in
(i) Trachea | wind pipe.
(ii) Fallopian tube
(iii) Ventricle of brain

Basic Basis

(1) : (2)

एक cell को दूसरे cell से जोड़ता है

(1) Intercellular Substance

(2) cell Junction.

(2) vascular = Blood vessel +nt

Avascular = " " -nt

Diffusion:- Movement of Substance from high conc. to low concentration.

A. ——

B ○○○

C □□□

D ∿∿∿

Topic: Homework-1

- DPP

DPP NO	Question No

- Module
  - Exercise Name

Module Page No	Question No

★★★★★

Rate your today's class in the Batch

Solve the DPP and check Solution





DPP-2

SCAN ME FOR VIDEO SOLUTIONS

1. A ball of mass 100 gram is moving with a velocity of 15 m/s. Calculate the momentum associated with the ball
   (1) 1.5 kg m/s (2) 3 kg m/s
   (3) 0.5 kg m/s (4) 1 kg m/s
2. A body of mass 40g is moving with a constant velocity of 2 cm/s on a horizontal frictionless table. The force on the body (in dynes) is
   (1) Zero (2) 39200
   (3) 160 (4) 80

Thank You!!!!

Check your performance through Student Dashboard