

Querying a database

Selecting Data

Our films database

films	
id	INT4
title	VARCHAR
release_year	INT4
country	VARCHAR
duration	INT4
language	VARCHAR
certification	VARCHAR
gross	INT8
budget	INT8

people	
id	INT4
name	VARCHAR
birthdate	DATE
deathdate	DATE

reviews	
id	INT4
film_id	INT4
num_user	INT4
num_critic	INT4
imdb_score	FLOAT4
num_votes	INT4
facebook_likes	INT4

roles	
id	INT4
film_id	INT4
person_id	INT4
role	VARCHAR

COUNT()

- `COUNT()`
- Counts the number of records with a value in a field
- Use an alias for clarity

```
SELECT COUNT(birthdate) AS count_birthdates  
FROM people;
```

```
|count_birthdates|  
|-----|  
|6152           |
```

COUNT() multiple fields

```
SELECT COUNT(name) AS count_names, COUNT(birthdate) AS count_birthdates  
FROM people;
```

count_names	count_birthdates
6397	6152

Using * with COUNT()

- `COUNT(field_name)` counts values in a field
- `COUNT(*)` counts records in a table
- `*` represents all fields

```
SELECT COUNT(*) AS total_records  
FROM people;
```

```
|total_records|  
|-----|  
|8397        |
```

DISTINCT

- `DISTINCT` removes duplicates to return only unique values

```
SELECT language  
FROM films;
```

```
| language |  
|-----|  
| Danish  |  
| Danish  |  
| Greek   |  
| Greek   |  
| Greek   |
```

- Which languages are in our `films` table?

```
SELECT DISTINCT language  
FROM films;
```

```
| language |  
|-----|  
| Danish   |  
| Greek    |
```

COUNT() with DISTINCT

- Combine `COUNT()` with `DISTINCT` to count unique values

```
SELECT COUNT(DISTINCT birthdate) AS count_distinct_birthdates  
FROM people;
```

```
|count_distinct_birthdates|  
|-----|  
|5398                    |
```

- `COUNT()` includes duplicates
- `DISTINCT` excludes duplicates

Query execution

INTERMEDIATE SQL

Order of execution

- SQL is not processed in its written order

```
-- Order of execution
```

```
SELECT name
```

```
FROM people
```

```
LIMIT 10;
```

- `LIMIT` limits how many results we return
 - Good to know processing order for debugging and aliasing
 - Aliases are declared in the `SELECT` statement
1. From people
 2. `SELECT` name
 3. `LIMIT 10;`

Debugging SQL

```
SELECT nme  
FROM people;
```

field "nme" does not exist

```
LINE 1: SELECT nme  
              ^
```

HINT: Perhaps you meant to reference the field "people.name".

- Misspelling
- Incorrect capitalization
- Incorrect or missing punctuation

Comma errors

- Look out for comma errors!

```
SELECT title, country duration  
FROM films;
```

```
syntax error at or near "duration"  
LINE 1: SELECT title, country duration  
                        ^
```

Keyword errors

```
SELECT title, country, duration  
FROM films;
```

```
syntax error at or near "SELECT"  
LINE 1: SELECT title, country, duration  
         ^
```

Final note on errors

Most common errors:

- Misspelling
- Incorrect capitalization
- Incorrect or missing punctuation, especially commas

Learn by making mistakes



SQL style

INTERMEDIATE SQL

SQL formatting

- Formatting is not required
- But lack of formatting can cause issues

```
select title, release_year, country from films limit 3
```

title	release_year	country
-----	-----	-----
Intolerance: Love's Struggle Throughout the Ages	1916	USA
Over the Hill to the Poorhouse	1920	USA
The Big Parade	1925	USA

Best practices

```
SELECT title, release_year, country  
FROM films  
LIMIT 3;
```

title	release_year	country
Intolerance: Love's Struggle Throughout the Ages	1916	USA
Over the Hill to the Poorhouse	1920	USA
The Big Parade	1925	USA

- Capitalize keywords
- Add new lines

Style guides

SELECT

title,
release_year,
country


FROM films

LIMIT 3;

title	release_year	country
-----	-----	-----
Intolerance: Love's Struggle Throughout the Ages	1916	USA
Over the Hill to the Poorhouse	1920	USA
The Big Parade	1925	USA

Style guides

Holywell's style guide: <https://www.sqlstyle.guide/>



Write clear and readable code

Semicolon

```
SELECT title, release_year, country  
FROM films  
LIMIT 3;
```

- Best practice
- Easier to translate between SQL flavors
- Indicates the end of a query

Dealing with non-standard field names

- `release year` instead of `release_year`
- Put non-standard field names in double-quotes

```
SELECT title, "release year", country  
FROM films  
LIMIT 3;
```

Why do we format?

- Easier collaboration
- Clean and readable
- Looks professional
- Easier to understand
- Easier to debug

Filtering numbers

INTERMEDIATE SQL

WHERE

- WHERE filtering clause



WHERE

WHERE color = 'green'



WHERE with comparison operators

```
SELECT title
FROM films
WHERE release_year > 1960;
```

```
|title|
|-----|
|Judgment at Nuremberg|
|Pocketful of Miracles|
|The Hustler|
|The Misfits|
|...|
```

Comparison operators

```
SELECT title
FROM films
WHERE release_year < 1960;
```

```
|title|
|-----|
|Intolerance:Love's Struggle Throughout the Ages|
|Over the Hill to the Poorhouse|
|The Big Parade|
|Metropolis|
|...|
```

Comparison operators

```
SELECT title
FROM films
WHERE release_year <= 1960;
```

```
|title|
|-----|
|Intolerance:Love's Struggle Throughout the Ages|
|Over the Hill to the Poorhouse|
|The Big Parade|
|Metropolis|
|...|
```

Comparison operators

```
SELECT title  
FROM films  
WHERE release_year = 1960;
```

```
|title|  
|-----|  
|Elmer Gantry|  
|Psycho|  
|The Apartment|
```

Comparison operators

```
SELECT title
FROM films
WHERE release_year <> 1960;
```

```
|title|
|-----|
|Intolerance:Love's Struggle Throughout the Ages|
|Over the Hill to the Poorhouse|
|The Big Parade|
|Metropolis|
|...|
```

Comparison operators

- `>` Greater than or after
- `<` Less than or before
- `=` Equal to
- `>=` Greater than or equal to
- `<=` Less than or equal to
- `<>` Not equal to

WHERE with strings

- Use single-quotes around strings we want to filter

```
SELECT title
FROM films
WHERE country = 'Japan';
```

```
|title          |
|-----|
|Seven Samurai |
|Tora! Tora! Tora!|
|Akira         |
|Madadayo      |
|Street Fighter|
```


Order of execution

-- Written code:

```
SELECT item  
FROM coats  
WHERE color = 'green'  
LIMIT 5;
```

-- Order of execution:

```
SELECT item  
FROM coats  
WHERE color = 'green'  
LIMIT 5;
```

1. From coats
2. Where color = 'green'
3. SELECT item
4. LIMIT 5;

Multiple criteria

INTERMEDIATE SQL

Multiple criteria



Multiple criteria



Multiple criteria



Multiple criteria

- OR , AND , BETWEEN

```
SELECT *  
FROM coats  
WHERE color = 'yellow' OR length = 'short';
```

```
SELECT *  
FROM coats  
WHERE color = 'yellow' AND length = 'short';
```

```
SELECT *  
FROM coats  
WHERE buttons BETWEEN 1 AND 5;
```

OR operator

- Use `OR` when you need to satisfy at least one condition



OR operator

- Correct:

```
SELECT title
FROM films
WHERE release_year = 1994
      OR release_year = 2000;
```

```
|title|
|-----|
|3 Ninjas Kick Back|
|A Low Down Dirty Shame|
|Ace Ventura:Pet Detective|
|...|
```

- Invalid:

```
SELECT title
FROM films
WHERE release_year = 1994 OR 2000;
```

argument of OR must be type boolean,
not type integer

```
LINE 3: WHERE release_year = 1994
      OR 2000;
      ^
```


AND operator

- Use `AND` if we need to satisfy all criteria
- Correct:

```
SELECT title
FROM films
WHERE release_year > 1994
      AND release_year < 2000;
```

```
|title|
|-----|
|Ace Ventura:When Nature Calls|
|Apollo 13|
|Assassins|
|Babe|
|...|
```

- Invalid:

```
SELECT title
FROM films
WHERE release_year > 1994 AND < 2000;
```

```
syntax error at or near "[removed]
1994 AND < 2000;
      ^
```

AND, OR

- Filter films released in 1994 or 1995, and certified PG or R
- Enclose individual clauses in parentheses

```
SELECT title
FROM films
WHERE (release_year = 1994 OR release_year = 1995)
      AND (certification = 'PG' OR certification = 'R');
```

```
|title|
|-----|
|3 Ninjas Kick Back|
|A Low Down Dirty Shame|
|Baby's Day Out|
|Beverly Hills Cop III|
|...|
```

BETWEEN, AND

```
SELECT title
FROM films
WHERE release_year >= 1994
      AND release_year <= 2000;
```

```
|title|
|-----|
|3 Ninjas Kick Back|
|A Low Down Dirty Shame|
|Ace Ventura:Pet Detective|
|Baby's Day Out|
|...|
```

```
SELECT title
FROM films
WHERE release_year
      BETWEEN 1994 AND 2000;
```

```
|title|
|-----|
|3 Ninjas Kick Back|
|A Low Down Dirty Shame|
|Ace Ventura:Pet Detective|
|Baby's Day Out|
|...|
```

BETWEEN, AND, OR

```
SELECT title
FROM films
WHERE release_year
BETWEEN 1994 AND 2000 AND country='UK';
```

```
|title|
|-----|
|Four Weddings and a Funeral|
|The Hudsucker Proxy|
|Dead Man Walking|
|GoldenEye|
|...|
```

Filtering text

INTERMEDIATE SQL

Filtering text

- `WHERE` can also filter text

```
SELECT title
FROM films
WHERE country = 'Japan';
```

```
|title      |
|-----|
|Seven Samurai|
|Tora! Tora! Tora!|
|Akira      |
|Madadayo   |
|Street Fighter|
```

Filtering text

- `WHERE` can also filter text

```
SELECT title
FROM films
WHERE country = 'Japan';
```

```
|title      |
|-----|
|Seven Samurai|
|Tora! Tora! Tora!|
|Akira      |
|Madadayo   |
|Street Fighter|
```

Filtering text

- Filter a pattern rather than specific text
- LIKE
- NOT LIKE
- IN

LIKE

- Used to search for a pattern in a field

% match zero, one, or many characters

```
SELECT name
FROM people
WHERE name LIKE 'Ade%';
```

name	

Adel Karam	
Adelaide Kane	
Aden Young	

_ match a single character

```
SELECT name
FROM people
WHERE name LIKE 'Ev_';
```

name	

Eve	

- Ev_ Mendes

NOT LIKE

```
SELECT name  
FROM people;
```

```
|name|  
|-----|  
|50 Cent|  
|A. Michael Baldwin|  
|A. Raven Cruz|  
|A.J. Buckley|  
|A.J. DeLucia|  
|...|
```

```
SELECT name  
FROM people  
WHERE name NOT LIKE 'A.%';
```

```
|name|  
|-----|  
|50 Cent|  
|Aaliyah|  
|Aaron Ashmore|  
|Aaron Hann|  
|...|
```

Wildcard position

```
SELECT name
FROM people
WHERE name LIKE '%r';
```

name

A.J. Langer
Aaron Schneider
Aaron Seltzer
Abigail Spencer
...

```
SELECT name
FROM people
WHERE name LIKE '__t%';
```

name

Aitana Sánchez-Gijón
Anthony 'Critic' Campos
Anthony Bell
Anthony Burrell
...

WHERE, OR

```
SELECT title
FROM films
WHERE release_year = 1920
OR release_year = 1930
OR release_year = 1940;
```

```
|title|
|-----|
|Over the Hill to the Poorhouse|
|Hell's Angels|
|Boom Town|
|...|
```

WHERE, IN

```
SELECT title
FROM films
WHERE release_year IN (1920, 1930, 1940);
```

```
|title|
|-----|
|Over the Hill to the Poorhouse|
|Hell's Angels|
|Boom Town|
|...|
```

WHERE, IN

```
SELECT title
FROM films
WHERE country IN ('Germany', 'France');
```

```
|title      |
|-----|
|Metropolis|
|Pandora's Box|
|The Train |
|...      |
```

NULL values

INTERMEDIATE SQL

Missing values

- `COUNT(field_name)` includes only non-missing values
- `COUNT(*)` includes missing values

`null`

- Missing values:
 - Human error
 - Information not available
 - Unknown

null

```
SELECT COUNT(*) AS count_records  
FROM people;
```

```
|count_records|  
|-----|  
|8397        |
```

```
SELECT *  
FROM people;
```

```
|id|name                |birthdate |deathdate|  
|--|-----|-----|-----|  
|1 |50 Cent              |1975-07-06|null    |  
|2 |A. Michael Baldwin  |1963-04-04|null    |  
|3 |A. Raven Cruz       |null      |null    |  
... 
```

IS NULL

```
SELECT name
FROM people
WHERE birthdate IS NULL;
```

```
|name      |
|-----|
|A. Raven Cruz|
|A.J. DeLucia|
|Aaron Hann  |
|...         |
```

IS NOT NULL

```
SELECT COUNT(*) AS no_birthdates  
FROM people  
WHERE birthdate IS NULL;
```

no_birthdates
2245

```
SELECT COUNT(name) AS count_birthdates  
FROM people  
WHERE birthdate IS NOT NULL;
```

count_birthdates
6152

COUNT() vs IS NOT NULL

```
SELECT
    COUNT(certification)
    AS count_certification
FROM films;
```

```
|count_certification|
|-----|
|4666              |
```

```
SELECT
    COUNT(certification)
    AS count_certification
FROM films
WHERE certification IS NOT NULL;
```

```
|count_certification|
|-----|
|4666              |
```

NULL put simply

- `NULL` values are missing values
- Very common
- Use `IS NULL` or `IS NOT NULL` to:
 - Identify missing values
 - Select missing values
 - Exclude missing values

Aggregate Functions

Summarizing data

INTERMEDIATE SQL

Summarizing data

- Aggregate functions return a single value



Aggregate functions

AVG() , SUM() , MIN() , MAX() , COUNT()

```
SELECT AVG(budget)
FROM films;
```

```
| avg          |
|-----|
| 39902826.2684... |
```

```
SELECT SUM(budget)
FROM films;
```

```
| sum          |
|-----|
| 181079025606 |
```

Aggregate functions

```
SELECT MIN(budget)
FROM films;
```

```
|min|
|---|
|218|
```

```
SELECT MAX(budget)
FROM films;
```

```
|max          |
|-----|
|12215500000|
```

Non-numerical data

Numerical fields only

- `AVG()`
- `SUM()`

Various data types

- `COUNT()`
- `MIN()`
- `MAX()`

Non-numerical data

MIN() <-> MAX()

Minimum <-> Maximum

Lowest <-> Highest

A <-> Z

1715 <-> 2022

0 <-> 100

Non-numerical data

```
SELECT MIN(country)
FROM films;
```

```
|min      |
|-----|
|Afghanistan|
```

```
SELECT MAX(country)
FROM films;
```

```
|max      |
|-----|
|West Germany|
```

Aliasing when summarizing

```
SELECT MIN(country)
FROM films;
```

```
|min      |
|-----|
|Afghanistan|
```

```
SELECT MIN(country) AS min_country
FROM films;
```

```
|min_country|
|-----|
|Afghanistan|
```

Summarizing subsets

INTERMEDIATE SQL

Using WHERE with aggregate functions

```
SELECT AVG(budget) AS avg_budget  
FROM films  
WHERE release_year >= 2010;
```

```
| avg_budget |  
|-----|  
| 41072235.18324607... |
```


Using WHERE with aggregate functions

```
SELECT SUM(budget) AS sum_budget
FROM films
WHERE release_year = 2010;
```

```
|sum_budget|
|-----|
|8942365000|
```

```
SELECT MIN(budget) AS min_budget
FROM films
WHERE release_year = 2010;
```

```
|min_budget|
|-----|
|65000      |
```

Using WHERE with aggregate functions

```
SELECT MAX(budget) AS max_budget
FROM films
WHERE release_year = 2010;
```

```
|max_budget|
|-----|
|6000000000|
```

```
SELECT COUNT(budget) AS count_budget
FROM films
WHERE release_year = 2010;
```

```
|count_budget|
|-----|
|194          |
```

ROUND()

- Round a number to a specified decimal

```
SELECT AVG(budget) AS avg_budget
FROM films
WHERE release_year >= 2010;
```

```
| avg_budget |
|-----|
| 41072235.18324607... |
```

ROUND(number_to_round, decimal_places)

```
SELECT ROUND(AVG(budget), 2) AS avg_budget
FROM films
WHERE release_year >= 2010;
```

```
| avg_budget |
|-----|
| 41072235.18 |
```

ROUND() to a whole number

```
SELECT ROUND(AVG(budget)) AS avg_budget  
FROM films  
WHERE release_year >= 2010;
```

```
|avg_budget|  
|-----|  
|41072235  |
```

```
SELECT ROUND(AVG(budget), 0) AS avg_budget  
FROM films  
WHERE release_year >= 2010;
```

```
|avg_budget|  
|-----|  
|41072235  |
```

ROUND() using a negative parameter

```
SELECT ROUND(AVG(budget), -5) AS avg_budget  
FROM films  
WHERE release_year >= 2010;
```

```
| avg_budget |  
|-----|  
| 411000000 |
```

- Numerical fields only

Aliasing and arithmetic

INTERMEDIATE SQL

Arithmetic

`+`, `-`, `*`, and `/`

```
SELECT (4 + 3);
```

```
|7|
```

```
SELECT (4 * 3);
```

```
|12|
```

```
SELECT (4 - 3);
```

```
|1|
```

```
SELECT (4 / 3);
```

```
|1|
```

Arithmetic

```
SELECT (4 / 3);
```

```
|1|
```

```
SELECT (4.0 / 3.0);
```

```
|1.333...|
```


Aggregate functions vs. arithmetic

Aggregate functions

title	ticket_price	fees	tax
The Host	5	1	0.5
The Mask	5	1	0.5
Titanic	6	2	0.6

Arithmetic

title	ticket_price	fees	tax
The Host	5	1	0.5
The Mask	5	1	0.5
Titanic	6	2	0.6

Aliasing with arithmetic

```
SELECT (gross - budget)
FROM films;
```

```
|?column?|
|-----|
|null    |
|29000000|
|null    |
...
```

```
SELECT (gross - budget) AS profit
FROM films;
```

```
|profit |
|-----|
|null    |
|29000000|
|null    |
...
```

Aliasing with functions

```
SELECT MAX(budget), MAX(duration)
FROM films;
```

```
|max      |max|
|-----|---|
|1221550000|334|
```

```
SELECT MAX(budget) AS max_budget,
       MAX(duration) AS max_duration
FROM films;
```

```
|max_budget |max_duration|
|-----|-----|
|1221550000|334      |
```

Order of execution

- Step 1: FROM
 - Step 2: WHERE
 - Step 3: SELECT (aliases are defined here)
 - Step 4: LIMIT
-
- Aliases defined in the SELECT clause cannot be used in the WHERE clause due to order of execution

```
SELECT budget AS max_budget  
FROM films  
WHERE max_budget IS NOT NULL;
```

```
column "max_budget" does not exist  
LINE 5: WHERE max_budget IS NOT NULL;  
              ^
```

Sorting and Grouping

Sorting results

INTERMEDIATE SQL

Sorting results



ORDER BY

```
SELECT title, budget
FROM films
ORDER BY budget;
```

title	budget
-----	-----
Tarnation	218
My Date with Drew	1100
A Plague So Pleasant	1400
The Mongol King	3250
...	

```
SELECT title, budget
FROM films
ORDER BY title;
```

title	budget
-----	-----
#Horror	1500000
10 Cloverfield Lane	15000000
10 Days in a Madhouse	12000000
10 Things I Hate About You	16000000
...	

ASCending

```
SELECT title, budget
FROM films
ORDER BY budget ASC;
```

title	budget
-----	-----
Tarnation	218
My Date with Drew	1100
A Plague So Pleasant	1400
The Mongol King	3250
...	

DESCending

```
SELECT title, budget
FROM films
ORDER BY budget DESC;
```

title	budget
Love and Death on Long Island	null
The Chambermaid on the Titanic	null
51 Birch Street	null
...	

```
SELECT title, budget
FROM films
WHERE budget IS NOT NULL
ORDER BY budget DESC;
```

title	budget
The Host	12215500000
Lady Vengeance	4200000000
...	

Sorting fields

```
SELECT title
FROM films
ORDER BY release_year;
```

title	

Intolerance: Love's Struggle Throu...	
Over the Hill to the Poorhouse	
The Big Parade	
Metropolis	
...	

```
SELECT title, release_year
FROM films
ORDER BY release_year;
```

title	release_year	
-----	-----	
Intolerance: Love's S...	1916	
Over the Hill to the ...	1920	
The Big Parade	1925	
Metropolis	1927	
...		

ORDER BY multiple fields

- `ORDER BY field_one, field_two`

```
SELECT title, wins
FROM best_movies
ORDER BY wins DESC;
```

title	wins
Lord of the Rings:Return of t...	11
Titanic	11
Ben-Hur	11

- Think of `field_two` as a tie-breaker

```
SELECT title, wins, imdb_score
FROM best_movies
ORDER BY wins DESC, imdb_score DESC;
```

title	wins	imdb_score
Lord of the Rings:...	11	9
Ben-Hur	11	8.1
Titanic	11	7.9

Different orders

```
SELECT birthdate, name  
FROM people  
ORDER BY birthdate, name DESC;
```

```
|birthdate |name          |  
|-----|-----|  
|1990-01-01|Robert Brown  |  
|1990-02-02|Anne Smith    |  
|1991-05-14|Amy Miller    |  
|1991-11-22|Adam Waters   |  
... 
```

Order of execution

-- Written code:

```
SELECT item  
FROM coats  
WHERE color = `yellow`  
ORDER BY length  
LIMIT 3;
```

-- Order of execution:

```
SELECT item  
FROM coats  
WHERE color = `yellow`  
ORDER BY length  
LIMIT 3;
```

Grouping data

INTERMEDIATE SQL

Grouping data



GROUP BY single fields

```
SELECT certification, COUNT(title) AS title_count
FROM films
GROUP BY certification;
```

certification	title_count
-----	-----
Unrated	62
M	5
G	112
NC-17	7
...	

Error handling

```
SELECT certification, title
FROM films
GROUP BY certification;
```

column "films.title" must appear in the
GROUP BY clause or be used in an
aggregate function

```
LINE 1: SELECT certification, title
                                ^
```

```
SELECT
    certification,
    COUNT(title) AS count_title
FROM films
GROUP BY certification;
```

certification	count_title
-----	-----
Unrated	62
M	5
G	112
...	

GROUP BY multiple fields

```
SELECT certification, language, COUNT(title) AS title_count  
FROM films  
GROUP BY certification, language;
```

certification	language	title_count
-----	-----	-----
null	null	5
Unrated	Japanese	2
R	Norwegian	2
...		

GROUP BY with ORDER BY

```
SELECT
    certification,
    COUNT(title) AS title_count
FROM films
GROUP BY certification;
```

certification	title_count
-----	-----
Unrated	62
M	5
G	112
...	

```
SELECT
    certification,
    COUNT(title) AS title_count
FROM films
GROUP BY certification
ORDER BY title_count DESC;
```

certification	title_count
-----	-----
R	2118
PG-13	1462
...	

Order of execution

-- Written code:

```
SELECT
    certification,
    COUNT(title) AS title_count
FROM films
GROUP BY certification
ORDER BY title_count DESC
LIMIT 3;
```

-- Order of execution:

```
SELECT
    certification,
    COUNT(title) AS title_count
FROM films
GROUP BY certification
ORDER BY title_count DESC
LIMIT 3;
```

Filtering grouped data

INTERMEDIATE SQL

HAVING

```
SELECT
    release_year,
    COUNT(title) AS title_count
FROM films
GROUP BY release_year
WHERE COUNT(title) > 10;
```

```
syntax error at or near "WHERE"
LINE 4: WHERE COUNT(title) > 10;
      ^
```

```
SELECT
    release_year,
    COUNT(title) AS title_count
FROM films
GROUP BY release_year
HAVING COUNT(title) > 10;
```

release_year	title_count
1988	31
null	42
2008	225
...	

Order of execution

-- Written code:

```
SELECT
    certification,
    COUNT(title) AS title_count
FROM films
WHERE certification
    IN ('G', 'PG', 'PG-13')
GROUP BY certification
HAVING COUNT(title) > 500
ORDER BY title_count DESC
LIMIT 3;
```

-- Order of execution:

```
SELECT
    certification,
    COUNT(title) AS title_count
FROM films
WHERE certification
    IN ('G', 'PG', 'PG-13')
GROUP BY certification
HAVING COUNT(title) > 500
ORDER BY title_count DESC
LIMIT 3;
```


HAVING vs WHERE

- WHERE filters individual records, HAVING filters grouped records
- What films were released in the year 2000?

```
SELECT title  
FROM films  
WHERE release_year = 2000;
```

```
|title      |  
|-----|  
|102 Dalmatians|  
|28 Days   |  
|...       |
```

- In what years was the average film duration over two hours?

HAVING vs WHERE

- In what years was the average film duration over two hours?

```
SELECT release_year
FROM films
GROUP BY release_year
HAVING AVG(duration) > 120;
```

```
|release_year|
|-----|
|1954        |
|1959        |
|...        |
```