

BHU-AADHAAR 3D: MASTER TECHNICAL SPECIFICATION

Next-Generation 3D Spatial Cadastre, Subsurface Collision Engine, AI Slicing & Vertical Land Registry

System Lead: Parijat Sharma • Ecosystem: Smart India Hackathon 2026 • Standard: ISO 19152 (LADM Edition II)

1. Executive Summary & Problem Context

India's urban economy is experiencing rapid vertical densification. In commercial and residential hubs such as Mumbai MMR, Delhi NCR, Bengaluru, Hyderabad, and GIFT City, high-rise superstructures are intricately integrated with multi-level subterranean basements, deep-bore metro tunnels, and dense underground utility corridors. However, current land administration across India (governed under DILRMP and Bhu-Naksha) remains strictly **two-dimensional (2D)**. Parcels are registered purely as flat surface polygons on a 2D plane (Latitude, Longitude), assuming a single titleholder owns the land from the center of the earth to the sky.

This structural deficiency creates systemic real estate, municipal, and legal hazards:

- **Airspace & Unit Demarcation Failure:** In a 50-storey high-rise, hundreds of flat buyers share identical 2D coordinates. Existing land registries cannot legally demarcate individual volumetric units in 3D.
- **Subsurface Utility Breaches:** Deep private foundation piling and basement excavation frequently collide with underground metro tunnels, water mains, and high-voltage power conduits due to the lack of a 3D subsurface cadastre.
- **Title Ambiguity & Double Financing:** Without immutable, vertical parcel IDs, fraudulent developers can double-mortgage air-rights or transfer overlapping units.

Bhu-Aadhaar 3D solves this by delivering an ISO 19152 compliant 3D cadastral platform with procedural WebGL digital twins, automated AI LiDAR floor slicing, subterranean clash audits, Modulo-36 check-digit vertical ULPINs, and tamper-proof SHA-256 PDF title deeds.

2. Cadastral Dataset Architecture & Structure Valuation

The cadastral data architecture operates across three persistent, synchronized layers designed for high-performance spatial querying and national interoperability:

- **Relational SQLite Storage (database/spatial_records.db):** Primary transactional database containing parcel geometry, LGD geographical hierarchy, elevation datums, height bounds, owner identities, zones, and valuations.
- **Master JSON Specification (data/master_cadastre_dataset.json):** Machine-readable canonical dataset containing system-wide metadata, ISO 19152 compliance flags, and 25 benchmark multi-strata landmark properties.
- **Tabular CSV Interoperability Layer (data/mock_city_data.csv):** Standard tabular export used for GIS desktop tooling (QGIS, ArcGIS) and fallback synchronization.

2.1 Valuation Derivation Methodology

Property and structure valuations in Bhu-Aadhaar 3D are modeled on realistic Indian municipal circle rates and market capitalizations:

- **Cadastral Base Capitalization (valuation_cr):** Stored in ■ Crores, calibrated against Ready Reckoner Rates (Maharashtra), Circle Rates (Delhi/NCR), Guidance Values (Karnataka), and jantri rates (Gujarat). Tier-1 financial bourses (e.g. BKC Diamond Tower at ■2,400 Cr, GIFT Diamond Tower at ■2,800 Cr) reflect real capital valuations.

- **Dynamic Volumetric Floor Apportionment:** Individual floor and unit values are dynamically derived in the WebGL Digital Twin component via the formula:

Volumetric Stratum Valuation Formula:

Floor Valuation (■ Cr) = Total Building Valuation (valuation_cr) / Total Slices (numFloors)

Subsurface basements are allocated dedicated utility values (e.g. ■35.0 Cr to ■180.0 Cr) reflecting specialized geotechnical construction costs.

- **Statutory State Stamp Duty Calculation:** In Sub-Registrar Mode, the platform automatically computes legal state stamp duty for individual airspace conveyances at 6% of the cadastral valuation: Stamp Duty = valuation_cr * 0.06.
- **Cryptographic Title Binding:** The cadastral valuation is cryptographically fused into the SHA-256 title hash printed on the Bhu-Aadhaar certificate, preventing fraudulent undervaluation during bank mortgage audits.

2.2 Benchmark Pan-India Cadastral Dataset (Sample)

ID	Landmark Name	City / State	LGD	Type	Z Bounds	Valuation
101	Seawoods Grand Central TOD	Navi Mumbai, MH	27-21	Commercial	0 to +120m	■ 850 Cr
102	Grand Central Subsurface Concourse	Navi Mumbai, MH	27-21	Underground Parking	-15 to 0m	■ 180 Cr
105	BKC Diamond Tower	Mumbai, MH	27-22	Commercial	0 to +160m	■ 2,400 Cr
106	BKC Metro-3 Underground Vault	Mumbai, MH	27-22	Subsurface Utility	-24 to 0m	■ 680 Cr
107	Lodha World One (Worli)	Mumbai, MH	27-22	Apartment	0 to +240m	■ 1,850 Cr
201	Connaught Outer Circle Rotunda	New Delhi, DL	07-01	Commercial	0 to +75m	■ 950 Cr
202	Rajiv Chowk Subsurface Metro Terminal	New Delhi, DL	07-01	Subsurface Utility	-18 to 0m	■ 780 Cr
204	DLF Cyber City Building 10	Gurugram, HR	06-18	Commercial	0 to +140m	■ 2,100 Cr
301	Manyata Embassy High-Tech Park	Bengaluru, KA	29-20	Commercial	0 to +110m	■ 1,750 Cr
401	GIFT Diamond Tower Pinnacle	GIFT City, GJ	24-07	Commercial	0 to +180m	■ 2,800 Cr
402	GIFT Subsurface Utility Tunnel (TUM)	GIFT City, GJ	24-07	Subsurface Utility	-16 to 0m	■ 890 Cr
501	HITEC Cyber Towers (Cyberabad)	Hyderabad, TS	36-12	Commercial	0 to +135m	■ 1,600 Cr
702	Hooghly Underwater Metro Corridor	Kolkata, WB	19-11	Subsurface Utility	-32 to 0m	■ 1,150 Cr

3. Building ULPIN (Bhu-Aadhaar 3D) Numbering Logic

India's Ministry of Rural Development prescribes the 14-digit Unique Land Parcel Identification Number (ULPIN). Bhu-Aadhaar 3D extends this into a full volumetric cadastre under ISO 19152 (LADM Edition II):

3.1 14-Digit Base ULPIN Structure (LGD Compliant)

The base 14 digits are deterministically generated from official Census and Local Government Directory (LGD) codes:

Component	Digits	Description	Sample Value
-----------	--------	-------------	--------------

State Code (SS)	2 Digits	LGD Indian State / UT code	27 (Maharashtra)
District Code (DD)	2 Digits	LGD District identifier	21 (Thane / Navi Mumbai)
Sub-District (SSS)	3 Digits	Taluk / Tehsil / Ward number	101
Village / Ward (VVV)	3 Digits	Revenue Village / Municipal Ward	050
Plot ID (PPPP)	4 Digits	Cadastral plot / building envelope	0101
Base ULPIN	14 Digits	Permanent ground parcel identifier	27211010500101

3.2 3D Vertical Cadastral Extension & Modulo-36 Checksum

To establish legal ownership of vertical airspace and subsurface caverns, the system appends vertical strata designators:

- **Standard Vertical Suffix (core/ulpin_logic.py):** Appends -FFF for above-ground storeys (e.g. -004 for Floor 4, -000 for Ground) and -UXX for subterranean basements (e.g. -U02 for Basement Level 2).
- **Enhanced ISO 19152 Format (core/ulpin_enhanced.py):**
[LGD]-[BASE_2D]-[STRATUM]-[LEVEL]-[UNIT]-[CHECKSUM]
Example: **2721-27211010500101-BLD-F04-U01-K**
- **Modulo-36 Weighted Check Character:** A cryptographic Modulo-36 checksum character is calculated over prime weights \$[3, 7, 11, 13, 17, 19, 23, 29]\$, against character set 0-9, A-Z to guarantee human transcription integrity during land deed registration.
- **Strata Classification Standard:**

Stratum	Full Name	Hex Theme	Legal Definition & Cadastral Application
SUR	Surface Land Parcel	#10B981	Ground datum terrain, roadways, surface courtyards
BLD	Multi-Storey Building Unit	#3B82F6	Private residential apartments, corporate office units
COM	Common Condominium Property	#8B5CF6	Elevated skybridges, shared atriums, clubhouse podiums
SUB	Subterranean Basement Unit	#F59E0B	Underground car parking, HVAC chiller plant vaults
UTL	Subsurface Utility Corridor	#EC4899	Metro tunnels, municipal water mains, electrical busways
AIR	Elevated Air-Rights Parcel	#06B6D4	Rooftop helipads, solar PV decks, telecom arrays, spires

4. The AI, 3D & Computational Models

Bhu-Aadhaar 3D incorporates four distinct mathematical and artificial intelligence engines:

4.1 AI Point Cloud Floor Slicing Engine (core/ai_floor_segmentation.py)

Processes high-density drone LiDAR point clouds and photogrammetry point elevations (synthesized via data/mock_lidar.py) to automatically detect floor slabs without manual CAD blueprints:

- **Vertical Density Histogramming:** Computes point frequencies across vertical bins of $\Delta Z = 0.1\text{m}$. Concrete ceiling and floor slabs produce distinct horizontal reflective point spikes.
- **Moving-Average Signal Smoothing:** Applies a 5-point moving average window to eliminate sensor noise and multipath foliage scatter.
- **Peak Prominence Detection:** Enforces a minimum storey threshold ($h_{\min} \geq 2.7\text{m}$) and relative peak prominence ($>25\%$ of maximum density) to locate true structural floors, classifying them as Basements (B01-B04), Ground (G00), or Upper Storeys (F01-F16).

4.2 3D Subsurface Collision & Clash Engine (core/collision_engine.py)

Protects critical subsurface infrastructure (e.g. underground metro tunnels, water aqueducts, gas conduits) from deep piling and foundation encroachment:

- **Geodesic Proximity (Haversine Formula):** Computes exact surface distance D over Earth mean radius $R = 6,371,000\text{m}$:
$$D = 2R \cdot \arctan2\left(\sqrt{a}, \sqrt{1-a}\right)$$

where $a = \sin^2\left(\frac{\Delta \phi}{2}\right) + \cos(\phi_1) \cos(\phi_2) \sin^2\left(\frac{\Delta \lambda}{2}\right)$
- **1D/3D Vertical Interval Overlap:** Evaluates vertical overlap: $\Delta Z = \min(Z_{\text{top1}}, Z_{\text{top2}}) - \max(Z_{\text{base1}}, Z_{\text{base2}})$.
- **Automated Severity Classification:**
 - **CRITICAL COLLISION (Direct 3D Encroachment):** $\Delta Z \leq 2 \times R_{\text{footprint}}$ and $\Delta Z > 0\text{m}$. Physical overlap of volume.
 - **SAFETY BUFFER VIOLATION:** $\Delta Z \leq 2 \times R_{\text{footprint}} + S_{\text{buffer}}$ and $\Delta Z > -10\text{m}$. Threatens structural integrity.

4.3 3D Cadastral Topology & Volumetric Delineation (core/topology_3d.py)

Validates that 3D volumetric parcels conform to ISO 19152 watertightness and non-overlap standards:

- **Shoelace Formula:** Computes exact 2D planar gross floor area: $\text{Area} = \frac{1}{2} \left| \sum_{i=0}^{n-1} (x_i y_{i+1} - x_{i+1} y_i) \right|$.
- **Enclosed Volume & Centroid:** Calculates 3D prismatic volume ($V = \text{Area} \times \Delta Z$) and 3D centroid coordinates (C_x, C_y, C_z) .
- **3D AABB Intersection Volume:** Computes axis-aligned bounding box intersection volumes to verify unit containment and parent boundary setback compliance.

4.4 Procedural 3D WebGL Digital Twin Models (frontend/digital_twin_component.py)

Features over **2,500 lines of custom Three.js** WebGL code rendering realistic procedural architectural archetypes:

- **20 Procedural Archetypes:** Includes transit_quad_podium, crystalline_diamond, supertall_tiered, subterranean_multilevel_cavern, skybridge_twin, and underwater_subaqueous_tunnel.
- **Dynamic Interaction Shaders:** Exploded floor slider (vertically expands storeys for inspection), Subsurface X-Ray slider (transparent ground plane revealing underground tunnels and train networks), and satellite terrain mapping.

5. Complete Full-Stack Technology Architecture

The system is built on a resilient, high-performance tech stack combining Python data science backends with interactive WebGL and GIS rendering:

Category	Technology / Library	Version	Core Function & Implementation Role
Frontend Framework	Streamlit	>=1.30.0	Core reactive web application container, state management, role routing
3D WebGL Graphics	Three.js + OrbitControls	r128	Interactive procedural 3D digital twins, exploded views, subsurface X-Ray
GIS 3D Mapping	PyDeck (Deck.gl)	>=0.8.0	Geospatial visualization: extruded ColumnLayer, ScatterplotLayer halos
Cartography / Tiles	ESRI / CartoDB / MapLibre	Raster/GL	Satellite imagery, Dark Matter, Positron Light, and Voyager basemaps
Styling & UX	Tailwind CSS + Vanilla CSS	3.x / CSS3	Figma glassmorphic design system, persistent dark/light theme switcher
UI Iconography	Lucide Icons	Latest	Modern iconography across top navigation, control bars, and dossiers
Analytics Charts	Chart.js + Streamlit Charts	Latest	LiDAR vertical Z-density curves, metro-wise valuation aggregations
Database Layer	SQLite3 (Embedded SQL)	3.x (Built-in)	Persistent relational spatial database (spatial_records.db)
Data Processing	Pandas	>=2.0.0	DataFrame filtering, spatial tabular analysis, and CSV interoperability

Certificate Engine	ReportLab	>=4.0.0	Precision vector PDF generation for official 3D Bhu-Aadhaar Title Deeds
Cryptographic QR	qrcode + Pillow	Latest	Generates scannable SVG and PNG QR verification payloads
Schema Validation	Pydantic	>=2.0.0	Strict typing and JSON schema enforcement across cadastre APIs
Runtime / Env	Python	3.10 / 3.11+	Core backend execution environment running on Windows / Linux

6. Operational Personas & Role-Based Workflows

To serve India's diverse cadastral stakeholders, the system provides dedicated operational personas with instantaneous session state switching:

Persona Mode	Target Stakeholders	Core Functionalities & Operational Capabilities
■ Citizen / Homebuyer Mode	Flat buyers, real estate investors, mortgage banks	- Instant title verification and RERA registration audit. - Interactive floor-by-floor dropdown displaying exact elevation bounds. - Live 3D Bhu-Aadhaar certificate card preview. 1-Click official PDF title certificate generation with cryptographic QR code.
■ Government Surveyor Mode	Municipal engineers, GIS surveyors, urban planners	- Volumetric architectural metrics: Gross Volume ($\\$m^3\\$), Built-up Area ($\\$m^2\\$), FSI. - Automated subsurface 3D clash audit against metro tunnels and utility conduits. - AI LiDAR Point Cloud floor slab detection with interactive histogram charts. - Direct 3D parcel coordinate ingestion into the SQLite cadastral database.
■■ Sub-Registrar Mode	Revenue officers, land registrars, stamp duty authorities	- Individual vertical airspace deed conveyance simulation. - Automated 6% state stamp duty calculation based on cadastral valuation. - Immutable ownership record updates directly in <code>spatial_records.db</code>. - Audit trail verification preventing double-mortgaging and title conflicts.

7. Cryptographic Title Security & QR Verification

To prevent document forgery and fraudulent double-sales, Bhu-Aadhaar 3D implements end-to-end cryptographic sealing:

- **SHA-256 Title Hash:** The vertical deed is sealed via an immutable SHA-256 hash incorporating all physical and legal attributes:

Cryptographic Hash Construction (core/certificate_generator.py):

Title Hash = SHA-256(ULPIN | Legal Owner | Latitude | Longitude | Z-Range (MSL) | Valuation)

Any post-issuance tampering with floor height, ownership, or valuation instantly invalidates the hash.

- **Scannable Digital QR Payload:** Encodes a structured JSON payload directly into the certificate:

```
{"ulpin": "27211010500101-004", "owner": "Sh. Singhania", "z_bounds": "+12.8m to +16.0m", "valuation": "■ 85.0 Cr", "hash": "7a8e4...", "authority": "National 3D Cadastre Portal"}
```
- **On-Site Mobile Verification:** Citizens, commercial lenders, and sub-registrars can scan the QR code using any standard smartphone to instantly verify title validity against the national land registry in real time.

8. Conclusion & SIH 2026 Competitive Edge

Bhu-Aadhaar 3D transitions Indian land administration from historical 2D planar maps into a future-ready, three-dimensional geospatial infrastructure. Key competitive differentiators include:

- **End-to-End Operational Pipeline:** From raw drone point clouds to procedural WebGL 3D twins, subsurface safety audits, and downloadable legal PDF deeds.
- **Full Standards Compliance:** Fully aligned with the ISO 19152 Land Administration Domain Model (LADM) and India's DILRMP ULPIN mandate.

- **Zero Proprietary Lock-In:** Built entirely on open, accessible technologies—Python, Streamlit, Three.js, SQLite, and ReportLab.
- **Economic & Municipal Impact:** Prevents billion-rupee subsurface infrastructure collisions, accelerates mortgage underwriting, and unlocks high-density vertical real estate revenues.