

3D ULPIN GENERATOR: MASTER TECHNICAL SPECIFICATION

Next-Generation 3D Spatial Cadastre, Subsurface Collision Engine, AI Slicing & Vertical Land Registry

System Lead: Parijat Sharma • Ecosystem: Smart India Hackathon 2026 • Standard: ISO 19152 (LADM Edition II)

1. Executive Summary & Problem Context

India's urban economy is experiencing rapid vertical densification. In commercial and residential hubs such as Mumbai MMR, Delhi NCR, Bengaluru, Hyderabad, and GIFT City, high-rise superstructures are intricately integrated with multi-level subterranean basements, deep-bore metro tunnels, and dense underground utility corridors. However, current land administration across India (governed under DILRMP and Bhu-Naksha) remains strictly **two-dimensional (2D)**. Parcels are registered purely as flat surface polygons on a 2D plane (Latitude, Longitude), assuming a single titleholder owns the land from the center of the earth to the sky.

This structural deficiency creates systemic real estate, municipal, and legal hazards:

- **Airspace & Unit Demarcation Failure:** In a 50-storey high-rise, hundreds of flat buyers share identical 2D coordinates. Existing land registries cannot legally demarcate individual volumetric units in 3D.
- **Subsurface Utility Breaches:** Deep private foundation piling and basement excavation frequently collide with underground metro tunnels, water mains, and high-voltage power conduits due to the lack of a 3D subsurface cadastre.
- **Title Ambiguity & Double Financing:** Without immutable, vertical parcel IDs, fraudulent developers can double-mortgage air-rights or transfer overlapping units.

3D ULPIN Generator solves this by delivering an ISO 19152 compliant 3D cadastral platform with procedural WebGL digital twins, automated AI LiDAR floor slicing, subterranean clash audits, Modulo-36 check-digit vertical ULPINs, and tamper-proof SHA-256 PDF title deeds.

2. Cadastral Dataset Architecture & Structure Valuation

The cadastral data architecture operates across three persistent, synchronized layers designed for high-performance spatial querying and national interoperability:

- **Relational SQLite Storage (database/spatial_records.db):** Primary transactional database containing parcel geometry, LGD geographical hierarchy, elevation datums, height bounds, owner identities, zones, and valuations.
- **Master JSON Specification (data/master_cadastre_dataset.json):** Machine-readable canonical dataset containing system-wide metadata, ISO 19152 compliance flags, and 25 benchmark multi-strata landmark properties.
- **Tabular CSV Interoperability Layer (data/mock_city_data.csv):** Standard tabular export used for GIS desktop tooling (QGIS, ArcGIS) and fallback synchronization.

2.1 Valuation Derivation Methodology

Property and structure valuations in 3D ULPIN Generator are modeled on realistic Indian municipal circle rates and market capitalizations:

- **Cadastral Base Capitalization (valuation_cr):** Stored in ■ Crores, calibrated against Ready Reckoner Rates (Maharashtra), Circle Rates (Delhi/NCR), Guidance Values (Karnataka), and jantri rates (Gujarat). Tier-1 financial bourses (e.g. BKC Diamond Tower at ■2,400 Cr, GIFT Diamond Tower at ■2,800 Cr) reflect real capital valuations.

- **Dynamic Volumetric Floor Apportionment:** Individual floor and unit values are dynamically derived in the WebGL Digital Twin component via the formula:

Volumetric Stratum Valuation Formula:

Floor Valuation (■ Cr) = Total Building Valuation (valuation_cr) / Total Slices (numFloors)

Subsurface basements are allocated dedicated utility values (e.g. ■35.0 Cr to ■180.0 Cr) reflecting specialized geotechnical construction costs.

- **Statutory State Stamp Duty Calculation:** In Sub-Registrar Mode, the platform automatically computes legal state stamp duty for individual airspace conveyances at 6% of the cadastral valuation: Stamp Duty = valuation_cr * 0.06.
- **Cryptographic Title Binding:** The cadastral valuation is cryptographically fused into the SHA-256 title hash printed on the 3D ULPIN Generator certificate, preventing fraudulent undervaluation during bank mortgage audits.

2.2 Benchmark Pan-India Cadastral Dataset (Sample)

ID	Landmark Name	City / State	LGD	Type	Z Bounds	Valuation
101	Seawoods Grand Central TOD	Navi Mumbai, MH	27-21	Commercial	0 to +120m	■ 850 Cr
102	Grand Central Subsurface Concourse	Navi Mumbai, MH	27-21	Underground Parking	-15 to 0m	■ 180 Cr
105	BKC Diamond Tower	Mumbai, MH	27-22	Commercial	0 to +160m	■ 2,400 Cr
106	BKC Metro-3 Underground Vault	Mumbai, MH	27-22	Subsurface Utility	-24 to 0m	■ 680 Cr
107	Lodha World One (Worli)	Mumbai, MH	27-22	Apartment	0 to +240m	■ 1,850 Cr
201	Connaught Outer Circle Rotunda	New Delhi, DL	07-01	Commercial	0 to +75m	■ 950 Cr
202	Rajiv Chowk Subsurface Metro Terminal	New Delhi, DL	07-01	Subsurface Utility	-18 to 0m	■ 780 Cr
204	DLF Cyber City Building 10	Gurugram, HR	06-18	Commercial	0 to +140m	■ 2,100 Cr
301	Manyata Embassy High-Tech Park	Bengaluru, KA	29-20	Commercial	0 to +110m	■ 1,750 Cr
401	GIFT Diamond Tower Pinnacle	GIFT City, GJ	24-07	Commercial	0 to +180m	■ 2,800 Cr
402	GIFT Subsurface Utility Tunnel (TUM)	GIFT City, GJ	24-07	Subsurface Utility	-16 to 0m	■ 890 Cr
501	HITEC Cyber Towers (Cyberabad)	Hyderabad, TS	36-12	Commercial	0 to +135m	■ 1,600 Cr
702	Hooghly Underwater Metro Corridor	Kolkata, WB	19-11	Subsurface Utility	-32 to 0m	■ 1,150 Cr

3. 3D ULPIN Generator Numbering Logic

India's Ministry of Rural Development prescribes the 14-digit Unique Land Parcel Identification Number (ULPIN). 3D ULPIN Generator extends this into a full volumetric cadastre under ISO 19152 (LADM Edition II):

3.1 14-Digit Base ULPIN Structure (LGD Compliant)

The base 14 digits are deterministically generated from official Census and Local Government Directory (LGD) codes:

Component	Digits	Description	Sample Value
-----------	--------	-------------	--------------

State Code (SS)	2 Digits	LGD Indian State / UT code	27 (Maharashtra)
District Code (DD)	2 Digits	LGD District identifier	21 (Thane / Navi Mumbai)
Sub-District (SSS)	3 Digits	Taluk / Tehsil / Ward number	101
Village / Ward (VVV)	3 Digits	Revenue Village / Municipal Ward	050
Plot ID (PPPP)	4 Digits	Cadastral plot / building envelope	0101
Base ULPIN	14 Digits	Permanent ground parcel identifier	27211010500101

3.2 3D Vertical Cadastral Extension & Modulo-36 Checksum

To establish legal ownership of vertical airspace and subsurface caverns, the system appends vertical strata designators:

- **Standard Vertical Suffix (core/ulpin_logic.py):** Appends -FFF for above-ground storeys (e.g. -004 for Floor 4, -000 for Ground) and -UXX for subterranean basements (e.g. -U02 for Basement Level 2).
- **Enhanced ISO 19152 Format (core/ulpin_enhanced.py):**
[LGD]-[BASE_2D]-[STRATUM]-[LEVEL]-[UNIT]-[CHECKSUM]
Example: **2721-27211010500101-BLD-F04-U01-K**
- **Modulo-36 Weighted Check Character:** A cryptographic Modulo-36 checksum character is calculated over prime weights \$[3, 7, 11, 13, 17, 19, 23, 29]\$, against character set 0-9, A-Z to guarantee human transcription integrity during land deed registration.
- **Strata Classification Standard:**

Stratum	Full Name	Hex Theme	Legal Definition & Cadastral Application
SUR	Surface Land Parcel	#10B981	Ground datum terrain, roadways, surface courtyards
BLD	Multi-Storey Building Unit	#3B82F6	Private residential apartments, corporate office units
COM	Common Condominium Property	#8B5CF6	Elevated skybridges, shared atriums, clubhouse podiums
SUB	Subterranean Basement Unit	#F59E0B	Underground car parking, HVAC chiller plant vaults
UTL	Subsurface Utility Corridor	#EC4899	Metro tunnels, municipal water mains, electrical busways
AIR	Elevated Air-Rights Parcel	#06B6D4	Rooftop helipads, solar PV decks, telecom arrays, spires

4. The AI, 3D & Computational Models

3D ULPIN Generator incorporates four distinct mathematical and artificial intelligence engines:

4.1 AI Point Cloud Floor Slicing Engine (core/ai_floor_segmentation.py)

Processes high-density drone LiDAR point clouds and photogrammetry point elevations (synthesized via data/mock_lidar.py) to automatically detect floor slabs without manual CAD blueprints:

- **Vertical Density Histogramming:** Computes point frequencies across vertical bins of $\Delta Z = 0.1\text{m}$. Concrete ceiling and floor slabs produce distinct horizontal reflective point spikes.
- **Moving-Average Signal Smoothing:** Applies a 5-point moving average window to eliminate sensor noise and multipath foliage scatter.
- **Peak Prominence Detection:** Enforces a minimum storey threshold ($h_{\min} \geq 2.7\text{m}$) and relative peak prominence ($>25\%$ of maximum density) to locate true structural floors, classifying them as Basements (B01-B04), Ground (G00), or Upper Storeys (F01-F16).

4.2 3D Subsurface Collision & Clash Engine (core/collision_engine.py)

Protects critical subsurface infrastructure (e.g. underground metro tunnels, water aqueducts, gas conduits) from deep piling and foundation encroachment:

- **Geodesic Proximity (Haversine Formula):** Computes exact surface distance D over Earth mean radius $R = 6,371,000\text{m}$:
$$D = 2R \cdot \arctan2\left(\sqrt{a}, \sqrt{1-a}\right)$$

where $a = \sin^2\left(\frac{\Delta \phi}{2}\right) + \cos(\phi_1) \cos(\phi_2) \sin^2\left(\frac{\Delta \lambda}{2}\right)$
- **1D/3D Vertical Interval Overlap:** Evaluates vertical overlap: $\Delta Z = \min(Z_{\text{top1}}, Z_{\text{top2}}) - \max(Z_{\text{base1}}, Z_{\text{base2}})$.
- **Automated Severity Classification:**
 - **CRITICAL COLLISION (Direct 3D Encroachment):** $\Delta Z \leq 2 \times R_{\text{footprint}}$ and $\Delta Z > 0\text{m}$. Physical overlap of volume.
 - **SAFETY BUFFER VIOLATION:** $\Delta Z \leq 2 \times R_{\text{footprint}} + S_{\text{buffer}}$ and $\Delta Z > -10\text{m}$. Threatens structural integrity.

4.3 3D Cadastral Topology & Volumetric Delineation (core/topology_3d.py)

Validates that 3D volumetric parcels conform to ISO 19152 watertightness and non-overlap standards:

- **Shoelace Formula:** Computes exact 2D planar gross floor area: $\text{Area} = \frac{1}{2} \left| \sum_{i=0}^{n-1} (x_i y_{i+1} - x_{i+1} y_i) \right|$.
- **Enclosed Volume & Centroid:** Calculates 3D prismatic volume ($V = \text{Area} \times \Delta Z$) and 3D centroid coordinates (C_x, C_y, C_z) .
- **3D AABB Intersection Volume:** Computes axis-aligned bounding box intersection volumes to verify unit containment and parent boundary setback compliance.

4.4 Procedural 3D WebGL Digital Twin Models (frontend/digital_twin_component.py)

Features over **2,500 lines of custom Three.js** WebGL code rendering realistic procedural architectural archetypes:

- **20 Procedural Archetypes:** Includes transit_quad_podium, crystalline_diamond, supertall_tiered, subterranean_multilevel_cavern, skybridge_twin, and underwater_subaqueous_tunnel.
- **Dynamic Interaction Shaders:** Exploded floor slider (vertically expands storeys for inspection), Subsurface X-Ray slider (transparent ground plane revealing underground tunnels and train networks), and satellite terrain mapping.

5. Complete Full-Stack Technology Architecture

The system is built on a resilient, high-performance tech stack combining Python data science backends with interactive WebGL and GIS rendering:

Category	Technology / Library	Version	Core Function & Implementation Role
Frontend Framework	Streamlit	>=1.30.0	Core reactive web application container, state management, role routing
3D WebGL Graphics	Three.js + OrbitControls	r128	Interactive procedural 3D digital twins, exploded views, subsurface X-Ray
GIS 3D Mapping	PyDeck (Deck.gl)	>=0.8.0	Geospatial visualization: extruded ColumnLayer, ScatterplotLayer halos
Cartography / Tiles	ESRI / CartoDB / MapLibre	Raster/GL	Satellite imagery, Dark Matter, Positron Light, and Voyager basemaps
Styling & UX	Tailwind CSS + Vanilla CSS	3.x / CSS3	Figma glassmorphic design system, persistent dark/light theme switcher
UI Iconography	Lucide Icons	Latest	Modern iconography across top navigation, control bars, and dossiers
Analytics Charts	Chart.js + Streamlit Charts	Latest	LiDAR vertical Z-density curves, metro-wise valuation aggregations
Database Layer	SQLite3 (Embedded SQL)	3.x (Built-in)	Persistent relational spatial database (spatial_records.db)
Data Processing	Pandas	>=2.0.0	DataFrame filtering, spatial tabular analysis, and CSV interoperability

Certificate Engine	ReportLab	>=4.0.0	Precision vector PDF generation for official 3D ULPIN Generator Title Deeds
Cryptographic QR	qrcode + Pillow	Latest	Generates scannable SVG and PNG QR verification payloads
Schema Validation	Pydantic	>=2.0.0	Strict typing and JSON schema enforcement across cadastre APIs
Runtime / Env	Python	3.10 / 3.11+	Core backend execution environment running on Windows / Linux

6. Operational Personas & Role-Based Workflows

To serve India's diverse cadastral stakeholders, the system provides dedicated operational personas with instantaneous session state switching:

Persona Mode	Target Stakeholders	Core Functionalities & Operational Capabilities
■ Citizen / Homebuyer Mode	Flat buyers, real estate investors, mortgage banks	- Instant title verification and RERA registration audit. - Interactive floor-by-floor dropdown displaying exact elevation bounds. - Live 3D ULPIN Generator certificate card preview. 1-Click official PDF title certificate generation with cryptographic QR code.
■ Government Surveyor Mode	Municipal engineers, GIS surveyors, urban planners	- Volumetric architectural metrics: Gross Volume (\$m^3\$), Built-up Area (\$m^2\$), FSI. - Automated subsurface 3D clash audit against metro tunnels and utility conduits. - AI LiDAR Point Cloud floor slab detection with interactive histogram charts. - Direct 3D parcel coordinate ingestion into the SQLite cadastral database.
■■ Sub-Registrar Mode	Revenue officers, land registrars, stamp duty authorities	- Individual vertical airspace deed conveyance simulation. - Automated 6% state stamp duty calculation based on cadastral valuation. - Immutable ownership record updates directly in spatial_records.db. - Audit trail verification preventing double-mortgaging and title conflicts.

7. Cryptographic Title Security & QR Verification

To prevent document forgery and fraudulent double-sales, 3D ULPIN Generator implements end-to-end cryptographic sealing:

- **SHA-256 Title Hash:** The vertical deed is sealed via an immutable SHA-256 hash incorporating all physical and legal attributes:

Cryptographic Hash Construction (core/certificate_generator.py):

Title Hash = SHA-256(ULPIN | Legal Owner | Latitude | Longitude | Z-Range (MSL) | Valuation)

Any post-issuance tampering with floor height, ownership, or valuation instantly invalidates the hash.

- **Scannable Digital QR Payload:** Encodes a structured JSON payload directly into the certificate:

```
{"ulpin": "27211010500101-004", "owner": "Sh. Singhania", "z_bounds": "+12.8m to +16.0m", "valuation": "■ 85.0 Cr", "hash": "7a8e4...", "authority": "National 3D Cadastre Portal"}
```
- **On-Site Mobile Verification:** Citizens, commercial lenders, and sub-registrars can scan the QR code using any standard smartphone to instantly verify title validity against the national land registry in real time.

8. Conclusion & SIH 2026 Competitive Edge

3D ULPIN Generator transitions Indian land administration from historical 2D planar maps into a future-ready, three-dimensional geospatial infrastructure. Key competitive differentiators include:

- **End-to-End Operational Pipeline:** From raw drone point clouds to procedural WebGL 3D twins, subsurface safety audits, and downloadable legal PDF deeds.

- **Full Standards Compliance:** Fully aligned with the ISO 19152 Land Administration Domain Model (LADM) and India's DILRMP ULPIN mandate.
- **Zero Proprietary Lock-In:** Built entirely on open, accessible technologies—Python, Streamlit, Three.js, SQLite, and ReportLab.
- **Economic & Municipal Impact:** Prevents billion-rupee subsurface infrastructure collisions, accelerates mortgage underwriting, and unlocks high-density vertical real estate revenues.