

# 3D ULPIN GENERATOR

## Next-Generation 3D Spatial Cadastre, Subsurface Collision Engine & Vertical Land Registry Portal

**Author / Lead:** Parijat Sharma • **Project:** SIH 2026 National Innovation • **Framework:** Python, Streamlit, PyDeck (Deck.gl), SQLite, ReportLab

### 1. Executive Summary & Problem Statement

Modern Indian urban centers (e.g. Mumbai MMR, Delhi NCR, Bengaluru, GIFT City) have evolved rapidly into dense, vertically stacked superstructures with deep multi-level subterranean basements, subterranean metro lines, and underground utility corridors. However, existing land administration systems across India (under DILRMP and Bhū-Naksha) remain fundamentally **two-dimensional (2D)**. Traditional cadastres treat land parcels purely as flat polygons (Latitude, Longitude), assuming a single owner owns the land down to the center of the earth and up to the heavens.

This architectural mismatch creates severe systemic risks:

- **Airspace & Floor Ownership Ambiguity:** In a 40-storey high-rise, dozens of distinct owners share the exact same 2D footprint. Traditional cadastres cannot legally demarcate individual volumetric rights.
- **Catastrophic Subsurface Encroachments:** Deep private foundations and underground parking lots often collide with or breach safety buffers of underground metro tunnels, gas conduits, water mains, and optic fiber networks.
- **Title Disputes & Double Mortgaging:** Absence of a unique, immutable vertical parcel identifier allows fraudulent sale or overlapping conveyance of individual floor units.

**The Solution:** *3D ULPIN Generator* provides an ISO 19152 compliant 3D cadastral platform featuring real-time volumetric floor slicing, automated 3D subsurface collision detection, a 14-digit + vertical ULPIN standard, cryptographic title certificate issuance with QR verification, and role-based workflows for Citizens, Surveyors, and Sub-Registrars.

### 2. System Architecture & End-to-End Pipeline

The project is structured around a modular, decoupled architecture consisting of four core mathematical engines, a relational spatial SQLite database, an interactive Deck.gl GIS visualization layer, and role-based operational modules:

| Component           | Module Path          | Primary Responsibility & Algorithms                                                                                                                                 |
|---------------------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Spatial Math Engine | core/spatial_math.py | Segments total building height and base elevation into discrete volumetric floor blocks. Supports above-ground superstructures and negative subterranean basements. |

|                            |                               |                                                                                                                                                                             |
|----------------------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3D ULPIN Engine            | core/ulpin_logic.py           | Generates 14-digit LGD-compliant base ULPIN + 3-char vertical suffix (e.g. -004 for floor 4, -U02 for basement 2). Provides bidirectional instant parsing.                  |
| Collision & Clash Engine   | core/collision_engine.py      | Performs Haversine surface proximity calculation and 1D vertical overlap checks. Identifies CRITICAL_COLLISION and BUFFER_VIOLATION against metro & utility infrastructure. |
| Digital Certificate Engine | core/certificate_generator.py | Computes immutable SHA-256 cryptographic title hash, generates QR code payload with parcel metadata, and builds downloadable official PDF certificates.                     |
| PyDeck 3D Map Studio       | frontend/map_engine.py        | Renders 3D extruded ColumnLayer columns and ground ScatterplotLayer footprints. Features 8 metro viewports, custom camera focus, and theme-adaptive basemaps.               |
| UI Components & Theming    | frontend/ui_components.py     | Injects modern glassmorphic styling, provides persistent Light/Dark mode switcher, KPI metrics row, architectural cross-section, and dossier cards.                         |
| Database Storage           | database/spatial_records.db   | Relational SQLite storage storing property IDs, LGD geography, 3D coordinates (lat, lon, base_elevation, total_height), zone, owner, and valuation.                         |

### 3. Deep Dive: Mathematical & Algorithmic Engines

#### 3.1 Volumetric 3D Parcel Slicing (core/spatial\_math.py)

Standard land surveys only record physical footprints. Our spatial segmentation algorithm accepts building base elevation ( $Z_{\text{base}}$ ), total height ( $H$ ), and floor height ( $h = 3\text{m}$  default) to generate precise 3D vertical intervals:

- **Superstructure (Above Ground,  $Z_{\text{base}} \geq 0$ ):** For floor index  $f \in [0, N-1]$ , interval is  $[Z_{\text{base}} + f \cdot h, Z_{\text{base}} + (f+1) \cdot h]$ . Floor number is  $f+1$ .
- **Subsurface (Basements,  $Z_{\text{base}} < 0$ ):** Extends downwards below surface datum  $[-(f \cdot h), -((f+1) \cdot h)]$ . Floor number is recorded as  $-(f+1)$  to denote subterranean depth.

#### 3.2 14-Digit Base ULPIN + 3D ULPIN Generator Standard (core/ulpin\_logic.py)

India's Ministry of Rural Development specifies a 14-digit Unique Land Parcel Identification Number (ULPIN) derived from Local Government Directory (LGD) codes: SS-DD-SSS-VVV-PPPP (State 2 digits, District 2 digits, Sub-District 3 digits, Village/Ward 3 digits, Plot ID 4 digits).

**Our 3D ISO 19152 Cadastral Extension:** We append a hyphenated 3-character vertical suffix: -FFF for above-ground floors (e.g., -004 for Level 4) and -UXX for underground basements (e.g., -U02 for Basement 2). The bidirectional decoder instantly unpacks raw ULPIN inputs, validates length and integrity, extracts geographic jurisdiction, and flies the camera to the parcel.

### 3.3 Subsurface 3D Clash & Encroachment Detection (core/collision\_engine.py)

To prevent catastrophic strikes between deep foundations and municipal utility corridors, the collision engine computes both geodesic proximity and vertical intersection:

- **Horizontal Ground Distance:** Uses the Haversine equation over Earth radius  $R = 6,371,000\text{m}$ :  
$$a = \sin^2\left(\frac{\Delta \phi}{2}\right) + \cos(\phi_1)\cos(\phi_2)\sin^2\left(\frac{\Delta \lambda}{2}\right), \quad D = 2R \cdot \arctan2(\sqrt{a}, \sqrt{1-a})$$
- **Vertical Interval Overlap ( $\Delta Z$ ):**  
$$\Delta Z = \min(Z_{\text{top1}}, Z_{\text{top2}}) - \max(Z_{\text{base1}}, Z_{\text{base2}})$$
- **Severity Classification:** If  $D \leq 2 \times R_{\text{footprint}}$  and  $\Delta Z > 0$ , flagged as **CRITICAL COLLISION (Direct 3D Encroachment)**. If  $D \leq 2 \times R_{\text{footprint}} + S_{\text{buffer}}$  and  $\Delta Z > -10\text{m}$ , flagged as **SAFETY BUFFER VIOLATION**.

### 3.4 Cryptographic SHA-256 Title Certificate & QR Engine (core/certificate\_generator.py)

Generates an immutable cryptographic fingerprint sealing the vertical airspace parcel: SHA-256(ULPIN | Owner | Lat | Lon | Z\_Range | Valuation). Generates a scannable JSON QR payload that any citizen or bank official can scan with a standard smartphone camera to verify title legitimacy on-site.

## 4. Three Role-Based Operational Workflows

To address the diverse stakeholders of the Indian cadastral ecosystem, the platform provides tailored operational personas with 1-click switching:

| Persona Mode                 | Primary User                                         | Features & Workflows Enabled                                                                                                                                                                                                                                                                                                                                    |
|------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Citizen / Homebuyer Mode     | Citizens, Flat Buyers, Real Estate Investors, Banks  | <ul style="list-style-type: none"><li>• Instant title verification &amp; RERA status check</li><li>• Unit/Floor level dropdown with height bounds</li><li>• Live 3D ULPIN Generator certificate card preview</li><li>• 1-Click official PDF title certificate download</li></ul>                                                                                |
| Government GIS Surveyor Mode | Municipal Engineers, GIS Officers, Urban Planners    | <ul style="list-style-type: none"><li>• 3D spatial metrics (Gross Volume <math>\text{m}^3</math>, Built-up area <math>\text{m}^2</math>, FSI/FAR)</li><li>• Automated subsurface 3D clash &amp; buffer violation audit</li><li>• Interactive vertical architectural cross-section stack</li><li>• 3D parcel coordinate ingestion into SQLite database</li></ul> |
| Sub-Registrar Mode           | Revenue Officers, Land Registrars, Legal Authorities | <ul style="list-style-type: none"><li>• Individual vertical airspace deed registration</li><li>• 6% state stamp duty calculator based on cadastral value</li><li>• Immutable ownership conveyance in SQLite database</li><li>• Audit trail logging for pan-India transactions</li></ul>                                                                         |

## 5. Comprehensive UI/UX Evolution & Recent Changes

A major upgrade was executed to transform the prototype into a commercial-grade, multi-theme portal with a dedicated **Light Mode / Dark Mode switch button**:

- **Prominent Theme Switch Button:** Added an interactive switch button (■ Light Mode / ■ Dark Mode) embedded in the top portal navbar alongside the Bhu-Naksha Sync pill. Toggling updates `st.session_state['theme']` with zero page flicker.
- **Universal CSS Theming System:** Implemented a complete dual-palette design token architecture in `frontend/ui_components.py` covering Streamlit root canvas, typography, metric cards, inputs, dropdowns, expanders, tabs, radio pills, tables, and scrollbars.
- **Theme-Adaptive Custom HTML Blocks:** Updated all custom cards—property dossier, vertical architectural cross-section, clash alerts, parsed ULPIN banner, map legend, and digital certificates—to seamlessly adapt background, text contrast, and border glow.
- **Basemap Aesthetic Synchronization:** Synchronized the 3D PyDeck basemap default to switch between Minimalist Light (in Light Mode) and Dark Matter (Default) (in Dark Mode), with user manual preference persistence.
- **High-DPI 3D Rendering:** Refined Deck.gl 3D extruded columns with high-contrast neon palettes and glowing footprints to ensure readability under both dark and bright lighting environments.

## 6. Relational Database Schema (SQLite)

The system stores all pan-India cadastral parcels in `database/spatial_records.db` under table `property_parcel`s:

| Column Name                         | Type                | Cadastral Description                                      |
|-------------------------------------|---------------------|------------------------------------------------------------|
| <code>property_id</code>            | INTEGER PRIMARY KEY | Unique Cadastral Parcel ID (e.g. 101, 102)                 |
| <code>name</code>                   | TEXT                | Building / Complex Name (e.g. Seawoods Grand Central)      |
| <code>city / state</code>           | TEXT                | Municipal city and Indian state name                       |
| <code>state_code / dist_code</code> | INTEGER             | LGD State and District codes for 14-digit ULPIN derivation |
| <code>lat / lon</code>              | REAL                | Precise WGS84 GPS decimal coordinates                      |
| <code>base_elevation</code>         | REAL                | Elevation datum in meters (negative = subterranean)        |
| <code>total_height</code>           | REAL                | Vertical structural height in meters (e.g. 50.0m)          |
| <code>type</code>                   | TEXT                | Commercial, Apartment, Parking, Transit, Utility           |
| <code>owner</code>                  | TEXT                | Legal title holder / Agency / Developer                    |
| <code>valuation_cr</code>           | REAL                | Cadastral valuation in Crores INR (for stamp duty)         |

## 7. SIH 2026 Impact & Competitive Advantages

*3D ULPIN Generator* provides an end-to-end, working implementation addressing the exact needs of modern smart cities and land governance:

- **Fully Functional Math & Slicing:** Not just mockups—every parcel slices dynamically, computes FSI, and calculates real Haversine & Z-overlap collisions.
- **Standards Compliance:** Aligned with the ISO 19152 Land Administration Domain Model (LADM) and India's DILRMP ULPIN specification.
- **Real Utility:** Solves multi-crore utility breach disputes, accelerates homebuyer bank loan approvals, and unlocks vertical deed registration revenues.

- **Production-Ready UX:** Seamless Dark/Light mode, high-contrast typography, scannable QR codes, and instant vector PDF certificates.