ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 4019

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2003

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Form 1 Data

Contents

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2003, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____
_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.

B.   EDUCATION. Educational lifestyle, values, experiences, and environments

C.   WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.

D.   SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E.   POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F.   CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G.   RELIGION. Religious affiliation, practices, and views.

H.   POLITICS. Political affiliation, activities, and views.

I.   SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J.   SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K.   MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L.   MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M.   INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N.   RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O.   CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P.   HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q   OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.

R.   BACKGROUND. Demographic and family background characteristics, living arrangements.

S.   DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.   HEALTH. Health habits, somatic symptoms, medical treatment.

_____
_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed

to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprises a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of

the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self- cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2003 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part #	form	# of variables	Logical record length	unweighted n
1	Core	108	228	15,200
2	Form 1	618	1249	2,556
3	Form 2	332	675	2,516
4	Form 3	354	720	2,524
5	Form 4	280	574	2,523
6	Form 5	312	635	2,530
7	Form 6	332	676	2,551

The SAS, SPSS, and Stata data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

```
┌─────────────────────────────────────────────────────────────────────┐
│   [1] V1134             [2] 991A13   KIND OF PAID JOB                 │
└─────────────────────────────────────────────────────────────────────┘
```

   [3] Item Number: 25160

   [4] A13: Which ONE of the job categories below comes closest to the
             kind of work you have done for pay on your current (or most
             recent) job? (If more than one kind of work, choose the one
             where you worked the most hours. Do not include work
             around the house.)

[5] PCT VALID	[6] PCT ALL	[7] N	[8] VALUE	[9] LABEL
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	

```
     -----  -----  -----
     [10]   [11]      [12]
     100.0  100.0  5,745 cases  (Wtd)
```

   [13] Data type: numeric
   [14] Decimals: 0
   [15] Missing-data codes: -9
   [16] Columns: 98-99

   _____

   [1]   Indicates the variable number. A variable number is assigned to
          each variable in the data collection.

   [2]   Indicates the abbreviated variable name used to identify the

variable for the user.

[3]   The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[4]   This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[5]   Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.

[6]   Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.

[7]   Indicates the weighted frequency of occurrence of each code value for this variable.

[8]   Indicates the code values occurring in the data for this variable.

[9]   Indicates the textual definitions of the codes for this variable

[10]   Indicates the total of the valid case percentages (100%).

[11]   Indicates the total of all case percentages (100%).

[12]   Indicates the number of cases (weighted) for this variable (including the missing cases).

[13]   Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[14]   Indicates the number of decimal places in the variable.

[15]   Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[16]   Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

FREQUENCIES

FORM 1 DATA FILE

```
+--------------------------------------------------------------------+
|     CASEID                  CASE IDENTIFICATION NUMBER              |
+--------------------------------------------------------------------+
```

        2,555 cases (Wtd) (Range of valid codes: 1-2,556)

        Data type: numeric
        Missing-data code: -9
        Columns: 1-4

```
+--------------------------------------------------------------------+
|     V1                      YEAR OF ADMIN (4-DIGITS)                |
+--------------------------------------------------------------------+
```

          PCT   PCT   N VALUE LABEL
        VALID   ALL
        100.0 100.0 2,555   2003
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 5-8

```
+--------------------------------------------------------------------+
|     V3                      031       :FORM ID                      |
+--------------------------------------------------------------------+
```

          PCT   PCT   N VALUE LABEL
        VALID   ALL
        100.0 100.0 2,555   1
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 9-10

```
+--------------------------------------------------------------------+
|     V4                      031       :R'S ID-SERIAL #              |
+--------------------------------------------------------------------+
```

        2,555 cases (Wtd) (Range of valid codes: 10,001-12,556)

        Data type: numeric
        Missing-data code: -9
        Columns: 11-15

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V5                        SAMPLING WEIGHT                             │
└─────────────────────────────────────────────────────────────────────────┘
```

        2,555 cases (Wtd) (Range of valid codes: .1147-7.1112)

        Data type: numeric
        Decimals: 4
        Missing-data code: -9.0000
        Columns: 16-21

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V13                       031       :SCHL RGN-4 CAT                   │
└─────────────────────────────────────────────────────────────────────────┘
```

         Region of the country, based on Census categories, in which
         respondent's school is located. 1=Northeast, 2=North Central,
         3=South, 4=West.

          PCT   PCT   N VALUE LABEL
         VALID   ALL
         21.1   21.1   539   1 NE:(1)
         23.8   23.8   608   2 NC:(2)
         34.5   34.5   882   3 S:(3)
         20.6   20.6   525   4 W:(4)
         -----   ----- -----
         100.0 100.0 2,555 cases (Wtd)

         Data type: numeric
         Missing-data code: -9
         Columns: 22-23

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V16                       031       :SELF-REP/NOT=0                   │
└─────────────────────────────────────────────────────────────────────────┘
```

         Self-representing Metropolitan Statistical Area: one of the 24
         largest Metropolitan Statistical Areas (MSAs) as defined for the
         US Census in 1990.

          PCT   PCT   N VALUE LABEL
         VALID   ALL
         69.1   69.1 1,765   0
         30.9   30.9   790   1
         -----   ----- -----
         100.0 100.0 2,555 cases (Wtd)

         Data type: numeric
         Missing-data code: -9
         Columns: 24-25

```
┌────────────────────────────────────────────────────────────────────┐
│     V17                    031      :SMSA/NON-SMSA=0                │
└────────────────────────────────────────────────────────────────────┘
```

SMSA: Metropolitan Statistical Area as defined for the 1990 US
Census, a county or group of contiguous counties (or, in New
England, Consolidated Metropolitan Areas) that contain at least
one city of 50,000 inhabitants or more. (Known as "Standard
Metropolitan Statistical Area" in the 1970 census.)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 23.5   23.5    601      0
 76.5   76.5  1,954      1
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 26-27

```
┌────────────────────────────────────────────────────────────────────┐
│    V1633                   031A001 :VRY HPY THS DAY                 │
└────────────────────────────────────────────────────────────────────┘
```

Item Number: 01190

Taking all things together, how would you say things are these
days--would you say you're very happy, pretty happy, or not
too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 13.8   13.7    350      1  NT HAPPY:(1)
 63.8   63.3  1,618      2  PRTY HPY:(2)
 22.4   22.2    568      3  VRY HPY:(3)
         0.8     19     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 28-29

V1634   **031A002A:US NEEDS PLANNG**

Item Number: 01200

How much do you agree or disagree with each of the following
statements? A: The nation needs much more long-range
planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 1.9    1.9     48      1  DISAGREE:(1)
 6.5    6.4    164      2  MOST DIS:(2)
23.2   22.9    586      3  NEITHER:(3)
40.9   40.4  1,033      4  MOST AGR:(4)
27.5   27.2    694      5  AGREE:(5)
        1.1     29     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 30-31

V1635   **031A002B:ENJOY FAST PACE**

Item Number: 01210

How much do you agree or disagree with each of the following
statements? B: I enjoy the fast pace and changes of today's
world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 8.3    8.2    209      1  DISAGREE:(1)
12.8   12.7    323      2  MOST DIS:(2)
24.2   24.0    612      3  NEITHER:(3)
37.8   37.4    956      4  MOST AGR:(4)
16.9   16.8    428      5  AGREE:(5)
        1.0     26     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 32-33

V1636   **031A002C:THG CHG 2 QUICK**

Item Number: 01220

How much do you agree or disagree with each of the following
statements? C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 11.7   11.6    296      1  DISAGREE:(1)
 22.5   22.2    567      2  MOST DIS:(2)
 26.9   26.5    678      3  NEITHER:(3)
 22.7   22.4    573      4  MOST AGR:(4)
 16.2   16.0    408      5  AGREE:(5)
         1.3     34     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 34-35

V1637   **031A002D:X AHEAD TOUGHER**

Item Number: 01230

How much do you agree or disagree with each of the following
statements? D: I think the times ahead for me will be
tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 17.3   17.2    439      1  DISAGREE:(1)
 22.1   21.9    559      2  MOST DIS:(2)
 18.9   18.7    479      3  NEITHER:(3)
 23.4   23.2    592      4  MOST AGR:(4)
 18.2   18.0    460      5  AGREE:(5)
         1.0     26     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 36-37

```
    V1638                031A003 :TM SPT ADLT MST
```

Item Number: 01240

Of all the time you spend with other people, about how much is
spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly
All"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 21.8   21.7    555      1  VRY LITL:(1)
 42.3   42.1  1,076      2  SOME:(2)
 26.6   26.5    676      3  ABT HALF:(3)
  7.1    7.1    181      4  MOST:(4)
  2.2    2.2     55      5  NRLY ALL:(5)
         0.5     13     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 38-39

```
    V1639                031A004 :LK MR TM ADLT
```

Item Number: 01250

Would you like to spend more time, or less time, with people
over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as
now" 4="Somewhat more time" 5="Much more time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  6.1    6.0    154      1  MCH LESS:(1)
 10.5   10.5    268      2  SOM LESS:(2)
 66.5   66.2  1,691      3  SAM TIME:(3)
 14.7   14.6    374      4  SOM MORE:(4)
  2.2    2.1     55      5  MCH MORE:(5)
         0.6     14     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 40-41

V1640	031A005 :LK MR TM YG CHD

Item Number: 01260

Would you like to spend more time, or less time, working with
or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as
now" 4="Somewhat more time" 5="Much more time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  7.4    7.4   189      1  MCH LESS:(1)
  6.1    6.1   156      2  SOM LESS:(2)
 33.9   33.7   861      3  SAM TIME:(3)
 34.6   34.4   879      4  SOM MORE:(4)
 17.9   17.8   455      5  MCH MORE:(5)
         0.6    14     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 42-43

```
V1641                    031A006A:SAT PRESENT JOB
```

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are
with several aspects of your life. For each question, mark
the circle that shows best how you feel. If you are neutral
about something, or are just as satisfied as you are
dissatisfied, mark the middle answer. How satisfied are you
with . . . A: Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  6.4    4.2    108      1  COMP DIS:(1)
  5.2    3.4     88      2
  8.6    5.7    145      3
 21.6   14.3    365      4  NEUTRAL:(4)
 18.0   11.9    305      5
 20.7   13.7    350      6
 19.6   13.0    331      7  COMP SAT:(7)
        33.8    862     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 44-45

```
┌─────────────────────────────────────────────────────────────────────────────┐
│   V1642                    031A006B:SAT NEIGHBORHOD                          │
└─────────────────────────────────────────────────────────────────────────────┘
```

Item Number: 01280

How satisfied are you with . . . B: The neighborhood where
you live?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  3.8     3.8     97      1  COMP DIS:(1)
  4.1     4.1    104      2
  6.7     6.6    169      3
 20.8    20.7    529      4  NEUTRAL:(4)
 13.7    13.6    347      5
 20.4    20.3    517      6
 30.6    30.4    778      7  COMP SAT:(7)
          0.6     14     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 46-47

V1643	031A006C:SAT PRSNL SAFTY

Item Number: 01290

How satisfied are you with . . . C: Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
2.7	2.7	69	1	COMP DIS:(1)
2.3	2.3	58	2	
6.3	6.3	160	3	
16.6	16.6	423	4	NEUTRAL:(4)
13.2	13.1	335	5	
25.2	25.1	641	6	
33.7	33.5	856	7	COMP SAT:(7)
	0.5	13	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 48-49

V1644	**031A006D:SAT OWN PROP SF**

Item Number: 01300

How satisfied are you with . . .   D: The safety of things
you own from being stolen or destroyed in your neighborhood,
on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
6.0	5.9	151	1	COMP DIS:(1)
5.1	5.1	130	2	
11.3	11.2	287	3	
20.5	20.4	521	4	NEUTRAL:(4)
17.2	17.0	435	5	
22.0	21.8	557	6	
17.9	17.7	453	7	COMP SAT:(7)
	0.8	20	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 50-51

V1645	031A006E:SAT EDUC EXPRNC

Item Number: 01310

How satisfied are you with . . . E: Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	3.2	82	1	COMP DIS:(1)
4.0	3.9	100	2	
7.3	7.2	183	3	
19.1	18.9	483	4	NEUTRAL:(4)
23.3	23.0	587	5	
26.5	26.2	669	6	
16.6	16.4	419	7	COMP SAT:(7)
	1.2	32	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 52-53

V1646	031A006F:SAT OWN FRIENDS

Item Number: 01320

How satisfied are you with . . . F: Your friends and other
people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

```
  PCT     PCT     N  VALUE  LABEL
VALID    ALL
  1.0    0.9     24       1  COMP DIS:(1)
  1.8    1.8     47       2
  2.9    2.9     73       3
  9.3    9.2    235       4  NEUTRAL:(4)
 13.1   13.0    333       5
 30.1   29.9    764       6
 41.8   41.6  1,062       7  COMP SAT:(7)
         0.7     17      -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 54-55

```
  V1647                    031A006G:SAT GT ALNG PRN
```

Item Number: 01330

How satisfied are you with . . . G: The way you get along
with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  4.0     3.9     101      1  COMP DIS:(1)
  4.2     4.2     106      2
  6.5     6.5     165      3
 15.2    15.1     386      4  NEUTRAL:(4)
 17.4    17.3     442      5
 24.9    24.8     633      6
 27.9    27.7     708      7  COMP SAT:(7)
          0.6      15     -9  MISSING
-----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 56-57

V1648	031A006H:SAT YOURSELF

Item Number: 01340

How satisfied are you with . . . H: Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
2.9	2.9	74	1	COMP DIS:(1)
3.1	3.0	78	2	
6.0	5.9	151	3	
15.3	15.2	388	4	NEUTRAL:(4)
16.5	16.4	418	5	
26.6	26.4	673	6	
29.7	29.4	751	7	COMP SAT:(7)
	0.9	22	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 58-59

V1649	031A006I:SAT STD OF LVG

Item Number: 01350

How satisfied are you with . . . I: Your standard of living-
-the things you have like housing, car, furniture,
recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	2.1	53	1	COMP DIS:(1)
2.1	2.1	54	2	
5.4	5.3	136	3	
14.3	14.2	363	4	NEUTRAL:(4)
17.0	16.9	431	5	
26.4	26.3	671	6	
32.7	32.5	830	7	COMP SAT:(7)
	0.6	16	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 60-61

V1650	031A006J:SAT TIME FR THG

Item Number: 01360

How satisfied are you with . . . J: The amount of time you
have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	7.0	179	1	COMP DIS:(1)
7.8	7.7	197	2	
15.8	15.7	402	3	
18.9	18.7	479	4	NEUTRAL:(4)
19.4	19.2	491	5	
18.3	18.2	465	6	
12.8	12.7	324	7	COMP SAT:(7)
	0.7	18	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 62-63

V1651	031A006K:SAT SPD LEISR

Item Number: 01370

How satisfied are you with . . . K: The way you spend your
leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.1	3.1	78	1	COMP DIS:(1)
4.0	3.9	101	2	
8.6	8.5	218	3	
18.9	18.8	481	4	NEUTRAL:(4)
19.0	18.9	483	5	
23.4	23.2	593	6	
23.0	22.8	583	7	COMP SAT:(7)
	0.7	18	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 64-65

V1652	031A006L:SAT LIFE AS WHL

Item Number: 01380

How satisfied are you with . . . L: Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  2.2     2.1      55      1  COMP DIS:(1)
  3.3     3.2      83      2
  7.0     6.9     178      3
 19.3    19.1     489      4  NEUTRAL:(4)
 20.9    20.7     529      5
 28.0    27.7     708      6
 19.4    19.2     491      7  COMP SAT:(7)
          0.9      23     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 66-67

```
┌─────────────────────────────────────────────────────────────────────────────┐
│   V1653                    031A006M:SAT GOVT OPRTNG                          │
└─────────────────────────────────────────────────────────────────────────────┘
```

Item Number: 01390

How satisfied are you with . . . M: The way our national
government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 11.7    11.6     296      1  COMP DIS:(1)
  8.2     8.2     209      2
 11.3    11.2     287      3
 32.2    32.0     817      4  NEUTRAL:(4)
 17.8    17.7     452      5
 10.8    10.7     274      6
  7.9     7.8     200      7  COMP SAT:(7)
          0.8      20     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 68-69

```
┌─────────────────────────────────────────────────────────────────────────┐
│       V1654                    031A006N:SAT AMT OF FUN                     │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 01400

How satisfied are you with . . . N: The amount of fun you
are having?

7="Completely Satisfied" 4="Neutral" 1="Completely
Dissatisfied"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  3.4     3.4      87      1  COMP DIS:(1)
  3.8     3.8      97      2
  8.8     8.7     223      3
 15.7    15.6     398      4  NEUTRAL:(4)
 21.9    21.8     556      5
 26.1    26.0     664      6
 20.4    20.3     518      7  COMP SAT:(7)
          0.5      12     -9  MISSING
-----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 70-71

V1655   **031A007A:IMP B SUCCSS WK**

Item Number: 01410

How important is each of the following to you in your life? A:
Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.9	48	1	NOT IMPT:(1)
7.2	7.0	180	2	SOM IMPT:(2)
28.7	28.2	721	3	QUITE IM:(3)
62.2	61.2	1,564	4	EXTR IMP:(4)
	1.6	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 72-73

V1656   **031A007B:IMP GD MRRG & FAM**

Item Number: 01420

How important is each of the following to you in your life? B:
Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.6	3.6	91	1	NOT IMPT:(1)
5.8	5.7	146	2	SOM IMPT:(2)
15.6	15.4	393	3	QUITE IM:(3)
74.9	73.6	1,882	4	EXTR IMP:(4)
	1.7	43	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 74-75

V1657   **031A007C:IMP LOTS OF $**

Item Number: 01430

How important is each of the following to you in your life? C:
Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT VALID	PCT ALL	N	VALUE	LABEL
6.3	6.2	158	1	NOT IMPT:(1)
31.4	30.9	789	2	SOM IMPT:(2)
37.3	36.6	935	3	QUITE IM:(3)
25.0	24.5	627	4	EXTR IMP:(4)
	1.7	45	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 76-77

V1658   **031A007D:IMP TM RCRN & HBY**

Item Number: 01440

How important is each of the following to you in your life? D:
Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.9	49	1	NOT IMPT:(1)
20.3	20.0	510	2	SOM IMPT:(2)
46.0	45.3	1,157	3	QUITE IM:(3)
31.8	31.3	800	4	EXTR IMP:(4)
	1.5	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 78-79

```
┌─────────────────────────────────────────────────────────────────────────┐
│       V1659              031A007E:IMP STRG FRDSHP                         │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 01450

How important is each of the following to you in your life? E:
Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
  1.8     1.8      45      1  NOT IMPT:(1)
  7.4     7.3     187      2  SOM IMPT:(2)
 26.3    25.8     660      3  QUITE IM:(3)
 64.5    63.4   1,620      4  EXTR IMP:(4)
          1.7      42     -9  MISSING
-----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 80-81

```
┌─────────────────────────────────────────────────────────────────────────┐
│       V1660              031A007F:IMP STEADY WORK                         │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 01460

How important is each of the following to you in your life? F:
Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
  1.5     1.5      39      1  NOT IMPT:(1)
  5.7     5.6     143      2  SOM IMPT:(2)
 27.3    27.0     689      3  QUITE IM:(3)
 65.5    64.6   1,650      4  EXTR IMP:(4)
          1.4      35     -9  MISSING
-----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 82-83

V1661   **031A007G:IMP CNTRBTN SOC**

Item Number: 01470

How important is each of the following to you in your life? G:
Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  8.1    8.0    204     1   NOT IMPT:(1)
 31.8   31.3    799     2   SOM IMPT:(2)
 38.1   37.5    958     3   QUITE IM:(3)
 21.9   21.6    551     4   EXTR IMP:(4)
         1.7     44    -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 84-85

V1662   **031A007H:IMP LDR COMUNTY**

Item Number: 01480

How important is each of the following to you in your life? H:
Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 22.7   22.3    570     1   NOT IMPT:(1)
 38.9   38.2    976     2   SOM IMPT:(2)
 24.6   24.1    617     3   QUITE IM:(3)
 13.8   13.6    347     4   EXTR IMP:(4)
         1.8     45    -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 86-87

V1663	031A007I:IMP CHLD BTR OP

Item Number:　01490

How important is each of the following to you in your life? I:
Being able to give my children better　opportunities than I've
had

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  3.3    3.3     84      1  NOT IMPT:(1)
  7.2    7.1    182      2  SOM IMPT:(2)
 25.3   24.8    634      3  QUITE IM:(3)
 64.1   62.9  1,606      4  EXTR IMP:(4)
         1.9     50     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 88-89

V1664   **031A007J:IMP LIV CLS PRN**

    Item Number: 01500

    How important is each of the following to you in your life? J:
    Living close to parents and relatives

    1="Not Important" 2="Somewhat Important" 3="Quite Important"
    4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.5	422	1	NOT IMPT:(1)
36.8	36.1	923	2	SOM IMPT:(2)
28.4	27.9	712	3	QUITE IM:(3)
18.1	17.8	454	4	EXTR IMP:(4)
	1.7	43	-9	MISSING

    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 90-91

V1665   **031A007K:IMP GT AWY AREA**

    Item Number: 01510

    How important is each of the following to you in your life? K:
    Getting away from this area of the country

    1="Not Important" 2="Somewhat Important" 3="Quite Important"
    4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	46.6	1,191	1	NOT IMPT:(1)
25.0	24.6	628	2	SOM IMPT:(2)
14.0	13.8	352	3	QUITE IM:(3)
13.7	13.4	344	4	EXTR IMP:(4)
	1.6	40	-9	MISSING

    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 92-93

V1666   **031A007L:IMP CRRCT INEQL**

Item Number: 01520

How important is each of the following to you in your life? L:
Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 22.4    22.0     563      1  NOT IMPT:(1)
 44.2    43.4   1,108      2  SOM IMPT:(2)
 23.1    22.7     581      3  QUITE IM:(3)
 10.2    10.1     257      4  EXTR IMP:(4)
          1.8      47     -9  MISSING
-----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 94-95

V1667   **031A007M:IMP NEW XPRNCE**

Item Number: 01530

How important is each of the following to you in your life? M:
Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  7.9     7.7     197      1  NOT IMPT:(1)
 33.7    33.1     846      2  SOM IMPT:(2)
 36.6    36.0     919      3  QUITE IM:(3)
 21.8    21.4     546      4  EXTR IMP:(4)
          1.8      46     -9  MISSING
-----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 96-97

V1668	**031A007N:IMP FND PRPS LF**

Item Number: 01540

How important is each of the following to you in your life? N:
Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.4	4.4	112	1	NOT IMPT:(1)
9.7	9.6	245	2	SOM IMPT:(2)
29.1	28.6	731	3	QUITE IM:(3)
56.8	55.9	1,428	4	EXTR IMP:(4)
	1.6	40	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 98-99

V1669	**031A008 :PPL CAN B TRSTD**

Item Number: 01550

Generally speaking, would you say that most people can be
trusted or that you can't be too careful in dealing with
people?

3="Most people can be trusted" 2="Don't know, undecided"
1="Can't be too careful"

PCT VALID	PCT ALL	N	VALUE	LABEL
50.5	48.4	1,238	1	CAREFUL:(1)
29.4	28.3	722	2	DK:(2)
20.1	19.3	494	3	TRST MST:(3)
	4.0	102	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 100-101

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1670                    031A009 :PPL TRY B HLPFL                     │
└─────────────────────────────────────────────────────────────────────────┘
```

    Item Number: 01560

    Would you say that most of the time people try to be helpful
    or that they are mostly just looking out for themselves?

    3="Try to be helpful" 2="Don't know, undecided" 1="Just
    looking out for themselves"

      PCT   PCT   N VALUE LABEL
     VALID   ALL
     39.7   39.1   998   1 FOR SELF:(1)
     37.3   36.7   937   2 DK:(2)
     23.0   22.6   576   3 TRY HELP:(3)
              1.7   44   -9 MISSING
     -----   -----   -----
     100.0   100.0   2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 102-103

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1671                    031A010 :PPL TRY BE FAIR                     │
└─────────────────────────────────────────────────────────────────────────┘
```

    Item Number: 01570

    Do you think most people would try to take advantage of you if
    they got a chance or would they try to be fair?

    3="Would try to be fair" 2="Don't know, undecided" 1="Would
    try to take advantage of you"

      PCT   PCT   N VALUE LABEL
     VALID   ALL
     44.1   43.3   1,105   1 TAKE ADV:(1)
     37.3   36.6   935   2 DK:(2)
     18.6   18.3   467   3 TRY FAIR:(3)
              1.8   47   -9 MISSING
     -----   -----   -----
     100.0   100.0   2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 104-105

V1672   **031A011A:-OBY LW=-GD CTZ**

Item Number: 01580

These next questions ask your opinions about a number of
different topics. How much do you agree or disagree with
each statement below? A: I feel that you can't be a good
citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
20.6	20.3	517	1	DISAGREE:(1)
21.2	20.8	532	2	MOST DIS:(2)
25.6	25.2	644	3	NEITHER:(3)
25.4	25.0	638	4	MOST AGR:(4)
7.2	7.1	182	5	AGREE:(5)
	1.6	41	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 106-107

V1673   **031A011B:GD CTZN ALG GOV**

Item Number: 01590

How much do you agree or disagree with each statement below?
B: I feel good citizens should go along with whatever the
government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
36.9	36.3	928	1	DISAGREE:(1)
26.0	25.6	653	2	MOST DIS:(2)
20.6	20.2	517	3	NEITHER:(3)
12.6	12.4	318	4	MOST AGR:(4)
3.8	3.8	97	5	AGREE:(5)
	1.6	42	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 108-109

V1674   **031A011C:GD CTZN CHG GOV**

Item Number: 01600

How much do you agree or disagree with each statement below?
C: I feel good citizens try to change the government
policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  6.6    6.4    164     1  DISAGREE:(1)
  9.2    9.0    230     2  MOST DIS:(2)
 33.7   33.0    844     3  NEITHER:(3)
 30.5   29.8    763     4  MOST AGR:(4)
 20.1   19.7    504     5  AGREE:(5)
         2.0     51    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 110-111

V1675   **031A011D:VOTE->MAJ IMPCT**

Item Number: 01610

How much do you agree or disagree with each statement below?
D: The way people vote has a major impact on how things are
run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  6.8    6.6    170     1  DISAGREE:(1)
  9.1    9.0    229     2  MOST DIS:(2)
 19.6   19.3    493     3  NEITHER:(3)
 33.6   33.0    843     4  MOST AGR:(4)
 30.9   30.4    777     5  AGREE:(5)
         1.7     44    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 112-113

V1676   **031A011E:CTZN GRP HV EFC**

Item Number: 01620

How much do you agree or disagree with each statement below?
E: People who get together in citizen action groups to
influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  6.2    6.0     154      1  DISAGREE:(1)
 10.3   10.1     258      2  MOST DIS:(2)
 36.7   35.9     917      3  NEITHER:(3)
 31.0   30.3     775      4  MOST AGR:(4)
 15.8   15.4     394      5  AGREE:(5)
         2.3      58     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 114-115

V1677   **031A011F:OUR SYST ST BS**

Item Number: 01630

How much do you agree or disagree with each statement below?
F: Despite its many faults, our system of doing things is
still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  6.4    6.2     160      1  DISAGREE:(1)
  9.2    9.1     232      2  MOST DIS:(2)
 28.6   28.1     717      3  NEITHER:(3)
 29.9   29.3     749      4  MOST AGR:(4)
 25.9   25.5     651      5  AGREE:(5)
         1.9      47     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 116-117

```
    V1678                    031A011G:US NEEDS GROWTH
```

Item Number: 01640

How much do you agree or disagree with each statement below?
G: America needs growth to survive, and that is going to
require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
    PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   27.8   27.2    694      1  DISAGREE:(1)
   21.2   20.8    530      2  MOST DIS:(2)
   31.1   30.3    775      3  NEITHER:(3)
   13.6   13.3    340      4  MOST AGR:(4)
    6.2    6.1    156      5  AGREE:(5)
           2.3     59     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 118-119

```
    V1679                    031A011H:LV THNGS TO GOD
```

Item Number: 01650

How much do you agree or disagree with each statement below?
H: If we just leave things to God, they will turn out for
the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
    PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   20.1   19.6    502      1  DISAGREE:(1)
   10.1    9.9    252      2  MOST DIS:(2)
   24.2   23.7    605      3  NEITHER:(3)
   17.5   17.1    437      4  MOST AGR:(4)
   28.1   27.4    701      5  AGREE:(5)
           2.3     58     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 120-121

V1680	**031A011I:GO SCH ENJY XPR**	

Item Number: 01660

How much do you agree or disagree with each statement below?
I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT     N  VALUE  LABEL
VALID    ALL
  9.0    8.8    225     1  DISAGREE:(1)
 10.9   10.7    272     2  MOST DIS:(2)
 21.6   21.2    542     3  NEITHER:(3)
 38.0   37.4    955     4  MOST AGR:(4)
 20.6   20.2    516     5  AGREE:(5)
         1.8     45    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 122-123

V1681	**031A011J:DO WL SC IMP/JB**	

Item Number: 01670

How much do you agree or disagree with each statement below?
J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT     N  VALUE  LABEL
VALID    ALL
  2.9    2.8     72     1  DISAGREE:(1)
  3.9    3.8     98     2  MOST DIS:(2)
  9.3    9.1    233     3  NEITHER:(3)
 29.0   28.5    728     4  MOST AGR:(4)
 54.9   54.0  1,380     5  AGREE:(5)
         1.7     43    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 124-125

V1766	031A012A:RSK OF CIG1+PK/

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  2.9    2.9     74     1  NO RISK:(1)
  3.7    3.7     94     2  SLIGHT:(2)
 18.4   18.1    462     3  MOD RISK:(3)
 71.3   70.2  1,793     4  GRT RISK:(4)
  3.7    3.6     92     5  CANT SAY:(5)
         1.6     40    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 126-127

```
    V1767              031A012B:RSK OF MJ 1-2 X
```

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . . B: Try
marijuana once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 37.0   36.4    930      1  NO RISK:(1)
 30.4   30.0    766      2  SLIGHT:(2)
 13.5   13.3    339      3  MOD RISK:(3)
 14.5   14.2    364      4  GRT RISK:(4)
  4.6    4.6    117      5  CANT SAY:(5)
         1.5     39     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 128-129

```
    V1768              031A012C:RSK OF MJ OCSNL
```

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . . C: Smoke
marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 15.3   15.0    384      1  NO RISK:(1)
 28.4   28.0    714      2  SLIGHT:(2)
 29.0   28.5    729      3  MOD RISK:(3)
 22.6   22.2    568      4  GRT RISK:(4)
  4.8    4.7    121      5  CANT SAY:(5)
         1.5     39     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 130-131

```
  V1769                    031A012D:RSK OF MJ REGLY
```

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . . D: Smoke
marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  8.0     7.8     200      1  NO RISK:(1)
 11.9    11.6     298      2  SLIGHT:(2)
 22.2    21.8     557      3  MOD RISK:(3)
 53.0    52.0   1,329      4  GRT RISK:(4)
  4.9     4.8     124      5  CANT SAY:(5)
          1.9      48     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 132-133

```
  V1770                    031A012E:RSK COK PWDR 1-
```

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . . E: Try cocaine
in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  6.5     6.4     164      1  NO RISK:(1)
 17.3    17.0     435      2  SLIGHT:(2)
 24.8    24.4     624      3  MOD RISK:(3)
 42.9    42.2   1,078      4  GRT RISK:(4)
  8.5     8.4     213      5  CANT SAY:(5)
          1.6      42     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 134-135

V1771   **031A012F:RSK COK PWDR OC**

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . . F: Take
cocaine powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	3.3	85	1	NO RISK:(1)
4.6	4.5	116	2	SLIGHT:(2)
22.2	21.8	557	3	MOD RISK:(3)
61.2	60.2	1,538	4	GRT RISK:(4)
8.6	8.4	216	5	CANT SAY:(5)
	1.7	43	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 136-137

V1772   **031A012G:RSK COK PWDR RE**

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . . G: Take
cocaine powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	3.0	75	1	NO RISK:(1)
1.0	1.0	24	2	SLIGHT:(2)
4.8	4.7	121	3	MOD RISK:(3)
82.5	81.1	2,072	4	GRT RISK:(4)
8.7	8.5	217	5	CANT SAY:(5)
	1.8	45	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 138-139

```
    V1773              031A012H:RSK CRACK 1-2X
```

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . . H: Try "crack"
cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  5.0     4.9     125      1  NO RISK:(1)
 13.7    13.5     345      2  SLIGHT:(2)
 21.7    21.3     544      3  MOD RISK:(3)
 49.5    48.6   1,242      4  GRT RISK:(4)
 10.1     9.9     253      5  CANT SAY:(5)
          1.8      47     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 140-141

```
    V1774              031A012I:RSK CRACK OCC
```

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they. . . I: Take "crack"
cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  2.9     2.8      73      1  NO RISK:(1)
  2.4     2.3      60      2  SLIGHT:(2)
 17.6    17.3     443      3  MOD RISK:(3)
 67.1    66.0   1,687      4  GRT RISK:(4)
 10.0     9.9     252      5  CANT SAY:(5)
          1.6      41     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 142-143

```
        V1775                   031A012J:RSK CRACK REG
```

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . . J: Take "crack"
cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  2.9     2.9      73      1  NO RISK:(1)
  1.1     1.1      28      2  SLIGHT:(2)
  2.2     2.2      56      3  MOD RISK:(3)
 83.6    81.9   2,093      4  GRT RISK:(4)
 10.2    10.0     254      5  CANT SAY:(5)
          2.0      51     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 144-145

```
        V1776                   031A012K:RSK OF 1-2 DRIN
```

Item Number: 12510

How much do you think people risk harming themselves
(physically or in other ways), if they . . . K: Try one or
two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 48.6    47.8   1,220      1  NO RISK:(1)
 32.0    31.5     804      2  SLIGHT:(2)
  8.4     8.3     212      3  MOD RISK:(3)
  8.1     8.0     203      4  GRT RISK:(4)
  2.9     2.8      73      5  CANT SAY:(5)
          1.7      43     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 146-147

```
┌──────────────────────────────────────────────────────────────────────────┐
│    V1777                    031A012L:RSK OF 1-2 DR/D                        │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they . . . L: Take one or
two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
  14.5    14.2     364       1   NO RISK:(1)
  30.6    30.1     769       2   SLIGHT:(2)
  32.2    31.7     810       3   MOD RISK:(3)
  19.5    19.2     491       4   GRT RISK:(4)
   3.3     3.2      82       5   CANT SAY:(5)
           1.5      39      -9   MISSING
 -----   -----   -----
 100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 148-149

```
┌──────────────────────────────────────────────────────────────────────────┐
│    V1778                    031A012M:RSK OF 4-5 DR/D                        │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they . . . M: Take four
or five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
   5.5     5.4     138       1   NO RISK:(1)
   9.0     8.8     226       2   SLIGHT:(2)
  24.9    24.5     625       3   MOD RISK:(3)
  57.1    56.0   1,432       4   GRT RISK:(4)
   3.5     3.5      88       5   CANT SAY:(5)
           1.8      46      -9   MISSING
 -----   -----   -----
 100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 150-151

V1779   **031A012N:RSK OF 5+DR/WKN**

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they. . . N: Have five or
more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 10.5   10.4    265     1  NO RISK:(1)
 16.6   16.3    416     2  SLIGHT:(2)
 26.9   26.4    675     3  MOD RISK:(3)
 42.6   41.8  1,067     4  GRT RISK:(4)
  3.4    3.3     85     5  CANT SAY:(5)
         1.8     47    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 152-153

V1808   **031A012O:RSK H -NDL 1-2X**

Item Number: 29600

How much do you think people risk harming themselves
(physically or in other ways), if they. . . O: Try heroin
once or twice without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  3.7    3.6     92     1  NO RISK:(1)
  6.5    6.4    164     2  SLIGHT:(2)
 17.2   16.9    432     3  MOD RISK:(3)
 58.8   57.8  1,477     4  GRT RISK:(4)
 13.7   13.5    345     5  CANT SAY:(5)
         1.7     44    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 154-155

```
  V1809                    031A012P:RSK H -NDL OCC
```

Item Number: 29610

How much do you think people risk harming themselves
(physically or in other ways), if they. . . P: Take heroin
occasionally without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  3.3    3.2     82      1  NO RISK:(1)
  1.3    1.3     33      2  SLIGHT:(2)
  8.8    8.7    222      3  MOD RISK:(3)
 72.9   71.7  1,832      4  GRT RISK:(4)
 13.6   13.4    342      5  CANT SAY:(5)
         1.7     43     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 156-157

```
  V1780                    031A013A:EASY GT MARIJUA
```

Item Number: 06750

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some? A:
Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  3.4    3.3     84      1  PROB IMP:(1)
  2.5    2.4     62      2  VRY DIFF:(2)
  4.6    4.5    114      3  FRLY DIF:(3)
 24.5   23.9    611      4  FRLY EAS:(4)
 65.1   63.6  1,625      5  VRY EASY:(5)
         2.3     60     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 158-159

```
    V1781                    031A013B:EASY GT CRACK
```

Item Number: 06811

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some? B: "Crack"
cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

```
    PCT    PCT     N  VALUE  LABEL
  VALID    ALL
    9.8    9.5    243      1  PROB IMP:(1)
   15.6   15.2    389      2  VRY DIFF:(2)
   31.3   30.5    779      3  FRLY DIF:(3)
   27.4   26.7    683      4  FRLY EAS:(4)
   15.8   15.4    394      5  VRY EASY:(5)
           2.6     66     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 160-161

```
    V1782                    031A013C:EASY GT COK PWD
```

Item Number: 06812

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some? C: Cocaine
powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

```
    PCT    PCT     N  VALUE  LABEL
  VALID    ALL
   10.6   10.4    265      1  PROB IMP:(1)
   16.8   16.4    418      2  VRY DIFF:(2)
   27.3   26.6    680      3  FRLY DIF:(3)
   27.8   27.1    693      4  FRLY EAS:(4)
   17.4   17.0    433      5  VRY EASY:(5)
           2.6     67     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 162-163

```
   V1208              031B001 :EVR SMK CIG,REG
```

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you
ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally
but not regularly" 4="Regularly in the past" 5="Regularly
now"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 46.8   45.5  1,162     1  NEVER:(1)
 23.1   22.4    573     2  1-2X:(2)
 10.7   10.4    266     3  OCCASNLY:(3)
  5.9    5.8    148     4  REG PAST:(4)
 13.5   13.1    336     5  REG NOW:(5)
         2.8     70    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 164-165

```
   V1101              031B001 :EVR SMK CIG,REG
```

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you
ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"
4="Regularly in the past" 5="Regularly now"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 46.8   45.5  1,162     1  NEVER:(1)
 23.1   22.4    573     2  1-2X:(2)
 10.7   10.4    266     3  OCCASNLY:(3)
  5.9    5.8    148     4  REG PAST:(4)
 13.5   13.1    336     5  REG NOW:(5)
         2.8     70    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 166-167

V1210	031B002 :#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 53.5   27.7   707      1  NT DAILY:(1)
 15.2    7.8   200      2  <1 CIG/D:(2)
 14.2    7.3   187      3  1-5/DAY:(3)
 10.0    5.2   132      4  1/2 PK:(4)
  5.5    2.8    73      5  1 PK:(5)
  0.9    0.5    12      6  1 1/2 PK:(6)
  0.8    0.4    11      7  2+ PKS:(7)
        48.3 1,233     -9  MISSING
-----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 168-169

```
┌──────────────────────────────────────────────────────────────────┐
│     V1102                   031B002 :#CIGS SMKD/30DA               │
└──────────────────────────────────────────────────────────────────┘
```

Item Number: 00780

How frequently have you smoked cigarettes during the past 30
days?

1="Not at all"[includes respondents who reported nonuse above]
2="Less than one cigarette per day" 3="One to five cigarettes
per day" 4="About one-half pack per day" 5="About one pack per
day" 6="About one and one-half packs per day" 7="Two packs or
more per day"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  75.2    73.1  1,869      1  NONE:(1)
   8.1     7.8    200      2  <1 CIG/D:(2)
   7.5     7.3    187      3  1-5/DAY:(3)
   5.3     5.2    132      4  1/2PK/D:(4)
   2.9     2.8     73      5  1 PK/DA:(5)
   0.5     0.5     12      6  1 1/2PK/:(6)
   0.4     0.4     11      7  2+ PKS/D:(7)
           2.8     71     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 170-171

```
┌─────────────────────────────────────────────────────────────────────────┐
│    V1752                031B003 :#CIG/DAY-30DAYS                          │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 00781

To be more precise, during the past 30 days about how many
cigarettes have you smoked per day?

01="None" 02="Less than 1 per day" 03="1 to 2" 04="3 to 7"
05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28
to 32" 10="33 to 37" 11="38 or more"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 53.1   27.4     701      1   NONE:(1)
 11.1    5.7     146      2   <1/DAY:(2)
  7.0    3.6      92      3   1-2:(3)
 10.6    5.5     140      4   3-7:(4)
  6.3    3.3      83      5   8-12:(5)
  4.5    2.3      59      6   13-17:(6)
  2.2    1.1      28      7   18-22:(7)
  1.2    0.6      15      8   23-27:(8)
  0.2    0.1       3      9   28-32:(9)
  0.2    0.1       3     10   33-37:(10)
  3.8    2.0      50     11   38+:(11)
         48.3   1,235     -9   MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 172-174

```
┌──────────────────────────────────────────────────────────────────────────┐
│     V1211                     031B004A:TRY STP SMK & FL                    │
└──────────────────────────────────────────────────────────────────────────┘
```

     Item Number: 01690

     Have you ever tried to stop smoking and found that you could
not?

     1="Yes" 2="No"

```
    PCT    PCT     N  VALUE  LABEL
  VALID    ALL
   18.5    9.3    238      1  YES:(1)
   81.5   41.0  1,048      2  NO:(2)
          49.7  1,269     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
Missing-data code: -9
Columns: 175-176

```
┌──────────────────────────────────────────────────────────────────────────┐
│     V1754                     031B004B:#X TRY STOP SMK                     │
└──────────────────────────────────────────────────────────────────────────┘
```

     Item Number: 01691

     How many times (if any) have you tried to stop smoking?

     1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

```
    PCT    PCT     N  VALUE  LABEL
  VALID    ALL
   58.5   28.9    740      1  NONE:(1)
   20.8   10.3    264      2  ONCE:(2)
   11.7    5.8    148      3  TWICE:(3)
    7.3    3.6     93      4  3-5X:(4)
    0.9    0.4     11      5  6-9X:(5)
    0.8    0.4     10      6  10+X:(6)
          50.5  1,290     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
Missing-data code: -9
Columns: 177-178

V1212	031B004C:WNT STP SMK NW

```
        Item Number:  01700

        Do you want to stop smoking now?

        1="Yes" 2="No" 8="Don't smoke now"

          PCT     PCT     N   VALUE   LABEL
        VALID    ALL
         16.2    8.2     210      1   YES:(1)
         20.6   10.5     268      2   NO:(2)
         63.2   32.1     820      8   DNT SMOK:(8)
                49.2   1,258     -9   MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 179-180
```

```
┌────────────────────────────────────────────────────────────────────────┐
│   V1810                   031B005 :USUAL CIG BRAND                        │
└────────────────────────────────────────────────────────────────────────┘
```

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in
alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"
04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"
09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"
14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"
19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims"
23="Winston" 24="Other" 25="No Usual Brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	1	BASIC:(1)
0.3	0.1	3	2	B & H:(2)
0.1	0.0	1	3	B & W:(3)
0.0	0.0	0	4	CAMBRIDGE:(4)
7.8	3.3	84	5	CAMEL:(5)
0.2	0.1	2	6	CAPRI:(6)
0.1	0.1	1	7	CARLTON:(7)
0.1	0.0	1	8	DORAL:(8)
0.1	0.1	2	9	GPC:(9)
0.3	0.1	4	10	KENT:(10)
0.7	0.3	8	11	KOOL:(11)
43.9	18.5	472	12	MARLBORO:(12)
0.0	0.0	0	13	MERIT:(13)
0.2	0.1	2	14	MISTY:(14)
0.1	0.0	1	15	MONARCH:(15)
0.0	0.0	0	16	MORE:(16)
11.1	4.7	120	17	NEWPORT:(17)
0.8	0.3	8	18	PALLMALL:(18)
2.7	1.1	29	19	PARLIAMENT:(19)
0.3	0.1	3	20	SALEM:(20)
0.0	0.0	0	21	VANTAGE:(21)
0.9	0.4	10	22	VA SLIMS:(22)
0.2	0.1	3	23	WINSTON:(23)
6.3	2.6	68	24	OTHER:(24)
23.7	10.0	255	25	NO USUAL:(25)
	57.8	1,478	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	
```

Data type: numeric
Missing-data code: -9
Columns: 181-183

| V1213 | 031B006 :NO SMK IN 5 YR |
|-------|-------------------------|

Item Number:  01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  1.1    1.1     28      1  DEF WILL:(1)
 10.0    9.9    253      2  PRB WILL:(2)
 19.8   19.5    499      3  PRB WONT:(3)
 69.0   68.1  1,739      4  DEF WONT:(4)
         1.4     36     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 184-185

V1214   **031B007A:#X ALC/LIF SIPS**

```
          Item Number:

          The next questions are about ALCOHOLIC BEVERAGES, including
          beer, wine, wine coolers, and liquor.  On  how many occasions
          (if any) have you had alcohol to drink--more than just a few
          sips . . . a. in your lifetime?

          1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
          Occasions" 5="10-19 Occasions" 6="20-39  Occasions" 7="40 or
          More"
```

PCT VALID	PCT ALL	N	VALUE	LABEL
19.7	18.9	482	1	0 OCCAS:(1)
11.9	11.4	291	2	1-2X:(2)
12.3	11.8	302	3	3-5X:(3)
9.3	8.9	228	4	6-9X:(4)
11.0	10.6	271	5	10-19X:(5)
11.3	10.8	277	6	20-39X:(6)
24.5	23.6	602	7	40+OCCAS:(7)
	4.0	102	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

```
          Data type: numeric
          Missing-data code: -9
          Columns: 186-187
```

V1104	031B007A:#X ALC/LIF SIPS

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including
beer, wine, wine coolers, and liquor. On how many occasions
(if any) have you had alcohol to drink--more than just a few
sips . . . a. in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 19.7    18.9     482      1  0 OCCAS:(1)
 11.9    11.4     291      2  1-2X:(2)
 12.3    11.8     302      3  3-5X:(3)
  9.3     8.9     228      4  6-9X:(4)
 11.0    10.6     271      5  10-19X:(5)
 11.3    10.8     277      6  20-39X:(6)
 24.5    23.6     602      7  40+OCCAS:(7)
          4.0     102     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 188-189

V1215	031B007B:#X ALC/ANN SIPS

Item Number:

On how many occasions (if any) have you had alcohol to drink--
more than just a few sips . . .b. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
29.7	28.4	727	1	0 OCCAS:(1)
16.8	16.1	411	2	1-2X:(2)
13.2	12.6	322	3	3-5X:(3)
10.3	9.9	253	4	6-9X:(4)
13.3	12.7	325	5	10-19X:(5)
6.8	6.5	167	6	20-39X:(6)
9.8	9.4	241	7	40+OCCAS:(7)
	4.3	110	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 190-191

V1105	031B007B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink--
more than just a few sips . . . b. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 29.7   28.4    727     1  0 OCCAS:(1)
 16.8   16.1    411     2  1-2X:(2)
 13.2   12.6    322     3  3-5X:(3)
 10.3    9.9    253     4  6-9X:(4)
 13.3   12.7    325     5  10-19X:(5)
  6.8    6.5    167     6  20-39X:(6)
  9.8    9.4    241     7  40+OCCAS:(7)
         4.3    110    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 192-193

V1216	031B007C:#X ALC/30D SIPS

Item Number:

On how many occasions (if any) have you had alcohol to drink--
more than just a few sips . . . c. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
52.0	49.8	1,274	1	0 OCCAS:(1)
20.0	19.2	490	2	1-2X:(2)
12.0	11.5	295	3	3-5X:(3)
7.7	7.4	188	4	6-9X:(4)
4.5	4.3	110	5	10-19X:(5)
1.4	1.3	34	6	20-39X:(6)
2.3	2.2	56	7	40+OCCAS:(7)
	4.2	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 194-195

V1106	031B007C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink--
more than just a few sips . . . c. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
52.0	49.8	1,274	1	0 OCCAS:(1)
20.0	19.2	490	2	1-2X:(2)
12.0	11.5	295	3	3-5X:(3)
7.7	7.4	188	4	6-9X:(4)
4.5	4.3	110	5	10-19X:(5)
1.4	1.3	34	6	20-39X:(6)
2.3	2.2	56	7	40+OCCAS:(7)
	4.2	108	-9	MISSING

```
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 196-197

```
┌─────────────────────────────────────────────────────────────────────────────┐
│   V1217                      031B008A:#X/YR ALC ALONE                        │
└─────────────────────────────────────────────────────────────────────────────┘
```

```
        Item Number:  01720

        IF YOU HAVE NOT HAD ANY BEER, WINE, WINE COOLERS, OR LIQUOR IN
        THE LAST TWELVE MONTHS,  GO TO QUESTION 16.  When you used
        alcohol during the last year, how often did you use it in each
        of the  following situations? A:  When you were alone

        1="Not at all" 2="A few of the times" 3="Some of the times"
        4="Most of the times" 5="Every time"

          PCT    PCT     N  VALUE  LABEL
        VALID   ALL
         77.6   52.1  1,331      1  NOT @ALL:(1)
         16.8   11.3    289      2  FEW TIME:(2)
          4.0    2.7     69      3  SOM TIME:(3)
          0.8    0.5     14      4  MST TIME:(4)
          0.8    0.5     13      5  EVRYTIME:(5)
                32.8    839     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 198-199
```

```
     V1218              031B008B:#X/YR ALC-2 PPL
```

Item Number: 01730

When you used alcohol during the last year, how often did you
use it in each of the following situations? B: With just 1
or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  24.1   16.1     411      1   NOT @ALL:(1)
  38.5   25.7     658      2   FEW TIME:(2)
  19.3   12.9     329      3   SOM TIME:(3)
  11.9    8.0     204      4   MST TIME:(4)
   6.2    4.1     105      5   EVRYTIME:(5)
         33.2     848     -9   MISSING
 -----  -----   -----
 100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 200-201

```
     V1219              031B008C:#X/YR ALC@PARTY
```

Item Number: 01740

When you used alcohol during the last year, how often did you
use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  15.0   10.0     254      1   NOT @ALL:(1)
  16.9   11.3     288      2   FEW TIME:(2)
  14.1    9.4     241      3   SOM TIME:(3)
  34.0   22.6     578      4   MST TIME:(4)
  20.0   13.3     340      5   EVRYTIME:(5)
         33.4     854     -9   MISSING
 -----  -----   -----
 100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 202-203

V1220   **031B008D:#X/YR ALC-DT/SP**

Item Number: 01750

When you used alcohol during the last year, how often did you
use it in each of the following situations? D: When your
date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 47.0   31.1   794      1  NOT @ALL:(1)
 22.0   14.5   372      2  FEW TIME:(2)
 14.2    9.4   240      3  SOM TIME:(3)
 10.2    6.7   172      4  MST TIME:(4)
  6.6    4.3   111      5  EVRYTIME:(5)
        33.9   867     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 204-205

V1221   **031B008E:#X/YR ALC-ADLTS**

Item Number: 01760

When you used alcohol during the last year, how often did you
use it in each of the following situations? E: When people
over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 44.1   29.4   752      1  NOT @ALL:(1)
 29.1   19.4   496      2  FEW TIME:(2)
 14.4    9.7   247      3  SOM TIME:(3)
  7.5    5.0   128      4  MST TIME:(4)
  4.9    3.3    83      5  EVRYTIME:(5)
        33.2   848     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 206-207

V1222	031B008F:#X/YR ALC-DATIM

Item Number: 01770

When you used alcohol during the last year, how often did you
use it in each of the following situations? F: During the
daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
VALID   ALL
 66.3   44.3  1,132     1  NOT @ALL:(1)
 22.9   15.3   391      2  FEW TIME:(2)
  7.9    5.3   135      3  SOM TIME:(3)
  1.4    0.9    23      4  MST TIME:(4)
  1.5    1.0    26      5  EVRYTIME:(5)
        33.2   848     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 208-209

V1223	031B008G:#X/YR ALC@HOME

Item Number: 01780

When you used alcohol during the last year, how often did you
use it in each of the following situations? G: At your home
(or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
VALID   ALL
 43.7   29.3   748      1  NOT @ALL:(1)
 28.0   18.7   479      2  FEW TIME:(2)
 13.4    9.0   229      3  SOM TIME:(3)
  8.8    5.9   151      4  MST TIME:(4)
  6.1    4.1   104      5  EVRYTIME:(5)
        33.0   844     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 210-211

```
    V1224              031B008H:#X/YR ALC@SCHL
```

Item Number: 01790

When you used alcohol during the last year, how often did you
use it in each of the following situations? H: At   school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 92.5   61.9  1,582      1  NOT @ALL:(1)
  5.1    3.4     87      2  FEW TIME:(2)
  1.3    0.9     23      3  SOM TIME:(3)
  0.5    0.3      8      4  MST TIME:(4)
  0.6    0.4     10      5  EVRYTIME:(5)
        33.1    845     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 212-213

```
    V1225              031B008I:#X/YR ALCIN CAR
```

Item Number: 01810

When you used alcohol during the last year, how often did you
use it in each of the following situations? I: In a   car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 69.4   46.4  1,186      1  NOT @ALL:(1)
 17.8   11.9    305      2  FEW TIME:(2)
  9.3    6.2    159      3  SOM TIME:(3)
  2.4    1.6     42      4  MST TIME:(4)
  1.0    0.7     18      5  EVRYTIME:(5)
        33.1    846     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 214-215

V1811	**031B008J:#X/YR ALC@PARK/B**

Item Number: 30910

When you used alcohol during the last year, how often did you
use it in each of the following situations? J. At a park or
beach.

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 68.0   45.5  1,163     1  NOT @ALL:(1)
 17.4   11.6   297      2  FEW TIME:(2)
  9.9    6.6   170      3  SOM TIME:(3)
  3.2    2.2    55      4  MST TIME:(4)
  1.5    1.0    26      5  EVRYTIME:(5)
        33.0   844     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 216-217

```
  V1812                    031B008K:#X/YR ALC@BAR/RT
```

Item Number: 30920

When you used alcohol during the last year, how often did you
use it in each of the following situations? K. At a bar or
restaurant.

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
69.2	46.3	1,183	1	NOT @ALL:(1)
18.0	12.1	308	2	FEW TIME:(2)
7.7	5.2	132	3	SOM TIME:(3)
2.9	1.9	50	4	MST TIME:(4)
2.2	1.4	37	5	EVRYTIME:(5)
	33.1	845	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 218-219

```
  V1226                    031B009A:ALC EXPERIMENT
```

Item Number: 01820

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.) A. To
experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
50.2	33.0	843	0	NT MARKD:(0)
49.8	32.7	835	1	MARKED:(1)
	34.3	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 220-221

```
┌─────────────────────────────────────────────────────────────────────────┐
│       V1227                    031B009B:ALC RELAX                         │
└─────────────────────────────────────────────────────────────────────────┘
```

     Item Number: 01830

     What have been the most important reasons for your drinking
     alcoholic beverages? (Mark all that apply.) B. To relax or
     relieve tension

     0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
54.9	36.1	921	0	NT MARKD:(0)
45.1	29.6	756	1	MARKED:(1)
	34.3	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 222-223

```
┌─────────────────────────────────────────────────────────────────────────┐
│       V1228                    031B009C:ALC GET HIGH                      │
└─────────────────────────────────────────────────────────────────────────┘
```

     Item Number: 01840

     What have been the most important reasons for your drinking
     alcoholic beverages? (Mark all that apply.) C. To feel good
     or get high

     0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
58.7	38.6	985	0	NT MARKD:(0)
41.3	27.1	692	1	MARKED:(1)
	34.3	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 224-225

```
 _____
|                                                                |
|      V1229               031B009D:ALC SEEK INSGHT              |
|_____|
```

        Item Number: 01850

        What have been the most important reasons for your drinking
        alcoholic beverages? (Mark all that apply.) D. To seek
        deeper insights and understanding

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         94.8   62.3 1,591   0 NT MARKD:(0)
          5.2   3.4   87   1 MARKED:(1)
                34.3   878   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 226-227

```
 _____
|                                                                |
|      V1230               031B009E:ALC GD TM FRNDS             |
|_____|
```

        Item Number: 01860

        What have been the most important reasons for your drinking
        alcoholic beverages? (Mark all that apply.) E. To have a
        good time with my friends

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         26.7   17.5   447   0 NT MARKD:(0)
         73.3   48.1 1,230   1 MARKED:(1)
                34.3   878   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 228-229

V1231	031B009F:ALC FIT IN GRP

Item Number: 01870

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.) F. To fit in
with a group I like

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 92.8   60.9  1,557      0  NT MARKD:(0)
  7.2    4.7    121      1  MARKED:(1)
        34.3    878     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 230-231

V1232	031B009G:ALC GET AWY PRB

Item Number: 01880

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.) G. To get away
from my problems or troubles

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 77.1   50.6  1,294      0  NT MARKD:(0)
 22.9   15.0    384      1  MARKED:(1)
        34.3    878     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 232-233

```
    V1233                    031B009H:ALC BOREDOM
```

```
        Item Number:  01890

        What have been the most important reasons for your drinking
        alcoholic beverages?  (Mark all that apply.) H.   Because of
        boredom, nothing else to do

        0="UNMARKED" 1="MARKED"

          PCT    PCT       N  VALUE  LABEL
        VALID   ALL
         77.1   50.6  1,293      0  NT MARKD:(0)
         22.9   15.0    384      1  MARKED:(1)
                34.3    878     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 234-235
```

```
    V1234                    031B009I:ALC ANGR & FRSTRN
```

```
        Item Number:  01900

        What have been the most important reasons for your drinking
        alcoholic beverages?  (Mark all that apply.) I.     Because of
        anger or frustration

        0="UNMARKED" 1="MARKED"

          PCT    PCT       N  VALUE  LABEL
        VALID   ALL
         84.5   55.5  1,417      0  NT MARKD:(0)
         15.5   10.2    260      1  MARKED:(1)
                34.3    878     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 236-237
```

V1235   **031B009J:ALC GT THRU DAY**

Item Number: 01910

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.) J.   To get
through the day

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 97.0   63.7  1,626      0  NT MARKD:(0)
  3.0    2.0     51      1  MARKED:(1)
        34.3    878     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 238-239

V1236   **031B009K:ALC INCRS EF DR**

Item Number: 01920

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.) K.   To increase
the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 92.9   61.0  1,559      0  NT MARKD:(0)
  7.1    4.6    118      1  MARKED:(1)
        34.3    878     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 240-241

V1237   **031B009L:ALC DECRS EF DR**

    Item Number: 01930

    What have been the most important reasons for your drinking
    alcoholic beverages? (Mark all that apply.) L. To decrease
    (offset) the effects of some other drug(s)

    0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
    VALID   ALL
     98.9   64.9 1,659   0 NT MARKD:(0)
      1.1   0.7   19   1 MARKED:(1)
            34.3   878   -9 MISSING
    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 242-243

V1238   **031B009M:ALC GET SLEEP**

    Item Number: 01940

    What have been the most important reasons for your drinking
    alcoholic beverages? (Mark all that apply.) M. To get to
    sleep

    0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
    VALID   ALL
     94.0   61.7 1,577   0 NT MARKD:(0)
      6.0   3.9   100   1 MARKED:(1)
            34.3   878   -9 MISSING
    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 244-245

```
    V1239                 031B009N:ALC TASTES GOOD
```

Item Number: 01950

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.) N.   Because it
tastes good

0="UNMARKED" 1="MARKED"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 59.2   38.9    993       0  NT MARKD:(0)
 40.8   26.8    685       1  MARKED:(1)
        34.3    878      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 246-247

```
    V1240                 031B009O:ALC I AM HOOKED
```

Item Number: 01960

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.) O.   Because I am
"hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 97.8   64.2  1,641       0  NT MARKD:(0)
  2.2    1.4     37       1  MARKED:(1)
        34.3    878      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 248-249

```
+-----------------------------------------------------------------------+
|     V1241                031B010 :#X DRK ENF FL H                     |
+-----------------------------------------------------------------------+
```

          Item Number: 01970

          When you drink alcoholic beverages, how high do you usually
          get?

          1="Not at all high" 2="A little high" 3="Moderately high"
          4="Very high"

            PCT   PCT   N VALUE LABEL
          VALID   ALL
           20.9 13.9   354   1 NOT HIGH:(1)
           28.3 18.8   480   2 LIT HIGH:(2)
           37.7 25.0   639   3 MOD HIGH:(3)
           13.1   8.7   222   4 VRY HIGH:(4)
                 33.6   859   -9 MISSING
          ----- ----- -----
          100.0 100.0 2,555 cases (Wtd)

          Data type: numeric
          Missing-data code: -9
          Columns: 250-251

```
+-----------------------------------------------------------------------+
|     V1242                031B011 :DRK AL,HI24+HR                      |
+-----------------------------------------------------------------------+
```

          Item Number: 01980

          When you drink alcoholic beverages, how long do you usually
          stay high?

          1="Usually don't get high" 2="One to two hours" 3="Three to
          six hours" 4="Seven to 24 hours" 5="More than 24 hours"

            PCT   PCT   N VALUE LABEL
          VALID   ALL
           22.2 14.7   374   1 N GET HI:(1)
           32.6 21.5   550   2 1-2 HRS:(2)
           39.2 25.8   660   3 3-6 HRS:(3)
            5.4   3.5   90   4 7-24 HRS:(4)
            0.6   0.4   11   5 >24 HRS:(5)
                 34.0   869   -9 MISSING
          ----- ----- -----
          100.0 100.0 2,555 cases (Wtd)

          Data type: numeric
          Missing-data code: -9
          Columns: 252-253

V1243   **031B012 :5+DRK ROW/LST 2**

Item Number: 00850

The following questions ask about how much you have to drink
on the occasions when you drink alcoholic beverages. For
these questions, a "drink" means any of the following: A 12-
ounce can (or bottle) of beer. A 4-ounce glass of wine. A
12-ounce bottle (or can) of wine cooler. A mixed drink or
shot glass of liquor. Think back over the LAST TWO WEEKS.
How many times have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 61.8   40.6  1,038      1  NONE:(1)
 14.6    9.6    244      2  ONCE:(2)
 10.3    6.8    174      3  TWICE:(3)
  8.1    5.3    136      4  3-5X:(4)
  2.9    1.9     48      5  6-9X:(5)
  2.3    1.5     39      6  10+ TIME:(6)
        34.2    875     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 254-255

```
  V1108                  031B012 :5+DRK ROW/LST 2
```

Item Number: 00850

The following questions ask about how much you have to drink
on the occasions when you drink alcoholic beverages. For
these questions, a "drink" means any of the following: A 12-
ounce can (or bottle) of beer. A 4-ounce glass of wine. A
12-ounce bottle (or can) of wine cooler. A mixed drink or
shot glass of liquor. Think back over the LAST TWO WEEKS.
How many times have you had five or more drinks in a row?

1="None"[includes respondents who reported nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or
more times"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  73.3   69.1   1,765      1  NONE:(1)
  10.2    9.6     244      2  ONCE:(2)
   7.2    6.8     174      3  TWICE:(3)
   5.7    5.3     136      4  3-5X:(4)
   2.0    1.9      48      5  6-9X:(5)
   1.6    1.5      39      6  10+ TIME:(6)
          5.8     148     -9  MISSING
 -----  -----   -----
 100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 256-257

```
  V1244                031B013 :#X/2W,3-4 DR RW
```

Item Number: 01990

During the last two weeks, how many times have you had 3 or 4
drinks in a row (but no more than that)?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  67.3   44.3  1,133     1  NONE:(1)
  17.6   11.6   296      2  ONCE:(2)
   7.5    5.0   127      3  TWICE:(3)
   5.4    3.6    91      4  3-5X:(4)
   1.1    0.7    19      5  6-9X:(5)
   1.1    0.7    19      6  10+ TIME:(6)
          34.1   871    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 258-259

```
  V1245                031B014A:#X/2WK,2 DRK RW
```

Item Number: 02000

During the last two weeks, how many times have you had two
drinks in a row (but no more than that)?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 to 19 times" 7="20 or more times"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  70.0   45.6  1,165     1  NONE:(1)
  15.7   10.2   261      2  ONCE:(2)
   7.7    5.0   128      3  TWICE:(3)
   4.3    2.8    72      4  3-5X:(4)
   0.7    0.5    12      5  6-9X:(5)
   1.0    0.6    16      6  10-19X:(6)
   0.5    0.4     9      7  20+ TIME:(7)
          34.9   892    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 260-261

```
┌─────────────────────────────────────────────────────────────────────┐
│    V1246                    031B014B:#X/2WK,JST 1DRK                  │
└─────────────────────────────────────────────────────────────────────┘
```

     Item Number: 02010

     During the last two weeks, how many times have you had just
     one drink?

     1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
     6="10 to 19 times" 7="20 or more times"

```
      PCT    PCT     N  VALUE  LABEL
     VALID   ALL
     69.7   44.8  1,144      1  NONE:(1)
     19.4   12.5    319      2  ONCE:(2)
      5.3    3.4     87      3  TWICE:(3)
      3.6    2.3     60      4  3-5X:(4)
      1.1    0.7     17      5  6-9X:(5)
      0.3    0.2      5      6  10-19X:(6)
      0.6    0.4      9      7  20+ TIME:(7)
             35.8    915     -9  MISSING
     -----  -----  -----
     100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 262-263

```
┌─────────────────────────────────────────────────────────────────────┐
│    V1247                    031B015 :TRY STP ALC & FL                 │
└─────────────────────────────────────────────────────────────────────┘
```

     Item Number: 02020

     Have you ever tried to stop using alcoholic beverages and
     found that you couldn't stop?

     1="Yes" 2="No"

```
      PCT    PCT     N  VALUE  LABEL
     VALID   ALL
      3.2    2.1     54      1  YES:(1)
     96.8   64.1  1,637      2  NO:(2)
             33.8    864     -9  MISSING
     -----  -----  -----
     100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 264-265

V1805	031B016A:#XDRUNK/LIFETIM

Item Number: 25020

On how many occasions (if any) have you been drunk or very
high from drinking alcoholic beverages? A: . . . in your
lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 43.2    38.2    977      1  0 OCCAS:(1)
 16.8    14.8    379      2  1-2X:(2)
 10.0     8.8    226      3  3-5X:(3)
  6.1     5.4    139      4  6-9X:(4)
  7.8     6.9    177      5  10-19X:(5)
  6.1     5.4    139      6  20-39X:(6)
  9.8     8.7    222      7  40+OCCAS:(7)
         11.6    296     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 266-267

V1806	031B016B:#XDRUNK/LAST12M

Item Number: 25030

On how many occasions (if any) have you been drunk or very
high from drinking alcoholic beverages? B: . . . during the
last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 53.3   46.9  1,197      1  0 OCCAS:(1)
 16.5   14.5    370      2  1-2X:(2)
  9.4    8.3    211      3  3-5X:(3)
  7.2    6.3    161      4  6-9X:(4)
  6.2    5.4    138      5  10-19X:(5)
  3.5    3.1     79      6  20-39X:(6)
  3.9    3.4     88      7  40+OCCAS:(7)
        12.1    310     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 268-269

V1807   **031B016C:#XDRUNK/LAST30D**

Item Number: 25040

On how many occasions (if any) have you been drunk or very
high from drinking alcoholic beverages? C: . . . during the
last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 71.1   62.5  1,597      1  0 OCCAS:(1)
 15.2   13.4    342      2  1-2X:(2)
  6.7    5.9    151      3  3-5X:(3)
  3.4    3.0     76      4  6-9X:(4)
  2.5    2.2     55      5  10-19X:(5)
  0.4    0.4     10      6  20-39X:(6)
  0.7    0.6     16      7  40+OCCAS:(7)
        12.1    309     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 270-271

V1248   **031B017 :NO ALC IN 5 YR**

Item Number: 02030

Do you think you will be drinking alcoholic beverages five
years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 20.9   20.4    522      1  DEF WILL:(1)
 45.0   44.0  1,124      2  PRB WILL:(2)
 16.3   15.9    407      3  PRB WONT:(3)
 17.7   17.3    443      4  DEF WONT:(4)
         2.3     59     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 272-273

V1249   **031B018A:#X HASH/LIFETIM**

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana
is sometimes called: Weed, Pot, Dope.   Hashish is sometimes
called: Hash, Hash oil. On how many occasions (if any) have
you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
89.4	86.1	2,199	1	0 OCCAS:(1)
3.9	3.8	96	2	1-2X:(2)
2.1	2.0	51	3	3-5X:(3)
1.3	1.2	32	4	6-9X:(4)
1.3	1.3	33	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
1.5	1.4	36	7	40+OCCAS:(7)
	3.7	95	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 274-275

V1109   **031B018A:#X HASH/LIFETIM**

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana
is sometimes called: Weed, Pot, Dope.   Hashish is sometimes
called: Hash, Hash oil.   On how many occasions (if any) have
you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
89.4	86.1	2,199	1	0 OCCAS:(1)
3.9	3.8	96	2	1-2X:(2)
2.1	2.0	51	3	3-5X:(3)
1.3	1.2	32	4	6-9X:(4)
1.3	1.3	33	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
1.5	1.4	36	7	40+OCCAS:(7)
	3.7	95	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 276-277

V1250	031B018B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . . B:
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 93.1   89.6  2,289      1  0 OCCAS:(1)
  3.0    2.9     75      2  1-2X:(2)
  1.0    1.0     25      3  3-5X:(3)
  1.1    1.1     28      4  6-9X:(4)
  0.4    0.4     10      5  10-19X:(5)
  0.2    0.2      6      6  20-39X:(6)
  1.0    1.0     25      7  40+OCCAS:(7)
         3.8     97     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 278-279

V1110	031B018B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . . B:
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.1	89.6	2,289	1	0 OCCAS:(1)
3.0	2.9	75	2	1-2X:(2)
1.0	1.0	25	3	3-5X:(3)
1.1	1.1	28	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.2	0.2	6	6	20-39X:(6)
1.0	1.0	25	7	40+OCCAS:(7)
	3.8	97	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 280-281

V1251	031B018C:#X HASH/LAST30D

Item Number: 02060

On how many occasions (if any) have you used hashish . . . C:
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.3	92.7	2,369	1	0 OCCAS:(1)
1.5	1.5	38	2	1-2X:(2)
0.9	0.8	21	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.5	0.5	12	7	40+OCCAS:(7)
	3.7	95	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 282-283

V1111   **031B018C:#X HASH/LAST30D**

Item Number: 02060

On how many occasions (if any) have you used hashish . . . C:
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 96.3   92.7  2,369      1  0 OCCAS:(1)
  1.5    1.5     38      2  1-2X:(2)
  0.9    0.8     21      3  3-5X:(3)
  0.2    0.2      5      4  6-9X:(4)
  0.1    0.1      3      5  10-19X:(5)
  0.5    0.5     12      6  20-39X:(6)
  0.5    0.5     12      7  40+OCCAS:(7)
         3.7     95     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 284-285

| **V1252** | **031B019A:#X MARJ/LIFETIM** |

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .
A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 53.5   51.4  1,314      1  0 OCCAS:(1)
 10.1    9.7    249      2  1-2X:(2)
  5.7    5.5    141      3  3-5X:(3)
  5.5    5.3    135      4  6-9X:(4)
  4.1    3.9    100      5  10-19X:(5)
  4.5    4.3    111      6  20-39X:(6)
 16.5   15.9    405      7  40+OCCAS:(7)
         3.9     99     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 286-287

```
┌─────────────────────────────────────────────────────────────────────┐
│   V1112                    031B019A:#X MARJ/LIFETIM                  │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 02070

On how many occasions (if any) have you used marijuana . . .
A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT      PCT      N  VALUE   LABEL
 VALID     ALL
  53.5    51.4  1,314      1  0 OCCAS:(1)
  10.1     9.7    249      2  1-2X:(2)
   5.7     5.5    141      3  3-5X:(3)
   5.5     5.3    135      4  6-9X:(4)
   4.1     3.9    100      5  10-19X:(5)
   4.5     4.3    111      6  20-39X:(6)
  16.5    15.9    405      7  40+OCCAS:(7)
           3.9     99     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 288-289

V1253	031B019B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .
B: . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.1	63.3	1,618	1	0 OCCAS:(1)
8.1	7.8	199	2	1-2X:(2)
5.3	5.1	129	3	3-5X:(3)
3.1	3.0	76	4	6-9X:(4)
3.8	3.7	93	5	10-19X:(5)
3.9	3.7	95	6	20-39X:(6)
9.7	9.3	236	7	40+OCCAS:(7)
	4.2	108	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 290-291

V1113 **031B019B:#X MARJ/LAST12M**

Item Number: 02080

On how many occasions (if any) have you used marijuana . . .
B: . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  66.1   63.3  1,618      1  0 OCCAS:(1)
   8.1    7.8    199      2  1-2X:(2)
   5.3    5.1    129      3  3-5X:(3)
   3.1    3.0     76      4  6-9X:(4)
   3.8    3.7     93      5  10-19X:(5)
   3.9    3.7     95      6  20-39X:(6)
   9.7    9.3    236      7  40+OCCAS:(7)
          4.2    108     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 292-293

V1254	031B019C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .
C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
78.6	75.4	1,927	1	0 OCCAS:(1)
5.9	5.6	144	2	1-2X:(2)
3.5	3.4	86	3	3-5X:(3)
1.8	1.7	45	4	6-9X:(4)
3.1	2.9	75	5	10-19X:(5)
2.9	2.8	71	6	20-39X:(6)
4.2	4.0	103	7	40+OCCAS:(7)
	4.1	105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 294-295

V1114	**031B019C:#X MARJ/LAST30D**

Item Number: 02090

On how many occasions (if any) have you used marijuana . . .
C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
78.6	75.4	1,927	1	0 OCCAS:(1)
5.9	5.6	144	2	1-2X:(2)
3.5	3.4	86	3	3-5X:(3)
1.8	1.7	45	4	6-9X:(4)
3.1	2.9	75	5	10-19X:(5)
2.9	2.8	71	6	20-39X:(6)
4.2	4.0	103	7	40+OCCAS:(7)
	4.1	105	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 296-297

V1115	031B019X:#XMJ+HS/LIFETIM

Item Number: 00860

Component questions are "On how many occasions (if any) have
you used hashish in your lifetime?" (Item 02040) and "On how
many occasions (if any) have you used marijuana in your
lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
53.5	51.3	1,312	1	0 OCCAS:(1)
9.7	9.3	237	2	1-2X:(2)
5.9	5.6	144	3	3-5X:(3)
5.4	5.2	133	4	6-9X:(4)
4.2	4.0	102	5	10-19X:(5)
4.4	4.2	108	6	20-39X:(6)
17.0	16.3	416	7	40+OCCAS:(7)
	4.0	103	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 298-299

V1116	031B019Y:#XMJ+HS/LAST12M

Item Number: 00870

Component questions are "On how many occasions (if any) have
you used hashish during the last 12 months?" (Item 02050) and
"On how many occasions (if any) have you used marijuana during
the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 66.0    63.1  1,611      1  0 OCCAS:(1)
  7.8     7.4    189      2  1-2X:(2)
  5.5     5.3    134      3  3-5X:(3)
  3.1     2.9     75      4  6-9X:(4)
  4.0     3.8     98      5  10-19X:(5)
  3.5     3.4     86      6  20-39X:(6)
 10.2     9.7    248      7  40+OCCAS:(7)
          4.4    113     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 300-301

V1117	031B019Z:#XMJ+HS/LAST30D

Item Number: 00880

Component questions are "On how many occasions (if any) have
you used hashish during the last 30 days?" (Item 02060) and
"On how many occasions (if any) have you used marijuana during
the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 78.6    75.2  1,921      1  0 OCCAS:(1)
  5.4     5.2    133      2  1-2X:(2)
  3.7     3.5     89      3  3-5X:(3)
  2.0     1.9     48      4  6-9X:(4)
  3.0     2.9     74      5  10-19X:(5)
  2.5     2.4     61      6  20-39X:(6)
  4.8     4.6    118      7  40+OCCAS:(7)
          4.3    111     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 302-303

```
      V1255                  031B020A:#X/YR MJ ALONE
```

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE
MONTHS GO TO QUESTION 28. When you used marijuana or hashish
during the last year, how often did you use it in each of the
following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  60.2   19.4    496      1  NOT @ALL:(1)
  20.9    6.7    172      2  FEW TIME:(2)
  14.8    4.8    122      3  SOM TIME:(3)
   1.9    0.6     16      4  MST TIME:(4)
   2.2    0.7     18      5  EVRYTIME:(5)
         67.8  1,731     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 304-305

```
      V1256                  031B020B:#X/YR MJ-2 PPL
```

Item Number: 02110

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? B:
With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
   8.1    2.6     67      1  NOT @ALL:(1)
  27.9    9.0    231      2  FEW TIME:(2)
  20.9    6.8    173      3  SOM TIME:(3)
  32.0   10.4    265      4  MST TIME:(4)
  11.1    3.6     92      5  EVRYTIME:(5)
         67.6  1,727     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 306-307

V1257   **031B020C:#X/YR MJ@PARTY**

Item Number: 02120

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? C:
At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 19.6    6.3    161      1  NOT @ALL:(1)
 25.7    8.3    211      2  FEW TIME:(2)
 21.0    6.8    173      3  SOM TIME:(3)
 19.7    6.4    162      4  MST TIME:(4)
 14.0    4.5    115      5  EVRYTIME:(5)
        67.8  1,732     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 308-309

V1258   **031B020D:#X/YR MJ-DT/SP**

Item Number: 02130

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? D:
When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 47.2   15.2    390      1  NOT @ALL:(1)
 22.6    7.3    186      2  FEW TIME:(2)
 11.1    3.6     92      3  SOM TIME:(3)
 10.2    3.3     84      4  MST TIME:(4)
  8.9    2.9     74      5  EVRYTIME:(5)
        67.7  1,730     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 310-311

```
    V1259                031B020E:#X/YR MJ-ADLTS
```

Item Number: 02140

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? E:
When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 61.8   20.0    510      1  NOT @ALL:(1)
 19.0    6.1    157      2  FEW TIME:(2)
 11.1    3.6     91      3  SOM TIME:(3)
  5.3    1.7     44      4  MST TIME:(4)
  2.8    0.9     23      5  EVRYTIME:(5)
        67.7  1,730     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 312-313

```
    V1260                031B020F:#X/YR MJ-DATIME
```

Item Number: 02150

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? F:
During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 35.0   11.3    288      1  NOT @ALL:(1)
 22.6    7.3    186      2  FEW TIME:(2)
 23.5    7.6    193      3  SOM TIME:(3)
 12.7    4.1    105      4  MST TIME:(4)
  6.2    2.0     51      5  EVRYTIME:(5)
        67.8  1,733     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 314-315

```
   V1261                031B020G:#X/YR MJ@HOME
```

Item Number: 02160

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? G:
At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 48.3    15.6    399      1  NOT @ALL:(1)
 19.5     6.3    161      2  FEW TIME:(2)
 14.5     4.7    120      3  SOM TIME:(3)
 11.4     3.7     94      4  MST TIME:(4)
  6.4     2.1     53      5  EVRYTIME:(5)
         67.6  1,728     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 316-317

```
   V1262                031B020H:#X/YR MJ@SCHL
```

Item Number: 02170

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? H:
At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 79.9    25.8    659      1  NOT @ALL:(1)
 10.6     3.4     88      2  FEW TIME:(2)
  4.8     1.5     39      3  SOM TIME:(3)
  2.5     0.8     21      4  MST TIME:(4)
  2.2     0.7     18      5  EVRYTIME:(5)
         67.7  1,730     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 318-319

V1263   **031B020I:#X/YR MJIN CAR**

Item Number: 02190

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? I:
In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 23.3    7.5    193      1  NOT @ALL:(1)
 25.8    8.4    214      2  FEW TIME:(2)
 21.7    7.0    180      3  SOM TIME:(3)
 21.0    6.8    174      4  MST TIME:(4)
  8.1    2.6     67      5  EVRYTIME:(5)
        67.6  1,727     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 320-321

V1813   **031B020J:#X/YR MJ@PARK/BH**

Item Number: 30930

When you used marijuana or hashish during the last year, how
often did you use it in each of the following situations? J.
At a park or beach.

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 52.6   17.0    434      1  NOT @ALL:(1)
 20.7    6.7    171      2  FEW TIME:(2)
 15.4    5.0    127      3  SOM TIME:(3)
  7.0    2.3     58      4  MST TIME:(4)
  4.2    1.4     35      5  EVRYTIME:(5)
        67.7  1,729     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 322-323

V1264   **031B021 :#X OVL MJ+ ALC**

Item Number: 02200

How many of the times when you used marijuana or hashish
during the last year did you use it along with alcohol--that
is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 32.7   10.4     265      1  NOT @ALL:(1)
 29.7    9.4     241      2  FEW TIME:(2)
 22.2    7.1     180      3  SOM TIME:(3)
 11.4    3.6      92      4  MST TIME:(4)
  4.1    1.3      33      5  EVRYTIME:(5)
         68.2  1,743     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 324-325

V1265   **031B022A:MJ EXPERIMENT**

Item Number: 02210

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) A. To
experiment--to see what it's like

0="UNMARKED" 1="MARKED"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 38.7   12.4     317      0  NT MARKD:(0)
 61.3   19.6     501      1  MARKED:(1)
         68.0  1,738     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 326-327

```
    V1266                031B022B:MJ RELAX
```

Item Number: 02220

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) B. To relax or
relieve tension

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 36.6   11.7    299      0  NT MARKD:(0)
 63.4   20.3    519      1  MARKED:(1)
        68.0  1,738     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 328-329

```
    V1267                031B022C:MJ GET HIGH
```

Item Number: 02230

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) C. To feel good
or get high

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 26.9    8.6    220      0  NT MARKD:(0)
 73.1   23.4    597      1  MARKED:(1)
        68.0  1,738     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 330-331

```
    V1268               031B022D:MJ SEEK INSIGHT
```

Item Number: 02240

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) D. To seek
deeper insights and understanding

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 82.6   26.4    676      0  NT MARKD:(0)
 17.4    5.6    142      1  MARKED:(1)
        68.0  1,738     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 332-333

```
    V1269               031B022E:MJ GD TM FRNDS
```

Item Number: 02250

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) E. To have a
good time with my friends

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 32.9   10.5    269      0  NT MARKD:(0)
 67.1   21.5    548      1  MARKED:(1)
        68.0  1,738     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 334-335

```
    V1270                    031B022F:MJ FIT IN GRP
```

Item Number: 02260

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) F. To fit in
with a group I like

0="UNMARKED" 1="MARKED"

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
 92.6   29.6    757       0  NT MARKD:(0)
  7.4    2.4     61       1  MARKED:(1)
        68.0  1,738      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 336-337

```
    V1271                    031B022G:MJ GET AWY PRB
```

Item Number: 02270

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) G. To get away
from my problems or troubles

0="UNMARKED" 1="MARKED"

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
 68.9   22.1    563       0  NT MARKD:(0)
 31.1    9.9    254       1  MARKED:(1)
        68.0  1,738      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 338-339

V1272	**031B022H:MJ BOREDOM**

Item Number: 02280

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) H. Because of
boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.5	21.3	544	0	NT MARKD:(0)
33.5	10.7	274	1	MARKED:(1)
	68.0	1,738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 340-341

V1273	**031B022I:MJ ANGR & FRUSTRN**

Item Number: 02290

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) I.   Because of
anger or frustration

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
81.8	26.2	669	0	NT MARKD:(0)
18.2	5.8	149	1	MARKED:(1)
	68.0	1,738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 342-343

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1274                     031B022J:MJ GET THRU DAY                │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 02300

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) J. To get
through the day

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 86.5   27.7    707      0  NT MARKD:(0)
 13.5    4.3    110      1  MARKED:(1)
        68.0  1,738     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 344-345

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1275                     031B022K:MJ INCRS EF DRG               │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 02310

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.) K. To increase
the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 86.2   27.6    704      0  NT MARKD:(0)
 13.8    4.4    113      1  MARKED:(1)
        68.0  1,738     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 346-347

V1276   **031B022L:MJ DECRS EF DRG**

     Item Number: 02320

     What have been the most important reasons for your using
     marijuana or hashish? (Mark all that apply.) L. To decrease
     (offset) the effects of some other drugs(s)

     0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.1	31.1	793	0	NT MARKD:(0)
2.9	0.9	24	1	MARKED:(1)
	68.0	1,738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 348-349

V1277   **031B022M:MJ I AM HOOKED**

     Item Number: 02330

     What have been the most important reasons for your using
     marijuana or hashish? (Mark all that apply.) M. Because I am
     "hooked"--I have to have it

     0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.0	30.1	769	0	NT MARKD:(0)
6.0	1.9	49	1	MARKED:(1)
	68.0	1,738	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 350-351

```
  V1278                031B023 :MJ/HSH,VRY HIGH
```

Item Number: 02340

When you use marijuana or hashish, how high do you usually
get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   5.1    1.6     42      1  NOT HIGH:(1)
  17.5    5.6    143      2  LIT HIGH:(2)
  44.5   14.2    364      3  MOD HIGH:(3)
  32.8   10.5    268      4  VRY HIGH:(4)
         68.1  1,739     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 352-353

```
  V1279                031B024 :MJ/HSH,HI 24+HR
```

Item Number: 02350

When you use marijuana or hashish, how long do you usually
stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   6.4    2.1     52      1  N GET HI:(1)
  51.5   16.5    422      2  1-2 HRS:(2)
  37.0   11.9    303      3  3-6 HRS:(3)
   4.6    1.5     38      4  7-24 HRS:(4)
   0.5    0.2      4      5  >24 HRS:(5)
         67.9  1,735     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 354-355

V1280	031B025 :JOINT/DA LST MO

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes
(joints, reefers), or the equivalent, did you smoke a day, on
the average? (If you shared them with other people, count
only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day" 5="4-
6 a day" 6="7-10 a day" 7="11 or more a day"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 40.9   12.2     311      1   NONE:(1)
 27.4    8.2     209      2   <1/DAY:(2)
  8.0    2.4      61      3   1/DAY:(3)
 15.4    4.6     117      4   2-3/DAY:(4)
  4.8    1.4      37      5   4-6/DAY:(5)
  2.2    0.7      17      6   7-10/DAY:(6)
  1.2    0.4       9      7   11+/DAY:(7)
        70.2   1,794     -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 356-357

V1281	031B026 :OZS.MJ LST MO/6

Item Number: 02370

Do you know how much marijuana you have used (in ounces) during the LAST MONTH?

8="Don't know"   1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About 1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more ounces"

PCT VALID	PCT ALL	N	VALUE	LABEL
34.3	10.2	260	1	NONE:(1)
15.0	4.5	114	2	< 1/2 OZ:(2)
6.7	2.0	51	3	1/2 OZ:(3)
6.8	2.0	51	4	1 OZ:(4)
6.3	1.9	48	5	2 OZ:(5)
6.3	1.9	48	6	3-5 OZ:(6)
4.4	1.3	34	7	6+ OZ:(7)
20.2	6.0	154	8	INAP/DK:(8)
	70.3	1,796	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 358-359

V1282   **031B027 :TRY STP MJ & FL**

          Item Number: 02380

          Have you ever tried to stop using marijuana or hashish and
          found that you couldn't stop?

          1="Yes" 2="No"

            PCT   PCT   N VALUE LABEL
          VALID   ALL
            7.7   2.5   63   1 YES:(1)
           92.3   29.4   752   2 NO:(2)
                   68.1   1,740   -9 MISSING
          -----   -----   -----
          100.0   100.0   2,555 cases (Wtd)

          Data type: numeric
          Missing-data code: -9
          Columns: 360-361

V1706   **031B028 :MJ/HSH EVR DLY**

          Item Number: 21180

          Thinking back over your whole life, has there ever been a
          period when you used marijuana or hashish on a daily, or
          almost daily, basis for at least a month?

          1="No--GO TO QUESTION 32" 2="Yes"

            PCT   PCT   N VALUE LABEL
          VALID   ALL
           83.3   78.9   2,017   1 NO:(1)
           16.7   15.8   403   2 YES:(2)
                    5.3   136   -9 MISSING
          -----   -----   -----
          100.0   100.0   2,555 cases (Wtd)

          Data type: numeric
          Missing-data code: -9
          Columns: 362-363

V1707	031B029 :GR 1ST DAILY MJ

Item Number: 21190

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)"
4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
  8.8     1.6     40      1   GRADE 6:(1)
 29.0     5.2    132      2   GRADE 7-:(2)
 23.3     4.1    106      3   GRADE 9:(3)
 19.2     3.4     87      4   GRADE 10:(4)
 13.9     2.5     63      5   GRADE 11:(5)
  5.8     1.0     26      6   GRADE 12:(6)
         82.2  2,102     -9   MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 364-365

V1708	031B030 :RECENT DAILY MJ

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or
almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months
ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more
years ago"

PCT VALID	PCT ALL	N	VALUE	LABEL
34.2	5.9	151	1	PAST MON:(1)
7.3	1.2	32	2	2 MO AGO:(2)
18.4	3.2	81	3	3-9 MO:(3)
14.6	2.5	64	4	ABT 1 YR:(4)
13.3	2.3	59	5	ABT 2 YR:(5)
12.1	2.1	53	6	3+ YRS:(6)
	82.8	2,115	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 366-367

V1709   **031B031 :#X DAILY MJ/LFT**

Item Number: 21210

Over your whole lifetime, during how many months have you used
marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year"
4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5
years" 7="6 to 9 years" 8="10 or more years"

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
 31.8     5.5     139     1  <3 MON:(1)
 19.8     3.4      87     2  3-9 MO:(2)
 12.0     2.0      52     3  ABT 1 YR:(3)
  6.7     1.2      29     4  1 1/2 YR:(4)
 13.5     2.3      59     5  ABT 2 YR:(5)
 12.7     2.2      56     6  3-5 YRS:(6)
  2.2     0.4      10     7  6-9 YRS:(7)
  1.3     0.2       6     8  10+ YRS:(8)
          82.9  2,117    -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 368-369

V1283   **031B032 :NO MJ/HSH IN5YR**

Item Number: 02390

Do you think you will be using marijuana or hashish five years
from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  3.9     3.7      95     1  DEF WILL:(1)
 10.9    10.4     266     2  PRB WILL:(2)
 20.1    19.2     490     3  PRB WONT:(3)
 65.1    62.3   1,592     4  DEF WONT:(4)
          4.4     111    -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 370-371

V1284   **031B033A:#X LSD/LIFETIME**

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug
which is sometimes called "acid". On how many occasions (if
any) have you used LSD . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.5	88.3	2,256	1	0 OCCAS:(1)
4.0	3.8	97	2	1-2X:(2)
0.7	0.7	18	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.6	0.5	13	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	5.5	141	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 372-373

V1118	031B033A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug
which is sometimes called "acid". On how many occasions (if
any) have you used LSD ("acid"). . . A: . . . in your
lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.5	88.3	2,256	1	0 OCCAS:(1)
4.0	3.8	97	2	1-2X:(2)
0.7	0.7	18	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.6	0.5	13	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	5.5	141	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 374-375

V1285	031B033B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD . . . B: . .
. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	92.9	2,373	1	0 OCCAS:(1)
0.9	0.8	21	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.4	0.3	9	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	5.5	141	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 376-377

```
  V1119                    031B033B:#X LSD/LAST 12M
```

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . .
B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  98.3   92.9  2,373      1   0 OCCAS:(1)
   0.9    0.8     21      2   1-2X:(2)
   0.3    0.3      7      3   3-5X:(3)
   0.4    0.3      9      4   6-9X:(4)
   0.1    0.1      2      5   10-19X:(5)
   0.0    0.0      0      6   20-39X:(6)
   0.1    0.1      2      7   40+OCCAS:(7)
          5.5    141     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 378-379

V1286	031B033C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD . . . C: . .
. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	93.9	2,399	1	0 OCCAS:(1)
0.4	0.4	10	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	5.5	140	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 380-381

V1120	031B033C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . .
C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  99.3   93.9  2,399      1  0 OCCAS:(1)
   0.4    0.4     10      2  1-2X:(2)
   0.1    0.1      2      3  3-5X:(3)
   0.1    0.1      2      4  6-9X:(4)
   0.0    0.0      0      5  10-19X:(5)
   0.0    0.0      0      6  20-39X:(6)
   0.1    0.1      2      7  40+OCCAS:(7)
          5.5    140     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 382-383

V1287   **031B034A:#X/YR LSD ALONE**

Item Number: 02400

IF YOU HAVE NOT TAKEN LSD IN THE LAST TWELVE MONTHS, GO TO
QUESTION 41. When you used LSD during the last year, how
often did you use it in each of the following situations? A:
When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 62.8    1.1    28     1   NOT @ALL:(1)
 19.9    0.3     9     2   FEW TIME:(2)
  7.3    0.1     3     3   SOM TIME:(3)
  1.4    0.0     1     4   MST TIME:(4)
  8.5    0.1     4     5   EVRYTIME:(5)
         98.3  2,511    -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 384-385

V1288   **031B034B:#X/YR LSD-2 PPL**

Item Number: 02410

When you used LSD during the last year, how often did you use
it in each of the following situations? B: With just 1 or 2
other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 14.2    0.2     6     1   NOT @ALL:(1)
 29.1    0.5    12     2   FEW TIME:(2)
 16.2    0.3     7     3   SOM TIME:(3)
 15.1    0.2     6     4   MST TIME:(4)
 25.3    0.4    10     5   EVRYTIME:(5)
         98.4  2,514    -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 386-387

```
       V1289                031B034C:#X/YR LSD@PARTY
```

Item Number: 02420

When you used LSD during the last year, how often did you use
it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  31.0    0.5     13      1   NOT @ALL:(1)
  13.5    0.2      6      2   FEW TIME:(2)
  12.8    0.2      5      3   SOM TIME:(3)
  24.0    0.4     10      4   MST TIME:(4)
  18.7    0.3      8      5   EVRYTIME:(5)
          98.4  2,514     -9   MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 388-389

```
       V1290                031B034D:#X/YR LSD-DT/SP
```

Item Number: 02430

When you used LSD during the last year, how often did you use
it in each of the following situations? D: When your date or
spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  57.8    0.9     24      1   NOT @ALL:(1)
   2.0    0.0      1      2   FEW TIME:(2)
  12.3    0.2      5      3   SOM TIME:(3)
  14.1    0.2      6      4   MST TIME:(4)
  13.8    0.2      6      5   EVRYTIME:(5)
          98.4  2,514     -9   MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 390-391

         V1291   **031B034E:#X/YR LSD-ADLTS**

        Item Number: 02440

        When you used LSD during the last year, how often did you use
        it in each of the following situations? E: When people over
        age 30 were present

        1="Not at all" 2="A few of the times" 3="Some of the times"
        4="Most of the times" 5="Every time"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         65.2   1.0   27   1 NOT @ALL:(1)
         13.0   0.2   5   2 FEW TIME:(2)
          3.9   0.1   2   3 SOM TIME:(3)
         11.9   0.2   5   4 MST TIME:(4)
          6.0   0.1   2   5 EVRYTIME:(5)
                 98.4 2,514   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 392-393

         V1292   **031B034F:#X/YR LSD-DATIM**

        Item Number: 02450

        When you used LSD during the last year, how often did you use
        it in each of the following situations? F: During the
        daytime (before 4:00 p.m.)

        1="Not at all" 2="A few of the times" 3="Some of the times"
        4="Most of the times" 5="Every time"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         52.9   0.8   22   1 NOT @ALL:(1)
         16.5   0.3   7   2 FEW TIME:(2)
         15.1   0.2   6   3 SOM TIME:(3)
          5.1   0.1   2   4 MST TIME:(4)
         10.3   0.2   4   5 EVRYTIME:(5)
                 98.4 2,514   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 394-395

```
    V1293              031B034G:#X/YR LSD@HOME
```

Item Number: 02460

When you used LSD during the last year, how often did you use
it in each of the following situations? G: At your home (or
apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 57.4     0.9      24      1  NOT @ALL:(1)
 18.0     0.3       7      2  FEW TIME:(2)
 12.9     0.2       5      3  SOM TIME:(3)
  8.9     0.1       4      4  MST TIME:(4)
  2.8     0.0       1      5  EVRYTIME:(5)
          98.4  2,514     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 396-397

```
    V1294              031B034H:#X/YR LSD@SCHL
```

Item Number: 02470

When you used LSD during the last year, how often did you use
it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 67.0     1.1      27      1  NOT @ALL:(1)
 18.0     0.3       7      2  FEW TIME:(2)
 10.8     0.2       4      3  SOM TIME:(3)
  3.1     0.0       1      4  MST TIME:(4)
  1.1     0.0       0      5  EVRYTIME:(5)
          98.4  2,514     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 398-399

V1295   **031B034I:#X/YR LSDIN CAR**

Item Number: 02490

When you used LSD during the last year, how often did you use
it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 51.7   0.9     22      1  NOT @ALL:(1)
 24.4   0.4     10      2  FEW TIME:(2)
 13.8   0.2      6      3  SOM TIME:(3)
  5.1   0.1      2      4  MST TIME:(4)
  5.0   0.1      2      5  EVRYTIME:(5)
        98.3  2,513     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 400-401

V1296   **031B035A:#X OVL LSD+ ALC**

Item Number: 02500

How many of the times when you used LSD during the last year
did you use it along with each of the following drugs--that
is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 52.4   0.9     22      1  NOT @ALL:(1)
 18.1   0.3      8      2  FEW TIME:(2)
  9.2   0.2      4      3  SOM TIME:(3)
  2.3   0.0      1      4  MST TIME:(4)
 18.0   0.3      8      5  EVRYTIME:(5)
        98.4  2,513     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 402-403

V1297   **031B035B:#X OVL LSD+ MJ**

Item Number: 02510

How many of the times when you used LSD during the last year
did you use it along with each of the following drugs--that
is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  32.0    0.5     13      1   NOT @ALL:(1)
  21.2    0.3      8      2   FEW TIME:(2)
   9.6    0.1      4      3   SOM TIME:(3)
   5.0    0.1      2      4   MST TIME:(4)
  32.3    0.5     13      5   EVRYTIME:(5)
          98.5  2,516     -9   MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 404-405

V1298   **031B036A:LSD EXPERIMENT**

Item Number: 02520

What have been the most important reasons for your taking LSD?
(Mark all that apply.) A. To experiment--to see what it's
like

0="UNMARKED" 1="MARKED"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  16.5    0.3      7      0   NT MARKD:(0)
  83.5    1.3     34      1   MARKED:(1)
          98.4  2,514     -9   MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 406-407

```
    V1299              031B036B:LSD RELAX
```

Item Number: 02530

What have been the most important reasons for your taking LSD?
(Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 86.7    1.4     35      0  NT MARKD:(0)
 13.3    0.2      5      1  MARKED:(1)
         98.4  2,514     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 408-409

```
    V1300              031B036C:LSD GET HIGH
```

Item Number: 02540

What have been the most important reasons for your taking LSD?
(Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 44.4    0.7     18      0  NT MARKD:(0)
 55.6    0.9     23      1  MARKED:(1)
         98.4  2,514     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 410-411

V1301		**031B036D:LSD SEEK INSGHT**			

Item Number: 02550

What have been the most important reasons for your taking LSD?
(Mark all that apply.) D. To seek deeper insights and
understanding

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 70.6   1.1     29      0  NT MARKD:(0)
 29.4   0.5     12      1  MARKED:(1)
        98.4  2,514     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 412-413

V1302		**031B036E:LSD GD TM FRNDS**			

Item Number: 02560

What have been the most important reasons for your taking LSD?
(Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 41.3   0.7     17      0  NT MARKD:(0)
 58.7   0.9     24      1  MARKED:(1)
        98.4  2,514     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 414-415

```
┌──────────────────────────────────────────────────────────────────────────┐
│    V1303                    031B036F:LSD FIT IN GRP                        │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 02570

What have been the most important reasons for your taking LSD?
(Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 96.6   1.5     39      0   NT MARKD:(0)
  3.4   0.1      1      1   MARKED:(1)
        98.4  2,514     -9   MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 416-417

```
┌──────────────────────────────────────────────────────────────────────────┐
│    V1304                    031B036G:LSD GT AWY PRB                        │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 02580

What have been the most important reasons for your taking LSD?
(Mark all that apply.) G. To get away from my problems or
troubles

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 89.2   1.4     36      0   NT MARKD:(0)
 10.8   0.2      4      1   MARKED:(1)
        98.4  2,514     -9   MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 418-419

V1305   **031B036H:LSD BOREDOM**

Item Number: 02590

What have been the most important reasons for your taking LSD?
(Mark all that apply.) H. Because of boredom, nothing else to
do

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 69.3   1.1     28      0  NT MARKD:(0)
 30.7   0.5     12      1  MARKED:(1)
        98.4  2,514     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 420-421

V1306   **031B036I:LSD ANGR & FRSTRN**

Item Number: 02600

What have been the most important reasons for your taking LSD?
(Mark all that apply.) I.   Because of anger or frustration

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 94.5   1.5     38      0  NT MARKD:(0)
  5.5   0.1      2      1  MARKED:(1)
        98.4  2,514     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 422-423

| | V1307 | | 031B036J:LSD GT THRU DAY | |

Item Number: 02610

What have been the most important reasons for your taking LSD?
(Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	1.6	40	0	NT MARKD:(0)
1.7	0.0	1	1	MARKED:(1)
	98.4	2,514	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 424-425

| | V1308 | | 031B036K:LSD INCRS EF DR | |

Item Number: 02620

What have been the most important reasons for your taking LSD?
(Mark all that apply.) K. To increase the effects of some
other drug(s)

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
72.2	1.1	29	0	NT MARKD:(0)
27.8	0.4	11	1	MARKED:(1)
	98.4	2,514	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 426-427

```
   V1309                    031B036L:LSD DCRS EF DRG
```

Item Number: 02630

What have been the most important reasons for your taking LSD?
(Mark all that apply.) L. To decrease (offset) the effects of
some other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 98.3    1.6       40       0  NT MARKD:(0)
  1.7    0.0        1       1  MARKED:(1)
         98.4  2,514      -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 428-429

```
   V1310                    031B036M:LSD I AM HOOKED
```

Item Number: 02640

What have been the most important reasons for your taking LSD?
(Mark all that apply.) M. Because I am "hooked"--I have to
have it

0="UNMARKED" 1="MARKED"

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 98.3    1.6       40       0  NT MARKD:(0)
  1.7    0.0        1       1  MARKED:(1)
         98.4  2,514      -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 430-431

```
┌──────────────────────────────────────────────────────────────────────────┐
│     V1311                    031B037 :LSD,GET VERY HI                      │
└──────────────────────────────────────────────────────────────────────────┘
```

       Item Number: 02650

       When you take LSD, how high do you usually get?

       1="Not at all high" 2="A little high" 3="Moderately high"
       4="Very high"

         PCT   PCT   N VALUE LABEL
       VALID   ALL
         1.8   0.0   1   1 NOT HIGH:(1)
        12.3   0.2   5   2 LIT HIGH:(2)
        16.0   0.3   7   3 MOD HIGH:(3)
        69.9   1.2   30   4 VRY HIGH:(4)
                98.3   2,513   -9 MISSING
       -----   -----   -----
       100.0   100.0   2,555 cases (Wtd)

       Data type: numeric
       Missing-data code: -9
       Columns: 432-433

```
┌──────────────────────────────────────────────────────────────────────────┐
│     V1312                    031B038 :LSD,HIGH 24+ HR                      │
└──────────────────────────────────────────────────────────────────────────┘
```

       Item Number: 02660

       When you take LSD, how long do you usually stay high?

       1="Usually don't get high" 2="Two hours or less" 3="Three to
       six hours" 4="Seven to 24 hours" 5="More than 24 hours"

         PCT   PCT   N VALUE LABEL
       VALID   ALL
         1.9   0.0   1   1 N GET HI:(1)
         9.2   0.1   4   2 1-2 HRS:(2)
        32.5   0.5   13   3 3-6 HRS:(3)
        52.2   0.8   21   4 7-24 HRS:(4)
         4.2   0.1   2   5 >24 HRS:(5)
                98.4   2,514   -9 MISSING
       -----   -----   -----
       100.0   100.0   2,555 cases (Wtd)

       Data type: numeric
       Missing-data code: -9
       Columns: 434-435

```
    V1313                   031B039 :1+ BAD TRIP LSD
```

Item Number: 02670

Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  50.6    0.9     23      1  NO:(1)
  37.1    0.7     17      2  ONCE:(2)
  12.4    0.2      6      3  > ONCE:(3)
          98.2  2,510     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 436-437

```
    V1314                   031B040 :TRY STP LSD & FL
```

Item Number: 02680

Have you ever tried to stop using LSD and found that you
couldn't stop?

1="Yes" 2="No"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   2.9    0.1      1      1  YES:(1)
  97.1    1.7     44      2  NO:(2)
          98.2  2,510     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 438-439

V1315   **031B041 :NO LSD IN 5 YRS**

```
Item Number:  02690

Do you think you will be using LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.8     0.7     19      1  DEF WILL:(1)
   1.0     0.9     23      2  PRB WILL:(2)
   7.2     6.4    164      3  PRB WONT:(3)
  91.0    81.6  2,085      4  DEF WONT:(4)
          10.3    264     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 440-441
```

V1316	031B042A:#X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you used hallucinogens other than LSD. . . A:
. . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.5	85.5	2,184	1	0 OCCAS:(1)
4.2	3.9	100	2	1-2X:(2)
2.3	2.2	55	3	3-5X:(3)
0.7	0.7	18	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	6.6	168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 442-443

V1121	031B042A:#X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you used hallucinogens other than LSD. . . A:
. . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.5	85.5	2,184	1	0 OCCAS:(1)
4.2	3.9	100	2	1-2X:(2)
2.3	2.2	55	3	3-5X:(3)
0.7	0.7	18	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	6.6	168	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 444-445

```
+----------------------------------------------------------------------+
|      V1317                 031B042B:#X PSYD/LAST12M                   |
+----------------------------------------------------------------------+
```

```
        Item Number:  00930

        On how many occasions (if any) have you used hallucinogens
        other than LSD. . . B:  . . . during the last 12  months?

        1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
        Occasions" 5="10-19 Occasions" 6="20-39  Occasions" 7="40 or
        More"

          PCT     PCT      N  VALUE   LABEL
        VALID    ALL
         94.6   88.3  2,255      1  0 OCCAS:(1)
          3.7    3.4     88      2  1-2X:(2)
          1.1    1.0     26      3  3-5X:(3)
          0.4    0.4      9      4  6-9X:(4)
          0.1    0.1      2      5  10-19X:(5)
          0.1    0.1      1      6  20-39X:(6)
          0.2    0.1      4      7  40+OCCAS:(7)
                 6.7    170     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 446-447
```

V1122	031B042B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you used hallucinogens
other than LSD . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.6	88.3	2,255	1	0 OCCAS:(1)
3.7	3.4	88	2	1-2X:(2)
1.1	1.0	26	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	6.7	170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 448-449

V1318   **031B042C:#X PSYD/LAST30D**

Item Number: 00940

On how many occasions (if any) have you used hallucinogens
other than LSD . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 98.5   92.1  2,352      1  0 OCCAS:(1)
  0.9    0.8     21      2  1-2X:(2)
  0.3    0.3      8      3  3-5X:(3)
  0.0    0.0      1      4  6-9X:(4)
  0.1    0.1      1      5  10-19X:(5)
  0.1    0.1      2      6  20-39X:(6)
  0.1    0.1      2      7  40+OCCAS:(7)
         6.5    167     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 450-451

```
      V1123               031B042C:#X PSYD/LAST30D
```

Item Number: 00940

On how many occasions (if any) have you used hallucinogens
other than LSD . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
    PCT     PCT      N  VALUE  LABEL
  VALID    ALL
   98.5   92.1  2,352      1  0 OCCAS:(1)
    0.9    0.8     21      2  1-2X:(2)
    0.3    0.3      8      3  3-5X:(3)
    0.0    0.0      1      4  6-9X:(4)
    0.1    0.1      1      5  10-19X:(5)
    0.1    0.1      2      6  20-39X:(6)
    0.1    0.1      2      7  40+OCCAS:(7)
           6.5    167     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 452-453

```
      V1319               031B043 :PSYD,GT VERY HI
```

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE
LAST TWELVE MONTHS, GO TO QUESTION 46. When you take
hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

```
    PCT     PCT      N  VALUE  LABEL
  VALID    ALL
    0.9    0.0      1      1  NOT HIGH:(1)
    2.7    0.1      4      2  LIT HIGH:(2)
   26.2    1.4     35      3  MOD HIGH:(3)
   70.2    3.7     94      4  VRY HIGH:(4)
          94.8  2,421     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 454-455

```
    V1320              031B044 :PSYD,HI 24+ HRS
```

Item Number: 02710

When you take hallucinogens other than LSD, how long do you
usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  2.0    0.1     3      1  N GET HI:(1)
  4.3    0.2     6      2  1-2 HRS:(2)
 48.9    2.6    66      3  3-6 HRS:(3)
 42.7    2.3    58      4  7-24 HRS:(4)
  2.0    0.1     3      5  >24 HRS:(5)
        94.7 2,420     -9  MISSING
-----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 456-457

```
    V1321              031B045A:TKN YR,MESCALIN
```

Item Number: 02720

What hallucinogens other than LSD have you taken during the
last year? (Mark all that apply.) A. Mescaline

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 91.2    4.8   122      0  NT MARKD:(0)
  8.8    0.5    12      1  MARKED:(1)
        94.8 2,421     -9  MISSING
-----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 458-459

V1322   **031B045B:TKN YR,PEYOTE**

Item Number: 02730

What hallucinogens other than LSD have you taken during the
last year? (Mark all that apply.) B. Peyote

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 90.4    4.7    121      0  NT MARKD:(0)
  9.6    0.5     13      1  MARKED:(1)
         94.8  2,421     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 460-461

V1323   **031B045C:TKN YR,PSILOCYB**

Item Number: 02740

What hallucinogens other than LSD have you taken during the
last year? (Mark all that apply.) C. "Shrooms" or Psilocybin

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 14.7    0.8     20      0  NT MARKD:(0)
 85.3    4.5    114      1  MARKED:(1)
         94.8  2,421     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 462-463

```
  V1324              031B045D:TKN YR,PCP
```

Item Number: 02750

What hallucinogens other than LSD have you taken during the
last year? (Mark all that apply.) D. PCP

0="UNMARKED" 1="MARKED"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  83.9    4.4    112      0  NT MARKD:(0)
  16.1    0.8     22      1  MARKED:(1)
         94.8  2,421     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 464-465

```
  V1325              031B045E:TKN YR,CNCT THC
```

Item Number: 02760

What hallucinogens other than LSD have you taken during the
last year? (Mark all that apply.) E. Concentrated THC

0="UNMARKED" 1="MARKED"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  83.0    4.4    111      0  NT MARKD:(0)
  17.0    0.9     23      1  MARKED:(1)
         94.8  2,421     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 466-467

V1326   **031B045F:TKN YR,OTH PSYD**

    Item Number: 02770

    What hallucinogens other than LSD have you taken during the
    last year? (Mark all that apply.) F. Other

    0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
    VALID   ALL
     71.0   3.7   95   0 NT MARKD:(0)
     29.0   1.5   39   1 MARKED:(1)
            94.8 2,421   -9 MISSING
    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 468-469

V1327   **031B045G:TKN YR,DK NAME**

    Item Number: 02780

    What hallucinogens other than LSD have you taken during the
    last year? (Mark all that apply.) G. Don't know the names of
    some I have used

    0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
    VALID   ALL
     92.2   4.8   124   0 NT MARKD:(0)
      7.8   0.4   10   1 MARKED:(1)
            94.8 2,421   -9 MISSING
    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 470-471

V1710   **031B046A:#X DIETPILL/LFT**

Item Number: 21220

The next questions are about some non-prescription drugs.
Some types of diet pills (also called appetite suppressants)
can be sold legally without a doctor's prescription by
drugstores, through the mail, etc. These "over-the-counter"
drugs include Dexatrim(R), Dietac(R), and others. On how many
occasions (if any) have you taken such non-prescription diet
pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 82.0   76.6  1,956      1  0 OCCAS:(1)
  5.1    4.8    122      2  1-2X:(2)
  3.3    3.1     78      3  3-5X:(3)
  1.6    1.5     38      4  6-9X:(4)
  2.5    2.3     59      5  10-19X:(5)
  1.7    1.6     41      6  20-39X:(6)
  3.8    3.5     90      7  40+OCCAS:(7)
         6.7    171     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 472-473

V1711   **031B046B:#X DIETPILL/12M**

Item Number: 21230

On how many occasions (if any) have you taken such non-
prescription diet pills . . . B: . . . during the last 12
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
86.9	81.2	2,074	1	0 OCCAS:(1)
4.1	3.8	97	2	1-2X:(2)
2.0	1.8	47	3	3-5X:(3)
1.6	1.5	37	4	6-9X:(4)
2.0	1.9	48	5	10-19X:(5)
1.8	1.7	43	6	20-39X:(6)
1.6	1.5	39	7	40+OCCAS:(7)
	6.6	169	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 474-475

V1712	031B046C:#X DIETPILL/30D

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.5	87.3	2,231	1	0 OCCAS:(1)
2.0	1.8	47	2	1-2X:(2)
1.4	1.3	33	3	3-5X:(3)
0.9	0.9	22	4	6-9X:(4)
1.0	0.9	23	5	10-19X:(5)
0.9	0.9	23	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	6.7	170	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 476-477

V1713	031B047A:#X STA-AWAK/LFT

Item Number: 21250

Some stay-awake pills can be sold legally without a doctor's
prescription by drugstores, through the mail, etc.   These
non-prescription or "over-the-counter" drugs include No-
Doz(R), Vivarin(R), Wake(R), Caffedrine(R), and others. On
how many occasions (if any) have you taken such non-
prescription stay-awake pills . . .A: . . . in your
lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
80.2	75.3	1,923	1	0 OCCAS:(1)
8.3	7.8	200	2	1-2X:(2)
4.5	4.2	108	3	3-5X:(3)
2.0	1.9	48	4	6-9X:(4)
2.1	2.0	51	5	10-19X:(5)
0.9	0.9	23	6	20-39X:(6)
1.9	1.8	45	7	40+OCCAS:(7)
	6.2	158	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 478-479

```
+-----------------------------------------------------------------------+
|       V1714                    031B047B:#X STA-AWAK/12M                |
+-----------------------------------------------------------------------+
```

     Item Number: 21260

     On how many occasions (if any) have you taken such non-
prescription stay-awake pills . . .B: . . . during the last
12 months?

     1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 87.6    82.2  2,101      1  0 OCCAS:(1)
  6.1     5.7   146       2  1-2X:(2)
  2.4     2.2    57       3  3-5X:(3)
  1.4     1.3    33       4  6-9X:(4)
  1.1     1.0    25       5  10-19X:(5)
  0.8     0.7    19       6  20-39X:(6)
  0.7     0.6    16       7  40+OCCAS:(7)
          6.2   158      -9  MISSING
 -----   ----- -----
100.0   100.0  2,555 cases (Wtd)
```

     Data type: numeric
Missing-data code: -9
Columns: 480-481

V1715	031B047C:#X STA-AWAK/30D

Item Number: 21270

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.1	89.2	2,280	1	0 OCCAS:(1)
2.7	2.6	66	2	1-2X:(2)
0.8	0.7	18	3	3-5X:(3)
0.7	0.6	16	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	6.2	158	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 482-483

V1716	031B048A:#X LOOKALIK/LFT

Item Number: 21280

In addition to non-prescription diet and stay-awake pills,
there are other stimulants and pep pills which can be sold
legally in most states without a prescription--usually by
mail. These are sometimes called "fake pep pills,"
"imitation speed," or "look-alikes," because they look like
prescription amphetamines and sometimes have similar names.
Other than the diet pills and stay-awake pills you have
already told us about, on how many occasions (if any) have
you taken other non-prescription stimulants or pep pills . . .
A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.4	85.6	2,188	1	0 OCCAS:(1)
3.4	3.2	81	2	1-2X:(2)
1.7	1.6	42	3	3-5X:(3)
1.2	1.1	29	4	6-9X:(4)
0.7	0.7	18	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
0.9	0.8	21	7	40+OCCAS:(7)
	6.4	163	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 484-485

V1717	031B048B:#X LOOKALIK/12M

Item Number: 21290

Other than the diet pills and stay-awake pills you have
already told us about, on how many occasions (if any) have
you taken other non-prescription stimulants or pep pills . .
.B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 94.7   88.6  2,265      1  0 OCCAS:(1)
  2.5    2.4     61      2  1-2X:(2)
  0.8    0.7     19      3  3-5X:(3)
  0.7    0.6     16      4  6-9X:(4)
  0.6    0.5     14      5  10-19X:(5)
  0.5    0.5     12      6  20-39X:(6)
  0.3    0.3      7      7  40+OCCAS:(7)
         6.4    163     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 486-487

V1718	**031B048C:#X LOOKALIK/30D**

Item Number: 21300

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 97.6   91.4  2,336      1  0 OCCAS:(1)
  1.1    1.0     25      2  1-2X:(2)
  0.3    0.3      7      3  3-5X:(3)
  0.4    0.4     10      4  6-9X:(4)
  0.3    0.2      6      5  10-19X:(5)
  0.2    0.2      5      6  20-39X:(6)
  0.1    0.1      2      7  40+OCCAS:(7)
         6.4    163     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 488-489

V1328	**031B049 :DR TOLD TK AMPH**

Item Number: 02790

The next questions are about AMPHETAMINES, which doctors have
prescribed to help people lose weight or to give people more
energy. Drugstores are not supposed to sell them without a
prescription from a doctor.   Amphetamines are sometimes
called: Uppers, Ups, Speed, Bennies, Dexies, Pep Pills, Diet
Pills, Meth or Crystal Meth. They include the following
drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Preludin,
Dexamyl, Methamphetamine. IN YOUR ANSWERS ABOUT
AMPHETAMINES, _DO NOT_ INCLUDE ANY NON-PRESCRIPTION OR OVER-
THE-COUNTER DRUGS.   Have you ever taken amphetamines because
a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 92.6   87.1  2,225      1  NO:(1)
  1.8    1.7     43      2  YES BUT:(2)
  5.6    5.3    135      3  YES 1ST:(3)
         5.9    152     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 490-491

V1329	031B050A:#X AMPH/LIFETIM

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
88.8	83.2	2,126	1	0 OCCAS:(1)
3.9	3.6	92	2	1-2X:(2)
2.0	1.9	48	3	3-5X:(3)
1.0	1.0	24	4	6-9X:(4)
1.5	1.4	36	5	10-19X:(5)
1.0	0.9	24	6	20-39X:(6)
1.8	1.7	44	7	40+OCCAS:(7)
	6.3	161	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 492-493

V1127   **031B050A:#X AMPH/LIFETIM**

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on
your own--that is, without a doctor telling you to take them
. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
88.8	83.2	2,126	1	0 OCCAS:(1)
3.9	3.6	92	2	1-2X:(2)
2.0	1.9	48	3	3-5X:(3)
1.0	1.0	24	4	6-9X:(4)
1.5	1.4	36	5	10-19X:(5)
1.0	0.9	24	6	20-39X:(6)
1.8	1.7	44	7	40+OCCAS:(7)
	6.3	161	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 494-495

V1330	031B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on
your own--that is, without a doctor telling you to take them
. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.5	86.5	2,210	1	0 OCCAS:(1)
2.9	2.7	69	2	1-2X:(2)
1.6	1.5	38	3	3-5X:(3)
0.7	0.6	16	4	6-9X:(4)
0.8	0.8	20	5	10-19X:(5)
0.8	0.7	19	6	20-39X:(6)
0.8	0.7	19	7	40+OCCAS:(7)
	6.4	165	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 496-497

V1128	031B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on
your own--that is, without a doctor telling you to take them
. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.5	86.5	2,210	1	0 OCCAS:(1)
2.9	2.7	69	2	1-2X:(2)
1.6	1.5	38	3	3-5X:(3)
0.7	0.6	16	4	6-9X:(4)
0.8	0.8	20	5	10-19X:(5)
0.8	0.7	19	6	20-39X:(6)
0.8	0.7	19	7	40+OCCAS:(7)
	6.4	165	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 498-499

V1331	**031B050C:#X AMPH/LAST30D**

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 95.8   89.7  2,291     1  0 OCCAS:(1)
  2.0    1.9     49     2  1-2X:(2)
  0.5    0.5     12     3  3-5X:(3)
  0.7    0.7     17     4  6-9X:(4)
  0.4    0.4     10     5  10-19X:(5)
  0.3    0.3      7     6  20-39X:(6)
  0.2    0.2      4     7  40+OCCAS:(7)
         6.4    165    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 500-501

V1129	031B050C:#X AMPH/LAST30D

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them
. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.8	89.7	2,291	1	0 OCCAS:(1)
2.0	1.9	49	2	1-2X:(2)
0.5	0.5	12	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	6.4	165	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 502-503

V1332	031B051A:#X/YR AMPH ALNE

Item Number: 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS,
GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO
TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE
NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.
When you used amphetamines during the last year, how often
did you use them in each of the following situations? A:
When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 43.8    2.9      75      1  NOT @ALL:(1)
 19.7    1.3      34      2  FEW TIME:(2)
 15.2    1.0      26      3  SOM TIME:(3)
  8.5    0.6      15      4  MST TIME:(4)
 12.9    0.9      22      5  EVRYTIME:(5)
         93.3  2,383     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 504-505

V1333   **031B051B:#X/YR AMPH-2PPL**

Item Number: 02810

When you used amphetamines during the last year, how often did
you use them in each of the following situations? B: With
just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 25.1     1.7      44      1  NOT @ALL:(1)
 29.7     2.0      52      2  FEW TIME:(2)
 17.3     1.2      30      3  SOM TIME:(3)
 18.5     1.3      32      4  MST TIME:(4)
  9.3     0.6      16      5  EVRYTIME:(5)
         93.2   2,381     -9  MISSING
 -----   -----   -----
 100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 506-507

V1334   **031B051C:#X/YR AMPH@PRTY**

Item Number: 02820

When you used amphetamines during the last year, how often did
you use them in each of the following situations? C: At a
party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 55.3     3.7      94      1  NOT @ALL:(1)
 12.6     0.8      22      2  FEW TIME:(2)
 10.2     0.7      17      3  SOM TIME:(3)
 12.9     0.9      22      4  MST TIME:(4)
  8.9     0.6      15      5  EVRYTIME:(5)
         93.3   2,385     -9  MISSING
 -----   -----   -----
 100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 508-509

V1335   **031B051D:#X/YR AMPH-DT/S**

Item Number: 02830

When you used amphetamines during the last year, how often did
you use them in each of the following situations? D: When
your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 62.1    4.2    108     1  NOT @ALL:(1)
 10.6    0.7     18     2  FEW TIME:(2)
 11.3    0.8     20     3  SOM TIME:(3)
  8.1    0.6     14     4  MST TIME:(4)
  7.8    0.5     14     5  EVRYTIME:(5)
        93.2  2,381    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 510-511

V1336   **031B051E:#X/YR AMPH-ADLT**

Item Number: 02840

When you used amphetamines during the last year, how often did
you use them in each of the following situations? E: When
people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 65.3    4.4    112     1  NOT @ALL:(1)
 13.6    0.9     23     2  FEW TIME:(2)
 11.4    0.8     20     3  SOM TIME:(3)
  6.5    0.4     11     4  MST TIME:(4)
  3.3    0.2      6     5  EVRYTIME:(5)
        93.3  2,384    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 512-513

```
    V1337                031B051F:#X/YR AMPH-DATM
```

Item Number: 02850

When you used amphetamines during the last year, how often did
you use them in each of the following situations? F: During
the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 37.6    2.5      64      1  NOT @ALL:(1)
 19.2    1.3      33      2  FEW TIME:(2)
 16.3    1.1      28      3  SOM TIME:(3)
 12.6    0.8      21      4  MST TIME:(4)
 14.3    1.0      24      5  EVRYTIME:(5)
         93.3  2,384     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 514-515

```
    V1338                031B051G:#X/YR AMPH@HOME
```

Item Number: 02860

When you used amphetamines during the last year, how often did
you use them in each of the following situations? G: At
your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 36.1    2.4      62      1  NOT @ALL:(1)
 16.3    1.1      28      2  FEW TIME:(2)
 17.0    1.1      29      3  SOM TIME:(3)
 14.3    1.0      25      4  MST TIME:(4)
 16.2    1.1      28      5  EVRYTIME:(5)
         93.3  2,383     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 516-517

```
    V1339              031B051H:#X/YR AMPH@SCHL
```

Item Number: 02880

When you used amphetamines during the last year, how often did
you use them in each of the following situations? H: At
school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 57.2    3.9      98      1  NOT @ALL:(1)
 18.2    1.2      31      2  FEW TIME:(2)
 10.6    0.7      18      3  SOM TIME:(3)
  9.1    0.6      16      4  MST TIME:(4)
  4.9    0.3       8      5  EVRYTIME:(5)
         93.3  2,383     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 518-519

```
    V1340              031B051I:#X/YR AMPH@CAR
```

Item Number: 02890

When you used amphetamines during the last year, how often did
you use them in each of the following situations? I: In a
car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 61.7    4.1     105      1  NOT @ALL:(1)
 17.0    1.1      29      2  FEW TIME:(2)
 11.7    0.8      20      3  SOM TIME:(3)
  7.3    0.5      12      4  MST TIME:(4)
  2.3    0.2       4      5  EVRYTIME:(5)
         93.3  2,385     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 520-521

V1341   **031B052A:#X OVL AMPH+ALC**

Item Number: 02900

How many of the times when you used amphetamines during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? A: With
alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 59.3    4.0     102      1  NOT @ALL:(1)
 17.5    1.2      30      2  FEW TIME:(2)
 13.5    0.9      23      3  SOM TIME:(3)
  5.8    0.4      10      4  MST TIME:(4)
  4.0    0.3       7      5  EVRYTIME:(5)
         93.2   2,382     -9  MISSING
-----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 522-523

```
  V1342              031B052B:#X OVL AMPH+MJ
```

Item Number: 02910

How many of the times when you used amphetamines during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? B: With
marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  48.6     3.3     84      1  NOT @ALL:(1)
  17.3     1.2     30      2  FEW TIME:(2)
  10.2     0.7     18      3  SOM TIME:(3)
  12.0     0.8     21      4  MST TIME:(4)
  11.8     0.8     20      5  EVRYTIME:(5)
          93.2  2,382     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 524-525

```
  V1343              031B052C:#X OVL AMPH+LSD
```

Item Number: 02920

How many of the times when you used amphetamines during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  97.0     6.4    163      1  NOT @ALL:(1)
   1.9     0.1      3      2  FEW TIME:(2)
   0.1     0.0      0      3  SOM TIME:(3)
   0.0     0.0      0      4  MST TIME:(4)
   1.0     0.1      2      5  EVRYTIME:(5)
          93.4  2,387     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 526-527

V1344   **031B052D:#X OVL AMPH+PSY**

Item Number: 02930

How many of the times when you used amphetamines during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? D: With
hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 91.0    6.0   153      1  NOT @ALL:(1)
  6.2    0.4    11      2  FEW TIME:(2)
  2.0    0.1     3      3  SOM TIME:(3)
  0.0    0.0     0      4  MST TIME:(4)
  0.8    0.1     1      5  EVRYTIME:(5)
         93.4 2,386     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 528-529

V1345	031B053A:AMPH EXPERIMENT

Item Number: 02940

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
49.7	3.4	86	0	NT MARKD:(0)
50.3	3.4	87	1	MARKED:(1)
	93.2	2,382	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 530-531

V1346	031B053B:AMPH RELAX

Item Number: 02950

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
78.4	5.3	135	0	NT MARKD:(0)
21.6	1.5	37	1	MARKED:(1)
	93.2	2,382	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 532-533

V1347   **031B053C:AMPH GET HIGH**

    Item Number: 02960

    What have been the most important reasons for your taking
    amphetamines without a doctor's orders? (Mark all that
    apply.) C. To feel good or get high

    0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
    VALID   ALL
     54.7   3.7   94   0 NT MARKD:(0)
     45.3   3.1   78   1 MARKED:(1)
             93.2 2,382   -9 MISSING
    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 534-535

V1348   **031B053D:AMPH SK INSIGHT**

    Item Number: 02970

    What have been the most important reasons for your taking
    amphetamines without a doctor's orders? (Mark all that
    apply.) D. To seek deeper insights and understanding

    0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
    VALID   ALL
     91.5   6.2   158   0 NT MARKD:(0)
      8.5   0.6   15   1 MARKED:(1)
             93.2 2,382   -9 MISSING
    ----- ----- -----
    100.0 100.0 2,555 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 536-537

V1349	031B053E:AMPH GD TM FRND

Item Number: 02980

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.8	4.5	115	0	NT MARKD:(0)
33.2	2.2	57	1	MARKED:(1)
	93.2	2,382	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 538-539

V1350	031B053F:AMPH FIT IN GRP

Item Number: 02990

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	6.6	169	0	NT MARKD:(0)
2.3	0.2	4	1	MARKED:(1)
	93.2	2,382	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 540-541

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1351                    031B053G:AMPH GT AWY PRB                      │
└─────────────────────────────────────────────────────────────────────────┘
```

     Item Number: 03000

     What have been the most important reasons for your taking
     amphetamines without a doctor's orders? (Mark all that
     apply.) G. To get away from my problems or troubles

     0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
     VALID   ALL
      87.1   5.9   150   0 NT MARKD:(0)
      12.9   0.9   22   1 MARKED:(1)
             93.2 2,382   -9 MISSING
     ----- ----- -----
     100.0 100.0 2,555 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 542-543

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1352                    031B053H:AMPH BOREDOM                         │
└─────────────────────────────────────────────────────────────────────────┘
```

     Item Number: 03010

     What have been the most important reasons for your taking
     amphetamines without a doctor's orders? (Mark all that
     apply.) H. Because of boredom, nothing else to do

     0="UNMARKED" 1="MARKED"

      PCT   PCT   N VALUE LABEL
     VALID   ALL
      78.1   5.3   135   0 NT MARKD:(0)
      21.9   1.5   38   1 MARKED:(1)
             93.2 2,382   -9 MISSING
     ----- ----- -----
     100.0 100.0 2,555 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 544-545

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1353                    031B053I:AMPH ANGR & FRSTN              │
└─────────────────────────────────────────────────────────────────────┘
```

```
        Item Number:  03020

        What have been the most important reasons for your taking
        amphetamines without a doctor's orders?  (Mark all  that
        apply.) I.   Because of anger or frustration

        0="UNMARKED" 1="MARKED"

          PCT    PCT      N  VALUE  LABEL
        VALID   ALL
         94.4   6.4    163      0  NT MARKD:(0)
          5.6   0.4     10      1  MARKED:(1)
                93.2  2,382     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 546-547
```

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1354                    031B053J:AMPH GT THRU DA               │
└─────────────────────────────────────────────────────────────────────┘
```

```
        Item Number:  03030

        What have been the most important reasons for your taking
        amphetamines without a doctor's orders?  (Mark all  that
        apply.) J.  To get through the day

        0="UNMARKED" 1="MARKED"

          PCT    PCT      N  VALUE  LABEL
        VALID   ALL
         83.2   5.6    144      0  NT MARKD:(0)
         16.8   1.1     29      1  MARKED:(1)
                93.2  2,382     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 548-549
```

```
┌──────────────────────────────────────────────────────────────────────┐
│     V1355                031B053K:AMPH INCR EF DR                      │
└──────────────────────────────────────────────────────────────────────┘
```

Item Number: 03040

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 88.2    6.0     152      0  NT MARKD:(0)
 11.8    0.8      20      1  MARKED:(1)
         93.2  2,382     -9  MISSING
-----   -----  -----
100.0   100.0  2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 550-551

```
┌──────────────────────────────────────────────────────────────────────┐
│     V1356                031B053L:AMPH DCRS EF DR                      │
└──────────────────────────────────────────────────────────────────────┘
```

Item Number: 03050

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.) L. To decrease (offset) the effects of some other
drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 98.7    6.7     170      0  NT MARKD:(0)
  1.3    0.1       2      1  MARKED:(1)
         93.2  2,382     -9  MISSING
-----   -----  -----
100.0   100.0  2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 552-553

V1357	031B053M:AMPH STAY AWAKE

Item Number: 03060

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
57.1	3.9	99	0	NT MARKD:(0)
42.9	2.9	74	1	MARKED:(1)
	93.2	2,382	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 554-555

V1358	031B053N:AMPH GET>ENERGY

Item Number: 03070

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
46.9	3.2	81	0	NT MARKD:(0)
53.1	3.6	92	1	MARKED:(1)
	93.2	2,382	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 556-557

V1359   **031B053O:AMPH LOSE WGHT**

    Item Number: 03080

    What have been the most important reasons for your taking
    amphetamines without a doctor's orders? (Mark all that
    apply.) O. To help me lose weight

    0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 65.3    4.4    113      0  NT MARKD:(0)
 34.7    2.3     60      1  MARKED:(1)
         93.2  2,382    -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 558-559

V1360   **031B053P:AMPH I AM HOOKD**

    Item Number: 03090

    What have been the most important reasons for your taking
    amphetamines without a doctor's orders? (Mark all that
    apply.) P. Because I am "hooked"--I feel I have to have them

    0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 92.9    6.3    160      0  NT MARKD:(0)
  7.1    0.5     12      1  MARKED:(1)
         93.2  2,382    -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 560-561

```
      V1361                031B054 :AMPH,GT VERY HI
```

Item Number: 03100

When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high."

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  12.8   0.9     22      1  NOT HIGH:(1)
  21.8   1.5     38      2  LIT HIGH:(2)
  30.7   2.1     54      3  MOD HIGH:(3)
  14.3   1.0     25      4  VRY HIGH:(4)
  20.3   1.4     36      5  N TK HI:(5)
         93.1  2,379     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 562-563

```
      V1362                031B055 :AMPH,HI 24+ HRS
```

Item Number: 03110

When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  26.4   1.8     45      1  N GET HI:(1)
  24.5   1.6     42      2  1-2 HRS:(2)
  25.0   1.7     43      3  3-6 HRS:(3)
  19.1   1.3     33      4  7-24 HRS:(4)
   5.0   0.3      8      5  >24 HRS:(5)
         93.3  2,384     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 564-565

```
    V1363              031B056A:TKN YR,BENZDRIN
```

Item Number: 03120

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) A. Benzedrine

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 98.0    6.5    167      0  NT MARKD:(0)
  2.0    0.1      3      1  MARKED:(1)
         93.3  2,385     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 566-567

```
    V1364              031B056B:TKN YR,DEXEDRIN
```

Item Number: 03130

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) B. Dexedrine

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 89.9    6.0    153      0  NT MARKD:(0)
 10.1    0.7     17      1  MARKED:(1)
         93.3  2,385     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 568-569

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1365                 031B056C:TKN YR,METHDRIN                        │
└─────────────────────────────────────────────────────────────────────────┘
```

        Item Number: 03140

        What amphetamines have you taken during the last year without
        a doctor's orders? (Mark all that apply.) C. Methedrine

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         97.5   6.5   166   0 NT MARKD:(0)
          2.5   0.2   4   1 MARKED:(1)
                 93.3 2,385   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 570-571

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1366                 031B056D:TKN YR,RITALIN                         │
└─────────────────────────────────────────────────────────────────────────┘
```

        Item Number: 03150

        What amphetamines have you taken during the last year without
        a doctor's orders? (Mark all that apply.) D. Ritalin
        (methylphenidate)

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         69.0   4.6   117   0 NT MARKD:(0)
         31.0   2.1   53   1 MARKED:(1)
                 93.3 2,385   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 572-573

```
    V1367                  031B056E:TKN YR,PRELUDIN
```

Item Number: 03160

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) E. Preludin

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.0    6.6    168      0  NT MARKD:(0)
  1.0    0.1      2      1  MARKED:(1)
         93.3  2,385     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 574-575

```
    V1368                  031B056F:TKN YR,DEXAMYL
```

Item Number: 03170

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) F. Dexamyl

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.2    6.6    169      0  NT MARKD:(0)
  0.8    0.1      1      1  MARKED:(1)
         93.3  2,385     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 576-577

V1369   **031B056G:TKN YR,METHAMPH**

Item Number: 03180

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) G. Methamphetamine

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 73.2    4.9    124      0  NT MARKD:(0)
 26.8    1.8     46      1  MARKED:(1)
         93.3  2,385     -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 578-579

V1764   **031B056H:TKN YR,CRYSMETH**

Item Number: 03185

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) H. Crystal meth

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 76.9    5.1    131      0  NT MARKD:(0)
 23.1    1.5     39      1  MARKED:(1)
         93.3  2,385     -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 580-581

V1370	031B056I:TKN YR,OTH AMPH

Item Number: 03190

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) I.   Other

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 56.0   3.7     95      0  NT MARKD:(0)
 44.0   2.9     75      1  MARKED:(1)
        93.3  2,385    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 582-583

V1371	031B056J:TKN YR,DNT KN N

Item Number: 03200

What amphetamines have you taken during the last year without
a doctor's orders? (Mark all that apply.) J. Don't know the
names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 67.2   4.5    114      0  NT MARKD:(0)
 32.8   2.2     56      1  MARKED:(1)
        93.3  2,385    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 584-585

```
┌─────────────────────────────────────────────────────────────────────┐
│      V1372                    031B057A:MTHD AMPH-MOUTH                 │
└─────────────────────────────────────────────────────────────────────┘
```

        Item Number: 03210

        What methods have you used for taking amphetamines during the
        last year? (Mark all that apply.) A. By mouth

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         14.6   1.0   25   0   NT MARKD:(0)
         85.4   5.8   147   1   MARKED:(1)
                 93.3 2,383   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 586-587

```
┌─────────────────────────────────────────────────────────────────────┐
│      V1765                    031B057B:MTHD AMPH-SMOKG                 │
└─────────────────────────────────────────────────────────────────────┘
```

        Item Number: 03215

        What methods have you used for taking amphetamines during the
        last year? (Mark all that apply.) B. Smoking

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         78.9   5.3   136   0   NT MARKD:(0)
         21.1   1.4   36   1   MARKED:(1)
                 93.3 2,383   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 588-589

V1373   **031B057C:MTHD AMPH-INJCT**

        Item Number: 03220

        What methods have you used for taking amphetamines during the
        last year? (Mark all that apply.) C. Injection

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         96.8   6.5   167   0 NT MARKD:(0)
          3.2   0.2   5   1 MARKED:(1)
                 93.3 2,383   -9 MISSING
        -----   ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 590-591

V1374   **031B057D:MTHD AMPH-OTHER**

        Item Number: 03230

        What methods have you used for taking amphetamines during the
        last year? (Mark all that apply.) D. Other

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         73.6   5.0   127   0 NT MARKD:(0)
         26.4   1.8   46   1 MARKED:(1)
                 93.3 2,383   -9 MISSING
        -----   ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 592-593

V1375   **031B058 :TRY STP AMP & FL**

Item Number: 03240

Have you ever tried to stop using amphetamines and found that
you couldn't stop?

1="Yes" 2="No"

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  10.8    0.7    19      1  YES:(1)
  89.2    6.1   155      2  NO:(2)
         93.2 2,382     -9  MISSING
  -----  ----- -----
  100.0 100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 594-595

V1376   **031B059 :NO AMPH IN 5YR**

Item Number: 03250

Do you think you will be using amphetamines without a doctor's
orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
   0.7    0.6    16      1  DEF WILL:(1)
   3.5    3.2    82      2  PRB WILL:(2)
  16.8   15.3   392      3  PRB WONT:(3)
  79.0   72.0 1,840      4  DEF WONT:(4)
          8.8   225     -9  MISSING
  -----  ----- -----
  100.0 100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 596-597

V1377	031B060A:#X QUAD/LIFETIM

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes. On
how many occasions (if any) have you taken quaaludes on your
own--that is, without a doctor telling you to take them . . .
A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	91.7	2,343	1	0 OCCAS:(1)
0.5	0.4	11	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	7.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 598-599

V1130	031B060A:#X QUAD/LIFETIM

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes. On
how many occasions (if any) have you taken quaaludes on your
own--that is, without a doctor telling you to take them . . .
A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	91.7	2,343	1	0 OCCAS:(1)
0.5	0.4	11	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	7.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 600-601

V1378	031B060B:#X QUAD/LAST12M

Item Number: 01020

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	92.1	2,353	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	7.3	186	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 602-603

V1131	031B060B:#X QUAD/LAST12M

Item Number: 01020

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take them
. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	92.1	2,353	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	7.3	186	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 604-605

V1379	031B060C:#X QUAD/LAST30D

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take them
. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.6	92.4	2,360	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	7.3	186	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 606-607

V1132   **031B060C:#X QUAD/LAST30D**

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take them
. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
 99.6    92.4  2,360      1  0 OCCAS:(1)
  0.3     0.3      7      2  1-2X:(2)
  0.0     0.0      1      3  3-5X:(3)
  0.0     0.0      1      4  6-9X:(4)
  0.0     0.0      0      5  10-19X:(5)
  0.0     0.0      0      6  20-39X:(6)
  0.0     0.0      0      7  40+OCCAS:(7)
          7.3    186     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 608-609

V1382	031B061 :DR TOLD TK BARB

Item Number: 03280

The next questions are about BARBITURATES, which doctors
sometimes prescribe to help people relax or get to sleep.
Drugstores are not supposed to sell them without a
prescription. Barbiturates are sometimes called: Downs,
Downers, Goofballs, Yellows, Reds, Blues, Rainbows. They
include the following drugs: Phenobarbital, Seconal, Tuinal,
Nembutal, Luminal, Desbutal, Amytal.   Have you ever taken
barbiturates because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  96.7    89.8  2,294      1  NO:(1)
   1.0     0.9     24      2  YES BUT:(2)
   2.3     2.1     55      3  YES 1ST:(3)
                  183     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 610-611

V1383	031B062A:#X BRBT/LIFETIM

Item Number: 01040

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  96.1   89.1  2,275      1  0 OCCAS:(1)
   1.6    1.5     37      2  1-2X:(2)
   0.8    0.8     20      3  3-5X:(3)
   0.3    0.3      8      4  6-9X:(4)
   0.2    0.1      4      5  10-19X:(5)
   0.3    0.3      8      6  20-39X:(6)
   0.7    0.6     15      7  40+OCCAS:(7)
          7.3    187     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 612-613

V1133	031B062A:#X BRBT/LIFETIM

Item Number: 01040

On how many occasions (if any) have you taken barbiturates on
your own--that is, without a doctor telling you to take them
. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.1	89.1	2,275	1	0 OCCAS:(1)
1.6	1.5	37	2	1-2X:(2)
0.8	0.8	20	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.2	0.1	4	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.7	0.6	15	7	40+OCCAS:(7)
	7.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 614-615

V1384   **031B062B:#X BRBT/LAST12M**

Item Number: 01050

On how many occasions (if any) have you taken barbiturates on
your own--that is, without a doctor telling you to take them
. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 97.3   90.2  2,304      1  0 OCCAS:(1)
  1.2    1.2     29      2  1-2X:(2)
  0.5    0.4     11      3  3-5X:(3)
  0.2    0.2      4      4  6-9X:(4)
  0.3    0.3      7      5  10-19X:(5)
  0.3    0.3      8      6  20-39X:(6)
  0.2    0.2      4      7  40+OCCAS:(7)
         7.3    187     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 616-617

V1134	031B062B:#X BRBT/LAST12M

Item Number: 01050

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 97.3   90.2  2,304     1  0 OCCAS:(1)
  1.2    1.2     29     2  1-2X:(2)
  0.5    0.4     11     3  3-5X:(3)
  0.2    0.2      4     4  6-9X:(4)
  0.3    0.3      7     5  10-19X:(5)
  0.3    0.3      8     6  20-39X:(6)
  0.2    0.2      4     7  40+OCCAS:(7)
         7.3    187    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 618-619

V1385	031B062C:#X BRBT/LAST30D

Item Number: 01060

On how many occasions (if any) have you taken barbiturates on
your own--that is, without a doctor telling you to take them.
. .   C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.7   91.5  2,337     1  0 OCCAS:(1)
  0.6    0.6     15     2  1-2X:(2)
  0.2    0.2      5     3  3-5X:(3)
  0.3    0.3      7     4  6-9X:(4)
  0.2    0.1      4     5  10-19X:(5)
  0.0    0.0      0     6  20-39X:(6)
  0.0    0.0      1     7  40+OCCAS:(7)
         7.3    187    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 620-621

V1135	031B062C:#X BRBT/LAST30D

Item Number: 01060

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.7	91.5	2,337	1	0 OCCAS:(1)
0.6	0.6	15	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.2	0.1	4	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	7.3	187	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 622-623

V1428   031B063 :NO BARB IN 5YR

Item Number: 03720

Do you think you will be using barbiturates without a doctor's
prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  0.8    0.7     19      1  DEF WILL:(1)
  1.4    1.3     32      2  PRB WILL:(2)
 14.2   13.1    334      3  PRB WONT:(3)
 83.7   77.1  1,971      4  DEF WONT:(4)
         7.8    199     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 624-625

V1429   031B064 :DR TOLD TK TRNQ

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors
sometimes prescribe to calm people down, quiet their nerves,
or relax their muscles. They include the following drugs:
Librium, Valium, Xanax, Equanil, Meprobamate, Serax, Atarax,
Tranxene, Vistaril.   Have you ever taken tranquilizers
because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 93.8   87.0  2,222      1  NO:(1)
  1.3    1.2     30      2  YES BUT:(2)
  5.0    4.6    118      3  YES 1ST:(3)
         7.2    185     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 626-627

V1430	031B065A:#X TRQL/LIFETIM

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.7	84.8	2,167	1	0 OCCAS:(1)
3.6	3.4	86	2	1-2X:(2)
1.7	1.6	40	3	3-5X:(3)
0.8	0.7	18	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.8	0.7	18	6	20-39X:(6)
1.0	0.9	24	7	40+OCCAS:(7)
	7.5	192	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 628-629

V1136	**031B065A:#X TRQL/LIFETIM**

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take them
. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 91.7   84.8  2,167     1  0 OCCAS:(1)
  3.6    3.4     86     2  1-2X:(2)
  1.7    1.6     40     3  3-5X:(3)
  0.8    0.7     18     4  6-9X:(4)
  0.4    0.4     10     5  10-19X:(5)
  0.8    0.7     18     6  20-39X:(6)
  1.0    0.9     24     7  40+OCCAS:(7)
         7.5    192    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 630-631

V1431	031B065B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 95.0   87.9  2,246     1  0 OCCAS:(1)
  2.4    2.2    56      2  1-2X:(2)
  0.8    0.7    18      3  3-5X:(3)
  0.4    0.4    10      4  6-9X:(4)
  0.5    0.5    12      5  10-19X:(5)
  0.5    0.5    12      6  20-39X:(6)
  0.4    0.4    10      7  40+OCCAS:(7)
         7.5   191     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 632-633

V1137   **031B065B:#X TRQL/LAST12M**

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take them.
. . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  95.0   87.9  2,246      1  0 OCCAS:(1)
   2.4    2.2     56      2  1-2X:(2)
   0.8    0.7     18      3  3-5X:(3)
   0.4    0.4     10      4  6-9X:(4)
   0.5    0.5     12      5  10-19X:(5)
   0.5    0.5     12      6  20-39X:(6)
   0.4    0.4     10      7  40+OCCAS:(7)
          7.5    191     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 634-635

V1432	031B065C:#X TRQL/LAST30D

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.7	90.3	2,308	1	0 OCCAS:(1)
1.2	1.1	28	2	1-2X:(2)
0.5	0.5	12	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	7.5	192	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 636-637

V1138	**031B065C:#X TRQL/LAST30D**

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 97.7  90.3  2,308     1  0 OCCAS:(1)
  1.2   1.1     28     2  1-2X:(2)
  0.5   0.5     12     3  3-5X:(3)
  0.1   0.1      3     4  6-9X:(4)
  0.3   0.3      7     5  10-19X:(5)
  0.1   0.1      2     6  20-39X:(6)
  0.1   0.1      2     7  40+OCCAS:(7)
        7.5    192    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 638-639

V1433	**031B066A:#X/YR TRQL ALNE**

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS,
GO TO QUESTION 73. THE FOLLOWING QUESTIONS REFER ONLY TO
TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE
NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73.
When you used tranquilizers during the last year, how often
did you use them in each of the following situations? A: When
you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
50.8	2.3	58	1	NOT @ALL:(1)
20.5	0.9	23	2	FEW TIME:(2)
12.5	0.6	14	3	SOM TIME:(3)
8.4	0.4	10	4	MST TIME:(4)
7.8	0.3	9	5	EVRYTIME:(5)
	95.6	2,442	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 640-641

V1434   **031B066B:#X/YR TRQL-2PPL**

Item Number: 03750

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? B:
With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 23.2    1.0    26     1   NOT @ALL:(1)
 34.3    1.5    39     2   FEW TIME:(2)
 10.2    0.5    12     3   SOM TIME:(3)
 17.2    0.8    20     4   MST TIME:(4)
 15.1    0.7    17     5   EVRYTIME:(5)
        95.6  2,442    -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 642-643

V1435   **031B066C:#X/YR TRQL@PRTY**

Item Number: 03760

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? C: At
a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 45.6    2.0    52     1   NOT @ALL:(1)
 21.2    0.9    24     2   FEW TIME:(2)
 11.7    0.5    13     3   SOM TIME:(3)
  8.9    0.4    10     4   MST TIME:(4)
 12.7    0.6    14     5   EVRYTIME:(5)
        95.5  2,441    -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 644-645

```
     V1436                    031B066D:#X/YR TRQL-DT/S
```

Item Number: 03770

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? D:
When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
 60.6     2.7      69      1  NOT @ALL:(1)
 11.5     0.5      13      2  FEW TIME:(2)
 12.1     0.5      14      3  SOM TIME:(3)
  8.5     0.4      10      4  MST TIME:(4)
  7.3     0.3       8      5  EVRYTIME:(5)
          95.6  2,442     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 646-647

```
     V1437                    031B066E:#X/YR TRQL-ADLT
```

Item Number: 03780

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? E:
When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
 58.7     2.6      67      1  NOT @ALL:(1)
 20.3     0.9      23      2  FEW TIME:(2)
 11.5     0.5      13      3  SOM TIME:(3)
  6.2     0.3       7      4  MST TIME:(4)
  3.2     0.1       4      5  EVRYTIME:(5)
          95.6  2,442     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 648-649

```
    V1438                    031B066F:#X/YR TRQL-DATM
```

Item Number: 03790

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? F:
During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  43.5    1.9     49      1  NOT @ALL:(1)
  33.4    1.5     38      2  FEW TIME:(2)
  11.2    0.5     13      3  SOM TIME:(3)
   6.5    0.3      7      4  MST TIME:(4)
   5.4    0.2      6      5  EVRYTIME:(5)
          95.6  2,442     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 650-651

```
    V1439                    031B066G:#X/YR TRQL@HOME
```

Item Number: 03800

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? G: At
your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  32.5    1.4     36      1  NOT @ALL:(1)
  26.6    1.2     30      2  FEW TIME:(2)
  11.9    0.5     13      3  SOM TIME:(3)
   9.9    0.4     11      4  MST TIME:(4)
  19.1    0.8     21      5  EVRYTIME:(5)
          95.6  2,443     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 652-653

```
    V1440                031B066H:#X/YR TRQL@SCHL
```

Item Number: 03810

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? H: At
school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  67.8   2.9     75      1  NOT @ALL:(1)
  13.8   0.6     15      2  FEW TIME:(2)
  12.2   0.5     13      3  SOM TIME:(3)
   3.2   0.1      4      4  MST TIME:(4)
   3.1   0.1      3      5  EVRYTIME:(5)
         95.7  2,444     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 654-655

```
    V1441                031B066I:#X/YR TRQL@CAR
```

Item Number: 03830

When you used tranquilizers during the last year, how often
did you use them in each of the following situations? I: In
a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  64.1   2.8     73      1  NOT @ALL:(1)
  10.8   0.5     12      2  FEW TIME:(2)
  12.7   0.6     14      3  SOM TIME:(3)
   9.7   0.4     11      4  MST TIME:(4)
   2.7   0.1      3      5  EVRYTIME:(5)
         95.6  2,442     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 656-657

V1442	031B067A:#X OVL TRQL+ALC

Item Number: 03840

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 41.5    1.8     47      1  NOT @ALL:(1)
 18.1    0.8     20      2  FEW TIME:(2)
 15.6    0.7     17      3  SOM TIME:(3)
 10.0    0.4     11      4  MST TIME:(4)
 14.8    0.7     17      5  EVRYTIME:(5)
         95.6  2,443     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 658-659

```
V1443                    031B067B:#X OVL TRQL+MJ
```

Item Number: 03850

How many of the times when you used tranquilizers during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? B: With
marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
  41.2    1.8     46      1  NOT @ALL:(1)
  16.0    0.7     18      2  FEW TIME:(2)
  13.6    0.6     15      3  SOM TIME:(3)
  11.8    0.5     13      4  MST TIME:(4)
  17.5    0.8     20      5  EVRYTIME:(5)
          95.6  2,443     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 660-661

```
V1444                031B067C:#X OVL TRQL+LSD
```

Item Number: 03860

How many of the times when you used tranquilizers during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 95.4    4.1     105      1  NOT @ALL:(1)
  2.9    0.1       3      2  FEW TIME:(2)
  1.4    0.1       2      3  SOM TIME:(3)
  0.0    0.0       0      4  MST TIME:(4)
  0.2    0.0       0      5  EVRYTIME:(5)
         95.7   2,445     -9  MISSING
-----   -----   -----
100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 662-663

```
V1445                031B067D:#X OVL TRQL+PSY
```

Item Number: 03870

How many of the times when you used tranquilizers during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? D: With
hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 94.0    4.1     104      1  NOT @ALL:(1)
  1.1    0.0       1      2  FEW TIME:(2)
  2.3    0.1       3      3  SOM TIME:(3)
  0.9    0.0       1      4  MST TIME:(4)
  1.7    0.1       2      5  EVRYTIME:(5)
         95.7   2,444     -9  MISSING
-----   -----   -----
100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 664-665

V1446   **031B067E:#X OVL TRQL+AMP**

Item Number: 03880

How many of the times when you used tranquilizers during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? E: With
amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
 91.1     3.9    100      1   NOT @ALL:(1)
  4.1     0.2      4      2   FEW TIME:(2)
  1.3     0.1      1      3   SOM TIME:(3)
  1.2     0.1      1      4   MST TIME:(4)
  2.3     0.1      3      5   EVRYTIME:(5)
           95.7  2,445     -9   MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 666-667

V1447   **031B067F:#X OVL TRQL+QUA**

Item Number: 03890

How many of the times when you used tranquilizers during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? F: With
quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID     ALL
 96.8     4.2    107      1  NOT @ALL:(1)
  1.2     0.1      1      2  FEW TIME:(2)
  0.2     0.0      0      3  SOM TIME:(3)
  0.7     0.0      1      4  MST TIME:(4)
  1.1     0.0      1      5  EVRYTIME:(5)
          95.7  2,445     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 668-669

V1448	031B067G:#X OVL TRQL+BRB

Item Number: 03900

How many of the times when you used tranquilizers during the
last year did you use them along with each of the following
drugs--that is, so that their effects overlapped? G: With
barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 90.0    3.9      99      1  NOT @ALL:(1)
  5.8    0.2       6      2  FEW TIME:(2)
  3.1    0.1       3      3  SOM TIME:(3)
  0.0    0.0       0      4  MST TIME:(4)
  1.1    0.0       1      5  EVRYTIME:(5)
         95.7  2,445     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 670-671

```
┌──────────────────────────────────────────────────────────────────────┐
│        V1449              031B068A:TRNQ EXPERIMENT                      │
└──────────────────────────────────────────────────────────────────────┘
```

Item Number: 03910

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  50.1   2.1     54      0  NT MARKD:(0)
  49.9   2.1     54      1  MARKED:(1)
         95.7  2,446     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 672-673

```
┌──────────────────────────────────────────────────────────────────────┐
│        V1450              031B068B:TRNQ RELAX                           │
└──────────────────────────────────────────────────────────────────────┘
```

Item Number: 03920

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  30.4   1.3     33      0  NT MARKD:(0)
  69.6   3.0     76      1  MARKED:(1)
         95.7  2,446     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 674-675

V1451   **031B068C:TRNQ GET HIGH**

Item Number: 03930

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 45.2    1.9     49      0  NT MARKD:(0)
 54.8    2.3     60      1  MARKED:(1)
         95.7  2,446    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 676-677

V1452   **031B068D:TRNQ SK INSIGHT**

Item Number: 03940

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 90.3    3.8     98      0  NT MARKD:(0)
  9.7    0.4     10      1  MARKED:(1)
         95.7  2,446    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 678-679

V1453   **031B068E:TRNQ GD TM FRND**

Item Number: 03950

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
68.8	2.9	75	0	NT MARKD:(0)
31.2	1.3	34	1	MARKED:(1)
	95.7	2,446	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 680-681

V1454   **031B068F:TRNQ FIT IN GRP**

Item Number: 03960

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.2	4.1	106	0	NT MARKD:(0)
2.8	0.1	3	1	MARKED:(1)
	95.7	2,446	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 682-683

```
  V1455                    031B068G:TRNQ GT AWY PRB
```

Item Number: 03970

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 79.8   3.4      87     0  NT MARKD:(0)
 20.2   0.9      22     1  MARKED:(1)
        95.7  2,446    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 684-685

```
  V1456                    031B068H:TRNQ BOREDOM
```

Item Number: 03980

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 81.2   3.5      88     0  NT MARKD:(0)
 18.8   0.8      20     1  MARKED:(1)
        95.7  2,446    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 686-687

```
┌─────────────────────────────────────────────────────────────────────────┐
│        V1457                    031B068I:TRNQ ANGR & FRSTN                │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 03990

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) I.   Because of anger or frustration

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 83.5    3.5     91      0  NT MARKD:(0)
 16.5    0.7     18      1  MARKED:(1)
         95.7  2,446     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 688-689

```
┌─────────────────────────────────────────────────────────────────────────┐
│        V1458                    031B068J:TRNQ GT THRU DA                  │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 04000

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 91.0    3.9     99      0  NT MARKD:(0)
  9.0    0.4     10      1  MARKED:(1)
         95.7  2,446     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 690-691

V1459   **031B068K:TRNQ INCR EF DR**

Item Number: 04010

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 78.3    3.3     85      0  NT MARKD:(0)
 21.7    0.9     24      1  MARKED:(1)
         95.7  2,446     -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 692-693

V1460   **031B068L:TRNQ DCRS EF DR**

Item Number: 04020

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) L. To decrease (offset) the effects of some other
drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 95.4    4.1    104      0  NT MARKD:(0)
  4.6    0.2      5      1  MARKED:(1)
         95.7  2,446     -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 694-695

V1461   **031B068M:TRNQ GET SLEEP**

Item Number: 04030

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 59.4    2.5     64      0  NT MARKD:(0)
 40.6    1.7     44      1  MARKED:(1)
         95.7  2,446     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 696-697

V1696   **031B068N:TRNQ RLV PHYS P**

Item Number: 04035

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) N. To relieve physical pain

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 62.2    2.6     68      0  NT MARKD:(0)
 37.8    1.6     41      1  MARKED:(1)
         95.7  2,446     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 698-699

```
┌─────────────────────────────────────────────────────────────────────┐
│      V1462                  031B068O:TRNQ I AM HOOKD                  │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 04040

What have been the most important reasons for your taking
tranquilizers without a doctor's orders? (Mark all that
apply.) O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 96.2   4.1    104      0  NT MARKD:(0)
  3.8   0.2      4      1  MARKED:(1)
        95.7  2,446    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 700-701

```
┌─────────────────────────────────────────────────────────────────────┐
│      V1463                  031B069 :TRNQ,GT VERY HI                  │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high."

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  6.7   0.3      7      1  NOT HIGH:(1)
 22.7   1.0     25      2  LIT HIGH:(2)
 31.5   1.4     35      3  MOD HIGH:(3)
 23.1   1.0     26      4  VRY HIGH:(4)
 16.1   0.7     18      5  N TK HI:(5)
        95.6  2,443    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 702-703

V1464	031B070 :TRNQ,HI 24+ HRS

Item Number: 04060

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 21.8    0.9    24      1  N GET HI:(1)
 27.8    1.2    30      2  1-2 HRS:(2)
 38.5    1.6    42      3  3-6 HRS:(3)
 11.8    0.5    13      4  7-24 HRS:(4)
  0.0    0.0     0      5  >24 HRS:(5)
        95.8  2,447     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 704-705

V1465	031B071A:TKN YR,LIBRIUM

Item Number: 04070

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Librium

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 95.5    4.1   104      0  NT MARKD:(0)
  4.5    0.2     5      1  MARKED:(1)
        95.7  2,446     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 706-707

V1466   **031B071B:TKN YR,VALIUM**

```
Item Number:  04080

What tranquilizers have you taken during the last year without
a doctor's orders?  (Mark all that apply.) B.  Valium

0="UNMARKED" 1="MARKED"

  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 39.0    1.7      42       0  NT MARKD:(0)
 61.0    2.6      66       1  MARKED:(1)
         95.7  2,446      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 708-709
```

V1814   **031B071C:TKN YR, XANAX**

```
Item Number:  04095

What tranquilizers have you taken during the last year without
a doctor's orders? (Mark all that apply.)  C.   Xanax

0="UNMARKED" 1="MARKED"

  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 41.4    1.8      45       0  NT MARKD:(0)
 58.6    2.5      64       1  MARKED:(1)
         95.7  2,446      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 710-711
```

```
+-------------------------------------------------------------------+
|      V1468                    031B071D:TKN YR,EQUANIL             |
+-------------------------------------------------------------------+
```

Item Number: 04100

What tranquilizers have you taken during the last year without
a doctor's orders? (Mark all that apply.) D. Equanil

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.1    4.2    108      0  NT MARKD:(0)
  0.9    0.0      1      1  MARKED:(1)
         95.7  2,446     -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 712-713

```
+-------------------------------------------------------------------+
|      V1469                    031B071E:TKN YR,MEPRBMTE           |
+-------------------------------------------------------------------+
```

Item Number: 04110

What tranquilizers have you taken during the last year without
a doctor's orders? (Mark all that apply.) E. Meprobamate

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 97.9    4.2    107      0  NT MARKD:(0)
  2.1    0.1      2      1  MARKED:(1)
         95.7  2,446     -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 714-715

```
┌─────────────────────────────────────────────────────────────────────┐
│    V1470              031B071F:TKN YR,SERAX                          │
└─────────────────────────────────────────────────────────────────────┘
```

     Item Number: 04120

     What tranquilizers have you taken during the last year without
     a doctor's orders? (Mark all that apply.) F. Serax

     0="UNMARKED" 1="MARKED"

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   97.7   4.2    106      0  NT MARKD:(0)
    2.3   0.1      2      1  MARKED:(1)
          95.7  2,446     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 716-717

```
┌─────────────────────────────────────────────────────────────────────┐
│    V1471              031B071G:TKN YR,ATARAX                         │
└─────────────────────────────────────────────────────────────────────┘
```

     Item Number: 04130

     What tranquilizers have you taken during the last year without
     a doctor's orders? (Mark all that apply.) G. Atarax

     0="UNMARKED" 1="MARKED"

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
   94.2   4.0    103      0  NT MARKD:(0)
    5.8   0.2      6      1  MARKED:(1)
          95.7  2,446     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 718-719

V1472 **031B071H:TKN YR,TRANXENE**

Item Number: 04140

What tranquilizers have you taken during the last year without
a doctor's orders? (Mark all that apply.) H. Tranxene

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 99.2    4.2    108      0  NT MARKD:(0)
  0.8    0.0      1      1  MARKED:(1)
         95.7  2,446    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 720-721

V1473 **031B071I:TKN YR,VISTARIL**

Item Number: 04150

What tranquilizers have you taken during the last year without
a doctor's orders? (Mark all that apply.) I.   Vistaril

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 95.7    4.1    104      0  NT MARKD:(0)
  4.3    0.2      5      1  MARKED:(1)
         95.7  2,446    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 722-723

```
   V1815                    031B071J:TKN YR,OTH TRNQ
```

Item Number: 04155

What tranquilizers have you taken during the last year without
a doctor's orders? (Mark all that apply.) J.   Other

0="UNMARKED" 1="MARKED"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  69.1    2.9      75       0  NT MARKD:(0)
  30.9    1.3      34       1  MARKED:(1)
          95.7  2,446      -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 724-725

```
   V1474                    031B071K:TKN YR,DNT KNW
```

Item Number: 04160

What tranquilizers have you taken during the last year without
a doctor's orders? (Mark all that apply.) K. Don't know the
names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  78.1    3.3      85       0  NT MARKD:(0)
  21.9    0.9      24       1  MARKED:(1)
          95.7  2,446      -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 726-727

```
+------------------------------------------------------------------+
|      V1475                  031B072 :TRY STP TRQ & FL            |
+------------------------------------------------------------------+
```

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that
you couldn't stop?

1="Yes" 2="No"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   6.5    0.3       7      1  YES:(1)
  93.5    4.1     103      2  NO:(2)
         95.7   2,444     -9  MISSING
 -----  -----   -----
 100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 728-729

```
+------------------------------------------------------------------+
|      V1476                  031B073 :NO TRNQ IN 5YR             |
+------------------------------------------------------------------+
```

Item Number: 04180

Do you think you will be using tranquilizers without a
doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   0.8    0.7      19      1  DEF WILL:(1)
   1.8    1.6      42      2  PRB WILL:(2)
  16.4   14.8     377      3  PRB WONT:(3)
  81.0   73.1   1,867      4  DEF WONT:(4)
          9.8     251     -9  MISSING
 -----  -----   -----
 100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 730-731

V1755   **031B074 :EVR TK CRACK/FB**

     Item Number: 22250

     The next questions are about the use of different forms of
     cocaine, such as "crack", powder, freebase, or coca paste.
     Have you ever taken cocaine in "crack" form or in any other
     freebase form--that is, where you inhaled the fumes from
     smoking, heating, or burning it?

     1="No--GO TO QUESTION 76" 2="Yes"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.1	89.5	2,285	1	NO:(1)
2.9	2.6	67	2	YES:(2)
	7.9	202	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 732-733

V1756   **031B075A:#X CRACK/LIFTIM**

     Item Number: 22260

     On how many occasions (if any) have you taken "crack" (cocaine
     in chunk or rock form) . . . A: . . . in your lifetime?

     1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
     Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
     More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.5	90.0	2,300	1	0 OCCAS:(1)
1.3	1.2	30	2	1-2X:(2)
0.4	0.3	9	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.4	0.3	9	7	40+OCCAS:(7)
	7.7	196	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 734-735

V1757   **031B075B:#X CRACK/LST12M**

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine
in chunk or rock form). . . B: . . . during the last 12
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 98.6   90.9  2,323     1  0 OCCAS:(1)
  0.7    0.7    17      2  1-2X:(2)
  0.2    0.2     4      3  3-5X:(3)
  0.1    0.1     2      4  6-9X:(4)
  0.2    0.1     4      5  10-19X:(5)
  0.2    0.1     4      6  20-39X:(6)
  0.1    0.1     3      7  40+OCCAS:(7)
         7.7   198     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 736-737

V1758	031B075C:#X CRACK/LST30D

Item Number: 22280

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	91.7	2,344	1	0 OCCAS:(1)
0.3	0.3	8	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	7.8	200	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 738-739

V1759	031B076A:#XOTH COKE/LIFE

```
        Item Number:  22320

        On how many occasions (if any) have you taken cocaine in any
        other form . . . A:  . . . in your lifetime?

        1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
        Occasions" 5="10-19 Occasions" 6="20-39  Occasions" 7="40 or
        More"

          PCT     PCT      N  VALUE   LABEL
        VALID    ALL
         94.5   86.2  2,202      1  0 OCCAS:(1)
          2.6    2.3     60      2  1-2X:(2)
          0.6    0.6     15      3  3-5X:(3)
          0.3    0.3      8      4  6-9X:(4)
          0.4    0.4     10      5  10-19X:(5)
          0.6    0.6     15      6  20-39X:(6)
          0.9    0.8     21      7  40+OCCAS:(7)
                 8.8    225     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 740-741
```

V1760   **031B076B:#XOTH COKE/12MO**

Item Number: 22330

On how many occasions (if any) have you taken cocaine in any
other form . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.5	88.2	2,253	1	0 OCCAS:(1)
1.5	1.4	36	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.2	0.2	6	4	6-9X:(4)
0.5	0.4	11	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS:(7)
	8.6	219	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 742-743

V1761	031B076C:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you taken cocaine in any
other form . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	89.9	2,296	1	0 OCCAS:(1)
0.9	0.8	21	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	8.6	220	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 744-745

```
V1124                031R     :#X COKE/LIFETIME
```

Item Number: 00950

Component questions: "On how many occasions (if any) have you
used "crack" (cocaine in chunk or rock form) . . . A. in
your lifetime?" (item 22260) and "On how many occasions (if
any) have you used cocaine in any other form . . . A. in your
lifetime?) (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 93.6   84.4  2,157      1  0 OCCAS:(1)
  2.6    2.3     60      2  1-2X:(2)
  1.1    1.0     26      3  3-5X:(3)
  0.4    0.4     10      4  6-9X:(4)
  0.5    0.5     12      5  10-19X:(5)
  0.6    0.6     15      6  20-39X:(6)
  1.1    1.0     26      7  40+OCCAS:(7)
         9.8    250     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 746-747

V1125   **031R**   **:#X COKE/LAST12MO**

Item Number: 00960

Component questions: "On how many occasions (if any) have you
used "crack" (cocaine in chunk or rock form) . . . B. During
the last 12 months?" (item 22270) and "On how many occasions
(if any) have you used cocaine in any other form . . . B.
During the last 12 months?) (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.0	86.7	2,216	1	0 OCCAS:(1)
1.6	1.4	36	2	1-2X:(2)
0.8	0.7	19	3	3-5X:(3)
0.3	0.2	6	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	9.7	248	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 748-749

V1126   **031R**   **:#X COKE/LAST30DA**

Item Number: 00970

Component questions: "On how many occasions (if any) have you
used "crack" (cocaine in chunk or rock form) . . . C. During
the last 30 days?" (item 22280) and "On how many occasions (if
any) have you used cocaine in any other form . . . C. During
the last 30 days?) (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	88.6	2,264	1	0 OCCAS:(1)
0.9	0.8	20	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.8	250	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 750-751

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V1480                    031B077A:#X/YR COKE ALNE                     │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE,
ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 85. When you
used cocaine during the last year, how often did you use it in
each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 69.8    2.6    67      1   NOT @ALL:(1)
 19.1    0.7    18      2   FEW TIME:(2)
  4.1    0.2     4      3   SOM TIME:(3)
  3.9    0.1     4      4   MST TIME:(4)
  3.1    0.1     3      5   EVRYTIME:(5)
         96.2  2,459    -9   MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 752-753

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V1481                    031B077B:#X/YR COKE-2PPL                     │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 04200

When you used cocaine during the last year, how often did you
use it in each of the following situations? B: With just 1
or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 23.5    0.9    23      1   NOT @ALL:(1)
 23.5    0.9    23      2   FEW TIME:(2)
 17.4    0.7    17      3   SOM TIME:(3)
 15.3    0.6    15      4   MST TIME:(4)
 20.3    0.8    20      5   EVRYTIME:(5)
         96.2  2,457    -9   MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 754-755

V1482   **031B077C:#X/YR COKE@PRTY**

Item Number: 04210

When you used cocaine during the last year, how often did you
use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 45.5   1.8     45      1  NOT @ALL:(1)
 15.1   0.6     15      2  FEW TIME:(2)
 10.5   0.4     10      3  SOM TIME:(3)
 12.3   0.5     12      4  MST TIME:(4)
 16.6   0.6     16      5  EVRYTIME:(5)
        96.1  2,456     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 756-757

V1483   **031B077D:#X/YR COKE-DT/S**

Item Number: 04220

When you used cocaine during the last year, how often did you
use it in each of the following situations? D: When your
date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 69.7   2.7     69      1  NOT @ALL:(1)
 11.3   0.4     11      2  FEW TIME:(2)
  3.4   0.1      3      3  SOM TIME:(3)
  7.0   0.3      7      4  MST TIME:(4)
  8.6   0.3      8      5  EVRYTIME:(5)
        96.2  2,457     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 758-759

```
    V1484                 031B077E:#X/YR COKE-ADLT
```

Item Number: 04230

When you used cocaine during the last year, how often did you
use it in each of the following situations? E: When people
over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
 82.1     3.1      80       1   NOT @ALL:(1)
  6.1     0.2       6       2   FEW TIME:(2)
  5.6     0.2       5       3   SOM TIME:(3)
  1.6     0.1       2       4   MST TIME:(4)
  4.6     0.2       4       5   EVRYTIME:(5)
          96.2   2,457      -9   MISSING
 -----   -----   -----
 100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 760-761

```
    V1485                 031B077F:#X/YR COKE-DATM
```

Item Number: 04240

When you used cocaine during the last year, how often did you
use it in each of the following situations? F: During the
daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
 65.8     2.5      64       1   NOT @ALL:(1)
 10.7     0.4      10       2   FEW TIME:(2)
  9.5     0.4       9       3   SOM TIME:(3)
  8.1     0.3       8       4   MST TIME:(4)
  5.9     0.2       6       5   EVRYTIME:(5)
          96.2   2,457      -9   MISSING
 -----   -----   -----
 100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 762-763

V1486   **031B077G:#X/YR COKE@HOME**

Item Number: 04250

When you used cocaine during the last year, how often did you
use it in each of the following situations? G: At your home
(or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 63.4    2.4     62      1  NOT @ALL:(1)
 12.6    0.5     12      2  FEW TIME:(2)
  8.4    0.3      8      3  SOM TIME:(3)
 11.2    0.4     11      4  MST TIME:(4)
  4.4    0.2      4      5  EVRYTIME:(5)
         96.2  2,457     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 764-765

V1487   **031B077H:#X/YR COKE@SCHL**

Item Number: 04260

When you used cocaine during the last year, how often did you
use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 88.2    3.4     86      1  NOT @ALL:(1)
  4.1    0.2      4      2  FEW TIME:(2)
  1.3    0.0      1      3  SOM TIME:(3)
  4.1    0.2      4      4  MST TIME:(4)
  2.3    0.1      2      5  EVRYTIME:(5)
         96.2  2,457     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 766-767

```
     V1488              031B077I:#X/YR COKE@CAR
```

Item Number: 04280

When you used cocaine during the last year, how often did you
use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 66.6     2.5     64      1  NOT @ALL:(1)
 10.4     0.4     10      2  FEW TIME:(2)
 11.8     0.4     11      3  SOM TIME:(3)
 11.2     0.4     11      4  MST TIME:(4)
  0.0     0.0      0      5  EVRYTIME:(5)
         96.3  2,460     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 768-769

```
     V1489              031B078A:#X OVL COKE+ALC
```

Item Number: 04290

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 52.1     2.0     51      1  NOT @ALL:(1)
 18.1     0.7     18      2  FEW TIME:(2)
  6.6     0.3      6      3  SOM TIME:(3)
 11.1     0.4     11      4  MST TIME:(4)
 12.2     0.5     12      5  EVRYTIME:(5)
         96.2  2,458     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 770-771

V1490   **031B078B:#X OVL COKE+MJ**

Item Number: 04300

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N   VALUE  LABEL
VALID   ALL
 44.8    1.7     44       1   NOT @ALL:(1)
 16.6    0.6     16       2   FEW TIME:(2)
  8.0    0.3      8       3   SOM TIME:(3)
 10.0    0.4     10       4   MST TIME:(4)
 20.6    0.8     20       5   EVRYTIME:(5)
         96.1  2,456     -9   MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 772-773

V1491   **031B078C:#X OVL COKE+LSD**

Item Number: 04310

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N   VALUE  LABEL
VALID   ALL
 96.3    3.6     92       1   NOT @ALL:(1)
  0.9    0.0      1       2   FEW TIME:(2)
  2.8    0.1      3       3   SOM TIME:(3)
  0.0    0.0      0       4   MST TIME:(4)
  0.0    0.0      0       5   EVRYTIME:(5)
         96.3  2,460     -9   MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 774-775

V1492	031B078D:#X OVL COKE+PSY

Item Number: 04320

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? D: With
hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 94.5   3.5     90      1  NOT @ALL:(1)
  1.5   0.1      1      2  FEW TIME:(2)
  2.2   0.1      2      3  SOM TIME:(3)
  0.4   0.0      0      4  MST TIME:(4)
  1.4   0.1      1      5  EVRYTIME:(5)
        96.3  2,459     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 776-777

V1493   **031B078E:#X OVL COKE+AMP**

Item Number: 04330

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? E: With
amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 91.2    3.4     86     1  NOT @ALL:(1)
  3.3    0.1      3     2  FEW TIME:(2)
  4.1    0.2      4     3  SOM TIME:(3)
  0.0    0.0      0     4  MST TIME:(4)
  1.4    0.1      1     5  EVRYTIME:(5)
         96.3  2,461    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 778-779

V1494   **031B078F:#X OVL COKE+QUA**

Item Number: 04340

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 97.5    3.6     93     1  NOT @ALL:(1)
  0.9    0.0      1     2  FEW TIME:(2)
  0.2    0.0      0     3  SOM TIME:(3)
  0.0    0.0      0     4  MST TIME:(4)
  1.4    0.1      1     5  EVRYTIME:(5)
         96.3  2,460    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 780-781

V1495   **031B078G:#X OVL COKE+BRB**

Item Number: 04350

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? G: With
barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  95.8    3.5      89      1  NOT @ALL:(1)
   2.5    0.1       2      2  FEW TIME:(2)
   0.2    0.0       0      3  SOM TIME:(3)
   0.0    0.0       0      4  MST TIME:(4)
   1.5    0.1       1      5  EVRYTIME:(5)
          96.3  2,462     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 782-783

```
V1496                     031B078H:#X OVL COKE+TRN
```

Item Number: 04360

How many of the times when you used cocaine during the last
year did you use it along with each of the following drugs--
that is, so that their effects overlapped? H: With
tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 89.1   3.3    84      1  NOT @ALL:(1)
  5.0   0.2     5      2  FEW TIME:(2)
  0.2   0.0     0      3  SOM TIME:(3)
  4.2   0.2     4      4  MST TIME:(4)
  1.4   0.1     1      5  EVRYTIME:(5)
        96.3 2,461     -9  MISSING
-----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 784-785

V1497	031B079A:COKE EXPERIMENT

Item Number: 04370

What have been the most important reasons for your taking cocaine? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
27.8	0.9	24	0	NT MARKD:(0)
72.2	2.5	63	1	MARKED:(1)
	96.6	2,468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 786-787

V1498	031B079B:COKE RELAX

Item Number: 04380

What have been the most important reasons for your taking cocaine? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
81.9	2.8	71	0	NT MARKD:(0)
18.1	0.6	16	1	MARKED:(1)
	96.6	2,468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 788-789

V1499	**031B079C:COKE GET HIGH**

Item Number: 04390

What have been the most important reasons for your taking cocaine? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
33.9	1.2	29	0	NT MARKD:(0)
66.1	2.2	57	1	MARKED:(1)
	96.6	2,468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 790-791

V1500	**031B079D:COKE SK INSIGHT**

Item Number: 04400

What have been the most important reasons for your taking cocaine? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	3.1	80	0	NT MARKD:(0)
7.3	0.2	6	1	MARKED:(1)
	96.6	2,468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 792-793

V1501   **031B079E:COKE GD TM FRND**

Item Number: 04410

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) E. To have a good time with
my friends

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 62.5    2.1     54      0  NT MARKD:(0)
 37.5    1.3     33      1  MARKED:(1)
         96.6  2,468     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 794-795

V1502   **031B079F:COKE FIT IN GRP**

Item Number: 04420

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) F. To fit in with a group I
like

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 96.9    3.3     84      0  NT MARKD:(0)
  3.1    0.1      3      1  MARKED:(1)
         96.6  2,468     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 796-797

```
    V1503                031B079G:COKE GT AWY PRB
```

Item Number: 04430

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) G. To get away from my
problems or troubles

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 90.8   3.1     79      0  NT MARKD:(0)
  9.2   0.3      8      1  MARKED:(1)
        96.6  2,468     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 798-799

```
    V1504                031B079H:COKE BOREDOM
```

Item Number: 04440

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) H. Because of boredom,
nothing else to do

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 79.9   2.7     69      0  NT MARKD:(0)
 20.1   0.7     17      1  MARKED:(1)
        96.6  2,468     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 800-801

V1505   **031B079I:COKE ANGR & FRSTN**

    Item Number: 04450

    What have been the most important reasons for your taking
    cocaine? (Mark all that apply.) I.   Because of anger or
    frustration

    0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 93.3    3.2     81      0  NT MARKD:(0)
  6.7    0.2      6      1  MARKED:(1)
         96.6  2,468    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 802-803

V1506   **031B079J:COKE GT THRU DA**

    Item Number: 04460

    What have been the most important reasons for your taking
    cocaine? (Mark all that apply.) J. To get through the day

    0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 93.9    3.2     82      0  NT MARKD:(0)
  6.1    0.2      5      1  MARKED:(1)
         96.6  2,468    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 804-805

V1507 **031B079K:COKE INCR EF DR**

Item Number: 04470

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) K. To increase the effects
of some other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 93.5   3.2     81      0  NT MARKD:(0)
  6.5   0.2      6      1  MARKED:(1)
        96.6  2,468    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 806-807

V1508 **031B079L:COKE DCRS EF DR**

Item Number: 04480

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) L. To decrease (offset) the
effects of some other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 96.2   3.3     84      0  NT MARKD:(0)
  3.8   0.1      3      1  MARKED:(1)
        96.6  2,468    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 808-809

```
┌─────────────────────────────────────────────────────────────────────────────┐
│     V1509                    031B079M:COKE STAY AWAKE                        │
└─────────────────────────────────────────────────────────────────────────────┘
```

Item Number: 04490

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 72.2   2.5     63       0  NT MARKD:(0)
 27.8   0.9     24       1  MARKED:(1)
        96.6  2,468     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 810-811

```
┌─────────────────────────────────────────────────────────────────────────────┐
│     V1510                    031B079N:COKE GET>ENERGY                        │
└─────────────────────────────────────────────────────────────────────────────┘
```

Item Number: 04500

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 70.7   2.4     61       0  NT MARKD:(0)
 29.3   1.0     25       1  MARKED:(1)
        96.6  2,468     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 812-813

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1511                 031B079O:COKE I AM HOOKD                    │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 04510

What have been the most important reasons for your taking
cocaine? (Mark all that apply.) O. Because I am "hooked"--I
have to have it

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 93.6    3.2    81      0  NT MARKD:(0)
  6.4    0.2     6      1  MARKED:(1)
         96.6  2,468   -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 814-815

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1512                 031B080 :COK,GET VERY HI                    │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take it to get high."

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 12.8    0.5    12      1  NOT HIGH:(1)
 12.4    0.5    12      2  LIT HIGH:(2)
 41.4    1.5    40      3  MOD HIGH:(3)
 31.0    1.2    30      4  VRY HIGH:(4)
  2.4    0.1     2      5  N TK HI:(5)
         96.3  2,460   -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 816-817

```
    V1513                    031B081 :COK,HIGH 24+ HR
```

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 14.2    0.5    13      1  N GET HI:(1)
 38.7    1.4    36      2  1-2 HRS:(2)
 33.2    1.2    30      3  3-6 HRS:(3)
 10.7    0.4    10      4  7-24 HRS:(4)
  3.2    0.1     3      5  >24 HRS:(5)
         96.4  2,463   -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 818-819

```
    V1514                    031B082 :TRY STP COK & FL
```

Item Number: 04540

Have you ever tried to stop using cocaine and found that you
couldn't stop?

1="Yes" 2="No"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  9.9    0.4     9      1  YES:(1)
 90.1    3.2    83      2  NO:(2)
         96.4  2,463   -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 820-821

V1743   **031B083A:FRM COKE-POWDER**

        Item Number: 04531

        What forms of cocaine have you used? (Mark all that apply.)
        A. Cocaine powder

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
          8.7   0.3   7   0 NT MRKD:(0)
         91.3   3.1   78   1 MARKED:(1)
                 96.7 2,470   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 822-823

V1746   **031B083B:FRM COKE-CRACK**

        Item Number: 04534

        What forms of cocaine have you used? (Mark all that apply.)
        B. "Crack" or "rock"

        0="UNMARKED" 1="MARKED"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         68.5   2.3   58   0 NT MRKD:(0)
         31.5   1.1   27   1 MARKED:(1)
                 96.7 2,470   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 824-825

V1744   **031B083C:FRM COKE-FRBASE**

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)
C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 81.6    2.7     70      0  NT MRKD:(0)
 18.4    0.6     16      1  MARKED:(1)
         96.7  2,470    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 826-827

V1745   **031B083D:FRM COKE-PASTE**

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)
D. Coca paste

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 96.9    3.2     83      0  NT MRKD:(0)
  3.1    0.1      3      1  MARKED:(1)
         96.7  2,470    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 828-829

V1515   **031B084A:MTHD COKE SNORT**

Item Number: 04550

What methods have you used for taking cocaine? (Mark all that apply.) A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
16.8	0.6	15	0	NT MARKD:(0)
83.2	2.8	72	1	MARKED:(1)
	96.6	2,468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 830-831

V1516   **031B084B:MTHD COKE-SMOKE**

Item Number: 04560

What methods have you used for taking cocaine? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
56.6	1.9	49	0	NT MARKD:(0)
43.4	1.5	38	1	MARKED:(1)
	96.6	2,468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 832-833

```
+--------------------------------------------------------------------------+
|       V1517                  031B084C:MTHD COKE-INJCT                     |
+--------------------------------------------------------------------------+
```

Item Number: 04570

What methods have you used for taking cocaine? (Mark all that
apply.) C. Injection

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 96.5    3.3     84      0  NT MARKD:(0)
  3.5    0.1      3      1  MARKED:(1)
         96.6  2,468     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 834-835

```
+--------------------------------------------------------------------------+
|       V1747                  031B084D:MTHD COKE-INHAL                     |
+--------------------------------------------------------------------------+
```

Item Number: 04575

What methods have you used for taking cocaine? (Mark all that
apply.) D. Inhaling fumes

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 95.0    3.2     82      0  NT MRKD:(0)
  5.0    0.2      4      1  MARKED:(1)
         96.6  2,468     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 836-837

```
    V1518                  031B084E:MTHD COKE-MOUTH
```

Item Number: 04580

What methods have you used for taking cocaine? (Mark all that
apply.) E. By mouth

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  71.0   2.4     62      0  NT MARKD:(0)
  29.0   1.0     25      1  MARKED:(1)
         96.6  2,468     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 838-839

```
    V1519                  031B084F:MTHD COKE-OTHER
```

Item Number: 04590

What methods have you used for taking cocaine? (Mark all that
apply.) F. Other

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  94.3   3.2     82      0  NT MARKD:(0)
   5.7   0.2      5      1  MARKED:(1)
         96.6  2,468     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 840-841

V1520   **031B085 :NO COKE IN 5YR**

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will
not" 4="I definitely will not"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  0.5    0.5    12      1  DEF WILL:(1)
  0.9    0.8    21      2  PRB WILL:(2)
  7.8    7.1   181      3  PRB WONT:(3)
 90.8   82.2 2,100      4  DEF WONT:(4)
         9.4   241     -9  MISSING
 -----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 842-843

V1521   **031B086A:#X 'H'/LIFETIME**

Item Number: 01100

The next questions are about HEROIN. On how many occasions
(if any) have you taken heroin . . . A: . . . in your
lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 99.0   89.4 2,283      1  0 OCCAS:(1)
  0.4    0.4    10      2  1-2X:(2)
  0.3    0.2     6      3  3-5X:(3)
  0.0    0.0     0      4  6-9X:(4)
  0.1    0.1     3      5  10-19X:(5)
  0.0    0.0     0      6  20-39X:(6)
  0.2    0.2     5      7  40+OCCAS:(7)
         9.7   248     -9  MISSING
 -----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 844-845

| **V1139** | **031B086A:#X 'H'/LIFETIME** |

Item Number: 01100

The next questions are about HEROIN. On how many occasions
(if any) have you taken heroin . . . A: . . . in your
lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
 99.0    89.4  2,283      1  0 OCCAS:(1)
  0.4     0.4     10      2  1-2X:(2)
  0.3     0.2      6      3  3-5X:(3)
  0.0     0.0      0      4  6-9X:(4)
  0.1     0.1      3      5  10-19X:(5)
  0.0     0.0      0      6  20-39X:(6)
  0.2     0.2      5      7  40+OCCAS:(7)
          9.7    248     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 846-847

V1522	031B086B:#X 'H'/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . . B:
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	89.8	2,294	1	0 OCCAS:(1)
0.4	0.3	8	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.6	246	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 848-849

V1140	031B086B:#X 'H'/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . . B:
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	89.8	2,294	1	0 OCCAS:(1)
0.4	0.3	8	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.6	246	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 850-851

V1523	031B086C:#X 'H'/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . . C:
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.7	90.2	2,304	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.5	243	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 852-853

```
┌──────────────────────────────────────────────────────────────────────┐
│    V1141                  031B086C:#X 'H'/LAST 30D                      │
└──────────────────────────────────────────────────────────────────────┘
```

Item Number: 01120

On how many occasions (if any) have you taken heroin . . . C:
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.7	90.2	2,304	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.5	243	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 854-855

V1564	031B087 :DR TOLD TK NARC

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN,
which are sometimes prescribed by doctors. Drugstores are
not supposed to sell them without a prescription. These
include: Methadone, Codeine, Oxycontin, Percodan, Opium,
Demerol, Percocet, Dilaudid, Morphine, Vicodin. Have you
ever taken any narcotics other than heroin because a doctor
told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  82.8   74.9  1,913      1  NO:(1)
   3.2    2.9     73      2  YES BUT:(2)
  14.1   12.7    325      3  YES 1ST:(3)
          9.5    243     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 856-857

V1565   **031B088A:#X NARC/LIFETIM**

Item Number: 01130

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT    PCT      N  VALUE   LABEL
 VALID   ALL
  88.0   79.8  2,038      1  0 OCCAS:(1)
   5.1    4.6    118      2  1-2X:(2)
   2.2    2.0     50      3  3-5X:(3)
   1.8    1.6     41      4  6-9X:(4)
   1.2    1.1     29      5  10-19X:(5)
   0.7    0.7     17      6  20-39X:(6)
   0.9    0.8     22      7  40+OCCAS:(7)
          9.4    240     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 858-859

V1142	**031B088A:#X NARC/LIFETIM**

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
88.0	79.8	2,038	1	0 OCCAS:(1)
5.1	4.6	118	2	1-2X:(2)
2.2	2.0	50	3	3-5X:(3)
1.8	1.6	41	4	6-9X:(4)
1.2	1.1	29	5	10-19X:(5)
0.7	0.7	17	6	20-39X:(6)
0.9	0.8	22	7	40+OCCAS:(7)
	9.4	240	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 860-861

```
┌─────────────────────────────────────────────────────────────────────┐
│    V1566                031B088B:#X NARC/LAST12M                       │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 01140

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 92.7   84.0  2,146      1  0 OCCAS:(1)
  3.1    2.8     71      2  1-2X:(2)
  1.5    1.3     34      3  3-5X:(3)
  1.2    1.1     28      4  6-9X:(4)
  0.6    0.5     13      5  10-19X:(5)
  0.4    0.3      9      6  20-39X:(6)
  0.6    0.5     13      7  40+OCCAS:(7)
         9.4    241     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 862-863

V1143   **031B088B:#X NARC/LAST12M**

Item Number: 01140

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 92.7   84.0  2,146      1  0 OCCAS:(1)
  3.1    2.8     71      2  1-2X:(2)
  1.5    1.3     34      3  3-5X:(3)
  1.2    1.1     28      4  6-9X:(4)
  0.6    0.5     13      5  10-19X:(5)
  0.4    0.3      9      6  20-39X:(6)
  0.6    0.5     13      7  40+OCCAS:(7)
         9.4    241     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 864-865

V1567	031B088C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.9	87.8	2,242	1	0 OCCAS:(1)
1.9	1.7	43	2	1-2X:(2)
0.4	0.3	8	3	3-5X:(3)
0.4	0.3	9	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.4	241	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 866-867

V1144	**031B088C:#X NARC/LAST30D**

Item Number: 01150

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT     N  VALUE  LABEL
  VALID    ALL
  96.9   87.8  2,242      1  0 OCCAS:(1)
   1.9    1.7     43      2  1-2X:(2)
   0.4    0.3      8      3  3-5X:(3)
   0.4    0.3      9      4  6-9X:(4)
   0.4    0.4      9      5  10-19X:(5)
   0.0    0.0      1      6  20-39X:(6)
   0.1    0.1      2      7  40+OCCAS:(7)
          9.4    241     -9  MISSING
  -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 868-869

V1568	031B089A:#X/YR NARC ALNE

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST
TWELVE MONTHS, GO TO QUESTION 97. | THE FOLLOWING QUESTIONS
REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A
DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE
MONTHS, GO TO QUESTION 97. | When you used narcotics other
than heroin during the last year, how often did you use them
in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
45.5	2.8	72	1	NOT @ALL:(1)
29.6	1.8	47	2	FEW TIME:(2)
7.8	0.5	12	3	SOM TIME:(3)
12.3	0.8	19	4	MST TIME:(4)
4.6	0.3	7	5	EVRYTIME:(5)
	93.8	2,398	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 870-871

V1569 **031B089B:#X/YR NARC-2PPL**

Item Number: 05040

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 19.9   1.2     31      1  NOT @ALL:(1)
 34.5   2.1     53      2  FEW TIME:(2)
 18.9   1.1     29      3  SOM TIME:(3)
 13.3   0.8     21      4  MST TIME:(4)
 13.4   0.8     21      5  EVRYTIME:(5)
        94.0  2,401     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 872-873

V1570 **031B089C:#X/YR NARC@PRTY**

Item Number: 05050

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 45.2   2.7     69      1  NOT @ALL:(1)
 20.7   1.2     31      2  FEW TIME:(2)
 11.5   0.7     17      3  SOM TIME:(3)
 15.7   0.9     24      4  MST TIME:(4)
  6.9   0.4     11      5  EVRYTIME:(5)
        94.1  2,403     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 874-875

V1571   **031B089D:#X/YR NARC-DT/S**

Item Number: 05060

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 56.3     3.4     86      1  NOT @ALL:(1)
  9.5     0.6     15      2  FEW TIME:(2)
 13.0     0.8     20      3  SOM TIME:(3)
 12.8     0.8     20      4  MST TIME:(4)
  8.4     0.5     13      5  EVRYTIME:(5)
         94.0  2,402     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 876-877

V1572   **031B089E:#X/YR NARC-ADLT**

Item Number: 05070

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 64.7     4.1    104      1  NOT @ALL:(1)
 19.6     1.2     31      2  FEW TIME:(2)
  9.9     0.6     16      3  SOM TIME:(3)
  2.7     0.2      4      4  MST TIME:(4)
  3.1     0.2      5      5  EVRYTIME:(5)
         93.7  2,394     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 878-879

V1573   **031B089F:#X/YR NARC-DATM**

Item Number: 05080

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 37.1    2.3     60      1  NOT @ALL:(1)
 38.3    2.4     61      2  FEW TIME:(2)
 15.8    1.0     25      3  SOM TIME:(3)
  5.0    0.3      8      4  MST TIME:(4)
  3.7    0.2      6      5  EVRYTIME:(5)
         93.7  2,395     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 880-881

V1574   **031B089G:#X/YR NARC@HOME**

Item Number: 05090

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 42.7    2.7     69      1  NOT @ALL:(1)
 23.5    1.5     38      2  FEW TIME:(2)
 14.9    0.9     24      3  SOM TIME:(3)
  8.6    0.5     14      4  MST TIME:(4)
 10.2    0.6     16      5  EVRYTIME:(5)
         93.7  2,394     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 882-883

```
   V1575                    031B089H:#X/YR NARC@SCHL
```

Item Number: 05100

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 59.9     3.8      96       1  NOT @ALL:(1)
 19.3     1.2      31       2  FEW TIME:(2)
 11.2     0.7      18       3  SOM TIME:(3)
  8.1     0.5      13       4  MST TIME:(4)
  1.4     0.1       2       5  EVRYTIME:(5)
          93.7  2,395      -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 884-885

```
   V1576                    031B089I:#X/YR NARC @CAR
```

Item Number: 05120

When you used narcotics other than heroin during the last
year, how often did you use them in each of the following
situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 61.4     3.9      99       1  NOT @ALL:(1)
 19.7     1.2      32       2  FEW TIME:(2)
 11.1     0.7      18       3  SOM TIME:(3)
  4.6     0.3       7       4  MST TIME:(4)
  3.1     0.2       5       5  EVRYTIME:(5)
          93.7  2,394      -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 886-887

V1577	031B090A:#X OVL NARC+ALC

Item Number: 05130

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 50.7    3.1     80      1  NOT @ALL:(1)
 22.9    1.4     36      2  FEW TIME:(2)
 11.1    0.7     18      3  SOM TIME:(3)
  7.3    0.4     11      4  MST TIME:(4)
  8.0    0.5     13      5  EVRYTIME:(5)
         93.8  2,397     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 888-889

V1578   **031B090B:#X OVL NARC+MJ**

Item Number: 05140

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
42.7	2.6	67	1	NOT @ALL:(1)
17.8	1.1	28	2	FEW TIME:(2)
10.0	0.6	16	3	SOM TIME:(3)
11.5	0.7	18	4	MST TIME:(4)
18.0	1.1	28	5	EVRYTIME:(5)
	93.9	2,399	-9	MISSING

----- ----- -----
100.0 100.0 2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 890-891

V1579	031B090C:#X OVL NARC+LSD

Item Number: 05150

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT     N  VALUE   LABEL
 VALID    ALL
  98.6    5.8    149      1   NOT @ALL:(1)
   1.2    0.1      2      2   FEW TIME:(2)
   0.1    0.0      0      3   SOM TIME:(3)
   0.0    0.0      0      4   MST TIME:(4)
   0.0    0.0      0      5   EVRYTIME:(5)
         94.1  2,404     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 892-893

```
┌─────────────────────────────────────────────────────────────────────────┐
│    V1580                      031B090D:#X OVL NARC+PSY                     │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05160

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? D: hallucinogenss other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 94.4    5.7     146      1  NOT @ALL:(1)
  3.7    0.2       6      2  FEW TIME:(2)
  1.3    0.1       2      3  SOM TIME:(3)
  0.0    0.0       0      4  MST TIME:(4)
  0.6    0.0       1      5  EVRYTIME:(5)
         94.0   2,401     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 894-895

V1581	031B090E:#X OVL NARC+AMP

Item Number: 05170

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
  91.9     5.6     142      1   NOT @ALL:(1)
   3.0     0.2       5      2   FEW TIME:(2)
   1.7     0.1       3      3   SOM TIME:(3)
   1.8     0.1       3      4   MST TIME:(4)
   1.5     0.1       2      5   EVRYTIME:(5)
          94.0   2,401     -9   MISSING
 -----   -----   -----
 100.0   100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 896-897

V1582   **031B090F:#X OVL NARC+QUA**

Item Number: 05180

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID  ALL
 97.8   5.9    151      1  NOT @ALL:(1)
  1.5   0.1      2      2  FEW TIME:(2)
  0.1   0.0      0      3  SOM TIME:(3)
  0.0   0.0      0      4  MST TIME:(4)
  0.6   0.0      1      5  EVRYTIME:(5)
        93.9  2,400     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 898-899

V1583	031B090G:#X OVL NARC+BRB

Item Number: 05190

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.3	5.8	149	1	NOT @ALL:(1)
2.0	0.1	3	2	FEW TIME:(2)
1.1	0.1	2	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.6	0.0	1	5	EVRYTIME:(5)
	94.0	2,401	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 900-901

V1584	031B090H:#X OVL NARC+TRN

Item Number: 05200

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 91.3    5.5   140      1  NOT @ALL:(1)
  3.2    0.2     5      2  FEW TIME:(2)
  3.5    0.2     5      3  SOM TIME:(3)
  0.5    0.0     1      4  MST TIME:(4)
  1.5    0.1     2      5  EVRYTIME:(5)
         94.0 2,402     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 902-903

V1585	031B090I:#X OVL NARC+COK

Item Number: 05210

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? I: With cocaine

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  93.6    5.6    142      1  NOT @ALL:(1)
   1.8    0.1      3      2  FEW TIME:(2)
   3.0    0.2      5      3  SOM TIME:(3)
   0.7    0.0      1      4  MST TIME:(4)
   0.9    0.1      1      5  EVRYTIME:(5)
         94.1  2,403     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 904-905

V1586	031B090J:#X OVL NARC+HER

Item Number: 05220

How many of the times when you used narcotics other than
heroin during the last year did you use them along with each
of the following drugs--that is, so that their effects
overlapped? J: With heroin

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  96.9    5.8     148      1  NOT @ALL:(1)
   2.4    0.1       4      2  FEW TIME:(2)
   0.1    0.0       0      3  SOM TIME:(3)
   0.0    0.0       0      4  MST TIME:(4)
   0.6    0.0       1      5  EVRYTIME:(5)
         94.0   2,402     -9  MISSING
 -----  -----   -----
 100.0  100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 906-907

V1587   **031B091A:NARC EXPERIMENT**

Item Number: 05230

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  47.1    2.8     71      0  NT MARKD:(0)
  52.9    3.1     80      1  MARKED:(1)
          94.1  2,403     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 908-909

V1588   **031B091B:NARC RELAX**

Item Number: 05240

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  41.8    2.5     63      0  NT MARKD:(0)
  58.2    3.5     88      1  MARKED:(1)
          94.1  2,403     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 910-911

V1589   **031B091C:NARC GET HIGH**

Item Number: 05250

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 37.2    2.2     56      0  NT MARKD:(0)
 62.8    3.7     95      1  MARKED:(1)
         94.1  2,403    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 912-913

V1590   **031B091D:NARC SK INSIGTS**

Item Number: 05260

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 90.5    5.4    137      0  NT MARKD:(0)
  9.5    0.6     14      1  MARKED:(1)
         94.1  2,403    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 914-915

V1591   031B091E:NARC GD TM FRND

Item Number: 05270

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

```
  PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 62.6     3.7      95      0  NT MARKD:(0)
 37.4     2.2      57      1  MARKED:(1)
          94.1  2,403     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 916-917

V1592   031B091F:NARC FIT IN GRP

Item Number: 05280

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

```
  PCT     PCT       N  VALUE  LABEL
 VALID    ALL
 97.5     5.8     148      0  NT MARKD:(0)
  2.5     0.1       4      1  MARKED:(1)
          94.1  2,403     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 918-919

V1593   **031B091G:NARC GT AWY PBM**

Item Number: 05290

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 85.6    5.1    130      0  NT MARKD:(0)
 14.4    0.9     22      1  MARKED:(1)
         94.1  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 920-921

V1594   **031B091H:NARC BOREDOM**

Item Number: 05300

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 79.7    4.7    121      0  NT MARKD:(0)
 20.3    1.2     31      1  MARKED:(1)
         94.1  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 922-923

V1595   **031B091I:NARC ANGR & FRSTN**

Item Number: 05310

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders? (Mark
all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
90.5	5.4	137	0	NT MARKD:(0)
9.5	0.6	14	1	MARKED:(1)
	94.1	2,403	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 924-925

V1596   **031B091J:NARC GT THRU DA**

Item Number: 05320

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders? (Mark
all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
86.9	5.2	132	0	NT MARKD:(0)
13.1	0.8	20	1	MARKED:(1)
	94.1	2,403	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 926-927

```
┌──────────────────────────────────────────────────────────────────────────┐
│     V1597                    031B091K:NARC INC EF DG                       │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05330

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) K. To increase the effects of some other
drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 82.5    4.9    125      0  NT MARKD:(0)
 17.5    1.0     27      1  MARKED:(1)
         94.1  2,403    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 928-929

```
┌──────────────────────────────────────────────────────────────────────────┐
│     V1598                    031B091L:NARC DEC EF DG                       │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05340

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) L. To decrease (offset) the effects of some
other drug(s)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 98.7    5.9    150      0  NT MARKD:(0)
  1.3    0.1      2      1  MARKED:(1)
         94.1  2,403    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 930-931

V1599   **031B091M:NARC GET SLEEP**

Item Number: 05350

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders? (Mark
all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 76.8    4.6    116      0  NT MARKD:(0)
 23.2    1.4     35      1  MARKED:(1)
         94.1  2,403     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 932-933

V1600   **031B091N:NARC SBST HERIN**

Item Number: 05360

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders? (Mark
all that apply.) N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.1    5.7    146      0  NT MARKD:(0)
  3.9    0.2      6      1  MARKED:(1)
         94.1  2,403     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 934-935

V1697   **031B091O:NARC RLV PHYS P**

Item Number: 05363

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) O. To relieve physical pain

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
54.1	3.2	82	0	NT MARKD:(0)
45.9	2.7	70	1	MARKED:(1)
	94.1	2,403	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 936-937

V1698   **031B091P:NARC RLV COUGHN**

Item Number: 05366

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) P. To control coughing

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
90.2	5.4	137	0	NT MARKD:(0)
9.8	0.6	15	1	MARKED:(1)
	94.1	2,403	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 938-939

V1601   **031B091Q:NARC I AM HOOKD**

Item Number: 05370

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?   (Mark
all that apply.) Q. Because I am "hooked"--I have to have
them

0="UNMARKED" 1="MARKED"

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
 95.4    5.7     145      0  NT MARKD:(0)
  4.6    0.3       7      1  MARKED:(1)
         94.1  2,403     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 940-941

V1602   **031B092 :NARC,GT VERY HI**

Item Number: 05380

When you take narcotics other than heroin how high do you
usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high."

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
  3.9    0.2       6      1  NOT HIGH:(1)
 21.8    1.3      34      2  LIT HIGH:(2)
 42.0    2.5      65      3  MOD HIGH:(3)
 14.7    0.9      23      4  VRY HIGH:(4)
 17.7    1.1      27      5  N TK HI:(5)
         93.9  2,400     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 942-943

V1603   **031B093 :NARC,HI 24+ HRS**

Item Number: 05390

When you take narcotics other than heroin how long do you
usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 16.7    1.0    25      1  N GET HI:(1)
 34.8    2.1    53      2  1-2 HRS:(2)
 37.5    2.2    57      3  3-6 HRS:(3)
  9.5    0.6    15      4  7-24 HRS:(4)
  1.4    0.1     2      5  >24 HRS:(5)
         94.0 2,402     -9  MISSING
 -----  ----- -----
 100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 944-945

V1604   **031B094A:NARC TKN MTHDNE**

Item Number: 05400

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
A. Methadone

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 93.6    5.6   143      0  NT MARKD:(0)
  6.4    0.4    10      1  MARKED:(1)
         94.0 2,403     -9  MISSING
 -----  ----- -----
 100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 946-947

	V1605	**031B094B:NARC TKN OPIUM**

Item Number: 05410

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
B. Opium

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 63.9   3.8      97      0  NT MARKD:(0)
 36.1   2.2      55      1  MARKED:(1)
        94.0  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 948-949

	V1606	**031B094C:NARC TKN MRPHNE**

Item Number: 05420

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
C. Morphine

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 74.8   4.5     114      0  NT MARKD:(0)
 25.2   1.5      38      1  MARKED:(1)
        94.0  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 950-951

V1607	031B094D:NARC TKN CODEIN

Item Number: 05430

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
D. Codeine

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 41.1    2.5     63      0  NT MARKD:(0)
 58.9    3.5     90      1  MARKED:(1)
         94.0  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 952-953

V1608	031B094E:NARC TKN DEMROL

Item Number: 05440

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
E. Demerol

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 87.2    5.2    133      0  NT MARKD:(0)
 12.8    0.8     19      1  MARKED:(1)
         94.0  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 954-955

V1816   **031B094F:NARC TKN VICODN**

Item Number: 05445

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
F.   Vicodin

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 38.2   2.3     58      0  NT MARKD:(0)
 61.8   3.7     94      1  MARKED:(1)
        94.0  2,403    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 956-957

V1817   **031B094G:NARC TKN OXYCON**

Item Number: 05455

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
G.   Oxycontin

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 69.8   4.2    106      0  NT MARKD:(0)
 30.2   1.8     46      1  MARKED:(1)
        94.0  2,403    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 958-959

V1818	031B094H:NARC TKN PERCET

    Item Number: 05465

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
H. Percocet

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 54.2    3.2      83     0  NT MARKD:(0)
 45.8    2.7      70     1  MARKED:(1)
         94.0  2,403    -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 960-961

V1819	031B094I:NARC TKN PERDAN

    Item Number: 05475

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
I. Percodan

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 89.0    5.3     136     0  NT MARKD:(0)
 11.0    0.7      17     1  MARKED:(1)
         94.0  2,403    -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 962-963

```
+--------------------------------------------------------------------+
|     V1820                      031B094J:NARC TKN DILAUD            |
+--------------------------------------------------------------------+
```

Item Number: 05478

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
J. Dilaudid

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 98.8    5.9    150      0  NT MARKD:(0)
  1.2    0.1      2      1  MARKED:(1)
         94.0  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 964-965

```
+--------------------------------------------------------------------+
|     V1612                      031B094K:NARC TKN OTHER            |
+--------------------------------------------------------------------+
```

Item Number: 05480

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)
K.   Other

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 74.4    4.4    113      0  NT MARKD:(0)
 25.6    1.5     39      1  MARKED:(1)
         94.0  2,403     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 966-967

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V1613                    031B094L:NARC TKN DNT KN                    │
└─────────────────────────────────────────────────────────────────────────┘
```

       Item Number: 05490

       What narcotics other than heroin have you taken during the
       last year without a doctor's orders? (Mark all that apply.)
       L. Don't know the names of some I have used

       0="UNMARKED" 1="MARKED"

         PCT   PCT   N VALUE LABEL
       VALID   ALL
        94.2   5.6   144   0 NT MARKD:(0)
         5.8   0.3   9   1 MARKED:(1)
               94.0 2,403   -9 MISSING
       ----- ----- -----
       100.0 100.0 2,555 cases (Wtd)

       Data type: numeric
       Missing-data code: -9
       Columns: 968-969

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V1614                    031B095 :TRY STP NARC & FL                  │
└─────────────────────────────────────────────────────────────────────────┘
```

       Item Number: 05500

       Have you ever tried to stop using narcotics other than heroin
       and found that you couldn't stop?

       1="Yes" 2="No"

         PCT   PCT   N VALUE LABEL
       VALID   ALL
         9.7   0.6   15   1 YES:(1)
        90.3   5.4   137   2 NO:(2)
               94.1 2,403   -9 MISSING
       ----- ----- -----
       100.0 100.0 2,555 cases (Wtd)

       Data type: numeric
       Missing-data code: -9
       Columns: 970-971

V1615   **031B096A:METH NARC SNORT**

```
     Item Number:  05510

     What methods have you used for taking any of these narcotics
     other than heroin?  (Mark all that apply.) A.  Sniffing or
     "snorting"

     0="UNMARKED" 1="MARKED"

       PCT     PCT      N  VALUE  LABEL
     VALID    ALL
      71.4    4.2     107      0  NT MARKD:(0)
      28.6    1.7      43      1  MARKED:(1)
              94.1  2,404     -9  MISSING
     -----   -----  -----
     100.0   100.0  2,555 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 972-973
```

V1616   **031B096B:METH NARC SMOKE**

```
     Item Number:  05520

     What methods have you used for taking any of these narcotics
     other than heroin?  (Mark all that apply.) B.  Smoking

     0="UNMARKED" 1="MARKED"

       PCT     PCT      N  VALUE  LABEL
     VALID    ALL
      74.4    4.4     112      0  NT MARKD:(0)
      25.6    1.5      38      1  MARKED:(1)
              94.1  2,404     -9  MISSING
     -----   -----  -----
     100.0   100.0  2,555 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 974-975
```

```
 V1617                    031B096C:METH NARC INJCT
```

Item Number: 05530

What methods have you used for taking any of these narcotics
other than heroin? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 96.4    5.7    145     0  NT MARKD:(0)
  3.6    0.2      5     1  MARKED:(1)
        94.1  2,404    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 976-977

```
 V1618                    031B096D:METH NARC MOUTH
```

Item Number: 05540

What methods have you used for taking any of these narcotics
other than heroin? (Mark all that apply.) D. By mouth

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  9.2    0.5     14     0  NT MARKD:(0)
 90.8    5.4    137     1  MARKED:(1)
        94.1  2,404    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 978-979

```
    V1619                     031B096E:METH NARC OTHER
```

```
        Item Number:  05550

        What methods have you used for taking any of these narcotics
        other than heroin?  (Mark all that apply.) E. Other

        0="UNMARKED" 1="MARKED"

          PCT    PCT      N  VALUE  LABEL
        VALID   ALL
         97.7    5.8    147      0  NT MARKD:(0)
          2.3    0.1      3      1  MARKED:(1)
                94.1  2,404     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 980-981
```

```
    V1620                     031B097 :NO NARC IN 5YR
```

```
        Item Number:  05560

        Do you think you will be using any narcotics other than heroin
        without a doctor's orders five years from now?

        1="I definitely will" 2="I probably will" 3="I probably will
        not" 4="I definitely will not"

          PCT    PCT      N  VALUE  LABEL
        VALID   ALL
          0.8    0.8     19      1  DEF WILL:(1)
          2.2    2.0     52      2  PRB WILL:(2)
         12.6   11.5    295      3  PRB WONT:(3)
         84.3   76.9  1,966      4  DEF WONT:(4)
                 8.8    224     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 982-983
```

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1762                031B098 :ATTND DRG TRTMN                     │
└─────────────────────────────────────────────────────────────────────┘
```

        Item Number: 22360

        Have you ever attended a treatment program for alcohol or drug
        abuse where you stayed overnight?

        1="No, never" 2="Yes, but not in the past 12 months" 3="Yes,
        sometime in the past 12 months"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         99.1   90.5 2,313   1 NO/NVR:(1)
          0.5   0.5   12   2 Y/-PSTYR:(2)
          0.4   0.4   9   3 Y/PST YR:(3)
                 8.6   221   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 984-985

```
┌─────────────────────────────────────────────────────────────────────┐
│     V1763                031B099 :RCV DRG COUNSEL                     │
└─────────────────────────────────────────────────────────────────────┘
```

        Item Number: 22370

        Have you ever received any other kind of professional
        counseling, treatment, or therapy because of your use of
        alcohol or drugs?

        1="No, never" 2="Yes, but not in the past 12 months" 3="Yes,
        sometime in the past 12 months"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         96.5   88.2 2,253   1 NO/NVR:(1)
          1.8   1.7   43   2 Y/-PSTYR:(2)
          1.7   1.5   40   3 Y/PST YR:(3)
                 8.6   219   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 986-987

```
┌──────────────────────────────────────────────────────────────────────────┐
│   V1621                    031B100A:GR 1ST SMOK DLY                        │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05570

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  2.2     1.9      49      1  GRADE 6:(1)
  2.6     2.3      58      2  GRADE 7:(2)
  3.2     2.8      72      3  GRADE 8:(3)
  5.0     4.4     114      4  GRADE 9:(4)
  4.5     4.0     102      5  GRADE 10:(5)
  3.7     3.3      83      6  GRADE 11:(6)
  2.4     2.1      54      7  GRADE 12:(7)
 76.5    67.7   1,731      8  NEVER:(8)
         11.4     292     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 988-989

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V1622                  031B100B:GR 1ST TRY ALC                       │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05580

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
   7.3    6.3      161      1  GRADE 6:(1)
   7.3    6.2      160      2  GRADE 7:(2)
  14.0   12.0      307      3  GRADE 8:(3)
  19.1   16.4      420      4  GRADE 9:(4)
  13.4   11.5      294      5  GRADE 10:(5)
  12.0   10.3      262      6  GRADE 11:(6)
   6.2    5.3      136      7  GRADE 12:(7)
  20.6   17.7      452      8  NEVER:(8)
         14.2      363     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 990-991

V1623	031B100C:GR 1ST TRY MJ

```
Item Number:  05590

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor  told you to.
C:  Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)"  6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  1.8    1.6    41      1  GRADE 6:(1)
  4.1    3.7    93      2  GRADE 7:(2)
  6.2    5.6   143      3  GRADE 8:(3)
 12.2   10.9   279      4  GRADE 9:(4)
  9.7    8.7   223      5  GRADE 10:(5)
  6.9    6.2   158      6  GRADE 11:(6)
  3.5    3.2    81      7  GRADE 12:(7)
 55.5   49.8 1,272      8  NEVER:(8)
        10.4   265     -9  MISSING
-----  ----- -----
100.0  100.0 2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 992-993
```

V1624   **031B100D:GR 1ST TRY LSD**

Item Number: 05600

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  0.1     0.1      2      1   GRADE 6:(1)
  0.3     0.3      8      2   GRADE 7:(2)
  0.2     0.2      4      3   GRADE 8:(3)
  1.7     1.6     40      4   GRADE 9:(4)
  1.3     1.2     30      5   GRADE 10:(5)
  1.1     1.0     26      6   GRADE 11:(6)
  0.4     0.4     10      7   GRADE 12:(7)
 94.9    86.1  2,200      8   NEVER:(8)
          9.2    236     -9   MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 994-995

V1625	031B100E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  0.0    0.0     1     1   GRADE 6:(1)
  0.2    0.2     4     2   GRADE 7:(2)
  0.4    0.3     8     3   GRADE 8:(3)
  0.8    0.7    19     4   GRADE 9:(4)
  1.7    1.5    39     5   GRADE 10:(5)
  1.8    1.6    42     6   GRADE 11:(6)
  1.4    1.3    33     7   GRADE 12:(7)
 93.6   84.2 2,152     8   NEVER:(8)
        10.1   257    -9   MISSING
 -----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 996-997

```
V1626                  031B100F:GR 1ST TRY AMP
```

```
Item Number:  05620

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor  told you to.
F:  Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)"  6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  0.1    0.1     3     1   GRADE 6:(1)
  0.3    0.3     6     2   GRADE 7:(2)
  0.4    0.4     9     3   GRADE 8:(3)
  1.7    1.5    39     4   GRADE 9:(4)
  1.8    1.5    39     5   GRADE 10:(5)
  1.3    1.1    29     6   GRADE 11:(6)
  1.2    1.0    26     7   GRADE 12:(7)
 93.2   81.3 2,077     8   NEVER:(8)
        12.7   326    -9   MISSING
 -----  ----- -----
100.0  100.0 2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 998-999
```

V1627	031B100G:GR 1ST TRY QUA

Item Number: 05630

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.2	0.1	4	4	GRADE 9:(4)
0.2	0.1	4	5	GRADE 10:(5)
0.1	0.1	2	6	GRADE 11:(6)
0.1	0.1	2	7	GRADE 12:(7)
99.3	90.0	2,299	8	NEVER:(8)
	9.4	241	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1000-1001

```
  V1628                    031B100H:GR 1ST TRY BRB
```

```
        Item Number:  05640

        When (if ever) did you FIRST do each of the following things?
        Don't count anything you took  because a doctor  told you to.
        H:  Try barbiturates

        8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
        4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)"  6="Grade 11
        (Junior)" 7="Grade 12 (Senior)"

          PCT     PCT      N  VALUE  LABEL
        VALID    ALL
          0.1     0.1      2      1  GRADE 6:(1)
          0.1     0.1      3      2  GRADE 7:(2)
          0.4     0.3      8      3  GRADE 8:(3)
          0.7     0.6     16      4  GRADE 9:(4)
          0.3     0.2      6      5  GRADE 10:(5)
          0.5     0.4     11      6  GRADE 11:(6)
          0.3     0.2      6      7  GRADE 12:(7)
         97.8    87.7  2,240      8  NEVER:(8)
                 10.3    263     -9  MISSING
        -----   -----  -----
        100.0   100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1002-1003
```

V1629	031B100I:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  0.2    0.2     5     1   GRADE 6:(1)
  0.2    0.2     4     2   GRADE 7:(2)
  0.5    0.5    12     3   GRADE 8:(3)
  1.2    1.1    28     4   GRADE 9:(4)
  0.7    0.7    17     5   GRADE 10:(5)
  1.1    1.0    24     6   GRADE 11:(6)
  1.1    0.9    24     7   GRADE 12:(7)
 94.9   83.9 2,143     8   NEVER:(8)
        11.6   297    -9   MISSING
 -----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1004-1005

V1630	031B100J:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  0.2    0.1     4     1   GRADE 6:(1)
  0.4    0.4     9     2   GRADE 7:(2)
  0.3    0.3     7     3   GRADE 8:(3)
  0.8    0.7    17     4   GRADE 9:(4)
  1.0    0.9    24     5   GRADE 10:(5)
  1.2    1.1    27     6   GRADE 11:(6)
  1.5    1.4    35     7   GRADE 12:(7)
 94.6   85.6 2,187     8   NEVER:(8)
         9.5   244    -9   MISSING
-----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1006-1007

V1631	031B100K:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.1	3	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.0	0.0	0	3	GRADE 8:(3)
0.1	0.1	3	4	GRADE 9:(4)
0.2	0.2	5	5	GRADE 10:(5)
0.2	0.1	4	6	GRADE 11:(6)
0.0	0.0	1	7	GRADE 12:(7)
99.3	90.1	2,302	8	NEVER:(8)
	9.3	236	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1008-1009

V1632	031B100L:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  0.2    0.2     5     1   GRADE 6:(1)
  0.5    0.4    10     2   GRADE 7:(2)
  0.5    0.5    12     3   GRADE 8:(3)
  2.1    1.8    46     4   GRADE 9:(4)
  2.1    1.9    48     5   GRADE 10:(5)
  2.1    1.8    46     6   GRADE 11:(6)
  1.4    1.2    31     7   GRADE 12:(7)
 91.2   79.9  2,042    8   NEVER:(8)
        12.4   316    -9   MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1010-1011

V1748	**031B100M:GR 1ST SMOK EVR**

Item Number: 05575

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
M: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 12.2   10.5     269      1  GRADE 6:(1)
  9.3    8.0     205      2  GRADE 7:(2)
 10.4    8.9     228      3  GRADE 8:(3)
  8.4    7.3     186      4  GRADE 9:(4)
  5.3    4.5     116      5  GRADE 10:(5)
  3.7    3.2      82      6  GRADE 11:(6)
  2.2    1.9      47      7  GRADE 12:(7)
 48.5   41.7   1,065      8  NEVER:(8)
        14.0     357     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1012-1013

```
┌─────────────────────────────────────────────────────────────────────────────┐
│    V1749                      031B100N:GR 1ST DRUNK                            │
└─────────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05585

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
    PCT     PCT      N   VALUE   LABEL
  VALID     ALL
   2.5     2.1      55       1   GRADE 6:(1)
   4.2     3.6      91       2   GRADE 7:(2)
   8.8     7.4     190       3   GRADE 8:(3)
  14.8    12.6     321       4   GRADE 9:(4)
  13.0    11.0     281       5   GRADE 10:(5)
   9.5     8.1     206       6   GRADE 11:(6)
   5.3     4.5     114       7   GRADE 12:(7)
  42.0    35.6     908       8   NEVER:(8)
          15.3     390      -9   MISSING
  -----   -----   -----
 100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1014-1015

V1783	031B100O:GR 1ST TRY CRAC

Item Number: 05661

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
O: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  0.0    0.0     1     1   GRADE 6:(1)
  0.2    0.2     5     2   GRADE 7:(2)
  0.0    0.0     1     3   GRADE 8:(3)
  0.1    0.1     3     4   GRADE 9:(4)
  0.7    0.6    16     5   GRADE 10:(5)
  0.2    0.2     4     6   GRADE 11:(6)
  0.4    0.4    10     7   GRADE 12:(7)
 98.2   88.9 2,271     8   NEVER:(8)
         9.5   243    -9   MISSING
 -----  ----- -----
100.0  100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1016-1017

```
┌─────────────────────────────────────────────────────────────────────────┐
│    V1784                    031B100P:GR 1ST TRY ICE                        │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 24430

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.
P: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
   PCT     PCT     N   VALUE   LABEL
  VALID    ALL
   0.3     0.3      7      1   GRADE 6:(1)
   0.1     0.1      2      2   GRADE 7:(2)
   0.1     0.1      2      3   GRADE 8:(3)
   0.6     0.5     13      4   GRADE 9:(4)
   0.5     0.4     11      5   GRADE 10:(5)
   0.5     0.4     11      6   GRADE 11:(6)
   0.5     0.5     12      7   GRADE 12:(7)
  97.5    89.3  2,280      8   NEVER:(8)
           8.5    216     -9   MISSING
  -----   -----  -----
 100.0   100.0  2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1018-1019

V1785   **031B101A:ALL FRD SMK CIG**

     Item Number: 07070

     How many of your friends would you estimate . . . A: Smoke
     cigarettes?

     1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT VALID	PCT ALL	N	VALUE	LABEL
16.0	14.8	379	1	NONE:(1)
36.3	33.6	857	2	A FEW:(2)
28.6	26.5	676	3	SOME:(3)
17.4	16.1	411	4	MOST:(4)
1.7	1.6	40	5	ALL:(5)
	7.5	191	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 1020-1021

V1786   **031B101B:ALL FRD SMK MAR**

     Item Number: 07080

     How many of your friends would you estimate . . . B: Smoke
     marijuana (pot, weed) or hashish?

     1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT VALID	PCT ALL	N	VALUE	LABEL
19.7	18.2	465	1	NONE:(1)
30.2	27.9	712	2	A FEW:(2)
26.0	24.0	614	3	SOME:(3)
21.1	19.5	498	4	MOST:(4)
3.0	2.7	70	5	ALL:(5)
	7.7	196	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

     Data type: numeric
     Missing-data code: -9
     Columns: 1022-1023

V1787   **031B101C:# FRNDS TK CRAC**

Item Number: 07151

How many of your friends would you estimate . . . C: Take
"crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 77.8   71.6  1,829      1  NONE:(1)
 17.7   16.3    415      2  A FEW:(2)
  3.5    3.2     82      3  SOME:(3)
  0.7    0.7     17      4  MOST:(4)
  0.3    0.3      8      5  ALL:(5)
         8.0    204     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1024-1025

V1788   **031B101D:# FRNDS TK C PW**

Item Number: 23990

How many of your friends would you estimate. . . D: Take
cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 73.3   67.0  1,711      1  NONE:(1)
 20.6   18.8    481      2  A FEW:(2)
  4.7    4.3    110      3  SOME:(3)
  0.6    0.5     13      4  MOST:(4)
  0.7    0.7     17      5  ALL:(5)
         8.7    223     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1026-1027

```
    V1789                 031B101E:ALL FRD DRK ALC
```

Item Number: 07190

How many of your friends would you estimate . . . E: Drink
alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
   PCT     PCT     N   VALUE   LABEL
 VALID    ALL
  6.7     6.2    157      1   NONE:(1)
 11.8    10.9    277      2   A FEW:(2)
 21.0    19.2    491      3   SOME:(3)
 40.3    36.9    942      4   MOST:(4)
 20.2    18.5    472      5   ALL:(5)
          8.4    215     -9   MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1028-1029

```
    V1790                 031B101F:ALL FRD GT DRUN
```

Item Number: 07200

How many of your friends would you estimate . . . F: Get
drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
   PCT     PCT     N   VALUE   LABEL
 VALID    ALL
 24.3    22.4    573      1   NONE:(1)
 28.1    25.9    663      2   A FEW:(2)
 24.5    22.6    578      3   SOME:(3)
 16.9    15.6    398      4   MOST:(4)
  6.1     5.7    144      5   ALL:(5)
          7.8    198     -9   MISSING
 -----   -----  -----
 100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1030-1031

```
  V1148                    031(R)  :AGE <>18 DICHOTOMY
```

        Item Number:

        Item comprised of responses to question C01 "In what year were
        you born?"(item 00010), question C02 "In what month were you
        born" (item 00020), and date of questionnaire administration
        recorded by interviewer.

        1="younger than 18" 2="18 years of age or over"

           PCT   PCT   N VALUE LABEL
         VALID   ALL
          43.4   40.5 1,035   1 < 18:(1)
          56.6   52.8 1,350   2 18+:(2)
                  6.7   170   -9 MISSING
         ----- ----- -----
         100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1032-1033

```
  V1150                    031C003 :R'S SEX
```

        Item Number: 00030

        What is your sex?

        1="Male" 2="Female"

           PCT   PCT   N VALUE LABEL
         VALID   ALL
          45.5   41.5 1,060   1 MALE:(1)
          54.5   49.7 1,271   2 FEMALE:(2)
                  8.8   225   -9 MISSING
         ----- ----- -----
         100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1034-1035

```
┌─────────────────────────────────────────────────────────────────────────────┐
│      V1151                      031C04   :R'S RACE                            │
└─────────────────────────────────────────────────────────────────────────────┘
```

Item Number: 00040

How do you describe yourself?

2="Black or African American" 3="Mexican American or Chicano"
4="Cuban American" 8="Puerto Rican" 9="Other Latin American"
5="Asian American" 6="White (Caucasian)" 1="American Indian
(Native American Indian)" 7="Other". Responses other than 2
("Black or African American") and 6 ("White [Caucasian]") were
recoded to missing data in this dataset.

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  85.5   62.9  1,606      0  WHITE
  14.5   10.7    273      1  BLACK
         26.5    676     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1036-1037

V1152   **031C005 :R SPD >TIM R-UR**

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small
city or town (under 50,000 people)" 4="In a medium-sized city
(50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In
a large city (100,000-500,000)" 7="In a suburb of a large
city" 8="In a very large city (over 500,000)" 9="In a suburb
of a very large city" 0="Can't say; mixed" and nonresponse

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 15.1   15.1    386      0  DK/MIXED:(0)
  4.6    4.6    117      1  FARM:(1)
  9.5    9.5    242      2  COUNTRY:(2)
 26.8   26.8    685      3  SML TOWN:(3)
 12.4   12.4    316      4  MED CITY:(4)
  8.5    8.5    218      5  SUBURB 4:(5)
  9.8    9.8    251      6  LRG CITY:(6)
  5.4    5.4    139      7  SUBURB 6:(7)
  4.9    4.9    124      8  VRYLG CY:(8)
  3.0    3.0     77      9  SUBURB 8:(9)
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1038-1039

V1153   **031C006 :R NOT MARRIED**

```
        Item Number:  00060

        What is your present marital status?

        1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

          PCT    PCT      N  VALUE  LABEL
        VALID   ALL
          2.4    2.2     56      1  MARRIED:(1)
          5.4    4.9    126      2  ENGAGED:(2)
          0.8    0.7     19      3  SEP/DIV:(3)
         91.4   84.2  2,152      4  SINGLE:(4)
                 7.9    202     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1040-1041
```

V49   **03C07R:# SIBLINGS**

```
        Item Number:

        Component questions:  "How many brothers and sisters do you
        have?  (Include stepbrothers and sisters and  half-brothers
        and sisters)  a) Older brothers and sisters" (item 00075);
        "b) Younger brothers and sisters" (item  00076).

        0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or
        more"  For this dataset, responses to the  two questions are
        added and bracketed so that 3 is the highest category, meaning
        "Three or more younger or  older brothers or sisters".

          PCT    PCT      N  VALUE  LABEL
        VALID   ALL
          6.9    6.4    162      0
         30.5   28.2    721      1
         28.0   25.9    661      2
         34.7   32.1    819      3  3 OR MORE
                 7.5    191     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1042-1043
```

V1155   **031C07Cb(R):R'S HSHLD FATHER**

Item Number: 00090

Which of the following people live in the same household with
you? (Mark all that apply.) . . . B. . . . Father (or male
guardian)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 25.5   23.6    602     0  NT MARKD:(0)
 74.5   68.7  1,755     1  MARKED:(1)
         7.7    198    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1044-1045

V1156   **031C07Cc(R):R'S HSHLD MOTHER**

Item Number: 00100

Which of the following people live in the same household with
you? (Mark all that apply.) . . . C. . . . Mother (or female
guardian)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 11.7   10.8    277     0  NT MARKD:(0)
 88.3   81.4  2,081     1  MARKED:(1)
         7.7    198    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1046-1047

V1157	031C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with
you? (Mark all that apply.) D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT VALID	PCT ALL	N	VALUE	LABEL
34.0	31.4	802	0	NT MARKD:(0)
66.0	60.9	1,556	1	MARKED:(1)
	7.7	198	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1048-1049

V1163   **031C008 :FATHR EDUC LEVE**

Item Number: 00310

The next three questions ask about your parents. If you were
raised mostly by foster parents, stepparents, or others,
answer for them. For example, if you have both a stepfather
and a natural father, answer for the one that was most
important in raising you. What is the highest level of
schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  3.7    3.3     86      1  GRDE SCH:(1)
  9.8    8.9    229      2  SOME HS:(2)
 30.2   27.5    703      3  HS GRAD:(3)
 16.4   15.0    382      4  SOME CLG:(4)
 20.9   19.1    487      5  CLG GRAD:(5)
 12.1   11.0    282      6  GRAD SCH:(6)
  6.9    6.3    160      7  DK:(7)
         8.9    227     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1050-1051

V1164   **031C009 :MOTHR EDUC LEVE**

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
   3.0    2.8     71      1  GRDE SCH:(1)
   9.1    8.3    212      2  SOME HS:(2)
  28.4   25.9    661      3  HS GRAD:(3)
  19.8   18.1    463      4  SOME CLG:(4)
  24.7   22.5    576      5  CLG GRAD:(5)
  11.2   10.2    260      6  GRAD SCH:(6)
   3.8    3.5     88      7  DK:(7)
          8.8    224     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1052-1053

V1165   **031C010 :MOTH PD JB R YN**

Item Number: 00330

Did your mother have a paid job (half-time or more) during the
time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,
most of the time" 4="Yes, all or nearly all of the time"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  15.7   14.2    364      1  NO:(1)
  18.7   17.0    435      2  SOMETIME:(2)
  19.1   17.3    443      3  MOSTTIME:(3)
  46.5   42.3  1,080      4  ALL TIME:(4)
          9.2    234     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1054-1055

V1166   **031C011 :R'S POLTL PRFNC**

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly
Democrat" 4="Strongly Democrat" 5="Independent" 6="No
preference" 7="Other" 8="Don't know, haven't decided"

```
  PCT    PCT     N  VALUE   LABEL
VALID   ALL
 11.0    9.5    243      1  STRG GOP:(1)
 13.6   11.8    302      2  MILD GOP:(2)
 12.8   11.1    283      3  MILD DEM:(3)
 10.0    8.7    223      4  STRG DEM:(4)
  8.4    7.3    186      5  INDEPNDT:(5)
 17.4   15.1    386      6  NO PREF:(6)
  1.1    1.0     25      7  OTHER:(7)
 25.8   22.4    572      8  DK:(8)
        13.2    336     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1056-1057

```
    V1167                    031C012 :R'POL BLF RADCL
```

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the
above, or don't know"

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
   3.8    3.4     87     1  VRY CONS:(1)
  12.7   11.4    292     2  CONSERV:(2)
  22.0   19.8    506     3  MODERATE:(3)
  14.9   13.4    343     4  LIBERAL:(4)
   4.9    4.4    112     5  VRY LIB:(5)
   2.1    1.9     49     6  RADICAL:(6)
  39.7   35.8    914     8  NONE/DK:(8)
          9.9    252    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1058-1059

```
    V1169                    031C013B:R'ATTND REL SVC
```

Item Number: 00370

The next three questions are about religion. B: How often do
you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a
week or more" Responses from the western region
intentionally obliterated.

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  18.8   13.5    345     1  NEVER:(1)
  32.3   23.3    594     2  RARELY:(2)
  16.6   11.9    305     3  1-2X/MO:(3)
  32.4   23.3    596     4  1/WK OR+:(4)
         27.9    714    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1060-1061

```
┌─────────────────────────────────────────────────────────────────────────┐
│       V1170                    031C013C:RLGN IMP R'S LF                   │
└─────────────────────────────────────────────────────────────────────────┘
```

        Item Number: 00380

        C: How important is religion in your life?

        1="Not important" 2="A little important" 3="Pretty important"
        4="Very important"   Responses from the western region
        intentionally obliterated.

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         16.4   11.9   303   1 NOT IMPT:(1)
         25.1   18.1   463   2 LITL IMP:(2)
         27.5   19.9   507   3 PRTY IMP:(3)
         31.0   22.3   571   4 VERY IMP:(4)
                27.8   711   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1062-1063

```
┌─────────────────────────────────────────────────────────────────────────┐
│       V1171                    031C014 :WHEN R XPCT GRA                   │
└─────────────────────────────────────────────────────────────────────────┘
```

        Item Number: 00390

        When are you most likely to graduate from high school?

        1="By this June" 2="July to January" 3="After next January"
        6="Don't expect to graduate"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         98.0   89.2 2,278   1 BY JUNE:(1)
          1.3   1.2   31   2 JULY-JAN:(2)
          0.0   0.0   0   3 AFT JAN:(3)
          0.7   0.6   16   6 WONT:(6)
                 9.0   229   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1064-1065

```
┌────────────────────────────────────────────────────────────────────┐
│    V1172                    031C015 :R'S HS PROGRAM                  │
└────────────────────────────────────────────────────────────────────┘
```

Item Number: 00400

Which of the following best describes your present high school
program?

1="Academic or college prep" 2="General" 3="Vocational,
technical, or commercial" 4="Other, or don't know"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 53.8    48.8   1,246      1  CLG PREP:(1)
 31.1    28.2     720      2  GENERAL:(2)
  6.9     6.2     160      3  VOC-TECH:(3)
  8.2     7.4     190      4  OTH/DK:(4)
          9.4     240     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1066-1067

```
┌────────────────────────────────────────────────────────────────────┐
│    V1173                    031C016 :RT SF SCH AB>AV                 │
└────────────────────────────────────────────────────────────────────┘
```

Item Number: 00410

Compared with others your age throughout the country, how do
you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  2.0     1.8      46      1  FAR BLOW:(1)
  1.8     1.6      41      2  BELOW AV:(2)
  4.3     3.9      99      3  SL BELOW:(3)
 32.4    29.2     746      4  AVERAGE:(4)
 24.8    22.3     570      5  SL ABOVE:(5)
 28.9    26.0     664      6  ABOVE AV:(6)
  5.8     5.2     133      7  FAR ABOV:(7)
         10.0     256     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1068-1069

V1174   **031C017 :RT SF INTELL>AV**

Item Number: 00420

How intelligent do you think you are compared with others your
age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  1.8     1.6     41      1  FAR BLOW:(1)
  1.3     1.2     31      2  BELOW AV:(2)
  3.6     3.3     84      3  SL BELOW:(3)
 30.8    27.8    711      4  AVERAGE:(4)
 24.1    21.8    558      5  SL ABOVE:(5)
 30.7    27.8    711      6  ABOVE AV:(6)
  7.6     6.9    176      7  FAR ABOV:(7)
          9.5    243     -9  MISSING
-----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1070-1071

V1175	031C018A:#DA/4W SC MS IL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have
you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
58.2	51.7	1,320	1	NONE:(1)
18.1	16.1	411	2	1 DAY:(2)
11.2	9.9	254	3	2 DAYS:(3)
5.6	5.0	127	4	3 DAYS:(4)
4.0	3.5	91	5	4-5 DAYS:(5)
1.6	1.4	36	6	6-10 DA:(6)
1.2	1.1	28	7	11+ DAYS:(7)
	11.3	288	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1072-1073

```
┌────────────────────────────────────────────────────────────────────────┐
│     V1176                    031C018B:#DA/4W SC MS CU                     │
└────────────────────────────────────────────────────────────────────────┘
```

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have
you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

```
   PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 67.9    59.5   1,521       1   NONE:(1)
 12.9    11.3     288       2   1 DAY:(2)
  7.6     6.6     169       3   2 DAYS:(3)
  4.1     3.6      92       4   3 DAYS:(4)
  4.6     4.0     103       5   4-5 DAYS:(5)
  1.4     1.3      32       6   6-10 DA:(6)
  1.6     1.4      35       7   11+ DAYS:(7)
         12.3     315      -9   MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1074-1075

V1177	031C018C:#DA/4W SC MS OT

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 57.3   50.3  1,286      1  NONE:(1)
 20.3   17.9    457      2  1 DAY:(2)
 10.8    9.5    242      3  2 DAYS:(3)
  5.7    5.0    128      4  3 DAYS:(4)
  3.0    2.7     68      5  4-5 DAYS:(5)
  1.5    1.3     33      6  6-10 DA:(6)
  1.4    1.3     32      7  11+ DAYS:(7)
        12.1    308     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1076-1077

V1178	**031C019 :#DA/4W SKP CLAS**	

Item Number: 00460

During the last four weeks, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

PCT VALID	PCT ALL	N	VALUE	LABEL
64.0	57.5	1,469	1	NOT@ALL:(1)
21.2	19.1	487	2	1-2:(2)
8.8	7.9	201	3	3-5:(3)
3.4	3.1	78	4	6-10:(4)
1.1	1.0	25	5	11-20:(5)
1.5	1.3	34	6	21+:(6)
	10.2	261	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1078-1079

V1179	**031C020 :R HS GRADE/D=1**

Item Number: 00470

Which of the following best describes your average grade so
far in high school?

9="A (93-100)" 8="A- (90-92) 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

```
   PCT    PCT     N  VALUE   LABEL
 VALID    ALL
  1.1    1.0     25     1   D:(1)
  2.4    2.1     55     2   C-:(2)
  5.7    5.1    131     3   C:(3)
  9.1    8.1    207     4   C+:(4)
 12.4   11.1    284     5   B-:(5)
 16.6   14.9    381     6   B:(6)
 17.2   15.4    393     7   B+:(7)
 17.8   16.0    408     8   A-:(8)
 17.8   15.9    407     9   A:(9)
        10.3    264    -9   MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1080-1081

V1180   **031C021A:R WL DO VOC/TEC**

Item Number: 00480

How likely is it that you will do each of the following things
after high school?   A. Attend a technical or vocational
school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 55.0   47.2  1,206     1  DEF WONT:(1)
 23.9   20.5    524     2  PRB WONT:(2)
 13.9   12.0    306     3  PRB WILL:(3)
  7.2    6.2    158     4  DEF WILL:(4)
        14.1    361    -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1082-1083

V1181   **031C021B:R WL DO ARMD FC**

Item Number: 00490

How likely is it that you will do each of the following things
after high school?   B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 67.0   55.9  1,429     1  DEF WONT:(1)
 20.8   17.4    444     2  PRB WONT:(2)
  6.7    5.6    143     3  PRB WILL:(3)
  5.4    4.5    115     4  DEF WILL:(4)
        16.6    424    -9  MISSING
----- ----- -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1084-1085

V1182   **031C021C:R WL DO 2YR CLG**

Item Number: 00500

How likely is it that you will do each of the following things
after high school?   C. Graduate from a two-year college
program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 40.7   35.0    894      1  DEF WONT:(1)
 19.2   16.5    421      2  PRB WONT:(2)
 23.0   19.8    505      3  PRB WILL:(3)
 17.1   14.7    375      4  DEF WILL:(4)
        14.1    360     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1086-1087

V1183   **031C021D:R WL DO 4YR CLG**

Item Number: 00510

How likely is it that you will do each of the following things
after high school? D. Graduate from college (four-year
program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  8.6    7.5    193      1  DEF WONT:(1)
 10.9    9.5    243      2  PRB WONT:(2)
 23.5   20.6    525      3  PRB WILL:(3)
 57.0   49.9  1,274      4  DEF WILL:(4)
        12.5    320     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1088-1089

V1184	**031C021E:R WL DO GRD/PRF**

Item Number: 00520

How likely is it that you will do each of the following things
after high school? E: Attend graduate or professional school
after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	14.8	379	1	DEF WONT:(1)
27.3	23.6	604	2	PRB WONT:(2)
33.1	28.7	733	3	PRB WILL:(3)
22.5	19.5	498	4	DEF WILL:(4)
	13.4	342	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1090-1091

V1185	**031C022A:R WNTDO VOC/TEC**

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in
your way. How many of the following things would you WANT to
do? (Mark ALL that apply.) A. Attend a technical or
vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	74.3	1,898	0	NT MARKD:(0)
15.2	13.3	341	1	MARKED:(1)
	12.4	317	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1092-1093

V1186	031C022B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 86.3   75.6  1,933      0  NT MARKD:(0)
 13.7   12.0   306       1  MARKED:(1)
        12.4   317      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1094-1095

V1187	031C022C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 75.7   66.3  1,695      0  NT MARKD:(0)
 24.3   21.3   543       1  MARKED:(1)
        12.4   317      -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1096-1097

V1188   **031C022D:R WNTDO 4YR CLG**

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in
your way. How many of the following things would you WANT to
do? (Mark ALL that apply.) D. Graduate from college (four-
year program)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 23.2   20.3    519      0  NT MARKD:(0)
 76.8   67.3  1,719      1  MARKED:(1)
        12.4    317     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1098-1099

V1189   **031C022E:R WNTDO GRD/PRF**

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in
your way. How many of the following things would you WANT to
do? (Mark ALL that apply.) E. Attend graduate or
professional school after college

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 45.6   40.0  1,021      0  NT MARKD:(0)
 54.4   47.6  1,217      1  MARKED:(1)
        12.4    317     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1100-1101

V1190   **031C022F:R WNTDO NONE**

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in
your way. How many of the following things would you WANT to
do? (Mark ALL that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 93.4    81.8   2,090      0  NT MARKD:(0)
  6.6     5.8     149      1  MARKED:(1)
         12.4     317     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1102-1103

V1191   **031C023 :HRS/W WRK SCHYR**

Item Number: 00590

On the average over the school year, how many hours per week
do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15
hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30
hours" 8="More than 30 hours"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 29.5    25.8     660      1  NONE:(1)
  8.8     7.7     196      2  5 OR <:(2)
  9.6     8.4     216      3  6-10 HRS:(3)
 13.7    12.0     306      4  11-15 HR:(4)
 13.0    11.4     291      5  16-20 HR:(5)
 10.6     9.3     236      6  21-25 HR:(6)
  7.3     6.4     165      7  26-30 HR:(7)
  7.6     6.6     170      8  30+ HRS:(8)
         12.3     315     -9  MISSING
 -----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1104-1105

V1192	031C024A:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from. . . A.
A job or other work

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
31.9	27.3	698	1	NONE:(1)
1.0	0.8	21	2	$1-5:(2)
2.7	2.3	59	3	$6-10:(3)
3.0	2.6	66	4	$11-20:(4)
3.8	3.3	84	5	$21-35:(5)
6.2	5.3	136	6	$36-50:(6)
11.3	9.7	248	7	$51-75:(7)
20.3	17.4	446	8	$76-125:(8)
19.7	16.9	433	9	$126+:(9)
	14.2	363	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1106-1107

V1193	031C024B:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from. . . B:
Other sources (allowances, etc.)

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
36.6	31.0	792	1	NONE:(1)
6.9	5.8	149	2	$1-5:(2)
10.9	9.2	236	3	$6-10:(3)
19.1	16.2	413	4	$11-20:(4)
11.1	9.4	241	5	$21-35:(5)
6.5	5.5	141	6	$36-50:(6)
3.5	3.0	75	7	$51-75:(7)
2.3	1.9	49	8	$76-125:(8)
3.1	2.7	68	9	$126+:(9)
	15.3	390	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1108-1109

V1194   **031C025 :#X/AV WK GO OUT**

Item Number: 00620

During a typical week, on how many evenings do you go out for
fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 11.4   10.0    254      1  < 1:(1)
 14.4   12.6    322      2  ONE:(2)
 26.9   23.5    602      3  TWO:(3)
 25.3   22.2    567      4  THREE:(4)
 14.4   12.7    323      5  4-5:(5)
  7.6    6.7    170      6  6-7:(6)
        12.4    316     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1110-1111

V1195   **031C026 :#X DATE 3+/WK**

Item Number: 00630

On the average, how often do you go out with a date (or your
spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a
week"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 27.2   23.7    605      1  NEVER:(1)
 16.8   14.6    374      2  1/MO OR<:(2)
 14.3   12.5    318      3  2-3/MO:(3)
 15.5   13.5    344      4  1/WK:(4)
 15.9   13.8    353      5  2-3/WK:(5)
 10.2    8.9    227      6  3+/WK:(6)
        13.0    332     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1112-1113

```
    V1196               031C027 :DRIVE>200 MI/WK
```

Item Number: 00640

During an average week, how much do you usually drive a car,
truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to
100 miles" 5="100 to 200 miles" 6="More than 200 miles"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 15.6   13.6    347      1  NONE:(1)
  7.6    6.7    171      2  1-10 MI:(2)
 23.1   20.2    515      3  11-50:(3)
 21.6   18.8    481      4  51-100:(4)
 18.0   15.7    401      5  101-200:(5)
 14.1   12.3    314      6  > 200:(6)
        12.8    326     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1114-1115

```
    V1197               031C028 :#X/12MO R TCKTD
```

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you
received a ticket (OR been stopped and warned) for moving
violations, such as speeding, running a stop light, or
improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 73.7   62.0  1,585      0  NONE:(0)
 15.7   13.2    337      1  ONE:(1)
  6.3    5.3    135      2  TWO:(2)
  2.5    2.1     53      3  THREE:(3)
  1.9    1.6     40      4  4+:(4)
        15.8    405     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1116-1117

```
    V1198              031C029A:#TCKTS AFT DRNK
```

Item Number: 00660

How many of these tickets or warnings occurred after you were
. . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3
and 4 are combined in this dataset.

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  95.3   21.1    539      0  None:(0)
   4.0    0.9     23      1  One:(1)
   0.6    0.1      3      2  Two:(2)
   0.1    0.0      1      3  3-4 or +:(3-4)
          77.9  1,989     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1118-1119

```
    V1199              031C029B:#TCKTS AFT MARJ
```

Item Number: 00670

How many of these tickets or warnings occurred after you were
. . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3
and 4 are combined in this dataset.

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  94.4   20.9    534      0  None:(0)
   4.6    1.0     26      1  One:(1)
   0.6    0.1      3      2  Two:(2)
   0.4    0.1      2      3  3-4 or +:(3-4)
          77.8  1,989     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1120-1121

```
      V1200              031C029C:#TCKTS AFT OTDG
```

Item Number: 00680

How many of these tickets or warnings occurred after you were
. . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3
and 4 are combined in this dataset.

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  98.4    21.6    551       0  None:(0)
   1.2     0.3      7       1  One:(1)
   0.2     0.0      1       2  Two:(2)
   0.2     0.1      1       3  3-4 or +:(3-4)
           78.1  1,995      -9  MISSING
  -----   -----  -----
  100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1122-1123

```
      V1201              031C030 :#ACCIDNTS/12 MO
```

Item Number: 00690

We are interested in any accidents which occurred while you
were driving a car, truck, or motorcycle. ("Accidents" means
a collision involving property damage or personal injury--not
bumps or scratches in parking lots.) During the LAST 12
MONTHS, how many accidents have you had while you were driving
(whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

```
   PCT     PCT      N  VALUE  LABEL
  VALID    ALL
  76.8    64.2  1,641       0  NONE:(0)
  17.8    14.8    379       1  ONE:(1)
   4.2     3.5     89       2  TWO:(2)
   0.7     0.6     16       3  THREE:(3)
   0.5     0.4     10       4  4+:(4)
           16.4    420      -9  MISSING
  -----   -----  -----
  100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1124-1125

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1202                      031C031A:#ACDTS AFT DRNK                   │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 00700

How many of these accidents occurred after you were . . . A:
Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3
and 4 are combined in this dataset.

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 97.8   19.0    486      0  None:(0)
  1.9    0.4      9      1  One:(1)
  0.3    0.1      1      2  Two:(2)
  0.0    0.0      0      3  3-4 or +:(3-4)
         80.6  2,059     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1126-1127

```
┌─────────────────────────────────────────────────────────────────────────┐
│     V1203                      031C031B:#ACDTS AFT MARJ                   │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 00710

How many of these accidents occurred after you were . . . B:
Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3
and 4 are combined in this dataset.

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 97.4   19.2    491      0  None:(0)
  2.1    0.4     11      1  One:(1)
  0.2    0.0      1      2  Two:(2)
  0.3    0.1      2      3  3-4 or +:(3-4)
         80.3  2,051     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1128-1129

V1204	031C031C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . . C:
Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3
and 4 are combined in this dataset.

```
   PCT     PCT     N  VALUE  LABEL
 VALID     ALL
 99.4    19.3    493      0  None:(0)
  0.3     0.1      2      1  One:(1)
  0.0     0.0      0      2  Two:(2)
  0.2     0.0      1      3  3-4 or +:(3-4)
         80.6  2,060     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1130-1131

V1205   **031C032 :R'S BRANCH SERV**

     Item Number: 00730

     If you have not entered military service, and do not expect to
     enter, GO TO PART D. What is, or will be, your branch of
     service?

     1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast
     Guard" 6="Uncertain"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 25.1    2.6      66      1  ARMY:(1)
 16.7    1.7      44      2  NAVY:(2)
 14.1    1.5      37      3  MARINES:(3)
 29.0    3.0      76      4  AIRFORCE:(4)
  2.7    0.3       7      5  COAST GD:(5)
 12.4    1.3      33      6  UNCERTN:(6)
         89.7  2,292     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 1132-1133

V1206   **031C033 :R XPCTS B OFFCR**

     Item Number: 00740

     Do you expect to be an officer?

     1="No" 2="Uncertain" 3="Yes"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 16.0    1.7      44      1  NO:(1)
 41.7    4.5     115      2  UNCERTN:(2)
 42.3    4.6     116      3  YES:(3)
         89.2  2,280     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 1134-1135

V1207	031C034 :R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 19.2   2.1    53      1  NO:(1)
 44.4   4.8   122      2  UNCERTN:(2)
 36.4   3.9   100      3  YES:(3)
        89.3 2,281    -9  MISSING
----- ----- -----
100.0 100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1136-1137

V1682	031D001 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot" 3="I like school some" 2="I don't like school very much" 1="I don't like school at all"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  7.1   6.0   154      1  DONT@ALL:(1)
 16.8  14.3   365      2  NOT VMCH:(2)
 47.3  40.2 1,027      3  SOME:(3)
 20.9  17.8   454      4  LIK ALOT:(4)
  7.9   6.7   172      5  LIK VMCH:(5)
       15.0   383     -9  MISSING
----- ----- -----
100.0 100.0 2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1138-1139

```
  V1683              031D002 :SC WRK NVR MNG
```

Item Number: 05700

How often do you feel that the school work you are assigned is
meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  5.7     4.8     124     1  NEVER:(1)
 25.2    21.3     543     2  SELDOM:(2)
 43.2    36.5     932     3  SOMETIME:(3)
 19.1    16.2     413     4  OFTEN:(4)
  6.8     5.7     146     5  ALWAYS:(5)
         15.6     398    -9  MISSING
-----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1140-1141

```
  V1684              031D003 :MST COUR V DUL
```

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  7.3     6.2     157     1  VRY DULL:(1)
 22.8    19.3     493     2  SLTLY DU:(2)
 44.7    37.7     964     3  FRLY INT:(3)
 22.1    18.7     477     4  QUITE IN:(4)
  3.1     2.6      68     5  VRY EXCI:(5)
         15.6     397    -9  MISSING
-----   -----   -----
100.0   100.0   2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1142-1143

V1685   **031D004 :LRN SCH NT IMP**

Item Number: 05720

How important do you think the things you are learning in
school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  4.7    3.9    101      1  NOT IMPT:(1)
 25.7   21.6    553      2  SLTLY IM:(2)
 34.0   28.6    732      3  FRLY IMP:(3)
 23.0   19.3    494      4  QUITE IM:(4)
 12.7   10.7    272      5  VRY IMPT:(5)
        15.8    404     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1144-1145

V1686   **031D005 :LOT CMPTN GRADE**

Item Number: 05730

How much competition for grades is there among students at
your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great
deal"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  9.0    7.6    193      1  NONE:(1)
 25.3   21.3    544      2  A LITTLE:(2)
 34.0   28.5    729      3  SOME:(3)
 21.2   17.8    455      4  QUITEBIT:(4)
 10.5    8.9    226      5  GRT DEAL:(5)
        15.9    407     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1146-1147

V1687   **031D006 :STDTS DSLK CHTG**

    Item Number: 05740

    How do you think most of the students in your classes would
    feel if you cheated on a test?

    1="They would like it very much" 2="They would like it"
    3="They would not care" 4="They would dislike it" 5="They
    would dislike it very much"

```
      PCT    PCT     N  VALUE  LABEL
    VALID   ALL
     4.2    3.5     89     1   LIK VMCH:(1)
     2.9    2.4     62     2   LIKE IT:(2)
    78.8   66.2  1,690     3   NOT CARE:(3)
    10.3    8.7    222     4   DISLIKE:(4)
     3.8    3.2     82     5   DLIK MCH:(5)
           16.1    410    -9   MISSING
    -----  -----  -----
    100.0  100.0  2,555 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 1148-1149

V1688   **031D007 :ST -LK PROV TCH**

    Item Number: 05750

    How do you think most of the students in your classes would
    feel if you intentionally did things to make your teachers
    angry?

    1="They would like it very much" 2="They would like it"
    3="They would not care" 4="They would dislike it" 5="They
    would dislike it very much"

```
      PCT    PCT     N  VALUE  LABEL
    VALID   ALL
     4.0    3.4     86     1   LIK VMCH:(1)
    11.0    9.2    235     2   LIKE IT:(2)
    49.9   41.8  1,067     3   NOT CARE:(3)
    27.9   23.4    597     4   DISLIKE:(4)
     7.2    6.0    154     5   DLIK MCH:(5)
           16.3    416    -9   MISSING
    -----  -----  -----
    100.0  100.0  2,555 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 1150-1151

```
        V1689                031D008 :FRD NCG/TCH -LK
```

```
        Item Number:  05760

        How often do you find that your friends encourage you to do
        things which your teachers wouldn't like?

        1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

          PCT    PCT     N  VALUE  LABEL
        VALID   ALL
         40.6   33.9    866      1  NEVER:(1)
         32.9   27.5    702      2  SELDOM:(2)
         18.3   15.3    391      3  SOMETIME:(3)
          5.8    4.8    123      4  OFTEN:(4)
          2.5    2.1     52      5  ALWAYS:(5)
                16.5    421     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1152-1153
```

```
        V1690                031D009 :R IN WK-STDY PG
```

```
        Item Number:  05770

        Have you ever been in a work-study program--that is, a program
        where you work on a job as  part of your  schooling?

        1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for
        about a year" 4="Yes, for about two years" 5="Yes,  for more
        than two years"

          PCT    PCT     N  VALUE  LABEL
        VALID   ALL
         82.5   68.4  1,748      1  NOT EVER:(1)
          8.6    7.1    181      2  HALF YR:(2)
          6.5    5.4    137      3  ABT 1 YR:(3)
          1.8    1.5     37      4  ABT 2 YR:(4)
          0.7    0.6     15      5  >2 YRS:(5)
                17.1    436     -9  MISSING
        -----  -----  -----
        100.0  100.0  2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1154-1155
```

```
┌─────────────────────────────────────────────────────────────────────┐
│    V1691                    031D010 :#X/YR COUNS IND                   │
└─────────────────────────────────────────────────────────────────────┘
```

        Item Number: 05780

        How many times this school year have you seen a counselor
        individually?

        1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7
        times" 6="8-10 times" 7="11 or more times"

          PCT   PCT   N VALUE LABEL
        VALID   ALL
         28.4   23.6   603   1 NO TIMES:(1)
         10.3   8.5   218   2 1 TIME:(2)
         17.4   14.4   369   3 2 TIMES:(3)
         24.7   20.5   524   4 3-4 TIME:(4)
         10.3   8.5   218   5 5-7 TIME:(5)
          3.6   3.0   77   6 8-10 TIM:(6)
          5.2   4.4   111   7 11+ TIME:(7)
                17.0   435   -9 MISSING
        ----- ----- -----
        100.0 100.0 2,555 cases (Wtd)

        Data type: numeric
        Missing-data code: -9
        Columns: 1156-1157

```
┌─────────────────────────────────────────────────────────────────────────┐
│        V1692                    031D011 :#X/YR COUNS GRP                   │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05790

How many times this school year have you seen a counselor as a
part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7
times" 6="8-10 times" 7="11 or more times"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 63.0   52.2  1,333     1  NO TIMES:(1)
 11.9    9.9    252     2  1 TIME:(2)
 11.2    9.3    237     3  2 TIMES:(3)
  7.9    6.5    167     4  3-4 TIME:(4)
  2.8    2.3     59     5  5-7 TIME:(5)
  1.3    1.1     28     6  8-10 TIM:(6)
  1.8    1.5     39     7  11+ TIME:(7)
        17.2    440    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1158-1159

```
┌─────────────────────────────────────────────────────────────────────────┐
│        V1693                    031D012 :R LK C COUNS MR                   │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05800

Would you have preferred to see a counselor more or less often
than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"
2="A little less often" 1="Much less often"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 14.8   12.0    307     1  MCH LESS:(1)
  6.4    5.2    133     2  LIT LESS:(2)
 48.3   39.3  1,004     3  AS OFTEN:(3)
 21.0   17.1    437     4  MOR OFTN:(4)
  9.5    7.7    197     5  MCH MORE:(5)
        18.7    477    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1160-1161

V1694   **031D013 :CSLNG VRY HLPFL**

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"
2="A little helpful" 1="Not at all helpful" 8="Did not see a
counselor this year."

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 11.8    9.6    246     1  NOT @ALL:(1)
 17.0   13.9    356     2  A LITTLE:(2)
 18.9   15.5    397     3  SOMEWHAT:(3)
 19.7   16.2    414     4  QUITE:(4)
 11.7    9.6    246     5  EXT HELP:(5)
 20.9   17.1    437     8  NO SEE:(8)
        18.0    460    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1162-1163

V1699   **031D014A:CNSL COURSES**

Item Number: 05811

Would you have preferred more or less of each of the following
types of counseling in the last year? A: Choosing what
courses to take

5="Much More" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  6.7    5.4    138     1  MCH LESS:(1)
  2.2    1.8     46     2  LIT LESS:(2)
 46.3   37.3    953     3  ABT RITE:(3)
 25.1   20.2    516     4  LIT MORE:(4)
 19.7   15.8    405     5  MCH MORE:(5)
        19.5    498    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1164-1165

```
   V1700                  031D014B:CNSL CL PROB
```

Item Number: 05812

Would you have preferred more or less of each of the following
types of counseling in the last year? B: Discussing problems
with course work

5="Much More" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 11.3    9.1    232      1  MCH LESS:(1)
  4.6    3.6     93      2  LIT LESS:(2)
 54.6   43.7  1,116      3  ABT RITE:(3)
 18.5   14.8    378      4  LIT MORE:(4)
 11.0    8.8    226      5  MCH MORE:(5)
        20.0    511     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1166-1167

```
   V1701                  031D014C:CNSL TRBL R IN
```

Item Number: 05813

Would you have preferred more or less of each of the following
types of counseling in the last year? C: Discussing any
trouble you've gotten into

5="Much More" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 18.9   14.9    382      1  MCH LESS:(1)
  4.7    3.7     94      2  LIT LESS:(2)
 60.1   47.4  1,211      3  ABT RITE:(3)
  8.2    6.5    166      4  LIT MORE:(4)
  8.1    6.4    163      5  MCH MORE:(5)
        21.1    540     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1168-1169

```
┌────────────────────────────────────────────────────────────────────────┐
│    V1702                031D014D:CNSL MILTRY PLN                         │
└────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05814

Would you have preferred more or less of each of the following
types of counseling in the last year? D: Discussing military
plans

5="Much More" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

PCT VALID	PCT ALL	N	VALUE	LABEL
31.5	24.6	630	1	MCH LESS:(1)
4.1	3.2	82	2	LIT LESS:(2)
51.7	40.4	1,032	3	ABT RITE:(3)
6.7	5.2	133	4	LIT MORE:(4)
6.0	4.7	120	5	MCH MORE:(5)
	21.8	558	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1170-1171

```
┌────────────────────────────────────────────────────────────────────────┐
│    V1703                031D014E:CNSL EDUC PLANS                         │
└────────────────────────────────────────────────────────────────────────┘
```

Item Number: 05815

Would you have preferred more or less of each of the following
types of counseling in the last year? E: Discussing
education or training plans

5="Much More" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

PCT VALID	PCT ALL	N	VALUE	LABEL
10.0	8.0	204	1	MCH LESS:(1)
3.4	2.7	69	2	LIT LESS:(2)
45.7	36.4	931	3	ABT RITE:(3)
23.8	19.0	485	4	LIT MORE:(4)
17.1	13.7	349	5	MCH MORE:(5)
	20.3	518	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1172-1173

```
    V1704                    031D014F:CNSL CAREER PLN
```

Item Number: 05816

Would you have preferred more or less of each of the following
types of counseling in the last year? F: Discussing career
plans or job choice

5="Much More" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  8.5    6.8     173      1  MCH LESS:(1)
  2.8    2.3      58      2  LIT LESS:(2)
 38.6   30.8     788      3  ABT RITE:(3)
 28.0   22.3     571      4  LIT MORE:(4)
 22.1   17.6     451      5  MCH MORE:(5)
        20.1     514     -9  MISSING
 -----  -----   -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1174-1175

```
    V1705                    031D014G:CNSL PRNL PROB
```

Item Number: 05817

Would you have preferred more or less of each of the following
types of counseling in the last year? G: Discussing personal
problems

5="Much More" 4="A little more" 3="About right" 2="A little
less" 1="Much less"

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 20.7   16.3     416      1  MCH LESS:(1)
  6.9    5.4     139      2  LIT LESS:(2)
 53.7   42.1   1,076      3  ABT RITE:(3)
  9.8    7.7     197      4  LIT MORE:(4)
  8.9    7.0     178      5  MCH MORE:(5)
        21.5     549     -9  MISSING
 -----  -----   -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1176-1177

V1719	031D015A:#DA HEADACHE

Item Number: 21310

These next questions concern your health. During the LAST 30
DAYS, on how many days (if any) did you have the following
problems or symptoms? A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
20.7	16.7	428	1	NONE:(1)
16.8	13.6	348	2	1 DAY:(2)
19.1	15.4	394	3	2 DAYS:(3)
22.4	18.1	462	4	3-5 DAYS:(4)
10.0	8.1	206	5	6-9 DAYS:(5)
6.2	5.0	128	6	10-19 DA:(6)
4.8	3.9	99	7	20+ DAYS:(7)
	19.2	490	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1178-1179

V1720	031D015B:#DA SORE THROAT

Item Number: 21320

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? B: Sore throat or
hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 37.6   30.3    774      1  NONE:(1)
 17.6   14.2    363      2  1 DAY:(2)
 14.2   11.4    292      3  2 DAYS:(3)
 18.1   14.6    374      4  3-5 DAYS:(4)
  7.8    6.3    162      5  6-9 DAYS:(5)
  3.6    2.9     75      6  10-19 DA:(6)
  1.0    0.8     21      7  20+ DAYS:(7)
        19.4    495     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1180-1181

```
┌─────────────────────────────────────────────────────────────────────────┐
│    V1721                    031D015C:#DA SINUS CONG                       │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 21330

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? C: Trouble with
sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 25.4   20.5     525      1  NONE:(1)
 10.8    8.7     223      2  1 DAY:(2)
 14.1   11.4     290      3  2 DAYS:(3)
 21.4   17.3     442      4  3-5 DAYS:(4)
 13.9   11.2     286      5  6-9 DAYS:(5)
  7.6    6.1     157      6  10-19 DA:(6)
  6.8    5.5     140      7  20+ DAYS:(7)
        19.3     493     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1182-1183

V1722	031D015D:#DA COUGHING

Item Number: 21340

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  55.4   44.6  1,140      1   NONE:(1)
  12.4   10.0    255      2   1 DAY:(2)
  10.7    8.6    220      3   2 DAYS:(3)
  11.3    9.1    232      4   3-5 DAYS:(4)
   5.8    4.7    120      5   6-9 DAYS:(5)
   2.6    2.1     54      6   10-19 DA:(6)
   1.9    1.5     39      7   20+ DAYS:(7)
         19.4    496     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1184-1185

```
┌─────────────────────────────────────────────────────────────────┐
│   V1723                031D015E:#DA CHEST COLD                    │
└─────────────────────────────────────────────────────────────────┘
```

Item Number: 21350

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 71.9    57.9  1,480       1  NONE:(1)
  8.6     6.9    177       2  1 DAY:(2)
  7.2     5.8    148       3  2 DAYS:(3)
  6.9     5.6    142       4  3-5 DAYS:(4)
  3.1     2.5     64       5  6-9 DAYS:(5)
  1.4     1.2     30       6  10-19 DA:(6)
  0.8     0.6     16       7  20+ DAYS:(7)
         19.5    498      -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1186-1187

V1724	031D015F:#DA COUGH PHLM

Item Number: 21360

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? F: Coughing up
phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 78.3  62.8  1,606      1  NONE:(1)
  5.7   4.6    117      2  1 DAY:(2)
  3.9   3.1     80      3  2 DAYS:(3)
  5.2   4.2    107      4  3-5 DAYS:(4)
  4.0   3.2     82      5  6-9 DAYS:(5)
  1.4   1.1     28      6  10-19 DA:(6)
  1.5   1.2     31      7  20+ DAYS:(7)
        19.7    504     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1188-1189

```
┌─────────────────────────────────────────────────────────────────────────┐
│      V1725                      031D015G:#DA SHORT BRTH                    │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 21370

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? G: Shortness of
breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 80.9   65.0  1,661      1  NONE:(1)
  5.8    4.7   120       2  1 DAY:(2)
  5.2    4.1   106       3  2 DAYS:(3)
  3.7    3.0    77       4  3-5 DAYS:(4)
  1.9    1.5    39       5  6-9 DAYS:(5)
  1.0    0.8    21       6  10-19 DA:(6)
  1.5    1.2    31       7  20+ DAYS:(7)
        19.6   501      -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1190-1191

ICPSR 4019   *MTF 2003 (12TH GRADE), PART 2: FORM 1 DATA*   *Page 387*

V1726	031D015H:#DA WHEEZING

Item Number: 21380

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 85.2   68.2  1,741      1  NONE:(1)
  6.5    5.2    132      2  1 DAY:(2)
  2.4    1.9     49      3  2 DAYS:(3)
  2.6    2.1     53      4  3-5 DAYS:(4)
  1.5    1.2     30      5  6-9 DAYS:(5)
  0.7    0.6     15      6  10-19 DA:(6)
  1.1    0.9     22      7  20+ DAYS:(7)
         20.0    512     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1192-1193

V1727	031D015I:#DA TRBL REMEM

Item Number: 21390

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? I: Trouble
remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT    PCT     N  VALUE   LABEL
VALID    ALL
 59.8   47.9  1,223      1  NONE:(1)
 10.7    8.5    218      2  1 DAY:(2)
  8.4    6.7    172      3  2 DAYS:(3)
  7.2    5.8    148      4  3-5 DAYS:(4)
  5.2    4.2    106      5  6-9 DAYS:(5)
  3.1    2.5     64      6  10-19 DA:(6)
  5.6    4.5    115      7  20+ DAYS:(7)
        19.9    508     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1194-1195

V1728	031D015J:#DA DFCT THINK

Item Number: 21400

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? J: Difficulty
thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 49.9    40.1  1,024      1  NONE:(1)
 12.7    10.2    261      2  1 DAY:(2)
 11.2     9.0    231      3  2 DAYS:(3)
 10.6     8.5    217      4  3-5 DAYS:(4)
  7.3     5.8    149      5  6-9 DAYS:(5)
  3.9     3.2     81      6  10-19 DA:(6)
  4.4     3.5     90      7  20+ DAYS:(7)
          19.7    503     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1196-1197

V1729	031D015K:#DA TRBL LEARN

Item Number: 21410

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? K: Trouble learning
new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 69.9   55.7  1,424     1  NONE:(1)
 10.5    8.4    214     2  1 DAY:(2)
  7.0    5.6    143     3  2 DAYS:(3)
  5.3    4.2    108     4  3-5 DAYS:(4)
  4.1    3.3     84     5  6-9 DAYS:(5)
  1.3    1.1     27     6  10-19 DA:(6)
  1.9    1.5     39     7  20+ DAYS:(7)
         20.2   516    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1198-1199

V1730	031D015L:#DA TRBL SLEEP

Item Number: 21420

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 41.6   33.3    851     1  NONE:(1)
 13.2   10.5    269     2  1 DAY:(2)
 13.4   10.7    274     3  2 DAYS:(3)
 13.7   11.0    280     4  3-5 DAYS:(4)
  7.1    5.7    146     5  6-9 DAYS:(5)
  5.2    4.2    107     6  10-19 DA:(6)
  5.8    4.6    118     7  20+ DAYS:(7)
        20.0    510    -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1200-1201

```
  V1731                    031D015M:#DA TRBL START
```

Item Number: 21430

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? M: Trouble getting
started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  34.1   27.3    699      1  NONE:(1)
   9.6    7.7    197      2  1 DAY:(2)
  10.8    8.6    221      3  2 DAYS:(3)
  11.8    9.5    242      4  3-5 DAYS:(4)
   7.9    6.3    162      5  6-9 DAYS:(5)
   8.8    7.0    180      6  10-19 DA:(6)
  17.0   13.6    348      7  20+ DAYS:(7)
         19.8    507     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1202-1203

V1732	031D015N:#DA STAY HOME

Item Number: 21440

During the LAST 30 DAYS, on how many days (if any) did you
have the following problems or symptoms? N: Stayed home most
or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9
days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
61.4	49.4	1,261	1	NONE:(1)
17.1	13.8	352	2	1 DAY:(2)
11.6	9.3	239	3	2 DAYS:(3)
6.0	4.8	123	4	3-5 DAYS:(4)
2.1	1.7	43	5	6-9 DAYS:(5)
1.0	0.8	21	6	10-19 DA:(6)
0.7	0.6	15	7	20+ DAYS:(7)
	19.6	501	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1204-1205

```
V1733                   031D016A:#X/12M DOC-CHEK
```

```
Item Number:  21450

In the LAST 12 MONTHS, how many times (if any) have you seen a
doctor or other  professional for each of the  following? A:
For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 39.3   32.0   819      1  NONE:(1)
 42.1   34.3   877      2  ONCE:(2)
 13.3   10.8   277      3  TWICE:(3)
  3.7    3.0    76      4  3-5X:(4)
  0.7    0.6    15      5  6-9X:(5)
  0.9    0.7    19      6  10+ TIME:(6)
        18.5   473     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1206-1207
```

V1734	031D016B:#X/12M DOC-FGHT

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a
doctor or other professional for each of the following? B:
For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 90.9   73.8  1,885     1  NONE:(1)
  5.5    4.5    114     2  ONCE:(2)
  2.1    1.7     44     3  TWICE:(3)
  0.6    0.5     12     4  3-5X:(4)
  0.3    0.3      6     5  6-9X:(5)
  0.6    0.5     12     6  10+ TIME:(6)
         18.8    481    -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1208-1209

V1735	031D016C:#X/12M DOC-INJ

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen a
doctor or other professional for each of the following? C:
For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
83.2	67.2	1,717	1	NONE:(1)
8.5	6.9	176	2	ONCE:(2)
3.9	3.1	80	3	TWICE:(3)
2.9	2.3	59	4	3-5X:(4)
0.6	0.5	12	5	6-9X:(5)
0.9	0.7	19	6	10+ TIME:(6)
	19.3	492	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1210-1211

V1736	**031D016D:#X/12M DOC-ILL**

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 58.3  47.2  1,206      1  NONE:(1)
 19.3  15.6    399      2  ONCE:(2)
 12.1   9.8    251      3  TWICE:(3)
  7.6   6.1    157      4  3-5X:(4)
  1.5   1.2     31      5  6-9X:(5)
  1.2   1.0     25      6  10+ TIME:(6)
        19.0    486     -9  MISSING
-----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1212-1213

```
  V1737                    031D016E:#X/12M DOC-PSY
```

```
Item Number:  21490

In the LAST 12 MONTHS, how many times (if any) have you seen a
doctor or other  professional for each of the  following? E:
For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 92.1    74.4  1,902      1  NONE:(1)
  3.9     3.2     81      2  ONCE:(2)
  1.6     1.3     33      3  TWICE:(3)
  1.0     0.8     21      4  3-5X:(4)
  0.5     0.4     10      5  6-9X:(5)
  0.9     0.7     18      6  10+ TIME:(6)
                19.2    490     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1214-1215
```

V1738	031D017A:#X/12M HSP-INJ

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent
one or more nights in the hospital . . . A: Because of an
injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 95.2    76.7  1,959      1  NONE:(1)
  3.3     2.7     69      2  ONCE:(2)
  0.7     0.6     15      3  TWICE:(3)
  0.4     0.3      8      4  3-5X:(4)
  0.1     0.1      3      5  6-9X:(5)
  0.2     0.2      5      6  10+ TIME:(6)
         19.4    496     -9  MISSING
 -----   -----  -----
100.0   100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1216-1217

V1739   **031D017B:#X/12M HSP-ILL**

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent
one or more nights in the hospital . . . B: Because of some
physical illness

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 94.7   76.7  1,960      1  NONE:(1)
  3.0    2.5     63      2  ONCE:(2)
  1.3    1.0     26      3  TWICE:(3)
  0.5    0.4      9      4  3-5X:(4)
  0.1    0.1      2      5  6-9X:(5)
  0.4    0.3      8      6  10+ TIME:(6)
        19.0    486     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1218-1219

V1740   **031D018 :RLTV PHY HEALTH**

Item Number: 21520

Overall, relative to other people your age, do you think your
physical health over the past year has been . . .

1="Much poorer than average" 2="Somewhat poorer than average"
3="About average" 4="Somewhat better than average" 5="Much
better than average"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  6.0    4.8    123      1  MCH <AVG:(1)
 12.2    9.8    251      2  SOM <AVG:(2)
 42.1   34.0    869      3  ABT AVRG:(3)
 23.6   19.1    488      4  SOM >AVG:(4)
 16.2   13.1    334      5  MCH >AVG:(5)
        19.1    488     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1220-1221

```
  V1791              031D021A:DAP SMK 1PCK CI
```

Item Number: 08560

Individuals differ in whether or not they disapprove of people
doing certain things. Do YOU disapprove of people (who are
18 or older) doing each of the following? A: Smoking one or
more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  34.0   27.1     692      1  DONT DIS:(1)
  35.2   28.0     717      2  DISAPPRV:(2)
  30.8   24.5     627      3  STRG DIS:(3)
         20.3     519     -9  MISSING
 -----  -----   -----
 100.0  100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1222-1223

```
  V1792              031D021B:DAP TRY MRJ 1-2
```

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each
of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  47.2   37.7     963      1  DONT DIS:(1)
  28.4   22.7     580      2  DISAPPRV:(2)
  24.4   19.5     498      3  STRG DIS:(3)
         20.1     514     -9  MISSING
 -----  -----   -----
 100.0  100.0   2,555  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1224-1225

```
┌──────────────────────────────────────────────────────────────────────────┐
│       V1793              031D021C:DAP SMK MRJ OCC                          │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each
of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 37.3   29.5    754      1  DONT DIS:(1)
 29.2   23.1    590      2  DISAPPRV:(2)
 33.5   26.5    678      3  STRG DIS:(3)
        20.9    534     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1226-1227

```
┌──────────────────────────────────────────────────────────────────────────┐
│       V1794              031D021D:DAP SMK MRJ REG                          │
└──────────────────────────────────────────────────────────────────────────┘
```

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each
of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 24.1   19.1    488      1  DONT DIS:(1)
 29.4   23.3    595      2  DISAPPRV:(2)
 46.5   36.8    941      3  STRG DIS:(3)
        20.8    530     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1228-1229

```
    V1795                031D021E:DAP COK PWD 1-2
```

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each
of the following? E: Trying cocaine in powder form once or
twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 15.0   11.9    304      1  DONT DIS:(1)
 26.0   20.6    526      2  DISAPPRV:(2)
 59.0   46.7  1,193      3  STRG DIS:(3)
        20.8    533     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1230-1231

```
    V1796                031D021F:DAP COK PWDR OC
```

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each
of the following? F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 11.2    8.8    226      1  DONT DIS:(1)
 21.6   17.1    436      2  DISAPPRV:(2)
 67.2   53.2  1,358      3  STRG DIS:(3)
        20.9    534     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1232-1233

```
┌─────────────────────────────────────────────────────────────────────┐
│      V1797                031D021G:DAP COK PWDR RE                    │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each
of the following? G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
   9.7    7.7     197      1  DONT DIS:(1)
  18.9   15.0     382      2  DISAPPRV:(2)
  71.4   56.5   1,443      3  STRG DIS:(3)
         20.9     533     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1234-1235

```
┌─────────────────────────────────────────────────────────────────────┐
│      V1798                031D021H:DAP TRY CRK 1-2                    │
└─────────────────────────────────────────────────────────────────────┘
```

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each
of the following? H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  12.4    9.8     251      1  DONT DIS:(1)
  23.3   18.4     471      2  DISAPPRV:(2)
  64.3   51.0   1,303      3  STRG DIS:(3)
         20.8     530     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1236-1237

```
    V1799                031D021I:DAP CRACK OCC
```

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each
of the following? I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  9.7    7.7     196      1  DONT DIS:(1)
 20.5   16.2     414      2  DISAPPRV:(2)
 69.8   55.1   1,408      3  STRG DIS:(3)
        21.0     537     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1238-1239

```
    V1800                031D021J:DAP CRACK REG
```

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each
of the following? J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  9.1    7.2     184      1  DONT DIS:(1)
 18.4   14.5     370      2  DISAPPRV:(2)
 72.5   57.2   1,461      3  STRG DIS:(3)
        21.1     540     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1240-1241

V1801   **031D021K:DAP TRY DRK ALC**

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each
of the following? K: Trying one or two drinks of an
alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT VALID	PCT ALL	N	VALUE	LABEL
71.6	56.6	1,447	1	DONT DIS:(1)
17.0	13.5	344	2	DISAPPRV:(2)
11.4	9.0	230	3	STRG DIS:(3)
	20.9	533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1242-1243

V1802   **031D021L:DAP 1-2 DRK/DAY**

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each
of the following? L: Taking one or two drinks nearly every
day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT VALID	PCT ALL	N	VALUE	LABEL
37.2	29.4	750	1	DONT DIS:(1)
38.1	30.1	768	2	DISAPPRV:(2)
24.7	19.5	499	3	STRG DIS:(3)
	21.0	537	-9	MISSING
-----	-----	-----		
100.0	100.0	2,555	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1244-1245

V1803   **031D021M:DAP 4-5 DRK/DAY**

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each
of the following? M: Taking four or five drinks nearly every
day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 17.6   14.0    357      1  DONT DIS:(1)
 31.7   25.1    642      2  DISAPPRV:(2)
 50.6   40.0  1,023      3  STRG DIS:(3)
        20.9    534     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1246-1247

V1804   **031D021N:DAP 5+ DRK WKND**

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each
of the following? N: Having five or more drinks once or
twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove" -
----

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 35.5   28.0    716      1  DONT DIS:(1)
 25.1   19.8    505      2  DISAPPRV:(2)
 39.4   31.1    795      3  STRG DIS:(3)
        21.1    539     -9  MISSING
 -----  -----  -----
100.0  100.0  2,555 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 1248-1249

APPENDICES

Appendix A: Publications

ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L. D. Johnston and J. G. Bachman, 1980, 188 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 264 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1980, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1980, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1981, 266 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 268 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1984, 280 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1984, 282 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1985, 284 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1986, 284 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 288 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1991, 283 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 283 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1992, 327 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1993, 335 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1993, 335 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1995, 339 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1997, 341 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1997, 341 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 376 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 378 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1999. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2001, 378 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2000. J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 380 pp.

Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2001. L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 2003, 380 pp.

ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20847-2345 (Tel. 1-800-729-6686). There is no charge for single copies.

Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 256 pp.

Highlights from drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1978, 43 pp.

Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 376 pp.

Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 62 pp.

1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1979, 85 pp.

Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 120 pp.

Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1981, 130 pp.

Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1982, 433 pp.

Student drug use, attitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L. D. Johnston, J. G. Bachman, and P. M. O'Malley, 1983, 134 pp.

Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 135 pp.

Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1984, 492 pp.

Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1985, 167 pp.

Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-1450). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1986, 237 pp.

National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1987, 265 pp.

Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 307 pp.

Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1989, 339 pp.

Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989 (Institute for Social Research: Ann Arbor, MI). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 331 pp.

Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors (DHHS Publication No. (ADM) 91-1813). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 199 pp.

Drug use among American high school seniors, college students and young adults, 1975-1990, Volume II: College students and young adults (DHHS Publication No. (ADM) 91-1835). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1991, 168 pp.

Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 231 pp.

Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume II: College students and young adults (DHHS Pub. No. (NIH) 93-3481). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1992, 176 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students (NIH Pub. No. 93-3597). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 269 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume II: College students and young adults (NIH Pub. No. 93-3598). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1993, 190 pp.

National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students (NIH Pub. No. 94-3809). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 281 pp.

National survey results on drug use from the Monitoring the Future study 1975-1993. Volume II: College students and young adults (NIH Pub. No. 94-3810). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1994, 189 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students (NIH Pub. No. 95-4026). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1995, 327 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume II: College students and young adults (NIH Pub. No. 96-4027). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 189 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students (NIH Pub. No. 96-4139). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1996, 381 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume II: College students and young adults (NIH Pub. No. 98-4140). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 188 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students (NIH Pub. No. 98-4345). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 433 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume II: College students and young adults. (NIH Pub. No. 98-4346). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1998, 206 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students (NIH Pub. No. 99-4660). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 420 pp.

National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume II: College students and young adults (NIH Pub. No. 99-4661). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 1999, 218 pp.

Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999. (NIH Pub. No. 00-4690). L. D. Johnston, P. M. O'Malley, & J. G. Bachman, 2000, 56 pp.

Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students (NIH Pub. No. 00-4802). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 480 pp.

Monitoring the Future national survey results on drug use, 1975-1999. Volume II: College students and adults ages 19-40 (NIH Pub. No. 00-4803). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2000, 240 pp.

Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000 (NIH Pub. No. 01-4923). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 54 pp.

Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students (NIH Pub. No. 01-4924). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 492 pp.

Monitoring the Future national survey results on drug use, 1975-2000. Volume II: College students and adults ages 19-40 (NIH Pub. No. 01-4925). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 238 pp.

Monitoring the Future national results on adolescent drug use: Overview of key findings, 2001 (NIH Pub. No. 02-5105). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 57 pp.

Monitoring the Future national survey results on drug use, 1975-2001. Volume I: Secondary school students (NIH Pub. No. 02-5106). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 530 pp.

Monitoring the Future national survey results on drug use, 1975-2001. Volume II: College students and adults ages 19-40 (NIH Pub. No. 02-5107). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 242 pp.

Monitoring the Future national results on adolescent drug use: Overview of key findings, 2002 (NIH Pub. No. 03-5374). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 56 pp.

Monitoring the Future national survey results on drug use, 1975-2002. Volume I: Secondary school students (NIH Pub. No. 03-5375). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 520 pp.

Monitoring the Future national survey results on drug use, 1975-2002. Volume II: College students and adults ages 19-40 (NIH Pub. No. 03-5376). L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 253 pp.

Monitoring the Future national results on adolescent drug use: Overview of key findings, 2003 (NIH Pub. No. 04-5506). L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. E. Schulenberg, 2004, 59 pp.

Monitoring the Future national survey results on drug use, 1975-2003. Volume I: Secondary school students (NIH Pub. No. 04-5507). L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. E. Schulenberg, 2004, 545 pp.

Monitoring the Future national survey results on drug use, 1975-2003. Volume II: College students and adults ages 19-45 (NIH Pub. No. 04-5508). L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. E. Schulenberg, 2004, 267 pp.

JOURNAL ARTICLES

Wakefield, M., Kloska, D. D., O'Malley, P. M., Johnston, L. D., Chaloupka, F., Pierce, J., Giovino, G., Ruel, E., & Flay, B. R. (2004). The role of smoking intentions in predicting future smoking among youth: Findings from Monitoring the Future data. *Addiction, 99,* 914-922.

O'Malley, P. M., & Wagenaar, A. C. (2004). Effects of safety belt laws on safety belt use by American high school seniors, 1986-2000. *Journal of Safety Research, 35*, 125-130.

Merline, A. C., O'Malley, P. M., Schulenberg, J. E., Bachman, J. G., & Johnston, L. D. (2004). Substance use among adults 35 years of age: Prevalence, adulthood predictors, and impact of adolescent substance use. *American Journal of Public Health*, *94,* 96-102.

Bryant, A. L., Schulenberg, J. E., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2003). How academic achievement, attitudes, and behaviors relate to the course of substance use during adolescence: A 6-year, multiwave national longitudinal study. *Journal of Research on Adolescence, 13*(3), 361-397.

Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2003). Wishing to work: New perspectives on how adolescents' part-time work intensity is linked to educational disengagement, substance use, and other problem behaviours. *International Journal of Behavioral Development, 27*(4), 301-315.

O'Malley, P. M., & Johnston, L. D. (2003). Unsafe driving by high school seniors: National trends from 1976 to 2001 in tickets and accidents after use of alcohol, marijuana, and other illegal drugs. *Journal of Studies on Alcohol, 64*, 305-312.

Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Schulenberg, J., Cooper, S. M., & Johnston, L. D. (2003). Gender and ethnic differences in smoking, drinking, and illicit drug use among American 8th, 10th and 12th grade students, 1976-2000. *Addiction, 98,* 225-234.

Yamaguchi, R., Johnston, L. D., & O'Malley, P. M. (2003). The relationship between student illicit drug use and school drug-testing policies. *Journal of School Health, 73*(4), 159-164.

Kumar, R., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Bachman, J. G. (2002). Effect of school-level norms on student substance use. *Prevention Science, 3*, 105-124.

O'Malley, P. M., & Johnston, L. D. (2002). Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement 14,* 23-39.

Schulenberg, J., & Maggs, J. (2002). A developmental perspective on alcohol use and heavy drinking during the transition to adulthood. *Journal of Studies on Alcohol, Supplement 14*, 54-70.

Wallace, J. M., Jr., & Muroff, J. R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention 22*(3), 235-261.

Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Cooper, S. M. (2002). Tobacco, alcohol, and illicit drug use: Racial and ethnic

differences among U.S. high school seniors, 1976-2000. *Public Health Reports 117(Supplement 1):* S67-S75.

Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science, 2*(1), 29-43.

Maggs, J. L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science, 5*(4), 196-200.

Safron, D. J., Schulenberg, J. E., & Bachman, J. G. (2001). Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior 42*, 425-449.

Schulenberg, J., Maggs, J. L., Long, S. W., Sher, K. J., Gotham, H. J., Baer, J. S., Kivlahan, D. R., Marlatt, G. A., & Zucker, R. A. (2001). The problem of college drinking: Insights from a developmental perspective. *Alcoholism: Clinical and Experimental Research, 25,* 473-477.

Schuster, C., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse, 36*(8), 997-1014.

Wagenaar, A. C., O'Malley, P. M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.

Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science 2*(1), 29-43.

Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science,* 1(2), 71-87.

O'Malley, P. M., Johnston, L. D., Bachman, J. G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues,* 30(1), 35-54.

O'Malley, P. M., & Johnston, L. D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health,* 89, 678-684.

An, L. C., O'Malley, P. M., Schulenberg, J., Bachman, J. G., & Johnston, L. D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health,* 89, 699-705.

Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.

Schulenberg, J., Maggs, J. L., Dielman, T. E., Leech, S. L., Kloska, D. D., Shope, J. T., & Laetz, V. B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.

Wallace, J. M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.

Wallace, J. M., Jr., Forman, T. A., Guthrie, B. J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.

Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health 88*, 887-892.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use and Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.

Johnston, L. D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse, 32* (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)

Wallace, J. M., Jr. & Bachman, J. G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse, 32,* 1949-1954.

Bell, R., Wechsler, H., Johnston, L. D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction, 92*, 571-582.

Osgood, D. W., Wilson, J. K., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review, 61,* 635-655.

Schulenberg, J., O'Malley, P. M., Bachman, J. G., Wadsworth, K. N., & Johnston, L. D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol, 57,* 289-304.

Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology, 32,* 659-674.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America, 42*, 241-260.

Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior, 35,* 45-62.

Wallace, J. M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. African-American Research Perspectives, 1(1), 31-35.

Bachman, J. G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology, 29,* 220-235.

Johnston, L. D. (1993). The "war" on drugs and the role of the media. *Nieman Reports, 47*(7), 39-41.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews, 4*, 227-248.

Bachman, J. G., & Wallace, J. M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease, 1*(fall), 85-97.

Bachman, J. G., Wallace, J. M., Jr., O'Malley, P. M., Johnston, L. D., Kurth, C. L., & Neighbors, H. W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health, 81,* 372-377.

O'Malley, P. M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol, 52*, 478-491.

Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior, 31,* 173-184.

Johnston, L. D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics, 41,* 29-40.

Osgood, D. W., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology, 27,* 389-417.

Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior, 29*, 92-112.

Humphrey, R. H., O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly, 51*, 329-345.

O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health, 78*, 1315-1321.

Osgood, D. W., Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review, 53,* 81-93.

Bachman, J. G. (1987). An eye on the future. *Psychology Today, 21*(7), 6-8.

Bachman, J. G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society, 13*(2), 169-187.

Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care, 8*, 36-51.

Bachman, J. G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality, 20*(10), 15.

Bachman, J. G., & O'Malley, P. M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology, 50*, 35-46.

Diamond, G., & Bachman, J. G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health, 15,* 210-241.

Johnston, L. D., & O'Malley, P. M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues, 16,* 29-66.

Johnston, L. D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? *Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in The Drinking and Drug Practices Surveyor, March 1985, 20, 11-14.)

Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology, 47*, 629-645.

Bachman, J. G., & O'Malley, P. M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology, 90*, 624-639.

Bachman, J. G., & O'Malley, P. M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly, 48*, 491-509.

O'Malley, P. M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine, 13*, 421-426.

O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health, 74,* 682-688.

Bachman, J. G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society, 10*(1), 86-104.

Bachman, J. G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A., 10*(3), 64-67.

Bachman, J. G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology, 32*, 347-360.

Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles, 9*(1), 109-135. (Work funded by NIE.)

Johnston, L. D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems, 10,* 463-480.

Johnston, L. D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence, 7*, 7.

O'Malley, P. M., & Bachman, J. G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology, 19*, 257-268.

O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions, 18,* 805-824.

Bachman, J. G. (1981). Youth views about the military: Recent trends. *Economic Outlook U.S.A., 8*(3), 61-65.

Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health, 71,* 59-69.

Bachman, J. G., & O'Malley, P. M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly, 45*, 536-548. (Reprinted in E.

Singer & S. Presser (Eds.), 1989, *Survey research methods.* Chicago: Univ. of Chicago Press.)

Bynner, J., O'Malley, P. M., & Bachman, J. G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence, 10*, 407-441.

Herzog, A. R., & Bachman, J. G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly, 45*(4), 549-559.

Johnston, L. D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections,* 1981, *1*(4), 11-14.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A., 7*(2), 39-42.

Bachman, J. G., & Johnston, L. D. (1979). The freshmen, 1979. *Psychology Today, 13*(4), 79-87.

O'Malley, P. M. & Bachman, J. G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology, 37*, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept.* Arlington Heights, IL: AHM Press.)

Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1978). The drug scene: A student survey. *Science Teacher, 45*(6), 26-31.

O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1978). Drug use and military plans of high school seniors. *Youth and Society, 10,* 65-77.

Segal, D. R., & Bachman, J. G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society*, 10, 47-64.

Segal, D. R., Bachman, J. G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society*, 10, 127-134.

Bachman, J. G., & Johnston, L. D. (1976). Drug use among American youth. *Economic Outlook U.S.A., 3*, 32-33.

CHAPTERS

O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2004). Studying the transition from youth to adulthood: Impacts on substance use and abuse. In J. S. House, F. T. Juster, R. L. Kahn, H. Schuman, and E. Singer (Eds.), *Telescope on society: Survey research and social science in the 20th & 21st centuries* (pp. 305-329). Ann Arbor: University of Michigan Press.

Hibell, B., Andersson, B., Johnston, L. D., & Hasbun, B. (2004). Examples of ongoing large-scale school surveys. In *Conducting school surveys on drug abuse,* pp. 9-20. Vienna, Austria: United Nations Office on Drugs and Crime. Printed in English, Spanish, French, Russian, and Arabic.

Johnston, L. D. (2004). Planning, administration and costs. In *Conducting school surveys on drug abuse*, pp. 21-30. Vienna, Austria: United Nations Office on Drugs and Crime. Printed in English, Spanish, French, Russian, and Arabic.

Johnston, L. D. (2004). Questionnaire development. In *Conducting school surveys on drug abuse*, pp. 53-62. Vienna, Austria: United Nations Office on Drugs and Crime. Printed in English, Spanish, French, Russian, and Arabic.

Sy, S. R., & Schulenberg, J. E. (2003). Developmental transitions across the life span. In J. R. Miller, L. B. Schiamberg, R. M. Lerner, & P. M. Anderson (Eds.), *Encyclopedia of human ecology* (pp. 173-176). Santa Barbara, CA: ABC-Clio.

Schulenberg, J. E., Maggs, J. M., & O'Malley, P. M. (2003). How and why the understanding of developmental continuity and discontinuity is important: The sample case of long-term consequences of adolescent substance use. In J. T. Mortimer & M. J. Shanahan (Eds.), *Handbook of the life course* (pp. 413-436). New York: Plenum Publishers.

Johnston, L. D. (2003). Alcohol and illicit drugs: The role of risk perceptions. In Dan Romer (Ed.), *Reducing adolescent risk: Toward an integrated approach* (pp. 56-74). Thousand Oaks, CA: Sage.

Johnston, L. D., & O'Malley, P. M. (2003). Tobacco, alcohol, and other drug use in adolescence: Modern-day epidemics. In R. P. Weissberg, H. J. Wahlberg, M. U. O'Brien, & C. B. Kuster (Eds.), *Long-term trends in the well-being of children and youth.* (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.

Johnston L. D., & O'Malley, P. M. (2002). Article 97: Drug use and abuse: Psychosocial aspects. In N.J. Smelser and P.B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.

Burns, D., & Johnston, L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 1-8). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).

Johnston, L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future Study. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 9-33). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).

Johnston, L. D., & O'Malley, P. M. (2001). Cigarette, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg, et al. (Eds.), *Trends in the well-being of children and youth.* (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.

Pacula, R. L., Grossman, M., Chaloupka, F. J., O'Malley, P. M., Johnston, L. D., & Farrelly, M. C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).

Schulenberg, J., Maggs, J. L., Steinman, K., & Zucker, R. A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P. M. Monti, S. M. Colby, & T. A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.

Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior.* (2nd ed.). Farmington Hills, MI: Macmillan Publishing.

O'Malley, P. M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C. E. Faupel & P. M. Roman (eds.) *Encyclopedia of Criminology and Deviant Behavior, Volume 4, Self-Destructive Behavior and Disvalued Identity.* London: Brunner-Routledge, Taylor & Francis Group.

O'Malley, P. M. (2000). The Monitoring the Future survey. In *Encyclopedia of Drugs, Alcohol, and Addictive Behavior*, Second Edition. Macmillan Reference USA.

Johnston, L. D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.

Johnston, L. D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.

Bachman, J. G., & Wallace, J. M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior, second edition*. Macmillan Publishing.

Johnston, L. D. (2000). The epidemiology of drug use. In W. B. Hansen, S. M. Giles, & M. D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.

(Johnston, L. D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) *The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries.* Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.

Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Epidemiology of substance abuse in adolescence. In P. J. Ott, R. E. Tarter, & R. T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment*. Needham Heights, MA: Allyn & Bacon.

Johnston, L. D., & O'Malley, P. M. (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The validity of self-reported drug use: Improving the accuracy of survey estimates*. (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.

Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G. A. Marlatt and G. R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement)]

(Johnston, L. D., O'Malley, P. M., & Bachman, J. G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries.* Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).

Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.

Wallace, J. M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.

Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence. New York: Cambridge University Press.*

Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J. A. Graber, J. Brooks-Gunn, & A. C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.

Hansen, W. B., & O'Malley, P. M. (1996). Drug use. In R. J. DiClemente, W. B. Hansen, & L. E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.

Allen, W.R ., & Wallace, J. M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives.* Washington, DC: Howard University Press.

Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack,

M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.

Wallace, J. M., Jr., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.

(O'Malley, P. M. et al., 1995, uncredited). Epidemiology of injection drug use. In J. Normand, D. Vlahov, & L. E. Moses (Eds.), *Preventing HIV transmission: The role of sterile needles and bleach.* Washington, DC: National Academy Press.

O'Malley, P. M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.

Bachman, J. G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research.* NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.

Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.

Wallace, J. M., Jr., & Bachman, J. G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J. L. Andrados (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.

Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.

Johnston, L. D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life.* Vatican City: The Vatican.

Johnston, L. D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use.* (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.

Bachman, J. G. (1991). School dropouts. In R. M. Lerner, A. C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence.* New York, NY: Garland.

Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.

Johnston, L. D. (1991). Toward a theory of drug epidemics. In R. L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.

Johnston, L. D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention.* (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.

Johnston, L. D. (1989). America's drug problem in the media: Is it real or is it Memorex™? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.

Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.

Johnston, L. D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C. L. Jones & R. J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention.* (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.

Johnston, L. D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.

Johnston, L. D., & Harrison, L. D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.

Johnston, L. D., & O'Malley, P. M. (1985). Issues of validity and population coverage in student surveys of drug use. In B. A. Rouse, N. J. Kozel, & L. G. Richards (Eds.), *Self-report methods of estimating drug use: Meeting current challenges to validity.* (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.

O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1985). Cocaine use among American adolescents and young adults. In N. J. Kozel & E. H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives.* (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.

Bachman, J. G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept.* Arlington Heights, IL: AMH Press.

Johnston, L. D. (1982). A review and analysis of recent changes in marijuana use by American young people. *In Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.

Johnston, L. D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.

Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.

Brooke, E., & Johnston, L. D. (1979). The assessment of drug abuse. In *Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.

Johnston, L. D., O'Malley, P. M., & Eveland, L. K. (1978). Drugs and delinquency: A search for causal connections. In D. G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.

Johnston, L. D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.

Johnston, L. D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L. B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues.* (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.

Johnston, L. D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J. D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics.* (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.

Johnston, L. D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs.* (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.

Johnston, L. D., & Bachman, J. G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.

Johnston, L. D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research.* (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

TESTIMONY

Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in *The Congressional Record.*

Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in *The Congressional Record.*

Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in *The Congressional Record.*

Johnston, L. D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the *Congressional Record*.

Johnston, L. D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in *The Congressional Record*.

Johnston, L. D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in *The Congressional Record*.

Johnston, L. D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in *The Congressional Record*.

Johnston, L. D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In *The Congressional Record.*

Johnston, L. D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in The *Congressional Record.*

Johnston, L. D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.

Johnston, L. D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record, 134*:89, D774.

Johnston, L. D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record, 134*:87, D756.

Johnston, L. D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).

Johnston, L. D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).

Johnston, L. D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).

Johnston, L. D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).

O'Malley, P. M., & Johnston, L. D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

MONITORING THE FUTURE OCCASIONAL PAPERS
(Published by the Project)

<u>Paper No</u>.

1   *The Monitoring the Future project: Design and procedures.* J. G. Bachman and L. D. Johnston, 1978, 67 pp.

2   *Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1978, 42 pp.

3   *High school seniors' preferences for sharing work and family responsibilities between husband and wife.* A. R. Herzog, J. G. Bachman, and L. D. Johnston, 1979, 58 pp.

4   *Fewer rebels, fewer causes: A profile of today's college freshmen.* J. G. Bachman and L. D. Johnston, 1979, 30 pp.

5   *Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1979, 64 pp.

6   *Description of a special survey using a single combined form of the Monitoring the Future questionnaires.* A. R. Herzog and J. G. Bachman, 1979, 35 pp.

7   *Ecological concerns among high school seniors: 1976-1979.* J. D. Miller and J. G. Bachman, 1980, 28 pp.

8   *Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1980, 134 pp.

9   *When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use.* J. G. Bachman and P. M. O'Malley, 1980, 12 pp.

10   *High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980.* A. R. Herzog, 1980. (Available in reprint from <u>Sociology of Education</u>, 1982, 13 pp.)

11   *Changes in drug use after high school as a function of role status and social environment.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1981, 92 pp.

12   *Trends in high school seniors' views of the military.* J. G. Bachman, 1981, 28 pp.

13   *Marijuana decriminalization: The impact on youth 1975-1980.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1981, 85 pp.

14   *Period, age, and cohort effects on substance use among American youth 1976-1982.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1983, 50 pp.

15   *Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982.* L. D. Johnston, P. M. O'Malley, and M. L. Davis-Sacks, 1983, 72 pp.

16   *The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.* J. G. Bachman and P. M. O'Malley, 1983, 30 pp.

18   *The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and D. E. Bare, 1985, 135 pp.

19   *Changes in marijuana use linked to changes in perceived risks and disapproval.* J. G. Bachman, L. D. Johnston, P. M. O'Malley, and R. H. Humphrey, 1986, 28 pp.

20   *Correlates of employment among high school seniors.* J. G. Bachman, D. E. Bare, and E. I. Frankie, 1986, 105 pp.

21   *Change and consistency in the correlates of drug use among high school seniors: 1975-1986.* J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 1986, 21 pp.

22   *Differentiation of period, age, and cohort effects on drug use 1976-1986.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 62 pp.

23   *Sex differences in adolescents' health-threatening behaviors: What accounts for them?* A. R. Herzog, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1987, 36 pp.

24   *Student drug use in America: Differences among high schools 1986-1987.* P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1988, 37 pp.

25   *Drug use among American college students and their noncollege age peers.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 1988, 40 pp.

26   *Reducing drug use in America: A perspective, a strategy, and some promising approaches.* L. D. Johnston, 1988, 57 pp.

28   *Minimum drinking age laws effects on American youth 1976-1987.* P. M. O'Malley and A. C. Wagenaar, 1990, 68 pp.

29   *Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1990, 42 pp.

30   *Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates.* J. G. Bachman, J. M. Wallace, Jr., C. Kurth, L. D. Johnston, and P. M. O'Malley, 1990, 63 pp.

31   *The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987.* L. D. Johnston, P. M. O'Malley, and L. D. Harrison, 1989, 104 pp.

32   *Part-time work by high school seniors: Sorting out correlates and possible consequences.* J. G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.

33   *The Monitoring the Future project after seventeen years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1991, 110 pp.

34   *Aims and objectives of the Monitoring the Future study.* L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 1996, revised, 125pp.

35   *Changes in drug use during the post-high school years.* J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, and J. Schulenberg, 1992, 168 pp.

37   *Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992.* J. Schulenberg, J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1994, 62 pp.

38   *The Monitoring the Future project after twenty-two years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 1996, 89 pp.

39   *Changes in drug use during ages 18-32*. J. G. Bachman, P. M. O'Malley, L. D. Johnston, W. L. Rodgers, J. Schulenberg, J. Lim, and K. N. Wadsworth, 1996, 87 pp.

40   *Trends in military propensity and the propensity-enlistment relationship.* J. G. Bachman, P. Freedman-Doan, D. R. Segal, and P. M. O'Malley, 1997, 68 pp.

41   *Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors.* J. G. Bachman, D. R. Segal, P. Freedman-Doan, and P. M. O'Malley, 1998, 163 pp.

42   *Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.* J. G. Bachman, P. Freedman-Doan, L. D. Johnston, P. M. O'Malley, and D. R. Segal, 1999, 33 pp.

43   *Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons.* J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 1998, 64 pp.

44   *Reasons for use, abstention, and quitting illicit drug use by American adolescents*. A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L. D. Johnston, 1998, 27 pp.

45   *Cigarette brand preferences among adolescents.* L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. Schulenberg, 1999, 37 pp.

46   *Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use.* A. L. Bryant, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2000, 29 pp.

47   *Mediators of parental influences on adolescent substance use*: *Grade, gender, and ethnic comparisons (1994-1996)*. C. Pilgrim, J. Schulenberg, P. M. O'Malley, J. G. Bachman, and L. D. Johnston, 2000, 48 pp.

48   *Preferred work intensity of secondary school students: New findings and insights on why part-time work intensity correlates with drug use and problem behavior.* J. G. Bachman, D. J. Safron, S. R. Sy, and J. E. Schulenberg, 2001, 105 pp.

49   *Consistency and change in correlates of youth substance use, 1976-1997.* T.N. Brown, J. Schulenberg, J. G. Bachman, P. M. O'Malley, and L. D. Johnston, 2001, 34 pp.

50   *Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use.* J. G. Bachman, P. M. O'Malley, J. E. Schulenberg, L. D. Johnston, A. L. Bryant, A. C. Merline, P. Freedman-Doan, N. J. Ridenour, and T. C. Hart, 2001. [Supplement to *The Decline of Substance Use in Young Adulthood* by Bachman et al.]

51   *A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood.* J. Schulenberg and J. L. Maggs, 2001, 70 pp.

52   *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them.* 3rd ed. L. D. Johnston, P. M. O'Malley, J. Schulenberg, and J. G. Bachman, 2001, 139 pp.

53   *Demographic subgroup trends for various licit and illicit drugs, 1975-2000.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2001, 225 pp.

54   *The Monitoring the Future project after 27 years: Design and procedures.* J. G. Bachman, L. D. Johnston, and P. M. O'Malley, 2001, 58 pp.

56   *How social role transitions from adolescence to adulthood relate to trajectories of well-being and substance use.* J. E. Schulenberg,, P. M. O'Malley, J. G. Bachman, L. D. Johnston, and V. B. Laetz, 2004, 44 pp.

57   *Demographic subgroup trends for various licit and illicit drugs, 1975-2001.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2002, 224 pp., available: http://monitoringthefuture.org/

58   *Religion, race and abstinence from drug use among American adolescents.* J. M. Wallace, Jr., T. N. Brown, J. G. Bachman, and T. A. LaViest, 2003, 25 pp.

59   *Demographic subgroup trends for various licit and illicit drugs, 1975-2002.* L. D. Johnston, P. M. O'Malley, and J. G. Bachman, 2003, 264 pp., available: http://monitoringthefuture.org/

60   *Demographic subgroup trends for various licit and illicit drugs, 1975-2003.* L. D. Johnston, P. M. O'Malley, J. G. Bachman, and J. E. Schulenberg, 2004, 334 pp., available: http://monitoringthefuture.org/

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976	1977	1978	1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,436	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%

	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,251
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%

SAMPLE SIZE AND STUDENT RESPONSE RATES

(continued)

	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

	1999	2000	2001	2002	2003	
# Public Schools	124	116	117	102	103	
# Private Schools	19	18	17	18	19	
Total # Schools	143	134	134	120	122	
Total # Students	14,056	13,286	13,304	13,544	15,200	
Student Response Rate (%) *	83%	83%	82%	83%	83%	

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.