

ICPSR 22480

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2007

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Form 5 Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:

<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/22480.xml>

TABLE OF CONTENTS

INTRODUCTION.....	3
DATA COLLECTION DESCRIPTION	3
DATA COLLECTION PROCEDURES	3
SAMPLING INFORMATION	4
STAGE 1: GEOGRAPHIC AREAS.....	4
STAGE 2: SCHOOLS	4
STAGE 3: STUDENTS	4
SCHOOL RECRUITING PROCEDURES	5
ADVANCE CONTACT WITH TEACHERS AND STUDENTS.....	5
QUESTIONNAIRE ADMINISTRATION.....	5
PROCEDURES FOR PROTECTING CONFIDENTIALITY	6
CONTENT AREAS AND QUESTIONNAIRE DESIGN	7
MEASUREMENT CONTENT AREAS	7
REPRESENTATIVENESS AND VALIDITY	8
SCHOOL PARTICIPATION	8
STUDENT PARTICIPATION	9
VALIDITY OF SELF-REPORT DATA	9
ACCURACY OF THE SAMPLE.....	10
CONSISTENCY AND THE MEASUREMENT OF TRENDS	10
INTERPRETING RACIAL DIFFERENCES.....	10
DIFFERENTIAL REPRESENTATION	11
DIFFERENTIAL RESPONSE TENDENCIES.....	11
COVARIANCE WITH OTHER FACTORS.....	12
WEIGHTING INFORMATION.....	13
FILE STRUCTURE.....	13
CODEBOOK INFORMATION	14
ICPSR PROCESSING INFORMATION.....	16
FREQUENCIES.....	21
APPENDICES	343
APPENDIX A: PUBLICATIONS.....	345
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES	346

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement

for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9-12 percent of each year's sample -- are represented by only 250 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement

in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the

white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	unweighted n
1	Core	185	382	15,132
2	Form 1	624	1,261	2,541
3	Form 2	332	675	2,519
4	Form 3	357	726	2,514
5	Form 4	270	554	2,518
6	Form 5	327	665	2,515
7	Form 6	332	676	2,525

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134	[2] 991A13 KIND OF PAID JOB
------------------	---------------------------------------

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5] PCT VALID	[6] PCT ALL	[7] N	[8] VALUE	[9] LABEL
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING

-----	-----	-----
[10] 100.0	[11] 100.0	[12] 5,745 cases (Wtd)

[13] Data type: numeric
 [14] Decimals: 0
 [15] Missing-data codes: -9
 [16] Columns: 98-99

- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:**Core dataset and Part C section of individual forms****AGE < 18 DICHOTOMY**

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

For 2006, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)***B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]**

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

***B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]**

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question

for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

FREQUENCIES

FILE

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

2,525 cases (Wtd) (Range of valid codes: 1-2515)

Data type: numeric
Columns: 1-4

V1	YEAR OF ADMIN (4-DIGITS)
-----------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,525	2007	
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric
Columns: 5-8

V3	075	:FORM ID
-----------	------------	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,525	5	
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric
Columns: 9-10

V4	075	:R'S ID-SERIAL #
-----------	------------	-------------------------

2,525 cases (Wtd) (Range of valid codes: 50001-52515)

Data type: numeric
Columns: 11-15

V5	SAMPLING WEIGHT
-----------	------------------------

2,525 cases (Wtd) (Range of valid codes: 0.1391-3.7520)

Data type: numeric
Decimals: 4
Columns: 16-21

V13	075	:SCHL RGN-4 CAT
------------	------------	------------------------

Item Number:

Question Number(s):

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	19.1	483	1	NE:(1)
21.8	21.8	551	2	NC:(2)
38.0	38.0	960	3	S:(3)
21.0	21.0	530	4	W:(4)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Columns: 22-23

V16	075 LARGE MSA=1/NOT=0
------------	------------------------------

Item Number:

Question Number(s):

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	67.8	1,711	0	ELSE:(0)
32.2	32.2	814	1	LARGE MSA:(1)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Columns: 24-25

V17	075	: SMSA/NON-SMSA = 0
-----	-----	---------------------

Item Number:

Question Number(s):

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	21.6	546	0	Non-MSA: (0)
78.4	78.4	1,979	1	MSA: (1)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Columns: 26-27

V5208

075A01 :VRY HPY THS DAYS

Item Number: 01190

Question Number(s): 5A01

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.8	298	1	NT HAPPY:(1)
63.0	62.9	1,589	2	PRTY HPY:(2)
25.2	25.2	635	3	VRY HPY:(3)
	0.1	2	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 28-29

V5209

075A02 :THK ABT SOC ISSU

Item Number: 06880

Question Number(s): 5A02

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	84	1	NEVER: (1)
17.5	17.5	441	2	SELDOM: (2)
49.9	49.8	1,257	3	SOMETIME: (3)
24.4	24.3	613	4	OFTEN: (4)
4.8	4.8	122	5	GRT DEAL: (5)
	0.3	8	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 30-31

V5210

075A03A:WR/NT NUCLEAR WAR

Item Number: 11660

Question Number(s): 5A03A

Of all the problems facing the nation today, how often do you worry about each of the following?

A: Chance of nuclear war

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	31.5	794	1	NEVER: (1)
37.1	37.0	935	2	SELDOM: (2)
24.7	24.6	622	3	SOMETIME: (3)
6.6	6.5	165	4	OFTEN: (4)
	0.3	9	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 32-33

V5211

075A03B:WR/NT POP GROWTH

Item Number: 11670

Question Number(s): 5A03B

Of all the problems facing the nation today, how often do you worry about each of the following?

B: Population growth

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	30.2	763	1	NEVER: (1)
32.8	32.7	825	2	SELDOM: (2)
24.7	24.6	621	3	SOMETIME: (3)
12.0	12.0	302	4	OFTEN: (4)
	0.6	14	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 34-35

V5212

075A03C:WR/NT CRIME&VLNC

Item Number: 11680

Question Number(s): 5A03C

Of all the problems facing the nation today, how often do you worry about each of the following?

C: Crime and violence

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	119	1	NEVER: (1)
17.6	17.5	442	2	SELDOM: (2)
41.5	41.3	1,044	3	SOMETIME: (3)
36.1	35.9	908	4	OFTEN: (4)
	0.5	12	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 36-37

V5213

075A03D:WR/NT POLLUTION

Item Number: 11690

Question Number(s): 5A03D

Of all the problems facing the nation today, how often do you worry about each of the following?

D: Pollution

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.7	397	1	NEVER: (1)
34.1	33.8	854	2	SELDOM: (2)
31.1	30.9	780	3	SOMETIME: (3)
18.9	18.8	474	4	OFTEN: (4)
	0.8	20	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 38-39

V5214

075A03E:WR/NT ENRGY SHRT

Item Number: 11700

Question Number(s): 5A03E

Of all the problems facing the nation today, how often do you worry about each of the following?

E: Energy shortages

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.7	851	1	NEVER: (1)
36.0	35.7	901	2	SELDOM: (2)
20.9	20.7	524	3	SOMETIME: (3)
9.2	9.1	230	4	OFTEN: (4)
	0.7	18	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 40-41

V5215

075A03F:WR/NT RACE RELTN

Item Number: 11710

Question Number(s): 5A03F

Of all the problems facing the nation today, how often do you worry about each of the following?

F: Race relations

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	24.4	615	1	NEVER: (1)
29.1	28.9	729	2	SELDOM: (2)
27.8	27.5	696	3	SOMETIME: (3)
18.5	18.3	462	4	OFTEN: (4)
	0.9	23	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 42-43

V5216

075A03G:WR/NT HNGR&PVRTY

Item Number: 11720

Question Number(s): 5A03G

Of all the problems facing the nation today, how often do you worry about each of the following?

G: Hunger and poverty

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.9	300	1	NEVER: (1)
30.6	30.3	766	2	SELDOM: (2)
35.6	35.2	890	3	SOMETIME: (3)
21.8	21.6	545	4	OFTEN: (4)
	0.9	24	-9	MISSING: (-9)

100.0	100.0	2,525	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric

Missing-data code: -9

Columns: 44-45

V5217

075A03H:WR/NT USE OPN LD

Item Number: 11730

Question Number(s): 5A03H

Of all the problems facing the nation today, how often do you worry about each of the following?

H: Using open land for housing or industry

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	37.1	936	1	NEVER: (1)
29.9	29.7	749	2	SELDOM: (2)
20.3	20.2	510	3	SOMETIME: (3)
12.5	12.4	312	4	OFTEN: (4)
	0.7	18	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 46-47

V5218

075A03I:WR/NT URBN DECAY

Item Number: 11740

Question Number(s): 5A03I

Of all the problems facing the nation today, how often do you worry about each of the following?

I: Urban decay

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	48.5	1,224	1	NEVER: (1)
32.5	32.1	810	2	SELDOM: (2)
13.9	13.8	348	3	SOMETIME: (3)
4.6	4.5	114	4	OFTEN: (4)
	1.1	29	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 48-49

V5219

075A03J:WR/NT ECON PRBLM

Item Number: 11750

Question Number(s): 5A03J

Of all the problems facing the nation today, how often do you worry about each of the following?

J: Economic problems

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	18.1	456	1	NEVER: (1)
29.9	29.7	749	2	SELDOM: (2)
34.8	34.6	874	3	SOMETIME: (3)
17.1	17.0	428	4	OFTEN: (4)
	0.7	17	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 50-51

V5220

075A03K:WR/NT DRUG ABUSE

Item Number: 11760

Question Number(s): 5A03K

Of all the problems facing the nation today, how often do you worry about each of the following?

K: Drug abuse

1="Never" 2="Seldom" 3="Sometimes" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	16.2	409	1	NEVER: (1)
26.6	26.4	666	2	SELDOM: (2)
32.6	32.4	818	3	SOMETIME: (3)
24.5	24.3	614	4	OFTEN: (4)
	0.7	17	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 52-53

V5221

075A04A:XPRC MK R GD SPS

Item Number: 11770

Question Number(s): 5A04A

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

A: . . . husband or wife?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	84	1	POORLY: (1)
5.6	5.5	139	2	NOT WELL: (2)
19.4	18.9	477	3	FRLY WEL: (3)
37.4	36.4	920	4	WELL: (4)
34.1	33.2	839	5	VRV WELL: (5)
	2.6	66	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 54-55

V5222

075A04B:XPRC MK R GD PRT

Item Number: 11780

Question Number(s): 5A04B

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

B: . . . parent?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	67	1	POORLY: (1)
5.3	5.3	133	2	NOT WELL: (2)
18.8	18.5	467	3	FRLY WEL: (3)
33.0	32.5	820	4	WELL: (4)
40.3	39.7	1,002	5	VRV WELL: (5)
	1.5	37	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 56-57

V5223

075A04C:XPRC MK R GD WKR

Item Number: 11790

Question Number(s): 5A04C

How well do you think your experiences and training (at home, school, work, etc.) have prepared you to be a good . . .

C: . . . worker on a job?

1="Poorly" 2="Not So Well" 3="Fairly Well" 4="Well" 5="Very Well"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	36	1	POORLY: (1)
2.5	2.5	63	2	NOT WELL: (2)
12.2	12.0	304	3	FRLY WEL: (3)
34.2	33.7	850	4	WELL: (4)
49.6	48.8	1,233	5	VRV WELL: (5)
	1.5	39	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 58-59

V5224

075A05A:PLC WRK LG CORPN

Item Number: 11800

Question Number(s): 5A05A

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

A: Working in a large corporation

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	160	1	NT ACCEP: (1)
27.4	27.1	685	2	SMWT ACC: (2)
48.4	47.8	1,207	3	ACCEPTBL: (3)
17.8	17.6	445	4	DESIRABL: (4)
	1.1	29	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 60-61

V5225

075A05B:PLC WRK SM BSNSS

Item Number: 11810

Question Number(s): 5A05B

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

B: Working in a small business

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.9	98	1	NT ACCEP: (1)
22.3	22.0	556	2	SMWT ACC: (2)
58.4	57.8	1,459	3	ACCEPTBL: (3)
15.4	15.2	384	4	DESIRABL: (4)
	1.1	28	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 62-63

V5226

075A05C:PLC WRK GVT AGCY

Item Number: 11820

Question Number(s): 5A05C

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

C: Working in a government agency

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	17.8	450	1	NT ACCEP: (1)
28.6	28.2	712	2	SMWT ACC: (2)
36.1	35.6	899	3	ACCEPTBL: (3)
17.2	17.0	429	4	DESIRABL: (4)
	1.4	35	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 64-65

V5227

075A05D:PLC WRK MLTY SVC

Item Number: 11830

Question Number(s): 5A05D

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

D: Working in the military service

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	45.2	1,142	1	NT ACCEP: (1)
25.8	25.5	644	2	SMWT ACC: (2)
20.2	20.0	504	3	ACCEPTBL: (3)
8.3	8.2	206	4	DESIRABL: (4)
	1.1	29	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 66-67

V5228

075A05E:PLC WRK SCH/UNIV

Item Number: 11840

Question Number(s): 5A05E

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

E: Working in a school or university

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	16.0	404	1	NT ACCEP: (1)
28.1	27.8	703	2	SMWT ACC: (2)
37.1	36.8	928	3	ACCEPTBL: (3)
18.5	18.3	463	4	DESIRABL: (4)
	1.1	27	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 68-69

V5229

075A05F:PLC WRK PLC DEPT

Item Number: 11850

Question Number(s): 5A05F

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

F: Working in a police department or police agency

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	27.1	685	1	NT ACCEP: (1)
31.8	31.4	792	2	SMWT ACC: (2)
29.0	28.6	723	3	ACCEPTBL: (3)
11.7	11.5	290	4	DESIRABL: (4)
	1.4	35	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 70-71

V5230

075A05G:PLC WRK SOC SVCS

Item Number: 11860

Question Number(s): 5A05G

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

G: Working in a social service organization

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	21.3	538	1	NT ACCEP: (1)
33.2	32.7	826	2	SMWT ACC: (2)
34.4	33.9	856	3	ACCEPTBL: (3)
10.7	10.6	267	4	DESIRABL: (4)
	1.5	38	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 72-73

V5231

075A05H:PLC WRK SML GRP

Item Number: 11870

Question Number(s): 5A05H

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

H: Working with a small group of partners

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.1	204	1	NT ACCEP: (1)
29.4	29.1	734	2	SMWT ACC: (2)
46.2	45.6	1,151	3	ACCEPTBL: (3)
16.2	16.0	404	4	DESIRABL: (4)
	1.2	31	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 74-75

V5232

075A05I:PLC WRK SLF EMPL

Item Number: 11880

Question Number(s): 5A05I

Apart from the particular kind of work you want to do, how would you rate each of the following settings as a place to work?

I: Working on your own (self-employed)

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.7	245	1	NT ACCEP: (1)
19.4	19.2	484	2	SMWT ACC: (2)
35.5	35.1	887	3	ACCEPTBL: (3)
35.3	34.8	880	4	DESIRABL: (4)
	1.2	30	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 76-77

V5233

075A06 :ENUF\$,NT WNT WRK

Item Number: 08100

Question Number(s): 5A06

If you were to get enough money to live as comfortably as
you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	73.1	1,844	1	WORK: (1)
25.2	24.6	620	2	NOT WORK: (2)
	2.4	60	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 78-79

V5234

075A07A:RCL CNTCT SCHOOL

Item Number: 11890

Question Number(s): 5A07A

The next questions are about race relations. How much have you gotten to know people of other races . . .

A: . . . In school?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	134	1	NOT @ALL: (1)
17.9	17.5	443	2	A LITTLE: (2)
27.4	26.9	680	3	SOME: (3)
48.4	47.5	1,200	4	A LOT: (4)
1.0	1.0	24	8	NT APPLY: (8)
	1.8	45	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 80-81

V5235

075A07B:RCL CNTCT NGHBD

Item Number: 11900

Question Number(s): 5A07B

The next questions are about race relations. How much have you gotten to know people of other races . . .

B: . . . In your neighborhood?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	28.7	724	1	NOT @ALL: (1)
28.9	28.4	716	2	A LITTLE: (2)
20.0	19.6	496	3	SOME: (3)
16.2	15.9	400	4	A LOT: (4)
5.7	5.6	141	8	NT APPLY: (8)
	1.9	48	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 82-83

V5236

075A07C:RCL CNTCT CHURCH

Item Number: 11910

Question Number(s): 5A07C

The next questions are about race relations. How much have you gotten to know people of other races . . .

C: . . . In church?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	25.9	655	1	NOT @ALL: (1)
20.6	20.1	508	2	A LITTLE: (2)
14.9	14.5	366	3	SOME: (3)
13.7	13.3	337	4	A LOT: (4)
24.3	23.7	598	8	NT APPLY: (8)
	2.4	60	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 84-85

V5237

075A07D:RCL CNTCT SPORTS

Item Number: 11920

Question Number(s): 5A07D

The next questions are about race relations. How much have you gotten to know people of other races . . .

D: . . . On sports teams?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.1	305	1	NOT @ALL: (1)
15.6	15.2	385	2	A LITTLE: (2)
19.9	19.4	490	3	SOME: (3)
31.8	31.1	784	4	A LOT: (4)
20.3	19.8	499	8	NT APPLY: (8)
	2.4	61	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 86-87

V5238

075A07E:RCL CNTCT CLUBS

Item Number: 11930

Question Number(s): 5A07E

The next questions are about race relations. How much have you gotten to know people of other races . . .

E: . . . In clubs?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.4	489	1	NOT @ALL: (1)
19.1	18.7	472	2	A LITTLE: (2)
20.2	19.8	499	3	SOME: (3)
21.7	21.2	536	4	A LOT: (4)
19.3	18.9	476	8	NT APPLY: (8)
	2.0	51	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 88-89

V5239

075A07F:RCL CNTCT JOB

Item Number: 11940

Question Number(s): 5A07F

The next questions are about race relations. How much have you gotten to know people of other races . . .

F: . . . On a job?

1="Not at all" 2="A little" 3="Some" 4="A lot" 8="Does Not Apply To Me"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	12.1	305	1	NOT @ALL: (1)
14.9	14.6	368	2	A LITTLE: (2)
21.2	20.7	524	3	SOME: (3)
37.2	36.4	919	4	A LOT: (4)
14.3	14.0	353	8	NT APPLY: (8)
	2.2	55	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 90-91

V5240

075A08 :B/W RL TNS WRSE

Item Number: 11950

Question Number(s): 5A08

Thinking about the country as a whole, would you say relations between white people and black people have been getting better, getting worse, or staying pretty much the same?

1="Better" 2="A little better" 3="Same" 4="A little worse"
5="Worse"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	23.0	580	1	BETTER: (1)
45.1	44.3	1,118	2	LITL BTR: (2)
23.4	22.9	578	3	SAME: (3)
5.8	5.7	144	4	LITL WSE: (4)
2.3	2.2	56	5	WORSE: (5)
	1.9	49	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 92-93

V5241

075A09 :DNT HV DRVR LCNS

Item Number: 11960

Question Number(s): 5A09

The next questions are about driving. Do you have a driver's license?

1="Yes" 2="No, but I soon will--GO TO TOP OF NEXT COLUMN"

3="No--GO TO TOP OF NEXT COLUMN"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	72.6	1,832	1	YES: (1)
18.8	17.6	444	2	SOON WIL: (2)
3.7	3.5	88	3	NO: (3)
	6.4	161	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 94-95

V5242

075A10 :DONT OWN CAR

Item Number: 11970

Question Number(s): 5A10

Do you own a car?

1="Yes" 2="No, but I expect to own one in another year or two"
 3="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	56.1	1,415	1	YES: (1)
15.2	11.0	278	2	IN 1-2YR: (2)
7.6	5.5	139	3	NO: (3)
	27.4	693	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 96-97

V5243

075A11 :NEVR USE OTHS CR

Item Number: 11980

Question Number(s): 5A11

Are you able to use someone else's car when you want to?

1="Yes, whenever I wish" 2="Yes, most of the time"

3="Sometimes" 4="Rarely" 5="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	22.4	564	1	WHENEVER: (1)
41.7	30.2	762	2	MST TIME: (2)
18.4	13.3	336	3	SOMETIME: (3)
6.0	4.3	110	4	RARELY: (4)
3.1	2.3	57	5	NEVER: (5)
	27.5	695	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 98-99

V5244

075A12 :R CUT DRIVING

Item Number: 11990

Question Number(s): 5A12

Do you make an effort to cut down on driving, in order to
save gasoline?

1="Not at all" 2="Not very much" 3="Yes, to some extent"
4="Yes, quite a bit" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	11.4	287	1	NOT @ALL: (1)
29.2	21.2	534	2	NOT VMCH: (2)
43.0	31.1	786	3	SM EXTNT: (3)
10.8	7.8	197	4	QUITEBIT: (4)
1.4	1.0	25	8	DK: (8)
	27.5	695	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 100-101

V5245

075A13 :R CUT ELECTRICTY

Item Number: 12000

Question Number(s): 5A13

Do you make an effort to cut down on the amount of electricity
you use, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"
4="Yes, quite a bit" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.2	358	1	NOT @ALL: (1)
30.4	29.8	753	2	NOT VMCH: (2)
40.7	40.0	1,009	3	SM EXTNT: (3)
11.7	11.5	289	4	QUITEBIT: (4)
2.9	2.8	71	8	DK: (8)
	1.7	43	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 102-103

V5246

075A14 :RDCE HEAT R'S HM

Item Number: 12010

Question Number(s): 5A14

In the house or apartment where you live, is an effort made to reduce heat during the winter, in order to save energy?

1="Not at all" 2="Not very much" 3="Yes, to some extent"
4="Yes, quite a bit" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.3	310	1	NOT @ALL: (1)
23.1	22.7	573	2	NOT VMCH: (2)
37.2	36.5	921	3	SM EXTNT: (3)
19.4	19.1	482	4	QUITEBIT: (4)
7.8	7.6	193	8	DK: (8)
	1.8	46	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 104-105

V5247

075A15A:ENJOY SHOPPING

Item Number: 12020

Question Number(s): 5A15A

How do you feel about each of the following?

A: How much do you enjoy shopping for things like clothes,
tapes and discs, sporting goods, and books?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	65	1	NOT @ALL: (1)
13.1	12.9	325	2	NOT VMCH: (2)
34.4	33.7	852	3	PRTY MCH: (3)
49.9	48.9	1,236	4	VRV MUCH: (4)
	1.9	47	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 106-107

V5248**075A15B:CARE LATST FASHN**

Item Number: 12030

Question Number(s): 5A15B

How do you feel about each of the following?

B: How much do you care about having the latest fashion in your clothes, tapes and discs, leisure activities, and so on?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	15.2	385	1	NOT @ALL: (1)
37.6	36.9	931	2	NOT VMCH: (2)
30.5	29.9	754	3	PRTY MCH: (3)
16.4	16.0	405	4	VRV MUCH: (4)
	2.0	50	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 108-109

V5249

075A15C:CR FAM HV NBR HV

Item Number: 12040

Question Number(s): 5A15C

How do you feel about each of the following?

C: How much do you care about whether your family has most
of the things your friends and neighbors have?

1="Not At All" 2="Not Very Much" 3="Pretty Much" 4="Very Much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	34.6	873	1	NOT @ALL: (1)
46.1	45.1	1,138	2	NOT VMCH: (2)
14.2	13.9	350	3	PRTY MCH: (3)
4.4	4.3	108	4	VRV MUCH: (4)
	2.1	54	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 110-111

V5250

075A16 :XPCT 2 OWN>PRNTS

Item Number: 12050

Question Number(s): 5A16

When you are older, do you expect to own more possessions than your parents do now, or about the same, or less?
I expect to own . . .

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	50	1	MCH LESS:(1)
5.8	5.7	143	2	SMWT LES:(2)
31.9	31.1	786	3	AS MUCH:(3)
36.7	35.9	905	4	SMWT MOR:(4)
23.6	23.0	581	5	MCH MORE:(5)
	2.3	59	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 112-113

V5251

075A17 :LST CNT OWN>PRNT

Item Number: 12060

Question Number(s): 5A17

Compared with your parents, what is the smallest amount that you could be content or satisfied to own? The least I could be content to own is . . .

1="Much less than my parents" 2="Somewhat less than my parents" 3="About as much as my parents" 4="Somewhat more than my parents" 5="Much more than my parents"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.5	266	1	MCH LESS:(1)
27.4	26.7	674	2	SMWT LES:(2)
40.4	39.3	993	3	AS MUCH:(3)
15.4	15.0	379	4	SMWT MOR:(4)
6.0	5.9	148	5	MCH MORE:(5)
	2.6	64	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 114-115

V5252

075A18A:WRRY ABT OW CTRY

Item Number: 12070

Question Number(s): 5A18A

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: We ought to worry about our own country and let the rest of the world take care of itself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	16.8	424	1	DISAGREE: (1)
25.3	24.8	626	2	MOST DIS: (2)
20.0	19.5	493	3	NEITHER: (3)
25.0	24.5	618	4	MOST AGR: (4)
12.6	12.3	311	5	AGREE: (5)
	2.1	53	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 116-117

V5253

075A18B:BTTR IF CTZ WRLD

Item Number: 12080

Question Number(s): 5A18B

How much do you agree or disagree with each statement below?

B: It would be better if we all felt more like citizens of
the world than of any particular country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.2	334	1	DISAGREE: (1)
12.8	12.5	316	2	MOST DIS: (2)
27.4	26.8	677	3	NEITHER: (3)
27.5	26.9	679	4	MOST AGR: (4)
18.8	18.3	463	5	AGREE: (5)
	2.2	56	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 118-119

V5254**075A18C:-SYMP TWD STARVG**

Item Number: 12090

Question Number(s): 5A18C

How much do you agree or disagree with each statement below?

C: I find it hard to be sympathetic toward starving people
in foreign lands, when there is so much trouble in our own
country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	38.9	982	1	DISAGREE: (1)
23.4	22.8	576	2	MOST DIS: (2)
15.8	15.4	389	3	NEITHER: (3)
13.7	13.3	336	4	MOST AGR: (4)
7.2	7.0	177	5	AGREE: (5)
	2.5	63	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 120-121

V5255

075A18D:MNRTY NT MY BSNS

Item Number: 12100

Question Number(s): 5A18D

How much do you agree or disagree with each statement below?

D: Maybe some minority groups do get unfair treatment, but
that's no business of mine

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	38.1	961	1	DISAGREE: (1)
24.7	24.0	607	2	MOST DIS: (2)
22.0	21.3	539	3	NEITHER: (3)
8.2	8.0	202	4	MOST AGR: (4)
5.9	5.7	144	5	AGREE: (5)
	2.8	71	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 122-123

V5256**075A18E:UPST PL TR -FAIR**

Item Number: 12110

Question Number(s): 5A18E

How much do you agree or disagree with each statement below?

E: I get very upset when I see other people treated unfairly

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	79	1	DISAGREE: (1)
4.7	4.6	117	2	MOST DIS: (2)
9.9	9.6	243	3	NEITHER: (3)
35.4	34.5	871	4	MOST AGR: (4)
46.8	45.6	1,150	5	AGREE: (5)
	2.6	65	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 124-125

V5257

075A18F:HELP POOR W MY \$

Item Number: 12120

Question Number(s): 5A18F

How much do you agree or disagree with each statement below?

F: I would agree to a good plan to make a better life for the poor, even if it cost me money

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.9	148	1	DISAGREE: (1)
9.6	9.4	237	2	MOST DIS: (2)
22.6	22.1	557	3	NEITHER: (3)
39.6	38.7	977	4	MOST AGR: (4)
22.2	21.6	546	5	AGREE: (5)
	2.4	60	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 126-127

V5258

075A18G:-MY PRB OT ND HP

Item Number: 12130

Question Number(s): 5A18G

How much do you agree or disagree with each statement below?

G: It's not really my problem if others are in trouble and need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	39.0	983	1	DISAGREE: (1)
34.3	33.4	843	2	MOST DIS: (2)
16.7	16.3	411	3	NEITHER: (3)
6.4	6.2	157	4	MOST AGR: (4)
2.7	2.6	66	5	AGREE: (5)
	2.5	64	-9	MISSING: (-9)

100.0	100.0	2,525	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric

Missing-data code: -9

Columns: 128-129

V5259

075A18H:RB CHNG ETG HABT

Item Number: 12140

Question Number(s): 5A18H

How much do you agree or disagree with each statement below?

H: Americans could change their eating habits to provide more food for the hungry people in other parts of the world, and at the same time be healthier themselves

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.1	153	1	DISAGREE: (1)
7.4	7.2	182	2	MOST DIS: (2)
18.0	17.5	442	3	NEITHER: (3)
30.7	30.0	757	4	MOST AGR: (4)
37.7	36.7	927	5	AGREE: (5)
	2.5	62	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 130-131

V5260

075A18I:FAM BUYS THG -ND

Item Number: 10060

Question Number(s): 5A18I

How much do you agree or disagree with each statement below?

I: My family and I often buy things we really don't need; we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	8.6	218	1	DISAGREE: (1)
17.7	13.6	344	2	MOST DIS: (2)
22.8	17.5	442	3	NEITHER: (3)
30.3	23.3	588	4	MOST AGR: (4)
17.9	13.7	347	5	AGREE: (5)
	23.2	586	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 132-133

V5261**075A18J:FULLR LVS IF MRY**

Item Number: 12150

Question Number(s): 5A18J

How much do you agree or disagree with each statement below?

J: Most people will have fuller and happier lives if they choose legal marriage rather than staying single, or just living with someone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	14.2	359	1	DISAGREE: (1)
12.5	9.6	243	2	MOST DIS: (2)
35.2	27.1	685	3	NEITHER: (3)
17.6	13.6	344	4	MOST AGR: (4)
16.2	12.5	316	5	AGREE: (5)
	22.8	577	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 134-135

V5262

075A18K:ENCRG=INDP DT/SN

Item Number: 12160

Question Number(s): 5A18K

How much do you agree or disagree with each statement below?

K: Parents should encourage just as much independence in their daughters as in their sons

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	77	1	DISAGREE: (1)
5.9	5.7	144	2	MOST DIS: (2)
12.8	12.5	316	3	NEITHER: (3)
24.2	23.6	596	4	MOST AGR: (4)
54.0	52.6	1,329	5	AGREE: (5)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 136-137

V5263

075A18L:BNG MOTH V FULFL

Item Number: 12170

Question Number(s): 5A18L

How much do you agree or disagree with each statement below?

L: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.9	100	1	DISAGREE: (1)
5.5	5.4	135	2	MOST DIS: (2)
30.7	29.8	752	3	NEITHER: (3)
26.5	25.7	650	4	MOST AGR: (4)
33.3	32.4	817	5	AGREE: (5)
	2.8	70	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 138-139

V5264

075A18M:FTHR>TIME W CHLD

Item Number: 12180

Question Number(s): 5A18M

How much do you agree or disagree with each statement below?

M: Most fathers should spend more time with their children
than they do now1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	26	1	DISAGREE: (1)
3.1	3.0	76	2	MOST DIS: (2)
18.8	18.3	462	3	NEITHER: (3)
33.6	32.8	828	4	MOST AGR: (4)
43.5	42.4	1,072	5	AGREE: (5)
	2.4	61	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 140-141

V5265

075A18N:HSB MAK IMP DCSN

Item Number: 12190

Question Number(s): 5A18N

How much do you agree or disagree with each statement below?

N: The husband should make all the important decisions in the family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	32.9	830	1	DISAGREE: (1)
19.5	15.0	380	2	MOST DIS: (2)
23.4	18.1	456	3	NEITHER: (3)
8.8	6.8	171	4	MOST AGR: (4)
5.6	4.3	110	5	AGREE: (5)
	22.9	578	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 142-143

V5266

075A19 :INTEREST IN GOVT

Item Number: 06330

Question Number(s): 5A19

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.1	179	1	NO INTR: (1)
21.8	21.2	536	2	LIT INTR: (2)
43.4	42.2	1,066	3	SOM INTR: (3)
19.5	18.9	478	4	LOT INTR: (4)
7.9	7.7	195	5	VGRT INT: (5)
	2.8	72	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 144-145

V5267

075A20A:CTB TO UNTD FUND

Item Number: 12200

Question Number(s): 5A20A

If you have at least an average income in the future, how likely is it that you will contribute money to the following organizations? If you have already contributed, mark the last circle only. Are you likely to contribute to . . .

A: . . . The United Fund or other community charities?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.2	183	1	DEF NOT: (1)
15.3	14.8	374	2	PROB NOT: (2)
43.1	41.7	1,052	3	DK: (3)
25.0	24.2	611	4	PRB WILL: (4)
4.1	4.0	100	5	DEF WILL: (5)
5.0	4.8	122	6	HAV DONE: (6)
	3.3	83	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 146-147

V5268

075A20B:CTB TO INTL RELF

Item Number: 12210

Question Number(s): 5A20B

Are you likely to contribute to . . .

B: . . . International relief organizations (CARE, UNICEF, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will"
 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.0	151	1	DEF NOT: (1)
13.7	13.2	334	2	PROB NOT: (2)
36.9	35.6	899	3	DK: (3)
29.3	28.4	716	4	PRB WILL: (4)
7.0	6.8	171	5	DEF WILL: (5)
6.9	6.7	168	6	HAV DONE: (6)
	3.4	85	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 148-149

V5269

075A20C:CTB TO MNRTY GRP

Item Number: 12220

Question Number(s): 5A20C

Are you likely to contribute to . . .

C: . . . Minority group organizations (NAACP, SCLC, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will"
 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	12.7	321	1	DEF NOT: (1)
20.3	19.5	493	2	PROB NOT: (2)
40.4	38.9	982	3	DK: (3)
17.8	17.1	432	4	PRB WILL: (4)
6.8	6.6	166	5	DEF WILL: (5)
1.5	1.4	36	6	HAV DONE: (6)
	3.8	95	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 150-151

V5270

075A20D:CTB TO RELGS ORG

Item Number: 12230

Question Number(s): 5A20D

Are you likely to contribute to . . .

D: . . . Church or religious organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will"
 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.1	256	1	DEF NOT: (1)
11.0	10.6	267	2	PROB NOT: (2)
17.9	17.3	436	3	DK: (3)
21.3	20.6	519	4	PRB WILL: (4)
14.8	14.2	360	5	DEF WILL: (5)
24.4	23.5	594	6	HAV DONE: (6)
	3.6	92	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 152-153

V5271

075A20E:CTB TO PLTCL PTY

Item Number: 12240

Question Number(s): 5A20E

Are you likely to contribute to . . .

E: . . . Political parties or organizations?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will"
 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.5	517	1	DEF NOT: (1)
27.3	26.3	664	2	PROB NOT: (2)
35.1	33.8	854	3	DK: (3)
11.8	11.3	286	4	PRB WILL: (4)
3.1	3.0	76	5	DEF WILL: (5)
1.4	1.3	34	6	HAV DONE: (6)
	3.7	95	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 154-155

V5272

075A20F:CTB TO CTZN LBBY

Item Number: 12250

Question Number(s): 5A20F

Are you likely to contribute to . . .

F: . . . Citizen lobbies (Common Cause, Public Citizen, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.1	280	1	DEF NOT: (1)
22.7	21.8	551	2	PROB NOT: (2)
47.9	46.0	1,162	3	DK: (3)
13.3	12.8	322	4	PRB WILL: (4)
3.4	3.2	81	5	DEF WILL: (5)
1.3	1.2	31	6	HAV DONE: (6)
	3.8	97	-9	MISSING: (-9)

100.0	100.0	2,525	cases	(Wtd)
-------	-------	-------	-------	-------

Data type: numeric

Missing-data code: -9

Columns: 156-157

V5273

075A20G:CTB TO VS DISEAS

Item Number: 12260

Question Number(s): 5A20G

Are you likely to contribute to . . .

G: . . . Charities to help fight diseases (cancer, heart disease, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably Will" 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.6	92	1	DEF NOT: (1)
4.6	4.5	112	2	PROB NOT: (2)
15.2	14.7	371	3	DK: (3)
35.9	34.7	877	4	PRB WILL: (4)
25.6	24.7	625	5	DEF WILL: (5)
15.0	14.5	366	6	HAV DONE: (6)
	3.2	82	-9	MISSING: (-9)

100.0	100.0	2,525	cases	(Wtd)
-------	-------	-------	-------	-------

Data type: numeric

Missing-data code: -9

Columns: 158-159

V5274

075A20H:CTB TO POP PRBMS

Item Number: 12270

Question Number(s): 5A20H

Are you likely to contribute to . . .

H: . . . Organizations concerned with population problems
(Planned Parenthood, ZPG, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably
Will" 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	11.1	279	1	DEF NOT: (1)
18.9	18.3	463	2	PROB NOT: (2)
40.9	39.5	998	3	DK: (3)
19.1	18.5	467	4	PRB WILL: (4)
7.6	7.4	186	5	DEF WILL: (5)
2.0	2.0	50	6	HAV DONE: (6)
	3.2	82	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 160-161

V5275

075A20I:CTB TO ENVIR PBM

Item Number: 12280

Question Number(s): 5A20I

Are you likely to contribute to . . .

I: . . . Organizations concerned with environmental problems
(Sierra Club, Friends of the Earth, etc.)?

1="Definitely Not" 2="Probably Not" 3="Don't Know" 4="Probably
Will" 5="Definitely Will" 6="Already Have"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.0	252	1	DEF NOT: (1)
15.4	14.9	376	2	PROB NOT: (2)
37.1	35.9	907	3	DK: (3)
23.5	22.8	575	4	PRB WILL: (4)
10.1	9.8	247	5	DEF WILL: (5)
3.5	3.4	86	6	HAV DONE: (6)
	3.2	81	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 162-163

V5503

075A23A:OFTN EAT BRKFST

Item Number: 20740

Question Number(s): 5A23A

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.4	161	1	NEVER: (1)
22.0	21.6	545	2	SELDOM: (2)
23.2	22.8	576	3	SOMETIME: (3)
13.7	13.5	340	4	MST DAYS: (4)
13.8	13.6	343	5	NR EV DA: (5)
20.9	20.5	518	6	EVERYDAY: (6)
	1.6	41	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 164-165

V5504

075A23B:OFTN EAT GN VEG

Item Number: 20750

Question Number(s): 5A23B

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	83	1	NEVER: (1)
10.2	10.0	252	2	SELDOM: (2)
24.7	24.3	614	3	SOMETIME: (3)
25.3	24.9	627	4	MST DAYS: (4)
20.1	19.8	500	5	NR EV DA: (5)
16.4	16.1	406	6	EVERYDAY: (6)
	1.7	43	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 166-167

V5505

075A23C:OFTN EAT FRUIT

Item Number: 20760

Question Number(s): 5A23C

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	24	1	NEVER: (1)
6.4	6.3	159	2	SELDOM: (2)
26.1	25.5	645	3	SOMETIME: (3)
26.7	26.1	660	4	MST DAYS: (4)
19.9	19.4	491	5	NR EV DA: (5)
19.9	19.5	492	6	EVERYDAY: (6)
	2.2	55	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 168-169

V5506

075A23D:OFTN EXERCISE

Item Number: 20770

Question Number(s): 5A23D

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics,
or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	106	1	NEVER: (1)
16.2	15.9	402	2	SELDOM: (2)
24.0	23.6	595	3	SOMETIME: (3)
17.2	16.9	426	4	MST DAYS: (4)
18.3	18.0	454	5	NR EV DA: (5)
20.0	19.7	497	6	EVERYDAY: (6)
	1.8	45	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 170-171

V5507

075A23E:OFTN 7HRS SLEEP

Item Number: 20780

Question Number(s): 5A23E

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	102	1	NEVER: (1)
19.8	19.4	491	2	SELDOM: (2)
24.1	23.7	597	3	SOMETIME: (3)
22.2	21.8	551	4	MST DAYS: (4)
18.3	18.0	455	5	NR EV DA: (5)
11.5	11.3	287	6	EVERYDAY: (6)
	1.7	43	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 172-173

V5508

075A23F:OFTN SLEEP<SHLD

Item Number: 20790

Question Number(s): 5A23F

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly
Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	109	1	NEVER: (1)
13.3	13.1	330	2	SELDOM: (2)
24.8	24.3	614	3	SOMETIME: (3)
22.4	22.0	556	4	MST DAYS: (4)
18.3	18.0	455	5	NR EV DA: (5)
16.8	16.5	418	6	EVERYDAY: (6)
	1.7	43	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 174-175

V5277

075A24A:DSCM WN COLLG ED

Item Number: 12290

Question Number(s): 5A24A

These questions are about whether you think women are discriminated against in each of the following areas. To what extent are women discriminated against . . .

A: . . . In getting a college education?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	37.5	946	1	NOT @ALL: (1)
28.6	27.9	705	2	VRV LITL: (2)
15.4	15.1	381	3	SOME: (3)
3.3	3.2	80	4	GD DEAL: (4)
2.5	2.4	61	5	GRT DEAL: (5)
11.9	11.7	294	8	DK: (8)
	2.3	58	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 176-177

V5278

075A24B:DSCM WN LDRSHP

Item Number: 12300

Question Number(s): 5A24B

To what extent are women discriminated against . . .

B: . . . In gaining positions of leadership over men and women?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A Great Deal" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.2	206	1	NOT @ALL: (1)
13.7	13.4	338	2	VRV LITL: (2)
32.3	31.6	797	3	SOME: (3)
24.5	23.9	603	4	GD DEAL: (4)
12.2	11.9	301	5	GRT DEAL: (5)
8.9	8.7	219	8	DK: (8)
	2.4	60	-9	MISSING: (-9)

100.0	100.0	2,525	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric

Missing-data code: -9

Columns: 178-179

V5279

075A24C:DSCM WN EXEC/BSN

Item Number: 12310

Question Number(s): 5A24C

To what extent are women discriminated against . . .

C: . . . In obtaining executive positions in business?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A
Great Deal" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.4	264	1	NOT @ALL: (1)
16.5	16.1	405	2	VRy LITL: (2)
30.1	29.3	741	3	SOME: (3)
20.9	20.3	513	4	GD DEAL: (4)
9.3	9.1	229	5	GRT DEAL: (5)
12.6	12.3	309	8	DK: (8)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 180-181

V5280

075A24D:DSCM WN TOP/PRFN

Item Number: 12320

Question Number(s): 5A24D

To what extent are women discriminated against . . .

D: . . . In obtaining top jobs in the professions?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A
Great Deal" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.7	321	1	NOT @ALL: (1)
17.9	17.4	440	2	VRV LITL: (2)
28.9	28.1	710	3	SOME: (3)
19.5	19.0	479	4	GD DEAL: (4)
9.2	9.0	227	5	GRT DEAL: (5)
11.4	11.1	280	8	DK: (8)
	2.7	68	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 182-183

V5281

075A24E:DSCM WN SKL LABR

Item Number: 12330

Question Number(s): 5A24E

To what extent are women discriminated against . . .

E: . . . In getting skilled labor jobs?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A
Great Deal" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	11.9	300	1	NOT @ALL: (1)
16.8	16.3	412	2	VRy LITL: (2)
26.8	26.1	658	3	SOME: (3)
19.0	18.4	466	4	GD DEAL: (4)
9.4	9.1	230	5	GRT DEAL: (5)
15.8	15.3	388	8	DK: (8)
	2.9	72	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 184-185

V5282

075A24F:DSCM WN PLTCL OF

Item Number: 12340

Question Number(s): 5A24F

To what extent are women discriminated against . . .

F: . . . In getting elected to political office?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A
Great Deal" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.0	202	1	NOT @ALL: (1)
11.6	11.4	287	2	VRV LITL: (2)
22.5	22.0	555	3	SOME: (3)
23.4	22.8	577	4	GD DEAL: (4)
25.7	25.1	633	5	GRT DEAL: (5)
8.5	8.3	209	8	DK: (8)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 186-187

V5283

075A24G:DSCM WN =PAY =WK

Item Number: 12350

Question Number(s): 5A24G

To what extent are women discriminated against . . .

G: . . . In getting equal pay for equal work?

1="Not At All" 2="Very Little" 3="Some" 4="A Good Deal" 5="A
Great Deal" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	18.5	467	1	NOT @ALL: (1)
18.7	18.3	461	2	VRV LITL: (2)
24.1	23.5	593	3	SOME: (3)
14.5	14.1	357	4	GD DEAL: (4)
12.5	12.2	308	5	GRT DEAL: (5)
11.2	10.9	276	8	DK: (8)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 188-189

V5284

075A25A:RSK OF CIG1+PK/D

Item Number: 12360

Question Number(s): 5A25A

The next questions ask for your opinions on the effects of using certain drugs and other substances. First, how much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	79	1	NO RISK:(1)
3.0	2.9	73	2	SLIGHT:(2)
14.9	14.6	369	3	MOD RISK:(3)
77.3	75.8	1,912	4	GRT RISK:(4)
1.7	1.6	41	5	CANT SAY:(5)
	1.9	49	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 190-191

V5285**075A25B:RSK OF MJ 1-2 X**

Item Number: 12370

Question Number(s): 5A25B

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	33.7	851	1	NO RISK:(1)
29.4	28.9	728	2	SLIGHT:(2)
14.9	14.6	369	3	MOD RISK:(3)
18.6	18.3	461	4	GRT RISK:(4)
2.7	2.7	67	5	CANT SAY:(5)
	1.9	48	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 192-193

V5286**075A25C:RSK OF MJ OCSNLY**

Item Number: 12380

Question Number(s): 5A25C

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	16.0	404	1	NO RISK:(1)
24.8	24.2	611	2	SLIGHT:(2)
29.2	28.5	721	3	MOD RISK:(3)
27.2	26.6	670	4	GRT RISK:(4)
2.5	2.4	62	5	CANT SAY:(5)
	2.2	56	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 194-195

V5287

075A25D:RSK OF MJ REGLY

Item Number: 12390

Question Number(s): 5A25D

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.6	217	1	NO RISK:(1)
12.3	12.0	303	2	SLIGHT:(2)
21.5	21.1	533	3	MOD RISK:(3)
54.7	53.6	1,353	4	GRT RISK:(4)
2.7	2.7	68	5	CANT SAY:(5)
	2.0	50	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 196-197

V5288

075A25E:RSK OF LSD 1-2 X

Item Number: 12400

Question Number(s): 5A25E

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try LSD once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.1	154	1	NO RISK:(1)
15.8	15.4	390	2	SLIGHT:(2)
22.3	21.8	550	3	MOD RISK:(3)
36.9	36.1	911	4	GRT RISK:(4)
18.8	18.3	463	5	CANT SAY:(5)
	2.3	57	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 198-199

V5289

075A25F:RSK OF LSD REGLY

Item Number: 12410

Question Number(s): 5A25F

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take LSD regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	89	1	NO RISK:(1)
2.0	2.0	51	2	SLIGHT:(2)
8.1	7.9	200	3	MOD RISK:(3)
67.2	65.7	1,659	4	GRT RISK:(4)
19.0	18.6	470	5	CANT SAY:(5)
	2.2	56	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 200-201

V5290

075A25G:RSK OF "H" 1-2 X

Item Number: 12420

Question Number(s): 5A25G

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try heroin once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	117	1	NO RISK: (1)
9.1	8.9	226	2	SLIGHT: (2)
21.6	21.1	533	3	MOD RISK: (3)
58.4	57.1	1,440	4	GRT RISK: (4)
6.2	6.0	152	5	CANT SAY: (5)
	2.3	57	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 202-203

V5291

075A25H:RSK OF "H" OCSNL

Item Number: 12430

Question Number(s): 5A25H

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	86	1	NO RISK:(1)
1.6	1.6	40	2	SLIGHT:(2)
12.6	12.3	310	3	MOD RISK:(3)
76.2	74.6	1,883	4	GRT RISK:(4)
6.1	6.0	152	5	CANT SAY:(5)
	2.1	54	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 204-205

V5292

075A25I:RSK OF "H" REGLY

Item Number: 12440

Question Number(s): 5A25I

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	82	1	NO RISK:(1)
0.6	0.6	15	2	SLIGHT:(2)
2.2	2.1	54	3	MOD RISK:(3)
87.7	85.5	2,158	4	GRT RISK:(4)
6.1	6.0	151	5	CANT SAY:(5)
	2.5	64	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 206-207

V5509

075A25J:RSK SED/BRB 1-2X

Item Number: 12455

Question Number(s): 5A25J

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Try sedatives/barbiturates (downers) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.8	222	1	NO RISK:(1)
19.9	19.4	491	2	SLIGHT:(2)
24.9	24.3	612	3	MOD RISK:(3)
27.9	27.3	688	4	GRT RISK:(4)
18.2	17.8	450	5	CANT SAY:(5)
	2.4	61	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 208-209

V5510

075A25K:RSK SED/BRB REGY

Item Number: 12465

Question Number(s): 5A25K

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Take sedatives/barbiturates regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	95	1	NO RISK: (1)
5.5	5.4	135	2	SLIGHT: (2)
17.4	17.0	428	3	MOD RISK: (3)
55.1	53.8	1,357	4	GRT RISK: (4)
18.1	17.7	446	5	CANT SAY: (5)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 210-211

V5295

075A25L:RSK OF AMPH 1-2X

Item Number: 12470

Question Number(s): 5A25L

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try amphetamines (uppers, pep pills, bennies,
speed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.5	189	1	NO RISK:(1)
16.4	16.0	405	2	SLIGHT:(2)
24.0	23.4	592	3	MOD RISK:(3)
41.2	40.2	1,016	4	GRT RISK:(4)
10.7	10.4	263	5	CANT SAY:(5)
	2.4	60	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 212-213

V5296

075A25M:RSK OF AMPH REG

Item Number: 12480

Question Number(s): 5A25M

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take amphetamines regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	95	1	NO RISK: (1)
4.0	3.9	99	2	SLIGHT: (2)
12.1	11.8	299	3	MOD RISK: (3)
68.0	66.4	1,677	4	GRT RISK: (4)
12.1	11.8	297	5	CANT SAY: (5)
	2.3	58	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 214-215

V5297

075A25N:RSK OF COKE 1-2X

Item Number: 12490

Question Number(s): 5A25N

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.9	175	1	NO RISK:(1)
13.9	13.6	342	2	SLIGHT:(2)
23.3	22.7	572	3	MOD RISK:(3)
51.3	49.9	1,261	4	GRT RISK:(4)
4.4	4.3	109	5	CANT SAY:(5)
	2.6	66	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 216-217

V5298

075A250:RSK OF COKE REG

Item Number: 12500

Question Number(s): 5A250

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

O: . . . Take cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	89	1	NO RISK:(1)
1.8	1.8	44	2	SLIGHT:(2)
7.0	6.9	173	3	MOD RISK:(3)
83.1	81.0	2,045	4	GRT RISK:(4)
4.5	4.4	110	5	CANT SAY:(5)
	2.5	64	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 218-219

V5299**075A25P:RSK OF 1-2 DRINK**

Item Number: 12510

Question Number(s): 5A25P

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

P: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	44.4	1,121	1	NO RISK:(1)
32.6	31.9	804	2	SLIGHT:(2)
9.7	9.5	239	3	MOD RISK:(3)
10.4	10.2	257	4	GRT RISK:(4)
2.0	1.9	48	5	CANT SAY:(5)
	2.2	56	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 220-221

V5300

075A25Q:RSK OF 1-2 DR/DA

Item Number: 12520

Question Number(s): 5A25Q

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

Q: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.2	333	1	NO RISK: (1)
26.4	25.8	650	2	SLIGHT: (2)
33.2	32.4	819	3	MOD RISK: (3)
24.9	24.3	615	4	GRT RISK: (4)
1.9	1.9	47	5	CANT SAY: (5)
	2.4	60	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 222-223

V5301

075A25R:RSK OF 4-5 DR/DA

Item Number: 12530

Question Number(s): 5A25R

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

R: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.3	135	1	NO RISK: (1)
7.8	7.6	192	2	SLIGHT: (2)
23.1	22.5	569	3	MOD RISK: (3)
61.8	60.3	1,522	4	GRT RISK: (4)
1.9	1.8	46	5	CANT SAY: (5)
	2.4	61	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 224-225

V5302

075A25S:RSK OF 5+DR/WKND

Item Number: 12540

Question Number(s): 5A25S

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

S: . . . Have five or more drinks once or twice each
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.7	245	1	NO RISK:(1)
14.5	14.1	357	2	SLIGHT:(2)
28.0	27.3	689	3	MOD RISK:(3)
45.7	44.7	1,128	4	GRT RISK:(4)
1.9	1.8	47	5	CANT SAY:(5)
	2.3	58	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 226-227

V5483**075A25T:RSK OF COKE OCSN**

Item Number: 12495

Question Number(s): 5A25T

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

T: . . . Take cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	103	1	NO RISK:(1)
5.1	5.0	126	2	SLIGHT:(2)
17.4	17.0	429	3	MOD RISK:(3)
68.5	66.7	1,684	4	GRT RISK:(4)
4.7	4.6	116	5	CANT SAY:(5)
	2.7	68	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 228-229

V5484**075A25U:RSK OF SMKLSS RG**

Item Number: 12365

Question Number(s): 5A25U

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

U: . . . Use smokeless tobacco regularly (chewing tobacco,
plug, dipping tobacco, snuff)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.1	153	1	NO RISK:(1)
16.3	16.0	404	2	SLIGHT:(2)
29.5	28.9	730	3	MOD RISK:(3)
43.8	42.9	1,082	4	GRT RISK:(4)
4.1	4.0	101	5	CANT SAY:(5)
	2.2	54	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 230-231

V5101

075B01 :EVR SMK CIG,REGL

Item Number: 00760

Question Number(s): 5B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	53.8	1,359	1	NEVER: (1)
20.8	20.4	514	2	1-2X: (2)
11.2	11.0	277	3	OCCASNLY: (3)
5.2	5.1	130	4	REG PAST: (4)
7.9	7.7	195	5	REG NOW: (5)
	2.0	49	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 232-233

V5102

075B02 :#CIGS SMKD/30DAY

Item Number: 00780

Question Number(s): 5B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.7	78.9	1,992	1	NONE: (1)
8.4	8.2	208	2	<1 CIG/D: (2)
6.7	6.6	167	3	1-5/DAY: (3)
2.5	2.4	61	4	1/2PK/D: (4)
1.2	1.2	30	5	1 PK/DA: (5)
0.3	0.3	8	6	1 1/2 PK/D: (6)
0.2	0.1	4	7	2+ PKS/D: (7)
	2.2	55	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 234-235

V5103

075B03 :EVER DRINK

Item Number: 00790

Question Number(s): 5B03

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, or any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	27.1	683	1	NO:(1)
71.9	69.2	1,748	2	YES:(2)
	3.7	94	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 236-237

V5104**075B04A:#X ALC/LIF SIPS**

Item Number: 00810

Question Number(s): 5B04A

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	27.1	685	1	0 OCCAS: (1)
8.1	7.7	194	2	1-2X: (2)
11.8	11.2	283	3	3-5X: (3)
9.7	9.2	233	4	6-9X: (4)
10.8	10.3	261	5	10-19X: (5)
10.3	9.8	248	6	20-39X: (6)
20.8	19.8	500	7	40+OCCAS: (7)
	4.8	120	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 238-239

V5105

075B04B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 5B04B

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	32.7	826	1	0 OCCAS: (1)
17.4	16.4	415	2	1-2X: (2)
12.5	11.8	299	3	3-5X: (3)
9.3	8.8	222	4	6-9X: (4)
10.6	10.1	254	5	10-19X: (5)
5.8	5.5	139	6	20-39X: (6)
9.9	9.4	236	7	40+OCCAS: (7)
	5.3	134	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 240-241

V5106

075B04C:#X ALC/30D SIPS

Item Number: 00830

Question Number(s): 5B04C

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	54.1	1,365	1	0 OCCAS:(1)
19.4	18.4	463	2	1-2X:(2)
10.3	9.7	246	3	3-5X:(3)
6.4	6.0	152	4	6-9X:(4)
3.8	3.6	91	5	10-19X:(5)
1.7	1.6	41	6	20-39X:(6)
1.5	1.5	37	7	40+OCCAS:(7)
	5.1	130	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 242-243

V5107

075B05 :#X DRK ENF FL HI

Item Number: 00840

Question Number(s): 5B05

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	17.9	451	1	NONE: (1)
24.3	16.7	422	2	FEW: (2)
14.9	10.3	260	3	HALF: (3)
22.4	15.5	390	4	MOST: (4)
12.5	8.6	217	5	NRLY ALL: (5)
	31.1	784	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 244-245

V5108

075B06 :5+DRK ROW/LST 2W

Item Number: 00850

Question Number(s): 5B06

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	68.9	1,738	1	NONE:(1)
9.5	8.9	225	2	ONCE:(2)
5.8	5.4	136	3	TWICE:(3)
7.6	7.1	179	4	3-5X:(4)
2.1	2.0	50	5	6-9X:(5)
1.5	1.4	35	6	10+ TIME:(6)
	6.4	163	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 246-247

V5115

075B07A: #XMJ+HS/LIFETIME

Item Number: 00860

Question Number(s): 5B07A

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	56.8	1,435	1	0 OCCAS: (1)
8.9	8.6	217	2	1-2X: (2)
6.2	6.0	152	3	3-5X: (3)
3.7	3.6	91	4	6-9X: (4)
4.8	4.6	116	5	10-19X: (5)
3.8	3.7	93	6	20-39X: (6)
13.9	13.4	339	7	40+OCCAS: (7)
	3.2	81	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 248-249

V5116

075B07B: #XMJ+HS/LAST12MO

Item Number: 00870

Question Number(s): 5B07B

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	65.8	1,661	1	0 OCCAS: (1)
9.9	9.6	243	2	1-2X: (2)
5.2	5.0	127	3	3-5X: (3)
3.2	3.1	77	4	6-9X: (4)
3.2	3.1	79	5	10-19X: (5)
2.8	2.7	67	6	20-39X: (6)
7.7	7.5	189	7	40+OCCAS: (7)
	3.2	80	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 250-251

V5117

075B07C: #XMJ+HS/LAST30DA

Item Number: 00880

Question Number(s): 5B07C

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	78.5	1,982	1	0 OCCAS: (1)
6.7	6.5	165	2	1-2X: (2)
2.6	2.5	63	3	3-5X: (3)
2.1	2.0	51	4	6-9X: (4)
2.2	2.2	55	5	10-19X: (5)
2.0	2.0	49	6	20-39X: (6)
3.3	3.1	80	7	40+OCCAS: (7)
	3.2	80	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 252-253

V5118

075B08A:#X LSD/LIFETIME

Item Number: 00890

Question Number(s): 5B08A

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	95.0	2,399	1	0 OCCAS: (1)
1.8	1.7	43	2	1-2X: (2)
0.6	0.6	15	3	3-5X: (3)
0.2	0.2	6	4	6-9X: (4)
0.2	0.2	5	5	10-19X: (5)
0.2	0.2	5	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	2.0	51	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 254-255

V5119

075B08B:#X LSD/LAST 12MO

Item Number: 00900

Question Number(s): 5B08B

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	96.3	2,430	1	0 OCCAS: (1)
1.1	1.1	27	2	1-2X: (2)
0.3	0.3	7	3	3-5X: (3)
0.3	0.3	7	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	2.0	52	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 256-257

V5120

075B08C:#X LSD/LAST 30DA

Item Number: 00910

Question Number(s): 5B08C

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	97.4	2,459	1	0 OCCAS: (1)
0.5	0.5	13	2	1-2X: (2)
0.1	0.1	2	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	2.0	52	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 258-259

V5121

075B09A:#X PSYD/LIFETIME

Item Number: 00920

Question Number(s): 5B09A

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	90.7	2,289	1	0 OCCAS: (1)
4.2	4.1	104	2	1-2X: (2)
1.7	1.7	43	3	3-5X: (3)
0.3	0.3	7	4	6-9X: (4)
0.6	0.6	16	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.3	0.3	8	7	40+OCCAS: (7)
	2.2	56	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 260-261

V5122

075B09B:#X PSYD/LAST12MO

Item Number: 00930

Question Number(s): 5B09B

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	93.2	2,354	1	0 OCCAS:(1)
3.3	3.2	81	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.3	57	-9	MISSING:(-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 262-263

V5123

075B09C:#X PSYD/LAST30DA

Item Number: 00940

Question Number(s): 5B09C

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	96.4	2,434	1	0 OCCAS: (1)
0.8	0.8	20	2	1-2X: (2)
0.6	0.6	14	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	2.2	55	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 264-265

V5124**075B10A:#X COKE/LIFETIME**

Item Number: 00950

Question Number(s): 5B10A

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	90.3	2,279	1	0 OCCAS: (1)
2.7	2.6	67	2	1-2X: (2)
1.4	1.4	35	3	3-5X: (3)
0.8	0.8	20	4	6-9X: (4)
0.9	0.9	22	5	10-19X: (5)
0.8	0.7	19	6	20-39X: (6)
1.4	1.4	34	7	40+OCCAS: (7)
	1.9	49	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 266-267

V5125

075B10B:#X COKE/LAST12MO

Item Number: 00960

Question Number(s): 5B10B

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	92.4	2,333	1	0 OCCAS: (1)
2.4	2.3	58	2	1-2X: (2)
1.2	1.2	30	3	3-5X: (3)
0.5	0.5	13	4	6-9X: (4)
0.5	0.5	12	5	10-19X: (5)
0.5	0.5	12	6	20-39X: (6)
0.5	0.5	13	7	40+OCCAS: (7)
	2.1	53	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 268-269

V5126

075B10C:#X COKE/LAST30DA

Item Number: 00970

Question Number(s): 5B10C

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	95.9	2,420	1	0 OCCAS: (1)
1.2	1.2	29	2	1-2X: (2)
0.3	0.3	8	3	3-5X: (3)
0.5	0.4	11	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.1	0.1	3	7	40+OCCAS: (7)
	2.0	49	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 270-271

V5127

075B11A:#X AMPH/LIFETIME

Item Number: 00980

Question Number(s): 5B11A

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)), or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	86.3	2,179	1	0 OCCAS:(1)
4.3	4.3	107	2	1-2X:(2)
2.6	2.5	64	3	3-5X:(3)
1.0	1.0	25	4	6-9X:(4)
1.4	1.4	35	5	10-19X:(5)
0.8	0.7	19	6	20-39X:(6)
1.6	1.6	40	7	40+OCCAS:(7)
	2.2	56	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 272-273

V5128

075B11B: #X AMPH/LAST12MO

Item Number: 00990

Question Number(s): 5B11B

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	90.0	2,272	1	0 OCCAS: (1)
3.8	3.8	95	2	1-2X: (2)
1.3	1.3	33	3	3-5X: (3)
1.1	1.1	27	4	6-9X: (4)
0.9	0.8	21	5	10-19X: (5)
0.3	0.3	8	6	20-39X: (6)
0.6	0.6	15	7	40+OCCAS: (7)
	2.1	54	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 274-275

V5129

075B11C:#X AMPH/LAST30DA

Item Number: 01000

Question Number(s): 5B11C

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	93.9	2,369	1	0 OCCAS:(1)
2.1	2.1	53	2	1-2X:(2)
1.1	1.1	27	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.1	53	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 276-277

V5130

075B12A:#X ICE/LIFETIME

Item Number: 24380

Question Number(s): 5B12A

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	94.9	2,397	1	0 OCCAS: (1)
1.4	1.4	35	2	1-2X: (2)
0.7	0.6	16	3	3-5X: (3)
0.2	0.2	5	4	6-9X: (4)
0.2	0.2	6	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.4	0.4	10	7	40+OCCAS: (7)
	2.1	53	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 278-279

V5131

075B12B:#X ICE/LAST12MO

Item Number: 24390

Question Number(s): 5B12B

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	96.4	2,434	1	0 OCCAS: (1)
0.8	0.8	20	2	1-2X: (2)
0.3	0.3	8	3	3-5X: (3)
0.1	0.1	3	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.2	0.2	4	6	20-39X: (6)
0.1	0.1	3	7	40+OCCAS: (7)
	2.0	51	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 280-281

V5132

075B12C:#X ICE/LAST30DA

Item Number: 24400

Question Number(s): 5B12C

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	97.5	2,461	1	0 OCCAS: (1)
0.3	0.3	8	2	1-2X: (2)
0.1	0.1	2	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.0	49	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 282-283

V5133

075B13A:#X SED/BARB/LIFE

Item Number: 01042

Question Number(s): 5B13A

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	87.8	2,216	1	0 OCCAS: (1)
3.7	3.6	92	2	1-2X: (2)
1.9	1.8	46	3	3-5X: (3)
1.3	1.3	33	4	6-9X: (4)
1.2	1.2	30	5	10-19X: (5)
0.8	0.8	19	6	20-39X: (6)
1.1	1.1	28	7	40+OCCAS: (7)
	2.4	60	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 284-285

V5134

075B13B:#X SED/BARB/12MO

Item Number: 01052

Question Number(s): 5B13B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	90.8	2,292	1	0 OCCAS: (1)
3.0	2.9	74	2	1-2X: (2)
1.5	1.5	37	3	3-5X: (3)
0.9	0.9	22	4	6-9X: (4)
0.8	0.8	20	5	10-19X: (5)
0.5	0.5	12	6	20-39X: (6)
0.3	0.3	6	7	40+OCCAS: (7)
	2.4	61	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 286-287

V5135

075B13C:#X SED/BARB/30DA

Item Number: 01062

Question Number(s): 5B13C

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	94.6	2,387	1	0 OCCAS: (1)
2.0	1.9	49	2	1-2X: (2)
0.8	0.8	20	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.4	61	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 288-289

V5136

075B14A:#X TRQL/LIFETIME

Item Number: 01070

Question Number(s): 5B14A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	88.6	2,236	1	0 OCCAS: (1)
3.6	3.5	89	2	1-2X: (2)
1.4	1.3	33	3	3-5X: (3)
1.4	1.4	35	4	6-9X: (4)
1.3	1.3	33	5	10-19X: (5)
0.8	0.7	19	6	20-39X: (6)
0.9	0.9	22	7	40+OCCAS: (7)
	2.3	58	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 290-291

V5137

075B14B:#X TRQL/LAST12MO

Item Number: 01080

Question Number(s): 5B14B

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	92.0	2,322	1	0 OCCAS:(1)
2.4	2.3	58	2	1-2X:(2)
1.1	1.0	26	3	3-5X:(3)
1.0	0.9	24	4	6-9X:(4)
0.7	0.7	17	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	2.3	58	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 292-293

V5138

075B14C:#X TRQL/LAST30DA

Item Number: 01090

Question Number(s): 5B14C

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	94.9	2,397	1	0 OCCAS:(1)
1.7	1.7	43	2	1-2X:(2)
0.8	0.8	20	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	2.3	59	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 294-295

V5489

075B15A:#X H LIF USE NDL

Item Number: 29630

Question Number(s): 5B15A

On how many occasions (if any) have you taken heroin using
a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	96.7	2,442	1	0 OCCAS: (1)
0.4	0.4	9	2	1-2X: (2)
0.2	0.2	4	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.1	0.1	1	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 296-297

V5490

075B15B:#X H 12M USE NDL

Item Number: 29640

Question Number(s): 5B15B

On how many occasions (if any) have you taken heroin using
a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	97.2	2,454	1	0 OCCAS: (1)
0.1	0.1	3	2	1-2X: (2)
0.1	0.1	3	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.1	0.1	1	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 298-299

V5491

075B15C:#X H 30D USE NDL

Item Number: 29650

Question Number(s): 5B15C

On how many occasions (if any) have you taken heroin using
a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	97.4	2,459	1	0 OCCAS: (1)
0.0	0.0	0	2	1-2X: (2)
0.0	0.0	1	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.1	0.1	1	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 300-301

V5492

075B16A:#X H LIF W/O NDL

Item Number: 29660

Question Number(s): 5B16A

On how many occasions (if any) have you taken heroin WITHOUT
using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	96.0	2,424	1	0 OCCAS: (1)
0.9	0.9	23	2	1-2X: (2)
0.4	0.4	10	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.5	63	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 302-303

V5493

075B16B:#X H 12M W/O NDL

Item Number: 29670

Question Number(s): 5B16B

On how many occasions (if any) have you taken heroin WITHOUT
using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	96.7	2,440	1	0 OCCAS: (1)
0.6	0.6	16	2	1-2X: (2)
0.1	0.1	3	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.4	61	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 304-305

V5494

075B16C:#X H 30D W/O NDL

Item Number: 29680

Question Number(s): 5B16C

On how many occasions (if any) have you taken heroin WITHOUT
using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	97.2	2,454	1	0 OCCAS: (1)
0.3	0.3	7	2	1-2X: (2)
0.0	0.0	1	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.0	0.0	1	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	2.4	62	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 306-307

V5139	075R* :#X "H"/LIFETIME
-------	------------------------

Item Number: 01100

Question Number(s): 5B16X

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . In your lifetime?" (item 29630) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . In your lifetime?" (item 29660).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	96.0	2,424	1	0 OCCAS: (1)
1.2	1.2	29	2	1-2X: (2)
0.3	0.3	7	3	3-5X: (3)
0.2	0.2	4	4	6-9X: (4)
0.2	0.2	6	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.1	0.1	3	7	40+OCCAS: (7)
	2.0	50	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 308-309

V5140	075R* :#X "H"/LAST12MO
-------	------------------------

Item Number: 01110

Question Number(s): 5B16Y

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 12 months?" (item 29640) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 12 months?" (item 29670).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	97.0	2,448	1	0 OCCAS: (1)
0.5	0.5	13	2	1-2X: (2)
0.3	0.3	7	3	3-5X: (3)
0.1	0.1	3	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.0	50	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 310-311

V5141	075R* :#X "H"/LAST30DAY
-------	-------------------------

Item Number: 01120

Question Number(s): 5B16Z

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 30 days?" (item 29650) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 30 days?" (item 29680).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	97.6	2,465	1	0 OCCAS: (1)
0.3	0.3	7	2	1-2X: (2)
0.0	0.0	0	3	3-5X: (3)
0.1	0.1	1	4	6-9X: (4)
0.0	0.0	1	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	2.0	50	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 312-313

V5142

075B17A:#X NARC/LIFETIME

Item Number: 01130

Question Number(s): 5B17A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	84.1	2,123	1	0 OCCAS: (1)
4.6	4.5	114	2	1-2X: (2)
2.4	2.3	59	3	3-5X: (3)
1.7	1.7	42	4	6-9X: (4)
1.9	1.9	47	5	10-19X: (5)
1.4	1.4	35	6	20-39X: (6)
1.5	1.5	38	7	40+OCCAS: (7)
	2.6	65	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 314-315

V5143

075B17B:#X NARC/LAST12MO

Item Number: 01140

Question Number(s): 5B17B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	88.3	2,229	1	0 OCCAS: (1)
3.2	3.1	78	2	1-2X: (2)
2.2	2.1	54	3	3-5X: (3)
1.3	1.3	33	4	6-9X: (4)
1.3	1.2	31	5	10-19X: (5)
0.7	0.7	17	6	20-39X: (6)
0.7	0.7	18	7	40+OCCAS: (7)
	2.6	66	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 316-317

V5144

075B17C:#X NARC/LAST30DA

Item Number: 01150

Question Number(s): 5B17C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	93.4	2,358	1	0 OCCAS:(1)
1.9	1.8	46	2	1-2X:(2)
0.9	0.9	23	3	3-5X:(3)
0.8	0.8	20	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.7	67	-9	MISSING:(-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 318-319

V5145**075B18A:#X INHL/LIFETIME**

Item Number: 01160

Question Number(s): 5B18A

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	87.7	2,213	1	0 OCCAS: (1)
6.0	5.9	148	2	1-2X: (2)
2.0	2.0	50	3	3-5X: (3)
0.9	0.8	21	4	6-9X: (4)
0.5	0.5	12	5	10-19X: (5)
0.2	0.2	6	6	20-39X: (6)
0.2	0.2	6	7	40+OCCAS: (7)
	2.7	69	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 320-321

V5146

075B18B:#X INHL/LAST12MO

Item Number: 01170

Question Number(s): 5B18B

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	94.4	2,384	1	0 OCCAS:(1)
1.8	1.8	44	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.7	69	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 322-323

V5147

075B18C:#X INHL/LAST30DA

Item Number: 01180

Question Number(s): 5B18C

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	96.3	2,432	1	0 OCCAS:(1)
0.6	0.6	16	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	2.7	68	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 324-325

V5148**075C01 (R) :AGE <>18 DICHOTOMY**

Item Number:

Question Number(s): 5C01-2

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	42.2	1,065	1	< 18: (1)
56.8	55.4	1,398	2	18+: (2)
	2.5	62	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 326-327

V5150**075C03 :R'S SEX**

Item Number: 00030

Question Number(s): 5C03

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	46.6	1,177	1	MALE: (1)
51.6	49.7	1,254	2	FEMALE: (2)
	3.7	93	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 328-329

V5151

075C04 (R) : R'S RACEB/W/H

Item Number:

Question Number(s): 5C04A-I

How do you describe yourself? (Select one or more responses.)
 Black or African American; Mexican American or Chicano; Cuban
 American; Puerto Rican; Other Hispanic or Latino; Asian
 American; White (Caucasian); American Indian or Alaska Native;
 Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"
 = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
 "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All
 other responses, including those of respondents who fell
 into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
 3="Hispanic" [see above]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	11.0	278	1	BLACK: (1)
71.9	61.8	1,560	2	WHITE: (2)
15.3	13.2	333	3	HISPANIC: (3)
	14.0	354	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 330-331

V5152

075C05 :R SPD >TIM R-URB

Item Number: 00050

Question Number(s): 5C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	11.4	288	0	DK/MIXED: (0)
5.2	5.2	130	1	FARM: (1)
11.2	11.2	282	2	COUNTRY: (2)
26.7	26.7	674	3	SML TOWN: (3)
11.4	11.4	287	4	MED CITY: (4)
8.5	8.5	215	5	SUBURB 4: (5)
9.4	9.4	238	6	LRG CITY: (6)
6.6	6.6	168	7	SUBURB 6: (7)
6.0	6.0	151	8	VRYLG CY: (8)
3.7	3.7	93	9	SUBURB 8: (9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 332-333

V5153**075C06 :R NOT MARRIED**

Item Number: 00060

Question Number(s): 5C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	84	1	MARRIED: (1)
5.3	5.1	130	2	ENGAGED: (2)
1.9	1.8	46	3	SEP/DIV: (3)
89.4	86.8	2,191	4	SINGLE: (4)
	2.9	74	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 334-335

V49**07C07R:# SIBLINGS**

Item Number:

Question Number(s): 5C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.4	161	0	
26.6	25.9	654	1	
27.8	27.0	683	2	
39.1	38.0	959	3	3 OR MORE: (3)
	2.7	69	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 336-337

V5155

075C07Cb(R) : R'S HSHLD FATHER

Item Number: 00090

Question Number(s): 5C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	26.5	669	0	NT MARKD: (0)
72.7	70.5	1,781	1	MARKED: (1)
	3.0	75	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 338-339

V5156**075C07Cc(R) :R'S HSHLD MOTHER**

Item Number: 00100

Question Number(s): 5C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.3	285	0	NT MARKD: (0)
88.4	85.8	2,165	1	MARKED: (1)
	3.0	75	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 340-341

V5157

075C07Cd(R) :R'S HSHLD BR/SR

Item Number: 00110

Question Number(s): 5C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	32.7	826	0	NT MARKD: (0)
66.3	64.3	1,624	1	MARKED: (1)
	3.0	75	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 342-343

V5163

075C08 :FATHR EDUC LEVEL

Item Number: 00310

Question Number(s): 5C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	81	1	GRDE SCH:(1)
8.8	8.5	215	2	SOME HS:(2)
27.0	26.1	658	3	HS GRAD:(3)
17.9	17.3	437	4	SOME CLG:(4)
22.1	21.4	540	5	CLG GRAD:(5)
13.2	12.8	323	6	GRAD SCH:(6)
7.8	7.5	190	7	DK:(7)
	3.2	82	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 344-345

V5164**075C09 :MOTHR EDUC LEVEL**

Item Number: 00320

Question Number(s): 5C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed
 college" 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	64	1	GRDE SCH:(1)
6.5	6.3	160	2	SOME HS:(2)
25.4	24.6	620	3	HS GRAD:(3)
23.5	22.7	573	4	SOME CLG:(4)
27.0	26.1	660	5	CLG GRAD:(5)
10.8	10.4	264	6	GRAD SCH:(6)
4.1	4.0	101	7	DK:(7)
	3.3	84	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 346-347

V5165

075C10 :MOTH PD JB R YNG

Item Number: 00330

Question Number(s): 5C10

Did your mother have a paid job (half-time or more) during
the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,
most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.3	310	1	NO: (1)
18.7	18.0	455	2	SOMETIME: (2)
17.7	17.0	429	3	MOSTTIME: (3)
50.9	48.9	1,236	4	ALL TIME: (4)
	3.8	96	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 348-349

V5166

075C11 :R'S POLITL PRFNC

Item Number: 00340

Question Number(s): 5C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	9.8	247	1	STRG GOP: (1)
14.8	13.7	346	2	MILD GOP: (2)
12.1	11.2	283	3	MILD DEM: (3)
11.2	10.3	261	4	STRG DEM: (4)
10.2	9.4	238	5	INDEPNDT: (5)
13.5	12.5	315	6	NO PREF: (6)
1.9	1.8	45	7	OTHER: (7)
25.7	23.8	601	8	DK: (8)
	7.5	189	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 350-351

V5167

075C12 :R'POL BLF RADCL

Item Number: 00350

Question Number(s): 5C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of
 the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.8	97	1	VRV CONS:(1)
14.8	14.2	358	2	CONSERV:(2)
27.5	26.4	666	3	MODERATE:(3)
14.0	13.4	339	4	LIBERAL:(4)
5.3	5.1	128	5	VRV LIB:(5)
1.8	1.8	44	6	RADICAL:(6)
32.4	31.0	783	8	NONE/DK:(8)
	4.3	108	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 352-353

V5169

075C13B:R'ATTND REL SVC

Item Number: 00370

Question Number(s): 5C13B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	14.4	362	1	NEVER: (1)
33.8	25.6	647	2	RARELY: (2)
17.6	13.4	337	3	1-2X/MO: (3)
29.6	22.4	565	4	1/WK OR+: (4)
	24.3	613	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 354-355

V5170

075C13C:RLGN IMP R'S LF

Item Number: 00380

Question Number(s): 5C13C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	14.0	354	1	NOT IMPT:(1)
25.1	19.0	480	2	LITL IMP:(2)
27.7	21.0	530	3	PRTY IMP:(3)
28.7	21.7	549	4	VERY IMP:(4)
	24.2	611	-9	MISSING:(-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 356-357

V5171

075C14 :WHEN R XPCT GRAD

Item Number: 00390

Question Number(s): 5C14

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	94.1	2,377	1	BY JUNE:(1)
1.2	1.2	30	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.4	0.4	10	6	WONT:(6)
	4.3	109	-9	MISSING:(-9)

100.0	100.0	2,525	cases	(Wtd)
-------	-------	-------	-------	-------

Data type: numeric

Missing-data code: -9

Columns: 358-359

V5172

075C15 :R'S HS PROGRAM

Item Number: 00400

Question Number(s): 5C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	48.2	1,217	1	CLG PREP: (1)
34.1	32.4	818	2	GENERAL: (2)
6.3	6.0	151	3	VOC-TECH: (3)
9.0	8.5	215	4	OTH/DK: (4)
	4.9	124	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 360-361

V5173

075C16 :RT SF SCH AB>AVG

Item Number: 00410

Question Number(s): 5C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	25	1	FAR BLOW: (1)
1.3	1.3	32	2	BELOW AV: (2)
4.2	4.0	100	3	SL BELOW: (3)
33.6	32.0	807	4	AVERAGE: (4)
24.1	22.9	578	5	SL ABOVE: (5)
29.2	27.8	701	6	ABOVE AV: (6)
6.5	6.2	156	7	FAR ABOV: (7)
	5.0	125	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 362-363

V5174

075C17 :RT SF INTELL>AVG

Item Number: 00420

Question Number(s): 5C17

How intelligent do you think you are compared with others
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	21	1	FAR BLOW: (1)
1.2	1.1	28	2	BELOW AV: (2)
3.5	3.3	84	3	SL BELOW: (3)
30.6	29.1	734	4	AVERAGE: (4)
24.7	23.5	592	5	SL ABOVE: (5)
30.8	29.2	737	6	ABOVE AV: (6)
8.3	7.9	200	7	FAR ABOV: (7)
	5.1	129	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 364-365

V5175

075C18A:#DA/4W SC MS ILL

Item Number: 00430

Question Number(s): 5C18A

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	54.0	1,363	1	NONE: (1)
18.7	17.5	441	2	1 DAY: (2)
9.9	9.3	234	3	2 DAYS: (3)
6.9	6.4	162	4	3 DAYS: (4)
3.8	3.6	90	5	4-5 DAYS: (5)
1.6	1.5	38	6	6-10 DA: (6)
1.3	1.2	30	7	11+ DAYS: (7)
	6.6	166	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 366-367

V5176

075C18B:#DA/4W SC MS CUT

Item Number: 00440

Question Number(s): 5C18B

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	63.6	1,605	1	NONE: (1)
12.9	11.9	300	2	1 DAY: (2)
6.3	5.8	146	3	2 DAYS: (3)
4.9	4.5	115	4	3 DAYS: (4)
3.6	3.3	84	5	4-5 DAYS: (5)
2.3	2.1	53	6	6-10 DA: (6)
1.1	1.1	27	7	11+ DAYS: (7)
	7.7	195	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 368-369

V5177

075C18C:#DA/4W SC MS OTH

Item Number: 00450

Question Number(s): 5C18C

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	51.3	1,295	1	NONE: (1)
19.7	18.3	461	2	1 DAY: (2)
10.5	9.7	245	3	2 DAYS: (3)
6.8	6.3	160	4	3 DAYS: (4)
4.9	4.6	116	5	4-5 DAYS: (5)
1.2	1.1	27	6	6-10 DA: (6)
1.5	1.4	35	7	11+ DAYS: (7)
	7.4	186	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 370-371

V5178

075C19 :#DA/4W SKP CLASS

Item Number: 00460

Question Number(s): 5C19

During the LAST FOUR WEEKS, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	62.0	1,564	1	NONE:(1)
20.4	19.5	491	2	1-2:(2)
8.8	8.4	211	3	3-5:(3)
3.4	3.2	81	4	6-10:(4)
1.6	1.5	38	5	11-20:(5)
0.9	0.9	22	6	21+:(6)
	4.6	116	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 372-373

V5179	075C20 :R HS GRADE/D=1
-------	------------------------

Item Number: 00470

Question Number(s): 5C20

Which of the following best describes your average grade
so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	22	1	D: (1)
2.4	2.2	57	2	C-: (2)
5.5	5.2	132	3	C: (3)
9.4	8.9	225	4	C+: (4)
11.2	10.6	269	5	B-: (5)
17.0	16.2	408	6	B: (6)
18.8	17.9	451	7	B+: (7)
16.6	15.8	398	8	A-: (8)
18.2	17.3	437	9	A: (9)
	5.0	126	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 374-375

V5180

075C21A:R WL DO VOC/TEC

Item Number: 00480

Question Number(s): 5C21A

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	49.4	1,247	1	DEF WONT: (1)
25.6	23.5	594	2	PRB WONT: (2)
12.6	11.6	292	3	PRB WILL: (3)
8.1	7.4	188	4	DEF WILL: (4)
	8.1	204	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 376-377

V5181

075C21B:R WL DO ARMD FC

Item Number: 00490

Question Number(s): 5C21B

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	62.8	1,586	1	DEF WONT: (1)
18.9	16.7	423	2	PRB WONT: (2)
5.5	4.9	123	3	PRB WILL: (3)
4.4	3.9	99	4	DEF WILL: (4)
	11.6	294	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 378-379

V5182

075C21C:R WL DO 2YR CLG

Item Number: 00500

Question Number(s): 5C21C

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	33.4	844	1	DEF WONT: (1)
19.4	17.7	447	2	PRB WONT: (2)
23.0	20.9	529	3	PRB WILL: (3)
20.8	19.0	479	4	DEF WILL: (4)
	9.0	226	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 380-381

V5183

075C21D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 5C21D

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.2	157	1	DEF WONT: (1)
9.5	8.8	223	2	PRB WONT: (2)
22.9	21.3	538	3	PRB WILL: (3)
61.0	56.8	1,434	4	DEF WILL: (4)
	6.8	172	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 382-383

V5184

075C21E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 5C21E

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	14.5	365	1	DEF WONT: (1)
27.2	25.1	634	2	PRB WONT: (2)
33.7	31.1	785	3	PRB WILL: (3)
23.3	21.5	543	4	DEF WILL: (4)
	7.9	199	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 384-385

V5185

075C22A:R WNTDO VOC/TEC

Item Number: 00530

Question Number(s): 5C22A

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	79.0	1,995	0	NT MARKD: (0)
15.3	14.3	361	1	MARKED: (1)
	6.7	169	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 386-387

V5186

075C22B:R WNTDO ARMD FC

Item Number: 00540

Question Number(s): 5C22B

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	83.3	2,103	0	NT MARKD: (0)
10.7	10.0	253	1	MARKED: (1)
	6.7	169	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 388-389

V5187

075C22C:R WNTDO 2YR CLG

Item Number: 00550

Question Number(s): 5C22C

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	67.4	1,703	0	NT MARKD: (0)
27.7	25.9	653	1	MARKED: (1)
	6.7	169	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 390-391

V5188

075C22D:R WNTDO 4YR CLG

Item Number: 00560

Question Number(s): 5C22D

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	16.7	420	0	NT MARKD: (0)
82.2	76.7	1,936	1	MARKED: (1)
	6.7	169	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 392-393

V5189

075C22E:R WNTDO GRD/PRF

Item Number: 00570

Question Number(s): 5C22E

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.8	40.9	1,033	0	NT MARKD: (0)
56.2	52.4	1,323	1	MARKED: (1)
	6.7	169	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 394-395

V5190

075C22F:R WNTDO NONE

Item Number: 00580

Question Number(s): 5C22F

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	89.3	2,255	0	NT MARKD: (0)
4.3	4.0	101	1	MARKED: (1)
	6.7	169	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 396-397

V5191

075C23 :HRS/W WRK SCHYR

Item Number: 00590

Question Number(s): 5C23

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	26.3	664	1	NONE: (1)
9.3	8.8	221	2	5 OR <: (2)
10.4	9.7	246	3	6-10 HRS: (3)
10.6	9.9	250	4	11-15 HR: (4)
15.3	14.3	362	5	16-20 HR: (5)
10.5	9.8	247	6	21-25 HR: (6)
8.3	7.8	197	7	26-30 HR: (7)
7.6	7.1	179	8	30+ HRS: (8)
	6.3	159	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 398-399

V5192

075C24A:R\$/AVG WEEK JOB

Item Number: 00600

Question Number(s): 5C24A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	28.9	730	1	NONE: (1)
0.4	0.4	9	2	\$1-5: (2)
3.6	3.3	84	3	\$6-10: (3)
2.7	2.4	62	4	\$11-20: (4)
3.7	3.4	86	5	\$21-35: (5)
5.5	5.1	128	6	\$36-50: (6)
9.6	8.9	225	7	\$51-75: (7)
18.7	17.3	436	8	\$76-125: (8)
24.5	22.6	570	9	\$126+: (9)
	7.8	196	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 400-401

V5193

075C24B:R\$/AVG WEEK OTH

Item Number: 00610

Question Number(s): 5C24B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	37.7	951	1	NONE: (1)
5.1	4.6	115	2	\$1-5: (2)
8.0	7.2	181	3	\$6-10: (3)
17.0	15.2	385	4	\$11-20: (4)
10.8	9.7	245	5	\$21-35: (5)
7.1	6.4	161	6	\$36-50: (6)
2.6	2.3	58	7	\$51-75: (7)
2.4	2.1	54	8	\$76-125: (8)
4.9	4.4	112	9	\$126+: (9)
	10.4	263	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 402-403

V5194

075C25 :#X/AV WK GO OUT

Item Number: 00620

Question Number(s): 5C25

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"
6="Six or seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.4	262	1	< 1: (1)
13.6	12.7	320	2	ONE: (2)
26.4	24.7	623	3	TWO: (3)
23.7	22.1	558	4	THREE: (4)
17.5	16.4	413	5	4-5: (5)
7.6	7.1	180	6	6-7: (6)
	6.7	169	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 404-405

V5195

075C26 :#X DATE 3+/WK

Item Number: 00630

Question Number(s): 5C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	26.0	657	1	NEVER: (1)
16.6	15.3	387	2	1/MO OR<: (2)
14.1	13.1	330	3	2-3/MO: (3)
15.9	14.7	371	4	1/WK: (4)
16.4	15.2	384	5	2-3/WK: (5)
8.9	8.2	207	6	3+/WK: (6)
	7.5	189	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 406-407

V5196

075C27 :DRIVE>200 MI/WK

Item Number: 00640

Question Number(s): 5C27

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	18.7	472	1	NONE: (1)
8.7	8.2	206	2	1-10 MI: (2)
24.8	23.3	587	3	11-50: (3)
21.6	20.2	510	4	51-100: (4)
15.6	14.6	370	5	101-200: (5)
9.2	8.7	219	6	> 200: (6)
	6.4	161	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 408-409

V5197

075C28 :#X/12MO R TCKTD

Item Number: 00650

Question Number(s): 5C28

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	68.2	1,723	0	NONE:(0)
16.1	15.0	378	1	ONE:(1)
6.5	6.1	153	2	TWO:(2)
2.4	2.2	56	3	THREE:(3)
1.4	1.3	34	4	4+: (4)
	7.1	180	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 410-411

V5198

075C29AR:#TCKTS AFT DRNK

Item Number: 00660

Question Number(s): 5C29A

How many of these tickets or warnings occurred after you
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	22.4	566	0	None: (0)
5.3	1.3	33	1	One: (1)
1.3	0.3	8	2	Two: (2)
0.7	0.2	5	3	3-4 or +: (3-4)
	75.8	1,914	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 412-413

V5199

075C29BR:#TCKTS AFT MARJ

Item Number: 00670

Question Number(s): 5C29B

How many of these tickets or warnings occurred after you
were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	23.0	580	0	None: (0)
3.2	0.8	20	1	One: (1)
1.0	0.2	6	2	Two: (2)
0.4	0.1	2	3	3-4 or +: (3-4)
	75.9	1,917	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 414-415

V5200

075C29CR:#TCKTS AFT OTDG

Item Number: 00680

Question Number(s): 5C29C

How many of these tickets or warnings occurred after you
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	23.6	595	0	None:(0)
1.7	0.4	10	1	One:(1)
0.7	0.2	4	2	Two:(2)
0.4	0.1	2	3	3-4 or +:(3-4)
	75.8	1,913	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 416-417

V5201	075C30 :#ACCIDNTS/12 MO
-------	-------------------------

Item Number: 00690

Question Number(s): 5C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	71.8	1,812	0	NONE:(0)
15.9	14.5	365	1	ONE:(1)
3.9	3.6	90	2	TWO:(2)
1.0	0.9	24	3	THREE:(3)
0.4	0.3	8	4	4+: (4)
	8.9	224	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 418-419

V5202

075C31AR:#ACDTS AFT DRNK

Item Number: 00700

Question Number(s): 5C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	18.4	465	0	None: (0)
2.8	0.5	13	1	One: (1)
0.4	0.1	2	2	Two: (2)
0.6	0.1	3	3	3-4 or +: (3-4)
	80.8	2,041	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 420-421

V5203

075C31BR:#ACDTS AFT MARJ

Item Number: 00710

Question Number(s): 5C31B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	18.6	469	0	None: (0)
2.1	0.4	10	1	One: (1)
0.0	0.0	0	2	Two: (2)
0.5	0.1	2	3	3-4 or +: (3-4)
	80.9	2,043	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 422-423

V5204**075C31CR:#ACDTS AFT OTDG**

Item Number: 00720

Question Number(s): 5C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	18.9	477	0	None: (0)
0.2	0.0	1	1	One: (1)
0.4	0.1	2	2	Two: (2)
0.5	0.1	2	3	3-4 or +: (3-4)
	80.9	2,043	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 424-425

V5205

075C32 :R'S BRANCH SERV

Item Number: 00730

Question Number(s): 5C32

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	2.2	56	1	ARMY: (1)
15.2	1.5	39	2	NAVY: (2)
23.3	2.4	60	3	MARINES: (3)
18.7	1.9	48	4	AIRFORCE: (4)
7.3	0.7	19	5	COAST GD: (5)
13.8	1.4	35	6	UNCERTN: (6)
	89.8	2,267	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 426-427

V5206	075C33 :R XPCTS B OFFCR
--------------	--------------------------------

Item Number: 00740

Question Number(s): 5C33

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	2.1	52	1	NO: (1)
38.7	4.1	103	2	UNCERTN: (2)
41.7	4.4	111	3	YES: (3)
	89.5	2,259	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 428-429

V5207	075C34 :R XPCTS MLTR CR
--------------	--------------------------------

Item Number: 00750

Question Number(s): 5C34

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	2.1	53	1	NO: (1)
41.1	4.3	108	2	UNCERTN: (2)
38.7	4.0	102	3	YES: (3)
	89.6	2,262	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 430-431

V5303**075D01A:POS ATT TWD SELF**

Item Number: 12550

Question Number(s): 5D01A

This section asks for your views and feelings about a number of different things. Do you agree or disagree with each of the following?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	46	1	DISAGREE: (1)
6.8	6.3	160	2	MOST DIS: (2)
8.4	7.9	198	3	NEITHER: (3)
43.8	40.8	1,031	4	MOST AGR: (4)
39.0	36.3	916	5	AGREE: (5)
	6.9	173	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 432-433

V5304

075D01B:LUCK>IMP HRD WRK

Item Number: 12560

Question Number(s): 5D01B

Do you agree or disagree with each of the following?

B: Good luck is more important than hard work for success

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	33.1	837	1	DISAGREE: (1)
35.5	33.1	834	2	MOST DIS: (2)
19.4	18.0	455	3	NEITHER: (3)
5.8	5.4	136	4	MOST AGR: (4)
3.7	3.4	86	5	AGREE: (5)
	7.0	177	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 434-435

V5305

075D01C:AM PRSN OF WORTH

Item Number: 12570

Question Number(s): 5D01C

Do you agree or disagree with each of the following?

C: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	39	1	DISAGREE: (1)
4.6	4.3	108	2	MOST DIS: (2)
12.0	11.1	281	3	NEITHER: (3)
38.4	35.7	901	4	MOST AGR: (4)
43.4	40.3	1,018	5	AGREE: (5)
	7.0	178	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 436-437

V5306

075D01D:DO WELL AS OTHRS

Item Number: 12580

Question Number(s): 5D01D

Do you agree or disagree with each of the following?

D: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	25	1	DISAGREE: (1)
2.5	2.3	58	2	MOST DIS: (2)
7.4	6.9	175	3	NEITHER: (3)
40.2	37.4	944	4	MOST AGR: (4)
48.8	45.3	1,143	5	AGREE: (5)
	7.1	180	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 438-439

V5307

075D01E:TRY GT AHD,STOPD

Item Number: 12590

Question Number(s): 5D01E

Do you agree or disagree with each of the following?

E: Every time I try to get ahead, something or somebody stops me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	16.3	411	1	DISAGREE: (1)
32.4	30.1	759	2	MOST DIS: (2)
28.1	26.1	659	3	NEITHER: (3)
15.3	14.2	360	4	MOST AGR: (4)
6.6	6.2	156	5	AGREE: (5)
	7.1	179	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 440-441

V5308

075D01F:PLNNG MKS UNHPPY

Item Number: 12600

Question Number(s): 5D01F

Do you agree or disagree with each of the following?

F: Planning only makes a person unhappy since plans hardly
ever work out anyway

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	26.4	666	1	DISAGREE: (1)
31.8	29.5	744	2	MOST DIS: (2)
20.6	19.1	482	3	NEITHER: (3)
13.1	12.1	306	4	MOST AGR: (4)
6.1	5.7	143	5	AGREE: (5)
	7.2	182	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 442-443

V5309

075D01G:ACPT LIFE->HAPPR

Item Number: 12610

Question Number(s): 5D01G

Do you agree or disagree with each of the following?

G: People who accept their condition in life are happier
than those who try to change things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	16.6	418	1	DISAGREE: (1)
20.5	18.9	478	2	MOST DIS: (2)
25.9	24.0	605	3	NEITHER: (3)
20.5	19.0	479	4	MOST AGR: (4)
15.2	14.0	354	5	AGREE: (5)
	7.5	190	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 444-445

V5310

075D01H:SATISFD W MYSELF

Item Number: 12620

Question Number(s): 5D01H

Do you agree or disagree with each of the following?

H: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.0	75	1	DISAGREE: (1)
7.3	6.7	170	2	MOST DIS: (2)
11.3	10.4	264	3	NEITHER: (3)
37.1	34.3	866	4	MOST AGR: (4)
41.2	38.1	962	5	AGREE: (5)
	7.4	187	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 446-447

V5311

075D01I:PPL LK ME -CHANC

Item Number: 12630

Question Number(s): 5D01I

Do you agree or disagree with each of the following?

I: People like me don't have much of a chance to be successful
in life1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	54.9	1,387	1	DISAGREE: (1)
22.5	20.8	524	2	MOST DIS: (2)
11.5	10.6	267	3	NEITHER: (3)
3.7	3.4	86	4	MOST AGR: (4)
2.9	2.6	67	5	AGREE: (5)
	7.7	194	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 448-449

V5312

075D01J:MY PLANS DO WORK

Item Number: 12640

Question Number(s): 5D01J

Do you agree or disagree with each of the following?

J: When I make plans, I am almost certain that I can make them work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.1	54	1	DISAGREE: (1)
6.1	5.7	143	2	MOST DIS: (2)
17.1	15.8	398	3	NEITHER: (3)
46.6	43.1	1,088	4	MOST AGR: (4)
27.9	25.8	651	5	AGREE: (5)
	7.6	191	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 450-451

V5313**075D01K:OFTN FEEL LONELY**

Item Number: 12650

Question Number(s): 5D01K

Do you agree or disagree with each of the following?

K: A lot of times I feel lonely

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	27.0	683	1	DISAGREE: (1)
29.3	26.9	679	2	MOST DIS: (2)
18.8	17.3	436	3	NEITHER: (3)
15.3	14.0	355	4	MOST AGR: (4)
7.0	6.4	162	5	AGREE: (5)
	8.3	211	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 452-453

V5314

075D01L:-MUCH TO B PROUD

Item Number: 12660

Question Number(s): 5D01L

Do you agree or disagree with each of the following?

L: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	41.4	1,045	1	DISAGREE: (1)
29.4	26.8	678	2	MOST DIS: (2)
12.6	11.5	290	3	NEITHER: (3)
9.7	8.9	224	4	MOST AGR: (4)
3.0	2.7	69	5	AGREE: (5)
	8.7	219	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 454-455

V5315

075D01M:ALWYS SM1 HELP R

Item Number: 12670

Question Number(s): 5D01M

Do you agree or disagree with each of the following?

M: There is always someone I can turn to if I need help

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.7	69	1	DISAGREE: (1)
4.0	3.6	91	2	MOST DIS: (2)
8.7	7.9	199	3	NEITHER: (3)
29.2	26.6	672	4	MOST AGR: (4)
55.2	50.2	1,267	5	AGREE: (5)
	9.0	227	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 456-457

V5316**075D01N:I AM NO GOOD**

Item Number: 12680

Question Number(s): 5D01N

Do you agree or disagree with each of the following?

N: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	38.2	964	1	DISAGREE: (1)
23.1	21.1	532	2	MOST DIS: (2)
15.2	13.9	350	3	NEITHER: (3)
13.1	11.9	301	4	MOST AGR: (4)
6.7	6.1	153	5	AGREE: (5)
	8.9	225	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 458-459

V5317

075D010:OFTN FL LEFT OUT

Item Number: 12690

Question Number(s): 5D010

Do you agree or disagree with each of the following?

0: I often feel left out of things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	26.4	666	1	DISAGREE: (1)
26.3	23.9	604	2	MOST DIS: (2)
20.2	18.3	463	3	NEITHER: (3)
16.5	15.0	379	4	MOST AGR: (4)
8.1	7.3	185	5	AGREE: (5)
	9.1	229	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 460-461

V5318

075D01P:PPL MASTER FATE

Item Number: 12700

Question Number(s): 5D01P

Do you agree or disagree with each of the following?

P: I believe a person is master of his/her own fate

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.9	98	1	DISAGREE: (1)
6.0	5.4	138	2	MOST DIS: (2)
18.1	16.4	414	3	NEITHER: (3)
33.3	30.2	763	4	MOST AGR: (4)
38.4	34.9	881	5	AGREE: (5)
	9.1	230	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 462-463

V5319

075D01Q:USLY SM1 TALK TO

Item Number: 12710

Question Number(s): 5D01Q

Do you agree or disagree with each of the following?

Q: There is usually someone I can talk to if I need to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.4	61	1	DISAGREE: (1)
2.9	2.6	66	2	MOST DIS: (2)
7.9	7.2	182	3	NEITHER: (3)
27.6	25.1	633	4	MOST AGR: (4)
58.8	53.4	1,347	5	AGREE: (5)
	9.3	234	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 464-465

V5320

075D01R:I DO WRONG THING

Item Number: 12720

Question Number(s): 5D01R

Do you agree or disagree with each of the following?

R: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	40.9	1,032	1	DISAGREE: (1)
27.8	25.2	636	2	MOST DIS: (2)
15.7	14.2	359	3	NEITHER: (3)
7.6	6.9	174	4	MOST AGR: (4)
4.0	3.6	91	5	AGREE: (5)
	9.3	234	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 466-467

V5321

075D01S:OFT WSH MOR FRND

Item Number: 12730

Question Number(s): 5D01S

Do you agree or disagree with each of the following?

S: I often wish I had more good friends

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	23.1	582	1	DISAGREE: (1)
18.1	16.4	414	2	MOST DIS: (2)
17.4	15.8	398	3	NEITHER: (3)
23.7	21.5	544	4	MOST AGR: (4)
15.5	14.1	355	5	AGREE: (5)
	9.1	231	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 468-469

V5322

075D01T:PLANS->BTR RSLTS

Item Number: 12740

Question Number(s): 5D01T

Do you agree or disagree with each of the following?

T: Planning ahead makes things turn out better

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.5	64	1	DISAGREE: (1)
6.4	5.8	147	2	MOST DIS: (2)
23.4	21.2	536	3	NEITHER: (3)
39.8	36.0	910	4	MOST AGR: (4)
27.6	25.0	632	5	AGREE: (5)
	9.4	236	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 470-471

V5323

075D01U:MY LIFE NT USEFL

Item Number: 12750

Question Number(s): 5D01U

Do you agree or disagree with each of the following?

U: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	46.0	1,161	1	DISAGREE: (1)
24.9	22.5	569	2	MOST DIS: (2)
15.1	13.7	345	3	NEITHER: (3)
6.1	5.5	140	4	MOST AGR: (4)
3.0	2.7	69	5	AGREE: (5)
	9.5	241	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 472-473

V5324**075D01V:USLY FRDS BE WTH**

Item Number: 12760

Question Number(s): 5D01V

Do you agree or disagree with each of the following?

V: I usually have a few friends around that I can get together with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.1	128	1	DISAGREE: (1)
5.4	4.8	122	2	MOST DIS: (2)
10.2	9.2	232	3	NEITHER: (3)
37.2	33.7	851	4	MOST AGR: (4)
41.6	37.7	951	5	AGREE: (5)
	9.5	240	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 474-475

V5414**075D01W:EAGR TO LEAV HOM**

Item Number: 13950

Question Number(s): 5D01W

Do you agree or disagree with each of the following?

W: I am eager to leave home and live on my own--independent
from my parents

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.7	144	1	DISAGREE: (1)
8.4	7.6	192	2	MOST DIS: (2)
22.1	19.9	503	3	NEITHER: (3)
28.7	25.9	655	4	MOST AGR: (4)
34.5	31.2	787	5	AGREE: (5)
	9.6	244	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 476-477

V5415

075D01X:HEST PRT ADLT WL

Item Number: 13960

Question Number(s): 5D01X

Do you agree or disagree with each of the following?

X: I feel hesitant about taking a full-time job and becoming part of the "adult" world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	23.1	583	1	DISAGREE: (1)
21.4	19.3	487	2	MOST DIS: (2)
18.9	17.0	429	3	NEITHER: (3)
22.3	20.1	507	4	MOST AGR: (4)
11.8	10.7	270	5	AGREE: (5)
	9.8	248	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 478-479

V5416**075D02A:%\$SAVE FUTR EDUC**

Item Number: 20830

Question Number(s): 5D02A

Please think about all the money you earned during the past year, including last summer. About how much of your past year's earnings have gone into:

A: Savings for your future education?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	41.1	1,038	1	NONE: (1)
23.7	21.1	533	2	1-20%: (2)
12.5	11.1	281	3	21-40%: (3)
7.9	7.1	179	4	41-60%: (4)
4.6	4.1	104	5	61-80%: (5)
3.2	2.8	71	6	81-99%: (6)
1.9	1.7	44	7	ALL: (7)
	10.9	275	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 480-481

V5417

075D02B: %\$SAVE/SPEND CAR

Item Number: 20840

Question Number(s): 5D02B

About how much of your past year's earnings have gone into:

B: Savings or payments for a car or car expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	40.9	1,032	1	NONE: (1)
15.3	13.6	343	2	1-20%: (2)
15.0	13.3	337	3	21-40%: (3)
10.7	9.5	241	4	41-60%: (4)
7.4	6.6	166	5	61-80%: (5)
3.6	3.2	82	6	81-99%: (6)
2.1	1.8	47	7	ALL: (7)
	11.0	277	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 482-483

V5418**075D02C:\$\$SAVE OTHER**

Item Number: 20850

Question Number(s): 5D02C

About how much of your past year's earnings have gone into:

C: Other savings for long-range purposes?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	39.7	1,002	1	NONE: (1)
21.5	19.1	482	2	1-20%: (2)
13.8	12.3	311	3	21-40%: (3)
8.2	7.3	185	4	41-60%: (4)
5.6	5.0	125	5	61-80%: (5)
4.1	3.6	92	6	81-99%: (6)
2.2	1.9	49	7	ALL: (7)
	11.0	279	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 484-485

V5419

075D02D:\$\$SPEND ON SELF

Item Number: 20860

Question Number(s): 5D02D

About how much of your past year's earnings have gone into:

D: Spending on your own needs and activities--things such as clothing, stereo, TV, tapes and discs, other possessions, movies, eating out, other recreation, hobbies, gifts for others, and other personal expenses?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	8.6	216	1	NONE: (1)
18.4	16.3	410	2	1-20%: (2)
18.7	16.5	417	3	21-40%: (3)
18.5	16.4	414	4	41-60%: (4)
17.5	15.5	391	5	61-80%: (5)
11.4	10.1	254	6	81-99%: (6)
6.0	5.3	133	7	ALL: (7)
	11.5	290	-9	MISSING: (-9)

 100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 486-487

V5420**075D02E:\$\$SPEND HELP FAM**

Item Number: 20870

Question Number(s): 5D02E

About how much of your past year's earnings have gone into:

E: Helping to pay family living expenses (groceries, housing, etc.)?

1="None" 2="A little (1-20%)" 3="Some (21-40%)" 4="About half (41-60%)" 5="Most (61-80%)" 6="Almost all (81-99%)" 7="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	45.7	1,155	1	NONE: (1)
26.6	23.5	593	2	1-20%: (2)
10.1	8.9	225	3	21-40%: (3)
4.6	4.1	103	4	41-60%: (4)
2.9	2.5	64	5	61-80%: (5)
2.4	2.2	54	6	81-99%: (6)
1.5	1.3	34	7	ALL: (7)
	11.7	296	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 488-489

V5523

075D03:EVER AD STIM DR

Item Number: 31460

Question Number(s): 5D03

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Cylert, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil.)

1="No--GO TO QUESTION 6" 2="Yes, in the past, but not now"
3="Yes, I take them now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	81.5	2,057	1	NO: (1)
4.6	4.0	102	2	YES PAST: (2)
2.8	2.5	63	3	YES NOW: (3)
	12.0	303	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 490-491

V5524

075D04:AGE 1ST AD STIM

Item Number: 31470

Question Number(s): 5D04

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	3	1	1-4 YRS:(1)
31.8	2.1	53	2	5-9:(2)
37.5	2.5	62	3	10-14:(3)
28.8	1.9	48	4	15+ YRS:(4)
	93.5	2,359	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 492-493

V5525

075D05:# YRS TK AD STIM

Item Number: 31480

Question Number(s): 5D05

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	1.5	39	1	<1 YEAR: (1)
11.4	0.8	19	2	1 YEAR: (2)
15.6	1.0	26	3	2 YRS: (3)
21.5	1.4	36	4	3-5 YRS: (4)
13.2	0.9	22	5	6-9 YRS: (5)
14.8	1.0	24	6	10+ YRS: (6)
	93.4	2,359	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 494-495

V5526

075D06:EVER AD NONSTIM

Item Number: 31490

Question Number(s): 5D06

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	77.1	1,945	1	NO: (1)
5.1	4.5	113	2	YES PAST: (2)
1.4	1.2	30	3	YES NOW: (3)
4.9	4.3	108	8	DONT KNOW: (8)
	13.0	328	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 496-497

V5334

075E01A:I/MJ USR,>CREATV

Item Number: 13060

Question Number(s): 5E01A

The next questions ask about characteristics which some people associate with the use of particular drugs. We want to know what you think. Do YOU think that people who smoke marijuana several times a week tend to be . . .

A: . . . more creative than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	47.2	1,191	1	NO:(1)
24.4	21.9	553	2	YES:(2)
23.1	20.7	523	3	NOT SURE:(3)
	10.2	258	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 498-499

V5335

075E01B:I/MJ USR,<SENSBL

Item Number: 13070

Question Number(s): 5E01B

Do YOU think that people who smoke marijuana several times a week tend to be . . .

B: . . . less sensible than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	25.3	639	1	NO:(1)
49.0	43.7	1,103	2	YES:(2)
22.6	20.1	507	3	NOT SURE:(3)
	10.9	275	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 500-501

V5336**075E01C:I/MJ USR,>INTRST**

Item Number: 13080

Question Number(s): 5E01C

Do YOU think that people who smoke marijuana several times a week tend to be . . .

C: . . . more interesting people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	46.9	1,184	1	NO:(1)
26.3	23.5	593	2	YES:(2)
21.1	18.8	476	3	NOT SURE:(3)
	10.8	272	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 502-503

V5337

075E01D:I/MJ USR,<HRDWKG

Item Number: 13090

Question Number(s): 5E01D

Do YOU think that people who smoke marijuana several times a week tend to be . . .

D: . . . less hard-working than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	24.3	613	1	NO:(1)
55.8	49.7	1,255	2	YES:(2)
17.0	15.2	383	3	NOT SURE:(3)
	10.9	274	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 504-505

V5338

075E01E:I/MJ USR,>INDPND

Item Number: 13100

Question Number(s): 5E01E

Do YOU think that people who smoke marijuana several times a week tend to be . . .

E: . . . more independent than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	49.7	1,255	1	NO:(1)
20.3	18.0	454	2	YES:(2)
23.7	21.0	531	3	NOT SURE:(3)
	11.3	286	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 506-507

V5339

075E01F:I/MJ USR,>UNSTBL

Item Number: 13110

Question Number(s): 5E01F

Do YOU think that people who smoke marijuana several times a week tend to be . . .

F: . . . more emotionally unstable than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	29.8	752	1	NO:(1)
45.0	40.0	1,009	2	YES:(2)
21.4	19.0	481	3	NOT SURE:(3)
	11.2	283	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 508-509

V5340

075E01G:I/MJ USR,>CNCRND

Item Number: 13120

Question Number(s): 5E01G

Do YOU think that people who smoke marijuana several times a week tend to be . . .

G: . . . more concerned about other people than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	57.8	1,460	1	NO:(1)
10.8	9.6	243	2	YES:(2)
24.2	21.5	543	3	NOT SURE:(3)
	11.1	279	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 510-511

V5341

075E01H:I/MJ USR,>WKWLD

Item Number: 13130

Question Number(s): 5E01H

Do YOU think that people who smoke marijuana several times a week tend to be . . .

H: . . . more weak-willed than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	28.7	725	1	NO:(1)
43.7	38.7	977	2	YES:(2)
23.8	21.0	531	3	NOT SURE:(3)
	11.6	292	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 512-513

V5342

075E01I:I/MJ USR,>CRMNL

Item Number: 13140

Question Number(s): 5E01I

Do YOU think that people who smoke marijuana several times a
week tend to be . . .

I: . . . more criminal than average?

1="No" 2="Yes" 3="Not Sure, No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	30.1	761	1	NO:(1)
44.8	39.8	1,005	2	YES:(2)
21.2	18.9	476	3	NOT SURE:(3)
	11.2	283	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 514-515

V5421**075E02A:GUY SMK COOL**

Item Number: 20880

Question Number(s): 5E02A

The next few questions ask how you view cigarette smoking. In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

A: . . . Cool, calm, in control.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	63.0	1,590	1	DISAGREE: (1)
9.4	8.3	211	2	MOST DIS: (2)
14.9	13.2	333	3	NEITHER: (3)
3.4	3.0	75	4	MOST AGR: (4)
1.0	0.9	23	5	AGREE: (5)
	11.6	293	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 516-517

V5422**075E02B:GUY SMK INSECURE**

Item Number: 20890

Question Number(s): 5E02B

In my opinion, when a guy my age is smoking a cigarette, it
makes him look . . .

B: . . . Insecure.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	17.2	434	1	DISAGREE: (1)
7.3	6.5	163	2	MOST DIS: (2)
31.3	27.6	697	3	NEITHER: (3)
20.3	17.9	451	4	MOST AGR: (4)
21.6	19.0	480	5	AGREE: (5)
	11.8	299	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 518-519

V5423**075E02C:GUY SMK INDPNDNT**

Item Number: 20900

Question Number(s): 5E02C

In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

C: . . . Rugged, tough, independent.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	51.9	1,311	1	DISAGREE: (1)
12.8	11.2	284	2	MOST DIS: (2)
19.2	16.9	426	3	NEITHER: (3)
6.4	5.7	143	4	MOST AGR: (4)
2.7	2.4	60	5	AGREE: (5)
	11.9	300	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 520-521

V5424**075E02D:GUY SMK CONFORMG**

Item Number: 20910

Question Number(s): 5E02D

In my opinion, when a guy my age is smoking a cigarette, it
makes him look . . .

D: . . . Conforming.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	32.0	807	1	DISAGREE: (1)
7.0	6.1	154	2	MOST DIS: (2)
33.8	29.6	748	3	NEITHER: (3)
12.4	10.9	275	4	MOST AGR: (4)
10.3	9.1	229	5	AGREE: (5)
	12.3	311	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 522-523

V5425**075E02E:GUY SMK MATURE**

Item Number: 20920

Question Number(s): 5E02E

In my opinion, when a guy my age is smoking a cigarette, it
makes him look . . .

E: . . . Mature, sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	60.0	1,516	1	DISAGREE: (1)
10.2	8.9	225	2	MOST DIS: (2)
17.9	15.8	398	3	NEITHER: (3)
2.3	2.0	50	4	MOST AGR: (4)
1.3	1.1	29	5	AGREE: (5)
	12.2	307	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 524-525

V5426**075E02F:GUY SM TRY MATUR**

Item Number: 20930

Question Number(s): 5E02F

In my opinion, when a guy my age is smoking a cigarette, it makes him look . . .

F: . . . Like he's trying to appear mature and sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	15.0	379	1	DISAGREE: (1)
5.1	4.5	114	2	MOST DIS: (2)
21.5	18.9	477	3	NEITHER: (3)
25.7	22.5	569	4	MOST AGR: (4)
30.6	26.9	680	5	AGREE: (5)
	12.1	306	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 526-527

V5427**075E03A:GIRL SMK COOL**

Item Number: 20940

Question Number(s): 5E03A

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

A: . . . Cool, calm, in control.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	66.5	1,680	1	DISAGREE: (1)
7.2	6.3	159	2	MOST DIS: (2)
13.1	11.4	287	3	NEITHER: (3)
1.9	1.7	42	4	MOST AGR: (4)
1.5	1.3	34	5	AGREE: (5)
	12.8	323	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 528-529

V5428**075E03B:GRL SMK INSECURE**

Item Number: 20950

Question Number(s): 5E03B

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

B: . . . Insecure.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	17.9	451	1	DISAGREE: (1)
5.9	5.2	130	2	MOST DIS: (2)
23.2	20.2	510	3	NEITHER: (3)
19.0	16.6	418	4	MOST AGR: (4)
31.3	27.2	687	5	AGREE: (5)
	13.0	327	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 530-531

V5429**075E03C:GRL SMK INDPNDNT**

Item Number: 20960

Question Number(s): 5E03C

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

C: . . . Independent and liberated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	57.0	1,440	1	DISAGREE: (1)
10.1	8.8	222	2	MOST DIS: (2)
18.7	16.2	410	3	NEITHER: (3)
3.4	3.0	75	4	MOST AGR: (4)
2.3	2.0	51	5	AGREE: (5)
	12.9	327	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 532-533

V5430

075E03D:GRL SMK CONFORMG

Item Number: 20970

Question Number(s): 5E03D

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

D: . . . Conforming.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	34.4	868	1	DISAGREE: (1)
6.8	5.9	149	2	MOST DIS: (2)
28.4	24.6	622	3	NEITHER: (3)
11.2	9.7	245	4	MOST AGR: (4)
13.9	12.0	304	5	AGREE: (5)
	13.4	337	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 534-535

V5431**075E03E:GRL SMK MATURE**

Item Number: 20980

Question Number(s): 5E03E

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

E: . . . Mature, sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	63.0	1,590	1	DISAGREE: (1)
9.1	7.9	200	2	MOST DIS: (2)
15.5	13.5	340	3	NEITHER: (3)
1.5	1.3	34	4	MOST AGR: (4)
1.3	1.2	29	5	AGREE: (5)
	13.2	332	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 536-537

V5432

075E03F:GRL SM TRY MATUR

Item Number: 20990

Question Number(s): 5E03F

In my opinion, when a girl my age is smoking a cigarette, it makes her look . . .

F: . . . Like she's trying to appear mature and sophisticated.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	17.1	431	1	DISAGREE: (1)
4.5	3.9	99	2	MOST DIS: (2)
19.1	16.7	421	3	NEITHER: (3)
21.1	18.4	465	4	MOST AGR: (4)
35.8	31.2	789	5	AGREE: (5)
	12.7	321	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 538-539

V5433**075E04A:SMKRS ENJOY LIFE**

Item Number: 21000

Question Number(s): 5E04A

Do you agree or disagree?

A: Smokers know how to enjoy life more than non-smokers

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	64.4	1,625	1	DISAGREE: (1)
8.5	7.5	188	2	MOST DIS: (2)
14.7	12.9	325	3	NEITHER: (3)
1.7	1.4	37	4	MOST AGR: (4)
1.6	1.4	35	5	AGREE: (5)
	12.4	314	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 540-541

V5434**075E04B:PRFR DATE N-SMKR**

Item Number: 21010

Question Number(s): 5E04B

Do you agree or disagree?

B: I would prefer to date people who don't smoke

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	5.4	137	1	DISAGREE: (1)
2.9	2.5	64	2	MOST DIS: (2)
14.5	12.6	319	3	NEITHER: (3)
10.2	8.9	224	4	MOST AGR: (4)
66.3	58.0	1,464	5	AGREE: (5)
	12.6	317	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 542-543

V5435**075E04C:HARMFUL CIG EXAG**

Item Number: 21020

Question Number(s): 5E04C

Do you agree or disagree?

C: The harmful effects of cigarettes have been exaggerated

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	45.6	1,151	1	DISAGREE: (1)
16.8	14.7	370	2	MOST DIS: (2)
17.0	14.8	375	3	NEITHER: (3)
7.6	6.7	168	4	MOST AGR: (4)
6.4	5.6	141	5	AGREE: (5)
	12.7	321	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 544-545

V5436**075E04D:SMKR POOR JDGMNT**

Item Number: 21030

Question Number(s): 5E04D

Do you agree or disagree?

D: I think that becoming a smoker reflects poor judgment

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.1	231	1	DISAGREE: (1)
7.1	6.2	156	2	MOST DIS: (2)
20.8	18.1	458	3	NEITHER: (3)
22.3	19.4	491	4	MOST AGR: (4)
39.2	34.1	861	5	AGREE: (5)
	13.0	328	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 546-547

V5437**075E04E:DONT MIND SMOKNG**

Item Number: 21040

Question Number(s): 5E04E

Do you agree or disagree?

E: I personally don't mind being around people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	32.6	822	1	DISAGREE: (1)
15.3	13.3	335	2	MOST DIS: (2)
16.0	13.9	351	3	NEITHER: (3)
17.5	15.2	384	4	MOST AGR: (4)
13.9	12.1	305	5	AGREE: (5)
	12.9	326	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 548-549

V5438**075E04F:SMKG DIRTY HABIT**

Item Number: 21050

Question Number(s): 5E04F

Do you agree or disagree?

F: Smoking is a dirty habit

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.5	163	1	DISAGREE: (1)
3.5	3.1	77	2	MOST DIS: (2)
12.6	11.0	277	3	NEITHER: (3)
18.5	16.1	406	4	MOST AGR: (4)
58.0	50.5	1,274	5	AGREE: (5)
	13.0	327	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 550-551

V5485**075E04G:DTEST NEAR SMKRS**

Item Number: 21055

Question Number(s): 5E04G

Do you agree or disagree?

G: I strongly dislike being near people who are smoking

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	16.4	414	1	DISAGREE: (1)
11.1	9.7	244	2	MOST DIS: (2)
20.0	17.3	437	3	NEITHER: (3)
15.7	13.6	343	4	MOST AGR: (4)
34.3	29.7	751	5	AGREE: (5)
	13.4	337	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 552-553

V5511

075E05A:#X FLVRDALC/LIFE

Item Number: 31360

Question Number(s): 5E05A

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips (Do not include regular liquor, beer, or wine.) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	27.3	688	1	0 OCCAS: (1)
15.4	13.2	334	2	1-2X: (2)
12.3	10.6	267	3	3-5X: (3)
9.7	8.3	211	4	6-9X: (4)
11.5	9.9	250	5	10-19X: (5)
8.0	6.9	174	6	20-39X: (6)
11.3	9.7	245	7	40+OCCAS: (7)
	14.1	357	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 554-555

V5512

075E05B:#X FLVRDALC/12MO

Item Number: 31370

Question Number(s): 5E05B

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips (Do not include regular liquor, beer, or wine.) . . .

B: . . . During the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	39.8	1,004	1	0 OCCAS: (1)
18.3	15.7	396	2	1-2X: (2)
11.8	10.1	255	3	3-5X: (3)
8.4	7.2	182	4	6-9X: (4)
6.6	5.7	143	5	10-19X: (5)
3.9	3.3	84	6	20-39X: (6)
4.5	3.9	98	7	40+OCCAS: (7)
	14.4	363	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 556-557

V5513

075E05C:#X FLVRDALC/30DA

Item Number: 31380

Question Number(s): 5E05C

On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink-- more than just a few sips (Do not include regular liquor, beer, or wine.) . . .

C: . . . During the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	60.7	1,532	1	0 OCCAS: (1)
15.9	13.6	344	2	1-2X: (2)
6.2	5.3	135	3	3-5X: (3)
3.5	3.0	75	4	6-9X: (4)
1.8	1.5	39	5	10-19X: (5)
0.8	0.7	18	6	20-39X: (6)
1.0	0.8	21	7	40+OCCAS: (7)
	14.3	361	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 558-559

V5486

075E06A:#X CRACK/LIFETIM

Item Number: 22260

Question Number(s): 5E06A

Lately, there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). On how many occasions have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	82.7	2,089	1	0 OCCAS: (1)
1.7	1.4	37	2	1-2X: (2)
0.7	0.6	14	3	3-5X: (3)
0.4	0.3	8	4	6-9X: (4)
0.2	0.2	5	5	10-19X: (5)
0.2	0.2	4	6	20-39X: (6)
0.7	0.6	15	7	40+OCCAS: (7)
	14.0	353	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 560-561

V5487

075E06B:#X CRACK/LAST12M

Item Number: 22270

Question Number(s): 5E06B

On how many occasions have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	84.0	2,121	1	0 OCCAS: (1)
1.0	0.8	21	2	1-2X: (2)
0.4	0.4	10	3	3-5X: (3)
0.3	0.2	5	4	6-9X: (4)
0.2	0.1	3	5	10-19X: (5)
0.2	0.1	4	6	20-39X: (6)
0.3	0.3	8	7	40+OCCAS: (7)
	14.0	353	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 562-563

V5488

075E06C:#X CRACK/LAST30D

Item Number: 22280

Question Number(s): 5E06C

On how many occasions have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	84.9	2,143	1	0 OCCAS: (1)
0.5	0.4	10	2	1-2X: (2)
0.2	0.1	3	3	3-5X: (3)
0.3	0.2	6	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.2	0.1	3	7	40+OCCAS: (7)
	14.1	355	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 564-565

V5527

075E07A:#X STRD/LIFETIME

Item Number: 22690

Question Number(s): 5E07A

Steroids, or anabolic steroids, are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	84.8	2,140	1	0 OCCAS: (1)
0.9	0.8	19	2	1-2X: (2)
0.4	0.3	8	3	3-5X: (3)
0.3	0.3	7	4	6-9X: (4)
0.2	0.2	5	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.3	0.2	6	7	40+OCCAS: (7)
	13.4	339	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 566-567

V5528

075E07B:#X STRD/LAST12MO

Item Number: 22700

Question Number(s): 5E07B

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	85.1	2,149	1	0 OCCAS: (1)
0.6	0.5	13	2	1-2X: (2)
0.5	0.4	11	3	3-5X: (3)
0.2	0.1	3	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.2	0.2	4	7	40+OCCAS: (7)
	13.5	341	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 568-569

V5529

075E07C:#X STRD/LAST30DA

Item Number: 22710

Question Number(s): 5E07C

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	85.4	2,157	1	0 OCCAS: (1)
0.8	0.7	17	2	1-2X: (2)
0.2	0.2	4	3	3-5X: (3)
0.1	0.1	1	4	6-9X: (4)
0.0	0.0	1	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.2	0.1	3	7	40+OCCAS: (7)
	13.5	341	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 570-571

V5530

075E08A:MTHD STRD-INJECT

Item Number: 23790

Question Number(s): 5E08A

What methods have you used for taking steroids on your own?
(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	1.0	26	0	NT MRKED: (0)
21.8	0.3	7	1	MARKED: (1)
	98.7	2,492	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 572-573

V5531

075E08B:MTHD STRD-MOUTH

Item Number: 23800

Question Number(s): 5E08B

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	0.3	6	0	NT MRKED: (0)
80.3	1.0	26	1	MARKED: (1)
	98.7	2,492	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 574-575

V5532

075E08C:HVNT USED STRDS

Item Number: 30940

Question Number(s): 5E08C

What methods have you used for taking steroids on your own?
(Mark all that apply.)

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported
nonuse on preceding prevalence question]"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.3	32	0	NT MRKED: (0)
98.5	84.8	2,141	1	MARKED: (1)
	13.9	352	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 576-577

V5496

075E09A:#X KETAMINE/12M

Item Number: 31060

Question Number(s): 5E09A

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

A. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	87.3	2,204	1	0(1)
0.4	0.4	9	2	1-2(2)
0.3	0.3	6	3	3-5(3)
0.1	0.1	3	4	6-9(4)
0.0	0.0	1	5	10-19(5)
0.0	0.0	0	6	20-39(6)
0.2	0.2	5	7	40+(7)
	11.7	296	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 578-579

V5497

075E09B:#X SMK BIDI/12M

Item Number: 31070

Question Number(s): 5E09B

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . smoked bidis (or beedies) which are small brown cigarettes from India?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	86.7	2,190	1	0(1)
1.0	0.8	21	2	1-2(2)
0.1	0.1	2	3	3-5(3)
0.2	0.1	4	4	6-9(4)
0.1	0.1	1	5	10-19(5)
0.0	0.0	0	6	20-39(6)
0.3	0.3	6	7	40+(7)
	11.9	300	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 580-581

V5498

075E09C:#X SMK KRETK/12M

Item Number: 31150

Question Number(s): 5E09C

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . smoked kreteks (clove cigarettes)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	81.6	2,060	1	0(1)
3.2	2.8	71	2	1-2(2)
1.3	1.2	29	3	3-5(3)
0.8	0.7	17	4	6-9(4)
0.7	0.7	17	5	10-19(5)
0.3	0.3	7	6	20-39(6)
0.7	0.6	15	7	40+(7)
	12.2	309	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 582-583

V5499

075E09D:#X OXYCONTN/12MO

Item Number: 31310

Question Number(s): 5E09D

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	83.2	2,101	1	0(1)
2.5	2.2	56	2	1-2(2)
1.1	1.0	25	3	3-5(3)
0.4	0.4	10	4	6-9(4)
0.7	0.6	16	5	10-19(5)
0.2	0.2	4	6	20-39(6)
0.4	0.4	9	7	40+(7)
	12.0	304	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 584-585

V5500

075E09E:#X VICODIN/12MO

Item Number: 31320

Question Number(s): 5E09E

During the LAST 12 MONTHS, on how many occasions (if any) have
you . . .

E. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	79.2	2,000	1	0(1)
4.3	3.8	95	2	1-2(2)
2.2	1.9	48	3	3-5(3)
0.9	0.8	20	4	6-9(4)
1.4	1.3	32	5	10-19(5)
0.6	0.5	13	6	20-39(6)
0.6	0.5	13	7	40+(7)
	12.0	304	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 586-587

V5461**075E10 :#X/LAST12M PARTY**

Item Number: 21900

Question Number(s): 5E10

Over the LAST 12 MONTHS, about how often have you gone to parties?

1="Not at all--GO TO Q. 12" 2="Once a month or less" 3="2 or 3 times a month" 4="About once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	24.9	630	1	NO TIMES: (1)
30.8	26.9	680	2	0-1/MO: (2)
18.9	16.6	419	3	2-3/MO: (3)
12.3	10.8	271	4	ONCE/WK: (4)
7.1	6.2	158	5	2-3/WEEK: (5)
2.4	2.1	54	6	OVR 3/WK: (6)
	12.4	313	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 588-589

V5462

075E11A:PARTY-PPL OVR 30

Item Number: 21910

Question Number(s): 5E11A

Now think about the parties you went to in the last 12 months.
How often . . .

A: . . . Were people over age 30 present at least some of the
time?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	26.6	671	1	NEVER: (1)
28.4	18.4	464	2	SELDOM: (2)
16.3	10.5	265	3	SOMETIME: (3)
7.7	5.0	126	4	MST TIME: (4)
6.5	4.2	106	5	ALWAYS: (5)
	35.3	892	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 590-591

V5463**075E11B:PARTY-ONE HI ALC**

Item Number: 21920

Question Number(s): 5E11B

Now think about the parties you went to in the last 12 months.
How often . . .

B: . . . Did someone get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	11.7	296	1	NEVER: (1)
6.3	4.0	102	2	SELDOM: (2)
12.3	7.9	200	3	SOMETIME: (3)
22.6	14.6	369	4	MST TIME: (4)
40.7	26.3	664	5	ALWAYS: (5)
	35.4	894	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 592-593

V5464**075E11C:PARTY-OTH HI ALC**

Item Number: 21930

Question Number(s): 5E11C

Now think about the parties you went to in the last 12 months.
How often . . .

C: . . . Did most people get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	13.4	338	1	NEVER: (1)
7.8	5.0	126	2	SELDOM: (2)
16.0	10.3	259	3	SOMETIME: (3)
26.3	16.9	427	4	MST TIME: (4)
29.1	18.7	472	5	ALWAYS: (5)
	35.7	902	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 594-595

V5465**075E11D:PARTY-YOU HI ALC**

Item Number: 21940

Question Number(s): 5E11D

Now think about the parties you went to in the last 12 months.
How often . . .

D: . . . Did you get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	25.3	639	1	NEVER: (1)
11.2	7.1	180	2	SELDOM: (2)
18.0	11.5	290	3	SOMETIME: (3)
18.4	11.8	298	4	MST TIME: (4)
12.8	8.2	207	5	ALWAYS: (5)
	36.1	911	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 596-597

V5466**075E11E:PARTY-PRESS ALCL**

Item Number: 21950

Question Number(s): 5E11E

Now think about the parties you went to in the last 12 months.
How often . . .

E: . . . Did you feel pressure to drink alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	43.7	1,103	1	NEVER: (1)
18.1	11.6	294	2	SELDOM: (2)
8.8	5.7	143	3	SOMETIME: (3)
3.0	1.9	49	4	MST TIME: (4)
2.1	1.4	35	5	ALWAYS: (5)
	35.7	901	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 598-599

V5467**075E11F:PARTY-PRS HI ALC**

Item Number: 21960

Question Number(s): 5E11F

Now think about the parties you went to in the last 12 months.
How often . . .

F: . . . Did you feel pressure to drink enough to get high?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	48.1	1,214	1	NEVER: (1)
12.4	7.9	201	2	SELDOM: (2)
6.8	4.4	111	3	SOMETIME: (3)
3.7	2.4	59	4	MST TIME: (4)
2.0	1.3	32	5	ALWAYS: (5)
	36.0	909	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 600-601

V5468**075E11G:PARTY-ONE HI MJ**

Item Number: 21970

Question Number(s): 5E11G

Now think about the parties you went to in the last 12 months.
How often . . .

G: . . . Did someone get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	23.7	598	1	NEVER: (1)
11.5	7.4	186	2	SELDOM: (2)
18.0	11.6	292	3	SOMETIME: (3)
16.3	10.5	264	4	MST TIME: (4)
17.2	11.0	278	5	ALWAYS: (5)
	35.9	907	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 602-603

V5469**075E11H:PARTY-OTH HI MJ**

Item Number: 21980

Question Number(s): 5E11H

Now think about the parties you went to in the last 12 months.
How often . . .

H: . . . Did most people get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	27.0	683	1	NEVER: (1)
17.8	11.4	287	2	SELDOM: (2)
16.6	10.6	267	3	SOMETIME: (3)
11.7	7.5	189	4	MST TIME: (4)
11.7	7.5	188	5	ALWAYS: (5)
	36.1	911	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 604-605

V5470

075E11I:PARTY-YOU HI MJ

Item Number: 21990

Question Number(s): 5E11I

Now think about the parties you went to in the last 12 months.
How often . . .

I: . . . Did you get high on marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	43.8	1,106	1	NEVER: (1)
10.1	6.5	164	2	SELDOM: (2)
8.3	5.3	134	3	SOMETIME: (3)
4.9	3.1	79	4	MST TIME: (4)
8.2	5.2	132	5	ALWAYS: (5)
	36.0	909	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 606-607

V5471**075E11J: PARTY-PRESS MJ**

Item Number: 22000

Question Number(s): 5E11J

Now think about the parties you went to in the last 12 months.
How often . . .

J: . . . Did you feel pressure to use marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	55.1	1,390	1	NEVER: (1)
6.4	4.1	103	2	SELDOM: (2)
4.4	2.8	71	3	SOMETIME: (3)
1.6	1.0	26	4	MST TIME: (4)
1.4	0.9	23	5	ALWAYS: (5)
	36.1	911	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 608-609

V5472

075E11K:PARTY-ONE HI OTD

Item Number: 22010

Question Number(s): 5E11K

Now think about the parties you went to in the last 12 months.
How often . . .

K: . . . Did someone get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	39.8	1,004	1	NEVER: (1)
14.2	9.1	230	2	SELDOM: (2)
13.4	8.6	217	3	SOMETIME: (3)
5.8	3.7	93	4	MST TIME: (4)
4.4	2.8	70	5	ALWAYS: (5)
	36.1	912	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 610-611

V5473**075E11L:PARTY-OTH HI OTD**

Item Number: 22020

Question Number(s): 5E11L

Now think about the parties you went to in the last 12 months.
How often . . .

L: . . . Did most people get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	43.5	1,098	1	NEVER: (1)
16.4	10.5	265	2	SELDOM: (2)
9.2	5.9	148	3	SOMETIME: (3)
3.3	2.1	53	4	MST TIME: (4)
3.1	2.0	50	5	ALWAYS: (5)
	36.1	912	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 612-613

V5474**075E11M:PARTY-YOU HI OTD**

Item Number: 22030

Question Number(s): 5E11M

Now think about the parties you went to in the last 12 months.
How often . . .

M: . . . Did you get high on other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	56.4	1,423	1	NEVER: (1)
4.7	3.0	75	2	SELDOM: (2)
4.3	2.7	69	3	SOMETIME: (3)
1.6	1.0	25	4	MST TIME: (4)
1.3	0.9	22	5	ALWAYS: (5)
	36.0	910	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 614-615

V5475**075E11N: PARTY-PRESS OTDG**

Item Number: 22040

Question Number(s): 5E11N

Now think about the parties you went to in the last 12 months.
How often . . .

N: . . . Did you feel pressure to use other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	59.1	1,491	1	NEVER: (1)
2.9	1.8	47	2	SELDOM: (2)
2.6	1.7	42	3	SOMETIME: (3)
1.1	0.7	17	4	MST TIME: (4)
0.8	0.5	13	5	ALWAYS: (5)
	36.2	915	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 616-617

V5476**075E12A:PRFR PTY-PPL >30**

Item Number: 22050

Question Number(s): 5E12A

Now think about how you would LIKE parties to be. At the parties you go to, how often . . .

A: . . . Would you like people over age 30 to be present at least some of the time?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	42.6	1,076	1	NEVER: (1)
23.6	20.4	515	2	SELDOM: (2)
16.6	14.3	361	3	SOMETIME: (3)
5.8	5.0	127	4	MST TIME: (4)
4.7	4.1	103	5	ALWAYS: (5)
	13.6	342	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 618-619

V5477**075E12B:PRF PTY-U HI ALC**

Item Number: 22060

Question Number(s): 5E12B

At the parties you go to, how often . . .

B: . . . Would you like to get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	41.3	1,043	1	NEVER: (1)
12.0	10.3	261	2	SELDOM: (2)
16.6	14.2	360	3	SOMETIME: (3)
12.9	11.1	281	4	MST TIME: (4)
10.5	9.1	229	5	ALWAYS: (5)
	13.9	352	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 620-621

V5478

075E12C:PR PTY-OTH HI AL

Item Number: 22070

Question Number(s): 5E12C

At the parties you go to, how often . . .

C: . . . Would you like other people to get high on alcohol?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	38.7	978	1	NEVER: (1)
13.1	11.2	283	2	SELDOM: (2)
18.4	15.8	399	3	SOMETIME: (3)
13.4	11.5	290	4	MST TIME: (4)
10.0	8.6	217	5	ALWAYS: (5)
	14.2	357	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 622-623

V5479**075E12D:PRF PTY-U USE MJ**

Item Number: 22080

Question Number(s): 5E12D

At the parties you go to, how often . . .

D: . . . Would you like to use marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	63.9	1,613	1	NEVER: (1)
8.2	7.0	178	2	SELDOM: (2)
8.0	6.8	173	3	SOMETIME: (3)
3.3	2.8	71	4	MST TIME: (4)
6.2	5.3	135	5	ALWAYS: (5)
	14.1	356	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 624-625

V5480

075E12E:PR PTY-OT USE MJ

Item Number: 22090

Question Number(s): 5E12E

At the parties you go to, how often . . .

E: . . . Would you like other people to use marijuana?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	60.1	1,518	1	NEVER: (1)
10.7	9.2	232	2	SELDOM: (2)
9.6	8.2	208	3	SOMETIME: (3)
4.1	3.6	90	4	MST TIME: (4)
5.4	4.6	116	5	ALWAYS: (5)
	14.3	361	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 626-627

V5481**075E12F:PR PTY-U USE OTD**

Item Number: 22100

Question Number(s): 5E12F

At the parties you go to, how often . . .

F: . . . Would you like to use other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	77.0	1,944	1	NEVER: (1)
4.1	3.5	89	2	SELDOM: (2)
3.8	3.2	81	3	SOMETIME: (3)
1.1	1.0	24	4	MST TIME: (4)
1.4	1.2	29	5	ALWAYS: (5)
	14.1	356	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 628-629

V5482

075E12G:PR PTY-OT USE OT

Item Number: 22110

Question Number(s): 5E12G

At the parties you go to, how often . . .

G: . . . Would you like other people to use other drugs?

1="Never" 2="Seldom" 3="Sometimes" 4="Most times" 5="Always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	75.3	1,900	1	NEVER: (1)
5.1	4.4	111	2	SELDOM: (2)
4.2	3.6	91	3	SOMETIME: (3)
1.2	1.0	26	4	MST TIME: (4)
1.8	1.6	40	5	ALWAYS: (5)
	14.1	356	-9	MISSING: (-9)

100.0 100.0 2,525 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 630-631

V5533

075E13A:SPORT/12M NONE

Item Number: 31500

Question Number(s): 5E13A

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

A: None

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	60.2	1,521	0	NT MARKD: (0)
29.2	24.9	628	1	MARKED: (1)
	14.9	376	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 632-633

V5534**075E13B:SPORT/12M BASEBL**

Item Number: 31510

Question Number(s): 5E13B

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

B: Baseball/Softball

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	72.7	1,835	0	NT MARKD:(0)
14.6	12.4	314	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 634-635

V5535

075E13C:SPORT/12M BSKTBL

Item Number: 31520

Question Number(s): 5E13C

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

C: Basketball

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	66.8	1,686	0	NT MARKD:(0)
21.5	18.3	463	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 636-637

V5536

075E13D:SPORT/12M XCNTY

Item Number: 31530

Question Number(s): 5E13D

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

D: Cross country

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	81.3	2,052	0	NT MARKD: (0)
4.5	3.8	97	1	MARKED: (1)
	14.9	376	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 638-639

V5537

075E13E:SPORT/12M FLDHKY

Item Number: 31540

Question Number(s): 5E13E

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

E: Field hockey

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	84.2	2,125	0	NT MARKD: (0)
1.1	1.0	24	1	MARKED: (1)
	14.9	376	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 640-641

V5538**075E13F:SPORT/12M FOOTBL**

Item Number: 31550

Question Number(s): 5E13F

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

F: Football

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	70.5	1,781	0	NT MARKD: (0)
17.1	14.6	368	1	MARKED: (1)
	14.9	376	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 642-643

V5539

075E13G:SPORT/12M GYMNST

Item Number: 31560

Question Number(s): 5E13G

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

G: Gymnastics

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	82.4	2,080	0	NT MARKD:(0)
3.2	2.7	69	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 644-645

V5540**075E13H:SPORT/12M ICEHKY**

Item Number: 31570

Question Number(s): 5E13H

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

H: Ice hockey

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	83.5	2,108	0	NT MARKD:(0)
1.9	1.6	40	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 646-647

V5541**075E13I:SPORT/12M LCRSSE**

Item Number: 31580

Question Number(s): 5E13I

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

I: Lacrosse

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	82.2	2,075	0	NT MARKD:(0)
3.4	2.9	74	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 648-649

V5542

075E13J:SPORT/12M SWIM

Item Number: 31590

Question Number(s): 5E13J

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

J: Swimming/Diving

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	78.1	1,973	0	NT MARKD: (0)
8.2	7.0	176	1	MARKED: (1)
	14.9	376	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 650-651

V5543

075E13K:SPORT/12M SOCCER

Item Number: 31600

Question Number(s): 5E13K

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

K: Soccer

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	75.3	1,900	0	NT MARKD:(0)
11.6	9.9	249	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 652-653

V5544**075E13L:SPORT/12M TENNIS**

Item Number: 31610

Question Number(s): 5E13L

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

L: Tennis

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	79.8	2,014	0	NT MARKD: (0)
6.3	5.4	135	1	MARKED: (1)
	14.9	376	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 654-655

V5545**075E13M:SPORT/12M TRACK**

Item Number: 31620

Question Number(s): 5E13M

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

M: Track & Field

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.5	73.7	1,860	0	NT MARKD:(0)
13.5	11.5	289	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 656-657

V5546**075E13N:SPORT/12M VLLYBL**

Item Number: 31630

Question Number(s): 5E13N

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

N: Volleyball

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	76.9	1,941	0	NT MARKD:(0)
9.7	8.2	207	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 658-659

V5547

075E130:SPORT/12M WTLIFT

Item Number: 31640

Question Number(s): 5E130

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

O: Weight lifting

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	73.2	1,847	0	NT MARKD:(0)
14.0	11.9	302	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 660-661

V5548

075E13P:SPORT/12M WRESTL

Item Number: 31650

Question Number(s): 5E13P

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

P: Wrestling

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	81.7	2,063	0	NT MARKD:(0)
4.0	3.4	85	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 662-663

V5549

075E13Q:SPORT/12M OTHER

Item Number: 31660

Question Number(s): 5E13Q

In which competitive sports (if any) did you participate during the LAST 12 MONTHS? Include school, community, and other organized sports. (Mark all that apply.)

Q: Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	62.0	1,566	0	NT MARKD:(0)
27.1	23.1	583	1	MARKED:(1)
	14.9	376	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,525	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 664-665

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at <http://www.monitoringthefuture.org/pubs.html>.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.