ICPSR 4536

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2005

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social
Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social
Research. Survey Research Center

Codebook for Core Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

TABLE OF CONTENTS

INTRODUCTION	3
DATA COLLECTION DESCRIPTION	3
DATA COLLECTION PROCEDURES	3
SAMPLING INFORMATION	4
STAGE 1: GEOGRAPHIC AREAS	
STAGE 2: SCHOOLS	4
STAGE 3: STUDENTS	4
SCHOOL RECRUITING PROCEDURES	5
ADVANCE CONTACT WITH TEACHERS AND STUDENTS	5
QUESTIONNAIRE ADMINISTRATION	5
PROCEDURES FOR PROTECTING CONFIDENTIALITY	5
CONTENT AREAS AND QUESTIONNAIRE DESIGN	7
MEASUREMENT CONTENT AREAS	7
REPRESENTATIVENESS AND VALIDITY	8
SCHOOL PARTICIPATION	9
STUDENT PARTICIPATION	
VALIDITY OF SELF-REPORT DATA	
ACCURACY OF THE SAMPLE	
CONSISTENCY AND THE MEASUREMENT OF TRENDS	
INTERPRETING RACIAL DIFFERENCES	
DIFFERENTIAL REPRESENTATION	
DIFFERENTIAL RESPONSE TENDENCIES	
COVARIANCE WITH OTHER FACTORS	
WEIGHTING INFORMATION	
FILE STRUCTURE	
CODEBOOK INFORMATION	
ICPSR PROCESSING INFORMATION	17
FREQUENCIES	21
INDEX OF CORE DRUG VARIABLES BY SUBSTANCE CATEGORY	22
APPENDICES	189
Appendix A - Publications	100
Appendix B - Sample Size and Student Response Rates	
Appendix b - bampie size and student Kesponse Kates	191

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2005, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort - between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC

representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be

described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

т

- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and S. accidents (including those under the influence of drugs), victimization experiences.

T.	HEALTH.	Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could

reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. An average of about 61% of the original schools invited to participate have agreed to do so; for each school that declined, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school that has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of

those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 8-12 percent of each year's sample -- are represented by only 200 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white

sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2005 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

part #	form	# of variables	Logical record length	unweighted n
1	Core	184	380	15,378
2	Form 1	618	1249	2,581
3	Form 2	332	675	2,579
4	Form 3	354	720	2,533
5	Form 4	270	554	2,535
6	Form 5	304	619	2,587
7	Form 6	332	676	2,563

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134 [2] 991A13 KIND OF PAID JOB

- [3] Item Number: 25160
- [4] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
[10]	[11]	[1	.2]	
100.0	100.0	5,745	cases	(Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99
- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
- [2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01.	R'S BIRTH	YEAR
--------------	------	-----------	------

C02. R'S BIRTH MONTH

C07A-B. # OLDER BR/SR, # YOUNGER BR/SR

C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)

C13A. R'S RELGS PRFNC

Form 1 D19. CURRENT HEIGHT

D20. CURRENT WEIGHT

Form 2 2A19P. ARRSTD&TKN 2 POL

Form 5 5A21. CURRENT HEIGHT

5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

- 1=younger than 18 years old,
- 2=18 years old or more
- -9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

For 2005, half of the questionnaire forms have a new version of the race question. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected more than one response option, the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK 1=No, 2=Yes

A11. NEED SUMMER SCHL 1=No, 2=Yes

A12. EVER SUSPENDED 1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from Schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

FREQUENCIES

FILE

Index of Core Drug Variables by Substance Category

		Combined Form								
		Dataset	Item							Щ
		Variable	Ref. Number		L		Questio	n Number		$oldsymbol{\perp}$
Substance Category	Page #	Number	Number	Variable Label	Form 1	Form 2	Form 3	Form 4	Form 5	Form 6
Tobacco - Cigarettes	28	V101	00760	EVR SMK CIG,REG	1B001	2B01	3B01	4B01	5B01	6B01
	29	V102	00780	#CIGS SMKD/30DA	1B002	2B02	3B02	4B02	5B02	6B02
- Smokeless	112	V208 V209	22230 22240	EVR USE SMOKLESS						6B19 6B20
- Bidis	113 114	V209 V210	31070	#X SMKLESS/30 DA #X SMK BIDI/12M					5E07B	6D20C
- Kreteks	115	V210 V211	31150	#X SMK KRETK/12M					5E07C	6D20D
Alcohol - Any Form	30	V103	00790	EVER DRINK		2B03	3B03	4B03	5B03	6B21
	31	V104	00810	#X DRNK/LIFETIME	1B007A	2B04A	3B04A	4B04A	5B04A	6B22A
	32	V105	00820	#X DRNK/LAST12M	1B007B	2B04B	3B04B	4B04B	5B04B	6B22B
	33	V106	00830	#X DRNK/LAST30D	1B007C	2B04C	3B04C	4B04C	5B04C	6B22C
	34	V107	00840	#X DRK ENF FL HI	17010	2B05	3B05	4B05	5B05	6B23
	35	V108	00850	5+DRK ROW/LST 2	1B013	2B06	3B06	4B06	5B06	6B24
	116 117	V212 V213	25020 25030	#XDRUNK/LIFETIM #XDRUNK/LAST12M	1B016A 1B016B					6D11A 6D11B
	118	V213	25040	#XDRUNK/LAST30D	1B016B					6D11B
- Beer	119	V215	11000	#X BEER/LIFETIME				4D13A	1	
	120	V216	11010	#X BEER/LAST12MO				4D13B	1	
	121	V217	11020	#X BEER/LAST30DA				4D13C	1	
	122	V218	11030	5+BR/LST2WK,10+X				4D14	1	
- Wine Coolers	123	V219	22620	#X WIN COOL/LIFE				4D15A		
	124	V220	22630	#X WIN COOL/12MO				4D15B		
	125 126	V221 V222	22640 22650	#X WIN COOL/30DA 5+WINCOOL/LST2WK				4D15C 4D16		
- Wine	126	V222 V223	11040	#X WINE/LIFETIME				4D16 4D17A		
· · · · · · · · · · · · · · · · · · ·	128	V224	11050	#X WINE/LAST12MO				4D17B		
	129	V225	11060	#X WINE/LAST30DA				4D17C		
	130	V226	11070	#X 20OZ+ WN/2 WK				4D18		
- Liquor	131	V227	11080	#X LIQR/LIFETIME				4D19A		
	132	V228	11090	#X LIQR/LAST12MO				4D19B		
	133	V229	11100	#X LIQR/LAST30DA				4D19C		
Element Alexandra D. Caller	134	V230	11110	#X 5+LIQ/LST 2WK				4D20	5505 4	
- Flavored Alcoholic Drinks	135 136	V231 V232	31360 31370	#X FLVRDALC/LIFE #X FLVRDALC/12MO					5E05A 5E05B	
	137	V232 V233	31370	#X FLVRDALC/30DA					5E05C	
Marijuana/Hashish	36	V109	02040	#X HASH/LIFETIM	1B018A				02000	
•	37	V110	02050	#X HASH/LAST12M	1B018B					
	38	V111	02060	#X HASH/LAST30D	1B018C					
	39	V112	02070	#X MARJ/LIFETIM	1B019A					
	40	V113	02080	#X MARJ/LAST12M	1B019B					
	41	V114	02090	#X MARJ/LAST30D	1B019C	****				
	42	V115	00860	#XMJ+HS/LIFETIME		2B07A	3B07A	4B07A	5B07A	6B25A
	43 44	V116 V117	00870 00880	#XMJ+HS/LAST12MO #XMJ+HS/LAST30DA		2B07B 2B07C	3B07B 3B07C	4B07B 4B07C	5B07B 5B07C	6B25B 6B25C
LSD	45	V117 V118	00890	#X LSD/LIFETIME	1B033A	2B08A	3B08A	4B08A	5B08A	6B26A
	46	V119	00900	#X LSD/LAST 12M	1B033B	2B08B	3B08B	4B08B	5B08B	6B26B
	47	V120	00910	#X LSD/LAST 30D	1B033C	2B08C	3B08C	4B08C	5B08C	6B26C
Hallucinogens Other than LSD	48	V121	00920	#X PSYD/LIFETIM	1B042A	2B09A	3B09A	4B09A	5B09A	6B27A
	49	V122	00930	#X PSYD/LAST12M	1B042B	2B09B	3B09B	4B09B	5B09B	6B27B
	50	V123	00940	#X PSYD/LAST30D	1B042C	2B09C	3B09C	4B09C	5B09C	6B27C
- PCP	138	V234	01181	#X PCP/LIFETIME		2E04A			1	
	139	V235	01182	#X PCP/LAST12MO		2E04B	1			
- MDMA ("Ecstasy")	140 141	V236 V237	01183 22660	#X PCP/LAST30DA #X MDMA/LIFETIME		2E04C	3B18A	4B18A		
- IVIDIVIA (EUSTASY)	141	V237 V238	22660	#X MDMA/LIFETIME #X MDMA/LAST12MO			3B18A 3B18B	4B18A 4B18B		
	143	V238 V239	22680	#X MDMA/LAST12MO #X MDMA/LAST30DA			3B18C	4B18C	1	
Cocaine	51	V124	00950	#X COKE/LIFETIME		2B10A	1		5B10A	
	52	V125	00960	#X COKE/LAST12MO		2B10B			5B10B	
	53	V126	00970	#X COKE/LAST30DA		2B10C	1		5B10C	
- "Crack"	144	V240	22260	#X CRACK/LIFTIM	1B075A	2E03A	3B11A	4B11A	5E06A	6B29A
	145	V241	22270	#X CRACK/LST12M	1B075B	2E03B	3B11B	4B11B	5E06B	6B29B
	146	V242	22280	#X CRACK/LST30D	1B075C	2E03C	3B11C	4B11C	5E06C	6B29C
- Other forms of cocaine	147	V243	22320	#XOTH COKE/LIFE	1B076A 1B076B		3B12A	4B12A	1	6B30A 6B30B
	148	V244	22330	#XOTH COKE/12MO	1B0/0B	1	3B12B	4B12B	1	OBSUB

		Combined Form								
		Dataset	Item							
		Variable	Ref.				Questic	n Number	r	
Substance Category	Page #	Number	Number	Vowiable I abel	Form 1	Form 2	Form 3	Form 4	Form 5	Form 6
Amphetamines	54	V127	00980	Variable Label #X AMPH/LIFETIM	Form 1 1B050A	2B11A	3B10A	4B10A	5B11A	6B28A
	55	V128	00990	#X AMPH/LAST12M	1B050B	2B11B	3B10B	4B10B	5B11B	6B28B
	56	V129	01000	#X AMPH/LAST30D	1B050C	2B11C	3B10C	4B10C	5B11C	6B28C
- Crystal Meth ("Ice")	57	V130	24380	#X ICE/LIFETIME		2B12A			5B12A	
	58	V131	24390	#X ICE/LAST12MO		2B12B			5B12B	
	59	V132	24400	#X ICE/LAST30DA		2B12C			5B12C	
- Methamphetamines	150	V246	30800	#X METHAMPH/LIFE				4B17A		6B36A
	151	V247	30810	#X METHAMPH/12MO				4B17B		6B36B
	152	V248	30820	#X METHAMPH/30DA				4B17C		6B36C
- Ritalin	153	V249	31180	#X RITALIN/12MO			3D05D			6D20G
- Over-the-Counter - Diet Pills	154	V250	21220	#X DIETPILL/LFT	1B046A					
	155	V251	21230	#X DIETPILL/12M	1B046B					
	156	V252	21240	#X DIETPILL/30D	1B046C					
- Over-the-Counter - Stay-Awakes	157	V253	21250	#X STA-AWAK/LFT	1B047A					
	158	V254	21260	#X STA-AWAK/12M	1B047B					
	159	V255	21270	#X STA-AWAK/30D	1B047C					
- Over-the-Counter - Look-Alikes	160	V256	21280	#X LOOKALIK/LFT	1B048A					
	161	V257	21290	#X LOOKALIK/12M	1B048B					
Sedatives	162 60	V258 V133	21300 01042	#X LOOKALIK/30D #X SED/BARB/LIFE	1B048C 1B062A	2B13A	3B13A	4B13A	5B13A	6B31A
Sedatives	61	V133 V134	01042	#X SED/BARB/12MO	1B062A 1B062B	2B13B	3B13B	4B13B	5B13B	6B31B
	62	V135	01062	#X SED/BARB/30DA	1B062B	2B13C	3B13C	4B13C	5B13C	6B31C
- Methaqualone	163	V259	01010	#X QUAD/LIFETIM	1B060A	2B13C	SBISC	TD15C	38130	OBSIC
.v.equiione	164	V260	01020	#X QUAD/LAST12M	1B060B					
	165	V261	01030	#X QUAD/LAST30D	1B060C					
- Rohypnol	166	V262	29785	#X ROHYPNL/12MO			3D05E			6D20J
- GHB	167	V263	31050	#X GHB/LAST12MO						6D20A
- Ketamine	168	V264	31060	#X KETAMINE/12M			3D05A		5E07A	6D20B
Tranquilizers	63	V136	01070	#X TRQL/LIFETIM	1B065A	2B14A	3B14A	4B14A	5B14A	6B32A
1	64	V137	01080	#X TRQL/LAST12M	1B065B	2B14B	3B14B	4B14B	5B14B	6B32B
	65	V138	01090	#X TRQL/LAST30D	1B065C	2B14C	3B14C	4B14C	5B14C	6B32C
Heroin	66	V139	01100	#X "H"/LIFETIME	1B086A		3B15A	4B15A		
	67	V140	01110	#X "H"/LAST 12M	1B086B		3B15B	4B15B		
	68	V141	01120	#X "H"/LAST 30D	1B086C		3B15C	4B15C		
- heroin with a needle	169	V265	29630	#X H LIF USE NDL		2B15A			5B15A	6B33A
	170	V266	29640	#X H 12M USE NDL		2B15B			5B15B	6B33B
	171	V267	29650	#X H 30D USE NDL		2B15C			5B15C	6B33C
- heroin without a needle	172	V268	29660	#X H LIF W/O NDL		2B16A			5B16A	6B34A
	173	V269	29670	#X H 12M W/O NDL		2B16B			5B16B	6B34B
A. D. O. D. Talanda	174	V270	29680	#X H 30D W/O NDL		2B16C			5B16C	6B34C
Any Drugs By Injection	175	V271	25050	#X INJECT/LIFE						6D14A
	176 177	V272 V273	25060 25070	#X INJECT/LST12M #X INJECT/LST30D						6D14B 6D14C
Other Narcotics	69	V2/3 V142	01130	#X NARC/LIFETIM	1B088A	2B17A	3B16A	4B16A	5B17A	6B35A
Succession and the succession an	70	V142 V143	01140	#X NARC/LAST12M	1B088B	2B17B	3B16B	4B16B	5B17B	6B35B
	71	V143	01150	#X NARC/LAST30D	1B088C	2B17B 2B17C	3B16C	4B16C	5B17C	6B35C
- OxyContin	178	V274	31310	#X OXYCONTN/12MO					5E07D	6D20H
- Vicodin	179	V275	31320	#X VICODIN/12MO		1			5E07E	6D20I
Inhalants	72	V145	01160	#X INHL/LIFETIME		2B18A	3B17A		5B18A	1
	73	V146	01170	#X INHL/LAST12MO		2B18B	3B17B		5B18B	
	74	V147	01180	#X INHL/LAST30DA		2B18C	3B17C		5B18C	
- Amyl/Butyl Nitrites	180	V276	01184	#X PPRS/LIFETIME		2E05A				
JJ	181	V277	01185	#X PPRS/LAST12MO		2E05B				
	182	V278	01186	#X PPRS/LAST30DA		2E05C				
Steroids / Body Building	183	V279	22690	#X STRD/LIFETIME		2E06A			1	6D12A
out out bout building	184	V279 V280	22700	#X STRD/LAST12MO		2E06B				6D12B
A durantomi din	185	V281	22710	#X STRD/LAST30DA		2E06C	20050			6D12C
- Androstenidione	186	V282	31160	#X ANDRO/12MO			3D05B			6D20E
- Creatine	187	V283	31170	#X CREATINE/12MO			3D05C			6D20F

CASEID CASE IDENTIFICATION NUMBER

15,378 cases (Range of valid codes: 1-15378)

Data type: numeric

Columns: 1-5

V1 YEAR OF ADMIN (4-DIGITS)

Item Number:

Question Number(s):

PCT PCT N VALUE LABEL ALID ALL VALID 100.0 100.0 15,378 2005 100.0 100.0 15,378 cases

Data type: numeric Columns: 6-9

V3 052 :FORM ID

Item Number:

Question Number(s):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.8	2,587	1	
16.8	16.8	2,591	2	
16.5	16.5	2,536	3	
16.5	16.5	2,535	4	
16.7	16.7	2,574	5	
16.6	16.6	2,557	6	
100.0	100.0	15,378	cases	

Data type: numeric Columns: 10-11

V4 052 :R'S ID-SERIAL

Item Number:

Question Number(s):

15,378 cases (Range of valid codes: 10001-62563)

Data type: numeric Columns: 12-16

V5 SAMPLING WEIGHT

Item Number:

Question Number(s):

15,378 cases (Range of valid codes: 0.1726-4.5929)

Data type: numeric

Decimals: 4
Columns: 17-22

V13 052 :SCHL RGN-4 CAT

Item Number: V13 SCHL RGN-4 CAT

Question Number(s):

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
NE	1	3,063	19.9	19.9
NC	2	3,736	24.3	24.3
S	3	5,449	35.4	35.4
W	4	3,130	20.4	20.4
	cases	15,378	100.0	100.0

Data type: numeric Columns: 23-24

V16 052 :SELF-REP/NOT = 0

> Item Number: V16 SELF-REP/NOT=0

Question Number(s):

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

0=Not Self-Representing MSA 1=Self-Representing MSA

PCT PCT N VALUE LABEL VALID ALL70.2 70.2 10,789 0 NON SR:(0) 29.8 29.8 4,589 1 SELF REP: (1) ----- -----100.0 100.0 15,378 cases

Data type: numeric Columns: 25-26

V17 052 :SMSA/NON-SMSA = 0

V17 SMSA/NON-SMSA=0 Item Number:

Question Number(s):

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.)

0=Not MSA 1=MSA

PCT PCT N VALUE LABEL VALID ALL22.9 3,522 22.9 0 NON MSA:(0) 77.1 11,856 1 MSA:(1) 77.1 100.0 100.0 15,378 cases

Data type: numeric Columns: 27-28

V49 05C07R:# SIBLINGS

Item Number: 00075,00076

Question Number(s): 1C07A-B 2C07A-B 3C07A-B 4C07A-B 5C07A-B 6C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more". For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.9	900	0	NONE: (0)
31.0	29.6	4,553	1	ONE: (1)
28.0	26.8	4,115	2	TWO: (2)
34.9	33.4	5,138	3	3 OR MORE: (3)
	4.4	672	-9	MISSING
100.0	100.0	15.378	cases	

Data type: numeric Missing-data code: -9

Columns: 29-30

V101 052B01 :EVR SMK CIG, REGL

Item Number: 00760

Question Number(s): 1B001 2B01 3B01 4B01 5B01 6B01

Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	48.7	7,494	1	NEVER: (1)
21.4	20.8	3,199	2	1-2X:(2)
12.5	12.2	1,875	3	OCCASNLY: (3)
5.4	5.3	808	4	REG PAST:(4)
10.5	10.2	1,574	5	REG NOW: (5)
	2.8	428	-9	MISSING
1000	1000	15 252		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 31-32

V102 052B02 :#CIGS SMKD/30DAY

Item Number: 00780

Question Number(s): 18002 2802 3802 4802 5802 6802 How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [Includes respondents who marked category 1 on Q.B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	74.8	11,496	1	NONE: (1)
9.6	9.3	1,427	2	<1 CIG/D:(2)
6.6	6.4	988	3	1-5/DAY:(3)
3.7	3.6	560	4	1/2PK/D:(4)
2.1	2.0	309	5	1 PK/DA:(5)
0.6	0.6	89	6	1 1/2PK/D
0.5	0.5	69	7	2+ PKS/D:(7)
	2.9	441	-9	MISSING

Data type: numeric Missing-data code: -9

100.0 100.0 15,378 cases

Columns: 33-34

V103 052B03:EVER DRINK

Item Number: 00790

Question Number(s): 2B03 3B03 4B03 5B03 [Not asked in form 1; header to item 00810 of form 1 reads "The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol."] Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	20.2	3,111	1	NO:(1)
74.5	59.2	9,102	2	YES:(2)
	20.6	3,165	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 35-36

V104 052B04A: #X ALC/LIF SIPS

Item Number: 00810

Question Number(s): $18007A\ 2804A\ 3804A\ 4804A\ 5804A\ 6822A$ On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . . A: . . in your lifetime?

1="0 Occasions"[Includes respondents who report nonuse on QB03] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	23.5	3,607	1	0 OCCAS:(1)
8.7	8.2	1,262	2	1-2X:(2)
10.5	9.9	1,526	3	3-5X:(3)
9.7	9.2	1,408	4	6-9X:(4)
12.4	11.7	1,805	5	10-19X:(5)
11.0	10.3	1,590	6	20-39X:(6)
22.8	21.5	3,299	7	40+OCCAS:(7)
	5.7	882	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 37-38

V105 052B04B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 1B007B 2B04B 3B04B 4B04B 5B04B 6B22B On how many occasions (if any) have you had alcoholic beverages to drink--more than just $% \left(1\right) =\left(1\right) +\left(1\right)$ during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	29.6	4,547	1	0 OCCAS:(1)
15.9	14.9	2,297	2	1-2X:(2)
13.6	12.8	1,972	3	3-5X:(3)
11.1	10.5	1,611	4	6-9X:(4)
11.5	10.8	1,666	5	10-19X:(5)
7.8	7.3	1,125	6	20-39X:(6)
8.7	8.2	1,259	7	40+OCCAS:(7)
	5.9	900	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 39-40

V106 052B04C:#X ALC/30D SIPS

Item Number: 00830

Question Number(s): 18007C 2804C 3804C 4804C 5804C 6B22C On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	49.9	7,676	1	0 OCCAS:(1)
21.3	20.1	3,084	2	1-2X:(2)
12.2	11.4	1,761	3	3-5X:(3)
6.3	5.9	908	4	6-9X:(4)
4.1	3.8	592	5	10-19X:(5)
1.5	1.4	212	6	20-39X:(6)
1.6	1.5	224	7	40+OCCAS: (7)
	6.0	921	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 41-42

V107 052B05 :#X DRK ENF FL HI

Item Number: 00840

Question Number(s): 2B05 3B05 4B05 5B05 [Not asked in questionnaire form 1.] On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	13.8	2,120	1	NONE: (1)
25.9	15.3	2,360	2	FEW: (2)
14.5	8.6	1,324	3	HALF:(3)
21.1	12.5	1,928	4	MOST: (4)
15.2	9.0	1,389	5	NRLY ALL:(5)
	40.7	6,257	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 43-44

V108 052B06:5+DRK ROW/LST 2W

Item Number: 00850

Question Number(s): 18013 2806 3806 4806 5806 6824 Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.) [Worded slightly differently in form 1; see Form 1 Codebook.]

1="None"[Includes respondents who previously reported nonuse in lifetime] 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	68.0	10,459	1	NONE: (1)
10.0	9.3	1,426	2	ONCE: (2)
7.4	6.9	1,066	3	TWICE:(3)
6.4	6.0	921	4	3-5X:(4)
1.8	1.7	257	5	6-9X:(5)
1.3	1.2	188	6	10+ TIME:(6)
	6.9	1,061	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 45-46

V109 051B018A: #X HASH/LIFETIM

Item Number: 02040

Question Number(s): 18018A The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . . A: . . . in your lifetime? [In questionnaire form 1 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	14.6	2,238	1	0 OCCAS:(1)
3.8	0.6	95	2	1-2X:(2)
1.8	0.3	44	3	3-5X:(3)
0.5	0.1	14	4	6-9X:(4)
0.6	0.1	15	5	10-19X:(5)
0.8	0.1	19	6	20-39X:(6)
2.1	0.3	52	7	40+OCCAS:(7)
	83.9	12,902	-9	MISSING

Data type: numeric Missing-data code: -9

100.0 100.0 15,378 cases

Columns: 47-48

V110 051B018B:#X HASH/LAST12M

Item Number: 02050

Question Number(s): 18018B On how many occasions (if any) have you used hashish . . . B: . . . during the last 12 months? [In questionnaire form 1 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	14.9	2,296	1	0 OCCAS:(1)
3.5	0.6	87	2	1-2X:(2)
0.9	0.2	23	3	3-5X:(3)
0.3	0.0	7	4	6-9X:(4)
0.5	0.1	12	5	10-19X:(5)
0.5	0.1	12	6	20-39X:(6)
1.4	0.2	34	7	40+OCCAS:(7)
	83.9	12,907	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 49-50

V111 051B018C:#X HASH/LAST30D

Item Number: 02060

Question Number(s): 1B018C On how many occasions (if any) have you used hashish . . . C: . . . during the last 30 days? [In questionnaire form 1 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	15.5	2,383	1	0 OCCAS:(1)
1.4	0.2	36	2	1-2X:(2)
0.2	0.0	5	3	3-5X:(3)
0.5	0.1	13	4	6-9X:(4)
0.5	0.1	12	5	10-19X:(5)
0.3	0.0	7	6	20-39X:(6)
0.6	0.1	15	7	40+OCCAS:(7)
	83.9	12,907	-9	MISSING

Data type: numeric

100.0 100.0 15,378 cases

Missing-data code: -9 Columns: 51-52

V112 051B019A:#X MARJ/LIFETIM

Item Number: 02070

Question Number(s): 1B019A On how many occasions (if any) have you used marijuana . . A: . . .in your lifetime? [In questionnaire form 1 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	8.9	1,366	1	0 OCCAS:(1)
8.9	1.4	219	2	1-2X:(2)
6.7	1.1	165	3	3-5X:(3)
4.2	0.7	103	4	6-9X:(4)
5.6	0.9	138	5	10-19X:(5)
3.9	0.6	96	6	20-39X:(6)
15.3	2.5	378	7	40+OCCAS:(7)
	84.0	12,912	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 53-54

V113 051B019B:#X MARJ/LAST12M

Item Number: 02080

Question Number(s): 1B019B On how many occasions (if any) have you used marijuana . . . B: . . .during the last 12months? [In questionnaire form 1 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	10.7	1,639	1	0 OCCAS:(1)
9.8	1.6	243	2	1-2X:(2)
5.0	0.8	123	3	3-5X:(3)
3.5	0.6	87	4	6-9X:(4)
3.6	0.6	89	5	10-19X:(5)
3.2	0.5	78	6	20-39X:(6)
8.4	1.4	208	7	40+OCCAS:(7)
	84.0	12,911	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 55-56

V114 051B019C:#X MARJ/LAST30D

Item Number: 02090

Question Number(s): 1B019C On how many occasions (if any) have you used marijuana . . . C: . . . during the last 30 days? [In questionnaire form 1 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	12.8	1,970	1	0 OCCAS:(1)
7.5	1.2	184	2	1-2X:(2)
2.9	0.5	70	3	3-5X:(3)
1.9	0.3	46	4	6-9X:(4)
2.2	0.4	55	5	10-19X:(5)
1.7	0.3	42	6	20-39X:(6)
4.0	0.6	98	7	40+OCCAS:(7)
	84.0	12,913	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 57-58

V115 052B07A: #XMJ+HS/LIFETIME

Item Number: 00860

Question Number(s): 2B07A 3B07A 4B07A 5B07A 6B25A On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil). . A: . . . in your lifetime? [For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	52.8	8,124	1	0 OCCAS:(1)
10.0	9.6	1,472	2	1-2X:(2)
6.5	6.3	962	3	3-5X:(3)
4.1	3.9	599	4	6-9X:(4)
5.6	5.4	828	5	10-19X:(5)
4.2	4.1	626	6	20-39X:(6)
14.3	13.7	2,111	7	40+OCCAS:(7)
	4.3	657	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 59-60

V116 052B07B: #XMJ+HS/LAST12MO

Item Number: 00870

Question Number(s): 2B07B 3B07B 4B07B 5B07B 6B25B On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months? [For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	63.4	9,749	1	0 OCCAS:(1)
9.9	9.4	1,453	2	1-2X:(2)
5.4	5.2	799	3	3-5X:(3)
3.7	3.6	548	4	6-9X:(4)
3.9	3.7	566	5	10-19X:(5)
2.7	2.6	398	6	20-39X:(6)
8.0	7.6	1,174	7	40+OCCAS:(7)
	4.5	690	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 61-62

V117 052B07C: #XMJ+HS/LAST30DA

Item Number: 00880

Question Number(s): 2B07C 3B07C 4B07C 5B07C 6B25C On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days? [For form 1, item is recoded from separate marijuana and hashish questions, and "Dope" is given as another example of what marijuana is called.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	76.7	11,788	1	0 OCCAS:(1)
7.1	6.8	1,048	2	1-2X:(2)
3.2	3.1	470	3	3-5X:(3)
2.1	2.0	303	4	6-9X:(4)
2.3	2.2	335	5	10-19X:(5)
2.0	1.9	287	6	20-39X:(6)
3.1	2.9	450	7	40+OCCAS:(7)
	4.5	697	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 63-64

V118 052B08A:#X LSD/LIFETIME

Item Number: 00890

Question Number(s): 18033A 2808A 3808A 4808A 5808A 6826A On how many occasions (if any) have you used LSD ("acid"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	92.9	14,279	1	0 OCCAS:(1)
2.1	2.1	317	2	1-2X:(2)
0.5	0.5	71	3	3-5X:(3)
0.3	0.3	50	4	6-9X:(4)
0.2	0.2	37	5	10-19X:(5)
0.1	0.1	14	6	20-39X:(6)
0.2	0.2	33	7	40+OCCAS: (7)
	3.8	578	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 65-66

V119 052B08B: #X LSD/LAST 12MO

Item Number: 00900

Question Number(s): 1B033B 2B08B 3B08B 4B08B 5B08B 6B26B On how many occasions (if any) have you used LSD ("acid"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.5	14,533	1	0 OCCAS:(1)
1.1	1.0	160	2	1-2X:(2)
0.2	0.2	37	3	3-5X:(3)
0.2	0.2	30	4	6-9X:(4)
0.1	0.1	13	5	10-19X:(5)
0.1	0.1	8	6	20-39X:(6)
0.1	0.1	18	7	40+OCCAS:(7)
	3.8	578	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 67-68

V120 052B08C:#X LSD/LAST 30DA

Item Number: 00910

Question Number(s): 1B033C 2B08C 3B08C 4B08C 5B08C 6B26C On how many occasions (if any) have you used LSD ("acid"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	95.5	14,690	1	0 OCCAS:(1)
0.4	0.4	55	2	1-2X:(2)
0.1	0.1	22	3	3-5X:(3)
0.1	0.1	14	4	6-9X:(4)
0.0	0.0	5	5	10-19X:(5)
0.0	0.0	2	6	20-39X:(6)
0.1	0.1	11	7	40+OCCAS:(7)
	3.8	579	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 69-70

V121 052B09A: #X PSYD/LIFETIME

Item Number: 00920

Question Number(s): 1B042A 2B09A 3B09A 4B09A 5B09A 6B27A On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	88.2	13,558	1	0 OCCAS:(1)
4.5	4.4	669	2	1-2X:(2)
1.9	1.8	283	3	3-5X:(3)
0.7	0.7	104	4	6-9X:(4)
0.5	0.5	72	5	10-19X:(5)
0.2	0.2	32	6	20-39X:(6)
0.3	0.3	45	7	40+OCCAS:(7)
	4.0	615	-9	MISSING

Data type: numeric Missing-data code: -9

100.0 100.0 15,378 cases

Columns: 71-72

V122 052B09B:#X PSYD/LAST12MO

Item Number: 00930

Question Number(s): 18042B 2809B 3809B 4809B 5809B 6B27B On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	91.2	14,021	1	0 OCCAS:(1)
3.2	3.1	471	2	1-2X:(2)
1.1	1.0	160	3	3-5X:(3)
0.4	0.4	55	4	6-9X:(4)
0.2	0.2	26	5	10-19X:(5)
0.1	0.1	10	6	20-39X:(6)
0.1	0.1	14	7	40+OCCAS:(7)
	4.0	621	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 73-74

V123 052B09C:#X PSYD/LAST30DA

Page 50

Item Number: 00940

Question Number(s): 1B042C 2B09C 3B09C 4B09C 5B09C 6B27C On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	94.4	14,521	1	0 OCCAS:(1)
1.1	1.1	163	2	1-2X:(2)
0.3	0.3	44	3	3-5X:(3)
0.1	0.1	14	4	6-9X:(4)
0.0	0.0	5	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	7	7	40+OCCAS:(7)
	4.1	625	-9	MISSING

Data type: numeric

100.0 100.0 15,378 cases

Missing-data code: -9

Columns: 75-76

V124 052B10A:#X COKE/LIFETIME

Item Number: 00950

Question Number(s): 2B10A 5B10A On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock"). . . A: . . . in your lifetime? [For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	N	VALUE	LABEL
ALL			
87.8	13,500	1	0 OCCAS:(1)
3.1	478	2	1-2X:(2)
1.5	231	3	3-5X:(3)
0.8	119	4	6-9X:(4)
0.7	110	5	10-19X:(5)
0.4	64	6	20-39X:(6)
1.1	169	7	40+OCCAS:(7)
4.6	706	-9	MISSING
100.0	15,378	cases	
	ALL 87.8 3.1 1.5 0.8 0.7 0.4 1.1 4.6	ALL 87.8 13,500 3.1 478 1.5 231 0.8 119 0.7 110 0.4 64 1.1 169 4.6 706	ALL 87.8 13,500 1 3.1 478 2 1.5 231 3 0.8 119 4 0.7 110 5 0.4 64 6 1.1 169 7 4.6 706 -9

Data type: numeric Missing-data code: -9

Columns: 77-78

V125 052B10B:#X COKE/LAST12MO

Item Number: 00960

Question Number(s): 2B10B 5B10B On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock"). . . B: . . .during last 12 months? [For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	90.6	13,929	1	0 OCCAS:(1)
2.0	1.9	297	2	1-2X:(2)
0.9	0.9	133	3	3-5X:(3)
0.7	0.6	95	4	6-9X:(4)
0.6	0.6	87	5	10-19X:(5)
0.3	0.3	42	6	20-39X:(6)
0.6	0.5	84	7	40+OCCAS:(7)
	4.6	711	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 79-80

V126 052B10C:#X COKE/LAST30DA

Item Number: 00970

Question Number(s): 2B10C 5B10C On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock")...C:...during last 30 days? [For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	93.2	14,335	1	0 OCCAS:(1)
1.2	1.1	172	2	1-2X:(2)
0.4	0.4	60	3	3-5X:(3)
0.2	0.2	36	4	6-9X:(4)
0.2	0.2	32	5	10-19X:(5)
0.1	0.1	10	6	20-39X:(6)
0.1	0.1	20	7	40+OCCAS:(7)
	4.6	713	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 81-82

V127 052B11A: #X AMPH/LIFETIME

Item Number: 00980

Question Number(s): 18050A 2811A 3810A 4810A 5811A 6828A Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime? [Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Preludin, Dexamyl, Methamphetamine, Meth or Crystal Meth (see Form 1 codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	83.5	12,844	1	0 OCCAS:(1)
4.8	4.6	708	2	1-2X:(2)
2.5	2.4	365	3	3-5X:(3)
1.5	1.4	220	4	6-9X:(4)
1.4	1.4	208	5	10-19X:(5)
1.1	1.1	168	6	20-39X:(6)
1.7	1.6	245	7	40+OCCAS:(7)
	4.0	619	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 83-84

V128 052B11B:#X AMPH/LAST12MO

Item Number: 00990

Question Number(s): $18050B\ 2B11B\ 3B10B\ 4B10B\ 5B11B\ 6B28B$ On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	87.8	13,504	1	0 OCCAS:(1)
3.6	3.5	534	2	1-2X:(2)
1.7	1.6	250	3	3-5X:(3)
1.1	1.0	161	4	6-9X:(4)
0.9	0.8	126	5	10-19X:(5)
0.6	0.5	84	6	20-39X:(6)
0.6	0.6	94	7	40+OCCAS:(7)
	4.1	624	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 85-86

V129 052B11C:#X AMPH/LAST30DA

Item Number: 01000

Question Number(s): 1B050C 2B11C 3B10C 4B10C 5B11C 6B28C On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	14,178	1	0 OCCAS:(1)
2.0	1.9	295	2	1-2X:(2)
0.7	0.7	108	3	3-5X:(3)
0.5	0.5	70	4	6-9X:(4)
0.3	0.3	41	5	10-19X:(5)
0.2	0.2	33	6	20-39X:(6)
0.2	0.2	24	7	40+OCCAS:(7)
	4.1	629	-9	MISSING
1000	1000	15 252		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 87-88

V130 052B12A:#X ICE/LIFETIME

Item Number: 24380

Question Number(s): 2B12A 5B12A On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice"). . . A: . . . in your lifetime? [In questionnaire forms 2 and 5 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	31.1	4,790	1	0 OCCAS (1)
2.1	0.7	106	2	1-2X (2)
0.5	0.2	26	3	3-5X(3)
0.4	0.1	22	4	6-9X (4)
0.3	0.1	15	5	10-19X (5)
0.1	0.0	7	6	20-39X (6)
0.5	0.2	27	7	40+OCCAS (7)
	67.5	10,386	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 89-90

V131 052B12B:#X ICE/LAST12MO

Item Number: 24390

Question Number(s): 2B12B 5B12B On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice"). . . B: . . . during the last 12 months? [In questionnaire forms 2 and 5 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	31.7	4,876	1	0 OCCAS (1)
1.1	0.4	56	2	1-2X (2)
0.4	0.1	20	3	3-5X(3)
0.3	0.1	15	4	6-9X (4)
0.2	0.1	11	5	10-19X(5)
0.1	0.0	5	6	20-39X (6)
0.2	0.1	9	7	40+OCCAS (7)
	67.5	10,386	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 91-92

V132 052B12C:#X ICE/LAST30DA

Item Number: 24400

Question Number(s): 2B12C 5B12C On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice"). . . C: . . . during the last 30 days? [In questionnaire forms 2 and 5 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	32.2	4,948	1	0 OCCAS (1)
0.4	0.1	19	2	1-2X (2)
0.2	0.1	9	3	3-5X(3)
0.1	0.0	5	4	6-9X (4)
0.1	0.0	6	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.1	0.0	5	7	40+OCCAS (7)
	67.5	10,385	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 93-94

V133 052B13A:#X SED/BARB/LIFE

Item Number: 01042

Question Number(s): 1B062A 2B13A 3B13A 4B13A 5B13A 6B31A Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own-that is, without a doctor telling you to take them . . . A: . . . in your lifetime? [Worded slightly differently in questionnaire form 1; see Form 1 Codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	85.6	13,161	1	0 OCCAS:(1)
3.9	3.8	581	2	1-2X:(2)
2.0	1.9	290	3	3-5X:(3)
1.4	1.3	204	4	6-9X:(4)
1.4	1.3	199	5	10-19X:(5)
0.7	0.7	100	6	20-39X:(6)
1.2	1.2	177	7	40+OCCAS:(7)
	4.3	666	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 95-96

V134 052B13B:#X SED/BARB/12MO

Item Number: 01052

Question Number(s): 18062B 2813B 3813B 4813B 5813B 6831B On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	88.8	13,653	1	0 OCCAS:(1)
3.2	3.1	469	2	1-2X:(2)
1.5	1.4	220	3	3-5X:(3)
1.0	1.0	148	4	6-9X:(4)
0.8	0.7	111	5	10-19X:(5)
0.4	0.4	57	6	20-39X:(6)
0.3	0.3	49	7	40+OCCAS:(7)
	4.4	671	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 97-98

V135 052B13C:#X SED/BARB/30DA

Item Number: 01062

Question Number(s): 1B062C 2B13C 3B13C 5B13C 6B31C On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	92.5	14,220	1	0 OCCAS:(1)
1.7	1.6	249	2	1-2X:(2)
0.7	0.7	108	3	3-5X:(3)
0.4	0.4	60	4	6-9X:(4)
0.3	0.3	41	5	10-19X:(5)
0.1	0.1	14	6	20-39X:(6)
0.1	0.1	9	7	40+OCCAS:(7)
	4.4	675	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 99-100

V136 052B14A:#X TRQL/LIFETIME

Item Number: 01070

Question Number(s): 18065A 2814A 3814A 4814A 5814A 6832A Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime? [Questionnaire form 1 worded somewhat differently and adds to the above examples "Equanil, Meprobamate, Serax, Atarax, Tranxene, Vistaril" (see Form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	86.3	13,274	1	0 OCCAS:(1)
4.0	3.8	583	2	1-2X:(2)
2.0	1.9	293	3	3-5X:(3)
1.1	1.1	166	4	6-9X:(4)
0.9	0.9	140	5	10-19X:(5)
0.7	0.7	102	6	20-39X:(6)
1.2	1.1	171	7	40+OCCAS:(7)
	4.2	650	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 101-102

V137 052B14B:#X TRQL/LAST12MO

Item Number: 01080

Question Number(s): 1B065B 2B14B 3B14B 4B14B 5B14B 6B32B On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	89.3	13,731	1	0 OCCAS:(1)
3.1	3.0	454	2	1-2X:(2)
1.5	1.4	222	3	3-5X:(3)
0.8	0.7	114	4	6-9X:(4)
0.6	0.6	93	5	10-19X:(5)
0.4	0.3	52	6	20-39X:(6)
0.4	0.4	61	7	40+OCCAS:(7)
	4.2	652	-9	MISSING

100.0 100.0 15,378 cases Data type: numeric

Missing-data code: -9 Columns: 103-104

V138 052B14C:#X TRQL/LAST30DA

Item Number: 01090

Question Number(s): 1B065C 2B14C 3B14C 4B14C 5B14C 6B32C On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	93.0	14,296	1	0 OCCAS:(1)
1.6	1.5	235	2	1-2X:(2)
0.6	0.6	90	3	3-5X:(3)
0.3	0.3	44	4	6-9X:(4)
0.2	0.2	31	5	10-19X:(5)
0.1	0.1	15	6	20-39X:(6)
0.1	0.1	14	7	40+OCCAS:(7)
	4.2	653	-9	MISSING
1000	1000	1 - 2 - 2		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 105-106

V139 052R* :#X "H"/LIFETIME

Item Number: 01100

Question Number(s): 1B086A 3B15A 4B15A On how many occasions (if any) have you used heroin . . . A: . . . in your lifetime? [For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	94.1	14,470	1	0 OCCAS:(1)
0.7	0.7	106	2	1-2X:(2)
0.2	0.2	33	3	3-5X:(3)
0.1	0.1	17	4	6-9X:(4)
0.1	0.1	16	5	10-19X:(5)
0.1	0.1	11	6	20-39X:(6)
0.3	0.3	42	7	40+OCCAS:(7)
	4.4	682	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 107-108

V140 052R* :#X "H"/LAST12MO

Item Number: 01110

Question Number(s): 18086B 3B15B 4B15B On how many occasions (if any) have you taken heroin . . . B: . . . during the last 12 months? [For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	94.7	14,570	1	0 OCCAS:(1)
0.3	0.3	48	2	1-2X:(2)
0.2	0.1	23	3	3-5X:(3)
0.1	0.1	13	4	6-9X:(4)
0.1	0.1	10	5	10-19X:(5)
0.1	0.1	8	6	20-39X:(6)
0.2	0.2	24	7	40+OCCAS: (7)
	4.4	682	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 109-110

V141 052R* :#X "H"/LAST30DA

Item Number: 01120

Question Number(s): 18086C 3815C 4815C On how many occasions (if any) have you taken heroin . . . C: . . . On how many during the last 30 days? [For questionnaire forms 2, 5, and 6, item is recoded from separate questions about heroin use with a needle (items 29630-29650) and without a needle (items 29660-29680).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	95.1	14,628	1	0 OCCAS:(1)
0.2	0.1	23	2	1-2X:(2)
0.1	0.1	18	3	3-5X:(3)
0.0	0.0	4	4	6-9X:(4)
0.0	0.0	5	5	10-19X:(5)
0.0	0.0	4	6	20-39X:(6)
0.1	0.1	14	7	40+OCCAS:(7)
	4.4	683	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 111-112

V142 052B17A:#X NARC/LIFETIME

Item Number: 01130

Question Number(s): 1B088A 2B17A 3B16A 4B16A 5B17A 6B35A There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, Vicodin, Oxycontin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . A: . . . in your lifetime? [Questionnaire form 1 worded somewhat differently and adds "Percodan, Dilaudid" (see Form 1 Codebook).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	83.0	12,766	1	0 OCCAS:(1)
4.5	4.3	658	2	1-2X:(2)
2.6	2.5	383	3	3-5X:(3)
1.8	1.7	260	4	6-9X:(4)
1.6	1.5	228	5	10-19X:(5)
0.9	0.8	130	6	20-39X:(6)
1.3	1.3	197	7	40+OCCAS:(7)
	4.9	756	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 113-114

V143 052B17B: #X NARC/LAST12MO

Item Number: 01140

Question Number(s): 1B088B 2B17B 3B16B 4B16B 5B17B 6B35B On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	86.6	13,312	1	0 OCCAS:(1)
4.0	3.8	578	2	1-2X:(2)
1.8	1.7	266	3	3-5X:(3)
1.3	1.2	187	4	6-9X:(4)
0.9	0.9	134	5	10-19X:(5)
0.6	0.5	81	6	20-39X:(6)
0.4	0.4	61	7	40+OCCAS:(7)
	4.9	759	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 115-116

100.0 100.0 15,378 cases

V144 052B17C:#X NARC/LAST30DA

Item Number: 01150

Question Number(s): 1B088C 2B17C 3B16C 4B16C 5B17C 6B35C On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	91.4	14,050	1	0 OCCAS:(1)
2.1	2.0	308	2	1-2X:(2)
0.8	0.8	122	3	3-5X:(3)
0.5	0.5	73	4	6-9X:(4)
0.2	0.2	27	5	10-19X:(5)
0.1	0.1	16	6	20-39X:(6)
0.1	0.1	18	7	40+OCCAS:(7)
	5.0	764	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 117-118

V145 052B18A:#X INHL/LIFETIME

Item Number: 01160

Question Number(s): 2B18A 3B17A 5B18A On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . A: . . . in your lifetime? [In questionnaire forms 2, 3, and 5 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	42.6	6,544	1	0 OCCAS:(1)
6.6	3.2	486	2	1-2X:(2)
1.9	0.9	144	3	3-5X:(3)
0.9	0.5	70	4	6-9X:(4)
0.9	0.4	67	5	10-19X:(5)
0.4	0.2	27	6	20-39X:(6)
0.6	0.3	47	7	40+OCCAS:(7)
	52.0	7,993	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 119-120

V146 052B18B:#X INHL/LAST12MO

Item Number: 01170

Question Number(s): 2B18B 3B17B 5B18B On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . B: . . . during the last 12 months? [In questionnaire forms 2, 3, and 5 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	45.6	7,013	1	0 OCCAS:(1)
2.9	1.4	216	2	1-2X:(2)
0.9	0.4	65	3	3-5X:(3)
0.5	0.3	40	4	6-9X:(4)
0.3	0.2	23	5	10-19X:(5)
0.2	0.1	13	6	20-39X:(6)
0.2	0.1	16	7	40+OCCAS:(7)
	52.0	7,991	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 121-122

V147 052B18C:#X INHL/LAST30DA

Item Number: 01180

Question Number(s): 2B18C 3B17C 5B18C On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . C: . . . during the last 30 days? [In questionnaire forms 2, 3, and 5 only.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	47.1	7,239	1	0 OCCAS:(1)
1.2	0.6	88	2	1-2X:(2)
0.4	0.2	27	3	3-5X:(3)
0.1	0.1	10	4	6-9X:(4)
0.1	0.1	9	5	10-19X:(5)
0.1	0.1	8	6	20-39X:(6)
0.1	0.0	5	7	40+OCCAS:(7)
	52.0	7,992	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 123-124

V148 052(R) :AGE <>18 DICHOTOMY

Item Number:

Question Number(s): 1C01-2 2C01-2 3C01-2 5C01-2 6C01-2 Component questions: 1) "In what year were you born?" (item 00010), 2) "In what month were you born?" (item 00020), and 3) Date of questionnaire administration as recorded by interviewer.

1="under 18 years old" 2="18 years of age and over"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	43.4	6,672	1	< 18
54.8	52.6	8,093	2	18+
	4.0	613	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 125-126

V150 052C03 :R'S SEX

Item Number: 00030

Question Number(s): 1C003 2C03 3C03 4C03 5C03

6C03 What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	45.4	6,983	1	MALE: (1)
51.5	48.2	7,416	2	FEMALE: (2)
	6.4	980	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 127-128

V151 052C04(R):R'S RACE B/W/H

Item Number:

```
Question Number(s): 1C04a-i 2C04 3C04a-i 4C04 5C04a-i 6C04
[Questionnaire forms 2, 4, 6:] How do you describe
yourself?
2="Black or African American" 3="Mexican American or Chicano"
4="Cuban American" 8="Puerto Rican" 9="Other Latin American"
5="Asian American" 6="White (Caucasian)" 1="American Indian
(Native American Indian) " 7="Other" [Recoded in this dataset
so that "Black or African American" = 1 , "White (Caucasian)"
= 2, and Hispanic = 3 (combined codes (3) "Mexican...", (4)
"Cuban...", (8) "Puerto Rican", and (9) "Other Latin...").
All other codes are deleted.]
[Questionnaire forms 1, 3, 5:]
How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban
American; Puerto Rican; Other Hispanic or Latino; Asian
American; White (Caucasian); American Indian or Alaska
Native; Native Hawaiian or Other Pacific Islander. [Recoded
in this dataset so that "Black or African American" = 1,
"White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
"Cuban..." or "Puerto Rican" or "Other Hispanic..."). All
other responses, including those of respondents who chose
more than 1 alternative, were deleted.]
1="Black or African American" 2="White (Caucasian)"
3=Hispanic
```

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	9.9	1,522	1	BLACK:(1)
74.7	63.0	9,689	2	WHITE:(2)
13.5	11.4	1,757	3	HISPANIC:(3)
	15.7	2,409	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 129-130

V152 052C05 :R SPD >TIM R-URB

Item Number: 00050

Question Number(s): 1C005 2C05 3C05 4C05 5C05 6C05

Where did you grow up mostly?

1="On a farm" 2="In the country" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.2	1,715	0	<pre>DK/MXD/MDAT:(0)</pre>
4.7	4.7	722	1	FARM:(1)
12.8	12.8	1,974	2	COUNTRY: (2)
21.0	21.0	3,222	3	SM TOWN: (3)
12.1	12.1	1,860	4	MED CITY: (4)
9.7	9.7	1,490	5	SUBURB4:(5)
10.3	10.3	1,584	6	LG CITY:(6)
8.5	8.5	1,309	7	SUBURB 6:(7)
5.0	5.0	776	8	VRYLG CITY:(8)
4.7	4.7	727	9	SUBURB 8:(9)

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 131-132

V153 052C06 :R NOT MARRIED

Item Number: 00060

Question Number(s): 1C006 2C06 3C06 4C06 5C06 6C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	356	1	MARRIED:(1)
4.7	4.5	686	2	ENGAGED: (2)
0.9	0.9	131	3	SEP/DIV:(3)
92.0	87.7	13,487	4	SINGLE: (4)
	4.7	717	-9	MISSING
100 0	100 0	15 378	Caded	

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 133-134

V155

052C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Question Number(s): 1C07Cb 2C07Cb 3C07Cb 4C07Cb 5C07Cb 6C07Cb Which of the following people live in the same household with you? (Mark all that apply.) B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	24.1	3,700	0	NT MARKD:(0)
74.8	71.5	10,996	1	MARKED: (1)
	4.4	682	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 135-136

V156 052C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Question Number(s): 1C07Cc 2C07Cc 3C07Cc 4C07Cc 5C07Cc 6C07Cc Which of the following people live in the same household with you? (Mark all that apply.) C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT N VALUE LABEL VALID ALL9.4 1,442 0 NT MARKD:(0) 9.8 90.2 86.2 13,254 1 MARKED: (1) 4.4 682 -9 MISSING ----_____ 100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 137-138

V157

052C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Question Number(s): 1C07Cd 2C07Cd 3C07Cd 4C07Cd 5C07Cd 6C07Cd Which of the following people live in the same household with you? (Mark all that apply.) D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL33.2 31.7 4,876 0 NT MARKD: (0) 63.9 9,821 66.8 1 MARKED: (1) 4.4 682 -9 MISSING _____ 100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 139-140

V163 052C08 :FATHR EDUC LEVEL

Item Number: 00310

Question Number(s): 1C008 2C08 3C08 4C08 5C08 6C08 The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	535	1	GRDE SCH:(1)
9.7	9.2	1,416	2	SOME HS:(2)
27.2	25.8	3,974	3	HS GRAD:(3)
15.7	14.9	2,298	4	SOME CLG:(4)
22.5	21.4	3,295	5	CLG GRAD: (5)
14.6	13.9	2,130	6	GRAD SCH:(6)
6.8	6.4	989	7	DK/NA:(7)
	4.8	742	-9	MISSING

Data type: numeric Missing-data code: -9

100.0 100.0 15,378 cases

Columns: 141-142

V164 052C09 :MOTHR EDUC LEVEL

Item Number: 00320

Question Number(s): 1C009 2C09 3C09 4C09 5C09 6C09 What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.4	521	1	GRDE SCH:(1)
7.4	7.1	1,090	2	SOME HS:(2)
26.0	24.7	3,805	3	HS GRAD: (3)
20.3	19.3	2,973	4	SOME CLG:(4)
25.7	24.5	3,764	5	CLG GRAD: (5)
13.0	12.3	1,899	6	GRAD SCH: (6)
4.1	3.9	604	7	DK/NA:(7)
	4.7	723	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 143-144

V165 052C10 :MOTH PD JB R YNG

Item Number: 00330

Question Number(s): 1C010 2C10 3C10 4C10 5C10 6C10 Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4= "Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	14.9	2,285	1	NO:(1)
20.5	19.4	2,989	2	SOMETIME: (2)
17.4	16.5	2,531	3	MOSTTIME: (3)
46.5	44.1	6,781	4	ALL TIME: (4)
	5.1	792	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric

Missing-data code: -9 Columns: 145-146

V166 052C11 :R'S POLTL PRFNC

Item Number: 00340

Question Number(s): 1C011 2C11 3C11 4C11 5C11 6C11 How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	11.9	1,833	1	STRG GOP:(1)
16.0	14.6	2,251	2	MILD GOP:(2)
14.6	13.4	2,053	3	MILD DEM:(3)
12.7	11.6	1,781	4	STRG DEM:(4)
8.7	8.0	1,226	5	<pre>INDEPNDT:(5)</pre>
13.0	11.9	1,823	6	NO PREF:(6)
1.4	1.3	198	7	OTHER: (7)
20.5	18.7	2,871	8	DK/HVNT DECID:(8)
	8.7	1,342	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 147-148

V167 052C12 :R'POL BLF RADCL

Item Number: 00350

Question Number(s): 1C012 2C12 3C12 4C12 5C12 6C12 How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.9	752	1	VRY CONS:(1)
14.4	13.6	2,086	2	CONSERV: (2)
25.9	24.4	3,750	3	MODERATE: (3)
15.7	14.8	2,275	4	LIBERAL:(4)
5.3	5.0	771	5	VRY LIB:(5)
2.0	1.9	296	6	RADICAL:(7)
31.4	29.6	4,547	8	NONE ABOVE/DK:(8)
	5.9	901	-9	MISSING
100 0	100 0	15 378	Caded	

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 149-150

V169 052C13B:R'ATTND REL SVC

Item Number: 00370

Question Number(s): 1C013B 2C13B 3C13B 4C13B 5C13B 6C13B The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	13.3	2,041	1	NEVER: (1)
33.5	25.1	3,865	2	RARELY:(2)
15.8	11.8	1,819	3	1-2X/MO:(3)
33.1	24.8	3,815	4	1/WK OR+:(4)
	25.0	3,837	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 151-152

V170 052C13C:RLGN IMP R'S LF

Item Number: 00380

Question Number(s): 1C013C 2C13C 3C13C 4C13C 5C13C 6C13C C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	13.0	1,996	1	NOT IMPT:(1)
23.9	17.9	2,758	2	LITL IMP:(2)
27.1	20.3	3,117	3	PRTY IMP:(3)
31.7	23.8	3,653	4	VERY IMP:(4)
	25.1	3,854	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 153-154

V171 052C14 :WHEN R XPCT GRAD

Item Number: 00390

Question Number(s): 1C014 2C14 3C14 4C14 5C14 6C14 When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	92.7	14,255	1	BY JUNE: (1)
1.6	1.5	226	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.4	0.4	58	6	WONT: (6)
	5.5	838	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 155-156

V172 052C15 :R'S HS PROGRAM

Item Number: 00400

Question Number(s): 1C015 2C15 3C15 4C15 5C15 6C15 Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	52.4	8,055	1	CLG PREP:(1)
30.5	28.7	4,410	2	GENERAL: (2)
5.8	5.4	834	3	VOC-TECH: (3)
8.2	7.7	1,180	4	OTH/DK:(4)
	5.8	899	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 157-158

V173 052C16 :RT SF SCH AB>AVG

Item Number: 00410

Question Number(s): 1C016 2C16 3C16 4C16 5C16 6C16 Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	175	1	FAR BLOW: (1)
2.0	1.9	291	2	BELOW AV: (2)
4.6	4.3	665	3	SL BELOW: (3)
32.6	30.6	4,711	4	AVERAGE: (4)
24.4	22.9	3,523	5	SL ABOVE: (5)
28.0	26.3	4,046	6	ABOVE AV: (6)
7.2	6.7	1,036	7	FAR ABOV: (7)
	6.1	932	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 159-160

V174 052C17 :RT SF INTELL>AVG

Item Number: 00420

Question Number(s): 1C017 2C17 3C17 4C17 5C17 6C17 How intelligent do you think you are compared with others $% \left(1\right) =\left(1\right) \left(1\right) \left($ your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	150	1	FAR BLOW: (1)
1.6	1.5	236	2	BELOW AV: (2)
4.1	3.8	590	3	SL BELOW: (3)
30.8	29.0	4,457	4	AVERAGE: (4)
25.3	23.8	3,655	5	SL ABOVE: (5)
28.6	26.9	4,134	6	ABOVE AV: (6)
8.5	8.0	1,229	7	FAR ABOV: (7)
	6.0	927	-9	MISSING

Data type: numeric Missing-data code: -9

100.0 100.0 15,378 cases

Columns: 161-162

V175 052C18A:#DA/4W SC MS ILL

Item Number: 00430

Question Number(s): 1C018A 2C18A 3C18A 4C18A 5C18A 6C18A During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	52.7	8,099	1	NONE: (1)
18.3	16.9	2,596	2	1 DAY:(2)
11.3	10.4	1,601	3	2 DAYS:(3)
6.2	5.7	883	4	3 DAYS:(4)
4.5	4.1	636	5	4-5 DAYS:(5)
1.8	1.7	256	6	6-10 DA:(6)
0.9	0.8	129	7	11+ DAYS:(7)
	7.7	1,179	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 163-164

V176 052C18B:#DA/4W SC MS CUT

Item Number: 00440

Question Number(s): 1C018B 2C18B 3C18B 4C18B 5C18B 6C18B During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	61.8	9,504	1	NONE: (1)
13.6	12.4	1,908	2	1 DAY:(2)
7.1	6.5	993	3	2 DAYS:(3)
5.1	4.6	711	4	3 DAYS:(4)
3.4	3.1	478	5	4-5 DAYS:(5)
1.6	1.5	230	6	6-10 DA:(6)
1.4	1.3	203	7	11+ DAYS:(7)
	8.8	1,352	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 165-166

V177 052C18C:#DA/4W SC MS OTH

Item Number: 00450

Question Number(s): 1C018C 2C18C 3C18C 4C18C 5C18C 6C18C During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.1	50.5	7,763	1	NONE: (1)
20.7	19.0	2,922	2	1 DAY:(2)
11.4	10.4	1,601	3	2 DAYS:(3)
5.7	5.2	806	4	3 DAYS:(4)
4.3	3.9	607	5	4-5 DAYS:(5)
1.7	1.6	244	6	6-10 DA:(6)
1.1	1.0	149	7	11+ DAYS:(7)
	8.4	1,286	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 167-168

V178 052C19 :#DA/4W SKP CLASS

Item Number: 00460

Question Number(s): 1C019 2C19 3C19 4C19 5C19 6C19 During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	60.8	9,354	1	NONE: (1)
20.7	19.4	2,986	2	1-2:(2)
9.2	8.6	1,322	3	3-5:(3)
3.2	3.0	455	4	6-10:(4)
1.1	1.0	152	5	11-20:(5)
1.1	1.0	155	6	21+:(6)
	6.2	954	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 169-170

V179 052C20 :R HS GRADE/D=1

Item Number: 00470

Question Number(s): 1C020 2C20 3C20 4C20 5C20 6C20 Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	153	1	D:(1)
2.5	2.4	364	2	C-:(2)
5.6	5.2	806	3	C:(3)
9.2	8.7	1,331	4	C+:(4)
12.1	11.4	1,748	5	B-:(5)
17.8	16.7	2,565	6	B:(6)
18.8	17.6	2,700	7	B+:(7)
16.6	15.6	2,392	8	A-:(8)
16.2	15.2	2,338	9	A:(9)
	6.4	982	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 171-172

V180 052C21A:R WL DO VOC/TEC

Item Number: 00480

Question Number(s): 1C021A 2C21A 3C21A 4C21A 5C21A 6C21A How likely is it that you will do each of the following things after high school? A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	51.8	7,968	1	DEF WONT:(1)
22.1	19.9	3,066	2	PRB WONT:(2)
12.8	11.5	1,774	3	PRB WILL:(3)
7.7	7.0	1,075	4	DEF WILL:(4)
	9.7	1,496	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 173-174

V181

052C21B:R WL DO ARMD FC

Item Number: 00490

Question Number(s): 1C021B 2C21B 3C21B 4C21B 5C21B 6C21B How likely is it that you will do each of the following things after high school? B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	65.2	10,020	1	DEF WONT:(1)
18.6	16.7	2,561	2	PRB WONT: (2)
5.2	4.6	712	3	PRB WILL:(3)
3.4	3.0	463	4	DEF WILL: (4)
	10.5	1,621	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 175-176

V182 052C21C:R WL DO 2YR CLG

Item Number: 00500

Question Number(s): 1C021C 2C21C 3C21C 4C21C 5C21C 6C21C How likely is it that you will do each of the following things after high school? C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
42.7	38.4	5,910	1	DEF WONT: (1)	
19.3	17.4	2,673	2	PRB WONT:(2)	
20.8	18.7	2,876	3	PRB WILL:(3)	
17.2	15.5	2,388	4	DEF WILL: (4)	
	10.0	1,531	-9	MISSING	
100.0	100.0	15,378	cases		

Data type: numeric Missing-data code: -9 Columns: 177-178

V183

052C21D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 1C021D 2C21D 3C21D 4C21D 5C21D 6C21D How likely is it that you will do each of the following things after high school? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.2	1,259	1	DEF WONT:(1)
9.6	8.8	1,354	2	PRB WONT:(2)
21.6	19.9	3,053	3	PRB WILL:(3)
59.8	54.9	8,445	4	DEF WILL:(4)
	8.2	1,267	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 179-180

V184 052C21E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 1C021E 2C21E 3C21E 4C21E 5C21E 6C21E How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
17.3	15.7	2,413	1	DEF WONT: (1)	
27.2	24.6	3,787	2	PRB WONT:(2)	
33.1	29.9	4,603	3	PRB WILL:(3)	
22.4	20.2	3,112	4	DEF WILL: (4)	
	9.5	1,464	-9	MISSING	
100.0	100.0	15,378	cases		

Data type: numeric Missing-data code: -9 Columns: 181-182

V185

052C22A:R WNTDO VOC/TEC

Item Number: 00530

Question Number(s): 1C022A 2C22A 3C22A 4C22A 5C22A 6C22A Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	77.4	11,903	0	NT MARKD:(0)
16.1	14.8	2,280	1	MARKED: (1)
	7.8	1,195	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 183-184

V186 052C22B:R WNTDO ARMD FC

Item Number: 00540

Question Number(s): 1C022B 2C22B 3C22B 4C22B 5C22B 6C22B How many of the following things would you WANT to do? (Mark all that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 185-186

V187 052C22C:R WNTDO 2YR CLG

Item Number: 00550

Question Number(s): 1C022C 2C22C 3C22C 4C22C 5C22C 6C22C How many of the following things would you WANT to do? (Mark all that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL
VALID ALL
75.8 69.9 10,747 0 NT MARKD:(0)
24.2 22.3 3,436 1 MARKED:(1)
7.8 1,195 -9 MISSING
---- ---- 100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 187-188

V188 052C22D:R WNTDO 4YR CLG

Item Number: 00560

Question Number(s): 1C022D 2C22D 3C22D 4C22D 5C22D 6C22D How many of the following things would you WANT to do? (Mark all that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL20.6 19.0 2,929 0 NT MARKD:(0) 79.4 73.2 11,254 1 MARKED: (1) 7.8 1,195 -9 MISSING _____ 100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 189-190

V189

052C22E:R WNTDO GRD/PRF

Item Number: 00570

Question Number(s): 1C022E 2C22E 3C22E 4C22E 5C22E 6C22E How many of the following things would you WANT to do? (Mark all that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL45.0 41.5 6,383 0 NT MARKD: (0) 55.0 50.7 7,800 1 MARKED: (1) 7.8 1,195 -9 MISSING _____ 100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 191-192

V190 052C22F:R WNTDO NONE

Item Number: 00580

Question Number(s): 1C022F 2C22F 3C22F 4C22F 5C22F 6C22F How many of the following things would you WANT to do? (Mark all that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	87.5	13,452	0	NT MARKD:(0)
5.2	4.8	731	1	MARKED: (1)
	7.8	1,195	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 193-194

V191 052C23 :HRS/W WRK SCHYR

Item Number: 00590

Question Number(s): 1C023 2C23 3C23 4C23 5C23 6C23 On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	25.9	3,978	1	NONE: (1)
9.3	8.6	1,324	2	5 OR <:(2)
10.3	9.5	1,464	3	6-10 HRS:(3)
11.1	10.2	1,575	4	11-15 HR:(4)
14.1	13.0	2,004	5	16-20 HR:(5)
11.1	10.3	1,576	6	21-25 HR:(6)
8.0	7.4	1,137	7	26-30 HR:(7)
8.0	7.4	1,143	8	30+ HRS:(8)
	7.7	1,177	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 195-196

V192 052C24A:R\$/AVG WEEK JOB

Item Number: 00600

Question Number(s): 1C024A 2C24A 3C24A 4C24A 5C24A 6C24A During an average week, how much money do you get from . . . A: A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	28.6	4,399	1	NONE:(1)
1.1	1.0	156	2	\$1-5:(2)
3.3	3.0	462	3	\$6-10:(3)
2.9	2.7	410	4	\$11-20:(4)
4.1	3.8	578	5	\$21-35:(5)
5.6	5.1	787	6	\$36-50:(6)
9.1	8.2	1,262	7	\$51-75:(7)
21.0	19.0	2,922	8	\$76-125:(8)
21.3	19.3	2,967	9	\$126+:(9)
	9.3	1,435	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 197-198

V193 052C24B:R\$/AVG WEEK OTH

Item Number: 00610

Question Number(s): 1CO24B 2C24B 3C24B 4C24B 5C24B 6C24B During an average week, how much money do you get from . . . B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	33.9	5,219	1	NONE: (1)
5.9	5.3	812	2	\$1-5:(2)
9.8	8.7	1,343	3	\$6-10:(3)
17.4	15.5	2,388	4	\$11-20:(4)
11.8	10.5	1,615	5	\$21-35:(5)
7.6	6.8	1,044	6	\$36-50:(6)
3.4	3.1	471	7	\$51-75:(7)
2.4	2.1	323	8	\$76-125:(8)
3.6	3.2	492	9	\$126+:(9)
	10.9	1,671	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 199-200

V194 052C25 :#X/AV WK GO OUT

Item Number: 00620

Question Number(s): 1C025 2C25 3C25 4C25 5C25 6C25 During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.5	1,622	1	< 1:(1)
13.9	12.8	1,973	2	ONE:(2)
26.8	24.8	3,806	3	TWO:(3)
23.5	21.7	3,334	4	THREE: (4)
16.6	15.4	2,362	5	4-5:(5)
7.7	7.1	1,096	6	6-7:(6)
	7.7	1,185	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 201-202

V195 052C26 :#X DATE 3+/WK

Item Number: 00630

Question Number(s): 1C026 2C26 3C26 4C26 5C26 6C26 On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	25.3	3,892	1	NEVER: (1)
17.5	16.0	2,462	2	1/MO OR<:(2)
15.0	13.8	2,120	3	2-3/MO:(3)
14.6	13.4	2,062	4	1/WK:(4)
16.0	14.7	2,257	5	2-3/WK:(5)
9.3	8.6	1,315	6	3+/WK:(6)
	8.3	1,269	-9	MISSING
100.0	100.0	15.378	cases	

Data type: numeric Missing-data code: -9 Columns: 203-204

V196 052C27 :DRIVE>200 MI/WK

Item Number: 00640

Question Number(s): 1C027 2C27 3C27 4C27 5C27 6C27 During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	15.1	2,315	1	NONE: (1)
7.9	7.3	1,125	2	1-10 MI:(2)
22.8	21.0	3,234	3	11-50:(3)
22.8	21.0	3,233	4	51-100:(4)
17.5	16.2	2,487	5	101-200:(5)
12.5	11.6	1,778	6	> 200:(6)
	7.8	1,207	-9	MISSING
100 0	100 0	15 270	andod	

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 205-206

V197 052C28 :#X/12MO R TCKTD

Item Number: 00650

Question Number(s): 1C028 2C28 3C28 4C28 5C28 6C28 Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
		11	VILLOLI	шишш
VALID	\mathtt{ALL}			
72.9	66.3	10,202	0	NONE: (0)
16.8	15.3	2,351	1	ONE: (1)
6.0	5.5	844	2	TWO:(2)
2.4	2.2	339	3	THREE: (3)
1.9	1.7	261	4	4+:(4)
	9.0	1,381	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 207-208

V198 052C29AR#TCKTS AFT DRNK

Item Number: 00660

Question Number(s): 1C029A 2C29A 3C29A 4C29A 5C29A 6C29A How many of these tickets or warnings occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	23.0	3,543	0	None:(0)
4.5	1.1	170	1	One:(1)
1.0	0.3	39	2	Two: (2)
0.4	0.1	16	3	3-4 or +: (3-4)
	75.5	11,610	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 209-210

V199

052C29BR#TCKTS AFT MARJ

Item Number: 00670

Question Number(s): 1C029B 2C29B 3C29B 4C29B 5C29B 6C29B How many of these tickets or warnings occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	23.2	3,569	0	None:(0)
3.7	0.9	140	1	One:(1)
0.8	0.2	32	2	Two: (2)
0.7	0.2	27	3	3-4 or +: (3-4)
	75.5	11,609	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 211-212

V200 052C29CR#TCKTS AFT OTDG

Item Number: 00680

Question Number(s): 1C029C 2C29C 3C29C 4C29C 5C29C 6C29C How many of these tickets or warnings occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	24.0	3,698	0	None:(0)
1.1	0.3	41	1	One:(1)
0.4	0.1	13	2	Two: (2)
0.2	0.0	б	3	3-4 or +: (3-4)
	75.6	11,619	-9	MISSING
100 0	100 0	15 378	cases	

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 213-214

V201 052C30 :#ACCIDNTS/12 MO

Item Number: 00690

Question Number(s): 1C030 2C30 3C30 4C30 5C30 6C30 We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	68.5	10,540	0	NONE: (0)
18.2	16.4	2,522	1	ONE:(1)
4.6	4.1	636	2	TWO:(2)
0.9	0.8	120	3	THREE: (3)
0.5	0.5	71	4	4+:(4)
	9.7	1,490	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 215-216

V202 052C31AR#ACDTS AFT DRNK

Item Number: 00700

Question Number(s): 1C031A 2C31A 3C31A 4C31A 5C31A 6C31A How many of these accidents occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	20.8	3,196	0	None:(0)
3.4	0.7	112	1	One:(1)
0.5	0.1	16	2	Two: (2)
0.3	0.1	10	3	3-4 or +: (3-4)
	78.3	12,043	-9	MISSING
100 0	100 0	15 270		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 217-218

V203

052C31BR#ACDTS AFT MARJ

Item Number: 00710

Question Number(s): 1C031B 2C31B 3C31B 4C31B 5C31B 6C31B How many of these accidents occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	21.0	3,223	0	None:(0)
2.2	0.5	74	1	One:(1)
0.3	0.1	10	2	Two: (2)
0.3	0.1	9	3	3-4 or +: (3-4)
	78.4	12,062	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 219-220

V204 052C31CR#ACDTS AFT OTDG

Item Number: 00720

Question Number(s): 1C031C 2C31C 3C31C 4C31C 5C31C 6C31C How many of these accidents occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	21.3	3,275	0	None:(0)
0.7	0.1	22	1	One:(1)
0.2	0.0	6	2	Two: (2)
0.3	0.1	10	3	3-4 or +: (3-4)
	78.5	12,065	-9	MISSING
100 0	100.0	15.378	cases	

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 221-222

V205 0515C32 :R'S BRANCH SERV

Item Number: 00730

Question Number(s): 1C032 5C32 If you have not entered military service, and do not expect to enter, GO TO PART D. What is, or will be, your branch of service? [In questionnaire forms 1 and 5 only.]

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	0.7	102	1	ARMY:(1)
14.7	0.4	61	2	NAVY: (2)
20.0	0.5	83	3	MARINES:(3)
20.1	0.5	83	4	AIRFORCE:(4)
5.7	0.2	23	5	COAST GD:(5)
15.0	0.4	62	6	UNCERTN: (6)
	97.3	14,965	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 223-224

V206

0515C33 :R XPCTS B OFFCR

Item Number: 00740

Question Number(s): 1C033 5C33 Do you expect to be an officer? [In questionnaire forms 1 and 5 only.]

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	0.5	78	1	NO:(1)
41.5	1.2	180	2	UNCERTN: (2)
40.5	1.1	175	3	YES:(3)
	97.2	14,945	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 225-226

V207 0515C34 :R XPCTS MLTR CR

Item Number: 00750

Question Number(s): 1C034 5C34 Do you expect to have a career in the Armed Forces? [In questionnaire forms 1 and 5 only.]

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	0.7	104	1	NO:(1)
45.9	1.3	199	2	UNCERTN: (2)
30.0	0.8	130	3	YES:(3)
	97.2	14,944	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 227-228

V208 056B19 :EVR USE SMOKLESS

Item Number: 22230

Question Number(s): 6B19 Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	13.4	2,068	1	NOT@ALL:(1)
8.9	1.4	222	2	1-2X:(2)
4.2	0.7	106	3	1-2X/WK:(3)
1.4	0.2	36	4	3-5X/WK:(4)
2.8	0.5	70	5	1/DAY:(5)
0.0	0.0	0	6	>1/DAY:(6)
	83.7	12,877	-9	MISSING
1000	1000	15 252		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 229-230

V209 056B20 :#X SMKLESS/30 DA

Item Number: 22240

Question Number(s): 6B20 How frequently have you taken

smokeless tobacco during the past 30 days?

1="Not at all" 2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	15.0	2,313	1	NONE: (1)
3.1	0.5	78	2	1 DAY:(2)
1.0	0.2	26	3	2 DAYS:(3)
0.8	0.1	19	4	3-5 DAYS:(4)
0.6	0.1	15	5	6-9 DAYS:(5)
2.0	0.3	50	6	10+ DAYS:(6)
	83.7	12,876	-9	MISSING
100 0	1000	1 5 2 5 6		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 231-232

V210 055E07B:#X SMK BIDI/12M

Item Number: 31070

Question Number(s): 5E07B 6D20C [F6 only:]Lately there has been some attention paid to certain drugs. [Both forms:] During the LAST 12 MONTHS, on how many occasions (if any) have you...smoked bidis (or beedies) which are small brown cigarettes from India

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	28.0	4,311	1	0 OCCAS:(1)
1.9	0.5	83	2	1-2X:(2)
0.4	0.1	18	3	3-5X:(3)
0.5	0.1	21	4	6-9X:(4)
0.2	0.1	8	5	10-19X:(5)
0.1	0.0	4	6	20-39X:(6)
0.3	0.1	14	7	40+OCCAS:(7)
	71.0	10,919	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 233-234

100.0 100.0 15,378 cases

V211 055E07C: #X SMK KRETK/12M

Item Number: 31150

Question Number(s): 5E07C 6D20D [F6 only:]Lately there has been some attention paid to certain drugs. [Both forms:] During the LAST 12 MONTHS, on how many occasions (if any) have you... smoked kreteks (clove cigarettes)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	26.9	4,130	1	0 OCCAS:(1)
3.4	1.0	151	2	1-2X:(2)
1.2	0.4	54	3	3-5X:(3)
0.9	0.3	39	4	6-9X:(4)
0.6	0.2	26	5	10-19X:(5)
0.4	0.1	16	6	20-39X:(6)
0.6	0.2	29	7	40+OCCAS:(7)
	71.1	10,933	-9	MISSING
100.0	100.0	15.378	cases	

Data type: numeric Missing-data code: -9 Columns: 235-236

V212 051B016A: #XDRUNK/LIFETIM

Item Number: 25020

Question Number(s): 1B016A 6D11A On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	12.6	1,932	1	0 OCCAS:(1)
14.2	4.2	644	2	1-2X:(2)
9.3	2.7	422	3	3-5X:(3)
7.2	2.1	325	4	6-9X:(4)
7.7	2.3	347	5	10-19X:(5)
7.0	2.1	318	6	20-39X:(6)
12.2	3.6	553	7	40+OCCAS:(7)
	70.5	10,836	-9	MISSING
1000	1000	15 250		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 237-238

V213 051B016B: #XDRUNK/LAST12M

Item Number: 25030

Question Number(s): 1B016B 6D11B On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	15.4	2,363	1	0 OCCAS:(1)
14.9	4.4	673	2	1-2X:(2)
9.5	2.8	428	3	3-5X:(3)
6.8	2.0	309	4	6-9X:(4)
6.6	2.0	300	5	10-19X:(5)
4.5	1.3	202	6	20-39X:(6)
5.4	1.6	246	7	40+OCCAS:(7)
	70.6	10,857	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 239-240

100.0 100.0 15,378 cases

V214 051B016C: #XDRUNK/LAST30D

Item Number: 25040

Question Number(s): 1B016C 6D11C On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	20.6	3,161	1	0 OCCAS:(1)
15.4	4.5	698	2	1-2X:(2)
7.0	2.1	317	3	3-5X:(3)
3.4	1.0	155	4	6-9X:(4)
2.6	0.8	119	5	10-19X:(5)
0.8	0.2	35	6	20-39X:(6)
0.8	0.2	36	7	40+OCCAS:(7)
	70.6	10,857	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 241-242

V215 054D13A:#X BEER/LIFETIME

Item Number: 11000

Question Number(s): 4D13A The next questions are about alcohol use--this time asking separately about beer, wine, wine coolers, and hard liquor. On how many occasions (if any) have you had beer to drink. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	4.1	630	1	0 OCCAS:(1)
13.6	1.8	275	2	1-2X:(2)
10.4	1.4	210	3	3-5X:(3)
8.2	1.1	166	4	6-9X:(4)
9.7	1.3	197	5	10-19X:(5)
9.2	1.2	187	6	20-39X:(6)
17.7	2.3	358	7	40+OCCAS:(7)
	86.9	13,356	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 243-244

V216 054D13B:#X BEER/LAST12MO

Item Number: 11010

Question Number(s): 4D13B On how many occasions (if any) have you had beer to drink. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	5.7	883	1	0 OCCAS:(1)
14.5	1.9	290	2	1-2X:(2)
11.2	1.5	224	3	3-5X:(3)
8.0	1.1	162	4	6-9X:(4)
8.7	1.1	174	5	10-19X:(5)
5.2	0.7	105	6	20-39X:(6)
8.5	1.1	170	7	40+OCCAS:(7)
	86.9	13,368	-9	MISSING

Data type: numeric

100.0 100.0 15,378 cases

Missing-data code: -9 Columns: 245-246

V217 054D13C:#X BEER/LAST30DA

Item Number: 11020

Question Number(s): 4D13C On how many occasions (if any) have you had beer to drink. . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	8.1	1,247	1	0 OCCAS:(1)
16.6	2.2	334	2	1-2X:(2)
9.4	1.2	189	3	3-5X:(3)
5.5	0.7	110	4	6-9X:(4)
3.7	0.5	74	5	10-19X:(5)
1.3	0.2	25	6	20-39X:(6)
1.4	0.2	29	7	40+OCCAS:(7)
	86.9	13,371	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 247-248

V218 054D14 :5+BR/LST2WK,10+X

Item Number: 11030

Question Number(s): 4D14 Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce cans of beer (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	10.0	1,535	1	NONE: (1)
7.7	1.0	151	2	ONCE: (2)
5.6	0.7	111	3	TWICE:(3)
5.8	0.7	115	4	3-5X:(4)
1.7	0.2	34	5	6-9X:(5)
1.5	0.2	30	6	10+ TIME:(6)
	87.1	13,401	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 249-250

V219 054D15A:#X WIN COOL/LIFE

Item Number: 22620

Question Number(s): 4D15A On how many occasions (if any) have you had wine coolers to drink. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	6.1	939	1	0 OCCAS:(1)
17.9	2.3	361	2	1-2X:(2)
12.7	1.7	256	3	3-5X:(3)
7.3	1.0	148	4	6-9X:(4)
7.6	1.0	153	5	10-19X:(5)
3.8	0.5	76	6	20-39X:(6)
4.3	0.6	87	7	40+OCCAS:(7)
	86.9	13,359	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 251-252

V220 054D15B:#X WIN COOL/12MO

Item Number: 22630

Question Number(s): 4D15B On how many occasions (if any) have you had wine coolers to drink. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.3	8.7	1,333	1	0 OCCAS:(1)
16.6	2.2	333	2	1-2X:(2)
7.5	1.0	151	3	3-5X:(3)
4.1	0.5	82	4	6-9X:(4)
3.0	0.4	61	5	10-19X:(5)
1.4	0.2	29	6	20-39X:(6)
1.1	0.1	22	7	40+OCCAS:(7)
	86.9	13,367	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 253-254

100.0 100.0 15,378 cases

V221 054D15C:#X WIN COOL/30DA

Item Number: 22640

Question Number(s): 4D15C On how many occasions (if any) have you had wine coolers to drink. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	11.2	1,729	1	0 OCCAS:(1)
8.9	1.2	179	2	1-2X:(2)
2.6	0.3	53	3	3-5X:(3)
1.6	0.2	32	4	6-9X:(4)
0.6	0.1	12	5	10-19X:(5)
0.2	0.0	3	6	20-39X:(6)
0.3	0.0	6	7	40+OCCAS:(7)
	86.9	13,365	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 255-256

V222 054D16 :5+WINCOOL/LST2WK

Item Number: 22650

Question Number(s): 4D16 Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce bottles of wine cooler (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	11.8	1,815	1	NONE: (1)
3.2	0.4	63	2	ONCE: (2)
2.5	0.3	49	3	TWICE:(3)
0.8	0.1	15	4	3-5X:(4)
0.3	0.0	6	5	6-9X:(5)
0.4	0.0	7	6	10+ TIME:(6)
	87.3	13,424	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric

Missing-data code: -9 Columns: 257-258

V223 054D17A:#X WINE/LIFETIME

Item Number: 11040

Question Number(s): 4D17A On how many occasions (if any) have you had wine to drink, not counting wine coolers . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	6.3	968	1	0 OCCAS:(1)
20.0	2.6	404	2	1-2X:(2)
14.1	1.9	285	3	3-5X:(3)
6.9	0.9	140	4	6-9X:(4)
4.7	0.6	94	5	10-19X:(5)
2.2	0.3	44	6	20-39X:(6)
4.1	0.5	82	7	40+OCCAS:(7)
	86.9	13,359	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 259-260

V224 054D17B:#X WINE/LAST12MO

Item Number: 11050

Question Number(s): 4D17B On how many occasions (if any) have you had wine to drink, not counting wine coolers . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.4	8.3	1,272	1	0 OCCAS:(1)
21.2	2.8	426	2	1-2X:(2)
7.1	0.9	143	3	3-5X:(3)
3.8	0.5	77	4	6-9X:(4)
2.3	0.3	47	5	10-19X:(5)
1.0	0.1	21	6	20-39X:(6)
1.1	0.1	22	7	40+OCCAS:(7)
	86.9	13,371	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 261-262

V225 054D17C:#X WINE/LAST30DA

Item Number: 11060

Question Number(s): 4D17C On how many occasions (if any) have you had wine to drink, not counting wine coolers . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	11.2	1,717	1	0 OCCAS:(1)
9.6	1.3	193	2	1-2X:(2)
2.8	0.4	56	3	3-5X:(3)
1.0	0.1	20	4	6-9X:(4)
0.4	0.1	8	5	10-19X:(5)
0.3	0.0	6	6	20-39X:(6)
0.3	0.0	6	7	40+OCCAS:(7)
	87.0	13,372	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 263-264

V226 054D18 :#X 20OZ+ WN/2 WK

Item Number: 11070

Question Number(s): 4D18 Think back over the LAST TWO WEEKS. How many times have you had five or more 4-ounce glasses of wine in a row (or the equivalent, which is about three-fourths of a bottle)?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	12.2	1,873	1	NONE: (1)
3.1	0.4	61	2	ONCE: (2)
1.2	0.2	23	3	TWICE:(3)
0.6	0.1	12	4	3-5X:(4)
0.3	0.0	5	5	6-9X:(5)
0.3	0.0	6	6	10+ TIME:(6)
	87.1	13,397	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 265-266

V227 054D19A:#X LIQR/LIFETIME

Item Number: 11080

Question Number(s): 4D19A The next questions are about hard liquor. (Hard liquor includes whiskey, Scotch, bourbon, gin, vodka, rum, etc., or mixed drinks made with liquor.) On how many occasions (if any) have you had liquor to drink . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	4.1	636	1	0 OCCAS:(1)
11.8	1.5	237	2	1-2X:(2)
11.5	1.5	230	3	3-5X:(3)
8.9	1.2	178	4	6-9X:(4)
11.6	1.5	232	5	10-19X:(5)
10.8	1.4	217	6	20-39X:(6)
13.8	1.8	277	7	40+OCCAS:(7)
	87.0	13,371	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 267-268

V228 054D19B:#X LIQR/LAST12MO

Item Number: 11090

Question Number(s): 4D19B On how many occasions (if any) have you had liquor to drink . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	5.3	822	1	0 OCCAS:(1)
14.8	1.9	295	2	1-2X:(2)
12.6	1.6	252	3	3-5X:(3)
11.3	1.5	225	4	6-9X:(4)
10.4	1.3	207	5	10-19X:(5)
5.3	0.7	107	6	20-39X:(6)
4.6	0.6	91	7	40+OCCAS:(7)
	87.0	13,378	-9	MISSING

100.0 100.0 15,378 cases Data type: numeric

Missing-data code: -9 Columns: 269-270

V229 054D19C:#X LIQR/LAST30DA

Item Number: 11100

Question Number(s): 4D19C On how many occasions (if any) have you had liquor to drink . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	8.3	1,270	1	0 OCCAS:(1)
16.6	2.2	332	2	1-2X:(2)
10.7	1.4	213	3	3-5X:(3)
4.6	0.6	91	4	6-9X:(4)
3.0	0.4	59	5	10-19X:(5)
0.7	0.1	13	6	20-39X:(6)
0.9	0.1	18	7	40+OCCAS:(7)
	87.0	13,382	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 271-272

V230 054D20 :#X 5+LIQ/LST 2WK

Item Number: 11110

Question Number(s): 4D20 Think back over the LAST TWO WEEKS. How many times have you had five or more mixed drinks or shot glasses of hard liquor in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	9.3	1,436	1	NONE: (1)
8.3	1.0	159	2	ONCE: (2)
7.8	1.0	149	3	TWICE:(3)
6.2	0.8	119	4	3-5X:(4)
1.5	0.2	28	5	6-9X:(5)
1.3	0.2	25	6	10+ TIME:(6)
	87.5	13,463	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 273-274

V231 055E05A:#X FLVRDALC/LIFE

Item Number: 31360

Question Number(s): 5E05A On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips (Do not include regular liquor, beer, or wine.) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	3.8	582	1	0 OCCAS:(1)
14.6	2.1	320	2	1-2X:(2)
13.1	1.9	287	3	3-5X:(3)
13.5	1.9	296	4	6-9X:(4)
12.2	1.7	268	5	10-19X:(5)
9.3	1.3	203	6	20-39X:(6)
10.9	1.6	238	7	40+OCCAS:(7)
	85.7	13,183	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 275-276

V232 055E05B:#X FLVRDALC/12MO

Item Number: 31370

Question Number(s): 5E05B On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips (Do not include regular liquor, beer, or wine.) . . . A: . . . During the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	5.9	913	1	0 OCCAS:(1)
19.0	2.7	416	2	1-2X:(2)
14.0	2.0	307	3	3-5X:(3)
10.4	1.5	228	4	6-9X:(4)
8.8	1.2	192	5	10-19X:(5)
3.7	0.5	81	6	20-39X:(6)
2.4	0.3	53	7	40+OCCAS:(7)
	85.8	13,188	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 277-278

V233 055E05C:#X FLVRDALC/30DA

Item Number: 31380

Question Number(s): 5E05C On how many occasions (if any) have you had flavored alcoholic beverages like Mike's Hard Lemonade, Skyy Blue, Smirnoff Ice, Zima, Baccardi Silver, wine coolers, etc. to drink--more than just a few sips (Do not include regular liquor, beer, or wine.) . . . A: . . . During the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	9.9	1,524	1	0 OCCAS:(1)
17.9	2.6	392	2	1-2X:(2)
6.2	0.9	135	3	3-5X:(3)
3.7	0.5	80	4	6-9X:(4)
1.3	0.2	29	5	10-19X:(5)
0.6	0.1	13	6	20-39X:(6)
0.7	0.1	15	7	40+OCCAS:(7)
	85.8	13,190	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 279-280

V234 052E04A:#X PCP/LIFETIME

Item Number: 01181

Question Number(s): 2E04A On how many occasions (if any)

have you used PCP? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	14.3	2,199	1	0 OCCAS:(1)
1.3	0.2	28	2	1-2X:(2)
0.6	0.1	13	3	3-5X:(3)
0.2	0.0	4	4	6-9X:(4)
0.1	0.0	2	5	10-19X:(5)
0.1	0.0	3	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS:(7)
	85.3	13,124	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 281-282

V235 052E04B:#X PCP/LAST12MO

Item Number: 01182

Question Number(s): 2E04B On how many occasions (if any) have you used PCP? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	14.5	2,225	1	0 OCCAS:(1)
0.5	0.1	12	2	1-2X:(2)
0.2	0.0	4	3	3-5X:(3)
0.3	0.0	7	4	6-9X:(4)
0.1	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS: (7)
	85.3	13,124	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 283-284

V236 052E04C:#X PCP/LAST30DA

Item Number: 01183

Question Number(s): 2E04C On how many occasions (if any) have you used PCP? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	14.6	2,238	1	0 OCCAS:(1)
0.3	0.0	6	2	1-2X:(2)
0.1	0.0	2	3	3-5X:(3)
0.1	0.0	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS: (7)
	85.3	13,124	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 285-286

V237 053B18A:#X MDMA/LIFETIME

Item Number: 22660

Question Number(s): 3B18A 4B18A On how many occasions (if any) have you used MDMA ("ecstasy"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	30.0	4,608	1	0 OCCAS:(1)
2.9	0.9	141	2	1-2X:(2)
1.0	0.3	48	3	3-5X:(3)
0.4	0.1	20	4	6-9X:(4)
0.5	0.2	24	5	10-19X:(5)
0.3	0.1	15	6	20-39X:(6)
0.3	0.1	16	7	40+OCCAS:(7)
	68.3	10,505	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 287-288

100.0 100.0 15,378 cases

V238 053B18B:#X MDMA/LAST12MO

Item Number: 22670

Question Number(s): 3B18B 4B18B On how many occasions (if any) have you used MDMA ("ecstasy"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	30.7	4,725	1	0 OCCAS:(1)
1.8	0.6	89	2	1-2X:(2)
0.4	0.1	20	3	3-5X:(3)
0.3	0.1	15	4	6-9X:(4)
0.2	0.1	8	5	10-19X:(5)
0.2	0.1	9	6	20-39X:(6)
0.2	0.0	7	7	40+OCCAS:(7)
	68.3	10,505	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 289-290

V239 053B18C:#X MDMA/LAST30DA

Item Number: 22680

Question Number(s): 3B18C 4B18C On how many occasions (if any) have you used MDMA ("ecstasy"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	31.4	4,823	1	0 OCCAS:(1)
0.6	0.2	31	2	1-2X:(2)
0.1	0.0	6	3	3-5X:(3)
0.1	0.0	5	4	6-9X:(4)
0.0	0.0	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.0	3	7	40+OCCAS:(7)
	68.3	10,508	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 291-292

V240 052E03A:#X CRACK/LIFETIM

Item Number: 22260

Question Number(s): 1B075A 2E03A 3B11A 4B11A 5E06A 6B29A [Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . [Form 1 has slightly different text and examples: see Form 1 Codebook.] [Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	89.2	13,710	1	0 OCCAS:(1)
1.7	1.6	245	2	1-2X:(2)
0.6	0.5	84	3	3-5X:(3)
0.3	0.3	46	4	6-9X:(4)
0.2	0.2	33	5	10-19X:(5)
0.1	0.1	21	6	20-39X:(6)
0.4	0.4	59	7	40+OCCAS:(7)
	7.7	1,181	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 293-294

V241 052E03B:#X CRACK/LAST12M

Item Number: 22270

Question Number(s): 18075B 2E03B 3B11B 4B11B 5E06B 6B29B [Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . [Form 1 has slightly different text and examples: see Form 1 Codebook.] [Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	90.6	13,930	1	0 OCCAS:(1)
0.8	0.8	117	2	1-2X:(2)
0.4	0.3	51	3	3-5X:(3)
0.2	0.2	32	4	6-9X:(4)
0.2	0.2	32	5	10-19X:(5)
0.1	0.1	17	6	20-39X:(6)
0.2	0.2	26	7	40+OCCAS: (7)
	7.6	1,173	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 295-296

100.0 100.0 15,378 cases

V242 052E03C:#X CRACK/LAST30D

Item Number: 22280

Question Number(s): 1B075C 2E03C 3B11C 4B11C 5E06C 6B29C [Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . [Form 1 has slightly different text and examples: see Form 1 Codebook.] [Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	91.5	14,067	1	0 OCCAS:(1)
0.4	0.4	58	2	1-2X:(2)
0.2	0.2	34	3	3-5X:(3)
0.1	0.1	18	4	6-9X:(4)
0.1	0.1	9	5	10-19X:(5)
0.0	0.0	3	6	20-39X:(6)
0.1	0.1	14	7	40+OCCAS:(7)
	7.6	1,175	-9	MISSING

Data type: numeric Missing-data code: -9

100.0 100.0 15,378 cases

Columns: 297-298

V243 051B076A: #XOTH COKE/LIFE

Item Number: 22320

Question Number(s): 18076A 3812A 4812A 6830A On how many occasions (if any) have you used cocaine in any other form . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	58.7	9,019	1	0 OCCAS:(1)
3.1	2.0	302	2	1-2X:(2)
1.2	0.8	118	3	3-5X:(3)
0.7	0.5	72	4	6-9X:(4)
0.7	0.4	64	5	10-19X:(5)
0.4	0.3	44	6	20-39X:(6)
0.9	0.6	89	7	40+OCCAS:(7)
	36.9	5,669	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 299-300

V244 051B076B: #XOTH COKE/12MO

Item Number: 22330

Question Number(s): 1B076B 3B12B 4B12B 6B30B how many occasions (if any) have you used cocaine in any other form . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	60.3	9,268	1	0 OCCAS:(1)
2.0	1.2	192	2	1-2X:(2)
0.6	0.4	63	3	3-5X:(3)
0.6	0.4	60	4	6-9X:(4)
0.5	0.3	50	5	10-19X:(5)
0.3	0.2	30	6	20-39X:(6)
0.4	0.3	43	7	40+OCCAS: (7)
	36.9	5,673	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 301-302

V245 051B076C:#XOTH COKE/30DA

Item Number: 22340

Question Number(s): 18076C 3812C 4812C 6830C On how many occasions (if any) have you used cocaine in any other form . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	61.9	9,514	1	0 OCCAS:(1)
1.0	0.6	98	2	1-2X:(2)
0.4	0.3	43	3	3-5X:(3)
0.2	0.1	20	4	6-9X:(4)
0.2	0.1	17	5	10-19X:(5)
0.1	0.0	5	6	20-39X:(6)
0.1	0.1	8	7	40+OCCAS: (7)
	36.9	5,673	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 303-304

V246 054B17A:#X METHAMPH/LIFE

Item Number: 30800

Question Number(s): 4B17A 6B36A On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . A . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	30.5	4,688	1	0 OCCAS:(1)
2.0	0.6	99	2	1-2X:(2)
0.8	0.3	42	3	3-5X:(3)
0.2	0.1	12	4	6-9X:(4)
0.3	0.1	15	5	10-19X:(5)
0.4	0.1	20	6	20-39X:(6)
0.6	0.2	31	7	40+OCCAS:(7)
	68.1	10,471	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 305-306

V247 054B17B:#X METHAMPH/12MO

Item Number: 30810

Question Number(s): 4B17B 6B36B On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . B . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	30.8	4,730	1	0 OCCAS:(1)
1.3	0.4	63	2	1-2X:(2)
0.4	0.1	19	3	3-5X:(3)
0.2	0.1	9	4	6-9X:(4)
0.2	0.1	12	5	10-19X:(5)
0.1	0.0	6	6	20-39X:(6)
0.3	0.1	14	7	40+OCCAS:(7)
	68.4	10,525	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 307-308

V248 054B17C:#X METHAMPH/30DA

Item Number: 30820

Question Number(s): 4B17C 6B36C On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . C . . .during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	31.3	4,806	1	0 OCCAS:(1)
0.3	0.1	14	2	1-2X:(2)
0.3	0.1	13	3	3-5X:(3)
0.1	0.0	4	4	6-9X:(4)
0.1	0.0	4	5	10-19X:(5)
0.1	0.0	4	6	20-39X:(6)
0.1	0.0	4	7	40+OCCAS:(7)
	68.5	10,529	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 309-310

V249 053D05D:#X RITALIN/12MO

Item Number: 31180

Question Number(s): 3D05D 6D20G Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken ritalin (without a doctor's orders)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	28.1	4,314	1	0 OCCAS:(1)
1.7	0.5	79	2	1-2X:(2)
0.9	0.3	41	3	3-5X:(3)
0.6	0.2	26	4	6-9X:(4)
0.4	0.1	18	5	10-19X:(5)
0.2	0.1	11	6	20-39X:(6)
0.5	0.2	23	7	40+OCCAS:(7)
	70.7	10,866	-9	MISSING
1000	1000	1 5 2 5 6		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 311-312

V250 051B046A:#X DIETPILL/LFT

Item Number: 21220

Question Number(s): 1B046A The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Dietac(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . . A . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	13.5	2,076	1	0 OCCAS:(1)
4.3	0.7	104	2	1-2X:(2)
2.2	0.3	54	3	3-5X:(3)
1.6	0.3	39	4	6-9X:(4)
1.5	0.2	36	5	10-19X:(5)
1.1	0.2	27	6	20-39X:(6)
2.8	0.4	68	7	40+OCCAS:(7)
	84.4	12,974	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 313-314

100.0 100.0 15,378 cases

V251 051B046B:#X DIETPILL/12M

Item Number: 21230

Question Number(s): 1B046B On how many occasions (if any) have you taken such non-prescription diet pills . . . B: . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	14.1	2,168	1	0 OCCAS:(1)
3.5	0.5	83	2	1-2X:(2)
1.7	0.3	40	3	3-5X:(3)
0.9	0.1	22	4	6-9X:(4)
1.3	0.2	31	5	10-19X:(5)
1.3	0.2	31	6	20-39X:(6)
1.3	0.2	32	7	40+OCCAS:(7)
	84.3	12,971	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 315-316

V252 051B046C:#X DIETPILL/30D

Item Number: 21240

Question Number(s): 1B046C On how many occasions (if any) have you taken such non-prescription diet pills . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	15.0	2,300	1	0 OCCAS:(1)
1.4	0.2	34	2	1-2X:(2)
0.8	0.1	19	3	3-5X:(3)
0.5	0.1	13	4	6-9X:(4)
0.8	0.1	18	5	10-19X:(5)
0.7	0.1	17	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS: (7)
	84.4	12,972	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 317-318

V253 051B047A:#X STA-AWAK/LFT

Item Number: 21250

Question Number(s): 1B047A Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), Wake(R), Caffedrine(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	13.2	2,029	1	0 OCCAS:(1)
7.1	1.1	171	2	1-2X:(2)
2.6	0.4	62	3	3-5X:(3)
2.3	0.4	54	4	6-9X:(4)
1.2	0.2	30	5	10-19X:(5)
0.8	0.1	18	6	20-39X:(6)
1.7	0.3	40	7	40+OCCAS:(7)
	84.4	12,973	-9	MISSING

Data type: numeric Missing-data code: -9

100.0 100.0 15,378 cases

Columns: 319-320

V254 051B047B: #X STA-AWAK/12M

Item Number: 21260

Question Number(s): 1B047B On how many occasions (if any) have you taken such non-prescription stay-awake pills . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	14.0	2,156	1	0 OCCAS:(1)
5.2	0.8	125	2	1-2X:(2)
1.6	0.3	39	3	3-5X:(3)
1.4	0.2	33	4	6-9X:(4)
0.6	0.1	13	5	10-19X:(5)
0.9	0.1	21	6	20-39X:(6)
0.6	0.1	15	7	40+OCCAS:(7)
	84.4	12,975	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 321-322

V255 051B047C: #X STA-AWAK/30D

Item Number: 21270

Question Number(s): 1B047C On how many occasions (if any) have you taken such non-prescription stay-awake pills . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	15.0	2,304	1	0 OCCAS:(1)
2.3	0.4	55	2	1-2X:(2)
0.5	0.1	11	3	3-5X:(3)
0.7	0.1	17	4	6-9X:(4)
0.3	0.0	8	5	10-19X:(5)
0.2	0.0	5	6	20-39X:(6)
0.1	0.0	2	7	40+OCCAS: (7)
	84.4	12,976	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 323-324

V256 051B048A: #X LOOKALIK/LFT

Item Number: 21280

Question Number(s): 1B048A In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	14.5	2,225	1	0 OCCAS:(1)
3.2	0.5	76	2	1-2X:(2)
1.3	0.2	31	3	3-5X:(3)
0.7	0.1	16	4	6-9X:(4)
0.8	0.1	19	5	10-19X:(5)
0.5	0.1	11	6	20-39X:(6)
0.8	0.1	19	7	40+OCCAS:(7)
	84.4	12,981	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 325-326

100.0 100.0 15,378 cases

V257 051B048B:#X LOOKALIK/12M

Item Number: 21290

Question Number(s): 1B048B Other than diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	15.0	2,301	1	0 OCCAS:(1)
1.9	0.3	46	2	1-2X:(2)
0.7	0.1	16	3	3-5X:(3)
0.5	0.1	11	4	6-9X:(4)
0.5	0.1	13	5	10-19X:(5)
0.2	0.0	4	6	20-39X:(6)
0.4	0.1	9	7	40+OCCAS:(7)
	84.4	12,978	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 327-328

V258 051B048C: #X LOOKALIK/30D

Item Number: 21300

Question Number(s): 1B048C Other than diet pills and stayawake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	15.3	2,353	1	0 OCCAS:(1)
0.7	0.1	17	2	1-2X:(2)
0.4	0.1	10	3	3-5X:(3)
0.2	0.0	4	4	6-9X:(4)
0.1	0.0	4	5	10-19X:(5)
0.3	0.0	7	6	20-39X:(6)
0.1	0.0	3	7	40+OCCAS:(7)
	84.4	12,980	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 329-330

V259 051B060A: #X QUAD/LIFETIM

Item Number: 01010

Question Number(s): 1B060A The next questions are about QUAALUDES (Methaqualone). Quaaludes are sometimes called: Soapers, Quads, Ludes. On how many occasions (if any) have you taken quaaludes on your own—that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	15.2	2,337	1	0 OCCAS:(1)
0.4	0.1	9	2	1-2X:(2)
0.3	0.0	7	3	3-5X:(3)
0.3	0.0	7	4	6-9X:(4)
0.1	0.0	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.0	7	7	40+OCCAS:(7)
	84.6	13,009	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 331-332

V260 051B060B:#X QUAD/LAST12M

Item Number: 01020

Question Number(s): 1B060B On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	15.3	2,349	1	0 OCCAS:(1)
0.2	0.0	5	2	1-2X:(2)
0.4	0.1	9	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.0	4	7	40+OCCAS: (7)
	84.6	13,009	-9	MISSING
100 0	1000	1 - 2 - 2		

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 333-334

V261 051B060C:#X QUAD/LAST30D

Item Number: 01030

Question Number(s): 1B060C On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	15.3	2,357	1	0 OCCAS:(1)
0.1	0.0	3	2	1-2X:(2)
0.2	0.0	6	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.0	3	7	40+OCCAS:(7)
	84.6	13,009	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 335-336

V262 053D05E:#X ROHYPNL/12MO

Item Number: 29785

Question Number(s): 3D05E 6D20J Lately there has been some attention paid to certain drugs. During the LAST 12 ${\tt MONTHS}\,,$ on how many occasions (if any) have you . . .taken Rohypnol ("rophies," "roofies")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	28.9	4,444	1	0 OCCAS:(1)
0.5	0.1	21	2	1-2X:(2)
0.2	0.1	11	3	3-5X:(3)
0.1	0.0	7	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.0	6	6	20-39X:(6)
0.2	0.1	8	7	40+OCCAS:(7)
	70.7	10,879	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 337-338

V263 056D20A:#X GHB/LAST12MO

Item Number: 31050

Question Number(s): 6D20A Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken ${\tt GHB}$ ("liquid G," "grievous bodily harm")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	14.2	2,177	1	0 OCCAS:(1)
0.5	0.1	10	2	1-2X:(2)
0.1	0.0	3	3	3-5X:(3)
0.1	0.0	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.4	0.1	8	7	40+OCCAS:(7)
	85.7	13,176	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 339-340

V264 053D05A:#X KETAMINE/12M

Item Number: 31060

Question Number(s): 3D05A 5E07A 6D20B [Forms 3, 6: "Lately there has been some attention paid to certain drugs."] During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken ketamine ("special K," "super K")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	43.4	6,671	1	0 OCCAS:(1)
0.6	0.3	43	2	1-2X:(2)
0.4	0.2	28	3	3-5X:(3)
0.1	0.1	8	4	6-9X:(4)
0.2	0.1	11	5	10-19X:(5)
0.1	0.0	5	6	20-39X:(6)
0.2	0.1	14	7	40+OCCAS:(7)
	55.9	8,598	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 341-342

V265 052B15A:#X H LIF USE NDL

Item Number: 29630

Question Number(s): 2B15A 5B15A 6B33A On how many occasions (if any) have you taken heroin using a needle . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	48.0	7,386	1	0 OCCAS:(1)
0.5	0.2	37	2	1-2X:(2)
0.1	0.0	б	3	3-5X:(3)
0.1	0.0	б	4	6-9X:(4)
0.0	0.0	4	5	10-19X:(5)
0.0	0.0	3	6	20-39X:(6)
0.2	0.1	15	7	40+OCCAS:(7)
	51.5	7,921	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9

Columns: 343-344

V266 052B15B:#X H 12M USE NDL

Item Number: 29640

Question Number(s): 2B15B 5B15B 6B33B On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	48.2	7,418	1	0 OCCAS:(1)
0.2	0.1	14	2	1-2X:(2)
0.1	0.0	5	3	3-5X:(3)
0.0	0.0	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	3	6	20-39X:(6)
0.2	0.1	11	7	40+OCCAS:(7)
	51.5	7,923	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 345-346

V267 052B15C:#X H 30D USE NDL

Item Number: 29650

Question Number(s): 2B15C 5B15C 6B33C On how many occasions (if any) have you taken heroin using a needle . . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	48.3	7,432	1	0 OCCAS:(1)
0.1	0.1	8	2	1-2X:(2)
0.1	0.0	4	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	9	7	40+OCCAS:(7)
	51.5	7,921	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 347-348

V268 052B16A:#X H LIF W/O NDL

Item Number: 29660

Question Number(s): 2B16A 5B16A 6B34A On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	47.7	7,338	1	0 OCCAS:(1)
0.6	0.3	44	2	1-2X:(2)
0.2	0.1	14	3	3-5X:(3)
0.1	0.1	9	4	6-9X:(4)
0.2	0.1	11	5	10-19X:(5)
0.0	0.0	3	6	20-39X:(6)
0.2	0.1	17	7	40+OCCAS:(7)
	51.6	7,942	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 349-350

V269 052B16B:#X H 12M W/O NDL

Item Number: 29670

Question Number(s): 2B16B 5B16B 6B34B On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	48.0	7,379	1	0 OCCAS:(1)
0.3	0.1	21	2	1-2X:(2)
0.1	0.1	10	3	3-5X:(3)
0.1	0.1	11	4	6-9X:(4)
0.1	0.0	7	5	10-19X:(5)
0.1	0.0	4	6	20-39X:(6)
0.1	0.0	6	7	40+OCCAS:(7)
	51.6	7,941	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 351-352

V270 052B16C:#X H 30D W/O NDL

Item Number: 29680

Question Number(s): 2B16C 5B16C 6B34C On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	48.2	7,405	1	0 OCCAS:(1)
0.3	0.1	19	2	1-2X:(2)
0.1	0.0	7	3	3-5X:(3)
0.0	0.0	3	4	6-9X:(4)
0.0	0.0	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	3	7	40+OCCAS:(7)
	51.6	7,939	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 353-354

V271 056D14A:#X INJECT/LIFE

Item Number: 25050

Question Number(s): 6D14A On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	14.2	2,189	1	0 OCCAS:(1)
0.7	0.1	17	2	1-2X:(2)
0.1	0.0	3	3	3-5X:(3)
0.2	0.0	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.0	2	6	20-39X:(6)
0.4	0.1	9	7	40+OCCAS:(7)
	85.5	13,153	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 355-356

V272 056D14B:#X INJECT/LST12M

Item Number: 25060

Question Number(s): 6D14B On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	14.3	2,203	1	0 OCCAS:(1)
0.3	0.0	7	2	1-2X:(2)
0.2	0.0	4	3	3-5X:(3)
0.1	0.0	1	4	6-9X:(4)
0.1	0.0	2	5	10-19X:(5)
0.1	0.0	3	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS:(7)
	85.5	13,153	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 357-358

V273 056D14C:#X INJECT/LST30D

Item Number: 25070

Question Number(s): 6D14C On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	14.4	2,210	1	0 OCCAS:(1)
0.1	0.0	3	2	1-2X:(2)
0.1	0.0	3	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.1	0.0	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.0	4	7	40+OCCAS:(7)
	85.5	13,155	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9

Columns: 359-360

V274 055E07D: #X OXYCONTN/12MO

Item Number: 31310

Question Number(s): 5E07D 6D20H [Form 6: "Lately there has been some attention paid to certain drugs."] During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Oxycontin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	27.4	4,213	1	0 OCCAS:(1)
2.5	0.7	111	2	1-2X:(2)
1.1	0.3	49	3	3-5X:(3)
0.6	0.2	29	4	6-9X:(4)
0.5	0.1	21	5	10-19X:(5)
0.3	0.1	14	6	20-39X:(6)
0.5	0.1	22	7	40+OCCAS:(7)
	71.0	10,920	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 361-362

V275 055E07E:#X VICODIN/12MO

Item Number: 31320

Question Number(s): 5E07E 6D20I [Form 6: "Lately there has been some attention paid to certain drugs."] During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	26.3	4,043	1	0 OCCAS:(1)
4.3	1.2	190	2	1-2X:(2)
1.9	0.5	84	3	3-5X:(3)
1.3	0.4	58	4	6-9X:(4)
0.7	0.2	32	5	10-19X:(5)
0.4	0.1	18	6	20-39X:(6)
0.8	0.2	36	7	40+OCCAS:(7)
	71.0	10,916	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 363-364

V276 052E05A:#X PPRS/LIFETIME

Item Number: 01184

Question Number(s): 2E05A On how many occasions (if any) have you used amyl or butyl nitrites? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	14.4	2,215	1	0 OCCAS:(1)
0.5	0.1	11	2	1-2X:(2)
0.2	0.0	5	3	3-5X:(3)
0.1	0.0	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.0	1	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS:(7)
	85.4	13,137	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 365-366

V277 052E05B:#X PPRS/LAST12MO

Item Number: 01185

Question Number(s): 2E05B On how many occasions (if any) have you used amyl or butyl nitrites? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	14.5	2,228	1	0 OCCAS:(1)
0.2	0.0	4	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.2	0.0	5	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS: (7)
	85.4	13,136	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 367-368

V278 052E05C:#X PPRS/LAST30DA

Item Number: 01186

Question Number(s): 2E05C On how many occasions (if any) have you used amyl or butyl nitrites? C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	14.5	2,233	1	0 OCCAS:(1)
0.0	0.0	0	2	1-2X:(2)
0.1	0.0	2	3	3-5X:(3)
0.1	0.0	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.0	5	7	40+OCCAS: (7)
	85.4	13,135	-9	MISSING

100.0 100.0 15,378 cases

Data type: numeric Missing-data code: -9 Columns: 369-370

V279 052E06A:#X STRD/LIFETIME

Item Number: 22690

Question Number(s): 2E06A 6D12A Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	28.4	4,366	1	0 OCCAS:(1)
1.3	0.4	57	2	1-2X:(2)
0.4	0.1	17	3	3-5X:(3)
0.3	0.1	15	4	6-9X:(4)
0.2	0.1	9	5	10-19X:(5)
0.1	0.0	4	6	20-39X:(6)
0.3	0.1	15	7	40+OCCAS:(7)
	70.8	10,894	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 371-372

100.0 100.0 15,378 cases

V280 052E06B:#X STRD/LAST12MO

Item Number: 22700

Question Number(s): 2E06B 6D12B On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . $\ensuremath{\mathtt{B}}\xspace\colon$. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	28.8	4,427	1	0 OCCAS:(1)
0.5	0.1	21	2	1-2X:(2)
0.3	0.1	13	3	3-5X:(3)
0.2	0.1	10	4	6-9X:(4)
0.2	0.0	7	5	10-19X:(5)
0.1	0.0	3	6	20-39X:(6)
0.2	0.1	11	7	40+OCCAS:(7)
	70.8	10,886	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 373-374

V281 052E06C:#X STRD/LAST30DA

Item Number: 22710

Question Number(s): 2E06C 6D12C On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	28.9	4,452	1	0 OCCAS:(1)
0.3	0.1	13	2	1-2X:(2)
0.2	0.0	7	3	3-5X:(3)
0.2	0.1	8	4	6-9X:(4)
0.1	0.0	4	5	10-19X:(5)
0.0	0.0	2	6	20-39X:(6)
0.2	0.1	8	7	40+OCCAS:(7)
	70.8	10,885	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 375-376

V282 053D05B: #X ANDRO/12MO

Item Number: 31160

Question Number(s): 3D05B 6D20E Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken "andro" (androstenedione, non-prescription steroid)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	28.8	4,430	1	0 OCCAS:(1)
0.6	0.2	25	2	1-2X:(2)
0.2	0.1	10	3	3-5X:(3)
0.4	0.1	17	4	6-9X:(4)
0.1	0.0	5	5	10-19X:(5)
0.2	0.1	11	6	20-39X:(6)
0.2	0.1	8	7	40+OCCAS:(7)
	70.7	10,874	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 377-378

V283 053D05C:#X CREATINE/12MO

Item Number: 31170

Question Number(s): 3D05C 6D20F Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you . . . taken creatine (amino acid used to build muscle [form 3: "muscles"])

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	26.9	4,137	1	0 OCCAS:(1)
1.5	0.4	67	2	1-2X:(2)
1.4	0.4	64	3	3-5X:(3)
1.1	0.3	50	4	6-9X:(4)
1.3	0.4	60	5	10-19X:(5)
0.8	0.2	38	6	20-39X:(6)
2.0	0.6	92	7	40+OCCAS:(7)
	70.7	10,870	-9	MISSING
100.0	100.0	15,378	cases	

Data type: numeric Missing-data code: -9 Columns: 379-380

APPENDICES

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at http://www.monitoringthefuture.org/pubs.html.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82

^{*} The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.