# ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

**ICPSR 3425**

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2001

Lloyd D. Johnston
*University of Michigan. Institute for Social Research. Survey Research Center*

Jerald G. Bachman
*University of Michigan. Institute for Social Research. Survey Research Center*

Patrick M. O'Malley
*University of Michigan. Institute for Social Research. Survey Research Center*

John E. Schulenberg
*University of Michigan. Institute for Social Research. Survey Research Center*

Codebook for 12th Grade, Form 2 Data

CONTENTS

INTRODUCTION


DATA COLLECTION DESCRIPTION


MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2001, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.


DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out.  There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group.  While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one.  Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1:  GEOGRAPHIC AREAS.  The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2:  SCHOOLS.  In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled.  In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school.  When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3:  STUDENTS.  Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection.  In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased.  Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the

students that they will be invited to participate in the
study, points out that their participation is strictly
voluntary, and stresses confidentiality (including a
reference to the fact that the Monitoring the Future project
has a special government grant of confidentiality which
allows their answers to be protected).  The flyer also serves
as an informative document which the students can show to
their parents.

QUESTIONNAIRE ADMINISTRATION.  The questionnaire
administration in each school is carried out by the local
SRC representatives and their assistants, following
standardized procedures detailed in a project instruction
manual.  The questionnaires are administered in classrooms
during normal class periods whenever possible, although
circumstances in some schools require the use of larger
group administrations. Teachers are not asked to do anything
more than introduce the SRC staff members and (in most
cases) remain in the classroom to help guarantee an orderly
atmosphere for the survey.  Teachers are urged to avoid
walking around the room, so that students may feel free to
write their answers without fear of being observed.

The actual process of completing the questionnaires is
quite straightforward.  Respondents are given sharpened
pencils and asked to use them because the questionnaires are
designed for automatic scanning.  Most respondents can
finish within a 45 minute class period; for those who
cannot, an effort is made to provide a few minutes of
additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY.  In any study
that relies on voluntary reporting of drug use or other
illegal acts, it is essential to develop procedures which
guarantee the confidentiality of such reports.  It is also
desirable that these procedures be described adequately to
respondents so that they are comfortable about providing
honest answers.

The first information given to students about the survey
consists of a descriptive flyer stressing the confidentiality
and voluntary participation.  This theme is repeated at the
start of the questionnaire administration.  Each participating
student is instructed to read the message on the cover of the
questionnaire, which stresses the importance and value of the
study, notes that answers will be kept strictly confidential,
states that the study is completely voluntary, and tells the
student "If there is any question you or your parents would
find objectionable for any reason, just leave it blank."
The instructions then point out that in a few months a
summary of nationwide results will be mailed to all
participants and also that a follow-up questionnaire will
be sent to some students after a year.  The cover message
explains that these are the reasons for asking that name
and address be written on a special form which will be
removed from the questionnaire and handed in separately.
The message also points out that the two different code
numbers (one on the questionnaire and one on the

tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

MEASUREMENT CONTENT AREAS

_____
_____

A.  DRUGS.  Drug use and related attitudes and  beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use.  Views of significant others regarding drugs.

B.  EDUCATION.  Educational lifestyle, values, experiences, and environments.

C.  WORK AND LEISURE.  Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.

D.  SEX ROLES AND FAMILY.  Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E.  POPULATION CONCERNS.  Values and attitudes about overpopulation and birth control.

F.  CONSERVATION, MATERIALISM, EQUITY, ETC.  Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G.  RELIGION.  Religious affiliation, practices, and views.

H.  POLITICS.  Political affiliation, activities, and views.

I.  SOCIAL CHANGE.  Values, attitudes, and expectations about social change.

J.  SOCIAL PROBLEMS.  Concern with various social problems
    facing the nation and the world.

K.  MAJOR SOCIAL INSTITUTIONS.  Confidence in and commitment
    to various major social institutions (business, unions,
    branches of government, press, organized religion, military,
    etc.).

L.  MILITARY.  Views about the armed services and the use of
    military force.  Personal plans for military service.

M.  INTERPERSONAL RELATIONSHIPS.  Qualitative and quantitative
    characteristics of cross-age and peer relationships.
    Interpersonal conflict.

N.  RACE RELATIONS.  Attitudes toward and experiences with
    other racial groups.

O.  CONCERN FOR OTHERS.  Concern for others; voluntary and
    charitable activities.

P.  HAPPINESS.  Happiness and life satisfaction, overall and
    in specific life domains.

Q.  OTHER PERSONALITY VARIABLES.  Attitudes about self
    (including self-esteem), locus of control, loneliness,
    risk-taking, trust in others, importance placed on various
    life goals, counterculture orientation, hostility.

R.  BACKGROUND.  Demographic and family background characteristics,
    living arrangements.

S.  DEVIANT BEHAVIOR AND VICTIMIZATION.  Delinquent behaviors,
    driving violations and accidents (including those under the
    influence of drugs), victimization experiences.

T.  HEALTH.  Health habits, somatic symptoms, medical treatment.

_____
_____

     Given this breadth of content, the study is not
presented to respondents as a "drug use study," nor do they
tend to view it as such.

     Because many questions are needed to cover all of these
topic areas, much of the questionnaire content is divided
into different questionnaire forms which are distributed to
participants in an ordered sequence.  (Five forms were used
in 1975-88; a sixth form was added in 1989.)  This sequence
produces five or six virtually identical subsamples.  About
one-third of each questionnaire form consists of key or
"core" variables which are common to all forms.  All
demographic variables and some measures of drug use are
included in this "core" set of measures.  This use of the
full sample for drug and demographic measures provides a
more accurate estimation on these dimensions and also makes
it possible to link them statistically to all the other
measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION.  Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled.  The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications.  In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year.  Of course, some students refuse to complete or turn in a questionnaire.  However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA.  Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts.  Thus, a critical question is whether such self-reports are likely to be valid.  Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures;  however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data.  A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study:  a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use;  the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods;  and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format.  Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE.  A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year.  But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample.  The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered.  For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller.  This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100.  This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate.  The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups.  They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS.  One other point is worth noting in a discussion of the validity of the findings.  The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another.  Accordingly, the measures and procedures have been standardized and applied consistently across each data collection.  To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next.  In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES.  Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American.  Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that

their small Ns (in combination with their clustered groupings
in a limited number of schools) would yield estimates which
would be too unreliable.  In fact, even African Americans --
who constitute approximately 12 percent of each year's sample
-- are represented by only 350 to 425 respondents per year
on any single questionnaire form.  Further, because our
sample is a stratified clustered sample, it yields less
accuracy than would be yielded by a pure random sample
of equal size (see Appendix B of the annual volumes for
details).  Therefore, because of the limited number of
cases, the margin of sampling error around any statistic
describing African Americans is larger than for most other
subgroups.

There exists, however, a way to determine the
replicability of any finding involving racial comparisons.
Since most questions are repeated from year to year, one can
readily establish the degree to which a finding is
replicated by looking at the results in prior and subsequent
years.  Given the relatively small Ns for African Americans,
the analyst is urged to seek such replication before putting
much faith in the reliability of any particular racial
comparison.

There are factors in addition to reliability, however,
which could be misleading in the interpretation of racial
differences. Given the social importance which has been
placed on various racial differences reported in the social
science literature, the investigators would like to caution
the analyst to consider the various factors which could
account for differences.  These factors fall into three
categories:  differential representation in the sample,
differential response tendencies, and the confounding of
race with a number of other background and demographic
characteristics.

DIFFERENTIAL REPRESENTATION.  Census data characterizing
American young people in the approximate age range of those
in this sample show somewhat lower proportions of African
Americans than whites remain in school through the end of the
twelfth grade.  Therefore, a slightly different segment of the
African American population than of the white population resides
in the target population of high school seniors.  Further, the
samples appear to underrepresent slightly those African American
males who, according to census figures, are in high school at the
twelfth grade level.  Identified African American males comprise
about 6 percent of the sample, whereas census data suggest that
they should comprise around 7 percent. Therefore it appears that
more African American males are lost from the target population
than white males or females of either race.  This may be due to
generally poorer attendance rates on the part of some African
American males and/or an unwillingness on the part of some to
participate in data collections of this sort.

In sum, a smaller segment of the African American population
than of the white population of high school age is represented by
the data contained here.  Insofar as any characteristic is
associated with being a school dropout or absentee, it is likely

to be somewhat disproportionately underrepresented among African
Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES.  In examining the full
range of variables, racial differences in response tendencies
have been noted.  First, the tendency to state agreement in
response to agree-disagree questions is generally somewhat greater
among African Americans than among whites.  For example, African
Americans tend to agree more with the positively worded items in
the index of self-esteem, but they also tend to agree more with
the negatively worded items.  As it happens, that particular
index has an equal number of positively and negatively worded
items, so that any overall "agreement bias" should be self-
cancelling when the index score is computed.  However, group
differences in agreement bias are likely to affect results on
questions employing the agree-disagree format.  Fortunately,
most of the questions are not of that type.

There has also been observed a somewhat greater than
average tendency for African American respondents to select
extreme answer categories on attitudinal scales.  For example,
even if the same proportion of African Americans as whites felt
positively (or negatively) about some subject, fewer of the
whites are likely to say they feel very positively (or negatively).
The analyst should be aware that differences in responses to
particular questions may be related to these more general
tendencies.

A somewhat separate issue in response tendency is a
respondent's willingness to answer particular questions.
The missing data rate may reflect willingness to answer
particular questions.  If a particular question or set of
questions has a missing data rate higher than is true for the
prior or subsequent questions, then presumably more respondents
than usual were unwilling (or perhaps unable) to answer it.
Such an exaggerated missing data rate exists for African
American males on the set of questions dealing with the
respondent's own use of illicit drugs.  Clearly a respondent's
willingness to be candid on such questions depends on his or her
trust of the research process and of the researchers themselves.
The exaggerated missing data rates for African American males in
these sections may reflect, at least in part, less trust. The
analyst is advised to check for exceptional levels of missing
data when making comparisons on any variable in which candor
is likely to be reduced by lower system trust.  One bit of
additional evidence related to trust in the research process
is that higher proportions of African Americans than whites
reported that if they had used marijuana or heroin they would
not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS.  Some characteristics
such as race are highly confounded (correlated) with other
variables -- variables which may in fact explain some
observed racial differences.  Put another way, at the
aggregate level we might observe a considerable racial
difference on some characteristic, but once we control for
some background characteristic such as socio-economic level
or region of the country -- that is, once we compare the

African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables.  A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up.  A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites.  A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample.  As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.


                    WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

     MONITORING THE FUTURE:  A CONTINUING STUDY OF AMERICAN
YOUTH, 2001 is available from ICPSR as seven logical record
length datasets.  Each dataset consists of SAS and SPSS data
definition statements containing all technical information for
each variable in the corresponding datafile, and the datafile
itself.  The data are sorted by case.  The datasets are
organized by the form number (questionnaire version) used.

| part # | form | #variables | logical record length | unweighted N |
|--------|------|------------|-----------------------|--------------|
| Part 1 | Core   | 108 | 224  | 13304 |
| Part 2 | Form 1 | 615 | 1237 | 2227  |
| Part 3 | Form 2 | 332 | 671  | 2214  |
| Part 4 | Form 3 | 354 | 715  | 2206  |
| Part 5 | Form 4 | 280 | 567  | 2208  |
| Part 6 | Form 5 | 311 | 629  | 2215  |
| Part 7 | Form 6 | 345 | 697  | 2234  |

     The SAS and SPSS data definition statements give the
format and other information for each variable in the data
file.  See the section "Codebook Information" for further
details.  The data file is constructed with a single logical
record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable.  The numbers in brackets do not appear but are references to the descriptions which follow this example.

..................................................................

```
[1] V1134          [2] 991A13   KIND OF PAID JOB
```

[3] A13:  Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours.  Do not include work around the house.)

| [4]<br>PCT<br>VALID | [5]<br>PCT<br>ALL | [6]<br>N | [7]<br>VALUE | [8]<br>LABEL |
|---|---|---|---|---|
| 15.6 | 14.9 | 854 | 1 | NO WORK |
| 16.2 | 15.4 | 882 | 2 | LAWN WK |
| 1.4 | 1.3 | 75 | 3 | FASTFOOD |
| 1.0 | 0.9 | 54 | 4 | WAITER |
| 1.6 | 1.5 | 87 | 5 | OTH REST |
| 2.0 | 1.9 | 108 | 6 | PAPER RT |
| 35.4 | 33.7 | 1,934 | 7 | BABYSIT |
| 4.4 | 4.2 | 241 | 8 | FARM WK |
| 2.1 | 2.0 | 115 | 9 | SALES WK |
| 1.3 | 1.2 | 69 | 10 | OFFICE |
| 3.7 | 3.5 | 202 | 11 | ODD JOBS |
| 15.3 | 14.6 | 838 | 12 | OTHER |
|  | 3.3 | 190 | 0 |  |
|  | 1.6 | 94 | 99 |  |

```
     -----  -----  -----
      [9]    [10]     [11]
     100.0  100.0  5,745 cases (Wtd)
```

[12] Data type: numeric
[13] Decimals:  0
[14] Missing-data codes: 0,99
[15] Columns: 98-99

_____

[1]   Indicates the variable number.  A variable number is assigned to each variable in the data collection.

[2]   Indicates the abbreviated variable name used to identify the    variable for the user.

[3]   This is the full text (question) supplied by the investigator to describe this (section of) variable(s).  The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[4]   Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.

[5]   Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.

[6]   Indicates the weighted frequency of occurrence of each code value for this variable.

[7]   Indicates the code values occurring in the data for this variable.

[8]   Indicates the textual definitions of the codes for this variable.

[9]   Indicates the total of the valid case percentages (100%).

[10]  Indicates the total of all case percentages (100%).

[11]  Indicates the number of cases (weighted) for this variable (including the missing cases).

[12]  Indicates the variable type.  NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign.  CHARACTER variables can be any special characters:  underscores (_), pound signs (#), and ampersands (&).

[13]  Indicates the number of decimal places in the variable.

[14]  Indicates the code values of missing data.  In this example, code values equal to 9 are missing data (MD Codes: 9).  Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable,  or ambiguous data categories.  Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[15]  Indicates starting and ending column locations of this variable.  In this example, the variable named "991A13  KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

     The data collection was processed according to the
standard ICPSR processing procedures.  The data were checked
for illegal or inconsistent code values which, when found,
were recoded to missing data values.  Consistency checks
were performed.  Statements bracketed in "<" and ">" signs
in the body of the codebook were added by the processors for
explanatory purposes.  Statements bracketed in "[" and "]"
were added to the tables provided by the PI, but did not
appear in the questionnaire.


     In order to protect the confidentiality of responses and
the identity of respondents, a number of alterations and
omissions have been made in the original dataset to prepare
it for public release.  Some questions have been eliminated
from the dataset altogether (e.g., birth month, school, city,
state, and student i.d. numbers; previously Variable Numbers
2, 6-12, 14-15, and 149).  Other items have been left in the
dataset but altered to "collapsed" or "bracketed" forms.
Race (Var. No. 151) is now grouped as white/African American/
missing data.  Sampling weight (Var. No. 5), which originally
had a distinct value for each school, now is assigned one of six
grouped values.  Number of Older Brothers and Sisters, and Number
of Younger Brother and Sisters (Var. Nos. 75 & 76) have been
combined into a simple Number of Siblings variable.  Users
interested in analyses involving these items in their original
form should contact the investigators.

NOTE:  THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA
       ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result
of using a weight variable, V5.  For reasons of confidentiality,
this variable was altered from its full version to a bracketed
version prior to public distribution of the data; THIS RESULTS
IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN
THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS.
Typically, the variation is less than 1%.


ICPSR PROCESSOR NOTE: Selected variables were omitted from the
Western region questionnaires and have been noted in each codebook.

# FREQUENCIES

# FORM 2 DATA FILE

---

**CASEID**        **CASE IDENTIFICATION NUMBER**

---

     2,218 cases (Wtd) (Range of valid codes: 1-2,214)

     Data type: numeric
     Missing-data code: -9
     Columns: 668-671

---

**V1**        **YEAR OF ADMIN (4-DIGITS)**

---

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
100.0  100.0  2,218   2001
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 4-7

---

**V3**        **012**     **:FORM ID**

---

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
100.0  100.0  2,218      2
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Column: 8

---

**V4**        **012**     **:R'S ID-SERIAL #**

---

     2,218 cases (Wtd) (Range of valid codes: 20,001-22,214)

     Data type: numeric
     Missing-data code: -9
     Columns: 9-13

---

**V5**                   **SAMPLING WEIGHT**

---

2,218 cases (Wtd) (Range of valid codes: .1696-5.8876)

Data type: numeric
Decimals: 4
Missing-data code: -9.0000
Columns: 662-667

---

**V13**                **012**        **:SCHL RGN-4 CAT**

---

```
    PCT    PCT      N  VALUE  LABEL
  VALID    ALL
  19.4   19.4     430       1  NE:(1)
  28.8   28.8     639       2  NC:(2)
  32.0   32.0     711       3  S:(3)
  19.8   19.8     439       4  W:(4)
  -----  -----  -----
  100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Column: 1

---

**V16**                **012**        **:SELF-REP/NOT=0**

---

```
    PCT    PCT      N  VALUE  LABEL
  VALID    ALL
  70.5   70.5  1,564       0
  29.5   29.5    654       1
  -----  -----  -----
  100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Column: 2

```
V17                 012       :SMSA/NON-SMSA=0
```

```
     PCT    PCT     N  VALUE  LABEL
   VALID   ALL
   24.8   24.8    550      0
   75.2   75.2  1,668      1
   -----  -----  -----
   100.0  100.0  2,218 cases (Wtd)

   Data type: numeric
   Missing-data code: -9
   Column: 3
```

```
V2208               012A01 :VRY HPY THS DAYS
```

```
   Taking all things together, how would you say things are
   these days--would you say you're very happy, pretty happy,
   or not too happy these days?

     PCT    PCT     N  VALUE  LABEL
   VALID   ALL
   12.2   11.5    254      1  NT HAPPY:(1)
   65.1   61.4  1,362      2  PRTY HPY:(2)
   22.8   21.5    477      3  VRY HPY:(3)
           5.6    124     -9  MISSING
   -----  -----  -----
   100.0  100.0  2,218 cases (Wtd)

   Data type: numeric
   Missing-data code: -9
   Columns: 196-197
```

```
V2209                    012A02A:DALY WATCH TV
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Watch TV

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  0.8    0.8     18      1  NEVER:(1)
  1.3    1.3     28      2  FEW /YR:(2)
  3.9    3.9     85      3  1-2 /MO:(3)
 24.3   24.2    536      4  1 /WK:(4)
 69.8   69.4  1,539      5  NR DAILY:(5)
         0.5     11     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 198-199

```
V2210                    012A02B:DALY GO TO MOVIE
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Go to movies

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  3.0    3.0     66      1  NEVER:(1)
 31.8   31.7    702      2  FEW /YR:(2)
 56.0   55.8  1,238      3  1-2 /MO:(3)
  8.9    8.9    197      4  1 /WK:(4)
  0.4    0.4      8      5  NR DAILY:(5)
         0.3      7     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 200-201

```
+-------------------------------------------------------------------+
| V2432               012A02C:DALY ROCK CONCRT                      |
+-------------------------------------------------------------------+
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Go to rock concerts

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  55.3   54.8  1,216      1  NEVER:(1)
  39.2   38.9    863      2  FEW /YR:(2)
   4.2    4.2     93      3  1-2 /MO:(3)
   0.9    0.9     20      4  1 /WK:(4)
   0.3    0.3      7      5  NR DAILY:(5)
          0.9     19     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 490-491

```
+-------------------------------------------------------------------+
| V2212               012A02D:DALY RIDE FORFUN                      |
+-------------------------------------------------------------------+
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Ride around in a car (or motorcycle) just for fun

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
   9.6    9.5    212      1  NEVER:(1)
  10.2   10.1    224      2  FEW /YR:(2)
  15.8   15.7    348      3  1-2 /MO:(3)
  29.8   29.5    655      4  1 /WK:(4)
  34.6   34.4    763      5  NR DAILY:(5)
          0.7     16     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 202-203

---

**V2213**        **012A02E:DALY CMNTY AFFRS**

---

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Participate in community affairs or volunteer work

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 22.3   22.2    493      1  NEVER:(1)
 42.2   42.0    933      2  FEW /YR:(2)
 21.7   21.6    479      3  1-2 /MO:(3)
 10.6   10.6    234      4  1 /WK:(4)
  3.1    3.1     69      5  NR DAILY:(5)
         0.4      9     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 204-205

---

**V2214**        **012A02F:DALY PLA MSC,SNG**

---

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Play a musical instrument or sing

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 39.7   39.4    875      1  NEVER:(1)
 10.2   10.1    224      2  FEW /YR:(2)
  5.9    5.9    131      3  1-2 /MO:(3)
 10.3   10.2    227      4  1 /WK:(4)
 33.9   33.7    747      5  NR DAILY:(5)
         0.6     14     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 206-207

| V2215 | 012A02G:DALY CREAT WRTNG |
|---|---|

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Do creative writing

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 30.3   30.1    667      1  NEVER:(1)
 27.1   26.8    595      2  FEW /YR:(2)
 20.0   19.8    439      3  1-2 /MO:(3)
 13.9   13.8    305      4  1 /WK:(4)
  8.7    8.7    192      5  NR DAILY:(5)
         0.9     20     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 208-209

| V2216 | 012A02H:DALY ACTV SPORTS |
|---|---|

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Actively participate in sports, athletics or exercising

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  8.8    8.7    194      1  NEVER:(1)
 11.7   11.7    259      2  FEW /YR:(2)
 12.4   12.4    274      3  1-2 /MO:(3)
 23.9   23.8    527      4  1 /WK:(4)
 43.2   42.9    952      5  NR DAILY:(5)
         0.5     12     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 210-211

---

**V2217**            **012A02I:DALY ART/CRAFTS**

---

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Do art or craft work

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 28.5   28.2    625      1  NEVER:(1)
 27.8   27.4    609      2  FEW /YR:(2)
 17.5   17.2    382      3  1-2 /MO:(3)
 13.0   12.8    285      4  1 /WK:(4)
 13.2   13.1    290      5  NR DAILY:(5)
         1.2     27     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 212-213

---

**V2218**            **012A02J:DALY WRK HSE,CAR**

---

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Work around the house, yard, garden, car, etc.

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  4.7    4.7    105      1  NEVER:(1)
  8.3    8.2    183      2  FEW /YR:(2)
 22.8   22.7    502      3  1-2 /MO:(3)
 37.6   37.5    831      4  1 /WK:(4)
 26.6   26.4    587      5  NR DAILY:(5)
         0.5     11     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 214-215

```
┌─────────────────────────────────────────────────────────────┐
│  V2219              012A02K:DALY VIST W/FRDS                 │
└─────────────────────────────────────────────────────────────┘
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Get together with friends, informally

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  0.9    0.9     19      1  NEVER:(1)
  2.6    2.6     57      2  FEW /YR:(2)
 10.2   10.2    226      3  1-2 /MO:(3)
 37.7   37.6    833      4  1 /WK:(4)
 48.7   48.5  1,076      5  NR DAILY:(5)
         0.3      7     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 216-217

```
┌─────────────────────────────────────────────────────────────┐
│  V2220              012A02L:DALY GO SHOPPING                 │
└─────────────────────────────────────────────────────────────┘
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Go shopping or window-shopping

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  3.8    3.8     85      1  NEVER:(1)
 12.3   12.3    272      2  FEW /YR:(2)
 45.0   44.7    992      3  1-2 /MO:(3)
 33.4   33.2    737      4  1 /WK:(4)
  5.4    5.4    120      5  NR DAILY:(5)
         0.6     13     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 218-219

```
V2221                012A02M:DALY ALONE LEISR
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Spend at least an hour of leisure time alone

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  5.8    5.7    127      1  NEVER:(1)
  5.6    5.5    123      2  FEW /YR:(2)
 12.7   12.6    279      3  1-2 /MO:(3)
 32.4   32.2    714      4  1 /WK:(4)
 43.6   43.3    961      5  NR DAILY:(5)
         0.6     13     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 220-221

```
V2222                012A02N:DALY READ BK,MAG
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Read books, magazines, or newspapers

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  4.2    4.1     92      1  NEVER:(1)
  6.8    6.8    150      2  FEW /YR:(2)
 16.4   16.3    362      3  1-2 /MO:(3)
 35.5   35.3    783      4  1 /WK:(4)
 37.2   37.0    820      5  NR DAILY:(5)
         0.5     12     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 222-223

```
V2223              012A02O:DALY GO TO BARS
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Go to taverns, bars or nightclubs

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 40.8   40.5    898      1  NEVER:(1)
 24.8   24.6    546      2  FEW /YR:(2)
 20.4   20.3    450      3  1-2 /MO:(3)
 11.7   11.6    257      4  1 /WK:(4)
  2.3    2.3     51      5  NR DAILY:(5)
         0.6     14     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 224-225

```
V2224              012A02P:DALY GO TO PARTY
```

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Go to parties or other social affairs

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  7.5    7.5    166      1  NEVER:(1)
 20.8   20.8    460      2  FEW /YR:(2)
 33.4   33.3    738      3  1-2 /MO:(3)
 34.2   34.1    756      4  1 /WK:(4)
  4.1    4.1     91      5  NR DAILY:(5)
         0.3      7     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 226-227

| V2509 | 012A02Q:DALY GO VID ARC |
|---|---|

The next questions ask about the kinds of things you might
do.  How often do you do each of the following?

Go to video arcades

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 51.3 | 51.1 | 1,134 | 1 | NEVER:(1) |
| 32.2 | 32.1 | 712 | 2 | FEW /YR:(2) |
| 12.3 | 12.2 | 271 | 3 | 1-2/MO:(3) |
| 2.9 | 2.9 | 64 | 4 | 1 /WK:(4) |
| 1.3 | 1.2 | 28 | 5 | NR DAILY:(5) |
| | 0.4 | 8 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 638-639

| V2225 | 012A03A:US 2 MUCH PROFIT |
|---|---|

How much do you agree or disagree with each of the
following statements?

In the United States, we put too much emphasis on making
profits and not enough on human well-being

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 3.0 | 2.9 | 65 | 1 | DISAGREE:(1) |
| 7.1 | 7.1 | 157 | 2 | MOST DIS:(2) |
| 20.9 | 20.7 | 460 | 3 | NEITHER:(3) |
| 44.1 | 43.8 | 970 | 4 | MOST AGR:(4) |
| 24.9 | 24.6 | 547 | 5 | AGREE:(5) |
| | 0.9 | 19 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 228-229

```
V2226                012A03B:2MUCH CNCRN MTRL
```

How much do you agree or disagree with each of the
following statements?

People are too much concerned with material things these
days

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  2.1    2.1     46      1  DISAGREE:(1)
  3.9    3.9     86      2  MOST DIS:(2)
  8.8    8.8    195      3  NEITHER:(3)
 36.2   35.9    797      4  MOST AGR:(4)
 49.0   48.6  1,078      5  AGREE:(5)
         0.7     17     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 230-231

```
V2227                012A03C:ENCOURG PPL BUY>
```

How much do you agree or disagree with each of the
following statements?

Since it helps the economy to grow, people should be
encouraged to buy more

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 14.1   14.0    309      1  DISAGREE:(1)
 21.7   21.5    477      2  MOST DIS:(2)
 38.4   37.9    842      3  NEITHER:(3)
 19.2   19.0    421      4  MOST AGR:(4)
  6.6    6.5    144      5  AGREE:(5)
         1.1     25     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 232-233

**V2228**                    **012A03D:-WRNG ADVERTISNG**

How much do you agree or disagree with each of the
following statements?

There is nothing wrong with advertising that gets people
to buy things they don't really need

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 19.3   19.1    423      1  DISAGREE:(1)
 22.4   22.1    491      2  MOST DIS:(2)
 23.0   22.7    503      3  NEITHER:(3)
 21.2   20.9    463      4  MOST AGR:(4)
 14.2   14.0    310      5  AGREE:(5)
         1.3     28     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 234-235

**V2229**                    **012A03E:MOR SHORTGS FUTR**

How much do you agree or disagree with each of the
following statements?

There will probably be more shortages in the future, so
Americans will have to learn how to be happy with fewer
"things"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 10.4   10.3    229      1  DISAGREE:(1)
 14.4   14.2    316      2  MOST DIS:(2)
 26.1   25.7    571      3  NEITHER:(3)
 25.9   25.6    568      4  MOST AGR:(4)
 23.1   22.8    507      5  AGREE:(5)
         1.3     28     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 236-237
```

| V2468 | 012A04A:RSK OF CIG1+PK/D |
|-------|--------------------------|

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Smoke one or more packs of cigarettes per day

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 2.5 | 2.4 | 54 | 1 | NO RISK:(1) |
| 3.6 | 3.5 | 79 | 2 | SLIGHT:(2) |
| 15.8 | 15.4 | 341 | 3 | MOD RISK:(3) |
| 78.1 | 76.0 | 1,686 | 4 | GRT RISK:(4) |
| 0.0 | 0.0 | 0 | 5 | CANT SAY:(5) |
| | 2.7 | 59 | -9 | MISSING |

-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 558-559

| V2469 | 012A04B:RSK OF MJ 1-2 X |
|-------|------------------------|

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Try marijuana once or twice

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 36.8   35.4    785      1  NO RISK:(1)
 35.9   34.5    766      2  SLIGHT:(2)
 12.8   12.3    273      3  MOD RISK:(3)
 14.5   13.9    309      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
         3.8     85     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 560-561
```

---

**V2470**                    **012A04C:RSK OF MJ OCSNLY**

---

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Smoke marijuana occasionally

```
   PCT    PCT      N   VALUE   LABEL
 VALID   ALL
  15.0   14.4     319       1  NO RISK:(1)
  26.5   25.5     566       2  SLIGHT:(2)
  33.1   31.8     706       3  MOD RISK:(3)
  25.4   24.4     542       4  GRT RISK:(4)
   0.0    0.0       0       5  CANT SAY:(5)
          3.8      85      -9  MISSING
 -----  -----   -----
 100.0  100.0   2,218  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 562-563

---

**V2471**                    **012A04D:RSK OF MJ REGLY**

---

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Smoke marijuana regularly

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 6.9 | 6.7 | 148 | 1 | NO RISK:(1) |
| 11.7 | 11.2 | 249 | 2 | SLIGHT:(2) |
| 20.3 | 19.5 | 432 | 3 | MOD RISK:(3) |
| 61.0 | 58.4 | 1,295 | 4 | GRT RISK:(4) |
| 0.0 | 0.0 | 0 | 5 | CANT SAY:(5) |
| | 4.2 | 94 | -9 | MISSING |

-----  -----  -----

100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 564-565

| V2472 | 012A04E:RSK OF 1-2 DRINK |
|-------|--------------------------|

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Try one or two drinks of an alcoholic beverage (beer, wine,
liquor)

```
  PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 44.4   43.5    965      1  NO RISK:(1)
 36.6   35.9    796      2  SLIGHT:(2)
 10.9   10.7    236      3  MOD RISK:(3)
  8.2    8.0    178      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
         2.0     43     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 566-567

---

**V2473**                    **012A04F:RSK OF 1-2 DR/DA**

---

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Take one or two drinks nearly every day

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  9.5    9.3     207      1  NO RISK:(1)
 23.7   23.1     513      2  SLIGHT:(2)
 34.8   34.1     755      3  MOD RISK:(3)
 32.0   31.3     693      4  GRT RISK:(4)
  0.0    0.0       0      5  CANT SAY:(5)
         2.2      50     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 568-569

**V2474**                    **012A04G:RSK OF 4-5 DR/DA**

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Take four or five drinks nearly every day

```
   PCT    PCT      N  VALUE  LABEL
VALID   ALL
  3.9    3.8     84      1  NO RISK:(1)
  5.7    5.6    124      2  SLIGHT:(2)
 19.6   19.1    424      3  MOD RISK:(3)
 70.8   69.1  1,534      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
         2.4     53     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 570-571

```
V2475                012A04H:RSK OF 5+DR/WKND
```

The next questions ask for your opinions on the effects of
using certain drugs and other substances.  How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Have five or more drinks once or twice each weekend

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  7.2    7.1    157      1  NO RISK:(1)
 13.4   13.1    290      2  SLIGHT:(2)
 28.8   28.1    624      3  MOD RISK:(3)
 50.6   49.4  1,097      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
         2.3     51     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 572-573

```
V2238                012A05 :DFNTLY PRFR MATE
```

Do you think that you would prefer having a mate for most
of your life, or would you prefer not having a mate?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  0.9    0.9     19      1  DEF NOT:(1)
  2.1    2.1     47      2  PROB NOT:(2)
  8.9    8.9    196      3  NOT SURE:(3)
 21.5   21.4    475      4  PROBABLY:(4)
 66.6   66.2  1,469      5  DEFINTLY:(5)
         0.6     12     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 238-239

```
V2239                    012A06 :THINK WILL MARRY
```

Which do you think you are most likely to choose in the
long run?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   4.2    4.0     90      1  NT MARRY:(1)
  15.2   14.8    328      2  NO IDEA:(2)
  80.6   78.3  1,736      3  MARRY:(3)
   0.0    0.0      0      8  MARRIED:(8)
          2.9     64     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 240-241

```
V2240                    012A07A:LIKLY STAY MARRD
```

If you did get married (or are married) . . .

How likely do you think it is that you would stay married
to the same person for life?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
   1.0    1.0     21      1  V UNLKLY:(1)
   1.4    1.3     28      2  FRLY UNL:(2)
  11.7   11.1    246      3  UNCERTN:(3)
  22.9   21.7    481      4  FRLY LIK:(4)
  63.1   59.9  1,328      5  VY LIKLY:(5)
          5.1    113     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 242-243

```
V2241                 012A07B:LIKLY HAVE KIDS
```

If you did get married (or are married) . . .

How likely is it that you would want to have children?

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
  3.3    3.1      69      1  V UNLKLY:(1)
  2.4    2.3      51      2  FRLY UNL:(2)
 11.0   10.3     228      3  UNCERTN:(3)
 18.2   17.0     378      4  FRLY LIK:(4)
 65.1   61.0   1,353      5  VY LIKLY:(5)
  0.0    0.0       0      8  HAVE KID:(8)
         6.3     139     -9  MISSING
-----  -----   -----
100.0  100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 244-245

```
V2242                 012A08A:-CHL,HB WK1.,W=0
```

Imagine you are married and have no children.  How would
you feel about each of the following working arrangements?

Husband works full-time, wife doesn't work

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
 35.2   34.8     773      1  NT ACCEP:(1)
 34.6   34.3     760      2  SM ACCEP:(2)
 23.8   23.6     523      3  ACCEPTBL:(3)
  6.3    6.3     139      4  DESIRABL:(4)
         1.0      23     -9  MISSING
-----  -----   -----
100.0  100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 246-247

```
V2243                 012A08B:-CHL,HB WK1.,W.5
```

Imagine you are married and have no children.  How would you
feel about each of the following working arrangements?

Husband works full-time, wife works about half-time

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  5.8    5.8    128      1  NT ACCEP:(1)
 29.7   29.4    652      2  SM ACCEP:(2)
 54.8   54.2  1,203      3  ACCEPTBL:(3)
  9.7    9.6    212      4  DESIRABL:(4)
         1.0     22     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 248-249

```
V2244                 012A08C:-CHL,HB&WF WK 1.
```

Imagine you are married and have no children.  How would you
feel about each of the following working arrangements?

Both work full-time

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  8.0    7.9    174      1  NT ACCEP:(1)
 13.4   13.2    294      2  SM ACCEP:(2)
 51.6   50.9  1,130      3  ACCEPTBL:(3)
 27.0   26.7    592      4  DESIRABL:(4)
         1.2     27     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 250-251

```
V2245              012A08D:-CHL,HB&WF WK .5
```

Imagine you are married and have no children.  How would you
feel about each of the following working arrangements?

Both work about half-time

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  28.9   28.3     627      1  NT ACCEP:(1)
  31.9   31.2     691      2  SM ACCEP:(2)
  27.0   26.3     584      3  ACCEPTBL:(3)
  12.2   11.9     264      4  DESIRABL:(4)
          2.3      51     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 252-253

```
V2246              012A08E:-CHL,W WK 1.,H.5
```

Imagine you are married and have no children.  How would you
feel about each of the following working arrangements?

Husband works about half-time, wife works full-time

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  37.5   37.0     820      1  NT ACCEP:(1)
  33.6   33.2     736      2  SM ACCEP:(2)
  24.6   24.2     538      3  ACCEPTBL:(3)
   4.4    4.3      95      4  DESIRABL:(4)
          1.3      30     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 254-255

**V2247**                    **012A08F:-CHL,W WK 1.,H=0**

Imagine you are married and have no children.  How would you
feel about each of the following working arrangements?

Husband doesn't work, wife works full-time

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 73.8   72.9  1,617      1  NT ACCEP:(1)
 13.9   13.7    305      2  SM ACCEP:(2)
  8.3    8.2    181      3  ACCEPTBL:(3)
  4.0    3.9     87      4  DESIRABL:(4)
         1.2     28     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 256-257

**V2248**                    **012A09A:PSCH,HB WK1.,W=0**

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

Husband works full-time, wife doesn't work

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 15.2   15.0    332      1  NT ACCEP:(1)
 22.8   22.6    501      2  SM ACCEP:(2)
 38.9   38.4    852      3  ACCEPTBL:(3)
 23.1   22.9    507      4  DESIRABL:(4)
         1.2     27     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 258-259

```
V2249              012A09B:PSCH,HB WK1.,W.5
```

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

Husband works full-time, wife works about half-time

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  4.8    4.8    106      1  NT ACCEP:(1)
 26.1   25.8    572      2  SM ACCEP:(2)
 54.8   54.2  1,203      3  ACCEPTBL:(3)
 14.3   14.1    313      4  DESIRABL:(4)
         1.1     24     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 260-261

```
V2250              012A09C:PSCH,HB&WF WK 1.
```

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

Both work full-time

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 42.5   42.0    931      1  NT ACCEP:(1)
 26.1   25.8    572      2  SM ACCEP:(2)
 23.0   22.7    504      3  ACCEPTBL:(3)
  8.3    8.2    182      4  DESIRABL:(4)
         1.3     29     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 262-263

---

**V2251**                    **012A09D:PSCH,HB&WF WK .5**

---

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

Both work about half-time

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 27.5   27.1    602      1  NT ACCEP:(1)
 34.9   34.5    765      2  SM ACCEP:(2)
 29.6   29.2    647      3  ACCEPTBL:(3)
  8.0    7.9    176      4  DESIRABL:(4)
         1.2     27     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 264-265

---

**V2252**                    **012A09E:PSCH,WF WK1.,H.5**

---

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

Husband works about half-time, wife works full-time

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 38.2   37.7    837      1  NT ACCEP:(1)
 34.0   33.6    744      2  SM ACCEP:(2)
 23.7   23.4    520      3  ACCEPTBL:(3)
  4.0    4.0     88      4  DESIRABL:(4)
         1.3     28     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 266-267

```
V2253                012A09F:PSCH,WF WK1.,H=0
```

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

Husband doesn't work, wife works full-time

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  60.3   59.5  1,320      1  NT ACCEP:(1)
  17.6   17.4    386      2  SM ACCEP:(2)
  16.6   16.4    365      3  ACCEPTBL:(3)
   5.5    5.4    120      4  DESIRABL:(4)
          1.2     27     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 268-269


```
V2254                012A10A:H WK,W -WK,W CCR
```

Imagine you are married and have one or more pre-school
children. Imagine also that the husband is working full-time
and the wife does not have a job outside the home.  How
would you feel about each of these arrangements for the
day-to-day care of the child(ren)?

Wife does all child care

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  35.4   34.8    772      1  NT ACCEP:(1)
  26.0   25.6    568      2  SM ACCEP:(2)
  27.3   26.9    596      3  ACCEPTBL:(3)
  11.3   11.1    246      4  DESIRABL:(4)
          1.7     37     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 270-271

**V2255**      **012A10B:H WK,W -WK,W>CCR**

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home.  How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

Wife does most of it

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 13.9   13.6    303     1  NT ACCEP:(1)
 30.7   30.2    669     2  SM ACCEP:(2)
 41.6   40.9    908     3  ACCEPTBL:(3)
 13.8   13.6    301     4  DESIRABL:(4)
         1.7     37    -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 272-273

| V2256 | 012A10C:H WK,W -WK,=CHCR |
|-------|--------------------------|

Imagine you are married and have one or more pre-school
children. Imagine also that the husband is working full-time
and the wife does not have a job outside the home.  How
would you feel about each of these arrangements for the
day-to-day care of the child(ren)?

Both do it equally

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
   3.7     3.7     82      1   NT ACCEP:(1)
  12.7    12.5    278      2   SM ACCEP:(2)
  38.7    38.2    847      3   ACCEPTBL:(3)
  44.8    44.2    980      4   DESIRABL:(4)
           1.4     32     -9   MISSING
 -----   -----   -----
 100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 274-275

```
V2257                   012A10D:H WK,W -WK,H>CCR
```

Imagine you are married and have one or more pre-school
children. Imagine also that the husband is working full-time
and the wife does not have a job outside the home.  How
would you feel about each of these arrangements for the
day-to-day care of the child(ren)?

Husband does most of it

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 39.8   39.1     867      1  NT ACCEP:(1)
 41.5   40.7     904      2  SM ACCEP:(2)
 16.5   16.2     360      3  ACCEPTBL:(3)
  2.2    2.2      48      4  DESIRABL:(4)
         1.8      39     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 276-277

---

**V2258**                    **012A10E:H WK,W -WK,H CCR**

---

Imagine you are married and have one or more pre-school
children. Imagine also that the husband is working full-time
and the wife does not have a job outside the home.  How
would you feel about each of these arrangements for the
day-to-day care of the child(ren)?

Husband does all of it

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 75.9   74.6  1,655      1  NT ACCEP:(1)
 15.7   15.4    342      2  SM ACCEP:(2)
  6.2    6.1    135      3  ACCEPTBL:(3)
  2.3    2.2     49      4  DESIRABL:(4)
               1.7     37     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 278-279

---

**V2259**                    **012A11 :INTEREST IN GOVT**

---

Some people think about what's going on in government very
often, and others are not that interested.  How much of an
interest do you take in government and current events?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 10.7   10.6    236      1  NO INTRS:(1)
 20.8   20.6    458      2  LIT INTR:(2)
 45.5   45.1  1,000      3  SOM INTR:(3)
 17.3   17.2    381      4  LOT INTR:(4)
  5.6    5.5    122      5  VGRT INT:(5)
               1.0     22     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 280-281

```
V2260                012A12 :GOVT PPL -DSHNST
```

Do you think some of the people running the government are
crooked or dishonest?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 24.5   24.3    539      1  MOST CRK:(1)
 38.0   37.6    833      2  QT A FEW:(2)
 34.3   33.9    752      3  SOME:(3)
  2.3    2.3     51      4  HDLY ANY:(4)
  0.9    0.9     20      5  NONE@ALL:(5)
         1.1     23     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 282-283

```
V2261                012A13 :GOVT DSNT WASTE$
```

Do you think the government wastes much of the money we pay
in taxes?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 10.5   10.3    229      1  NRLY ALL:(1)
 46.5   45.8  1,015      2  A LOT:(2)
 37.0   36.5    809      3  SOME:(3)
  5.4    5.3    117      4  A LITTLE:(4)
  0.6    0.6     13      5  NO WASTE:(5)
         1.5     34     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 284-285

```
V2262                 012A14 :NEVER TRUST GOVT
```

How much of the time do you think you can trust the
government in Washington to do what is right?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  4.4    4.4     97      1  ALWYS TR:(1)
 32.2   31.8    704      2  OFTEN:(2)
 44.2   43.6    968      3  SOMETIME:(3)
 15.1   14.9    331      4  SELDOM:(4)
  4.1    4.1     90      5  NEVER:(5)
         1.3     29     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 286-287

```
V2263                 012A15 :GVT PPL DK DOING
```

Do you feel that the people running the government are smart
people who usually know what they are doing?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 12.0   11.8    261      1  ALWYS KN:(1)
 49.3   48.6  1,079      2  USUALLY:(2)
 30.5   30.1    668      3  SOMETIME:(3)
  6.0    5.9    131      4  SELDOM:(4)
  2.3    2.2     50      5  NEVER:(5)
         1.4     30     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 288-289

---

**V2264**                    **012A16 :GOVT RUN FOR PPL**

---

Would you say the government is pretty much run for a few
big interests looking out for themselves, or is it run
for the benefit of all the people?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 11.2   11.0    244      1  ALWS FEW:(1)
 24.3   23.8    528      2  USLY FEW:(2)
 48.9   47.9  1,063      3  SOME:(3)
 13.4   13.1    291      4  USLY ALL:(4)
  2.3    2.2     49      5  ALWS ALL:(5)
         1.9     43     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 290-291

---

**V2265**                    **012A17A:DO OR PLN VOTE**

---

Have you ever done, or do you plan to do, the following
things?

Vote in a public election

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  5.3    5.3    117      1  PRB WONT:(1)
  9.6    9.5    211      2  DK:(2)
 72.1   71.1  1,578      3  PRB WILL:(3)
 13.0   12.8    284      4  HAV DONE:(4)
         1.3     29     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 292-293

**V2266**                    **012A17B:DO OR PLN WRITE**

Have you ever done, or do you plan to do, the following
things?

Write to public officials

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 29.4   29.0     644      1  PRB WONT:(1)
 44.8   44.2     981      2  DK:(2)
 15.4   15.2     337      3  PRB WILL:(3)
 10.3   10.2     226      4  HAV DONE:(4)
         1.3      30     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 294-295

**V2267**                    **012A17C:DO OR PLN GIVE $**

Have you ever done, or do you plan to do, the following
things?

Give money to a political candidate or cause

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 46.8   46.1  1,023      1  PRB WONT:(1)
 38.6   38.1    845      2  DK:(2)
 12.6   12.4    276      3  PRB WILL:(3)
  2.0    2.0     44      4  HAV DONE:(4)
         1.4     31     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 296-297

---

**V2268**                    **012A17D:DO OR PLN WK CPG**

---

Have you ever done, or do you plan to do, the following
things?

Work in a political campaign

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 62.3   61.4  1,362      1  PRB WONT:(1)
 27.8   27.3    607      2  DK:(2)
  5.8    5.7    126      3  PRB WILL:(3)
  4.2    4.1     91      4  HAV DONE:(4)
                1.5     33     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 298-299

---

**V2269**                    **012A17E:DO OR PLN DEMNST**

---

Have you ever done, or do you plan to do, the following
things?

Participate in a lawful demonstration

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 39.3   38.7    859      1  PRB WONT:(1)
 41.7   41.1    912      2  DK:(2)
 14.8   14.6    324      3  PRB WILL:(3)
  4.1    4.1     90      4  HAV DONE:(4)
                1.5     33     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 300-301

```
V2270                 012A17F:DO OR PLN BOYCOT
```

Have you ever done, or do you plan to do, the following
things?

Boycott certain products or stores

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  34.8   34.3     760      1  PRB WONT:(1)
  40.1   39.5     877      2  DK:(2)
  16.3   16.1     357      3  PRB WILL:(3)
   8.8    8.7     193      4  HAV DONE:(4)
          1.4      31     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 302-303

```
V2271                 012A18A:US SHD DISARM
```

How much do you agree or disagree with each of the following
statements?

The U.S. should begin a gradual program of disarming
whether other countries do or not

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  29.6   28.8     638      1  DISAGREE:(1)
  15.0   14.6     323      2  MOST DIS:(2)
  38.3   37.3     827      3  NEITHER:(3)
  11.9   11.6     257      4  MOST AGR:(4)
   5.2    5.1     113      5  AGREE:(5)
          2.7      60     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 304-305

```
V2272                    012A18B:US GO WAR FR OTH
```

How much do you agree or disagree with each of the following
statements?

There may be times when the U.S. should go to war to
protect the rights of other countries

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 13.6    13.3     294      1  DISAGREE:(1)
 17.3    16.9     375      2  MOST DIS:(2)
 23.2    22.7     503      3  NEITHER:(3)
 33.1    32.4     719      4  MOST AGR:(4)
 12.9    12.6     280      5  AGREE:(5)
          2.1      47     -9  MISSING
 -----   -----   -----
 100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 306-307

```
V2273                    012A18C:US WAR PRTCT ECN
```

How much do you agree or disagree with each of the following
statements?

The U.S. should be willing to go to war to protect its own
economic interests

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  6.3     6.2     137      1  DISAGREE:(1)
  9.8     9.6     212      2  MOST DIS:(2)
 22.8    22.2     493      3  NEITHER:(3)
 33.5    32.6     724      4  MOST AGR:(4)
 27.6    26.9     597      5  AGREE:(5)
          2.4      54     -9  MISSING
 -----   -----   -----
 100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 308-309

| V2274 | 012A18D:US ONLY WAR DFNS |
|---|---|

How much do you agree or disagree with each of the following
statements?

The only good reason for the U.S. to go to war is to defend
against an attack on our own country

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  8.0    7.9    174      1  DISAGREE:(1)
 16.8   16.4    363      2  MOST DIS:(2)
 17.5   17.1    379      3  NEITHER:(3)
 29.4   28.7    636      4  MOST AGR:(4)
 28.3   27.6    612      5  AGREE:(5)
         2.4     54     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 310-311

| V2275 | 012A18E:-US MIL PWR>USSR |
|---|---|

How much do you agree or disagree with each of the following
statements?

The U.S. does not need to have greater military power than
Russia

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 36.3   35.2    782      1  DISAGREE:(1)
 20.4   19.8    440      2  MOST DIS:(2)
 29.9   29.0    644      3  NEITHER:(3)
  7.0    6.8    151      4  MOST AGR:(4)
  6.4    6.3    139      5  AGREE:(5)
         2.8     63     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 312-313

```
V2276                    012A18F:US NEED>PWR OTHS
```

How much do you agree or disagree with each of the following
statements?

The U.S. ought to have much more military power than any
other nation in the world

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  7.0    6.8    151      1  DISAGREE:(1)
  8.8    8.6    190      2  MOST DIS:(2)
 31.4   30.7    680      3  NEITHER:(3)
 20.4   19.9    442      4  MOST AGR:(4)
 32.5   31.7    704      5  AGREE:(5)
         2.3     50     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 314-315

```
V2277                    012A18G:US FRN PLCY NRRW
```

How much do you agree or disagree with each of the following
statements?

Our present foreign policy is based on our own narrow
economic and power interests

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  3.8    3.7     82      1  DISAGREE:(1)
  7.1    6.8    152      2  MOST DIS:(2)
 53.4   51.7  1,146      3  NEITHER:(3)
 24.9   24.1    535      4  MOST AGR:(4)
 10.8   10.4    232      5  AGREE:(5)
         3.2     72     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 316-317

| V2279 | 012A19A:FRQ FIGHT PARNTS |
|-------|-------------------------|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Argued or had a fight with either of your parents  (This question is
omitted from California questionnaires.)

```
  PCT     PCT     N  VALUE   LABEL
VALID    ALL
  9.0     7.1    157      1  NOT @ALL:(1)
 10.0     7.9    175      2  ONCE:(2)
 12.3     9.7    216      3  TWICE:(3)
 24.8    19.6    436      4  3-4TIMES:(4)
 43.9    34.7    770      5  5+ TIMES:(5)
         21.0    465     -9  MISSING
-----   -----  -----
100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 318-319

```
V2280                    012A19B:FRQ HIT SUPRVISR
```

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Hit an instructor or supervisor

```
   PCT     PCT     N  VALUE  LABEL
VALID    ALL
 96.6    95.3  2,114     1  NOT @ALL:(1)
  2.0     2.0     44     2  ONCE:(2)
  0.5     0.5     10     3  TWICE:(3)
  0.2     0.2      4     4  3-4TIMES:(4)
  0.8     0.7     16     5  5+ TIMES:(5)
          1.4     30    -9  MISSING
-----   -----  -----
100.0   100.0  2,218 cases (Wtd)


Data type: numeric
Missing-data code: -9
Columns: 320-321
```

| V2281 | 012A19C:FRQ FGT WRK/SCHL |
|---|---|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Gotten into a serious fight in school or at work

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 83.9   82.7  1,835     1  NOT @ALL:(1)
  9.2    9.1   202      2  ONCE:(2)
  3.7    3.6    80      3  TWICE:(3)
  2.2    2.2    48      4  3-4TIMES:(4)
  1.1    1.1    23      5  5+ TIMES:(5)
         1.3    30     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 322-323

---

**V2282** **012A19D:FRQ GANG FIGHT**

---

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Taken part in a fight where a group of your friends were
against another group

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 79.7   78.6  1,744     1  NOT @ALL:(1)
 12.0   11.9   263      2  ONCE:(2)
  4.4    4.3    96      3  TWICE:(3)
  2.3    2.3    50      4  3-4TIMES:(4)
  1.6    1.6    35      5  5+ TIMES:(5)
                1.3    30     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 324-325
```

| V2283 | 012A19E:FRQ HURT SM1 BAD |
|-------|--------------------------|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Hurt someone badly enough to need bandages or a doctor

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 86.8   85.3  1,893      1  NOT @ALL:(1)
  7.6    7.4    165      2  ONCE:(2)
  2.3    2.2     49      3  TWICE:(3)
  1.9    1.8     41      4  3-4TIMES:(4)
  1.5    1.4     32      5  5+ TIMES:(5)
         1.7     38     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 326-327

| V2284 | 012A19F:FRQ THREAT WEAPN |
|-------|--------------------------|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Used a knife or gun or some other thing (like a club) to
get something from a person

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 97.2 | 95.8 | 2,125 | 1 | NOT @ALL:(1) |
| 1.4 | 1.4 | 32 | 2 | ONCE:(2) |
| 0.5 | 0.5 | 10 | 3 | TWICE:(3) |
| 0.3 | 0.3 | 7 | 4 | 3-4TIMES:(4) |
| 0.6 | 0.6 | 13 | 5 | 5+ TIMES:(5) |
| | 1.4 | 32 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 328-329

```
V2285                 012A19G:FRQ STEAL <$50
```

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Taken something not belonging to you worth under $50

```
   PCT     PCT      N  VALUE  LABEL
VALID    ALL
 68.6    67.4  1,494      1  NOT @ALL:(1)
 13.1    12.8    285      2  ONCE:(2)
  7.0     6.9    153      3  TWICE:(3)
  5.0     4.9    110      4  3-4TIMES:(4)
  6.2     6.1    136      5  5+ TIMES:(5)
          1.8     41     -9  MISSING
-----   -----  -----
100.0   100.0  2,218 cases (Wtd)


Data type: numeric
Missing-data code: -9
Columns: 330-331
```

| V2286 | 012A19H:FRQ STEAL >$50 |
|-------|------------------------|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Taken something not belonging to you worth over $50

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 88.4 | 87.0 | 1,929 | 1 | NOT @ALL:(1) |
| 5.3 | 5.2 | 115 | 2 | ONCE:(2) |
| 2.3 | 2.3 | 50 | 3 | TWICE:(3) |
| 1.4 | 1.4 | 31 | 4 | 3-4TIMES:(4) |
| 2.6 | 2.6 | 57 | 5 | 5+ TIMES:(5) |
| | 1.6 | 36 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 332-333

| V2287 | 012A19I:FRQ SHOPLIFT |
|-------|----------------------|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Taken something from a store without paying for it

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 69.4    68.2  1,514       1  NOT @ALL:(1)
 12.1    11.9    264       2  ONCE:(2)
  6.4     6.3    140       3  TWICE:(3)
  5.3     5.2    116       4  3-4TIMES:(4)
  6.7     6.6    147       5  5+ TIMES:(5)
          1.7     38      -9  MISSING
 -----   -----  -----
100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 334-335

| V2288 | 012A19J:FRQ CAR THEFT |
|-------|------------------------|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Taken a car that didn't belong to someone in your family
without permission of the owner

```
  PCT     PCT     N  VALUE  LABEL
VALID    ALL
 93.3    91.9  2,039      1  NOT @ALL:(1)
  3.9     3.8     85      2  ONCE:(2)
  1.2     1.1     25      3  TWICE:(3)
  0.8     0.8     18      4  3-4TIMES:(4)
  0.8     0.8     18      5  5+ TIMES:(5)
          1.4     32     -9  MISSING
-----   -----  -----
100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 336-337

**V2289**                    **012A19K:FRQ STEAL CAR PT**

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Taken part of a car without permission of the owner

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  95.4   93.7  2,078      1   NOT @ALL:(1)
   1.9    1.9     42      2   ONCE:(2)
   1.2    1.1     25      3   TWICE:(3)
   0.5    0.5     11      4   3-4TIMES:(4)
   1.0    1.0     21      5   5+ TIMES:(5)
          1.8     40     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)

 Data type: numeric
 Missing-data code: -9
 Columns: 338-339
```

+------------------------------------------------------------------+
| **V2290**                   **012A19L:FRQ TRESPAS BLDG**         |
+------------------------------------------------------------------+


This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Gone into some house or building when you weren't supposed
to be there

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 75.6   74.3  1,649     1  NOT @ALL:(1)
 12.3   12.1    269     2  ONCE:(2)
  6.2    6.1    135     3  TWICE:(3)
  2.7    2.7     59     4  3-4TIMES:(4)
  3.2    3.1     70     5  5+ TIMES:(5)
         1.7     37    -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 340-341
```

---

**V2291**                    **012A19M:FRQ ARSON**

---

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Set fire to someone's property on purpose

```
   PCT     PCT     N  VALUE  LABEL
 VALID    ALL
  96.9    95.4  2,117      1  NOT @ALL:(1)
   1.6     1.6     34      2  ONCE:(2)
   0.5     0.5     11      3  TWICE:(3)
   0.3     0.3      7      4  3-4TIMES:(4)
   0.6     0.6     14      5  5+ TIMES:(5)
           1.5     34     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 342-343

| V2292 | 012A19N:FRQ DMG SCH PPTY |
|-------|--------------------------|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Damaged school property on purpose

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|------|-------|------------|
| 86.0 | 84.4 | 1,873 | 1 | NOT @ALL:(1) |
| 6.8 | 6.7 | 148 | 2 | ONCE:(2) |
| 3.6 | 3.6 | 79 | 3 | TWICE:(3) |
| 2.0 | 2.0 | 44 | 4 | 3-4TIMES:(4) |
| 1.6 | 1.6 | 35 | 5 | 5+ TIMES:(5) |
|  | 1.8 | 39 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 344-345

| V2293 | 012A19O:FRQ DMG WK PRPTY |
|---|---|

This section deals with activities which may be against the
rules or against the law.  We hope you will answer all of
these questions.  However, if you find a question which
you cannot answer honestly, we would prefer that you leave
it blank. Remember, your answers will never be connected
with your name. During the LAST 12 MONTHS, how often have
you . . .

Damaged property at work on purpose

```
  PCT     PCT     N  VALUE  LABEL
VALID    ALL
 92.7   91.1  2,021      1  NOT @ALL:(1)
  3.2    3.2     70      2  ONCE:(2)
  2.1    2.1     47      3  TWICE:(3)
  0.5    0.5     11      4  3-4TIMES:(4)
  1.4    1.4     31      5  5+ TIMES:(5)
         1.7     38     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 346-347

---

**V2295**                    **012A20A:SM1 ROB YRS <$50**

---

The next questions are about some things which may have
happened TO YOU.  During the LAST 12 MONTHS, how
often . . .

Has something of yours (worth under $50) been stolen?

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  54.4   53.2  1,180      1  NOT @ALL:(1)
  26.9   26.3    584      2  ONCE:(2)
  10.2   10.0    222      3  TWICE:(3)
   5.2    5.1    113      4  3-4TIMES:(4)
   3.3    3.2     71      5  5+ TIMES:(5)
          2.2     48     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 348-349

---

**V2296**                    **012A20B:SM1 ROB YRS >$50**

---

The next questions are about some things which may have
happened TO YOU.  During the LAST 12 MONTHS, how
often . . .

Has something of yours (worth over $50) been stolen?

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  74.4   72.8  1,615      1  NOT @ALL:(1)
  17.3   16.9    376      2  ONCE:(2)
   5.3    5.2    114      3  TWICE:(3)
   1.7    1.7     37      4  3-4TIMES:(4)
   1.4    1.3     29      5  5+ TIMES:(5)
          2.1     47     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 350-351

| V2297 | 012A20C:SM1 DMG YR PRPTY |
|-------|--------------------------|

The next questions are about some things which may have
happened TO YOU.  During the LAST 12 MONTHS, how
often . . .

Has someone deliberately damaged your property (your car,
clothing, etc.)?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 67.3   66.0  1,464      1  NOT @ALL:(1)
 19.6   19.2    427      2  ONCE:(2)
  7.0    6.9    153      3  TWICE:(3)
  4.4    4.3     95      4  3-4TIMES:(4)
  1.6    1.6     36      5  5+ TIMES:(5)
         2.0     44     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 352-353

| V2298 | 012A20D:SM1 INJR U W/WPN |
|-------|-------------------------|

The next questions are about some things which may have
happened TO YOU.  During the LAST 12 MONTHS, how
often . . .

Has someone injured you with a weapon (like a knife, gun,
or club)?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  95.1   93.1  2,066      1  NOT @ALL:(1)
   3.3    3.3     72      2  ONCE:(2)
   1.1    1.0     23      3  TWICE:(3)
   0.3    0.3      6      4  3-4TIMES:(4)
   0.2    0.2      4      5  5+ TIMES:(5)
          2.1     46     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 354-355

| V2299 | 012A20E:SM1 THRTN U W/WP |
|---|---|

The next questions are about some things which may have
happened TO YOU.  During the LAST 12 MONTHS, how
often . . .

Has someone threatened you with a weapon, but not actually
injured you?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  83.1   81.5  1,808      1  NOT @ALL:(1)
  11.0   10.8    240      2  ONCE:(2)
   2.6    2.6     57      3  TWICE:(3)
   1.9    1.9     42      4  3-4TIMES:(4)
   1.3    1.3     28      5  5+ TIMES:(5)
          2.0     43     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 356-357

---

**V2300**    **012A20F:SM1 INJR YU -WPN**

---

The next questions are about some things which may have
happened TO YOU.  During the LAST 12 MONTHS, how
often . . .

Has someone injured you on purpose without using a weapon?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  84.6   82.8  1,836      1  NOT @ALL:(1)
   7.7    7.5    167      2  ONCE:(2)
   3.4    3.3     74      3  TWICE:(3)
   2.4    2.3     51      4  3-4TIMES:(4)
   2.0    1.9     43      5  5+ TIMES:(5)
          2.1     47     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 358-359

| V2301 | 012A20G:SM1 THRT U W/INJ |
|-------|--------------------------|

The next questions are about some things which may have
happened TO YOU.  During the LAST 12 MONTHS, how
often . . .

Has an unarmed person threatened you with injury, but not
actually injured you?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 70.6   69.2  1,535      1  NOT @ALL:(1)
 14.2   13.9    309      2  ONCE:(2)
  5.6    5.5    122      3  TWICE:(3)
  4.4    4.4     97      4  3-4TIMES:(4)
  5.1    5.0    111      5  5+ TIMES:(5)
         2.0     44     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 360-361

| V2302 | 012A21A:EASY GT MARIJUAN |
|-------|--------------------------|

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Marijuana (pot, grass)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  4.5    4.4     97      1  PROB IMP:(1)
  2.6    2.5     56      2  VRY DIFF:(2)
  4.4    4.3     96      3  FRLY DIF:(3)
 24.2   23.7    525      4  FRLY EAS:(4)
 64.4   63.1  1,399      5  VRY EASY:(5)
         2.0     45     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 362-363

```
V2303                    012A21B:EASY GT LSD
```

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

LSD

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 13.6   13.1    291      1  PROB IMP:(1)
 14.7   14.2    314      2  VRY DIFF:(2)
 27.0   26.0    578      3  FRLY DIF:(3)
 30.3   29.2    648      4  FRLY EAS:(4)
 14.4   13.9    307      5  VRY EASY:(5)
         3.6     81     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 364-365

```
V2304                    012A21C:EASY GT PSYDELIC
```

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Some other hallucinogen (mescaline, peyote, shrooms or
psilocybin, PCP, etc.)

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 13.6   13.1    290      1  PROB IMP:(1)
 13.6   13.1    291      2  VRY DIFF:(2)
 24.2   23.4    518      3  FRLY DIF:(3)
 30.8   29.7    659      4  FRLY EAS:(4)
 17.8   17.2    381      5  VRY EASY:(5)
         3.6     79     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 366-367

```
┌─────────────────────────────────────────────────────────────────────┐
│ V2305                  012A21D:EASY GT AMPHTMNS                       │
└─────────────────────────────────────────────────────────────────────┘
```

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Amphetamines (uppers, pep pills, bennies, speed)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  11.3   10.9    242      1  PROB IMP:(1)
  11.2   10.8    239      2  VRY DIFF:(2)
  20.5   19.8    438      3  FRLY DIF:(3)
  31.0   29.9    662      4  FRLY EAS:(4)
  26.1   25.1    557      5  VRY EASY:(5)
          3.6     79     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 368-369

```
┌─────────────────────────────────────────────────────────────────────┐
│ V2306                  012A21E:EASY GT BBTUATES                       │
└─────────────────────────────────────────────────────────────────────┘
```

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Barbiturates (downers, goofballs, reds, yellows, etc.)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  18.0   17.2    381      1  PROB IMP:(1)
  17.6   16.9    374      2  VRY DIFF:(2)
  28.9   27.6    613      3  FRLY DIF:(3)
  21.6   20.7    459      4  FRLY EAS:(4)
  13.9   13.3    295      5  VRY EASY:(5)
          4.4     97     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 370-371

```
V2307                012A21F:EASY GT TRANQLIZ
```

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Tranquilizers

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
 19.7   18.9     419      1  PROB IMP:(1)
 18.5   17.7     394      2  VRY DIFF:(2)
 28.6   27.4     608      3  FRLY DIF:(3)
 20.1   19.2     427      4  FRLY EAS:(4)
 13.0   12.4     276      5  VRY EASY:(5)
         4.3      95     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 372-373

```
V2308                012A21G:EASY GT COCAINE
```

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Cocaine

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
 15.6   15.1     335      1  PROB IMP:(1)
 16.1   15.5     344      2  VRY DIFF:(2)
 22.0   21.3     472      3  FRLY DIF:(3)
 26.6   25.6     569      4  FRLY EAS:(4)
 19.7   19.0     421      5  VRY EASY:(5)
         3.5      78     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 374-375

---

**V2309**                    **012A21H:EASY GT HEROIN**

---

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Heroin

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 20.7   19.9    441      1  PROB IMP:(1)
 22.6   21.7    481      2  VRY DIFF:(2)
 24.5   23.5    522      3  FRLY DIF:(3)
 19.6   18.9    418      4  FRLY EAS:(4)
 12.6   12.2    270      5  VRY EASY:(5)
         3.9     87     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 376-377

---

**V2310**                    **012A21I:EASY GT NARCOTIC**

---

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Some other narcotic (methadone, opium, codeine, paregoric,
etc.)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 18.5   17.7    393      1  PROB IMP:(1)
 17.2   16.4    365      2  VRY DIFF:(2)
 23.4   22.4    497      3  FRLY DIF:(3)
 22.6   21.7    481      4  FRLY EAS:(4)
 18.3   17.6    389      5  VRY EASY:(5)
         4.2     93     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 378-379

```
V2101                012B01 :EVR SMK CIG,REGL
```

Have you ever smoked cigarettes?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
 37.8   37.1     824      1   NEVER:(1)
 22.9   22.5     499      2   1-2X:(2)
 15.1   14.8     329      3   OCCASNLY:(3)
  9.1    8.9     198      4   REG PAST:(4)
 15.1   14.8     329      5   REG NOW:(5)
         1.8      40     -9   MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 22-23

```
V2102                012B02 :#CIGS SMKD/30DAY
```

How frequently have you smoked cigarettes during the past
30 days?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
 70.0   68.5  1,519      1   NONE:(1)
 11.2   11.0    244      2   <1 CIG/D:(2)
  9.3    9.1    202      3   1-5/DAY:(3)
  4.5    4.4     97      4   1/2PK/D:(4)
  3.8    3.7     82      5   1 PK/DA:(5)
  0.9    0.9     20      6   1.5 PK/D:(6)
  0.3    0.3      7      7   2+ PKS/D:(7)
         2.1     47     -9   MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 24-25

```
V2103                012B03 :EVER DRINK
```

Next we want to ask you about drinking alcoholic beverages,
including beer, wine, wine coolers, and liquor.  Have you
ever had any beer, wine, wine coolers, or liquor to drink
- more than just a few sips?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  19.6   19.0    422      1  NO:(1)
  80.4   78.1  1,732      2  YES:(2)
          2.9     64     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 26-27


```
V2104                012B04A:#X ALC/LIF SIPS
```

On how many occasions have you had alcoholic beverages to
drink - more than just a few sips...

...in your lifetime?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  19.9   19.0    422      1  0 OCCAS:(1)
   7.4    7.1    157      2  1-2X:(2)
  10.9   10.4    230      3  3-5X:(3)
   9.8    9.3    207      4  6-9X:(4)
  13.0   12.5    277      5  10-19X:(5)
  11.6   11.1    246      6  20-39X:(6)
  27.4   26.2    580      7  40+OCCAS:(7)
          4.4     99     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 28-29

**V2105**        **012B04B:#X ALC/ANN SIPS**

On how many occasions have you had alcoholic beverages to
drink - more than just a few sips...

...during the last 12 months?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 25.5 | 24.3 | 539 | 1 | 0 OCCAS:(1) |
| 17.3 | 16.5 | 366 | 2 | 1-2X:(2) |
| 12.9 | 12.3 | 273 | 3 | 3-5X:(3) |
| 11.2 | 10.7 | 238 | 4 | 6-9X:(4) |
| 12.7 | 12.2 | 270 | 5 | 10-19X:(5) |
| 9.1 | 8.7 | 192 | 6 | 20-39X:(6) |
| 11.3 | 10.8 | 239 | 7 | 40+OCCAS:(7) |
| | 4.5 | 101 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 30-31

```
V2106              012B04C:#X ALC/30D SIPS
```

On how many occasions have you had alcoholic beverages to
drink - more than just a few sips...

...during the last 30 days?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 48.2   45.9  1,019      1  0 OCCAS:(1)
 20.9   19.9    440      2  1-2X:(2)
 12.9   12.3    272      3  3-5X:(3)
  8.0    7.6    169      4  6-9X:(4)
  6.2    5.9    131      5  10-19X:(5)
  2.3    2.2     50      6  20-39X:(6)
  1.5    1.4     32      7  40+OCCAS:(7)
         4.8    106     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 32-33

```
V2107              012B05 :#X DRK ENF FL HI
```

On the occasions that you drink alcoholic beverages, how
often do you drink enough to feel pretty high?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 23.7   18.5    410      1  NONE:(1)
 25.6   19.9    442      2  FEW:(2)
 15.1   11.8    261      3  HALF:(3)
 20.9   16.3    362      4  MOST:(4)
 14.7   11.4    253      5  NRLY ALL:(5)
        22.1    491     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 34-35

V2108                012B06 :5+DRK ROW/LST 2W

Think back over the LAST TWO WEEKS.  How many times have
you had five or more drinks in a row?  (A "drink" is a
bottle of beer, a glass of wine, a wine cooler, a shot
glass of liquor, or a mixed drink.)

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 67.2   63.4  1,407      1  NONE:(1)
 10.7   10.1    225      2  ONCE:(2)
  8.6    8.1    179      3  TWICE:(3)
  8.9    8.4    187      4  3-5X:(4)
  2.7    2.6     57      5  6-9X:(5)
  1.9    1.8     40      6  10+ TIME:(6)
         5.6    124     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 36-37

| V2115 | 012B07A:#XMJ+HS/LIFETIME |
|-------|--------------------------|

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil)...

...in your lifetime?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|-----|-------|-------------|
| 51.0 | 49.4 | 1,096 | 1 | 0 OCCAS:(1) |
| 9.6 | 9.3 | 207 | 2 | 1-2X:(2) |
| 6.7 | 6.5 | 143 | 3 | 3-5X:(3) |
| 4.5 | 4.3 | 96 | 4 | 6-9X:(4) |
| 5.4 | 5.2 | 116 | 5 | 10-19X:(5) |
| 6.3 | 6.1 | 136 | 6 | 20-39X:(6) |
| 16.5 | 16.0 | 354 | 7 | 40+OCCAS:(7) |
|  | 3.2 | 70 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 38-39

**V2116**                    **012B07B:#XMJ+HS/LAST12MO**

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil)...

...during the last 12 months?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
  62.0   60.0  1,331      1   0 OCCAS:(1)
  10.7   10.3    229      2   1-2X:(2)
   6.1    5.9    132      3   3-5X:(3)
   3.5    3.4     75      4   6-9X:(4)
   4.3    4.2     92      5   10-19X:(5)
   4.5    4.3     96      6   20-39X:(6)
   8.9    8.6    190      7   40+OCCAS:(7)
          3.3     72     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,218  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 40-41

---

**V2117**                    **012B07C:#XMJ+HS/LAST30DA**

---

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil)...

...during the last 30 days?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  77.0   74.5  1,652      1  0 OCCAS:(1)
   7.8    7.6    168      2  1-2X:(2)
   4.1    4.0     88      3  3-5X:(3)
   3.1    3.0     66      4  6-9X:(4)
   2.5    2.4     53      5  10-19X:(5)
   2.5    2.4     53      6  20-39X:(6)
   3.0    2.9     65      7  40+OCCAS:(7)
          3.3     73     -9  MISSING
  -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 42-43

**V2118**                    **012B08A:#X LSD/LIFETIME**

On how many occasions (if any) have you used LSD ("acid")...

...in your lifetime?

| PCT<br>VALID | PCT<br>ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 88.7 | 86.3 | 1,915 | 1 | 0 OCCAS:(1) |
| 5.7 | 5.5 | 123 | 2 | 1-2X:(2) |
| 2.1 | 2.1 | 46 | 3 | 3-5X:(3) |
| 0.9 | 0.9 | 20 | 4 | 6-9X:(4) |
| 1.5 | 1.4 | 32 | 5 | 10-19X:(5) |
| 0.4 | 0.4 | 10 | 6 | 20-39X:(6) |
| 0.6 | 0.6 | 13 | 7 | 40+OCCAS:(7) |
| | 2.7 | 60 | -9 | MISSING |

----- ----- -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 44-45

**V2119**                    **012B08B:#X LSD/LAST 12MO**

On how many occasions (if any) have you used LSD ("acid")...

...during the last 12 months?

| PCT<br>VALID | PCT<br>ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 93.5 | 91.0 | 2,018 | 1 | 0 OCCAS:(1) |
| 3.9 | 3.8 | 85 | 2 | 1-2X:(2) |
| 0.9 | 0.9 | 20 | 3 | 3-5X:(3) |
| 0.8 | 0.8 | 17 | 4 | 6-9X:(4) |
| 0.4 | 0.4 | 9 | 5 | 10-19X:(5) |
| 0.2 | 0.2 | 5 | 6 | 20-39X:(6) |
| 0.2 | 0.2 | 4 | 7 | 40+OCCAS:(7) |
| | 2.7 | 60 | -9 | MISSING |

----- ----- -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 46-47

| V2120 | 012B08C:#X LSD/LAST 30DA |
|-------|--------------------------|

On how many occasions (if any) have you used LSD ("acid")...

...during the last 30 days?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 97.7   95.0  2,108      1  0 OCCAS:(1)
  1.8    1.7     38      2  1-2X:(2)
  0.1    0.1      3      3  3-5X:(3)
  0.1    0.0      1      4  6-9X:(4)
  0.1    0.1      3      5  10-19X:(5)
  0.1    0.1      3      6  20-39X:(6)
  0.1    0.1      2      7  40+OCCAS:(7)
         2.8     62     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 48-49
```

**V2121**  **012B09A:#X PSYD/LIFETIME**

On how many occasions (if any) have you used psychedelics
other than LSD (like mescaline, peyote, psilocybin, PCP)...

...in your lifetime?

```
   PCT    PCT     N  VALUE   LABEL
 VALID    ALL
 93.2   90.7  2,013      1   0 OCCAS:(1)
  3.5    3.4     76      2   1-2X:(2)
  1.7    1.7     38      3   3-5X:(3)
  0.7    0.7     15      4   6-9X:(4)
  0.4    0.4      8      5   10-19X:(5)
  0.0    0.0      0      6   20-39X:(6)
  0.4    0.4      9      7   40+OCCAS:(7)
         2.6     58     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 50-51

| V2122 | 012B09B:#X PSYD/LAST12MO |
|-------|--------------------------|

On how many occasions (if any) have you used psychedelics
other than LSD (like mescaline, peyote, psilocybin, PCP)...

...during the last 12 months?

```
   PCT    PCT     N  VALUE   LABEL
 VALID    ALL
  96.2   93.6  2,076      1   0 OCCAS:(1)
   2.2    2.2     48      2   1-2X:(2)
   0.9    0.9     20      3   3-5X:(3)
   0.4    0.3      8      4   6-9X:(4)
   0.1    0.1      2      5   10-19X:(5)
   0.1    0.1      1      6   20-39X:(6)
   0.1    0.1      3      7   40+OCCAS:(7)
          2.7     59     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 52-53

| V2123 | 012B09C:#X PSYD/LAST30DA |
|-------|--------------------------|

On how many occasions (if any) have you used psychedelics
other than LSD (like mescaline, peyote, psilocybin, PCP)...

...during the last 30 days?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 98.0   95.2 2,112     1  0 OCCAS:(1)
  1.8    1.8    39     2  1-2X:(2)
  0.0    0.0     1     3  3-5X:(3)
  0.1    0.1     2     4  6-9X:(4)
  0.0    0.0     0     5  10-19X:(5)
  0.0    0.0     0     6  20-39X:(6)
  0.1    0.1     2     7  40+OCCAS:(7)
         2.8    62    -9  MISSING
-----  ----- -----
100.0  100.0 2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 54-55

---

**V2124**                    **012B10A:#X COKE/LIFETIME**

---

On how many occasions (if any) have you used cocaine
(sometimes called "coke", "crack", "rock")...

...in your lifetime?

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 90.8   88.3  1,958      1  0 OCCAS:(1)
  4.8    4.7    104      2  1-2X:(2)
  1.8    1.7     38      3  3-5X:(3)
  0.7    0.7     15      4  6-9X:(4)
  0.8    0.7     16      5  10-19X:(5)
  0.4    0.4      9      6  20-39X:(6)
  0.7    0.7     16      7  40+OCCAS:(7)
         2.8     62     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 56-57

**V2125**        **012B10B:#X COKE/LAST12MO**

On how many occasions (if any) have you used cocaine
(sometimes called "coke", "crack", "rock")...

...during the last 12 months?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----|-----|-----|-----|-----|
| 95.4 | 92.6 | 2,054 | 1 | 0 OCCAS:(1) |
| 2.5 | 2.4 | 54 | 2 | 1-2X:(2) |
| 0.7 | 0.6 | 14 | 3 | 3-5X:(3) |
| 0.6 | 0.6 | 14 | 4 | 6-9X:(4) |
| 0.3 | 0.3 | 7 | 5 | 10-19X:(5) |
| 0.2 | 0.2 | 5 | 6 | 20-39X:(6) |
| 0.3 | 0.3 | 6 | 7 | 40+OCCAS:(7) |
| | 2.9 | 65 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 58-59

**V2126**                    **012B10C:#X COKE/LAST30DA**

On how many occasions (if any) have you used cocaine
(sometimes called "coke", "crack", "rock")...

...during the last 30 days?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  98.4   95.6  2,120      1  0 OCCAS:(1)
   1.0    1.0     22      2  1-2X:(2)
   0.3    0.3      6      3  3-5X:(3)
   0.0    0.0      0      4  6-9X:(4)
   0.0    0.0      1      5  10-19X:(5)
   0.0    0.0      0      6  20-39X:(6)
   0.2    0.2      5      7  40+OCCAS:(7)
          2.8     63     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 60-61

| V2127 | 012B11A:#X AMPH/LIFETIME |
|-------|--------------------------|

Amphetamines have been prescribed by doctors to help people
lose weight or to give people more energy.  They are
sometimes called uppers, ups, speed, bennies, dexies, pep
pills, and diet pills.  Drugstores are not supposed to
sell them without a prescription from a doctor.
Amphetamines do NOT include any non-prescription drugs,
such as over-the-counter diet pills (like Dexatrim) or
stay-awake pills (like No-Doz), or any mail-order drugs.
On how many occasions (if any) have you taken
amphetamines on your own - that is, without a doctor
telling you to take them...

...in your lifetime?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 81.9 | 79.6 | 1,767 | 1 | 0 OCCAS:(1) |
| 7.2 | 7.0 | 156 | 2 | 1-2X:(2) |
| 2.9 | 2.8 | 62 | 3 | 3-5X:(3) |
| 1.8 | 1.7 | 38 | 4 | 6-9X:(4) |
| 1.8 | 1.7 | 39 | 5 | 10-19X:(5) |
| 1.9 | 1.8 | 40 | 6 | 20-39X:(6) |
| 2.5 | 2.5 | 54 | 7 | 40+OCCAS:(7) |
|  | 2.8 | 62 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 62-63

| V2128 | 012B11B:#X AMPH/LAST12MO |
|-------|--------------------------|

Amphetamines have been prescribed by doctors to help people
lose weight or to give people more energy.  They are
sometimes called uppers, ups, speed, bennies, dexies, pep
pills, and diet pills.  Drugstores are not supposed to
sell them without a prescription from a doctor.
Amphetamines do NOT include any non-prescription drugs,
such as over-the-counter diet pills (like Dexatrim) or
stay-awake pills (like No-Doz), or any mail-order drugs.
On how many occasions (if any) have you taken
amphetamines on your own - that is, without a doctor
telling you to take them...

...during the last 12 months?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 88.4   85.8  1,904      1  0 OCCAS:(1)
  4.4    4.2     94      2  1-2X:(2)
  2.1    2.1     46      3  3-5X:(3)
  2.0    1.9     43      4  6-9X:(4)
  1.6    1.5     34      5  10-19X:(5)
  0.8    0.8     17      6  20-39X:(6)
  0.7    0.7     15      7  40+OCCAS:(7)
         3.0     66     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 64-65

---

**V2129**        **012B11C:#X AMPH/LAST30DA**

---

Amphetamines have been prescribed by doctors to help people
lose weight or to give people more energy.  They are
sometimes called uppers, ups, speed, bennies, dexies, pep
pills, and diet pills.  Drugstores are not supposed to
sell them without a prescription from a doctor.
Amphetamines do NOT include any non-prescription drugs,
such as over-the-counter diet pills (like Dexatrim) or
stay-awake pills (like No-Doz), or any mail-order drugs.
On how many occasions (if any) have you taken
amphetamines on your own - that is, without a doctor
telling you to take them...

...during the last 30 days?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 94.5 | 91.7 | 2,035 | 1 | 0 OCCAS:(1) |
| 2.4 | 2.4 | 52 | 2 | 1-2X:(2) |
| 1.0 | 1.0 | 22 | 3 | 3-5X:(3) |
| 1.3 | 1.2 | 27 | 4 | 6-9X:(4) |
| 0.6 | 0.6 | 13 | 5 | 10-19X:(5) |
| 0.1 | 0.1 | 2 | 6 | 20-39X:(6) |
| 0.1 | 0.1 | 2 | 7 | 40+OCCAS:(7) |
| | 2.9 | 65 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 66-67

**V45**                     **012B12A:#X ICE/LIFETIME**


B12: On how many occasions (if any) have you smoked (or inhaled
the fumes of) crystal meth ("ice")...

...in your lifetime?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|------|------|------|------|------|
| 95.7 | 92.7 | 2,055 | 1 | 0 OCCAS (1) |
| 2.4 | 2.3 | 51 | 2 | 1-2X (2) |
| 0.8 | 0.8 | 18 | 3 | 3-5X (3) |
| 0.3 | 0.3 | 7 | 4 | 6-9X (4) |
| 0.3 | 0.3 | 6 | 5 | 10-19X (5) |
| 0.3 | 0.3 | 6 | 6 | 20-39X (6) |
| 0.2 | 0.2 | 5 | 7 | 40+OCCAS (7) |
|  | 3.2 | 70 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 14-15

| V46 | 012B12B:#X ICE/LAST12MO |
|-----|------------------------|

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

...during the last 12 months?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|------|-------|-------|
| 97.7 | 94.6 | 2,099 | 1 | 0 OCCAS (1) |
| 1.4 | 1.4 | 30 | 2 | 1-2X (2) |
| 0.4 | 0.4 | 8 | 3 | 3-5X (3) |
| 0.1 | 0.1 | 3 | 4 | 6-9X (4) |
| 0.2 | 0.2 | 5 | 5 | 10-19X (5) |
| 0.1 | 0.0 | 1 | 6 | 20-39X (6) |
| 0.1 | 0.1 | 1 | 7 | 40+OCCAS (7) |
| | 3.2 | 70 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 16-17

| V47 | 012B12C:#X ICE/LAST30DA |
|-----|-------------------------|

B12: On how many occasions (if any) have you smoked (or inhaled
the fumes of) crystal meth ("ice")...

...during the last 30 days?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 99.2 | 96.1 | 2,131 | 1 | 0 OCCAS (1) |
| 0.5 | 0.5 | 11 | 2 | 1-2X (2) |
| 0.1 | 0.1 | 3 | 3 | 3-5X (3) |
| 0.1 | 0.1 | 3 | 4 | 6-9X (4) |
| 0.0 | 0.0 | 0 | 5 | 10-19X (5) |
| 0.1 | 0.0 | 1 | 6 | 20-39X (6) |
| 0.0 | 0.0 | 0 | 7 | 40+OCCAS (7) |
| | 3.1 | 70 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 18-19

```
V2133               012B13A:#X BRBT/LIFETIME
```

Barbiturates are sometimes prescribed by doctors to help
people relax or get to sleep.  They are sometimes called
downs, downers, goofballs, yellows, reds, blues, rainbows.
On how many occasions (if any) have you taken barbiturates
on your own - that is, without a doctor telling you to
take them...

...in your lifetime?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 90.6   87.7  1,945      1  0 OCCAS:(1)
  3.8    3.7     83      2  1-2X:(2)
  1.7    1.6     36      3  3-5X:(3)
  1.0    1.0     22      4  6-9X:(4)
  1.1    1.1     24      5  10-19X:(5)
  0.8    0.8     17      6  20-39X:(6)
  1.0    1.0     21      7  40+OCCAS:(7)
         3.2     70     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 68-69

| V2134 | 012B13B:#X BRBT/LAST12MO |
|-------|--------------------------|

Barbiturates are sometimes prescribed by doctors to help
people relax or get to sleep.  They are sometimes called
downs, downers, goofballs, yellows, reds, blues, rainbows.
On how many occasions (if any) have you taken barbiturates
on your own - that is, without a doctor telling you to
take them...

...during the last 12 months?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|-------|-------|-------------|
| 93.7 | 90.6 | 2,009 | 1 | 0 OCCAS:(1) |
| 3.0 | 2.9 | 65 | 2 | 1-2X:(2) |
| 0.9 | 0.9 | 19 | 3 | 3-5X:(3) |
| 1.1 | 1.1 | 24 | 4 | 6-9X:(4) |
| 0.5 | 0.5 | 11 | 5 | 10-19X:(5) |
| 0.3 | 0.3 | 6 | 6 | 20-39X:(6) |
| 0.4 | 0.4 | 9 | 7 | 40+OCCAS:(7) |
|  | 3.4 | 74 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 70-71

| V2135 | 012B13C:#X BRBT/LAST30DA |
|---|---|

Barbiturates are sometimes prescribed by doctors to help
people relax or get to sleep.  They are sometimes called
downs, downers, goofballs, yellows, reds, blues, rainbows.
On how many occasions (if any) have you taken barbiturates
on your own - that is, without a doctor telling you to
take them...

...during the last 30 days?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  96.5   93.4  2,071      1  0 OCCAS:(1)
   2.0    1.9     42      2  1-2X:(2)
   0.7    0.7     15      3  3-5X:(3)
   0.6    0.6     12      4  6-9X:(4)
   0.2    0.2      4      5  10-19X:(5)
   0.1    0.1      1      6  20-39X:(6)
   0.0    0.0      0      7  40+OCCAS:(7)
          3.3     73     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 72-73

| V2136 | 012B14A:#X TRQL/LIFETIME |
|-------|--------------------------|

Tranquilizers are sometimes prescribed by doctors to calm
people down, quiet their nerves, or relax their muscles.
Librium, Valium, and Miltown are all tranquilizers.  On
how many occasions (if any) have you taken tranquilizers
on your own-that is, without a doctor telling you to take
them...

...in your lifetime?

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 90.9   88.0  1,953      1   0 OCCAS:(1)
  4.0    3.9     87      2   1-2X:(2)
  1.7    1.6     36      3   3-5X:(3)
  1.1    1.1     24      4   6-9X:(4)
  0.9    0.9     20      5   10-19X:(5)
  0.8    0.7     16      6   20-39X:(6)
  0.5    0.5     11      7   40+OCCAS:(7)
         3.2     71     -9   MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 74-75

| V2137 | 012B14B:#X TRQL/LAST12MO |
|-------|--------------------------|

Tranquilizers are sometimes prescribed by doctors to calm
people down, quiet their nerves, or relax their muscles.
Librium, Valium, and Miltown are all tranquilizers.  On
how many occasions (if any) have you taken tranquilizers
on your own-that is, without a doctor telling you to take
them...

...during the last 12 months?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 94.3   91.3  2,024     1  0 OCCAS:(1)
  2.4    2.4     52     2  1-2X:(2)
  1.2    1.1     25     3  3-5X:(3)
  1.0    0.9     21     4  6-9X:(4)
  0.6    0.6     13     5  10-19X:(5)
  0.4    0.4      8     6  20-39X:(6)
  0.2    0.2      3     7  40+OCCAS:(7)
         3.2     71    -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 76-77

---

**V2138**               **012B14C:#X TRQL/LAST30DA**

---

Tranquilizers are sometimes prescribed by doctors to calm
people down, quiet their nerves, or relax their muscles.
Librium, Valium, and Miltown are all tranquilizers.  On
how many occasions (if any) have you taken tranquilizers
on your own-that is, without a doctor telling you to take
them...

...during the last 30 days?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
 97.8   94.7  2,100      1  0 OCCAS:(1)
  1.0    1.0     22      2  1-2X:(2)
  0.5    0.5     11      3  3-5X:(3)
  0.5    0.5     11      4  6-9X:(4)
  0.1    0.1      3      5  10-19X:(5)
  0.0    0.0      0      6  20-39X:(6)
  0.0    0.0      0      7  40+OCCAS:(7)
         3.2     72     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 78-79

| V2510 | 012B15A:#X H LIF USE NDL |
|-------|--------------------------|

On how many occasions (if any) have you taken heroin using
a needle...

...in your lifetime?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.9   95.7 2,122     1  0 OCCAS:(1)
  0.5    0.5    10     2  1-2X:(2)
  0.1    0.1     2     3  3-5X:(3)
  0.0    0.0     0     4  6-9X:(4)
  0.3    0.3     6     5  10-19X:(5)
  0.0    0.0     0     6  20-39X:(6)
  0.2    0.2     5     7  40+OCCAS:(7)
         3.3    73    -9  MISSING
-----  ----- -----
100.0  100.0 2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 640-641

```
V2511                    012B15B:#X H 12M USE NDL
```

On how many occasions (if any) have you taken heroin using
a needle...

...during the last 12 months?

```
  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 99.5    96.2  2,134      1    0 OCCAS:(1)
  0.2     0.2      4      2    1-2X:(2)
  0.1     0.1      2      3    3-5X:(3)
  0.0     0.0      1      4    6-9X:(4)
  0.1     0.1      2      5    10-19X:(5)
  0.1     0.1      1      6    20-39X:(6)
  0.1     0.1      1      7    40+OCCAS:(7)
          3.3     73     -9    MISSING
 -----   -----  -----
100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 642-643

| V2512 | 012B15C:#X H 30D USE NDL |
|-------|--------------------------|

On how many occasions (if any) have you taken heroin using
a needle...

...during the last 30 days?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 99.7   96.4  2,138      1  0 OCCAS:(1)
  0.1    0.1      2      2  1-2X:(2)
  0.1    0.1      2      3  3-5X:(3)
  0.1    0.1      1      4  6-9X:(4)
  0.0    0.0      0      5  10-19X:(5)
  0.0    0.0      0      6  20-39X:(6)
  0.1    0.1      1      7  40+OCCAS:(7)
         3.3     73     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 644-645

```
V2513                    012B16A:#X H LIF W/O NDL
```

On how many occasions (if any) have you taken heroin WITHOUT
using a needle...

...in your lifetime?

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 97.8   94.5  2,095      1   0 OCCAS:(1)
  1.4    1.4     30      2   1-2X:(2)
  0.3    0.3      6      3   3-5X:(3)
  0.1    0.1      3      4   6-9X:(4)
  0.2    0.2      5      5   10-19X:(5)
  0.0    0.0      0      6   20-39X:(6)
  0.2    0.2      4      7   40+OCCAS:(7)
         3.4     75     -9   MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 646-647
```

```
V2514                    012B16B:#X H 12M W/O NDL
```

On how many occasions (if any) have you taken heroin WITHOUT
using a needle...

...during the last 12 months?

```
   PCT    PCT      N   VALUE   LABEL
 VALID    ALL
  98.7   95.4  2,116      1   0 OCCAS:(1)
   0.8    0.8     18      2   1-2X:(2)
   0.3    0.3      6      3   3-5X:(3)
   0.0    0.0      0      4   6-9X:(4)
   0.1    0.1      2      5   10-19X:(5)
   0.0    0.0      0      6   20-39X:(6)
   0.2    0.2      3      7   40+OCCAS:(7)
          3.3     74     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)

 Data type: numeric
 Missing-data code: -9
 Columns: 648-649
```

| V2515 | 012B16C:#X H 30D W/O NDL |
|-------|--------------------------|

On how many occasions (if any) have you taken heroin WITHOUT
using a needle...

...during the last 30 days?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  99.4   96.0  2,130     1  0 OCCAS:(1)
   0.3    0.3      7     2  1-2X:(2)
   0.1    0.1      2     3  3-5X:(3)
   0.0    0.0      0     4  6-9X:(4)
   0.1    0.1      2     5  10-19X:(5)
   0.0    0.0      0     6  20-39X:(6)
   0.1    0.1      1     7  40+OCCAS:(7)
          3.4     76    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 650-651

| V2516 | 012E07C:HVNT USED STRDS |
|-------|-------------------------|

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  11.6   10.0    221     0  NOT MARKED:(0)
  88.4   75.7  1,680     1  MARKED:(1)
         14.3    317    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 652-653

```
V2517                012E20C:#X/2W DRIVE+MJ
```

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

... smoking marijuana?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 85.6   69.5  1,542     1  0 TIMES:(1)
  4.6    3.8     83     2  1 TIME:(2)
  2.6    2.1     47     3  2 TIMES:(3)
  2.9    2.4     53     4  3-5 X:(4)
  1.5    1.2     27     5  6-9 X:(5)
  2.7    2.2     49     6  =>10 X:(6)
        18.8    417    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 654-655

```
V2518                012E20D:#X/2W DRIVE+OTDG
```

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

... using other illicit drugs?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 96.9   78.6  1,743     1  0 TIMES:(1)
  1.4    1.2     26     2  1 TIME:(2)
  0.6    0.5     12     3  2 TIMES:(3)
  0.6    0.5     12     4  3-5 X:(4)
  0.0    0.0      1     5  6-9 X:(5)
  0.3    0.3      6     6  =>10 X:(6)
        18.9    420    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 656-657

**V2519**                    **012E21C:#X/2W RIDE+MJ**


During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

... smoking marijuana

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 78.6   63.9  1,417      1  0 TIMES:(1)
  8.0    6.5    144      2  1 TIME:(2)
  3.8    3.1     69      3  2 TIMES:(3)
  4.6    3.7     83      4  3-5 X:(4)
  1.7    1.4     31      5  6-9 X:(5)
  3.3    2.7     60      6  =>10 X:(6)
        18.7    415     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 658-659


**V2520**                    **012E21D:#X/2W RIDE+OTMJ**


During the LAST TWO WEEKS, how many times (if any) have you
been a passenger in a car . . .

... when the driver had been smoking marijuana?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 95.4   77.5  1,719      1  0 TIMES:(1)
  1.8    1.5     33      2  1 TIME:(2)
  1.2    1.0     22      3  2 TIMES:(3)
  0.9    0.7     16      4  3-5 X:(4)
  0.2    0.1      3      5  6-9 X:(5)
  0.5    0.4      8      6  =>10 X:(6)
        18.8    417     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 660-661

```
V2139                012R*  :#X "H"/LIFETIME
```

```
      PCT    PCT     N  VALUE  LABEL
    VALID    ALL
     97.3   94.5  2,096      1  0 OCCAS:(1)
      1.6    1.5     34      2  1-2X:(2)
      0.4    0.4      9      3  3-5X:(3)
      0.0    0.0      0      4  6-9X:(4)
      0.4    0.3      8      5  10-19X:(5)
      0.1    0.1      2      6  20-39X:(6)
      0.2    0.2      5      7  40+OCCAS:(7)
             2.9     64     -9  MISSING
    -----  -----  -----
    100.0  100.0  2,218 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 80-81
```

```
V2140                012R*  :#X "H"/LAST12MO
```

```
      PCT    PCT     N  VALUE  LABEL
    VALID    ALL
     98.6   95.8  2,124      1  0 OCCAS:(1)
      0.7    0.7     15      2  1-2X:(2)
      0.4    0.4      8      3  3-5X:(3)
      0.0    0.0      1      4  6-9X:(4)
      0.0    0.0      0      5  10-19X:(5)
      0.1    0.1      3      6  20-39X:(6)
      0.2    0.2      3      7  40+OCCAS:(7)
             2.9     64     -9  MISSING
    -----  -----  -----
    100.0  100.0  2,218 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 82-83
```

```
V2141                012R*  :#X "H"/LAST30DAY
```

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  99.4   96.5  2,140      1  0 OCCAS:(1)
   0.3    0.3      6      2  1-2X:(2)
   0.0    0.0      1      3  3-5X:(3)
   0.1    0.1      3      4  6-9X:(4)
   0.1    0.1      3      5  10-19X:(5)
   0.0    0.0      0      6  20-39X:(6)
   0.1    0.1      1      7  40+OCCAS:(7)
          2.9     64     -9  MISSING
  -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)

 Data type: numeric
 Missing-data code: -9
 Columns: 84-85
```

```
V2142                012B17A:#X NARC/LIFETIME
```

There are a number of narcotics other than heroin, such as
methadone, opium, morphine, codeine, demerol, paregoric,
talwin, and laudanum.  These are sometimes prescribed by
doctors.  On how many occasions (if any) have you taken
narcotics other than heroin on your own - that is, without
a doctor telling you to take them...

...in your lifetime?

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  90.1   87.1  1,932      1  0 OCCAS:(1)
   3.6    3.4     76      2  1-2X:(2)
   2.5    2.4     54      3  3-5X:(3)
   0.8    0.8     17      4  6-9X:(4)
   1.6    1.6     35      5  10-19X:(5)
   0.5    0.5     11      6  20-39X:(6)
   0.9    0.8     19      7  40+OCCAS:(7)
          3.3     74     -9  MISSING
  -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)

 Data type: numeric
 Missing-data code: -9
 Columns: 86-87
```

V2143                    012B17B:#X NARC/LAST12MO

There are a number of narcotics other than heroin, such as
methadone, opium, morphine, codeine, demerol, paregoric,
talwin, and laudanum.  These are sometimes prescribed by
doctors.  On how many occasions (if any) have you taken
narcotics other than heroin on your own - that is, without
a doctor telling you to take them...

...during the last 12 months?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 93.0 | 89.8 | 1,991 | 1 | 0 OCCAS:(1) |
| 3.1 | 3.0 | 67 | 2 | 1-2X:(2) |
| 1.6 | 1.6 | 35 | 3 | 3-5X:(3) |
| 1.1 | 1.0 | 23 | 4 | 6-9X:(4) |
| 0.6 | 0.6 | 14 | 5 | 10-19X:(5) |
| 0.3 | 0.3 | 7 | 6 | 20-39X:(6) |
| 0.3 | 0.3 | 6 | 7 | 40+OCCAS:(7) |
|  | 3.4 | 76 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 88-89

---

**V2144**                    **012B17C:#X NARC/LAST30DA**

---

There are a number of narcotics other than heroin, such as
methadone, opium, morphine, codeine, demerol, paregoric,
talwin, and laudanum.  These are sometimes prescribed by
doctors.  On how many occasions (if any) have you taken
narcotics other than heroin on your own - that is, without
a doctor telling you to take them...

...during the last 30 days?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 96.7   93.4  2,073     1  0 OCCAS:(1)
  2.0    1.9    43      2  1-2X:(2)
  0.7    0.6    14      3  3-5X:(3)
  0.4    0.3     8      4  6-9X:(4)
  0.2    0.2     5      5  10-19X:(5)
  0.0    0.0     0      6  20-39X:(6)
  0.0    0.0     0      7  40+OCCAS:(7)
         3.4    76     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 90-91

```
V2145                  012B18A:#X INHL/LIFETIME
```

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high...

...in your lifetime?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 86.5   83.5  1,851     1  0 OCCAS:(1)
  7.3    7.0   156      2  1-2X:(2)
  2.8    2.7    61      3  3-5X:(3)
  1.4    1.4    30      4  6-9X:(4)
  0.8    0.8    18      5  10-19X:(5)
  0.6    0.6    14      6  20-39X:(6)
  0.5    0.5    12      7  40+OCCAS:(7)
         3.5    77     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 92-93

```
V2146                012B18B:#X INHL/LAST12MO
```

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high...

...during the last 12 months?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  95.2    91.9  2,038      1  0 OCCAS:(1)
   2.6     2.5     56      2  1-2X:(2)
   0.8     0.8     17      3  3-5X:(3)
   0.7     0.7     15      4  6-9X:(4)
   0.3     0.3      7      5  10-19X:(5)
   0.2     0.2      5      6  20-39X:(6)
   0.2     0.2      3      7  40+OCCAS:(7)
           3.5     78     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)

 Data type: numeric
 Missing-data code: -9
 Columns: 94-95
```

---

**V2147**        **012B18C:#X INHL/LAST30DA**

---

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high...

...during the last 30 days?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  98.4    94.9  2,106      1  0 OCCAS:(1)
   0.8     0.8     18      2  1-2X:(2)
   0.2     0.2      4      3  3-5X:(3)
   0.2     0.2      5      4  6-9X:(4)
   0.3     0.2      6      5  10-19X:(5)
   0.0     0.0      0      6  20-39X:(6)
   0.1     0.1      2      7  40+OCCAS:(7)
           3.5     78     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 96-97

---

**V2148**        **012(R)  :AGE <>18 DICHOTOMY**

---

In what year were you born?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  41.9    38.8    860      1  < 18:(1)
  58.1    53.7  1,192      2  18+:(2)
           7.5    166     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 98-99

```
V2150              012C03 :R'S SEX
```

What is your sex?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  48.5   46.4  1,028      1  MALE:(1)
  51.5   49.1  1,090      2  FEMALE:(2)
          4.5    100     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 100-101


```
V2151              012C04(R)R'S RACE
```

How do you describe yourself?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  85.1   61.9  1,374      0  WHITE
  14.9   10.9    241      1  BLACK
         27.2    603     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 102-103

```
V2152                  012C05 :R SPD >TIM R-URB
```

Where did you grow up mostly?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
  0.0    0.0      0      0  DK/MIXED:(0)
  6.5    5.9    131      1  FARM:(1)
 12.8   11.7    259      2  COUNTRY:(2)
 31.1   28.3    629      3  SML TOWN:(3)
 12.6   11.5    254      4  MED CITY:(4)
  8.6    7.8    174      5  SUBURB 4:(5)
  9.1    8.3    185      6  LRG CITY:(6)
  7.6    6.9    153      7  SUBURB 6:(7)
  7.0    6.4    142      8  VRYLG CY:(8)
  4.8    4.4     97      9  SUBURB 8:(9)
         8.8    194     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 104-105

```
V2153                  012C06 :R NOT MARRIED
```

What is your marital status?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
  2.2    2.1     47      1  MARRIED:(1)
  5.5    5.4    119      2  ENGAGED:(2)
  1.0    1.0     22      3  SEP/DIV:(3)
 91.2   88.7  1,967      4  SINGLE:(4)
         2.8     61     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 106-107

V49                    01C07R:# SIBLINGS

How many brothers and sisters do you have?  (Include
stepbrothers and sisters and half-brothers and sisters)

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
  5.4    5.2     116      0
 30.6   29.7     658      1
 29.3   28.3     628      2
 34.7   33.6     745      3  3 OR MORE
         3.2      71     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 20-21

V2155                    012C07Cb(R):R'S HSHLD FATHER

Which of the following people live in the same household
with you?

Father (or male guardian)

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
 26.2   25.5     565      0  NT MARKD:(0)
 73.8   71.7   1,591      1  MARKED:(1)
         2.8      62     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 108-109

```
V2156                 012C07Cc(R):R'S HSHLD MOTHER
```

Which of the following people live in the same household
with you?

Mother (of female guardian)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 10.8   10.5    233      0  NT MARKD:(0)
 89.2   86.7  1,924      1  MARKED:(1)
         2.8     62     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 110-111

```
V2157                 012C07Cd(R):R'S HSHLD BR/SR
```

Which of the following people live in the same household
with you?

Brother(s) and/or sister(s)

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 32.2   31.3    694      0  NT MARKD:(0)
 67.8   65.9  1,462      1  MARKED:(1)
         2.8     62     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 112-113

| V2163 | 012C08 :FATHR EDUC LEVEL |
|-------|--------------------------|

What is the highest level of schooling your father
completed?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|-----|-------|--------------|
| 4.0 | 3.6 | 79 | 1 | GRDE SCH:(1) |
| 11.1 | 10.0 | 223 | 2 | SOME HS:(2) |
| 30.1 | 27.2 | 603 | 3 | HS GRAD:(3) |
| 17.0 | 15.4 | 342 | 4 | SOME CLG:(4) |
| 25.0 | 22.6 | 500 | 5 | CLG GRAD:(5) |
| 12.9 | 11.6 | 258 | 6 | GRAD SCH:(6) |
| 0.0 | 0.0 | 0 | 7 | DK:(7) |
|  | 9.6 | 214 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 114-115

| V2164 | 012C09 :MOTHR EDUC LEVEL |
|-------|--------------------------|

What is the highest level of schooling your mother
completed?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|-----|-------|--------------|
| 2.9 | 2.7 | 60 | 1 | GRDE SCH:(1) |
| 8.5 | 8.0 | 177 | 2 | SOME HS:(2) |
| 29.6 | 27.7 | 615 | 3 | HS GRAD:(3) |
| 22.6 | 21.2 | 470 | 4 | SOME CLG:(4) |
| 25.4 | 23.8 | 527 | 5 | CLG GRAD:(5) |
| 11.0 | 10.3 | 228 | 6 | GRAD SCH:(6) |
| 0.0 | 0.0 | 0 | 7 | DK:(7) |
|  | 6.3 | 140 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 116-117

```
V2165                 012C10 :MOTH PD JB R YNG
```

Did you mother have a paid job (half-time or more) during
the time you were growing up?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 13.7   13.2   292      1  NO:(1)
 21.8   20.9   464      2  SOMETIME:(2)
 19.6   18.8   417      3  MOSTTIME:(3)
 44.9   43.1   956      4  ALL TIME:(4)
         4.0    88     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 118-119

```
V2166                 012C11 :R'S POLTL PRFNC
```

How would you describe your political preference?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 13.6    9.6   212      1  STRG GOP:(1)
 18.6   13.1   291      2  MILD GOP:(2)
 17.4   12.3   272      3  MILD DEM:(3)
 15.0   10.6   234      4  STRG DEM:(4)
 10.2    7.2   160      5  INDEPNDT:(5)
 22.9   16.1   358      6  NO PREF:(6)
  2.3    1.7    37      7  OTHER:(7)
        29.5   654     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 120-121

```
V2167              012C12 :R'POL BLF RADCL
```

How would you describe your political beliefs?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
   6.6    4.0     89      1   VRY CONS:(1)
  17.0   10.4    230      2   CONSERV:(2)
  41.5   25.3    560      3   MODERATE:(3)
  22.0   13.4    297      4   LIBERAL:(4)
   8.2    5.0    111      5   VRY LIB:(5)
   4.7    2.8     63      6   RADICAL:(6)
         39.1    868     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 122-123

```
V2169              012C13B:R'ATTND REL SVC
```

The next three questions are about religion.

How often do you attend religious services?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
  14.4   11.0    244      1   NEVER:(1)
  36.1   27.6    612      2   RARELY:(2)
  17.0   13.0    288      3   1-2X/MO:(3)
  32.5   24.9    551      4   1/WK OR+:(4)
         23.6    523     -9   MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 124-125

```
V2170                012C13C:RLGN IMP R'S LF
```

The next three questions are about religion.

How important is religion in your life?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 14.1 | 10.8 | 239 | 1 | NOT IMPT:(1) |
| 24.5 | 18.7 | 414 | 2 | LITL IMP:(2) |
| 28.2 | 21.5 | 478 | 3 | PRTY IMP:(3) |
| 33.2 | 25.3 | 562 | 4 | VERY IMP:(4) |
| | 23.7 | 525 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 126-127


```
V2171                012C14 :WHEN R XPCT GRAD
```

When are you most likely to graduate from high school?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 98.2 | 94.2 | 2,089 | 1 | BY JUNE:(1) |
| 1.2 | 1.2 | 26 | 2 | JULY-JAN:(2) |
| 0.0 | 0.0 | 0 | 3 | AFT JAN:(3) |
| 0.6 | 0.6 | 13 | 6 | WONT:(6) |
| | 4.1 | 90 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 128-129

```
V2172                012C15 :R'S HS PROGRAM
```

Which of the following best describes your present high
school program?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 52.2   49.7  1,103      1  CLG PREP:(1)
 32.5   30.9    686      2  GENERAL:(2)
  8.3    7.9    175      3  VOC-TECH:(3)
  7.0    6.7    148      4  OTH/DK:(4)
         4.7    105     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 130-131

```
V2173                012C16 :RT SF SCH AB>AVG
```

Compared with others your age throughout the country, how
do you rate yourself on school ability?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.9    0.8     19      1  FAR BLOW:(1)
  1.7    1.6     35      2  BELOW AV:(2)
  4.7    4.5    100      3  SL BELOW:(3)
 34.0   32.2    715      4  AVERAGE:(4)
 25.1   23.8    528      5  SL ABOVE:(5)
 26.7   25.4    563      6  ABOVE AV:(6)
  7.0    6.6    147      7  FAR ABOV:(7)
         5.1    112     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 132-133

```
V2174              012C17 :RT SF INTELL>AVG
```

How intelligent do you think you are compared with others
your age?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  0.5    0.5    11      1  FAR BLOW:(1)
  1.7    1.6    35      2  BELOW AV:(2)
  4.5    4.3    95      3  SL BELOW:(3)
 33.1   31.3   694      4  AVERAGE:(4)
 24.3   23.0   511      5  SL ABOVE:(5)
 26.9   25.5   565      6  ABOVE AV:(6)
  9.0    8.5   189      7  FAR ABOV:(7)
         5.3   118     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 134-135

```
V2175              012C18A:#DA/4W SC MS ILL
```

During the LAST FOUR WEEKS, how many whole days of school
have you missed...

Because of illness...

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 57.1   53.3  1,182     1  NONE:(1)
 20.1   18.8   417      2  1 DAY:(2)
 10.5    9.8   217      3  2 DAYS:(3)
  5.9    5.5   121      4  3 DAYS:(4)
  4.4    4.1    91      5  4-5 DAYS:(5)
  1.4    1.3    30      6  6-10 DA:(6)
  0.5    0.5    11      7  11+ DAYS:(7)
         6.7   149     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 136-137

| V2176 | 012C18B:#DA/4W SC MS CUT |
|-------|--------------------------|

During the LAST FOUR WEEKS, how many whole days of school
have you missed...

Because you skipped or "cut"...

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----------|---------|-----|-------|-------|
| 66.9 | 61.5 | 1,364 | 1 | NONE:(1) |
| 13.9 | 12.8 | 284 | 2 | 1 DAY:(2) |
| 7.3 | 6.7 | 149 | 3 | 2 DAYS:(3) |
| 5.1 | 4.7 | 105 | 4 | 3 DAYS:(4) |
| 3.6 | 3.3 | 73 | 5 | 4-5 DAYS:(5) |
| 2.1 | 1.9 | 43 | 6 | 6-10 DA:(6) |
| 1.1 | 1.0 | 22 | 7 | 11+ DAYS:(7) |
| | 8.0 | 178 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 138-139

**V2177**                    **012C18C:#DA/4W SC MS OTH**


During the LAST FOUR WEEKS, how many whole days of school
have you missed...

For other reasons...

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 54.4   50.7  1,124     1  NONE:(1)
 21.4   19.9    441     2  1 DAY:(2)
 11.4   10.6    236     3  2 DAYS:(3)
  6.6    6.2    137     4  3 DAYS:(4)
  4.3    4.0     89     5  4-5 DAYS:(5)
  1.1    1.0     22     6  6-10 DA:(6)
  0.8    0.7     16     7  11+ DAYS:(7)
         6.8    151    -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 140-141


**V2178**                    **012C19 :#DA/4W SKP CLASS**


During the last four weeks, how often have you gone to
school, but skipped a class when you weren't supposed to?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 62.7   59.5  1,321     1  NONE:(1)
 21.4   20.3    451     2  1-2:(2)
  9.0    8.5    190     3  3-5:(3)
  4.4    4.2     94     4  6-10:(4)
  1.3    1.2     27     5  11-20:(5)
  1.1    1.1     23     6  21+:(6)
         5.1    112    -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 142-143

---

**V2179**                     **012C20 :R HS GRADE/D=1**

---

Which of the following best describes your average grade so
far in high school?

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
  0.9    0.8     18      1   D:(1)
  3.5    3.3     74      2   C-:(2)
  5.9    5.6    123      3   C:(3)
  8.9    8.4    185      4   C+:(4)
 12.0   11.4    252      5   B-:(5)
 20.0   18.9    419      6   B:(6)
 18.6   17.6    390      7   B+:(7)
 15.0   14.2    315      8   A-:(8)
 15.1   14.2    316      9   A:(9)
         5.6    125     -9   MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 144-145

---

**V2180**                     **012C21A:R WL DO VOC/TEC**

---

How likely is it that you will do each of the following
things after high school?

Attend a technical or vocational school...

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 51.4   46.8  1,037      1   DEF WONT:(1)
 24.6   22.4    497      2   PRB WONT:(2)
 15.0   13.7    304      3   PRB WILL:(3)
  8.9    8.1    180      4   DEF WILL:(4)
         9.0    200     -9   MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 146-147

---

**V2181**        **012C21B:R WL DO ARMD FC**

---

How likely is it that you will do each of the following
things after high school?

Serve in the armed forces...

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 71.6   65.2  1,446      1  DEF WONT:(1)
 16.9   15.4    340      2  PRB WONT:(2)
  6.1    5.5    122      3  PRB WILL:(3)
  5.4    4.9    109      4  DEF WILL:(4)
         9.0    199     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 148-149

---

**V2182**        **012C21C:R WL DO 2YR CLG**

---

How likely is it that you will do each of the following
things after high school?

C21C: Graduate from a two-year college program...

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 38.6   35.0    777      1  DEF WONT:(1)
 21.3   19.3    429      2  PRB WONT:(2)
 22.0   20.0    443      3  PRB WILL:(3)
 18.2   16.6    367      4  DEF WILL:(4)
         9.1    202     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 150-151

**V2183**                    **012C21D:R WL DO 4YR CLG**

How likely is it that you will do each of the following
things after high school?

Graduate from college (four-year program)...

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  9.8    9.0    200      1  DEF WONT:(1)
 10.0    9.2    204      2  PRB WONT:(2)
 22.6   20.9    463      3  PRB WILL:(3)
 57.6   53.2  1,179      4  DEF WILL:(4)
         7.7    171     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 152-153


**V2184**                    **012C21E:R WL DO GRD/PRF**

How likely is it that you will do each of the following
things after high school?

Attend graduate or professional school after college...

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 18.3   16.7    370      1  DEF WONT:(1)
 28.7   26.1    580      2  PRB WONT:(2)
 32.2   29.3    651      3  PRB WILL:(3)
 20.8   19.0    421      4  DEF WILL:(4)
         8.8    196     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 154-155

```
V2185                012C22A:R WNTDO VOC/TEC
```

Suppose you could do just what you'd like and nothing stood
in your way.  How many of the following things would you
WANT to do?

Attend a technical or vocational school

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 82.2   76.8  1,703      0  NT MARKD:(0)
 17.8   16.7    370      1  MARKED:(1)
         6.5    145     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 156-157

```
V2186                012C22B:R WNTDO ARMD FC
```

Suppose you could do just what you'd like and nothing stood
in your way.  How many of the following things would you
WANT to do?

Serve in the armed forces

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 86.0   80.4  1,784      0  NT MARKD:(0)
 14.0   13.0    289      1  MARKED:(1)
         6.5    145     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 158-159

```
V2187                012C22C:R WNTDO 2YR CLG
```

Suppose you could do just what you'd like and nothing stood
in your way.  How many of the following things would you
WANT to do?

Graduate from a two-year college program

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 74.5   69.6  1,545      0  NT MARKD:(0)
 25.5   23.8    529      1  MARKED:(1)
         6.5    145     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 160-161


```
V2188                012C22D:R WNTDO 4YR CLG
```

Suppose you could do just what you'd like and nothing stood
in your way.  How many of the following things would you
WANT to do?

Graduate from college (four-year program)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 20.9   19.5    432      0  NT MARKD:(0)
 79.1   74.0  1,641      1  MARKED:(1)
         6.5    145     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 162-163

```
V2189                    012C22E:R WNTDO GRD/PRF
```

Suppose you could do just what you'd like and nothing stood
in your way.  How many of the following things would you
WANT to do?

Attend graduate or professional school after college

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  44.9   42.0    931      0  NT MARKD:(0)
  55.1   51.5  1,142      1  MARKED:(1)
         6.5    145     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 164-165

```
V2190                    012C22F:R WNTDO NONE
```

Suppose you could do just what you'd like and nothing stood
in your way.  How many of the following things would you
WANT to do?

None of the above

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  94.8   88.6  1,966      0  NT MARKD:(0)
   5.2    4.8    107      1  MARKED:(1)
         6.5    145     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 166-167

```
V2191                 012C23 :HRS/W WRK SCHYR
```


On the average over the school year, how many hours per
week do you work in a paid or unpaid job?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 21.8   20.4     454      1  NONE:(1)
  8.6    8.0     178      2  5 OR <:(2)
  9.9    9.3     206      3  6-10 HRS:(3)
 10.5    9.8     218      4  11-15 HR:(4)
 17.5   16.4     364      5  16-20 HR:(5)
 13.9   13.0     288      6  21-25 HR:(6)
  8.2    7.6     169      7  26-30 HR:(7)
  9.6    9.0     200      8  30+ HRS:(8)
         6.4     141     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 168-169
```

```
V2192              012C24A:R$/AVG WEEK JOB
```

During an average week, how much money do you get from...

A job or other work...

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 26.1   24.1    536      1  NONE:(1)
  1.7    1.6     35      2  $1-5:(2)
  3.3    3.1     69      3  $6-10:(3)
  2.3    2.1     47      4  $11-20:(4)
  4.0    3.7     83      5  $21-35:(5)
  5.1    4.7    105      6  $36-50:(6)
 11.1   10.3    228      7  $51-75:(7)
 23.4   21.6    480      8  $76-125:(8)
 23.0   21.2    471      9  $126+:(9)
         7.5    166     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 170-171
```

V2193                    012C24B:R$/AVG WEEK OTH

During an average week, how much money do you get from...

Other sources (allowances, etc.)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 36.9   33.3    738      1  NONE:(1)
  6.6    5.9    131      2  $1-5:(2)
 10.1    9.1    202      3  $6-10:(3)
 18.7   16.8    373      4  $11-20:(4)
 11.4   10.3    229      5  $21-35:(5)
  6.3    5.7    126      6  $36-50:(6)
  4.0    3.6     80      7  $51-75:(7)
  2.7    2.4     53      8  $76-125:(8)
  3.4    3.1     68      9  $126+:(9)
         9.8    217     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 172-173

V2194                    012C25 :#X/AV WK GO OUT

During a typical week, on how many evenings do you go out
for fun and recreation?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  9.9    9.3    205      1  < 1:(1)
 16.1   15.0    334      2  ONE:(2)
 25.7   24.0    533      3  TWO:(3)
 24.0   22.4    498      4  THREE:(4)
 16.5   15.4    341      5  4-5:(5)
  7.8    7.2    161      6  6-7:(6)
         6.6    147     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 174-175

```
V2195               012C26 :#X DATE 3+/WK
```

On the average, how often do you go out with a date (or your
spouse, if you are married)?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 22.7   21.1    469      1  NEVER:(1)
 19.1   17.8    395      2  1/MO OR<:(2)
 16.5   15.4    340      3  2-3/MO:(3)
 16.6   15.5    343      4  1/WK:(4)
 15.5   14.4    319      5  2-3/WK:(5)
  9.5    8.9    197      6  3+/WK:(6)
         7.0    156     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 176-177

```
V2196               012C27 :DRIVE>200 MI/WK
```

During an average week, how much do you usually drive a car,
truck, or motorcycle?

```
   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 14.8   13.9    308      1  NONE:(1)
  7.5    7.0    155      2  1-10 MI:(2)
 20.9   19.6    434      3  11-50:(3)
 22.7   21.2    470      4  51-100:(4)
 20.3   19.0    421      5  101-200:(5)
 13.8   12.9    287      6  > 200:(6)
         6.5    143     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 178-179

---

**V2197**                **012C28 :#X/12MO R TCKTD**

---

Within the LAST 12 MONTHS how many times, if any, have you
received a ticket (OR been stopped and warned) for moving
violations, such as speeding, running a stop light, or
improper passing?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 66.9   62.0  1,374      0  NONE:(0)
 19.8   18.3    406      1  ONE:(1)
  6.0    5.5    123      2  TWO:(2)
  4.1    3.8     83      3  THREE:(3)
  3.2    3.0     67      4  4+:(4)
         7.4    165     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 180-181

---

**V2198**                **012C29AR#TCKTS AFT DRNK**

---

How many of these tickets or warnings occurred after you
were...

Drinking alcoholic beverages?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 90.8   27.6    613      0  None:(0)
  6.1    1.9     41      1  One:(1)
  2.3    0.7     15      2  Two:(2)
  0.8    0.2      5      3  3-4 or +:(3-4)
        69.6  1,543     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 182-183

---

**V2199**          **012C29BR#TCKTS AFT MARJ**

---

How many of these tickets or warnings occurred after you
were...

Smoking marijuana or hashish?

| PCT<br>VALID | PCT<br>ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 93.6 | 28.4 | 631 | 0 | None:(0) |
| 3.7 | 1.1 | 25 | 1 | One:(1) |
| 0.9 | 0.3 | 6 | 2 | Two:(2) |
| 1.7 | 0.5 | 12 | 3 | 3-4 or +:(3-4) |
| | 69.6 | 1,544 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 184-185

---

**V2200**          **012C29CR#TCKTS AFT OTDG**

---

How many of these tickets or warnings occurred after you
were...

Using other illegal drugs?

| PCT<br>VALID | PCT<br>ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 98.1 | 29.6 | 657 | 0 | None:(0) |
| 1.4 | 0.4 | 9 | 1 | One:(1) |
| 0.2 | 0.1 | 1 | 2 | Two:(2) |
| 0.3 | 0.1 | 2 | 3 | 3-4 or +:(3-4) |
| | 69.8 | 1,549 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 186-187

| V2201 | 012C30 :#ACCIDNTS/12 MO |
|---|---|

We are interested in any accidents which occurred while you
were driving a car, truck, or motorcycle.  ("Accidents"
means a collision involving property damage or personal
injury-not bumps or scratches in parking lots.) During the
LAST 12 MONTHS, how many accidents have you had while you
were driving (whether or not you were responsible)?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  75.7   69.4  1,540      0  NONE:(0)
  18.2   16.7    371      1  ONE:(1)
   4.1    3.7     83      2  TWO:(2)
   1.6    1.5     33      3  THREE:(3)
   0.3    0.3      7      4  4+:(4)
          8.3    184     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 188-189

| V2202 | 012C31AR#ACDTS AFT DRNK |
|---|---|

How many of these accidents occurred after you were...

Drinking alcoholic beverages?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  96.5   21.6    479      0  None:(0)
   2.5    0.6     12      1  One:(1)
   0.5    0.1      3      2  Two:(2)
   0.5    0.1      3      3  3-4 or +:(3-4)
         77.6  1,722     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 190-191

**V2203**                    **012C31BR#ACDTS AFT MARJ**

How many of these accidents occurred after you were...

Smoking marijuana or hashish?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 96.5   21.6    479      0  None:(0)
  3.1    0.7     16      1  One:(1)
  0.0    0.0      0      2  Two:(2)
  0.4    0.1      2      3  3-4 or +:(3-4)
        77.6  1,722     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 192-193

**V2204**                    **012C31CR#ACDTS AFT OTDG**

How many of these accidents occurred after you were...

Using other illegal drugs?

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 98.2   21.9    486      0  None:(0)
  1.5    0.3      8      1  One:(1)
  0.0    0.0      0      2  Two:(2)
  0.3    0.1      1      3  3-4 or +:(3-4)
        77.7  1,723     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 194-195

| V2500 | 012D01A:4WKS ALC@SCHOOL |
|-------|-------------------------|

During the LAST FOUR WEEKS, on how many days (if any) were
you . . .

Under the influence of alcohol while you were at school?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  92.0   85.3  1,893     1  NONE:(1)
   3.7    3.5     77     2  1 DAY:(2)
   2.2    2.1     46     3  2 DAYS:(3)
   0.8    0.7     16     4  3-5 DAYS:(4)
   0.7    0.7     15     5  6-9 DAYS:(5)
   0.6    0.5     12     6  10+ DAYS:(6)
                7.2    160    -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 622-623

```
V2501                  012D01B:4WKS MJ/OTD@SCHL
```

During the LAST FOUR WEEKS, on how many days (if any) were
you . . .

Under the influence of marijuana or some other illegal drug
while you were at school?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 88.8    82.1  1,821      1  NONE:(1)
  3.6     3.3     74      2  1 DAY:(2)
  2.1     1.9     42      3  2 DAYS:(3)
  2.5     2.3     50      4  3-5 DAYS:(4)
  1.3     1.2     28      5  6-9 DAYS:(5)
  1.7     1.6     35      6  10+ DAYS:(6)
          7.6    168     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)

 Data type: numeric
 Missing-data code: -9
 Columns: 624-625
```

---

**V2502**                    **012D01C:4WKS TOBACCO@SCH**

---

During the LAST FOUR WEEKS, on how many days (if any) were
you . . .

Smoking cigarettes or using chewing tobacco while you were
at school?

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  86.8   80.3  1,782      1  NONE:(1)
   3.2    3.0     66      2  1 DAY:(2)
   2.2    2.0     44      3  2 DAYS:(3)
   1.7    1.6     36      4  3-5 DAYS:(4)
   0.8    0.7     16      5  6-9 DAYS:(5)
   5.2    4.8    107      6  10+ DAYS:(6)
          7.5    166     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 626-627

V2503                    012D01D:4WKS WEAPON@SCHL

During the LAST FOUR WEEKS, on how many days (if any) were
you . . .

Carrying a weapon such as a gun, knife, or club to school?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 96.2   88.7  1,968      1  NONE:(1)
  0.9    0.8     19      2  1 DAY:(2)
  0.5    0.5     10      3  2 DAYS:(3)
  0.4    0.3      7      4  3-5 DAYS:(4)
  0.5    0.4      9      5  6-9 DAYS:(5)
  1.6    1.5     33      6  10+ DAYS:(6)
         7.7    171     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 628-629

---

**V2504**      **012D02A:#X TCHR INTRUPT**

---

During an average school week, about how many times . . .

Do your teachers interrupt the class to deal with student
misbehavior or goofing off?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 12.7   11.8     261      1  NEVER:(1)
 21.1   19.5     432      2  <1/WK:(2)
 26.5   24.5     543      3  1-2X/WK:(3)
 19.3   17.9     396      4  3-5X/WK:(4)
  9.9    9.1     202      5  6-9X/WK:(5)
  5.0    4.6     103      6  10-19X/W:(6)
  5.6    5.2     115      7  20+X/WK:(7)
         7.5     166     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 630-631

```
V2505              012D02B:#X MISBHVR INT U
```

During an average school week, about how many times . . .

Does misbehavior or goofing off by other students in your
class interfere with your own learning?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 39.6   36.4    808      1  NEVER:(1)
 21.0   19.3    427      2  <1/WK:(2)
 16.2   14.9    330      3  1-2X/WK:(3)
 12.7   11.7    259      4  3-5X/WK:(4)
  5.3    4.9    109      5  6-9X/WK:(5)
  1.5    1.4     31      6  10-19X/W:(6)
  3.6    3.3     73      7  20+X/WK:(7)
         8.2    181     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 632-633

---

**V2506**                    **012D02C:#X U UNEXCSD LAT**

---

During an average school week, about how many times . . .

Do you come to class late (after class has begun) without
an approved excuse?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  44.8    41.2    914      1  NEVER:(1)
  25.1    23.0    511      2  <1/WK:(2)
  15.7    14.4    319      3  1-2X/WK:(3)
   8.7     8.0    177      4  3-5X/WK:(4)
   2.9     2.7     60      5  6-9X/WK:(5)
   1.0     0.9     21      6  10-19X/W:(6)
   1.8     1.7     38      7  20+X/WK:(7)
           8.1    179     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 634-635

---

**V2507**                    **012D03 :SCHL RULES FAIR**

---

Do you find that the rules about student behavior in your
school are generally fair and reasonable?

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  16.0    14.8    328      1  NO:(1)
  18.4    17.0    377      2  NO MSTLY:(2)
   8.8     8.1    180      3  DK:(3)
  40.9    37.7    837      4  YESMSTLY:(4)
  15.9    14.7    326      5  YES:(5)
           7.6    170     -9  MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 636-637

```
V2311                012D04 :CMP SATFD W/LIFE
```

How satisfied are you with your life as a whole these days?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
   3.9    3.6    80      1  COMP DIS:(1)
   8.4    7.8   173      2  QUITE DS:(2)
   6.9    6.3   140      3  SMWT DIS:(3)
   9.0    8.3   185      4  NEITHER:(4)
  21.2   19.6   434      5  SMWT SAT:(5)
  39.5   36.5   809      6  QUITE ST:(6)
  11.0   10.1   225      7  COMP SAT:(7)
          7.8   173     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 380-381

```
V2312                012D05A:HOW GD AS SPOUSE
```

These next questions ask you to guess how well you might do
in several different situations.   How good do you think
you would be . . .

As a husband or wife?

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
   1.8    1.6    36      1  POOR:(1)
   1.9    1.7    37      2  NOT GOOD:(2)
   7.9    7.0   155      3  FRLY GD:(3)
  29.5   26.0   576      4  GOOD:(4)
  58.8   51.7  1,147     5  VRY GOOD:(5)
         12.0   267     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 382-383

**V2313**                **012D05B:HOW GD AS PARENT**

These next questions ask you to guess how well you might do
in several different situations.   How good do you think
you would be . . .

As a parent?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  1.9    1.7     37      1  POOR:(1)
  3.2    2.8     62      2  NOT GOOD:(2)
  8.3    7.2    160      3  FRLY GD:(3)
 27.2   23.5    522      4  GOOD:(4)
 59.3   51.3  1,137      5  VRY GOOD:(5)
        13.5    300     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 384-385


**V2314**                **012D05C:HOW GD AS WORKER**

These next questions ask you to guess how well you might do
in several different situations.   How good do you think
you would be . . .

As a worker on a job?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  0.8    0.8     17      1  POOR:(1)
  1.0    0.9     20      2  NOT GOOD:(2)
  4.7    4.2     93      3  FRLY GD:(3)
 27.4   24.7    549      4  GOOD:(4)
 66.1   59.7  1,323      5  VRY GOOD:(5)
         9.8    217     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 386-387

---

**V2328**              **012D06A:2MCH COMPTN SCTY**

How much do you agree or disagree with each of the following
statements?

There is too much competition in this society

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
   7.3     6.6     146      1  DISAGREE:(1)
   9.8     8.8     196      2  MOST DIS:(2)
  21.4    19.3     428      3  NEITHER:(3)
  37.5    33.9     751      4  MOST AGR:(4)
  24.0    21.7     481      5  AGREE:(5)
           9.7     216     -9  MISSING
 -----   -----   -----
 100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 388-389

---

**V2329**              **012D06B:2MANY YNG SLOPPY**

How much do you agree or disagree with each of the following
statements?

Too many young people are sloppy about their grooming and
clothing, and just don't care how they look

```
   PCT     PCT      N  VALUE  LABEL
 VALID     ALL
  12.6    11.3     251      1  DISAGREE:(1)
  23.9    21.5     477      2  MOST DIS:(2)
  29.6    26.6     590      3  NEITHER:(3)
  21.9    19.7     436      4  MOST AGR:(4)
  12.0    10.8     239      5  AGREE:(5)
          10.1     225     -9  MISSING
 -----   -----   -----
 100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 390-391

```
V2330                012D06C:2MUCH HARD ROCK
```

How much do you agree or disagree with each of the following
statements?

There is too much hard rock music on the radio these days

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 39.1   34.9    775      1  DISAGREE:(1)
 18.7   16.7    371      2  MOST DIS:(2)
 28.4   25.4    564      3  NEITHER:(3)
  6.5    5.8    129      4  MOST AGR:(4)
  7.3    6.5    145      5  AGREE:(5)
        10.6    234     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 392-393


```
V2331                012D06D:SHD DO OWN THING
```

How much do you agree or disagree with each of the following
statements?

People should do their own thing, even if other people
think it's strange

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  2.3    2.0     45      1  DISAGREE:(1)
  4.4    4.0     88      2  MOST DIS:(2)
 11.6   10.5    232      3  NEITHER:(3)
 32.2   28.9    642      4  MOST AGR:(4)
 49.4   44.4    984      5  AGREE:(5)
        10.2    227     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 394-395

V2332                012D06E:KICK DO DANGR TH

How much do you agree or disagree with each of the following
statements?

I get a real kick out of doing things that are a little
dangerous

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 14.1   12.7    281      1  DISAGREE:(1)
 11.2   10.0    222      2  MOST DIS:(2)
 29.2   26.1    580      3  NEITHER:(3)
 29.2   26.1    580      4  MOST AGR:(4)
 16.3   14.6    325      5  AGREE:(5)
        10.4    231     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 396-397


V2333                012D06F:LIKE RISK SOME X

How much do you agree or disagree with each of the following
statements?

I like to test myself every now and then by doing something
a little risky

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 13.4   11.9    264      1  DISAGREE:(1)
 11.1    9.9    219      2  MOST DIS:(2)
 24.2   21.6    479      3  NEITHER:(3)
 34.3   30.6    678      4  MOST AGR:(4)
 17.1   15.2    337      5  AGREE:(5)
        10.8    240     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 398-399

| V2433 | 012D06G:POS ATT TWD SELF |
|---|---|

How much do you agree or disagree with each of the following statements?

I take a positive attitude toward myself

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  4.2    3.8     84      1  DISAGREE:(1)
  7.2    6.4    142      2  MOST DIS:(2)
 14.1   12.5    277      3  NEITHER:(3)
 37.1   33.0    731      4  MOST AGR:(4)
 37.4   33.2    737      5  AGREE:(5)
       11.2    248     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 492-493

| V2434 | 012D06H:AM PRSN OF WORTH |
|---|---|

How much do you agree or disagree with each of the following statements?

I feel I am a person of worth, on an equal plane with others

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  3.5    3.1     69      1  DISAGREE:(1)
  5.4    4.8    106      2  MOST DIS:(2)
 13.1   11.7    259      3  NEITHER:(3)
 30.6   27.2    603      4  MOST AGR:(4)
 47.4   42.1    934      5  AGREE:(5)
       11.1    247     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 494-495

---

| V2435 | 012D06I:DO WELL AS OTHRS |
|---|---|

How much do you agree or disagree with each of the following statements?

I am able to do things as well as most other people

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 1.9 | 1.7 | 38 | 1 | DISAGREE:(1) |
| 2.9 | 2.6 | 58 | 2 | MOST DIS:(2) |
| 8.4 | 7.5 | 166 | 3 | NEITHER:(3) |
| 37.2 | 33.0 | 732 | 4 | MOST AGR:(4) |
| 49.5 | 44.0 | 975 | 5 | AGREE:(5) |
|  | 11.2 | 249 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 496-497

---

| V2436 | 012D06J:SATISFD W MYSELF |
|---|---|

How much do you agree or disagree with each of the following statements?

On the whole, I'm satisfied with myself

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 4.3 | 3.8 | 84 | 1 | DISAGREE:(1) |
| 5.5 | 4.9 | 108 | 2 | MOST DIS:(2) |
| 11.4 | 10.1 | 223 | 3 | NEITHER:(3) |
| 33.1 | 29.2 | 649 | 4 | MOST AGR:(4) |
| 45.7 | 40.4 | 895 | 5 | AGREE:(5) |
|  | 11.7 | 259 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 498-499

```
V2437                012D06K:-MUCH TO B PROUD
```

How much do you agree or disagree with each of the following
statements?

I feel I do not have much to be proud of

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 44.1   39.0    865      1  DISAGREE:(1)
 25.3   22.3    495      2  MOST DIS:(2)
 13.5   11.9    264      3  NEITHER:(3)
 11.2    9.9    219      4  MOST AGR:(4)
  5.9    5.2    116      5  AGREE:(5)
        11.7    259     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 500-501

```
V2438                012D06L:I AM NO GOOD
```

How much do you agree or disagree with each of the following
statements?

Sometimes I think that I am no good at all

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 42.9   37.8    839      1  DISAGREE:(1)
 20.9   18.5    410      2  MOST DIS:(2)
 15.2   13.4    298      3  NEITHER:(3)
 13.3   11.7    260      4  MOST AGR:(4)
  7.7    6.8    150      5  AGREE:(5)
        11.8    261     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 502-503

```
V2439                012D06M:I DO WRONG THING
```

How much do you agree or disagree with each of the following
statements?

I feel that I can't do anything right

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 49.2   43.4    963      1  DISAGREE:(1)
 24.8   21.9    485      2  MOST DIS:(2)
 14.8   13.0    289      3  NEITHER:(3)
  7.5    6.6    147      4  MOST AGR:(4)
  3.7    3.3     73      5  AGREE:(5)
        11.8    261     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 504-505


```
V2440                012D06N:MY LIFE NT USEFL
```

How much do you agree or disagree with each of the following
statements?

I feel that my life is not very useful

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 58.1   51.2  1,136      1  DISAGREE:(1)
 18.5   16.3    361      2  MOST DIS:(2)
 12.3   10.8    240      3  NEITHER:(3)
  6.3    5.5    123      4  MOST AGR:(4)
  4.9    4.3     95      5  AGREE:(5)
        11.9    264     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 506-507

```
V2334                012D07A:ALL FRD SMK CIGS
```

How many of your friends would you estimate . . .

Smoke cigarettes?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 13.1   11.6    258      1  NONE:(1)
 30.4   27.0    599      2  A FEW:(2)
 31.3   27.8    616      3  SOME:(3)
 21.6   19.2    425      4  MOST:(4)
  3.6    3.2     70      5  ALL:(5)
        11.3    251     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 400-401

```
V2335                012D07B:ALL FRD SMK MARJ
```

How many of your friends would you estimate . . .

Smoke marijuana (pot, weed) or hashish?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 18.8   16.6    369      1  NONE:(1)
 29.7   26.3    584      2  A FEW:(2)
 27.6   24.4    541      3  SOME:(3)
 19.0   16.9    374      4  MOST:(4)
  4.9    4.3     95      5  ALL:(5)
        11.5    255     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 402-403

```
V2336                012D07C:ALL FRD TAKE LSD
```

How many of your friends would you estimate . . .

Take LSD?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 67.8   59.9  1,328      1  NONE:(1)
 22.0   19.4    431      2  A FEW:(2)
  7.4    6.5    144      3  SOME:(3)
  2.1    1.8     40      4  MOST:(4)
  0.7    0.6     14      5  ALL:(5)
        11.7    261     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 404-405

```
V2337                012D07D:ALL FRD TK PSYDL
```

How many of your friends would you estimate . . .

Take other hallucinogens (mescaline, peyote, shrooms,
or psilocybin, PCP, etc.)?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 64.6   56.9  1,262      1  NONE:(1)
 25.3   22.3    494      2  A FEW:(2)
  7.2    6.3    141      3  SOME:(3)
  2.2    1.9     43      4  MOST:(4)
  0.7    0.6     14      5  ALL:(5)
        11.9    265     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 406-407

**V2338**                    **012D07E:ALL FRD TK AMPH**

How many of your friends would you estimate . . .

Take amphetamines (uppers, pep pills, bennies, speed)?

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
 66.8   58.7  1,302       1  NONE:(1)
 24.5   21.6    478       2  A FEW:(2)
  6.5    5.7    126       3  SOME:(3)
  1.4    1.2     27       4  MOST:(4)
  0.8    0.7     16       5  ALL:(5)
        12.1    268      -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 408-409

**V2339**                    **012D07F:ALL FRD TK QUALD**

How many of your friends would you estimate . . .

Take quaaludes (quads, methaqualone)?

```
   PCT    PCT       N  VALUE  LABEL
 VALID    ALL
 82.1   71.7  1,591       1  NONE:(1)
 14.1   12.3    273       2  A FEW:(2)
  2.7    2.3     52       3  SOME:(3)
  0.5    0.4      9       4  MOST:(4)
  0.7    0.6     14       5  ALL:(5)
        12.6    279      -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 410-411

**V2340** **012D07G:ALL FRD TK BARBT**

How many of your friends would you estimate . . .

Take barbiturates (downers, goofballs, reds, yellows, etc.)?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 78.0   68.5  1,518     1  NONE:(1)
 17.5   15.3   340      2  A FEW:(2)
  3.4    3.0    67      3  SOME:(3)
  0.6    0.5    12      4  MOST:(4)
  0.5    0.4     9      5  ALL:(5)
        12.3   272     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 412-413

**V2341** **012D07H:ALL FRD TK TRNQL**

How many of your friends would you estimate . . .

Take tranquilizers?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 81.5   71.4  1,583     1  NONE:(1)
 14.2   12.4   275      2  A FEW:(2)
  3.1    2.7    60      3  SOME:(3)
  0.7    0.6    14      4  MOST:(4)
  0.6    0.5    11      5  ALL:(5)
        12.4   275     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 414-415

```
V2342                012D07I:ALL FRD TK COKE
```

How many of your friends would you estimate . . .

Take cocaine?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 73.0   63.8  1,415      1  NONE:(1)
 19.7   17.2    382      2  A FEW:(2)
  5.5    4.8    107      3  SOME:(3)
  0.9    0.8     18      4  MOST:(4)
  0.8    0.7     15      5  ALL:(5)
        12.6    280     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 416-417

```
V2343                012D07J:ALL FRD TK HERON
```

How many of your friends would you estimate . . .

Take heroin?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 86.9   75.5  1,675      1  NONE:(1)
 10.2    8.8    196      2  A FEW:(2)
  2.1    1.8     40      3  SOME:(3)
  0.2    0.2      4      4  MOST:(4)
  0.6    0.5     12      5  ALL:(5)
        13.1    291     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 418-419

```
V2344                012D07K:ALL FRD TK NARC
```

How many of your friends would you estimate . . .

Take other narcotics (methadone, opium, codeine, paregoric,
etc.)?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 75.9   66.0  1,465      1  NONE:(1)
 17.3   15.0    333      2  A FEW:(2)
  4.8    4.2     93      3  SOME:(3)
  1.4    1.2     27      4  MOST:(4)
  0.6    0.5     11      5  ALL:(5)
        13.0    289     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 420-421

```
V2345                012D07L:ALL FRD TK INHL
```

How many of your friends would you estimate . . .

Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 77.9   67.6  1,499      1  NONE:(1)
 17.0   14.8    327      2  A FEW:(2)
  3.7    3.2     71      3  SOME:(3)
  0.6    0.5     12      4  MOST:(4)
  0.7    0.6     14      5  ALL:(5)
        13.3    295     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 422-423

```
V2346                    012D07M:ALL FRD DRK ALCL
```

How many of your friends would you estimate . . .

Drink alcoholic beverages (liquor, beer, wine)?

```
  PCT    PCT       N  VALUE  LABEL
 VALID   ALL
 10.9    9.5     211      1  NONE:(1)
 11.6   10.1     225      2  A FEW:(2)
 18.1   15.8     350      3  SOME:(3)
 40.2   35.1     779      4  MOST:(4)
 19.3   16.8     373      5  ALL:(5)
        12.6     280     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 424-425

```
V2347                    012D07N:ALL FRD GT DRUNK
```

How many of your friends would you estimate . . .

Get drunk at least once a week?

```
  PCT    PCT       N  VALUE  LABEL
 VALID   ALL
 20.4   17.8     396      1  NONE:(1)
 23.4   20.5     455      2  A FEW:(2)
 23.4   20.4     453      3  SOME:(3)
 24.6   21.6     478      4  MOST:(4)
  8.2    7.2     159      5  ALL:(5)
        12.5     276     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 426-427

---

**V2451**        **012E01A:# FRNDS TK CRACK**

---

How many of your friends would you estimate . . .

Take "crack" cocaine?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 76.6   66.8  1,481      1  NONE:(1)
 19.4   16.9    376      2  A FEW:(2)
  3.1    2.7     61      3  SOME:(3)
  0.5    0.4      9      4  MOST:(4)
  0.3    0.3      7      5  ALL:(5)
        12.9    285     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 524-525

---

**V2401**        **012E01B:# FRNDS TAKE PCP**

---

How many of your friends would you estimate . . .

Take PCP (angel dust, crystal, peace pill, killer weed,
supergrass, crystal cyclone)?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 81.0   70.5  1,563      1  NONE:(1)
 14.2   12.4    274      2  A FEW:(2)
  3.5    3.1     68      3  SOME:(3)
  0.9    0.8     17      4  MOST:(4)
  0.3    0.3      7      5  ALL:(5)
        13.0    289     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 454-455

```
V2402                012E01C:# FRNDS TK PPRS
```

How many of your friends would you estimate . . .

Take amyl or butyl nitrites (poppers, snappers, Locker
Room, Vaporole, Rush, Kick, Bullet)?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 88.1   76.2  1,691      1  NONE:(1)
  9.9    8.6    190      2  A FEW:(2)
  1.3    1.2     26      3  SOME:(3)
  0.3    0.2      5      4  MOST:(4)
  0.4    0.3      7      5  ALL:(5)
        13.5    300     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 456-457

```
V2452                012E02A:RSK COK PWDR 1-2
```

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Try cocaine in powder form once or twice

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  7.9    6.5    144      1  NO RISK:(1)
 19.5   16.2    359      2  SLIGHT:(2)
 21.1   17.5    388      3  MOD RISK:(3)
 51.5   42.6    944      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
        17.3    383     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 526-527

**V2453**               **012E02B:RSK COK PWDR OCC**

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Take cocaine powder occasionally

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  5.0    4.1     92      1  NO RISK:(1)
  5.8    4.7    105      2  SLIGHT:(2)
 22.9   18.8    417      3  MOD RISK:(3)
 66.4   54.6  1,212      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
        17.7    392     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 528-529

**V2454**               **012E02C:RSK COK PWDR REG**

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Take cocaine powder regularly

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  3.9    3.2     72      1  NO RISK:(1)
  1.8    1.5     33      2  SLIGHT:(2)
  5.9    4.9    108      3  MOD RISK:(3)
 88.3   72.7  1,613      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
        17.7    393     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 530-531

| V2455 | 012E02D:RSK CRACK 1-2X |
|-------|------------------------|

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Try "crack" cocaine once or twice

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 6.7 | 5.5 | 122 | 1 | NO RISK:(1) |
| 19.7 | 16.2 | 359 | 2 | SLIGHT:(2) |
| 21.6 | 17.8 | 394 | 3 | MOD RISK:(3) |
| 52.1 | 42.8 | 950 | 4 | GRT RISK:(4) |
| 0.0 | 0.0 | 0 | 5 | CANT SAY:(5) |
| | 17.7 | 393 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 532-533

| V2456 | 012E02E:RSK CRACK OCC |
|-------|------------------------|

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Take "crack" cocaine occasionally

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 4.4 | 3.6 | 80 | 1 | NO RISK:(1) |
| 4.0 | 3.2 | 72 | 2 | SLIGHT:(2) |
| 22.7 | 18.6 | 412 | 3 | MOD RISK:(3) |
| 68.9 | 56.3 | 1,250 | 4 | GRT RISK:(4) |
| 0.0 | 0.0 | 0 | 5 | CANT SAY:(5) |
| | 18.3 | 405 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 534-535

```
V2457              012E02F:RSK CRACK REG
```

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Take "crack" cocaine regularly

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  4.0    3.3    73     1   NO RISK:(1)
  1.4    1.2    26     2   SLIGHT:(2)
  4.3    3.5    79     3   MOD RISK:(3)
 90.2   73.9 1,639     4   GRT RISK:(4)
  0.0    0.0     0     5   CANT SAY:(5)
        18.1   402    -9   MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 536-537

```
V2458              012E02G:RSK PCP 1-2X
```

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Try PCP once or twice

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  7.8    6.0   133     1   NO RISK:(1)
 19.2   14.9   330     2   SLIGHT:(2)
 21.4   16.5   366     3   MOD RISK:(3)
 51.6   39.9   885     4   GRT RISK:(4)
  0.0    0.0     0     5   CANT SAY:(5)
        22.7   504    -9   MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 538-539

```
V2476                012E02H:RSK ICE 1-2X
```

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

Try crystal meth ("ice")

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  6.6    5.1    114      1  NO RISK:(1)
 14.6   11.4    253      2  SLIGHT:(2)
 20.7   16.2    359      3  MOD RISK:(3)
 58.1   45.3  1,004      4  GRT RISK:(4)
  0.0    0.0      0      5  CANT SAY:(5)
        22.0    489     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 574-575

```
V2459                012E03A:#X CRACK/LIFETIM
```

On how many occasions (if any) have you used "crack"
cocaine?

. . . in your lifetime?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 94.8   81.8  1,815      1  0 OCCAS:(1)
  3.7    3.2     70      2  1-2X:(2)
  0.6    0.5     11      3  3-5X:(3)
  0.3    0.3      7      4  6-9X:(4)
  0.3    0.3      6      5  10-19X:(5)
  0.0    0.0      0      6  20-39X:(6)
  0.3    0.3      7      7  40+OCCAS:(7)
        13.6    302     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 540-541

**V2460**        **012E03B:#X CRACK/LAST12M**

On how many occasions (if any) have you used "crack"
cocaine?

. . . during the last 12 months?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 97.4 | 84.2 | 1,867 | 1 | 0 OCCAS:(1) |
| 1.8 | 1.5 | 34 | 2 | 1-2X:(2) |
| 0.3 | 0.2 | 5 | 3 | 3-5X:(3) |
| 0.3 | 0.3 | 6 | 4 | 6-9X:(4) |
| 0.0 | 0.0 | 0 | 5 | 10-19X:(5) |
| 0.1 | 0.1 | 3 | 6 | 20-39X:(6) |
| 0.1 | 0.1 | 3 | 7 | 40+OCCAS:(7) |
| | 13.6 | 301 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 542-543

**V2461**                    **012E03C:#X CRACK/LAST30D**


On how many occasions (if any) have you used "crack"
cocaine?

. . . during the last 30 days?

```
   PCT    PCT     N  VALUE  LABEL
  VALID   ALL
  99.1   85.6  1,898     1  0 OCCAS:(1)
   0.5    0.4    10      2  1-2X:(2)
   0.2    0.2     4      3  3-5X:(3)
   0.1    0.1     2      4  6-9X:(4)
   0.0    0.0     1      5  10-19X:(5)
   0.0    0.0     0      6  20-39X:(6)
   0.1    0.1     1      7  40+OCCAS:(7)
         13.6   302     -9  MISSING
  -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 544-545

---

**V2403**        **012E04A:#X PCP/LIFETIME**

---

On how many occasions (if any) have you used PCP?

. . . in your lifetime?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 96.4   83.0  1,841      1  0 OCCAS:(1)
  2.8    2.4     53      2  1-2X:(2)
  0.2    0.2      4      3  3-5X:(3)
  0.3    0.3      7      4  6-9X:(4)
  0.0    0.0      1      5  10-19X:(5)
  0.0    0.0      0      6  20-39X:(6)
  0.3    0.2      5      7  40+OCCAS:(7)
        13.9    308     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 458-459

---

**V2404**        **012E04B:#X PCP/LAST12MO**

---

On how many occasions (if any) have you used PCP?

. . . during the last 12 months?

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 98.2   84.7  1,879      1  0 OCCAS:(1)
  1.2    1.0     23      2  1-2X:(2)
  0.2    0.2      5      3  3-5X:(3)
  0.1    0.1      2      4  6-9X:(4)
  0.1    0.1      2      5  10-19X:(5)
  0.0    0.0      1      6  20-39X:(6)
  0.1    0.1      2      7  40+OCCAS:(7)
        13.7    304     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 460-461

**V2405**                    **012E04C:#X PCP/LAST30DA**

On how many occasions (if any) have you used PCP?

. . . during the last 30 days?

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 99.5   85.9  1,905      1  0 OCCAS:(1)
  0.2    0.1      3      2  1-2X:(2)
  0.1    0.1      1      3  3-5X:(3)
  0.1    0.1      2      4  6-9X:(4)
  0.1    0.1      1      5  10-19X:(5)
  0.0    0.0      1      6  20-39X:(6)
  0.0    0.0      0      7  40+OCCAS:(7)
        13.7    304     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 462-463

**V2406**                    **012E05A:#X PPRS/LIFETIME**

On how many occasions (if any) have you used amyl or butyl
nitrites?

. . . in your lifetime?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.1   84.2  1,869      1  0 OCCAS:(1)
  1.1    0.9     21      2  1-2X:(2)
  0.3    0.2      5      3  3-5X:(3)
  0.3    0.2      5      4  6-9X:(4)
  0.1    0.1      2      5  10-19X:(5)
  0.0    0.0      0      6  20-39X:(6)
  0.2    0.1      3      7  40+OCCAS:(7)
        14.1    313     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 464-465

**V2407**                    **012E05B:#X PPRS/LAST12MO**

On how many occasions (if any) have you used amyl or butyl nitrites?

. . . during the last 12 months?

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 99.4 | 85.4 | 1,895 | 1 | 0 OCCAS:(1) |
| 0.3 | 0.2 | 5 | 2 | 1-2X:(2) |
| 0.1 | 0.0 | 1 | 3 | 3-5X:(3) |
| 0.1 | 0.1 | 2 | 4 | 6-9X:(4) |
| 0.1 | 0.1 | 2 | 5 | 10-19X:(5) |
| 0.0 | 0.0 | 0 | 6 | 20-39X:(6) |
| 0.1 | 0.0 | 1 | 7 | 40+OCCAS:(7) |
|  | 14.1 | 312 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 466-467

**V2408**                    **012E05C:#X PPRS/LAST30DA**

On how many occasions (if any) have you used amyl or butyl
nitrites?

. . . during the last 30 days?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  99.5   85.5  1,896      1  0 OCCAS:(1)
   0.2    0.2      5      2  1-2X:(2)
   0.0    0.0      1      3  3-5X:(3)
   0.0    0.0      1      4  6-9X:(4)
   0.1    0.1      2      5  10-19X:(5)
   0.0    0.0      1      6  20-39X:(6)
   0.0    0.0      0      7  40+OCCAS:(7)
         14.1    313     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 468-469

V2493                    012E06A:#X STRD/LIFETIME

Steroids, or anabolic steroids, are sometimes prescribed by
doctors to promote healing from certain types of injuries.
Some athletes, and others, have used them to try to
increase muscle development.  On how many occasions (if
any) have you taken steroids on your own--that is,
without a doctor telling you to take them . . .

. . . in your lifetime?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 95.3   82.3  1,825     1  0 OCCAS:(1)
  2.3    1.9    43       2  1-2X:(2)
  0.9    0.8    17       3  3-5X:(3)
  0.1    0.1     2       4  6-9X:(4)
  0.6    0.5    12       5  10-19X:(5)
  0.2    0.2     4       6  20-39X:(6)
  0.6    0.5    12       7  40+OCCAS:(7)
         13.7  303      -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 608-609

**V2494**                  **012E06B:#X STRD/LAST12MO**

Steroids, or anabolic steroids, are sometimes prescribed by
doctors to promote healing from certain types of injuries.
Some athletes, and others, have used them to try to
increase muscle development.  On how many occasions (if
any) have you taken steroids on your own--that is,
without a doctor telling you to take them . . .

. . . during the last 12 months?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 97.4   84.1  1,866      1  0 OCCAS:(1)
  1.2    1.0     22      2  1-2X:(2)
  0.8    0.7     14      3  3-5X:(3)
  0.2    0.2      3      4  6-9X:(4)
  0.1    0.1      3      5  10-19X:(5)
  0.1    0.1      2      6  20-39X:(6)
  0.3    0.3      6      7  40+OCCAS:(7)
         13.6    302     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 610-611
```

**V2495**                    **012E06C:#X STRD/LAST30DA**

Steroids, or anabolic steroids, are sometimes prescribed by
doctors to promote healing from certain types of injuries.
Some athletes, and others, have used them to try to
increase muscle development.  On how many occasions (if
any) have you taken steroids on your own--that is,
without a doctor telling you to take them . . .

. . . during the last 30 days?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 98.8   85.2  1,891      1  0 OCCAS:(1)
  0.7    0.6     13      2  1-2X:(2)
  0.1    0.1      2      3  3-5X:(3)
  0.0    0.0      0      4  6-9X:(4)
  0.2    0.2      5      5  10-19X:(5)
  0.1    0.1      2      6  20-39X:(6)
  0.1    0.1      1      7  40+OCCAS:(7)
         13.7    304     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 612-613

```
V2496                012E07A:MTHD STRD-INJECT
```

What methods have you used for taking steroids on your own?
(Mark all that apply.)

Injection

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 88.4   3.0     67      0  NT MRKED:(0)
 11.6   0.4      9      1  MARKED:(1)
        96.6  2,142    -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 614-615

```
V2497                012E07B:MTHD STRD-MOUTH
```

What methods have you used for taking steroids on your own?
(Mark all that apply.)

By mouth

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 13.8   0.5     11      0  NT MRKED:(0)
 86.2   3.0     66      1  MARKED:(1)
        96.6  2,142    -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 616-617

| V2462 | 012E08A:GR 1ST TRY CRACK |
|---|---|

When (if ever) did you FIRST do each of the following
things?

Try "crack" cocaine

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  9.3    0.4     9      1  GRADE 6:(1)
  1.9    0.1     2      2  GRADE 7:(2)
 10.0    0.4     9      3  GRADE 8:(3)
 14.3    0.6    13      4  GRADE 9:(4)
 19.9    0.8    18      5  GRADE 10:(5)
 24.8    1.0    23      6  GRADE 11:(6)
 19.8    0.8    18      7  GRADE 12:(7)
        95.9 2,127     -9  MISSING
 -----  ----- -----
100.0  100.0 2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 546-547

**V2463**                    **012E08B:GR 1ST TR OT COK**

When (if ever) did you FIRST do each of the following
things?

Try any other form of cocaine

```
   PCT     PCT      N   VALUE   LABEL
 VALID    ALL
   4.8     0.3      6       1   GRADE 6:(1)
   2.7     0.2      3       2   GRADE 7:(2)
   8.8     0.5     11       3   GRADE 8:(3)
  19.7     1.1     25       4   GRADE 9:(4)
  21.5     1.2     28       5   GRADE 10:(5)
  25.2     1.5     33       6   GRADE 11:(6)
  17.5     1.0     23       7   GRADE 12:(7)
          94.2  2,089      -9   MISSING
 -----   -----  -----
 100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 548-549

**V2420**                    **012E08C:GR 1ST TRY PCP**

When (if ever) did you FIRST do each of the following
things?

Try PCP

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 10.4    0.3      7      1   GRADE 6:(1)
  5.9    0.2      4      2   GRADE 7:(2)
  8.9    0.3      6      3   GRADE 8:(3)
 22.4    0.7     14      4   GRADE 9:(4)
 17.2    0.5     11      5   GRADE 10:(5)
 16.9    0.5     11      6   GRADE 11:(6)
 18.4    0.5     12      7   GRADE 12:(7)
         97.1  2,153     -9   MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 482-483

---

**V2421**                    **012E08D:GR 1ST TRY PPRS**

---

When (if ever) did you FIRST do each of the following
things?

Try amyl or butyl nitrites

```
   PCT    PCT      N  VALUE  LABEL
  VALID   ALL
  20.8    0.3      6      1  GRADE 6:(1)
   2.8    0.0      1      2  GRADE 7:(2)
  15.7    0.2      4      3  GRADE 8:(3)
  21.4    0.3      6      4  GRADE 9:(4)
   8.9    0.1      2      5  GRADE 10:(5)
  21.5    0.3      6      6  GRADE 11:(6)
   9.0    0.1      3      7  GRADE 12:(7)
          98.7  2,190     -9  MISSING
  -----  -----  -----
  100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 484-485

| V2477 | 012E08E:GR 1ST TRY ICE |
|-------|------------------------|

```
    When (if ever) did you FIRST do each of the following
    things?

    Try crystal meth ("ice")

      PCT     PCT      N   VALUE   LABEL
    VALID    ALL
      9.1     0.2      5       1   GRADE  6:(1)
      3.9     0.1      2       2   GRADE  7:(2)
      9.7     0.3      6       3   GRADE  8:(3)
     15.3     0.4      9       4   GRADE  9:(4)
     22.7     0.6     13       5   GRADE 10:(5)
     23.3     0.6     13       6   GRADE 11:(6)
     15.9     0.4      9       7   GRADE 12:(7)
             97.4  2,161      -9   MISSING
    -----   -----  -----
    100.0   100.0  2,218 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 576-577
```

**V2498**      **012E08F:GR 1ST TRY STRDS**

When (if ever) did you FIRST do each of the following things?

Try steroids (anabolic steroids)

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|---|---|---|---|---|
| 13.0 | 0.4 | 9 | 1 | GRADE 6:(1) |
| 2.5 | 0.1 | 2 | 2 | GRADE 7:(2) |
| 6.4 | 0.2 | 5 | 3 | GRADE 8:(3) |
| 17.5 | 0.6 | 12 | 4 | GRADE 9:(4) |
| 15.5 | 0.5 | 11 | 5 | GRADE 10:(5) |
| 27.3 | 0.9 | 19 | 6 | GRADE 11:(6) |
| 17.8 | 0.6 | 13 | 7 | GRADE 12:(7) |
| | 96.8 | 2,148 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 618-619

V2464                    012E09A:EASY GT CRACK

How difficult do you think it would be for you to get
each of the following, if you wanted some?

"Crack" cocaine

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 17.5   14.7    327      1  PROB IMP:(1)
 18.3   15.4    342      2  VRY DIFF:(2)
 23.9   20.2    448      3  FRLY DIF:(3)
 25.6   21.6    479      4  FRLY EAS:(4)
 14.7   12.4    274      5  VRY EASY:(5)
        15.7    348     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 550-551

V2465                    012E09B:EASY GT COK PWDR

How difficult do you think it would be for you to get
each of the following, if you wanted some?

Cocaine in powder form

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 17.7   14.8    329      1  PROB IMP:(1)
 18.8   15.8    350      2  VRY DIFF:(2)
 22.8   19.1    425      3  FRLY DIF:(3)
 24.6   20.7    459      4  FRLY EAS:(4)
 16.1   13.5    300      5  VRY EASY:(5)
        16.0    355     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 552-553

---

**V2466**   **012E09C:EASY GT PCP**

---

How difficult do you think it would be for you to get
each of the following, if you wanted some?

PCP

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----|-----|-----|-----|-----|
| 21.5 | 18.0 | 398 | 1 | PROB IMP:(1) |
| 25.1 | 20.9 | 464 | 2 | VRY DIFF:(2) |
| 26.3 | 21.9 | 486 | 3 | FRLY DIF:(3) |
| 18.5 | 15.4 | 342 | 4 | FRLY EAS:(4) |
| 8.7 | 7.2 | 161 | 5 | VRY EASY:(5) |
| | 16.6 | 368 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 554-555

---

**V2467**   **012E09D:EASY GT NITRITES**

---

How difficult do you think it would be for you to get
each of the following, if you wanted some?

Amyl or butyl nitrites

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-----|-----|-----|-----|-----|
| 24.8 | 20.7 | 459 | 1 | PROB IMP:(1) |
| 24.6 | 20.5 | 455 | 2 | VRY DIFF:(2) |
| 28.1 | 23.5 | 521 | 3 | FRLY DIF:(3) |
| 15.5 | 12.9 | 287 | 4 | FRLY EAS:(4) |
| 7.0 | 5.8 | 129 | 5 | VRY EASY:(5) |
| | 16.5 | 366 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 556-557

```
V2478                012E09E:EASY GT ICE
```

How difficult do you think it would be for you to get
each of the following, if you wanted some?

Crystal meth ("ice")

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 23.1   19.4    429      1  PROB IMP:(1)
 22.9   19.1    424      2  VRY DIFF:(2)
 25.6   21.4    475      3  FRLY DIF:(3)
 18.6   15.6    346      4  FRLY EAS:(4)
  9.7    8.2    181      5  VRY EASY:(5)
        16.3    362     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 578-579

```
V2499                012E09F:EASY GT STEROIDS
```

How difficult do you think it would be for you to get
each of the following, if you wanted some?

Steroids (anabolic steroids)

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 17.1   14.3    316      1  PROB IMP:(1)
 17.2   14.4    320      2  VRY DIFF:(2)
 21.1   17.7    392      3  FRLY DIF:(3)
 26.4   22.1    490      4  FRLY EAS:(4)
 18.2   15.2    337      5  VRY EASY:(5)
        16.4    363     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 620-621

---

**V2479**                    **012E10A:DAP SMK 1PCK CIG**

---

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Smoking one or more packs of cigarettes per day

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 34.1   28.8    638      1  DONT DIS:(1)
 39.0   32.9    730      2  DISAPPRV:(2)
 26.9   22.8    505      3  STRG DIS:(3)
        15.5    345     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 580-581

---

**V2480**                    **012E10B:DAP TRY MRJ 1-2T**

---

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Trying marijuana once or twice

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 50.9   43.0    953      1  DONT DIS:(1)
 27.9   23.5    522      2  DISAPPRV:(2)
 21.2   17.9    398      3  STRG DIS:(3)
        15.6    346     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 582-583

---

**V2481**                   **012E10C:DAP SMK MRJ OCCS**

---

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Smoking marijuana occasionally

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
 40.7   34.3     761      1  DONT DIS:(1)
 28.7   24.2     537      2  DISAPPRV:(2)
 30.6   25.8     571      3  STRG DIS:(3)
        15.7     349     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 584-585

---

**V2482**                   **012E10D:DAP SMK MRJ REGL**

---

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Smoking marijuana regularly

```
  PCT    PCT       N  VALUE  LABEL
VALID    ALL
 27.1   22.8     505      1  DONT DIS:(1)
 30.0   25.2     559      2  DISAPPRV:(2)
 42.9   36.0     799      3  STRG DIS:(3)
        16.0     355     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 586-587

---

**V2483**                    **012E10E:DAP COK PWD 1-2T**

---

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Trying cocaine in powder form once or twice

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 16.9   14.2    314      1  DONT DIS:(1)
 29.1   24.5    543      2  DISAPPRV:(2)
 54.0   45.4  1,006      3  STRG DIS:(3)
        16.0    355     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 588-589

---

**V2484**                    **012E10F:DAP COK PWDR OCC**

---

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Taking cocaine powder occasionally

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 10.3    8.7    192      1  DONT DIS:(1)
 25.0   21.0    467      2  DISAPPRV:(2)
 64.7   54.5  1,208      3  STRG DIS:(3)
        15.8    351     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 590-591

```
V2485                012E10G:DAP COK PWDR REG
```

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Taking cocaine powder regularly

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  7.6     6.4     142       1  DONT DIS:(1)
 20.2    17.0     376       2  DISAPPRV:(2)
 72.2    60.5   1,341       3  STRG DIS:(3)
         16.2     359      -9  MISSING
-----   -----   -----
100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 592-593

```
V2486                012E10H:DAP TRY CRK 1-2T
```

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Trying "crack" cocaine once or twice

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 13.2    11.1     246       1  DONT DIS:(1)
 26.7    22.4     498       2  DISAPPRV:(2)
 60.1    50.5   1,121       3  STRG DIS:(3)
         15.9     353      -9  MISSING
-----   -----   -----
100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 594-595

```
┌─────────────────────────────────────────────────────────────────────┐
│ V2487                    012E10I:DAP CRACK OCC                        │
└─────────────────────────────────────────────────────────────────────┘
```

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Taking "crack" cocaine occasionally

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  8.6     7.2     160      1  DONT DIS:(1)
 23.6    19.9     440      2  DISAPPRV:(2)
 67.8    57.1   1,266      3  STRG DIS:(3)
         15.9     352     -9  MISSING
-----   -----   -----
100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 596-597

```
┌─────────────────────────────────────────────────────────────────────┐
│ V2488                    012E10J:DAP CRACK REG                        │
└─────────────────────────────────────────────────────────────────────┘
```

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Taking "crack" cocaine regularly

```
  PCT     PCT       N  VALUE  LABEL
VALID    ALL
  7.9     6.7     148      1  DONT DIS:(1)
 18.9    15.9     353      2  DISAPPRV:(2)
 73.1    61.4   1,363      3  STRG DIS:(3)
         16.0     355     -9  MISSING
-----   -----   -----
100.0   100.0   2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 598-599

| V2489 | 012E10K:DAP TRY DRK ALCL |
|-------|--------------------------|

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Trying one or two drinks of an alcoholic beverage (beer,
wine, liquor)

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 71.3 | 60.0 | 1,330 | 1 | DONT DIS:(1) |
| 17.0 | 14.3 | 318 | 2 | DISAPPRV:(2) |
| 11.7 | 9.8 | 218 | 3 | STRG DIS:(3) |
|  | 15.9 | 353 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 600-601

| V2490 | 012E10L:DAP 1-2 DRK/DAY |
|-------|--------------------------|

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Taking one or two drinks nearly every day

| PCT VALID | PCT ALL | N | VALUE | LABEL |
|-------|-------|-------|-------|-------|
| 36.3 | 30.4 | 675 | 1 | DONT DIS:(1) |
| 39.6 | 33.2 | 737 | 2 | DISAPPRV:(2) |
| 24.1 | 20.2 | 449 | 3 | STRG DIS:(3) |
|  | 16.1 | 357 | -9 | MISSING |
| ----- | ----- | ----- | | |
| 100.0 | 100.0 | 2,218 | cases (Wtd) | |

Data type: numeric
Missing-data code: -9
Columns: 602-603

```
V2491                012E10M:DAP 4-5 DRK/DAY
```

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Taking four or five drinks nearly every day

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  16.7   14.0    310      1  DONT DIS:(1)
  32.0   26.8    595      2  DISAPPRV:(2)
  51.3   43.0    953      3  STRG DIS:(3)
         16.2    360     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 604-605

```
V2492                012E10N:DAP 5+ DRK WKNDS
```

Individuals differ in whether or not they disapprove of
people doing certain things.  Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Having five or more drinks once or twice each weekend

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  34.5   28.9    640      1  DONT DIS:(1)
  28.3   23.7    525      2  DISAPPRV:(2)
  37.2   31.2    691      3  STRG DIS:(3)
         16.3    362     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 606-607

---

**V2428**                    **012E11A:FAVOR MLTY DRAFT**

---

Do you favor or oppose a military draft at the present
time?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 29.0   24.1    534      1  STRG OPP:(1)
 17.6   14.6    323      2  MOST OPP:(2)
 41.7   34.6    767      3  DK/MIXED:(3)
  7.8    6.5    143      4  MOST FAV:(4)
  4.0    3.3     73      5  STRG FAV:(5)
        17.0    377     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 486-487

---

**V2429**                    **012E11B:DRAFT INCL WOMEN**

---

Do you think any military draft in the U.S. should include
women as well as men?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 26.3   22.2    493      1  NO:(1)
 32.3   27.4    607      2  UNCERTN:(2)
 41.4   35.0    777      3  YES:(3)
        15.4    342     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 488-489

```
V2371                012E12 :R LIKES SCHOOL
```

Some people like school very much.  Others don't.  How do
you feel about going to school?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  8.8    7.4    164      1  DLIK@ALL:(1)
 19.8   16.7    371      2  DNT LIKE:(2)
 41.0   34.6    768      3  LIK SOME:(3)
 20.4   17.2    382      4  LIK ALOT:(4)
 10.1    8.5    189      5  LIK VMCH:(5)
        15.5    343     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 428-429

```
V2372                012E13 :HRS/WK SPND HMWK
```

About how many hours do you spend in an average week on all
your homework including both in school and out of school?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 11.6    9.7    215      1  0 HOURS:(1)
 49.1   41.2    914      2  1-4 HRS:(2)
 21.3   17.9    396      3  5-9 HRS:(3)
  8.7    7.3    162      4  10-14 HR:(4)
  3.8    3.2     70      5  15-19 HR:(5)
  2.9    2.4     54      6  20-24 HR:(6)
  2.6    2.2     49      7  25+ HRS:(7)
        16.1    358     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 430-431

---

**V2445**                    **012E14A:SCH ACTV-PBLCTNS**

---

To what extent have you participated in the following school
activities during this school year?

. . . school newspaper or yearbook

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  76.3   63.1  1,399      1  NOT @ALL:(1)
   9.2    7.6    168      2  SLIGHT:(2)
   4.1    3.4     75      3  MODERATE:(3)
   3.4    2.8     63      4  CONSDBLE:(4)
   7.0    5.8    129      5  GREAT:(5)
         17.3    384     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 516-517

---

**V2446**                    **012E14B:SCH ACTV-PRF ART**

---

To what extent have you participated in the following school
activities during this school year?

. . . music or other performing arts

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  59.6   49.4  1,097      1  NOT @ALL:(1)
   9.2    7.6    169      2  SLIGHT:(2)
   7.2    6.0    133      3  MODERATE:(3)
   6.9    5.8    128      4  CONSDBLE:(4)
  17.0   14.1    313      5  GREAT:(5)
         17.1    379     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 518-519

```
V2447                 012E14C:SCH ACTV-ATHLTCS
```

To what extent have you participated in the following school
activities during this school year?

. . . athletic teams

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 45.1    37.4    829      1  NOT @ALL:(1)
  6.9     5.7    127      2  SLIGHT:(2)
 10.7     8.8    196      3  MODERATE:(3)
 10.5     8.7    193      4  CONSDBLE:(4)
 26.8    22.3    494      5  GREAT:(5)
         17.1    379     -9  MISSING
-----   -----  -----
100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 520-521

```
V2448                 012E14D:SCH ACTV-OTH ACT
```

To what extent have you participated in the following school
activities during this school year?

. . . other school clubs or activities

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 30.4    25.2    560      1  NOT @ALL:(1)
 15.3    12.7    281      2  SLIGHT:(2)
 16.4    13.6    302      3  MODERATE:(3)
 16.4    13.6    301      4  CONSDBLE:(4)
 21.5    17.9    396      5  GREAT:(5)
         17.1    379     -9  MISSING
-----   -----  -----
100.0   100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 522-523

```
V2373                012E15A:PRCL INFL SCL RN
```

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

The principal

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  17.8   14.7    326      1  NO INFLC:(1)
  13.4   11.0    244      2  SOME:(2)
  14.6   12.0    266      3  MODERATE:(3)
  23.3   19.1    425      4  CNSIDRBL:(4)
  31.0   25.5    565      5  GRT DEAL:(5)
         17.7    392     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 432-433

```
V2374                012E15B:TCHR INFL SCL RN
```

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

The teachers

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  10.9    9.0    199      1  NO INFLC:(1)
  16.9   13.9    307      2  SOME:(2)
  27.9   22.9    509      3  MODERATE:(3)
  28.2   23.2    514      4  CNSIDRBL:(4)
  16.2   13.3    295      5  GRT DEAL:(5)
         17.8    394     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 434-435

```
V2375                012E15C:STDS INFL SCL RN
```

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

The students

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 29.9   24.6    545      1  NO INFLC:(1)
 18.9   15.6    345      2  SOME:(2)
 17.3   14.2    315      3  MODERATE:(3)
 15.6   12.8    284      4  CNSIDRBL:(4)
 18.3   15.0    334      5  GRT DEAL:(5)
        17.8    395     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 436-437

```
V2376                012E15D:PRTS INFL SCL RN
```

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

Parents of students

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 24.4   20.1    445      1  NO INFLC:(1)
 25.9   21.3    473      2  SOME:(2)
 21.8   17.9    398      3  MODERATE:(3)
 15.8   13.0    289      4  CNSIDRBL:(4)
 12.2   10.0    222      5  GRT DEAL:(5)
        17.7    392     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 438-439

```
V2377                    012E16 :HAD DRUG EDUCATN
```

Have you had any drug education courses or lectures in
school?

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 20.8   16.7    371       1  NO:(1)
  2.6    2.0     45       2  WISH HAD:(2)
 76.6   61.5  1,364       3  YES:(3)
        19.7    438      -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 440-441

```
V2378                    012E17 :DG ED,>DG INTRST
```

Would you say that the information about drugs that you
received in school classes or programs has . . .

```
   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 45.7   27.9    620       1  <INTERST:(1)
 47.9   29.3    650       2  NO CHNGE:(2)
  6.4    3.9     87       3  >INTERST:(3)
        38.8    862      -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 442-443

---

**V2379**                    **012E18A:DG ED,SPC COURSE**

---

How many of the following drug education experiences have
you had in high school?  (Mark all that apply.)

E18A: A special course about drugs

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  65.2   38.5    854      0  NT MRKED:(0)
  34.8   20.6    457      1  MARKED:(1)
         40.9    907     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 444-445

---

**V2380**                    **012E18B:DG ED,IN REG CRS**

---

How many of the following drug education experiences have
you had in high school?  (Mark all that apply.)

E18B: Films, lectures, or discussions in one of my regular courses

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  36.6   21.6    479      0  NT MRKED:(0)
  63.4   37.5    832      1  MARKED:(1)
         40.9    907     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 446-447

```
V2381               012E18C:DG ED,NT REG CRS
```

How many of the following drug education experiences have
you had in high school?  (Mark all that apply.)

E18C: Films or lectures, outside of my regular courses

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  66.1   39.1    867      0  NT MRKED:(0)
  33.9   20.0    445      1  MARKED:(1)
         40.9    907     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 448-449

```
V2382               012E18D:DG ED,SPC DISCUS
```

How many of the following drug education experiences have
you had in high school?  (Mark all that apply.)

E18D: Special group discussions about drugs

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  75.0   44.3    983      0  NT MRKED:(0)
  25.0   14.8    328      1  MARKED:(1)
         40.9    907     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 450-451

```
V2383                 012E19 :DG ED,GRT VALUE
```

Overall, how valuable were the experiences to you?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
 29.4   17.7     392      1  NO VALUE:(1)
 40.6   24.4     542      2  SOME:(2)
 17.9   10.7     238      3  CNSIDRBL:(3)
 12.1    7.3     162      4  GT VALUE:(4)
        39.9     885     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 452-453

```
V2441                 012E20A:#X/2W DRIVE+ALCL
```

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

Drinking alcohol?

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
 84.6   69.0  1,531      1  0 TIMES:(1)
  8.3    6.8    150      2  1 TIME:(2)
  3.6    2.9     64      3  2 TIMES:(3)
  2.2    1.8     40      4  3-5 X:(4)
  0.3    0.3      6      5  6-9 X:(5)
  1.0    0.8     18      6  =>10 X:(6)
        18.4    408     -9  MISSING
 -----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 508-509

```
V2442              012E20B:#X/2W DRIVE+5DRK
```

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

Having 5 or more drinks in a row?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 90.7   73.7  1,635      1  0 TIMES:(1)
  4.1    3.3     74      2  1 TIME:(2)
  2.5    2.1     46      3  2 TIMES:(3)
  1.5    1.2     26      4  3-5 X:(4)
  0.4    0.3      6      5  6-9 X:(5)
  0.8    0.7     15      6  =>10 X:(6)
        18.7    416     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 510-511

```
V2443              012E21A:#X/2W RIDE+ALCL
```

During the LAST TWO WEEKS, how many times (if any) have you
been a passenger in a car . . .

When the driver had been drinking?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 76.6   62.5  1,386      1  0 TIMES:(1)
 12.3   10.0    222      2  1 TIME:(2)
  6.4    5.2    116      3  2 TIMES:(3)
  3.4    2.8     61      4  3-5 X:(4)
  0.4    0.3      7      5  6-9 X:(5)
  1.0    0.8     17      6  =>10 X:(6)
        18.4    407     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 512-513

```
V2444                012E21B:#X/2W RIDE+5DRK
```

During the LAST TWO WEEKS, how many times (if any) have you
been a passenger in a car . . .

When you think the driver had 5 or more drinks?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 85.6   69.7  1,547      1  0 TIMES:(1)
  6.8    5.6    123      2  1 TIME:(2)
  3.9    3.1     70      3  2 TIMES:(3)
  2.8    2.3     50      4  3-5 X:(4)
  0.2    0.2      4      5  6-9 X:(5)
  0.8    0.6     14      6  =>10 X:(6)
        18.5    410     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 514-515

```
V2414                012E22A:OFTN EAT BRKFST
```

How often do you . . .

Eat breakfast?

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 10.8    8.8    196      1  NEVER:(1)
 27.6   22.6    502      2  SELDOM:(2)
 19.9   16.3    361      3  SOMETIME:(3)
 10.9    8.9    198      4  MST DAYS:(4)
 10.0    8.1    181      5  NR EV DA:(5)
 20.8   17.1    379      6  EVERYDAY:(6)
        18.1    402     -9  MISSING
 -----  -----  -----
 100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 470-471

```
V2415                    012E22B:OFTN EAT GN VEG
```

How often do you . . .

Eat at least some green vegetables?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  5.5    4.5    101      1  NEVER:(1)
 13.4   11.0    244      2  SELDOM:(2)
 24.1   19.7    437      3  SOMETIME:(3)
 24.4   20.0    443      4  MST DAYS:(4)
 16.8   13.7    304      5  NR EV DA:(5)
 15.8   12.9    287      6  EVERYDAY:(6)
        18.1    402     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 472-473

```
V2416                    012E22C:OFTN EAT FRUIT
```

How often do you . . .

Eat at least some fruit?

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  2.3    1.8     41      1  NEVER:(1)
 10.2    8.4    185      2  SELDOM:(2)
 26.2   21.4    474      3  SOMETIME:(3)
 25.9   21.2    470      4  MST DAYS:(4)
 18.8   15.3    340      5  NR EV DA:(5)
 16.6   13.6    301      6  EVERYDAY:(6)
        18.4    407     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 474-475

**V2417**          **012E22D:OFTN EXERCISE**

How often do you . . .

Exercise vigorously (jogging, swimming, calisthenics, or
any other active sports)?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  6.8    5.5    122     1  NEVER:(1)
 19.1   15.4    343     2  SELDOM:(2)
 22.1   17.9    397     3  SOMETIME:(3)
 17.5   14.2    314     4  MST DAYS:(4)
 14.1   11.4    253     5  NR EV DA:(5)
 20.4   16.5    366     6  EVERYDAY:(6)
        19.1    424    -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 476-477

**V2418**          **012E22E:OFTN 7HRS SLEEP**

How often do you . . .

Get at least seven hours of sleep?

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  6.4    5.2    116     1  NEVER:(1)
 23.4   19.1    424     2  SELDOM:(2)
 22.0   18.0    399     3  SOMETIME:(3)
 19.9   16.2    360     4  MST DAYS:(4)
 14.7   12.0    265     5  NR EV DA:(5)
 13.6   11.1    245     6  EVERYDAY:(6)
        18.4    408    -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 478-479

---

**V2419                     012E22F:OFTN SLEEP <SHLD**

---

How often do you . . .

Get less sleep than you think you should?

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  7.3    5.9    131      1  NEVER:(1)
 12.1    9.8    218      2  SELDOM:(2)
 20.7   16.9    374      3  SOMETIME:(3)
 16.6   13.5    299      4  MST DAYS:(4)
 19.4   15.8    350      5  NR EV DA:(5)
 24.0   19.6    434      6  EVERYDAY:(6)
        18.6    412     -9  MISSING
-----  -----  -----
100.0  100.0  2,218 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 480-481

# APPENDIX A

## PUBLICATIONS

### ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year.  Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained.  Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan  48106-1248.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1975.*  L.D. Johnston and J.G. Bachman, 1980, 188 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1976.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 264 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1977.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1978.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 266 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1979.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1980.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981, 266 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1981.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 268 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1982.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984, 280 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1983.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984, 282 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1984.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985, 284 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1985.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986, 284 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1986.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 288 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1987.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991, 283 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1988.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 283 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1989.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1992, 327 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1990.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1991.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1993, 335 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1992.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1993.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1995, 339 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1994.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1997, 341 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1995.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1997, 341 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1996.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 376 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1997.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 2001, 378 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1998.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 378 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 1999.*  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 2001, 378 pp.

*Monitoring the Future:  Questionnaire responses from the nation's high school seniors, 2000.*  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 380 pp.

**ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS**

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD  20847-2345  (Tel. 1-800-729-6686).  There is no charge for single copies.

*Drug use among American high school students 1975-1977* (DHEW Publication No. ADM 78-619).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.

*Highlights from drug use among American high school students 1975-1977* (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.

*Drugs and the class of 1978:  Behaviors, attitudes, and recent national trends* (DHEW Publication No. ADM 79-877).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.

*Highlights from drugs and the class of 1978:  Behaviors, attitudes, and recent national trends* (DHEW Publication No. ADM 79-878).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.

*1979 Highlights:  Drugs and the nation's high school students, Five year national trends* (DHEW Publication No. ADM 80-930).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.

*Highlights from student drug use in America, 1975-1980* (DHHS Publication No. ADM 81-1066).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.

*Highlights from student drug use in America, 1975-1981* (DHHS Publication No. ADM 82-1208).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.

*Student drug use in America, 1975-1981* (DHHS Publication No. ADM  89-1221).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.

*Student drug use, attitudes, and beliefs:  National trends, 1975-1982*  (DHHS Publication No. ADM 83-1260).  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.

*Highlights from drugs and American high school students, 1975-1983* (DHHS Publication No. ADM 84-1317).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.

*Drugs and American high school students:  1975-1983* (DHHS Publication No. ADM 85-1374).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.

*Use of licit and illicit drugs by America's high school students:  1975-1984* (DHHS Publication No. ADM 85-1394).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.

*Drug use among American high school students, college students, and other young adults:  National trends through 1985* (DHHS Publication No. ADM 86-1450).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.

*National trends in drug use and related factors among American high school students and young adults, 1975-1986* (DHHS Publication No. ADM 87-1535).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.

*Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults:  1975-1987* (DHHS Publication No. ADM 89-1602).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.

*Drug use, drinking, and smoking:  National survey results from high school, college, and young adult populations, 1975-1988* (DHHS Publication No. ADM 89-1638).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.

*Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989* (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.

*Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors* (DHHS Publication No. (ADM) 91-1813) and Volume II: College students and young adults (DHHS Publication No. (ADM) 91-1835).  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.

*Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students* (DHHS Pub. No. (NIH) 93-3481). Volume II: College students and young adults (DHHS Pub. No. (NIH) 93-3481). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1992, 231 pp. and 176 pp., respectively.

*National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students* (NIH Pub. No. 93-3597). Volume II: College students and young adults (NIH Pub. No. 93-3598). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 1993, 269 pp. and 190 pp., respectively.

*National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students* (NIH Pub. No. 94-3809). Volume II: College students and young adults (NIH Pub. No. 94-3810). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1994, 281 pp. and 189 pp., respectively.

*National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students* (NIH Pub. No. 95-4026). Volume II: College students and young adults (1996). (NIH Pub. No. 96-4027). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1995, 327 pp. and 189 pp., respectively.

*National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students* (1996). (NIH Pub. No. 96-4139). Volume II: College students and young adults (1997). (NIH Pub. No. 98-4140). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 381 pp. and 188 pp., respectively.

*National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students* (1998). (NIH Pub. No. 98-4345). Volume II: College students and young adults (1998). (NIH Pub. No. 98-4346). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 433 pp. and 206 pp., respectively.

*National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students* (1999). (NIH Pub. No. 99-4660). Volume II: College students and young adults (NIH Pub. No. 99-4661). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 420 pp. and 218 pp., respectively.

*Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999* (2000). (NIH Pub. No. 00-4690). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 56 pp.

*Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students* (2000). (NIH Pub. No. 00-4802). Volume II: College students and adults ages 19-40 (NIH Pub. No. 00-4803). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 480 pp. and 240 pp., respectively.

*Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000* (2001). (NIH Pub. No. 01-4923). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 54 pp.

*Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students* (2001). (NIH Pub. No. 01-4924). Volume II: College students and adults ages 19-40 (NIH Pub. No. 01-4925). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 492 pp. and 238 pp., respectively.

*Monitoring the Future national results on adolescent drug use: Overview of key findings, 2001* (2001). (NIH Pub. No. 02-5105). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 57 pp.

*Monitoring the Future national survey results on drug use, 1975-2001. Volume I: Secondary school students* (2002). (NIH Pub. No. 02-5106). Volume II: College students and adults ages 19-40 (NIH Pub. No. 02-5107). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 530 pp. and 242 pp., respectively.

## JOURNAL ARTICLES

Kumar, R., O'Malley, P.M., Johnston, L.D., Schulenberg, J.E., & Bachman, J.G. (2002). Effect of school-level norms on student substance use. *Prevention Science*, 3, 105-124.

O'Malley, P.M., & Johnston, L.D. (2002).  Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement* 14, 23-39.

Schulenberg, J., & Maggs, J. (2002). A developmental perspective on alcohol use and heavy drinking during the transition to adulthood. *Journal of Studies on Alcohol*, Supplement 14, 54-70. [Concern is with substance use in general.]

Wallace, J.M., Jr., & Muroff, J.R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention* 22(3), 235-261.

Brown, T.N., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science*, 2(1), 29-43.

Maggs, J.L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science*, 5(4), 196-200.

Safron, D.J., Schulenberg, J.E., & Bachman, J.G. (2001).  Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior* 42, 425-449.

Schulenberg, J., Maggs, J.L., Long, S.W., Sher, K.J., Gotham, H.J., Baer, J.S., Kivlahan, D.R., Marlatt, G.A., & Zucker, R.A. (2001).  The problem of college drinking: Insights from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, 25, 473-477.

Schuster, C., O'Malley, P.M., Bachman, J.G., Johnston, L.D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse*, 36(8), 997-1014.

Wagenaar, A.C., O'Malley, P.M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.

Brown, T.N., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science* 2(1), 29-43.

Bryant, A.L., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 1(2), 71-87.

O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.

O'Malley, P.M., & Johnston, L.D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.

An, L.C., O'Malley, P.M., Schulenberg, J., Bachman, J.G., & Johnston, L.D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.

Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.

Schulenberg, J., Maggs, J.L., Dielman, T.E., Leech, S.L., Kloska, D.D., Shope, J.T., & Laetz, V.B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.

Wallace, J.M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.

Wallace, J.M., Jr., Forman, T.A., Guthrie, B.J., Bachman, J.G., O'Malley, P.M., Johnston, L.D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88, 887-892.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal Substance Use and Misuse entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)

Wallace, J.M., Jr. & Bachman, J.G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse*, 32, 1949-1954.

Bell, R., Wechsler, H., Johnston, L.D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.

Osgood, D.W., Wilson, J.K., Bachman, J.G., O'Malley, P.M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.

Schulenberg, J., O'Malley, P.M., Bachman, J.G., Wadsworth, K.N., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.

Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.

Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.

Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1), 31-35.

Bachman, J.G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.

Johnston, L.D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(7), 39-41.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.

Bachman, J.G., & Wallace, J.M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1(fall), 85-97.

Bachman, J.G., Wallace, J.M., Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.

O'Malley, P.M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.

Johnston, L.D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, 41, 29-40.

Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.

Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.

Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, 51, 329-345.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.

Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, 53, 81-93.

Bachman, J.G. (1987). An eye on the future. *Psychology Today*, 21(7), 6-8.

Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society*, 13(2), 169-187.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.

Bachman, J.G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.

Bachman, J.G., & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, 50, 35-46.

Diamond, G., & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.

Johnston, L.D., & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues*, 16, 29-66.

Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in *Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in The Drinking and Drug Practices Surveyor, March 1985, 20, 11-14.)

Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology*, 47, 629-645.

Bachman, J.G., & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, 90, 624-639.

Bachman, J.G., & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly*, 48, 491-509.

O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, 13, 421-426.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health*, 74, 682-688.

Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, 10(1), 86-104.

Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A.*, 10(3), 64-67.

Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, 32, 347-360.

Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, 9(1), 109-135. (Work funded by NIE.)

Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, 10, 463-480.

Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, 7, 7.

O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, 19, 257-268.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions*, 18, 805-824.

Bachman, J.G. (1981). Youth views about the military: Recent trends. *Economic Outlook U.S.A.*, 8(3), 61-65.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, 71, 59-69.

Bachman, J.G., & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly*, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, Survey research methods. Chicago: Univ. of Chicago Press.)

Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, 10, 407-441.

Herzog, A.R., & Bachman, J.G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, 45(4), 549-559.

Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, 1(4), 11-14.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A.*, 7(2), 39-42.

Bachman, J.G., & Johnston, L.D. (1979). The freshmen, 1979. *Psychology Today*, 13(4), 79-87.

O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology*, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, Social psychology of the self-concept. Arlington Heights, IL: AHM Press.)

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. *Science Teacher*, 45(6), 26-31.

O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. *Youth and Society*, 10, 65-77.

Segal, D.R., & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society*, 10, 47-64.

Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society*, 10, 127-134.

Bachman, J.G., & Johnston, L.D. (1976). Drug use among American youth. *Economic Outlook U.S.A.*, 3, 32-33.

**CHAPTERS**

Johnston L.D., & O'Malley, P.M. (2002). Article 97: Drug use and abuse: Psychosocial aspects. In N.J. Smelser and P.B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.

Burns, D., & Johnston, L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 1-8). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).

Johnston, L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future Study. In National Cancer Institute, Changing adolescent smoking prevalence: Where it is and why (pp. 9-33). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).

Johnston, L.D., & O'Malley, P.M. (2001). Cigarette, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg, et al. (Eds.), *Trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.

Pacula, R.L., Grossman, M., Chaloupka, F.J., O'Malley, P.M., Johnston, L.D., & Farrelly, M.C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).

Schulenberg, J., Maggs, J.L., Steinman, K., & Zucker, R.A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P.M. Monti, S.M. Colby, & T.A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.

Bachman, J.G., & Wallace, J.M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*. (2nd ed.). Farmington Hills, MI: Macmillan Publishing.

O'Malley, P.M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C.E. Faupel & P.M. Roman (eds.) *Encyclopedia of Criminology and Deviant Behavior*, Volume 4, Self-Destructive Behavior and Disvalued Identity. London: Brunner-Routledge, Taylor & Francis Group.

O'Malley, P.M. (2000). The Monitoring the Future survey. In *Encyclopedia of Drugs, Alcohol, and Addictive Behavior*, Second Edition. Macmillan Reference USA.

Johnston, L.D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.

Johnston, L.D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.

Bachman, J.G., & Wallace, J.M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*, second edition. Macmillan Publishing.

Johnston, L.D. (2000). The epidemiology of drug use. In W.B. Hansen, S.M. Giles, & M.D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.

(Johnston, L.D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) *The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries*. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.

Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Epidemiology of substance abuse in adolescence. In P.J. Ott, R.E. Tarter, & R.T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment*. Needham Heights, MA: Allyn & Bacon.

Johnston, L.D., & O'Malley, P.M (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. ughes (Eds.), *The Validity of self-reported drug use: Improving the accuracy of survey estimates*. (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.

Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G.A. Marlatt and G.R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement)]

(Johnston, L.D., O'Malley, P.M., & Bachman, J.G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).

Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.

Wallace, J.M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J.L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.

Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.

Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J. Brooks-Gunn, & A.C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.

Hansen, W.B., & O'Malley, P.M. (1996). Drug use. In R.J. DiClemente, W.B. Hansen, & L.E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.

Allen, W.R., & Wallace, J.M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.

Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.

Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.

(O'Malley, P.M. et al., 1995, uncredited). Epidemiology of injection drug use. In Normand, J., Vlahov, D., & Moses, L.E. (Eds). *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.

O'Malley, P.M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.

Bachman, J.G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.

Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.

Wallace, J.M., Jr., & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J.L. Andrados (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.

Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.

Johnston, L.D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.

Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use*. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.

Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York, NY: Garland.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.

Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.

Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention*. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.

Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it Memorex™? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.

Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.

Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.

Johnston, L.D., & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.

Johnston, L.D., & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), *Self-report methods of estimating drug use: Meeting current challenges to validity*. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.

O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives*. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.

Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept*. Arlington Heights, IL: AMH Press.

Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.

Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.

Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.

Brooke, E., & Johnston, L.D. (1979). *The assessment of drug abuse. In Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.

Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.

Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues*. (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics*. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.

Johnston, L.D., & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.

Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research*. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

## TESTIMONY

Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in The Congressional Record.

Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in The Congressional Record.

Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in The Congressional Record.

Johnston, L.D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the Congressional Record.

Johnston, L.D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in The Congressional Record.

Johnston, L.D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in The Congressional Record.

Johnston, L.D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in The Congressional Record.

Johnston, L.D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In The Congressional Record.

Johnston, L.D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in The Congressional Record.

Johnston, L.D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in The Congressional Record, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.

Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in The Congressional Record, 134:89, D774.

Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in The Congressional Record, 134:87, D756.

Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in Advertising of tobacco products (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).

Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in Beer and wine advertising: Impact of electronic media (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).

Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in Alcohol Advertising (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).

Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In Health consequences of marijuana use (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).

O'Malley, P.M., & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

**MONITORING THE FUTURE OCCASIONAL PAPERS**

(Published by the Project)

| Paper No | Title |
|---|---|
| 1 | The Monitoring the Future project:  Design and procedures.  J.G. Bachman and L.D. Johnston, 1978, 67 pp. |
| 2 | Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.  A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp. |
| 3 | High school seniors' preferences for sharing work and family responsibilities between husband and wife.  A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp. |
| 4 | Fewer rebels, fewer causes:  A profile of today's college freshmen.  J.G. Bachman and L.D. Johnston, 1979, 30 pp. |
| 5 | Developing composite measures of drug use:  Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.  J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp. |
| 6 | Description of a special survey using a single combined form of the Monitoring the Future questionnaires.  A.R. Herzog and J.G. Bachman, 1979, 35 pp. |
| 7 | Ecological concerns among high school seniors:  1976-1979.  J.D. Miller and J.G. Bachman, 1980, 28 pp. |
| 8 | Correlates of drug use, part I:  Selected measures of background, recent experiences, and lifestyle orientations.  J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp. |
| 9 | When four months equal a year:  An exploration of inconsistencies in students' monthly versus yearly reports of drug use.  J.G. Bachman and P.M. O'Malley, 1980, 12 pp. |
| 10 | High school seniors' occupational plans and values:  Trends in sex differences 1976 through 1980.  A.R. Herzog, 1980.  (Available in reprint from Sociology of Education, 1982, 13 pp.) |
| 11 | Changes in drug use after high school as a function of role status and social environment.  J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp. |
| 12 | Trends in high school seniors' views of the military.  J.G. Bachman, 1981, 28 pp. |
| 13 | Marijuana decriminalization:  The impact on youth 1975-1980.  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp. |
| 14 | Period, age, and cohort effects on substance use among American youth 1976-1982.  P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp. |
| 15 | Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982.  L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp. |
| 16 | The impacts of response styles on black-white differences in self-esteem:  An analysis of six samples of youth.  J.G. Bachman and P.M. O'Malley, 1983, 30 pp. |
| 18 | The Monitoring the Future follow-up surveys:  A description of key experiences during the first years after high school.  J.G. Bachman, L.D. Johnston, P.M. O'Malley, and D.E. Bare, 1985, 135 pp. |
| 19 | Changes in marijuana use linked to changes in perceived risks and disapproval.  J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp. |
| 20 | Correlates of employment among high school seniors.  J.G. Bachman, D. E. Bare, and E.I. Frankie, 1986, 105 pp. |
| 21 | Change and consistency in the correlates of drug use among high school seniors:  1975-1986.  J.G. Bachman,  P.M. O'Malley, and L.D. Johnston, 1986, 21 pp. |
| 22 | Differentiation of period, age, and cohort effects on drug use 1976-1986. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp. |
| 23 | Sex differences in adolescents' health-threatening behaviors:  What accounts for them?  A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp. |
| 24 | Student drug use in America:  Differences among high schools 1986-1987. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp. |
| 25 | Drug use among American college students and their noncollege age peers.  L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp. |

26      Reducing drug use in America: A perspective, a strategy, and some promising approaches.  L.D. Johnston, 1988, 57 pp.

28      Minimum drinking age laws effects on American youth 1976-1987.  P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.

29      Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.  J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.

30      Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates.  J.G. Bachman, J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and P.M. O'Malley, 1990, 63 pp.

31      The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987.  L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.

32      Part-time work by high school seniors: Sorting out correlates and possible consequences.  J.G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.

33      The Monitoring the Future project after seventeen years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.

34      Aims and objectives of the Monitoring the Future study. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996, revised, 125pp.

35      Changes in drug use during the post-high school years. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, and J. Schulenberg, 1992, 168 pp.

37      Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992. J. Schulenberg, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1994, 62 pp.

38      The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.

39      Changes in drug use during ages 18-32. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, J. Schulenberg, J. Lim, and K.N. Wadsworth, 1996, 87 pp.

40      Trends in military propensity and the propensity-enlistment relationship.  J.G. Bachman, P. Freedman-Doan, D.R. Segal, and P.M. O'Malley, 1997, 68 pp.

41      Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors.  J.G. Bachman, D.R. Segal, P. Freedman-Doan, and P.M. O'Malley, 1998, 163 pp.

42      Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.  J.G. Bachman, P. Freedman-Doan, L.D. Johnston, P.M. O'Malley, and D.R. Segal, 1999, 33 pp..

43      Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons. J. Schulenberg, P. M. O'Malley, J.G. Bachman, and L.D. Johnston, 1998, 64 pp.

44      Reasons for use, abstention, and quitting illicit drug use by American adolescents. A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission.  L.D. Johnston, 1998, 27 pp.

45      Cigarette brand preferences among adolescents. L.D. Johnston, P.M. O'Malley, J.G. Bachman, and J. Schulenberg, 1999, 37 pp.

46      Acting out and  lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use. A.L. Bryant, J. Schulenberg, J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 2000, 29 pp.

47      Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996). C. Pilgrim, J. Schulenberg, P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 2000, 48 pp.

49      Consistency and change in correlates of youth substance use, 1976-1997. T.N. Brown, J. Schulenberg, J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 2001, 34 pp.

50      Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use. J.G. Bachman, P.M. O'Malley, J.E. Schulenberg,  L.D. Johnston, A.L. Bryant, A.C. Merline, P. Freedman-Doan, N.J. Ridenour, and T.C. Hart, 2001. [Supplement to The Decline of Substance Use in Young Adulthood by Bachman et al.]

51      A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood. J. Schulenberg and J.L. Maggs, 2001, 70 pp.

52      The aims and objectives of the Monitoring the Future study and progress toward fulfilling them. 3rd ed. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 2001, 139 pp.

53     Demographic subgroup trends for various licit and illicit drugs, 1975-2000. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 2001, 225 pp.

54     The Monitoring the Future project after 27 years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 58 pp.

57     Demographic subgroup trends for various licit and illicit drugs, 1975-2001. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 2002, available: http://monitoringthefuture.org/

```
                          APPENDIX B
                          -------------
```

## SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction
yielded the following number of participating schools and
students.

```
-----------------------------------------------------------------
-----------------------------------------------------------------
```

|                      | 1975   | 1976   | 1977   | 1978   | 1979   | 1980   |
|----------------------|--------|--------|--------|--------|--------|--------|
| # Public Schools     | 111    | 108    | 108    | 111    | 111    | 107    |
| # Private Schools    | 14     | 15     | 16     | 20     | 20     | 20     |
| Total # Schools      | 125    | 123    | 124    | 131    | 131    | 127    |
| Total # Students     | 15,791 | 16,678 | 18,438 | 18,924 | 16,662 | 16,524 |
| Student Response Rate (%) * | 78% | 77% | 79% | 83% | 82% | 82% |

```
-----------------------------------------------------------------
```

|                      | 1981   | 1982   | 1983   | 1984   | 1985   | 1986   |
|----------------------|--------|--------|--------|--------|--------|--------|
| # Public Schools     | 109    | 116    | 112    | 117    | 115    | 113    |
| # Private Schools    | 19     | 21     | 22     | 17     | 17     | 16     |
| Total # Schools      | 128    | 137    | 134    | 134    | 132    | 129    |
| Total # Students     | 18,267 | 18,348 | 16,947 | 16,499 | 16,502 | 15,713 |
| Student Response Rate (%) * | 81% | 83% | 84% | 83% | 84% | 83% |

```
-----------------------------------------------------------------
```

SAMPLE SIZE AND STUDENT RESPONSE RATES
(continued)

---

|                         | 1987   | 1988   | 1989   | 1990   | 1991   | 1992   |
|-------------------------|--------|--------|--------|--------|--------|--------|
| # Public Schools        | 117    | 113    | 111    | 114    | 117    | 120    |
| # Private Schools       | 18     | 19     | 22     | 23     | 19     | 18     |
| Total # Schools         | 135    | 132    | 133    | 137    | 136    | 138    |
| Total # Students        | 16,843 | 16,795 | 17,142 | 15,676 | 15,483 | 16,261 |
| Student Response Rate (%) * | 84% | 83% | 86% | 86% | 83% | 84% |

---

|                         | 1993   | 1994   | 1995   | 1996   | 1997   | 1998   |
|-------------------------|--------|--------|--------|--------|--------|--------|
| # Public Schools        | 121    | 119    | 120    | 118    | 125    | 124    |
| # Private Schools       | 18     | 20     | 24     | 21     | 21     | 20     |
| Total # Schools         | 139    | 139    | 144    | 139    | 146    | 144    |
| Total # Students        | 16,763 | 15,929 | 15,876 | 14,824 | 15,963 | 15,780 |
| Student Response Rate (%) * | 84% | 84% | 84% | 83% | 83% | 82% |

---
---

SAMPLE SIZE AND STUDENT RESPONSE RATES
(continued)

```
----------------------------------------------------------------


                    1999    2000    2001
                    --------------------

# Public Schools    124     116     117

# Private Schools    19      18      17

Total # Schools     143     134     134


Total # Students 14,056  13,286  13,304

Student Response
Rate (%) *            83%     83%     82%


----------------------------------------------------------------
```

* The student response rate is derived by dividing the attained
sample by the target sample (both based on weighted numbers of
cases).  The target sample is based upon listings provided by
schools.  Since such listings may fail to take account of recent
student attrition, the actual response rate may be slightly
underestimated.