# **ICPSR 2477**

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 1997

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social

Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Core Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

# CONTENTS

item		page
Introduction		v
Data Collection	n Description	v
Data Collection		V
Sampling Inform		vi
	eographic Areas	vi
Stage 2: So		vi
Stage 3: St		vi
	uiting Procedure cact with Teachers and Students	vii vii
	re Administration	viii
· -	for Protecting Confidentiality	viii
	and Questionnaire Design	ix
Measurement Con		ix
Representativer	ness and Validity	xi
School Parti		xi
Student Part	ticipation	xii
Validity of	Self-Report Data	xii
Accuracy of		xiii
	and the Measurement of Trends	xiii
	g Racial Differences	xiii
	l Representation	xiv
	l Response Tendencies	XV
	with Other Factors	xvi
Weighting Infor File Structure	rmation	xvi
Codebook Inform	nation	xvii xvii
ICPSR Processin		xix
Codebook for Core	<del></del>	XX
CASEID	Variables	1
V13	972 :SCHL RGN-4 CAT	1
V16	972 :SELF-REP/NOT=0	1
V17	972 :SMSA/NON-SMSA=0	1
V5	SAMPLING WEIGHT	2
V1	972 :YEAR OF ADMINST	2
V3	972 :FORM ID	2
V4	972 :R	2
V130	972B12A:#X ICE/LIFETIME	3
V131	972B12B:#X ICE/LAST12MO	3
V132	972B12C:#X ICE/LAST30DA	4
V49	972C07AB:# SIBLINGS	4
V101	972B01 :EVR SMK CIG, REGL	5
V102 V103	972B02 :#CIGS SMKD/30DAY 972B03 :EVER DRINK	5 6
V103 V104	972B03 :EVER DRINK 972B04A:#X ALC/LIF SIPS	6
V104 V105	972B04A:#X ALC/ANN SIPS	7
V106	972B04C:#X ALC/30D SIPS	7
V107	972B05 :#X DRK ENF FL HI	8
V108	972B06 :5+DRK ROW/LST 2W	8
V109	971B18A:#X HASH/LIFETIME	9
V110	971B18B:#X HASH/LAST12MO	9
V111	971B18C:#X HASH/LAST30DA	10
V112	971B19A:#X MARJ/LIFETIME	10
V113	971B19B:#X MARJ/LAST12MO	11
V114	971B19C:#X MARJ/LAST30DA	11
V115	972B07A: #XMJ+HS/LIFETIME	12

item		page
V116	972B07B:#XMJ+HS/LAST12MO	12
V117	972B07C: #XMJ+HS/LAST30DA	13
V118	972B08A: #X LSD/LIFETIME	13
V119	972B08B:#X LSD/LAST 12MO	14
V120	972B08C:#X LSD/LAST 30DA	14
V121	972B09A:#X PSYD/LIFETIME	15
V122	972B09B:#X PSYD/LAST12MO	15
V123	972B09C:#X PSYD/LAST30DA	16
V124	97*B10A:#X COKE/LIFETIME	16
V125	97*B10B:#X COKE/LAST12MO	17
V126	97*B10C:#X COKE/LAST30DA	17
V127	972B11A:#X AMPH/LIFETIME	18
V128	972B11B:#X AMPH/LAST12MO	19
V129	972B11C:#X AMPH/LAST30DA	20
V133	972B13A:#X BRBT/LIFETIME	21
V134	972B13B:#X BRBT/LAST12MO	22
V135	972B13C:#X BRBT/LAST30DA	23
V136	972B14A:#X TRQL/LIFETIME	24
V137	972B14B:#X TRQL/LAST12MO	25
V138	972B14C:#X TRQL/LAST30DA	26
V139	97*B15A:#X H/LIFETIME	26
V140	97*B15B:#X H/LAST12MO	27
V141	97*B15C:#X H/LAST30DA	27
V142	972B17A:#X NARC/LIFETIME	28
V143	972B17B:#X NARC/LAST12MO	29
V144	972B17C:#X NARC/LAST30DA	30
V145	972B18A:#X INHL/LIFETIME	30
V146	972B18B:#X INHL/LAST12MO	31
V147	972B18C:#X INHL/LAST30DA	31
V148	972(R) :AGE <>18 DICHOTOMY	32
V150	972C03 :R	32
V151	972C04 :R	32
V152	972C05 :R SPD >TIM R-URB	33
V153	972C06 :R NOT MARRIED	33
V155	972C07Cb(R):R	34
V156	972C07Cc(R):R	34
V157	972C07Cd(R):R	35
V163	972C08 :FATHR EDUC LEVEL	35
V164	972C09 : MOTHR EDUC LEVEL	36
V165	972C10 :MOTH PD JB R YNG	36
V166	972C11 :R	37
V167	972C12 :R 972C13B:R	37
V169 V170	972C13B.R 972C13C:RLGN IMP R	38 38
V170 V171		39
V171 V172	972C14 :WHEN R XPCT GRAD 972C15 :R	39
V172 V173	972C15 .R 972C16 :RT SF SCH AB>AVG	40
V173 V174	972C17 :RT SF INTELL>AVG	40
V175	972C18A:#DA/4W SC MS ILL	41
V176	972C18B:#DA/4W SC MS CUT	41
V178	972C19 :#DA/4W SKP CLASS	42
V179	972C20 :R HS GRADE/D=1	43
V180	972C21A:R WL DO VOC/TEC	43
V181	972C21B:R WL DO ARMD FC	44
V182	972C21C:R WL DO 2YR CLG	44
V183	972C21D:R WL DO 4YR CLG	45
V184	972C21E:R WL DO GRD/PRF	45
V185	972C22A:R WNTDO VOC/TEC	46

item		page
V177	972C18C:#DA/4W SC MS OTH	42
V186	972C22B:R WNTDO ARMD FC	46
V187	972C22C:R WNTDO 2YR CLG	47
V188	972C22D:R WNTDO 4YR CLG	47
V189	972C22E:R WNTDO GRD/PRF	48
V190	972C22F:R WNTDO NONE	48
V191	972C23 :HRS/W WRK SCHYR	49
V192	972C24A:R\$/AVG WEEK JOB	49
V193	972C24B:R\$/AVG WEEK OTH	50
V194	972C25 :#X/AV WK GO OUT	50
V195	972C26 : #X DATE 3+/WK	51
V196	972C27 :DRIVE>200 MI/WK	51
V197	972C28 :#X/12MO R TCKTD	52
V198	972C29A: #TCKTS AFT DRNK	52
V199	972C29B:#TCKTS AFT MARJ	53
V200	972C29C:#TCKTS AFT OTDG	53
V201	972C30 :#ACCIDNTS/12 MO	54
V202	972C31A:#ACDTS AFT DRNK	54
V203	972C31B:#ACDTS AFT MARJ	55
V204	972C31C:#ACDTS AFT OTDG	55
V205	9715C32:R	56
V206	9715C33:R XPCTS BE OFFCR	56
V207	9715C34:R XPCTS MLTR CR	57
	APPENDICES	
Appendix A - Publi	cations	59
	e Size and Student Response Rates	~ ~
Table 1 - Subject	<del>-</del>	80
_	numbered in second year"	86

# INTRODUCTION

# DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 1997, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

# DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who

# SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling.

For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a twoyear period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing

the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

OUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name

and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

# CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

# MEASUREMENT CONTENT AREAS

\_\_\_\_\_

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments.
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources.

  Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.

- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are

included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

# REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that

their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is

associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for

some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

# WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

# FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 1997 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part	#	form		#variables	logical record length	unweighted N
Part.	1	Core		108	122	15963
Part	_	Form	1	612	626	2684
Part	3	Form	2	329	342	2637
Part	4	Form	3	360	373	2662
Part	5	Form	4	293	308	2651
Part	6	Form	5	317	330	2646
Part	7	Form	6	331	345	2683

# CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

```
[1] v6115
        [2] 966B07A: #XMJ+HS/LIFETIME
```

[3] B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) . . . B07A: . . in your lifetime?

[4]	[5]	[6]	[7]	[8]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	51.3	1275	1	0 OCCAS
9.2	9.0	223	2	1-2X
5.8	5.6	140	3	3-5X
5.6	5.5	136	4	6-9X
5.0	4.9	122	5	10-19X
5.7	5.6	138	6	20-39X
16.0	15.6	388	7	40+OCCAS
	2.6	64	9	

[9] 2487 cases(Wtd)

- [15] Input location: 1/27

- Indicates the variable number. A variable number is assigned to each variable in the data collection.
- Indicates the abbreviated variable name used to [2] identify the variable for the user.
- This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

- Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- Indicates the weighted frequency of occurrence of each code value for this variable.
- Indicates the code values occurring in the data for this variable.
- Indicates the textual definitions of the codes [8] for this variable.
- Indicates the number of cases (weighted) for this variable (including the missing cases).
- Indicates the variable type. NUMERIC variables [10] contain numbers only, including numbers in E-notation, a decimal point or a minus sign. ALPHANUMERIC variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).
- [11] Indicates the number of decimal places in the variable.
- [12] Indicates the minimum value of the variable.
- [13] Indicates the maximum value of the variable.
- Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA, " e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- Indicates the width and the starting column location of this variable. In this example, the variable named "966B07A: #XMJ+HS/LIFETIME" is 1 column wide and is located in the 27th column within the record.

# ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for

explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook. PART 1: CORE

The CORE consists of variables from sections B and C across all questionnaires. The cases from these two sections (in Forms 1-6) have been combined into one part (Core) which is reflected in the total N of the frequencies.

```
CASEID
```

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: none Decimals: 0 Max: 15963

Input location: 1/118-122

```
972 :SCHL RGN-4 CAT
V13
```

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	21.4	3415	1	NE (1)
26.5	26.5	4237	2	NC (2)
34.3	34.3	5473	3	S (3)
17.8	17.8	2838	4	W (4)
		15963	cases	(Wtd)

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

Input location: 1/1

V16 972 :SELF-REP/NOT=0

```
PCT PCT N VALUE LABEL
VALID ALL
73.4 73.4 11715 0 NOT SELF-REP
26.6 26.6 4248 1 SELF-REP
             15963 cases (Wtd)
```

Type: numeric Min: 0 MD Codes: none Decimals: 0 Max: 1

Input location: 1/2

V17 972 :SMSA/NON-SMSA=0

> PCT PCT N VALUE LABEL VALID ALL 24.4 24.4 3896 0 NON-SMSA 75.6 75.6 12067 1 SMSA 15963 cases (Wtd)

Type: numeric Min: 0 MD Codes: none Decimals: 0 Max: 1

V5 SAMPLING WEIGHT

15963 cases (Wtd)

Page 2

Type: numeric Min: 0.1138 MD Codes: none Decimals: 4 Max: 4.4060

Input location: 1/4-9

V1 972 :YEAR OF ADMINST

> PCT N VALUE LABEL PCT

VALID ALL

100.0 15963 97

----

15963 cases (Wtd)

Type: numeric Min: NA MD Codes: 0,9-\* Decimals: 0 Max: NA

Input location: 1/10-11

V3 972 :FORM ID

> PCT PCT N VALUE LABEL VALID ALL 
>  16.9
>  16.9
>  2694
>  1
>
>
>  16.6
>  16.6
>  2642
>  2
>  16.6 16.6 2648 3 16.6 16.6 2645 16.6 16.6 2647 5 16.8 16.8 2687

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 6

Input location: 1/12

V4972 :R

15963 cases (Wtd)

Type: numeric Min: 10001 MD Codes: none Decimals: 0 Max: 62683

### V130 972B12A: #X ICE/LIFETIME

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

B12A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	30.9	4925	1	0 OCCAS (1)
2.3	0.8	120	2	1-2X (2)
0.7	0.2	34	3	3-5X(3)
0.2	0.1	8	4	6-9X (4)
0.5	0.2	25	5	10-19X (5)
0.3	0.1	15	6	20-39X (6)
0.5	0.1	23	7	40+OCCAS (7)
	67.7	10811	9	
		15060		/ TTI 7 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0.9-\*

Decimals: 0 Max: 7

Input location: 1/18

972B12B:#X ICE/LAST12MO V131

> B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

B12B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	31.5	5033	1	0 OCCAS (1)
1.3	0.4	68	2	1-2X (2)
0.3	0.1	15	3	3-5X(3)
0.2	0.1	12	4	6-9X (4)
0.2	0.1	11	5	10-19X (5)
0.1	0.0	6	6	20-39X (6)
0.1	0.0	7	7	40+OCCAS (7)
	67.7	10812	9	
		1 0 6 2	~~~~	/ T.T = ~ 1 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V132 972B12C: #X ICE/LAST30DA

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

B12C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	32.0	5112	1	0 OCCAS (1)
0.3	0.1	17	2	1-2X (2)
0.1	0.0	7	3	3-5X(3)
0.1	0.0	6	4	6-9X (4)
0.1	0.0	4	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.1	0.0	5	7	40+OCCAS (7)
	67.7	10811	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/20

### V49 972C07AB:# SIBLINGS

C07: How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters.)

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
5.5	5.3	848	0	NONE (0)	
31.1	29.9	4769	1	ONE (1)	
27.1	26.0	4147	2	TWO (2)	
36.3	34.8	5553	3	3 OR MORE	(3)
	0.1	14	7		
	4.0	632	9		
		15963	cases	(Wtd)	

Type: numeric Min: 0 MD Codes: 7-\* Decimals: 0 Max: 3

V101 972B01 :EVR SMK CIG, REGL

B01: Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	6	0	
34.6	33.7	5378	1	NEVER: (1)
22.0	21.4	3424	2	1-2X:(2)
16.0	15.5	2481	3	OCCASNLY: (3)
7.2	7.0	1115	4	REG PAST:(4)
20.2	19.7	3147	5	REG NOW: (5)
	2.6	412	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 5

Input location: 1/22

V102 972B02 :#CIGS SMKD/30DAY

> B02: How frequently have you smoked cigarettes during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	2	0	
63.4	61.7	9842	1	NONE: (1)
12.0	11.7	1872	2	<1 CIG/D:(2)
10.3	10.0	1593	3	1-5/DAY:(3)
7.3	7.1	1133	4	1/2PK/D:(4)
5.3	5.2	827	5	1 PK/DA:(5)
1.3	1.2	199	6	1.5 PK/D:(6)
0.4	0.4	67	7	2+ PKS/D:(7)
	2.7	428	9	
		15963	cases	(b+W)

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 7

V103 972B03 :EVER DRINK

> B03: Have you ever had any beer, wine, wine coolers, or liquor to drink--more than just a few sips . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	0	
18.9	15.1	2410	1	NO:(1)
81.1	64.7	10325	2	YES:(2)
	20.2	3228	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 2

Input location: 1/24

V104 972B04A: #X ALC/LIF SIPS

B04: On how many occasions have you had alcoholic beverages to drink - more

than just a few sips...

B04A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	17.4	2770	1	0 OCCAS:(1)
7.9	7.5	1192	2	1-2X:(2)
10.6	10.0	1597	3	3-5X:(3)
9.3	8.8	1407	4	6-9X:(4)
13.7	12.9	2062	5	10-19X:(5)
12.1	11.4	1826	6	20-39X:(6)
28.1	26.6	4248	7	40+OCCAS:(7)
	5.4	861	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V105 972B04B: #X ALC/ANN SIPS

B04: On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

B04B: ...during the last 12 months?

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
0 OCCAS:(1)	1	3798	23.8	25.2
1-2X:(2)	2	2430	15.2	16.2
3-5X:(3)	3	1962	12.3	13.0
6-9X:(4)	4	1747	10.9	11.6
10-19X:(5)	5	1981	12.4	13.2
20-39X:(6)	6	1332	8.3	8.9
40+OCCAS: (7)	7	1796	11.2	11.9
	9	917	5.7	
(D+W)	cases	15963		

15963 cases (Wtd)

MD Codes: 0,9-\* Type: numeric Min: 1

Decimals: 0 Max: 7

Input location: 1/26

V106 972B04C: #X ALC/30D SIPS

> B04: On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

B04C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	44.6	7120	1	0 OCCAS:(1)
21.0	19.8	3167	2	1-2X:(2)
13.5	12.8	2038	3	3-5X:(3)
8.3	7.8	1246	4	6-9X:(4)
5.9	5.6	892	5	10-19X:(5)
1.9	1.8	285	6	20-39X:(6)
2.1	1.9	310	7	40+OCCAS: (7)
	5.7	905	9	

15963 cases (Wtd)

Min: 1 MD Codes: 0,9-\* Type: numeric

Decimals: 0 Max: 7

V107 972B05 : #X DRK ENF FL HI

> B05: On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	3	0	
22.7	14.8	2361	1	NONE: (1)
26.9	17.5	2794	2	FEW: (2)
14.7	9.5	1524	3	HALF:(3)
20.6	13.4	2137	4	MOST:(4)
15.0	9.8	1561	5	NRLY ALL:(5)
	15.1	2410	8	
	19.9	3173	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 5

Input location: 1/28

V108 972B06 :5+DRK ROW/LST 2W

> B06: Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, or a mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	6	0	
68.7	64.1	10228	1	NONE: (1)
9.7	9.0	1444	2	ONCE: (2)
7.7	7.2	1152	3	TWICE:(3)
8.8	8.2	1316	4	3-5X:(4)
3.0	2.8	445	5	6-9X:(5)
2.0	1.8	294	6	10+ TIME:(6)
	2.0	313	8	
	4.8	766	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 6

### V109 971B18A: #X HASH/LIFETIME

B18: On how many occasions (if any) have you used hashish...

B18A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	14.2	2265	1	0 OCCAS:(1)
5.0	0.8	131	2	1-2X:(2)
2.7	0.4	70	3	3-5X:(3)
1.2	0.2	32	4	6-9X:(4)
1.0	0.2	26	5	10-19X:(5)
0.8	0.1	20	6	20-39X:(6)
1.9	0.3	50	7	40+OCCAS:(7)
	83.7	13369	9	
		1 5 0 6 0		/ T.T

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/30

### V110 971B18B: #X HASH/LAST12MO

B18: On how many occasions (if any) have you used hashish...

B18B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	14.9	2386	1	0 OCCAS:(1)
3.8	0.6	99	2	1-2X:(2)
1.6	0.3	40	3	3-5X:(3)
0.9	0.1	22	4	6-9X:(4)
0.3	0.1	9	5	10-19X:(5)
0.4	0.1	11	6	20-39X:(6)
1.1	0.2	29	7	40+OCCAS:(7)
	83.7	13368	9	
		1 5 0 6 2	aaaaa	/ tut + d \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V111 971B18C: #X HASH/LAST30DA

B18: On how many occasions (if any) have you used hashish...

B18C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	15.7	2500	1	0 OCCAS:(1)
2.0	0.3	51	2	1-2X:(2)
0.4	0.1	11	3	3-5X:(3)
0.3	0.0	7	4	6-9X:(4)
0.3	0.0	7	5	10-19X:(5)
0.2	0.0	6	6	20-39X:(6)
0.5	0.1	12	7	40+OCCAS:(7)
	83.7	13369	9	
		1 5 0 6 2		/ T-T+ -7 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/32

### V112 971B19A: #X MARJ/LIFETIME

B19: On how many occasions (if any) have you used marijuana...

B19A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	8.0	1272	1	0 OCCAS:(1)
10.0	1.6	258	2	1-2X:(2)
6.9	1.1	178	3	3-5X:(3)
4.7	0.8	121	4	6-9X:(4)
5.9	1.0	152	5	10-19X:(5)
5.9	1.0	153	6	20-39X:(6)
17.3	2.8	446	7	40+OCCAS:(7)
	83.8	13383	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V113 971B19B: #X MARJ/LAST12MO

B19: On how many occasions (if any) have you used marijuana...

B19B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	9.8	1569	1	0 OCCAS:(1)
10.2	1.6	263	2	1-2X:(2)
6.3	1.0	163	3	3-5X:(3)
4.0	0.7	104	4	6-9X:(4)
4.7	0.8	122	5	10-19X:(5)
4.4	0.7	114	6	20-39X:(6)
9.5	1.5	245	7	40+OCCAS:(7)
	83.8	13382	9	
		1 0 0 0 0		/ T-T+ -7 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/34

### V114 971B19C: #X MARJ/LAST30DA

B19: On how many occasions (if any) have you used marijuana...

B19C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	12.2	1947	1	0 OCCAS:(1)
8.2	1.3	212	2	1-2X:(2)
4.0	0.7	104	3	3-5X:(3)
3.3	0.5	85	4	6-9X:(4)
3.2	0.5	83	5	10-19X:(5)
2.4	0.4	63	6	20-39X:(6)
3.4	0.6	88	7	40+OCCAS: (7)
	83.8	13380	9	
		1 5 0 6 2	aaaaa	/ tut + al \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V115 972B07A: #XMJ+HS/LIFETIME

B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

B07A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.4	48.6	7753	1	0 OCCAS:(1)
9.9	9.5	1518	2	1-2X:(2)
6.4	6.2	984	3	3-5X:(3)
4.7	4.5	726	4	6-9X:(4)
5.6	5.4	859	5	10-19X:(5)
5.5	5.3	847	6	20-39X:(6)
17.5	16.8	2682	7	40+OCCAS:(7)
	3.7	594	9	
		1 5 0 6 2		/ T-T+ -7 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/36

### 972B07B: #XMJ+HS/LAST12MO V116

B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

B07B: ...during last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.6	59.2	9450	1	0 OCCAS:(1)
10.2	9.8	1561	2	1-2X:(2)
5.9	5.6	901	3	3-5X:(3)
4.1	3.9	630	4	6-9X:(4)
4.8	4.6	739	5	10-19X:(5)
3.8	3.6	581	6	20-39X:(6)
9.6	9.3	1477	7	40+OCCAS:(7)
	3.9	624	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V117 972B07C: #XMJ+HS/LAST30DA

B07: On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

B07C: ...during last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	73.5	11733	1	0 OCCAS:(1)
7.8	7.5	1192	2	1-2X:(2)
3.8	3.7	583	3	3-5X:(3)
3.0	2.9	458	4	6-9X:(4)
3.2	3.1	498	5	10-19X:(5)
2.6	2.5	400	6	20-39X:(6)
3.2	3.1	491	7	40+OCCAS:(7)
	3.8	608	9	
		15060		/ TT: 3 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/38

### 972B08A: #X LSD/LIFETIME V118

B08: On how many occasions (if any) have you used LSD ("acid")...

B08A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	83.7	13366	1	0 OCCAS:(1)
5.5	5.4	857	2	1-2X:(2)
2.6	2.5	394	3	3-5X:(3)
1.8	1.7	272	4	6-9X:(4)
1.6	1.6	253	5	10-19X:(5)
0.9	0.9	142	6	20-39X:(6)
1.2	1.1	179	7	40+OCCAS:(7)
	3.1	500	9	
		15063	anana	( M+d )

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

```
V119
                   972B08B: #X LSD/LAST 12MO
```

B08: On how many occasions (if any) have you used LSD ("acid")...

B08B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	88.7	14164	1	0 OCCAS:(1)
4.5	4.4	700	2	1-2X:(2)
1.8	1.7	277	3	3-5X:(3)
0.9	0.9	143	4	6-9X:(4)
0.6	0.6	92	5	10-19X:(5)
0.3	0.3	46	6	20-39X:(6)
0.2	0.2	35	7	40+OCCAS: (7)
	3.2	507	9	
		1 5 0 6 0		/ TTL 7 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/40

### V120 972B08C: #X LSD/LAST 30DA

B08: On how many occasions (if any) have you used LSD ("acid")...

B08C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	93.9	14986	1	0 OCCAS:(1)
2.0	2.0	314	2	1-2X:(2)
0.5	0.5	79	3	3-5X:(3)
0.2	0.2	31	4	6-9X:(4)
0.1	0.1	20	5	10-19X:(5)
0.1	0.1	9	6	20-39X:(6)
0.1	0.1	19	7	40+OCCAS:(7)
	3.2	505	9	
		1 0 0 0 0		/ T-T+ -7 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V121 972B09A: #X PSYD/LIFETIME

B09: On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

B09A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	89.4	14271	1	0 OCCAS:(1)
3.6	3.5	551	2	1-2X:(2)
1.4	1.4	220	3	3-5X:(3)
1.0	0.9	149	4	6-9X:(4)
0.8	0.8	121	5	10-19X:(5)
0.2	0.2	38	6	20-39X:(6)
0.5	0.4	70	7	40+OCCAS:(7)
	3.4	543	9	
		15060		/ 1\

15963 cases (Wtd)

Min: 1 MD Codes: 0,9-\* Type: numeric

Decimals: 0 Max: 7

Input location: 1/42

#### V122 972B09B: #X PSYD/LAST12MO

B09: On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

B09B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	92.1	14706	1	0 OCCAS:(1)
2.7	2.6	421	2	1-2X:(2)
0.9	0.9	145	3	3-5X:(3)
0.4	0.4	59	4	6-9X:(4)
0.3	0.3	41	5	10-19X:(5)
0.1	0.1	22	6	20-39X:(6)
0.2	0.2	25	7	40+OCCAS:(7)
	3.4	545	9	
		1000	~~~~	/ 1.74 -7 \

15963 cases (Wtd)

Min: 1 MD Codes: 0,9-\*
Max: 7 Type: numeric

Decimals: 0

### V123 972B09C: #X PSYD/LAST30DA

B09: On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

B09C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	94.9	15155	1	0 OCCAS:(1)
1.2	1.2	192	2	1-2X:(2)
0.2	0.2	38	3	3-5X:(3)
0.1	0.1	10	4	6-9X:(4)
0.1	0.1	9	5	10-19X:(5)
0.0	0.0	6	6	20-39X:(6)
0.1	0.1	11	7	40+OCCAS:(7)
	3.4	543	9	
		1 = 0		/ 3 N

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/44

### 97\*B10A: #X COKE/LIFETIME V124

B10: On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

B10A: ...in your lifetime?

PCT	N	VALUE	LABEL
ALL			
87.9	14025	1	0 OCCAS:(1)
3.4	549	2	1-2X:(2)
1.8	282	3	3-5X:(3)
0.8	123	4	6-9X:(4)
0.8	130	5	10-19X:(5)
0.5	87	6	20-39X:(6)
1.0	160	7	40+OCCAS:(7)
3.8	608	9	
	15963	cases	(Wtd)
	ALL 87.9 3.4 1.8 0.8 0.8 0.5	ALL 87.9 14025 3.4 549 1.8 282 0.8 123 0.8 130 0.5 87 1.0 160 3.8 608	ALL 87.9 14025 1 3.4 549 2 1.8 282 3 0.8 123 4 0.8 130 5 0.5 87 6 1.0 160 7 3.8 608 9

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V125 97\*B10B: #X COKE/LAST12MO

B10: On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

B10B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	90.9	14503	1	0 OCCAS:(1)
2.3	2.2	353	2	1-2X:(2)
1.2	1.1	178	3	3-5X:(3)
0.7	0.7	109	4	6-9X:(4)
0.6	0.6	91	5	10-19X:(5)
0.3	0.3	51	6	20-39X:(6)
0.4	0.4	61	7	40+OCCAS:(7)
	3.9	617	9	
				/ 3 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/46

### 97\*B10C: #X COKE/LAST30DA V126

B10: On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

B10C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	94.0	15000	1	0 OCCAS:(1)
1.2	1.1	183	2	1-2X:(2)
0.5	0.5	79	3	3-5X:(3)
0.2	0.2	30	4	6-9X:(4)
0.2	0.2	34	5	10-19X:(5)
0.1	0.1	11	6	20-39X:(6)
0.1	0.1	12	7	40+OCCAS:(7)
	3.8	615	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V127 972B11A: #X AMPH/LIFETIME

B11: Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own-that is, without a doctor telling you to take them...

B11A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	80.4	12834	1	0 OCCAS:(1)
6.6	6.4	1018	2	1-2X:(2)
2.9	2.8	448	3	3-5X:(3)
2.0	1.9	310	4	6-9X:(4)
2.0	1.9	308	5	10-19X:(5)
1.1	1.1	177	6	20-39X:(6)
1.9	1.8	289	7	40+OCCAS:(7)
	3.6	580	9	
		1 0 0 0 0		/ T.T.L7 \

15963 cases (Wtd)

MD Codes: 0,9-\* Type: numeric Min: 1

Decimals: Max: 7

V128 972B11B: #X AMPH/LAST12MO

B11: Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own-that is, without a doctor telling you to take them...

MD Codes: 0,9-\*

B11B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	86.5	13806	1	0 OCCAS:(1)
4.4	4.2	671	2	1-2X:(2)
1.9	1.8	290	3	3-5X:(3)
1.4	1.3	211	4	6-9X:(4)
1.3	1.2	198	5	10-19X:(5)
0.6	0.6	92	6	20-39X:(6)
0.8	0.7	117	7	40+OCCAS:(7)
	3.6	578	9	
		15963	cases	(Wtd)

Min: 1

Decimals: 0 Max: 7

Input location: 1/49

Type: numeric

V129 972B11C: #X AMPH/LAST30DA

> B11: Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own-that is, without a doctor telling you to take them...

B11C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	91.7	14633	1	0 OCCAS:(1)
2.4	2.4	376	2	1-2X:(2)
0.9	0.9	139	3	3-5X:(3)
0.6	0.6	96	4	6-9X:(4)
0.5	0.5	82	5	10-19X:(5)
0.2	0.2	34	6	20-39X:(6)
0.1	0.1	15	7	40+OCCAS:(7)
	3.7	588	9	
		15963	cases	(Wtd)

MD Codes: 0,9-\* Type: numeric Min: 1

Max: 7 Decimals:

## V133 972B13A: #X BRBT/LIFETIME

B13: Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own-that is, without a doctor telling you to take them...

B13A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	88.4	14109	1	0 OCCAS:(1)
3.8	3.7	586	2	1-2X:(2)
1.4	1.4	222	3	3-5X:(3)
1.0	0.9	150	4	6-9X:(4)
0.7	0.7	105	5	10-19X:(5)
0.5	0.5	76	6	20-39X:(6)
0.7	0.7	111	7	40+OCCAS:(7)
	3.8	604	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

## V134 972B13B: #X BRBT/LAST12MO

B13: Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own-that is, without a doctor telling you to take them...

B13B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	91.3	14569	1	0 OCCAS:(1)
2.6	2.5	403	2	1-2X:(2)
1.0	0.9	149	3	3-5X:(3)
0.6	0.5	85	4	6-9X:(4)
0.5	0.5	76	5	10-19X:(5)
0.3	0.3	51	6	20-39X:(6)
0.2	0.2	24	7	40+OCCAS:(7)
	3.8	606	9	
		15963	cases	(Wtd)

Type: numeric Min: 1
Decimals: 0 Max: 7 MD Codes: 0,9-\*

V135 972B13C: #X BRBT/LAST30DA

> B13: Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own-that is, without a doctor telling you to take them...

B13C: ...during the last 30 days?

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
0 OCCAS:(1)	1	15024	94.1	97.9
1-2X:(2)	2	186	1.2	1.2
3-5X:(3)	3	72	0.4	0.5
6-9X:(4)	4	28	0.2	0.2
10-19X:(5)	5	35	0.2	0.2
20-39X:(6)	6	8	0.0	0.1
40+OCCAS:(7)	7	1	0.0	0.0
	9	609	3.8	
(Wtd)	cases	15963		

15963 cases (Wtd)

Type: numeric Min: 1
Decimals: 0 Max: 7 MD Codes: 0,9-\*

## V136 972B14A: #X TRQL/LIFETIME

B14: Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

B14A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	88.7	14162	1	0 OCCAS:(1)
3.9	3.8	607	2	1-2X:(2)
1.3	1.2	193	3	3-5X:(3)
0.9	0.8	133	4	6-9X:(4)
0.7	0.7	105	5	10-19X:(5)
0.5	0.5	78	6	20-39X:(6)
0.5	0.5	79	7	40+OCCAS:(7)
	3.8	607	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

V137 972B14B: #X TRQL/LAST12MO

B14: Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles.

Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

B14B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	91.7	14634	1	0 OCCAS:(1)
2.6	2.5	403	2	1-2X:(2)
0.7	0.6	103	3	3-5X:(3)
0.6	0.6	88	4	6-9X:(4)
0.4	0.4	63	5	10-19X:(5)
0.3	0.3	41	6	20-39X:(6)
0.1	0.1	20	7	40+OCCAS:(7)
	3.8	610	9	
		15963	cases	(Wtd)

e: numeric Min: 1 MD Codes: 0,9-\*

Type: numeric Min: 1
Decimals: 0 Max: 7

## V138 972B14C: #X TRQL/LAST30DA

B14: Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

B14C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.4	15071	1	0 OCCAS:(1)
1.1	1.0	166	2	1-2X:(2)
0.4	0.4	59	3	3-5X:(3)
0.2	0.2	29	4	6-9X:(4)
0.1	0.1	18	5	10-19X:(5)
0.1	0.0	8	6	20-39X:(6)
0.0	0.0	3	7	40+OCCAS:(7)
	3.8	610	9	
		15963	cases	(Wtd)

Type: numeric Min: 1
Decimals: 0 Max: 7 MD Codes: 0,9-\*

Input location: 1/56

#### V139 97\*B15A:#X H/LIFETIME

B15: On how many occasions (if any) have you used heroin...

B15A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	94.2	15037	1	0 OCCAS:(1)
1.0	1.0	161	2	1-2X:(2)
0.4	0.4	57	3	3-5X:(3)
0.2	0.2	24	4	6-9X:(4)
0.2	0.1	24	5	10-19X:(5)
0.1	0.1	13	6	20-39X:(6)
0.3	0.2	40	7	40+OCCAS:(7)
	3.8	607	9	
		15963	cases	(Wtd)

MD Codes: 0,9-\* Type: numeric Min: 1

Decimals: 0 Max: 7

```
V140
                  97*B15B:#X H/LAST12MO
```

B15: On how many occasions (if any) have you used heroin...

B15B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	95.1	15176	1	0 OCCAS:(1)
0.6	0.6	95	2	1-2X:(2)
0.2	0.2	31	3	3-5X:(3)
0.1	0.1	14	4	6-9X:(4)
0.1	0.1	13	5	10-19X:(5)
0.1	0.1	13	6	20-39X:(6)
0.1	0.1	20	7	40+OCCAS:(7)
	3.8	601	9	
		1 5 0 6 0		/ T.T

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/58

## V141 97\*B15C:#X H/LAST30DA

B15: On how many occasions (if any) have you used heroin...

B15C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	95.7	15282	1	0 OCCAS:(1)
0.2	0.2	33	2	1-2X:(2)
0.1	0.1	19	3	3-5X:(3)
0.0	0.0	6	4	6-9X:(4)
0.1	0.1	13	5	10-19X:(5)
0.0	0.0	3	6	20-39X:(6)
0.0	0.0	7	7	40+OCCAS:(7)
	3.8	600	9	
		1 0 0 0 0		/ T-T+ -7 \

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V142 972B17A: #X NARC/LIFETIME

B17: There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. There are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own-that is, without a doctor telling you to take them...

B17A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	86.2	13766	1	0 OCCAS:(1)
4.5	4.3	684	2	1-2X:(2)
1.9	1.9	296	3	3-5X:(3)
1.1	1.1	169	4	6-9X:(4)
0.9	0.9	136	5	10-19X:(5)
0.6	0.6	92	6	20-39X:(6)
0.7	0.7	107	7	40+OCCAS:(7)
	4.5	713	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V143 972B17B: #X NARC/LAST12MO

B17: There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. There are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own-that is, without a doctor telling you to take them...

B17B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	89.7	14311	1	0 OCCAS:(1)
3.2	3.1	488	2	1-2X:(2)
1.3	1.2	194	3	3-5X:(3)
0.7	0.7	106	4	6-9X:(4)
0.5	0.5	77	5	10-19X:(5)
0.2	0.2	36	6	20-39X:(6)
0.3	0.3	45	7	40+OCCAS:(7)
	4.4	706	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

### V144 972B17C: #X NARC/LAST30DA

B17: There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. There are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own-that is, without a doctor telling you to take them...

B17C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	93.4	14907	1	0 OCCAS:(1)
1.2	1.2	189	2	1-2X:(2)
0.5	0.5	72	3	3-5X:(3)
0.2	0.2	35	4	6-9X:(4)
0.2	0.2	28	5	10-19X:(5)
0.1	0.1	16	6	20-39X:(6)
0.1	0.1	8	7	40+OCCAS:(7)
	4.4	709	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/62

#### V145 972B18A: #X INHL/LIFETIME

B18: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

B18A: ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	67.3	10750	1	0 OCCAS:(1)
7.9	6.3	1005	2	1-2X:(2)
3.2	2.6	413	3	3-5X:(3)
1.7	1.3	214	4	6-9X:(4)
1.5	1.2	196	5	10-19X:(5)
0.8	0.6	99	6	20-39X:(6)
1.0	0.8	129	7	40+OCCAS:(7)
	19.8	3156	9	

15963 cases (Wtd)

MD Codes: 0,9-\* Type: numeric Min: 1 Decimals: 0 Max: 7

### V146 972B18B: #X INHL/LAST12MO

B18: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

B18B: ...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	74.7	11927	1	0 OCCAS:(1)
3.4	2.7	430	2	1-2X:(2)
1.4	1.1	178	3	3-5X:(3)
0.9	0.7	110	4	6-9X:(4)
0.6	0.5	77	5	10-19X:(5)
0.3	0.2	34	6	20-39X:(6)
0.2	0.2	29	7	40+OCCAS:(7)
	19.9	3177	9	
		15963	cases	(M+d)

15963 cases (Wtd)

MD Codes: 0,9-\* Min: 1 Type: numeric

Decimals: 0 Max: 7

Input location: 1/64

### V147 972B18C: #X INHL/LAST30DA

B18: On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

B18C: ...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	78.0	12458	1	0 OCCAS:(1)
1.5	1.2	198	2	1-2X:(2)
0.6	0.5	75	3	3-5X:(3)
0.1	0.1	19	4	6-9X:(4)
0.1	0.1	15	5	10-19X:(5)
0.1	0.0	7	6	20-39X:(6)
0.1	0.1	10	7	40+OCCAS:(7)
	19.9	3182	9	
		15963	cases	(Wtd)

Min: 1 MD Codes: 0,9-\* Type: numeric Decimals: 0 Max: 7

```
V148
                    972(R) :AGE <>18 DICHOTOMY
     C01: In what year were you born?
              PCT N VALUE LABEL
       PCT
     VALID
              ALL
      44.7 43.1 6879 1 < 18 (1)
55.3 53.4 8520 2 18+ (2)
3.5 564 9
                    ____
                   15963 cases (Wtd)
     Type: numeric Min: 1 MD Codes: 0,9-* Decimals: 0 Max: 2
     Input location: 1/66
V150
                   972C03 :R
     C03: What is your sex?
       PCT PCT N VALUE LABEL
      0.0 3 0
48.3 45.6 7287 1 MALE:(1)
51.7 48.8 7787 2 FEMALE:(2)
5.6 886 9
     VALID ALL
                    15963 cases (Wtd)
     Type: numeric Min: 1 MD Codes: 0,9-* Decimals: 0 Max: 2
     Input location: 1/67
V151
                   972C04 :R
     C04: How do you describe yourself?
```

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	64.3	10262	0	WHITE:(6)
16.3	12.5	1992	1	BLACK:(2)
	23.2	3709	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 9-\* Decimals: 0 Max: 1

V152 972C05 :R SPD >TIM R-URB

C05: Where did you grow up mostly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.5	1828	0	<pre>DK/MIXED:(0)</pre>
5.1	5.1	810	1	FARM: (1)
12.7	12.7	2022	2	COUNTRY: (2)
25.7	25.7	4103	3	SML TOWN: (3)
11.3	11.3	1811	4	MED CITY: (4)
6.3	6.3	1010	5	SUBURB 4:(5)
9.9	9.9	1576	6	LRG CITY:(6)
6.5	6.5	1041	7	SUBURB 6:(7)
6.7	6.7	1064	8	VRYLG CY:(8)
4.4	4.4	698	9	SUBURB 8:(9)
		1 = 0 < 0		/ 3\

15963 cases (Wtd)

Type: numeric Min: 0 MD Codes: none Decimals: 0 Max: 9

Input location: 1/69

## 972C06 :R NOT MARRIED V153

C06: What is your present marital status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
2.0	1.9	309	1	MARRIED:(1)
6.1	5.9	936	2	ENGAGED: (2)
0.8	0.7	117	3	SEP/DIV:(3)
91.1	87.7	13993	4	SINGLE:(4)
	3.8	607	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

V155 972C07Cb(R):R

> C07C: Which of the following people live in the same household with you? (Mark all that apply.)

C07CB. Father (or male guardian)

PCT PCT N VALUE LABEL VALID ALL26.1 25.0 3994 0 NT MARKD:(0) 73.9 70.8 11302 1 MARKED:(1) 4.2 667 9 15963 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9-\*

Decimals: 0 Max: 1

Input location: 1/71

V156 972C07Cc(R):R

> C07C: Which of the following people live in the same household with you? (Mark all that apply.)

C07CC. Mother (or female quardian)

PCT PCT N VALUE LABEL VALID ALL 10.3 9.9 1581 0 NT MARKD:(0) 89.7 85.9 13715 1 MARKED:(1) 667 4.2 9 15963 cases (Wtd)

Type: numeric Min: 0 MD Codes: 9-\* Decimals: 0 Max: 1

```
V157
                   972C07Cd(R):R
```

C07C: Which of the following people live in the same household with you? (Mark all that apply.)

C07CD. Brother(s) and/or sister(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	32.4	5167	0	NT MARKD:(0)
66.2	63.5	10129	1	MARKED: (1)
	4.2	667	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 9-\*

Decimals: 0 Max: 1

Input location: 1/73

V163 972C08 :FATHR EDUC LEVEL

> CO8: What is the highest level of schooling your father completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.7	597	1	GRDE SCH:(1)
9.7	8.7	1382	2	SOME HS:(2)
30.1	27.0	4303	3	HS GRAD: (3)
18.2	16.3	2600	4	SOME CLG:(4)
22.0	19.7	3144	5	CLG GRAD: (5)
15.9	14.2	2273	6	GRAD SCH:(6)
	6.1	977	7	
	4.3	688	9	
		15062	a2a2a	/ W+d /

15963 cases (Wtd)

Type: numeric Min: 1
Decimals: 0 Max: 6 MD Codes: 0,7-\*

V164 972C09 :MOTHR EDUC LEVEL

C09: What is the highest level of schooling your mother completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.4	541	1	GRDE SCH:(1)
9.0	8.3	1332	2	SOME HS:(2)
31.2	29.0	4629	3	HS GRAD: (3)
19.9	18.5	2955	4	SOME CLG:(4)
24.0	22.2	3551	5	CLG GRAD: (5)
12.2	11.3	1811	6	GRAD SCH: (6)
	2.8	448	7	
	4.4	696	9	
		1 5 0 6 2	aaaaa	/ ы + ы /

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,7-\* Decimals: 0 Max: 6

Input location: 1/75

# V165 972C10 :MOTH PD JB R YNG

C10: Did your mother have a paid job (half-time or more) during the time you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	6	0	
16.9	16.1	2570	1	NO:(1)
22.9	21.8	3484	2	SOMETIME: (2)
18.5	17.6	2812	3	MOSTTIME:(3)
41.7	39.7	6332	4	ALL TIME: (4)
	4.8	759	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

## V166 972C11 :R

C11: How would you describe your political preference?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	3.3	525	0	
11.0	7.5	1202	1	STRG GOP:(1)
15.8	10.8	1726	2	MILD GOP:(2)
18.0	12.3	1969	3	MILD DEM:(3)
13.3	9.1	1452	4	STRG DEM:(4)
13.3	9.1	1459	5	<pre>INDEPNDT:(5)</pre>
26.2	17.9	2861	6	NO PREF: (6)
2.5	1.7	271	7	OTHER: (7)
	23.2	3702	8	
	5.0	796	9	
		15963	cases	(b+W)

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 7

Input location: 1/77

# 972C12 :R V167

C12: How would you describe your political beliefs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	11	0	
7.0	4.2	673	1	VRY CONS:(1)
17.3	10.4	1653	2	CONSERV: (2)
39.2	23.5	3746	3	MODERATE: (3)
24.3	14.5	2318	4	LIBERAL: (4)
7.3	4.4	700	5	VRY LIB:(5)
4.8	2.9	459	6	<pre>RADICAL:(6)</pre>
	34.8	5559	8	
	5.3	845	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 6

V169 972C13B:R

> C13: The next three questions are about religion. (This question is omitted from Western Region questionnaires.)

C13B: How often do you attend religious services? (Western Region Schools omitted)

PCT	N	VALUE	LABEL
ALL			
0.0	1	0	
11.6	1857	1	NEVER: (1)
28.9	4610	2	RARELY:(2)
13.3	2126	3	1-2X/MO:(3)
24.0	3828	4	1/WK OR+:(4)
17.8	2838	6	
4.4	704	9	
	15963	cases	(Wtd)
	ALL 0.0 11.6 28.9 13.3 24.0	ALL 0.0 1 11.6 1857 28.9 4610 13.3 2126 24.0 3828 17.8 2838 4.4 704	ALL 0.0 1 0 11.6 1857 1 28.9 4610 2 13.3 2126 3 24.0 3828 4 17.8 2838 6 4.4 704 9

Type: numeric Min: 1 MD Codes: 0,6-\*

Decimals: 0 Max: 4

Input location: 1/79

V170 972C13C:RLGN IMP R

> C13: The next three questions are about religion. (This question is omitted from Western Region questionnaires.)

C13C: How important is religion in your life? (Western Region Schools omitted)

```
PCT
            N VALUE LABEL
        PCT
VALID
       ALL
        0.0
                2
                      0
                      1 NOT IMPT:(1)
14.6
       11.3 1811
       20.6 3290
22.6 3600
23.2 3709
                      2 LITL IMP:(2)
 26.5
                       3 PRTY IMP:(3)
 29.0
 29.9
                       4 VERY IMP: (4)
       17.8 2838
                       6
        4.5
            711
                       9
             ____
             15963 cases (Wtd)
```

Min: 1 MD Codes: 0,6-\* Type: numeric

Decimals: 0 Max: 4

V171 972C14 :WHEN R XPCT GRAD

C14: When are you most likely to graduate from high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	2	0	
98.2	93.3	14899	1	BY JUNE: (1)
1.4	1.3	207	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.4	0.4	66	6	WONT: (6)
	4.9	789	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 6

Input location: 1/81

V172 972C15 :R

> C15: Which of the following best describes your present high school program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.4	67	0	
54.1	51.1	8151	1	CLG PREP:(1)
30.0	28.4	4526	2	GENERAL: (2)
8.9	8.4	1337	3	VOC-TECH: (3)
7.0	6.6	1050	4	OTH/DK:(4)
	5.2	832	9	
		15963	cases	(Wtd)

Type: numeric Min: 1
Decimals: 0 Max: 4 MD Codes: 0,9-\*

## V173 972C16 :RT SF SCH AB>AVG

C16: Compared with others your age throughout the country, how do you rate yourself on school ability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	13	0	
0.9	0.9	140	1	FAR BLOW:(1)
1.9	1.8	289	2	BELOW AV: (2)
4.7	4.4	704	3	SL BELOW: (3)
34.9	32.8	5243	4	AVERAGE: (4)
22.2	20.9	3330	5	SL ABOVE: (5)
28.2	26.6	4244	6	ABOVE AV: (6)
7.2	6.8	1080	7	FAR ABOV: (7)
	5.8	920	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/83

## 972C17 :RT SF INTELL>AVG V174

C17: How intelligent do you think you are compared with others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	3	0	
0.8	0.8	127	1	FAR BLOW: (1)
1.4	1.3	211	2	BELOW AV: (2)
4.1	3.8	610	3	SL BELOW:(3)
31.8	30.0	4781	4	AVERAGE: (4)
23.0	21.6	3450	5	SL ABOVE: (5)
29.8	28.1	4487	6	ABOVE AV:(6)
9.1	8.6	1367	7	FAR ABOV: (7)
	5.8	926	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

## V175 972C18A: #DA/4W SC MS ILL

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C18A: Because of illness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	7	0	
58.1	53.6	8555	1	NONE: (1)
18.2	16.8	2686	2	1 DAY:(2)
10.4	9.6	1530	3	2 DAYS:(3)
6.0	5.6	887	4	3 DAYS:(4)
4.5	4.1	662	5	4-5 DAYS:(5)
1.9	1.7	275	6	6-10 DA:(6)
0.9	0.8	126	7	11+ DAYS:(7)
	7.7	1235	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/85

V176 972C18B: #DA/4W SC MS CUT

> C18: During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C18B: Because you skipped or "cut"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	3	0	
68.8	62.1	9914	1	NONE: (1)
13.0	11.7	1869	2	1 DAY:(2)
7.5	6.8	1087	3	2 DAYS:(3)
4.5	4.1	648	4	3 DAYS:(4)
3.4	3.0	483	5	4-5 DAYS:(5)
1.6	1.5	237	6	6-10 DA:(6)
1.2	1.1	172	7	11+ DAYS:(7)
	9.7	1551	9	

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

## V177 972C18C: #DA/4W SC MS OTH

C18: During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C18C: For other reasons

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
53.4	48.8	7795	1	NONE: (1)
20.3	18.5	2958	2	1 DAY:(2)
11.8	10.8	1717	3	2 DAYS:(3)
6.9	6.3	1004	4	3 DAYS:(4)
4.6	4.2	678	5	4-5 DAYS:(5)
1.9	1.7	276	6	6-10 DA:(6)
1.1	1.0	167	7	11+ DAYS:(7)
	8.6	1368	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 7

Input location: 1/87

V178 972C19 :#DA/4W SKP CLASS

> C19: During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	4	0	
63.4	59.7	9535	1	NONE: (1)
20.4	19.2	3072	2	1-2:(2)
9.8	9.3	1478	3	3-5:(3)
3.7	3.5	559	4	6-10:(4)
1.4	1.3	206	5	11-20:(5)
1.2	1.1	183	6	21+:(6)
	5.8	926	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 6

### V179 972C20 :R HS GRADE/D=1

C20: Which of the following best describes your average grade so far in high school?

LABEL	VALUE	N	PCT	PCT
	******		ALL	VALID
	0	995	6.2	
D:(1)	1	183	1.1	1.2
C-:(2)	2	413	2.6	2.8
C:(3)	3	977	6.1	6.5
C+:(4)	4	1559	9.8	10.4
B-:(5)	5	1913	12.0	12.8
B:(6)	6	2957	18.5	19.8
B+:(7)	7	2620	16.4	17.5
A-:(8)	8	2252	14.1	15.0
A:(9)	9	2094	13.1	14.0
(M+d)	Cageg	15963		

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0

Decimals: 0 Max: 9

Input location: 1/89

### V180 972C21A:R WL DO VOC/TEC

C21: How likely is it that you will do each of the following things after high school?

C21A: Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	1	0	
55.9	50.0	7988	1	DEF WONT:(1)
21.7	19.4	3104	2	PRB WONT:(2)
14.2	12.7	2030	3	PRB WILL:(3)
8.2	7.3	1169	4	DEF WILL:(4)
	10.5	1671	9	
		15963	Cacac	( b+w)

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

Decimals: 0

## V181 972C21B:R WL DO ARMD FC

C21: How likely is it that you will do each of the following things after high school?

C21B: Serve in the armed forces

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	5	0	
72.8	64.7	10328	1	DEF WONT: (1)
16.1	14.3	2289	2	PRB WONT:(2)
6.1	5.4	868	3	PRB WILL:(3)
5.0	4.4	709	4	DEF WILL: (4)
	11.0	1764	9	
		15963	Cageg	(D+W)

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

Input location: 1/91

# V182 972C21C:R WL DO 2YR CLG

C21: How likely is it that you will do each of the following things after high school?

C21C: Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	8	0	
42.2	37.9	6046	1	DEF WONT: (1)
20.3	18.2	2901	2	PRB WONT:(2)
21.2	19.1	3041	3	PRB WILL:(3)
16.3	14.6	2326	4	DEF WILL: (4)
	10.3	1641	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

### V183 972C21D:R WL DO 4YR CLG

C21: How likely is it that you will do each of the following things after high school?

C21D: Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	2	0	
11.7	10.7	1709	1	DEF WONT: (1)
11.3	10.3	1648	2	PRB WONT:(2)
21.9	20.0	3193	3	PRB WILL:(3)
55.0	50.2	8019	4	DEF WILL: (4)
	8.7	1392	9	
		15963	Cageg	(M+d)

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

Input location: 1/93

## V184 972C21E:R WL DO GRD/PRF

C21: How likely is it that you will do each of the following things after high school?

C21E: Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	6	0	
19.2	17.2	2750	1	DEF WONT:(1)
26.3	23.6	3762	2	PRB WONT:(2)
33.9	30.4	4851	3	PRB WILL:(3)
20.6	18.4	2943	4	DEF WILL: (4)
	10.3	1652	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 4

V185

972C22A:R WNTDO VOC/TEC

C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C22A. Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	76.0	12130	0	NT MARKD:(0)
17.9	16.6	2642	1	MARKED: (1)
	7.5	1190	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 9-\* Decimals: 0 Max: 1

Input location: 1/95

V186 972C22B:R WNTDO ARMD FC

> C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C22B. Serve in the armed forces

```
PCT N VALUE LABEL
  PCT
VALID
        ALL
        81.1 12949 0 NT MARKD:(0)
11.4 1824 1 MARKED:(1)
7.5 1190 9
87.7
 12.3
               ____
               15963 cases (Wtd)
```

Type: numeric Min: 0 MD Codes: 9-\* Decimals: 0 Max: 1

V187 972C22C:R WNTDO 2YR CLG

> C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C22C. Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	70.7	11290	0	NT MARKD:(0)
23.6	21.8	3483	1	MARKED: (1)
	7.5	1190	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 9-\* Decimals: 0 Max: 1

Input location: 1/97

V188 972C22D:R WNTDO 4YR CLG

> C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C22D. Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	21.9	3504	0	NT MARKD:(0)
76.3	70.6	11269	1	MARKED: (1)
	7.5	1190	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 9-\* Decimals: 0 Max: 1

V189 972C22E:R WNTDO GRD/PRF

> C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C22E. Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	39.8	6358	0	NT MARKD:(0)
57.0	52.7	8415	1	MARKED: (1)
	7.5	1190	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 9-\* Decimals: 0 Max: 1

Input location: 1/99

V190 972C22F:R WNTDO NONE

> C22: Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C22F. None of the above

```
PCT N VALUE LABEL
 PCT
VALID
      ALL
94.8
      87.7 13997
                   0 NT MARKD:(0)
 5.2
       4.9
            775
                   1 MARKED: (1)
           1190
                   9
       7.5
           ____
           15963 cases (Wtd)
```

Type: numeric Min: 0 MD Codes: 9-\*
Decimals: 0 Max: 1

Decimals: 0 Max: 1

V191 972C23 :HRS/W WRK SCHYR

> C23: On the average over the school year, how many hours per week do you work in a paid or unpaid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	19	0	
24.8	22.9	3659	1	NONE: (1)
9.0	8.4	1335	2	5 OR <:(2)
9.8	9.1	1447	3	6-10 HRS:(3)
10.7	9.9	1577	4	11-15 HR:(4)
14.8	13.7	2181	5	16-20 HR:(5)
12.5	11.5	1843	6	21-25 HR:(6)
8.9	8.2	1311	7	26-30 HR:(7)
9.6	8.8	1412	8	30+ HRS:(8)
	7.4	1179	9	
		15963	cases	(D+W)

15963 cases (Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 8

Input location: 1/101

### V192 972C24A:R\$/AVG WEEK JOB

C24: During an average week, how much money do you get from . . .

C24A: A job or other work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	9.7	1551	0	
28.4	25.7	4096	1	NONE: (1)
1.8	1.6	259	2	\$1-5:(2)
2.5	2.2	356	3	\$6-10:(3)
3.5	3.1	501	4	\$11-20:(4)
5.1	4.6	739	5	\$21-35:(5)
7.0	6.3	1006	6	\$36-50:(6)
12.1	10.9	1737	7	\$51-75:(7)
22.7	20.5	3265	8	\$76-125:(8)
17.0	15.4	2452	9	\$126+:(9)
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0

Decimals: 0 Max: 9

```
V193
                  972C24B:R$/AVG WEEK OTH
```

 ${\tt C24:}$  During an average week, how much money do you get from . . .

C24B: Other sources (allowances, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	11.5	1833	0	
34.2	30.2	4827	1	NONE: (1)
7.7	6.8	1083	2	\$1-5:(2)
13.0	11.5	1832	3	\$6-10:(3)
19.1	16.9	2704	4	\$11-20:(4)
11.3	10.0	1593	5	\$21-35:(5)
6.2	5.5	877	6	\$36-50:(6)
2.9	2.5	406	7	\$51-75:(7)
2.3	2.0	319	8	\$76-125:(8)
3.5	3.1	489	9	\$126+:(9)
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0 Decimals: 0 Max: 9

Input location: 1/103

V194 972C25 : #X/AV WK GO OUT

> C25: During a typical week, on how many evenings do you go out for fun and recreation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	9	0	
9.3	8.6	1372	1	< 1:(1)
13.2	12.2	1950	2	ONE:(2)
28.2	26.1	4163	3	TWO:(3)
24.7	22.8	3638	4	THREE: (4)
16.5	15.2	2431	5	4-5:(5)
8.1	7.5	1203	6	6-7:(6)
	7.5	1197	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 6

V195 972C26 : #X DATE 3+/WK

> C26: On the average, how often do you go out with a date (or your spouse, if you are married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	3	0	
19.3	17.7	2824	1	NEVER: (1)
19.3	17.6	2810	2	1/MO OR<:(2)
16.0	14.7	2341	3	2-3/MO:(3)
14.6	13.3	2130	4	1/WK:(4)
19.3	17.6	2812	5	2-3/WK:(5)
11.5	10.5	1680	6	3+/WK:(6)
	8.5	1364	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 6

Input location: 1/105

V196 972C27 :DRIVE>200 MI/WK

> C27: During an average week, how much do you usually drive a car, truck, or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	8	0	
14.7	13.6	2166	1	NONE: (1)
8.6	7.9	1259	2	1-10 MI:(2)
21.9	20.2	3221	3	11-50:(3)
21.8	20.0	3198	4	51-100:(4)
19.3	17.8	2835	5	101-200:(5)
13.7	12.6	2017	6	> 200:(6)
	7.9	1258	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,9-\* Decimals: 0 Max: 6

V197 972C28 : #X/12MO R TCKTD

> C28: Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	62.4	9968	0	NONE:(0)
19.1	17.3	2765	1	ONE:(1)
6.8	6.2	988	2	TWO:(2)
2.9	2.6	414	3	THREE:(3)
2.3	2.1	338	4	4+:(4)
	0.0	2	7	
	9.3	1488	9	
		15963	cases	(Wtd)

Min: 0 Type: numeric MD Codes: 7-\*

Decimals: 0 Max: 4

Input location: 1/107

#### V198 972C29A: #TCKTS AFT DRNK

C29: How many of these tickets or warnings occurred after you

C29A: Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	25.3	4044	0	None:(0)
6.7	1.9	298	1	One:(1)
1.6	0.4	71	2	Two:(2)
1.0	0.3	46	3	3-4  or  +: (3-4)
	62.4	9968	8	
	9.6	1536	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 8-\*

Decimals: 0 Max: 3

#### V199 972C29B: #TCKTS AFT MARJ

C29: How many of these tickets or warnings occurred after you were . . .

C29B: Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	25.9	4138	0	None:(0)
4.2	1.2	186	1	One:(1)
1.4	0.4	62	2	Two: (2)
1.3	0.4	59	3	3-4  or  +: (3-4)
	62.4	9968	8	
	9.7	1550	9	
		15063	anana	( b+w)

15963 cases (Wtd)

Type: numeric Min: 0 MD Codes: 8-\* Decimals: 0 Max: 3

Input location: 1/109

#### V200 972C29C: #TCKTS AFT OTDG

C29: How many of these tickets or warnings occurred after you were . . .

C29C: Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	27.0	4308	0	None:(0)
1.4	0.4	60	1	One:(1)
0.6	0.2	26	2	Two: (2)
0.7	0.2	30	3	3-4  or  +: (3-4)
	62.4	9968	8	
	9.8	1570	9	
		15963	cases	(Wtd)

15963 cases (Wtd)

Type: numeric Min: 0 MD Codes: 8-\* Decimals: 0 Max: 3

V201 972C30 :#ACCIDNTS/12 MO

> C30: We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	66.6	10638	0	NONE: (0)
19.4	17.4	2783	1	ONE:(1)
4.7	4.3	680	2	TWO:(2)
1.0	0.9	139	3	THREE: (3)
0.6	0.5	85	4	4+:(4)
	10.3	1638	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 9-\*

Decimals: 0 Max: 4

Input location: 1/111

#### V202 972C31A: #ACDTS AFT DRNK

C31: How many of these accidents occurred after you were . . .

C31A: Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	21.8	3484	0	None:(0)
4.3	1.0	160	1	One:(1)
0.6	0.1	21	2	Two:(2)
0.7	0.2	26	3	3-4  or  +: (3-4)
	66.6	10638	8	
	10.2	1633	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 8-\*

Decimals: 0 Max: 3

```
V203
                  972C31B:#ACDTS AFT MARJ
```

C31: How many of these accidents occurred after you were . . .

C31B: Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	22.0	3513	0	None:(0)
3.3	0.8	121	1	One:(1)
0.5	0.1	18	2	Two:(2)
0.6	0.1	22	3	3-4  or  +: (3-4)
	66.6	10638	8	
	10.3	1651	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 8-\* Decimals: 0 Max: 3

Input location: 1/113

V204 972C31C:#ACDTS AFT OTDG

C31C: Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	22.6	3608	0	None:(0)
0.8	0.2	30	1	One:(1)
0.3	0.1	12	2	Two:(2)
0.4	0.1	15	3	3-4  or  +: (3-4)
	66.6	10638	8	
	10.4	1659	9	
		15963	cases	(Wtd)

Type: numeric Min: 0 MD Codes: 8-\* Decimals: 0 Max: 3

#### V205 9715C32:R

C32: If you have not entered military service, and do not expect to enter, GO TO PART D. What is, or will be, your branch of service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.1	9	0	
26.4	0.9	140	1	ARMY:(1)
16.1	0.5	86	2	NAVY: (2)
15.8	0.5	84	3	MARINES:(3)
25.1	0.8	134	4	AIRFORCE: (4)
2.8	0.1	15	5	COAST GD:(5)
13.9	0.5	74	6	UNCERTN: (6)
	30.0	4790	8	
	66.6	10632	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 6

Input location: 1/115

V206 9715C33:R XPCTS BE OFFCR

C33: Do you expect to be an officer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	0.5	81	1	NO:(1)
42.9	1.5	234	2	UNCERTN: (2)
42.2	1.4	230	3	YES:(3)
	30.0	4790	8	
	66.6	10628	9	
		15963	cases	(Wtd)

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 3

#### V207 9715C34:R XPCTS MLTR CR

C34: Do you expect to have a career in the Armed Forces?

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
19.8	0.7	109	1		
46.7	1.6	255	2		
33.5	1.1	183	3		
	30.0	4790	8		
	66.6	10625	9		
		15963	cases	(Wtd)	

Type: numeric Min: 1 MD Codes: 0,8-\* Decimals: 0 Max: 3

# APPENDIX A

# PUBLICATIONS

#### ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from, Monitoring the Future, Institute for Social Research, Room 2311, The University of Michigan, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L.D. Johnston and J.G. Bachman, 1980.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J. G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991.

## REFERENCE VOLUMES

- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1993). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1989. Ann Arbor, MI: Institute for Social Research, 327 pp.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1994). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1990. Ann Arbor, MI: Institute for Social Research, 339 pp.
- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1994). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1991. Ann Arbor, MI: Institute for Social Research, 339 pp.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1994). Monitoring the Future: Questionnaire responses from the nations's high school seniors, 1992. Ann Arbor, MI: Institute for Social Research, 335 pp.

## ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20852 (Tel. 1-800-729-6686). There is no charge for single copies. Most recent copy may be ordered directly from the project (Tel. 313-763-5043).

- Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.
- Highlights from Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.
- Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877).

  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.
- Highlights from Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.
- 1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930).

  L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.
- Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.
- Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.
- Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.
- Student drug use, altitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.
- Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.

- Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.
- Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.
- Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-14SO). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.
- National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.
- Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.
- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989. (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors (DHHS Publication No. (ADM) 91-1813) and Volume II: College students and young adults (DHHS Publication No. (ADM) 91-1835). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 231 pp. and 176 pp., respectively.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1993). National survey results on drug use from the Monitoring the Future study, 1975-1992. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 250 pp. and 185 pp., respectively.

- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1994). National survey results on drug use from the Monitoring the Future study, 1975-1993. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 281 pp. and 182 pp., respectively.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1995). National survey results on drug use from the Monitoring the Future study, 1975-1994. Vol.I: Secondary school students and Vol.II: College students and young adults. Washington, DC: National Institute on Drug Abuse, 316 pp. and 183 pp., respectively.
- Johnston, L.D., O'Malley, P.M., and Bachman, J.G. (1996). National Survey Results on Drug Use from the Monitoring the Future Study, 1975-1995, Vol.I, Secondary School Students. (National Institute on Drug Abuse) Washington D.C.: U.S. Government Printing Office.

#### MONITORING THE FUTURE OCCASIONAL PAPERS

- The Monitoring the Future project: Design and procedures. J.G. Bachman and L.D. Johnston, 1978, 67 pp.
- 2 Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp.
- High school seniors' preferences for sharing work and family responsibilities between husband and wife. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp.
- 4 Fewer rebels, fewer causes: A profile of today's college freshmen. J.G. Bachman and L.D. Johnston, 1979, 30 pp.
- 5 Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp.
- Description of a special survey using a single combined form of the Monitoring the Future questionnaires. A.R. Herzog and J.G. Bachman, 1979, 35 pp.
- 7 Ecological concerns among high school seniors: 1976-1979. J.D. Miller and J.G. Bachman, 1980, 28 pp.
- 8 Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp.
- When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. J.G. Bachman and P.M. O'Malley, 1980, 12 pp.
- High school seniors' occupational plans and values: Trends in 10 sex differences 1976 through 1980. A.R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
- 11 Changes in drug use after high school as a function of role status and social environment. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp.

- 12 Trends in high school seniors' views of the military.
  J.G. Bachman, 1981, 28 pp.
- Marijuana decriminalization: The impact on youth 1975-1980. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp.
- 14 Period, age, and cohort effects on substance use among American youth 1976-1982. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp.
- 15 Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982. L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp.
- The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.

  J.G. Bachman and P.M. O'Malley, 1983, 30 pp.
- The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and D.E. Bare, 1985, 135 pp.
- 19 Changes in marijuana use linked to changes in perceived risks and disapproval. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp.
- 20 Correlates of employment among high school seniors.
  J.G. Bachman, D.E. Bare, and E.I. Frankie, 1986, 105 pp.
- 21 Change and consistency in the correlates of drug use among high school seniors: 1975-1986. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1986, 21 pp.
- Differentiation of period, age, and cohort effects on drug use 1976-1986. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp.
- 23 Sex differences in adolescents' health-threatening behaviors: What accounts for them? A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp.
- 24 Student drug use in America: Differences among high schools 1986-1987. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp.
- Drug use among American college students and their non college age peers. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp.
- 26 Reducing drug use in America: A perspective, a strategy, and some promising approaches. L.D. Johnston, 1988, 57 pp.

- Minimum drinking age laws effects on American youth 1976-1987 P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.
- 29 Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.
- 30 Drug use among black, white, hispanic, native American, and asian American high school seniors (1976-1989):
  Prevalence, trends, and correlates. J.G. Bachman,
  J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and
  P.M. O'Malley, 1990, 63 pp.
- 31 The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987 L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.
- Part-time work by high school seniors: Sorting out correlates and possible consequences. J.G. Bachman, and J. Schulenberg, 1991, 154 pp.
- Monitoring the Future project after seventeen years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.
- The Aims and Objectives of the Monitoring the Future Study and Progress Toward Fulfilling Them. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996.
- The Monitoring the Future Project After Twenty-Two Years:
  Design and Procedures. J.G. Bachman, L.D. Johnston,
  and P.M. O'Malley, 1996.

#### CHAPTERS

- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (In press). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood.

  In J.A. Graber, J.Brooks-Gunn, & A.C. Petersen (Eds.)

  Transitions through adolescence: Interpersonal domains and contexts. Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J.G., Wadsworth, K.N., O'Malley, P.M., Schulenberg, J., & Johnston, L.D. (In press). Marriage, divorce, and parenthood during the transition to young adulthood: Impacts on drug use and abuse. In J. Schulenberg, J. Maggs, & K. Hurrelman (Eds.), Health risks and developmental transitions during adolescence. New York: Cambridge University Press.
- Johnston, L.D., and O'Malley, P.M. (in press). Internal consistency and changes in self-reported drug use over time. In Harrison, L. (Ed.), Validity of self-reported drug use: Improving the accuracy of survey estimates. (NIDA Research Monograph). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work:
  Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), Psychological responses to social change:
  Human development in changing environments. Berlin:
  Walter de Gruyter.
- Wallace, J.M.Jr., Bachman, J.G., Johnston, L.D., O'Malley, P.M.,(1995)
  Racial/ethnic differences in adolescent drug use: Exploring
  possible explanations. In Botvin, G., Schinke, S., & Orlandi, M.
  (Eds.), Multi-ethnic Drug Abuse Prevention. Thousand Oaks, CA:
  Sage.
- Bachman, J.G. (1994). Measurement of the relationship of variables over time: Trend analysis incorporating individual-level correlations among variables. In Collins, L. & Seitz, L. (Eds.) Advances in data analysis for prevention intervention research. NIDA Research Monograph 142 (NIH Pub. No. 94-3599).
- Bachman, J.G. & Wallace, J.M., Jr. Religion and drug use. In Clayton, R. (Ed.) Encyclopedia of drugs and alcohol. Macmillian Publishing.
- Wallace, J.M.Jr., Bachman, J.G.(1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M.R.De LaRosa and J.R. Adrados (Eds.) Drug Abuse Among Minority Youth: Advances in Research and Methodology (pp 167-200). NIDA Research Monograph 130. Rockville, MD.

- Segal, D.R., & Bachman, J.G. (1993). Change in the all-volunteer-force: Reflection in youth attitudes. In M. Eitelberg & S. Mehay (Eds.) Marching toward the twenty-first century: Military manpower issues for the future force. Greenwood press.
- Wallace, J. M. & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa (Ed.) Drug abuse among minority youth: Advances in research and methodology. NIDA Research Monograph.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. In Schydlower, M. & Rogers, P.D. (Eds.) Adolescent Medicine: Adolescent Substance Abuse and Addictions (pp.227-249). Philadelphia, PA: Hanley & Belfus, Inc.
- Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) Drug abuse prevention research: Methodological issues. (NIDA Research Monograph). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), The epidemiology of cocaine use. Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Ginn (Eds.) Encyclopedia of adolescence. New York, NY: Garland.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.

- Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it Memorex(TM)? In P. Shoemaker (Ed.), Communication campaigns about drugs: Government, media, and the public (pp. 97-1 1 1). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), Research on the quality of life (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), Etiology of drug abuse: Implications for prevention. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L.N. Robins (Ed.), Studying drug abuse (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L.D. & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), Alcohol and the developing brain (pp. 161-170). New York: Raven Press.
- Johnston, L.D. & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), Self-report methods of estimating drug use. Meeting current challeges to validity. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), Cocaine use in America: Epidemiologic and clinical perspectives. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), The social psychology of the self-concept. Arlington Heights, IL: AMH Press.
- Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In Marijuana: The national impact on education (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), Treating the marijuana dependent person (pp. 8-14). New York: American Council on Marijuana.

- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), The yearbook of substance use and abuse (Vol. 2). New York: Human Sciences Press.
- Brooke, E., & Johnston, L.D. (1979). The assessment of drug abuse. In Resource book on measures to reduce illicit demand for drugs (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), Longitudinal research on drug use: Empirical findings and methodological issues (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), The epidemiology of drug abuse: Current issues. (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), The epidemiology of heroin and other narcotics. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), Understanding adolescence (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), Operational definitions in socio-behavioral drug use research. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., and Johnston, L.D. (1995). Racial/Ethnic Differences in Adolescent Drug Use. In G.J. Botvin, S. Schinke, and M.A. Orlandi (Eds.), Drug Abuse Prevention with Multiethnic Youth (pp. 59-80). Sage Publications, Inc.

Wallace, J.M., Jr., Bachman, J.G., "Validity of Self-Reports in Student-Based Studies on minority Populations: Issues and Concerns." In M.R. De La Rosa; and J.L.R. Adrados (Eds.), Drug Abuse Among Minority Youth: Advances in Research and Methodology, NIDA Research Monograph 130, (1993):167-200.

## JOURNAL ARTICLES

- Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (in press). Adolescent risk factors for binge drinking during the transition to young adulthood: Variableand pattern-centered approaches to change. Developmental Psychology.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. Journal of Studies on Alcohol, 57, 1-15.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995). Adolescent substance use: Epidemiology and implications for public policy. Pediatrics Clinics of North America, 42, 241-260.
- Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. African-American Research Perspectives. 1(1):31-35.
- Bachman, J.G., Wallace, J.M. Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. American Journal of Public Health, 81, 372-377.
- O'Malley, P.M. & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. Journal of Studies on Alcohol, 52, 478-491.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. Journal of Health and Social Behavior, 31, 173-184.
- Johnston, L.D. (1989). The survey technique in drug abuse assessment. Bulletin on Narcotics, 41, 29-40.
- Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. Criminology, 27, 389-417.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. Journal of Health and Social Behavior, 29, 92-112.

- ICPSR 2477
  - Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. Social Psychology Quarterly, 51, 329-345.
  - O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. American Journal of Public Health, 78, 1315-1321.
  - Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. American Sociological Review, 53, 81-93.
  - Bachman, J.G. (1987). An eye on the future. Psychology Today, 21(7), 6-8
  - Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. Armed Forces and Society, 13(2), 169-187.
  - Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987).
    Psychotherapeutic, licit, and illicit use of drugs among
    adolescents: An epidemiological perspective. Journal of
    Adolescent Health Care, 8, 36-51.
  - Bachman, J.G. (1986). Effects of early marriage on substance abuse. Medical Aspects of Human Sexuality, 20(10), 15.
  - Bachman, J.G. & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). Journal of Personality and Social Psychology, 50, 35-46.
  - Diamond, G. & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. International Journal of Mental Health, 15, 210-241.
  - Johnston, L.D. & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. Journal of Drug Issues, 16, 29-66.
  - Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in The Drinking and Drug Practices Surveyor, March 1985, 20, 11-14.)

- Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. Journal of Personality and Social Psychology, 47, 629-645.
- Bachman, J.G. & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? American Journal of Sociology, 90, 624-639.
- Bachman, J.G. & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? Public Opinion Quarterly, 48, 491-509.
- O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? Preventive Medicine, 13, 421426.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. American Journal of Public Health, 74, 682-688.
- Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. Armed Forces and Society, 10(1), 86-104.
- Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? Economic Outlook U.S.A., 10(3), 64-67.
- Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. International Review of Applied Psychology, 32, 347-360.
- Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. Sex Roles, 9(1), 109-135. (Work funded by NIE.)
- Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. Contemporary Drug Problems, 10, 463-480.
- Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? The U.S. Journal of Drug and Alcohol Dependence, 7, 7.
- O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. Developmental Psychology, 19, 257-268.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. International Journal of the Addictions, 18, 805-824.
- Bachman, J.G. (1981). Youth views about the military: Recent trends. Economic Outlook U.S.A., 8(3), 61-65.

- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. American Journal of Public Health, 71, 59-69.
- Bachman, J.G. & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. Public Opinion Quarterly, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, Survey research methods. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. Youth and Adolescence, 10, 407-441.
- Herzog, A.R. & Bachman, J.G. (1981). Effects of questionnaire length on response quality. Public Opinion Quarterly, 45(4), 549-559.
- Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in Connections, 1981, 1(4), 11-14.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. Economic Outlook U.S.A., 7(2), 39-42.
- Bachman, J.G. & Johnston, L.D. (1979). The freshmen, 1979. Psychology Today, 13(4), 79-87.
- O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. Journal of Personality and Social Psychology, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, Social psychology of the self-concept. Arlington Heights, IL: AHM Press.)
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. Science Teacher, 45(6), 26-31.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. Youth and Society, 10, 65-77.
- Segal, D.R. & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. Youth and Society, 10, 47-64.
- Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. Youth and Society, 10, 127-134.
- Bachman, J.G. & Johnston, L.D. (1976). Drug use among American youth. Economic Outlook U.S.A., 3, 32-33.

#### TESTIMONY AND COMMISSIONED PAPERS

- Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in The Congressional Record, 134:89, D774.
- Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in The Congressional Record, 134:87, D756.
- Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in Advertising of tobacco products (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in Beer and wine advertising: Impact of electronic media (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in Alcohol Advertising (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In Health consequences of marijuana use (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P.M. & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commisssion Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

- Johnston, L.D. (1986, August). Policy issues and the drug abuse problem in America: Overview, critique, and recommendations. Paper commissioned by the Kaiser Family Foundation, 25 pp. (From author.)
- Johnston, L.D. (1977). Drug use among American youth: Selected findings and recommendations. Paper commissioned by the White House Office of Drug Abuse Policy, Washington, DC, 22 pp. (From author.)

# APPENDIX B \_\_\_\_\_\_

# SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976			1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,438	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%
	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

# SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

		1988				1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students 1	6,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%
	1993	1994				997 
# Public Schools	121	119	12	0 1:	18	125
# Private Schools	18	20	2	4	21	21
Total # Schools	139	139	14	4 1:	39	146
Total # Students 1	6,763	15,929	15,87	6 14,8	24 15,	963
Student Response Rate (%) *	84%	84%	84	% 8:	3%	83%

 $<sup>^{\</sup>star}$  The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.

## Table 1

#### SUBJECT AREA KEY \_\_\_\_\_\_

# (Referenced by letter in the Questionnaires)

A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.

A01 Use of Various Licit and Illicit Drugs

A01a - . . in lifetime

A01b - . . . in the last 12 months

A01c - . . . in the last 30 days

A01d -Quantity used

A01e -How high? (How often?)

A01f -How long high?

A01g -Incidence of first use

A01h -Use with other drugs

A01i -Try to stop?

A01j -Use on doctor's orders?

A01k -Bad trip?

A011 -Kinds of drugs

A02 Exposure to Drug Use

A02a -Friends' use of drugs

A02b -Exposure to users

A03a Availability of Drugs

A04a Expected Future Use

A05 Conditions of Use

A05a -Alone

A05b -With others

A05c -Settings (at school, at home, etc.)

A05d -Mode of drug administration

A06 Reasons for Use, Abstention, and Stopping

A06a -Reasons for drug use

A06b -Reasons for abstention from, or stopping drug use

A07 Drug Problems

A07a -Driving, tickets, and accidents after use

A07b -Other problems

A08a Sources of Help and Treatment regarding Drugs

A09 Others' Awareness of Use

A09a -Parental awareness of use

A09b -Others' awareness of use

A09c -Police awareness of use

Alo Drug Education and Communication

Al0a -In school

AlOb -In the mass media

All Own Attitudes regarding Drugs and Drug Users

Alla -For adults

Allb -For own children

Allc -Perception of drug users

Alld -Use by high school age people

Al2 Others' Attitudes regarding Drugs and Drug Users

Al2a -Parents

Al2b -Friends and students

Al2c -Perception of drug users

A13 Legal Issues regarding Drugs

Al3a -Preferred legality for adults

A13b -Own response to legalization

A13c -Knowledge of marijuana laws

A14 Risk of Drug Harm

Al4a -To self

Al4b -To others

A15a Admitting Use in Questionnaire

Al6a Parent Groups

A17 Role Models in the Larger Environment

Al7a -Perceived use of drugs

Al7b -Perceived attitudes regarding drugs

## B. EDUCATION.

- B01 High school: scholastic status, objectives, experiences
- B02 Combining work and school: attitudes, experiences
- B03 Interracial contact at school
- B04 Student norms, misbehavior in class
- B05 Counseling
- B06 Absenteeism and truancy
- B07 Delinquency, victimization and feeling safe at school
- B08 Opinions regarding competency testing
- B09 Post high school: status, plans, characteristics
- B10 Attitudes regarding educational institutions

B11 High school: length of experiences

# C. WORK AND LEISURE

- C01 Present or recent work experience
- C02 Income sources; financial security
- CO3 Vocational plans, aspirations, expectations
- CO4 Preferences regarding job characteristics
- C05 Desirability of different working arrangements and settings
- C06 Work ethic/success orientation
- C07 Leisure time: extent, activities
- C08 Attitudes toward leisure time

# D. SEX ROLES AND FAMILY.

- D01 Dating and marriage: status, attitudes, expectations
- D02 Parenthood: status, attitudes, expectations
- D03 Values surrounding marriage and family
- D04 Preferences regarding marital/familial arrangements
- D05 Sex role attitudes
- D06 Opinions regarding sex discrimination

# E. POPULATION CONCERNS.

- E01 Overpopulation
- E02 Birth control

# F. CONSERVATION, MATERIALISM, EQUITY, ETC.

- F01 Personal materialism
- F02 Societal materialism and advertising
- F03 Concern with world hunger and poverty
- F04 Ecological concerns
- F05 Concern with conservation of resources

- F06 Preferences regarding dwelling type and urbanicity
- F07 Driving and use of mass transit
- G. RELIGION. Religious preferences, activities, views.
- H. POLITICS.
  - H01 Political interest and preferences
  - H02 Attitudes toward governmental policies and practices
  - H03 Views about the role of citizens in government (See also I02: Attitudes regarding activism)
  - H04 Confidence in government
  - H05 Voting, political activism
- I. SOCIAL CHANGE.
  - I01 Expectations concerning societal change
  - IO2 Attitudes regarding activism
  - IO3 Reactions to personal and social change
- J. SOCIAL PROBLEMS. Interest and concerns
- K. MAJOR SOCIAL INSTITUTIONS.
  - K01 Trust (See also C05: Institutions as work settings)
  - K02 Satisfaction with performance
  - K03 Preferred influence
- L. MILITARY.
  - L01 Plans for military service
  - L02 Attitudes toward a draft
  - LO3 Views about the use of military force
  - ${\tt L04}$  Attitudes toward the military as an institution and occupation
- M. INTERPERSONAL RELATIONSHIPS.
  - M01 Dating

- M02 Cross-age relationships with adults outside the family (See also B05)
- M03 Agreement/disagreement with parents
- M04 Friendships (See also Q03: Loneliness)
- M05 Community at large

## N. RACE RELATIONS.

- N01 Preferred interracial contact
- NO2 Attitudes about discrimination
- NO3 Actual interracial contacts

# O. CONCERN FOR OTHERS.

- 001 Attitudes regarding social service, charitable activism
- 002 Involvement in community, altruistic activities
- 003 Concern with the problems of others

## P. HAPPINESS.

- P01 Happiness: satisfaction with life and self
- P02 Satisfaction with specific life domains

# Q. OTHER PERSONALITY VARIABLES.

- Q01 Attitudes about self, self-esteem
- Q02 Locus of control
- Q03 Loneliness
- Q04 Risk taking
- Q05 Trust in others
- Q06 (Changed to Subject Areas T01-T04.)
- Q07 Importance placed on various life goals
- Q08 Social, political, cultural orientation
- Q09 Hostility

# R. BACKGROUND.

- R01 Age, sex, race, and marital status
- R02 Family characteristics
- R03 Living arrangements and household characteristics

# S. DEVIANCE AND VICTIMIZATION.

- S01 Delinquent behaviors
- S02 Driving violations and accidents
- S03 Victimization experiences

# T. HEALTH.

- T01 Symptoms
- T02 Habits
- T03 Height and weight
- T04 Medical treatment

## KEY TO:

# "& & - renumbered in second year" -----

Question 4D13a was numbered 4D15a in 1988.

Ouestion 4D15a was numbered 4D17a in 1988.

Ouestion 4D13b was numbered 4D15b in 1988.

Question 4D15b was numbered 4D17b in 1988.

Question 4D13c was numbered 4D15c in 1988.

Question 4D15c was numbered 4D17c in 1988.

Question 4D14 was numbered 4D16 in 1988.

Question 4D16 was numbered 4D18 in 1988.

Questions 6A20a-m were numbered 6A21a-m in 1994-1995. Question 6A17p was numbered 6A18p in 1994-1995.

Questions 6A15a-c were numbered 6A16a-c in 1994-1995. Questions 6A16a-c were numbered 6A17a-c in 1994-1995.

Question 4E11 was numbered 4E10 in 1988.

Questions 4E12a-d were numbered 4E11a-d in 1988.

Ouestions 6A19a-o were numbered 6A20a-o in 1994-1995.

Questions 4E08a-m were numbered 4E07a-m in 1988.

Questions 6A18a-o were numbered 6A19a-o in 1994-1995.

Questions 5E09-11 were numbered 5E014-16 in 1981.

Ouestions 4E09a-c were numbered 4E08a-c in 1988.

Questions 4E10a-d were numbered 4E09a-d in 1988.

Question 6A14 was numbered 6A15 in 1994-1995.

Questions 6A15a-c were numbered 6A16a-c in 1994-1995.

Questions 6A16a-c were numbered 6A17a-c in 1994-1995.

Questions 5E08a-q were numbered 5E13a-q in 1981.

Questions 6A17c and 6A17n were numbered 6A18c and 6A18n in 1994-1995.

Ouestions 5D04a-f were numbered 5D02a-f in 1981.

Question 4E07b was numbered 4E06b in 1988.

Ouestion 4E07k was numbered 4E06k in 1988.

Question 4E07I was numbered 4E06I in 1988.

Questions 4E07n-o were numbered 4E06n-o in 1988.

Questions 4E07a-o were numbered 4E06a-o in 1988. Questions 6A17a-b were numbered 6A18a-b in 1994-1995.

Question 4E07m was numbered 4E06m in 1988.

Questions 6A17a-q were numbered 6A18a-q in 1994-1995.

Questions 5E08a-g were numbered 5E13a-g in 1981.