

ICPSR 22480

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2007

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Form 4 Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:

<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/22480.xml>

TABLE OF CONTENTS

INTRODUCTION.....	3
DATA COLLECTION DESCRIPTION	3
DATA COLLECTION PROCEDURES	3
SAMPLING INFORMATION	4
STAGE 1: GEOGRAPHIC AREAS.....	4
STAGE 2: SCHOOLS	4
STAGE 3: STUDENTS	4
SCHOOL RECRUITING PROCEDURES	5
ADVANCE CONTACT WITH TEACHERS AND STUDENTS.....	5
QUESTIONNAIRE ADMINISTRATION.....	5
PROCEDURES FOR PROTECTING CONFIDENTIALITY	6
CONTENT AREAS AND QUESTIONNAIRE DESIGN	7
MEASUREMENT CONTENT AREAS	7
REPRESENTATIVENESS AND VALIDITY	8
SCHOOL PARTICIPATION	8
STUDENT PARTICIPATION	9
VALIDITY OF SELF-REPORT DATA	9
ACCURACY OF THE SAMPLE.....	10
CONSISTENCY AND THE MEASUREMENT OF TRENDS	10
INTERPRETING RACIAL DIFFERENCES.....	10
DIFFERENTIAL REPRESENTATION	11
DIFFERENTIAL RESPONSE TENDENCIES.....	11
COVARIANCE WITH OTHER FACTORS.....	12
WEIGHTING INFORMATION.....	13
FILE STRUCTURE.....	13
CODEBOOK INFORMATION	14
ICPSR PROCESSING INFORMATION.....	16
FREQUENCIES.....	21
APPENDICES	289
APPENDIX A: PUBLICATIONS.....	291
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES	292

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement

for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9-12 percent of each year's sample -- are represented by only 250 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement

in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the

white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	unweighted n
1	Core	185	382	15,132
2	Form 1	624	1,261	2,541
3	Form 2	332	675	2,519
4	Form 3	357	726	2,514
5	Form 4	270	554	2,518
6	Form 5	327	665	2,515
7	Form 6	332	676	2,525

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134	[2] 991A13 KIND OF PAID JOB
------------------	---------------------------------------

[3] Item Number: 25160

[4] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5] PCT VALID	[6] PCT ALL	[7] N	[8] VALUE	[9] LABEL
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING

-----	-----	-----
[10] 100.0	[11] 100.0	[12] 5,745 cases (Wtd)

[13] Data type: numeric

[14] Decimals: 0

[15] Missing-data codes: -9

[16] Columns: 98-99

- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:**Core dataset and Part C section of individual forms****AGE < 18 DICHOTOMY**

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

For 2006, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)***B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]**

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

***B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]**

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question

for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

FREQUENCIES

FILE

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

2,513 cases (Wtd) (Range of valid codes: 1-2518)

Data type: numeric
Columns: 1-4

V1	YEAR OF ADMIN (4-DIGITS)
-----------	---------------------------------

Item Number:

Question Number(s):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,513	2007	
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric
Columns: 5-8

V3	074	:FORM ID
-----------	------------	-----------------

Item Number:

Question Number(s):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,513	4	
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric
Columns: 9-10

V4	074	:R'S ID-SERIAL #
-----------	------------	-------------------------

Item Number:

Question Number(s):

2,513 cases (Wtd) (Range of valid codes: 40001-42518)

Data type: numeric

Columns: 11-15

V5	SAMPLING WEIGHT
-----------	------------------------

Item Number:

Question Number(s):

2,513 cases (Wtd) (Range of valid codes: 0.1400-3.6041)

Data type: numeric

Decimals: 4

Columns: 16-21

V13	074	:SCHL RGN-4 CAT
------------	------------	------------------------

Item Number:

Question Number(s):

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	18.9	474	1	NE: (1)
22.4	22.4	562	2	NC: (2)
37.4	37.4	940	3	S: (3)
21.4	21.4	537	4	W: (4)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Columns: 22-23

V16**074 LARGE MSA=1/NOT=0**

Item Number:

Question Number(s):

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	67.4	1,694	0	ELSE: (0)
32.6	32.6	819	1	LARGE MSA: (1)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Columns: 24-25

V17	074	: SMSA/NON-SMSA = 0
-----	-----	---------------------

Item Number:

Question Number(s):

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	21.6	543	0	Non-MSA: (0)
78.4	78.4	1,970	1	MSA: (1)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Columns: 26-27

V4208**074A01 :VRY HPY THS DAYS**

Item Number: 01190

Question Number(s): 4A01

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.9	299	1	NT HAPPY:(1)
62.1	61.8	1,552	2	PRTY HPY:(2)
25.9	25.7	647	3	VRY HPY:(3)
	0.6	16	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 28-29

V4209**074A02 : FUTR CNTRY WORSE**

Item Number: 09940

Question Number(s): 4A02

Looking ahead to the next five years, do you think that things
in this country will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the
same" 4="Get somewhat worse" 5="Get much worse"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	83	1	MCH BETR: (1)
26.5	26.3	662	2	SMWT BTR: (2)
29.8	29.6	744	3	SAME: (3)
31.5	31.2	785	4	SMWT WSE: (4)
8.8	8.7	220	5	MCH WRSE: (5)
	0.8	20	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 30-31

V4210

074A03 :FUTR WORLD WORSE

Item Number: 09950

Question Number(s): 4A03

Looking ahead to the next five years, do you think that things
in the rest of the world will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the
same" 4="Get somewhat worse" 5="Get much worse"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	54	1	MCH BETR: (1)
18.9	18.7	471	2	SMWT BTR: (2)
29.1	28.8	724	3	SAME: (3)
37.7	37.4	939	4	SMWT WSE: (4)
12.1	12.0	301	5	MCH WRSE: (5)
	0.9	23	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 32-33

V4211**074A04 :FUTR R LIFE WRSE**

Item Number: 09960

Question Number(s): 4A04

How do you think your own life will go in the next five years--
do you think it will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the
same" 4="Get somewhat worse" 5="Get much worse"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	47.0	1,180	1	MCH BETR: (1)
43.0	42.7	1,074	2	SMWT BTR: (2)
7.7	7.6	191	3	SAME: (3)
1.5	1.5	38	4	SMWT WSE: (4)
0.5	0.5	12	5	MCH WRSE: (5)
	0.8	19	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 34-35

V4212

074A05 :THK ABT SOC ISSU

Item Number: 06880

Question Number(s): 4A05

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	107	1	NEVER: (1)
22.5	22.3	561	2	SELDOM: (2)
45.2	44.8	1,126	3	SOMETIME: (3)
21.9	21.7	545	4	OFTEN: (4)
6.0	6.0	151	5	GRT DEAL: (5)
	0.9	23	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 36-37

V4213**074A06A:PLLTN INCR IN US**

Item Number: 09970

Question Number(s): 4A06A

These questions are about pollution and the environment.
Please mark the circle that shows how much you agree or disagree with each statement below.

A: In general, pollution has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	48	1	DISAGREE: (1)
4.4	4.4	111	2	MOST DIS: (2)
7.9	7.8	197	3	NEITHER: (3)
32.3	32.0	804	4	MOST AGR: (4)
53.5	53.0	1,333	5	AGREE: (5)
	0.8	21	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 38-39

V4214**074A06B:PLLTN NT SO DANG**

Item Number: 09980

Question Number(s): 4A06B

Please mark the circle that shows how much you agree or disagree with each statement below.

B: The dangers of pollution are not really as great as government, the media, and environmental groups would like us to believe

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	31.8	799	1	DISAGREE: (1)
22.9	22.6	567	2	MOST DIS: (2)
17.8	17.6	442	3	NEITHER: (3)
17.7	17.5	439	4	MOST AGR: (4)
9.4	9.2	232	5	AGREE: (5)
	1.4	34	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 40-41

V4215**074A06C:PLLTN NEC 4 GRTH**

Item Number: 09990

Question Number(s): 4A06C

Please mark the circle that shows how much you agree or disagree with each statement below.

C: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.1	831	1	DISAGREE: (1)
21.8	21.4	538	2	MOST DIS: (2)
20.2	19.8	498	3	NEITHER: (3)
16.2	15.9	400	4	MOST AGR: (4)
8.2	8.1	203	5	AGREE: (5)
	1.7	43	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 42-43

V4216**074A06D:INDVL RESP 4 ENV**

Item Number: 10000

Question Number(s): 4A06D

Please mark the circle that shows how much you agree or disagree with each statement below.

D: People will have to change their buying habits and way of life to correct our environmental problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	171	1	DISAGREE: (1)
9.8	9.6	242	2	MOST DIS: (2)
16.5	16.2	406	3	NEITHER: (3)
33.8	33.2	834	4	MOST AGR: (4)
33.0	32.4	815	5	AGREE: (5)
	1.8	44	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 44-45

V4217

074A06E:GOVT RESP 4 ENV

Item Number: 10010

Question Number(s): 4A06E

Please mark the circle that shows how much you agree or disagree with each statement below.

E: Government should take action to solve our environmental problems even if it means that some of the products we now use would have to be changed or banned

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.8	197	1	DISAGREE: (1)
10.7	10.6	265	2	MOST DIS: (2)
19.1	18.9	474	3	NEITHER: (3)
33.7	33.3	837	4	MOST AGR: (4)
28.6	28.2	709	5	AGREE: (5)
	1.3	31	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 46-47

V4218**074A06F:GOVT TAX PLLTRS**

Item Number: 10020

Question Number(s): 4A06F

Please mark the circle that shows how much you agree or disagree with each statement below.

F: Government should place higher taxes on products which cause pollution in their manufacture or disposal, so that companies will be encouraged to find better ways to produce them

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	17.8	448	1	DISAGREE: (1)
13.7	13.6	341	2	MOST DIS: (2)
19.3	19.1	480	3	NEITHER: (3)
25.3	25.0	629	4	MOST AGR: (4)
23.5	23.2	583	5	AGREE: (5)
	1.3	33	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 48-49

V4219**074A06G:GOVT BAN DSPSBLE**

Item Number: 10030

Question Number(s): 4A06G

Please mark the circle that shows how much you agree or disagree with each statement below.

G: I wish that government would ban throwaway bottles and beverage cans

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	32.0	804	1	DISAGREE: (1)
15.2	14.9	374	2	MOST DIS: (2)
34.1	33.4	840	3	NEITHER: (3)
10.8	10.6	265	4	MOST AGR: (4)
7.4	7.2	181	5	AGREE: (5)
	1.9	48	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 50-51

V4220

074A06H:TV COMM CRT NDS

Item Number: 10040

Question Number(s): 4A06H

Please mark the circle that shows how much you agree or disagree with each statement below.

H: T.V. commercials stimulate people to buy a lot of things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	83	1	DISAGREE: (1)
4.8	4.8	119	2	MOST DIS: (2)
9.9	9.7	244	3	NEITHER: (3)
30.5	30.0	755	4	MOST AGR: (4)
51.4	50.6	1,272	5	AGREE: (5)
	1.6	40	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 52-53

V4221**074A06I:TV COMMCLS GOOD**

Item Number: 10050

Question Number(s): 4A06I

Please mark the circle that shows how much you agree or disagree with each statement below.

I: T.V. commercials do a lot of good by showing new products that we might not know about otherwise

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.5	189	1	DISAGREE: (1)
11.7	11.5	289	2	MOST DIS: (2)
25.9	25.5	641	3	NEITHER: (3)
34.2	33.7	848	4	MOST AGR: (4)
20.6	20.3	511	5	AGREE: (5)
	1.4	35	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 54-55

V4222**074A06J:FAM BUYS THG -ND**

Item Number: 10060

Question Number(s): 4A06J

Please mark the circle that shows how much you agree or disagree with each statement below.

J: My family and I often buy things we really don't need;
we could get along with much less

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.3	308	1	DISAGREE: (1)
14.4	14.1	355	2	MOST DIS: (2)
18.8	18.5	466	3	NEITHER: (3)
30.3	29.9	752	4	MOST AGR: (4)
24.1	23.7	596	5	AGREE: (5)
	1.4	36	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 56-57

V4223**074A06K:POL SLVD BY 2000**

Item Number: 10070

Question Number(s): 4A06K

Please mark the circle that shows how much you agree or disagree with each statement below.

K: Within the next 25 years, engineers and scientists will probably have invented devices that will solve our pollution problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.0	201	1	DISAGREE: (1)
12.7	12.5	314	2	MOST DIS: (2)
26.0	25.7	645	3	NEITHER: (3)
36.5	36.1	906	4	MOST AGR: (4)
16.8	16.6	417	5	AGREE: (5)
	1.2	30	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 58-59

V4224

074A07 :R EFRT 2 HLP ENV

Item Number: 10080

Question Number(s): 4A07

In your own actions--the things you buy and the things you do--how much of an effort do you make to conserve energy and protect the environment?

1="None" 2="A little" 3="Some" 4="Quite a bit"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	14.6	366	1	NONE: (1)
32.9	31.4	790	2	A LITTLE: (2)
42.8	41.0	1,029	3	SOME: (3)
9.0	8.6	217	4	QUITEBIT: (4)
	4.4	110	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 60-61

V4225

074A08A:JOB IMPC SE RSLT

Item Number: 10090

Question Number(s): 4A08A

The next questions are about work. Different people may look for different things in their work. Below is a list of some of these things. Please read each one, then indicate how important this thing is for you.

A: A job where you can see the results of what you do

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	41	1	NOT IMPT:(1)
9.9	9.8	247	2	LIT IMPT:(2)
40.5	40.1	1,007	3	PRTY IMP:(3)
47.9	47.3	1,190	4	VRV IMPT:(4)
	1.2	29	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 62-63

V4226**074A08B:JOB IMPC STATUS**

Item Number: 10100

Question Number(s): 4A08B

Indicate how important this thing is for you.

B: A job that has high status and prestige

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.7	243	1	NOT IMPT:(1)
27.2	26.8	673	2	LIT IMPT:(2)
37.0	36.5	917	3	PRTY IMP:(3)
26.0	25.6	644	4	VRV IMPT:(4)
	1.5	37	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 64-65

V4227**074A08C:JOB IMPC INTRSTG**

Item Number: 10110

Question Number(s): 4A08C

Indicate how important this thing is for you.

C: A job which is interesting to do

1="Not important" 2="A little important" 3="Pretty important"
 4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	10	1	NOT IMPT:(1)
3.1	3.1	77	2	LIT IMPT:(2)
15.9	15.7	394	3	PRTY IMP:(3)
80.6	79.2	1,990	4	VRV IMPT:(4)
	1.7	42	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 66-67

V4228**074A08D:JOB IMPC ADVNCMT**

Item Number: 10120

Question Number(s): 4A08D .

Indicate how important this thing is for you.

D: A job where the chances for advancement and promotion
are good1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	47	1	NOT IMPT:(1)
10.1	10.0	251	2	LIT IMPT:(2)
30.3	29.9	751	3	PRTY IMP:(3)
57.6	56.8	1,427	4	VRV IMPT:(4)
	1.4	35	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 68-69

V4229**074A08E:JOB IMPC HLP OTH**

Item Number: 10130

Question Number(s): 4A08E

Indicate how important this thing is for you.

E: A job that gives you an opportunity to be directly helpful to others

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	81	1	NOT IMPT:(1)
13.6	13.4	337	2	LIT IMPT:(2)
34.4	34.0	854	3	PRTY IMP:(3)
48.7	48.1	1,208	4	VRV IMPT:(4)
	1.3	33	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 70-71

V4230**074A08F:JOB IMPC EARN \$**

Item Number: 10140

Question Number(s): 4A08F

Indicate how important this thing is for you.

F: A job which provides you with a chance to earn a good deal of money

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	54	1	NOT IMPT:(1)
9.7	9.6	241	2	LIT IMPT:(2)
32.2	31.7	797	3	PRTY IMP:(3)
55.9	55.0	1,383	4	VRV IMPT:(4)
	1.5	38	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 72-73

V4231**074A08G:JOB IMPC CREATVY**

Item Number: 10150

Question Number(s): 4A08G

Indicate how important this thing is for you.

G: A job where you have the chance to be creative

1="Not important" 2="A little important" 3="Pretty important"
 4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	123	1	NOT IMPT:(1)
21.0	20.7	520	2	LIT IMPT:(2)
30.7	30.2	760	3	PRTY IMP:(3)
43.3	42.7	1,072	4	VRV IMPT:(4)
	1.5	38	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 74-75

V4232**074A08H:JOB IMPC UTILITY**

Item Number: 10160

Question Number(s): 4A08H

Indicate how important this thing is for you.

H: A job where the skills you learn will not go out of date

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	112	1	NOT IMPT:(1)
14.7	14.5	363	2	LIT IMPT:(2)
35.4	34.9	876	3	PRTY IMP:(3)
45.4	44.7	1,123	4	VRV IMPT:(4)
	1.5	39	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 76-77

V4233**074A08I:JOB IMPC MK FRND**

Item Number: 10170

Question Number(s): 4A08I

Indicate how important this thing is for you.

I: A job that gives you a chance to make friends

1="Not important" 2="A little important" 3="Pretty important"
 4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	127	1	NOT IMPT:(1)
19.0	18.7	470	2	LIT IMPT:(2)
35.2	34.7	872	3	PRTY IMP:(3)
40.6	40.0	1,005	4	VRV IMPT:(4)
	1.5	38	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 78-79

V4234**074A08J:JOB IMPC USE SKL**

Item Number: 10180

Question Number(s): 4A08J

Indicate how important this thing is for you.

J: A job which uses your skills and abilities--lets you do
the things you can do best

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	16	1	NOT IMPT:(1)
4.1	4.1	103	2	LIT IMPT:(2)
26.2	25.8	648	3	PRTY IMP:(3)
69.0	68.1	1,711	4	VRV IMPT:(4)
	1.4	34	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 80-81

V4235**074A08K:JOB IMPC WRTHWLE**

Item Number: 10190

Question Number(s): 4A08K

Indicate how important this thing is for you.

K: A job that is worthwhile to society

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	106	1	NOT IMPT:(1)
15.0	14.7	369	2	LIT IMPT:(2)
34.7	33.9	852	3	PRTY IMP:(3)
45.9	44.8	1,126	4	VRV IMPT:(4)
	2.4	60	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 82-83

V4236**074A08L:JOB IMPC VACATN**

Item Number: 10200

Question Number(s): 4A08L

Indicate how important this thing is for you.

L: A job where you have more than two weeks vacation

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	12.5	313	1	NOT IMPT:(1)
29.1	28.7	721	2	LIT IMPT:(2)
27.5	27.1	681	3	PRTY IMP:(3)
30.7	30.3	761	4	VRV IMPT:(4)
	1.5	37	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 84-85

V4237**074A08M:JOB IMPC MK DCSN**

Item Number: 10210

Question Number(s): 4A08M

Indicate how important this thing is for you.

M: A job where you get a chance to participate in decision making

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	90	1	NOT IMPT:(1)
19.2	18.9	475	2	LIT IMPT:(2)
42.8	42.2	1,061	3	PRTY IMP:(3)
34.3	33.8	850	4	VRV IMPT:(4)
	1.5	37	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 86-87

V4238**074A08N:JOB IMPC FRE TIM**

Item Number: 10220

Question Number(s): 4A08N

Indicate how important this thing is for you.

N: A job which leaves a lot of time for other things in
your life1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	49	1	NOT IMPT:(1)
15.0	14.7	370	2	LIT IMPT:(2)
37.4	36.7	922	3	PRTY IMP:(3)
45.6	44.7	1,124	4	VRV IMPT:(4)
	1.9	48	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 88-89

V4239**074A080:JOB IMPC NO MVNG**

Item Number: 10230

Question Number(s): 4A080

Indicate how important this thing is for you.

O: A job which allows you to establish roots in a community
and not have to move from place to place

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.2	205	1	NOT IMPT:(1)
17.5	17.2	433	2	LIT IMPT:(2)
33.2	32.7	823	3	PRTY IMP:(3)
41.0	40.5	1,017	4	VRV IMPT:(4)
	1.4	36	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 90-91

V4240**074A08P:JOB IMPC NO SPRV**

Item Number: 10240

Question Number(s): 4A08P

Indicate how important this thing is for you.

P: A job which leaves you mostly free of supervision by others

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.1	228	1	NOT IMPT:(1)
28.3	27.8	699	2	LIT IMPT:(2)
36.5	36.0	903	3	PRTY IMP:(3)
26.0	25.6	644	4	VRV IMPT:(4)
	1.5	38	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 92-93

V4241**074A08Q:JOB IMPC SECURTY**

Item Number: 10250

Question Number(s): 4A08Q

Indicate how important this thing is for you.

Q: A job that offers a reasonably predictable, secure future

1="Not important" 2="A little important" 3="Pretty important"
 4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	55	1	NOT IMPT:(1)
8.6	8.4	212	2	LIT IMPT:(2)
33.8	33.1	832	3	PRTY IMP:(3)
55.4	54.3	1,364	4	VRV IMPT:(4)
	2.0	50	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 94-95

V4242**074A08R:JOB IMPC LRNING**

Item Number: 10260

Question Number(s): 4A08R

Indicate how important this thing is for you.

R: A job where you can learn new things, learn new skills

1="Not important" 2="A little important" 3="Pretty important"
 4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	51	1	NOT IMPT:(1)
13.5	13.3	333	2	LIT IMPT:(2)
39.7	39.0	979	3	PRTY IMP:(3)
44.7	43.8	1,102	4	VRV IMPT:(4)
	1.9	48	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 96-97

V4243**074A08S:JOB IMPC BE SELF**

Item Number: 10270

Question Number(s): 4A08S

Indicate how important this thing is for you.

S: A job where you do not have to pretend to be a type
of person that you are not

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	117	1	NOT IMPT:(1)
6.1	5.9	149	2	LIT IMPT:(2)
19.5	19.1	480	3	PRTY IMP:(3)
69.7	68.4	1,719	4	VRV IMPT:(4)
	1.9	48	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 98-99

V4244**074A08T:JOB IMPC RESPECT**

Item Number: 10280

Question Number(s): 4A08T

Indicate how important this thing is for you.

T: A job that most people look up to and respect

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.0	127	1	NOT IMPT:(1)
15.4	15.0	377	2	LIT IMPT:(2)
34.8	34.0	856	3	PRTY IMP:(3)
44.6	43.6	1,096	4	VRV IMPT:(4)
	2.3	57	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 100-101

V4245**074A08U:JOB IMPC CNTC PL**

Item Number: 10290

Question Number(s): 4A08U

Indicate how important this thing is for you.

U: A job that permits contact with a lot of people

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.5	239	1	NOT IMPT:(1)
24.8	24.3	611	2	LIT IMPT:(2)
33.6	32.9	828	3	PRTY IMP:(3)
31.8	31.2	784	4	VRV IMPT:(4)
	2.1	52	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 102-103

V4246**074A08V:JOB IMPC EZ PACE**

Item Number: 10300

Question Number(s): 4A08V

Indicate how important this thing is for you.

V: A job with an easy pace that lets you work slowly

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.3	536	1	NOT IMPT:(1)
37.1	36.4	914	2	LIT IMPT:(2)
24.0	23.5	592	3	PRTY IMP:(3)
17.1	16.8	422	4	VRV IMPT:(4)
	2.0	50	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 104-105

V4247**074A08W:JOB IMPC HRD PRB**

Item Number: 10310

Question Number(s): 4A08W

Indicate how important this thing is for you.

W: A job where most problems are quite difficult and
challenging1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.9	525	1	NOT IMPT:(1)
39.0	38.2	959	2	LIT IMPT:(2)
27.8	27.2	683	3	PRTY IMP:(3)
11.9	11.7	294	4	VRV IMPT:(4)
	2.0	51	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 106-107

V4248

074A09 :KIND OF WORK @30

Item Number: 10320

Question Number(s): 4A09

What kind of work do you think you will be doing when you are 30 years old? Mark the one that comes closest to what you expect to be doing.

01="Laborer (car washer, sanitary worker, farm laborer)"
 02="Service worker (cook, waiter, barber, janitor, gas station attendant, practical nurse, beautician)"
 03="Operative or semi-skilled worker (garage worker, taxicab, bus or truck driver, assembly line worker, welder)" 04="Sales clerk in a retail store or by phone (phone sales, department store clerk, drug store clerk)" 05="Clerical or office worker (bank teller, bookkeeper, secretary, postal clerk or carrier, keyboard operator)" 06="Protective service (police officer, firefighter, detective)" 07="Military service" 08="Craftsman or skilled worker (carpenter, electrician, brick layer, mechanic, machinist, tool and die maker, telephone installer)" 09="Farm owner, farm manager" 10="Owner of a small business (restaurant owner, shop owner)" 11="Sales representative (insurance agent, real estate broker, bond salesman)" 12="Manager or administrator (office manager, sales manager, school administrator, government official)" 13="Professional without doctoral degree (registered nurse, librarian, engineer, architect, social worker, accountant, actor, artist, musician, teacher, pilot, computer programmer or analyst)" 14="Professional with doctoral degree or equivalent (lawyer, physician, dentist, scientist, college professor)" 15="Full-time homemaker" 16="Don't know--GO TO QUESTION 13"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.3	7	1	LABORER: (1)
2.5	2.3	58	2	SERV WKR: (2)
0.7	0.6	16	3	SEMISKL: (3)
0.4	0.4	9	4	RETAIL: (4)
1.5	1.3	34	5	CLERICAL: (5)
4.3	4.0	100	6	PROTECT: (6)
2.9	2.7	68	7	MILITARY: (7)
5.4	5.0	124	8	SKLD WKR: (8)
1.3	1.2	30	9	FARM: (9)
7.2	6.6	166	10	OWN SHOP: (10)
1.1	1.0	26	11	SALESREP: (11)

5.3	4.9	123	12	MANAGER: (12)
38.4	35.3	887	13	NOPHDPRO: (13)
20.6	18.9	476	14	PHD PRO: (14)
1.5	1.4	35	15	HOMEMKR: (15)
6.7	6.2	155	16	DK: (16)
	8.0	201	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 108-110

V4249	074A10 :R SURE GT THS WK
--------------	---------------------------------

Item Number: 10330

Question Number(s): 4A10

How likely do you think it is that you will actually get to do this kind of work?

1="Not very likely" 2="Somewhat likely" 3="Fairly likely"
 4="Very likely" 5="Certain" 6="I already do this kind of work"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	26	1	NOT LKLY: (1)
6.6	5.9	148	2	SMWT LIK: (2)
21.1	18.9	474	3	FRLY LIK: (3)
42.3	37.9	952	4	VY LIKLY: (4)
23.2	20.8	523	5	CERTAIN: (5)
5.8	5.2	130	6	ALRDY DO: (6)
	10.4	261	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 111-112

V4250**074A11 :R SURE WK GD CHC**

Item Number: 10340

Question Number(s): 4A11

How certain are you that this kind of work is a good choice
for you?

1="Not at all certain" 2="Somewhat certain" 3="Fairly certain"
4="Very certain" 5="Completely certain"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.1	53	1	NT CERTN:(1)
5.6	5.0	126	2	SMWT CTN:(2)
23.9	21.5	541	3	FRLY CTN:(3)
39.4	35.4	891	4	VY CERTN:(4)
28.7	25.8	649	5	COMP CTN:(5)
	10.0	253	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 113-114

V4251

074A12 :R THNK WK BE SAT

Item Number: 10350

Question Number(s): 4A12

How satisfying do you think this kind of work will be for you?

1="Not very satisfying" 2="Somewhat satisfying" 3="Quite satisfying" 4="Very satisfying" 5="Extremely satisfying"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	18	1	NT SATIS:(1)
4.8	4.3	109	2	SMWT SAT:(2)
18.6	16.7	420	3	QUITE ST:(3)
39.1	35.2	885	4	VY SATIS:(4)
36.7	33.0	830	5	EXTR SAT:(5)
	10.0	252	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 115-116

V4252**074A13A:JOB OBSTC RELGN**

Item Number: 10360

Question Number(s): 4A13A

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

A: Your religion

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	84.8	2,131	1	NOT @ALL: (1)
7.0	6.8	170	2	SOMEWHAT: (2)
1.9	1.8	45	3	A LOT: (3)
3.6	3.5	89	8	DK: (8)
	3.1	78	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 117-118

V4253**074A13B:JOB OBSTC SEX**

Item Number: 10370

Question Number(s): 4A13B

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

B: Your sex

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	72.3	1,817	1	NOT @ALL: (1)
18.0	17.5	439	2	SOMEWHAT: (2)
4.0	3.9	97	3	A LOT: (3)
3.3	3.2	80	8	DK: (8)
	3.2	80	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 119-120

V4254**074A13C:JOB OBSTC RACE**

Item Number: 10380

Question Number(s): 4A13C

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

C: Your race

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	72.9	1,832	1	NOT @ALL: (1)
17.1	16.5	415	2	SOMEWHAT: (2)
4.1	4.0	100	3	A LOT: (3)
3.6	3.5	88	8	DK: (8)
	3.1	78	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 121-122

V4255**074A13D:JOB OBSTC BKGRND**

Item Number: 10390

Question Number(s): 4A13D

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

D: Your family background

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	78.6	1,976	1	NOT @ALL: (1)
12.8	12.4	312	2	SOMEWHAT: (2)
2.2	2.2	55	3	A LOT: (3)
3.9	3.8	95	8	DK: (8)
	3.0	76	-9	MISSING: (-9)

100.0	100.0	2,513	cases	(Wtd)
-------	-------	-------	-------	-------

Data type: numeric

Missing-data code: -9

Columns: 123-124

V4256**074A13E:JOB OBSTC POL VW**

Item Number: 10400

Question Number(s): 4A13E

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

E: Your political views

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	75.3	1,891	1	NOT @ALL: (1)
13.6	13.2	331	2	SOMEWHAT: (2)
3.0	2.9	73	3	A LOT: (3)
5.7	5.6	140	8	DK: (8)
	3.1	78	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 125-126

V4257**074A13F:JOB OBSTC EDUCTN**

Item Number: 10410

Question Number(s): 4A13F

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

F: Your education

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	41.5	1,042	1	NOT @ALL: (1)
20.5	19.9	500	2	SOMEWHAT: (2)
34.4	33.3	837	3	A LOT: (3)
2.3	2.3	57	8	DK: (8)
	3.1	78	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 127-128

V4258**074A13G:JOB OBSTC -VOC T**

Item Number: 10420

Question Number(s): 4A13G

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

G: Lack of vocational training

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	46.9	1,179	1	NOT @ALL: (1)
24.6	23.7	597	2	SOMEWHAT: (2)
16.0	15.5	388	3	A LOT: (3)
10.8	10.4	263	8	DK: (8)
	3.4	87	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 129-130

V4259**074A13H:JOB OBSTC -ABLT**

Item Number: 10430

Question Number(s): 4A13H

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

H: Lack of ability

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	47.5	1,194	1	NOT @ALL: (1)
16.6	16.0	403	2	SOMEWHAT: (2)
30.0	28.9	728	3	A LOT: (3)
4.3	4.1	103	8	DK: (8)
	3.4	86	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 131-132

V4260**074A13I:JOB OBSTC - PULL**

Item Number: 10440

Question Number(s): 4A13I

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

I: Not knowing the right people

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	40.2	1,011	1	NOT @ALL: (1)
39.6	38.3	962	2	SOMEWHAT: (2)
12.7	12.3	309	3	A LOT: (3)
6.1	5.9	148	8	DK: (8)
	3.3	83	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 133-134

V4261**074A13J:JOB OBSTC -WK HD**

Item Number: 10450

Question Number(s): 4A13J

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

J: Not wanting to work hard

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	46.5	1,169	1	NOT @ALL: (1)
11.0	10.6	268	2	SOMEWHAT: (2)
38.3	37.1	934	3	A LOT: (3)
2.8	2.7	68	8	DK: (8)
	3.0	76	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 135-136

V4262**074A13K:JOB OBSTC -CONFM**

Item Number: 10460

Question Number(s): 4A13K

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

K: Not wanting to conform

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	45.2	1,137	1	NOT @ALL: (1)
23.6	22.8	572	2	SOMEWHAT: (2)
19.6	18.9	475	3	A LOT: (3)
10.0	9.6	241	8	DK: (8)
	3.5	88	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 137-138

V4263

074A14 :ENUF\$,NT WNT WRK

Item Number: 08100

Question Number(s): 4A14

If you were to get enough money to live as comfortably as
you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	74.8	1,880	1	WORK: (1)
23.7	23.2	584	2	NOT WORK: (2)
	2.0	49	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 139-140

V4264**074A15A:FEW GD MAR, ? IT**

Item Number: 10470

Question Number(s): 4A15A

How much do you agree or disagree with each statement below?

A: One sees so few good or happy marriages that one questions it as a way of life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	20.3	510	1	DISAGREE: (1)
15.5	11.9	299	2	MOST DIS: (2)
27.6	21.1	530	3	NEITHER: (3)
18.7	14.3	360	4	MOST AGR: (4)
11.6	8.8	222	5	AGREE: (5)
	23.6	593	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 141-142

V4265**074A15B:GD LIV TG BF MRG**

Item Number: 10480

Question Number(s): 4A15B

How much do you agree or disagree with each statement below?

B: It is usually a good idea for a couple to live together
before getting married in order to find out whether they
really get along

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	10.7	268	1	DISAGREE: (1)
8.1	6.2	156	2	MOST DIS: (2)
12.4	9.5	239	3	NEITHER: (3)
27.7	21.3	535	4	MOST AGR: (4)
38.0	29.2	734	5	AGREE: (5)
	23.1	580	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 143-144

V4266**074A15C:1 PRTNR=RSTRCTVE**

Item Number: 10490

Question Number(s): 4A15C

How much do you agree or disagree with each statement below?

C: Having a close intimate relationship with only one partner
is too restrictive for the average person

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	35.7	898	1	DISAGREE: (1)
19.8	15.2	382	2	MOST DIS: (2)
17.1	13.1	328	3	NEITHER: (3)
10.5	8.0	202	4	MOST AGR: (4)
5.9	4.5	114	5	AGREE: (5)
	23.5	589	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 145-146

V4269**074A15D:RS CHLD + FR MAN**

Item Number: 10520

Question Number(s): 4A15D

How much do you agree or disagree with each statement below?

D: Being a father and raising children is one of the most fulfilling experiences a man can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	83	1	DISAGREE: (1)
3.5	3.4	86	2	MOST DIS: (2)
18.0	17.6	442	3	NEITHER: (3)
27.3	26.7	671	4	MOST AGR: (4)
47.8	46.7	1,174	5	AGREE: (5)
	2.3	58	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 147-148

V4448**074A15E:BNG MOTH V FULFL**

Item Number: 12170

Question Number(s): 4A15E

How much do you agree or disagree with each statement below?

E: Being a mother and raising children is one of the most fulfilling experiences a woman can have

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	80	1	DISAGREE: (1)
3.5	3.4	86	2	MOST DIS: (2)
15.0	14.6	368	3	NEITHER: (3)
24.4	23.7	596	4	MOST AGR: (4)
53.8	52.4	1,317	5	AGREE: (5)
	2.6	66	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 149-150

V4270

074A15F:MO SH B W CHL>TM

Item Number: 10530

Question Number(s): 4A15F

How much do you agree or disagree with each statement below?

F: Most mothers should spend more time with their children
than they do now1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	52	1	DISAGREE: (1)
4.8	4.7	118	2	MOST DIS: (2)
22.1	21.6	542	3	NEITHER: (3)
34.7	33.9	852	4	MOST AGR: (4)
36.4	35.6	894	5	AGREE: (5)
	2.2	56	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 151-152

V4449**074A15G:FTHR>TIME W CHLD**

Item Number: 12180

Question Number(s): 4A15G

How much do you agree or disagree with each statement below?

G: Most fathers should spend more time with their children
than they do now1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	39	1	DISAGREE: (1)
3.3	3.3	82	2	MOST DIS: (2)
17.0	16.6	417	3	NEITHER: (3)
34.4	33.6	845	4	MOST AGR: (4)
43.8	42.8	1,077	5	AGREE: (5)
	2.1	53	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 153-154

V4272

074A16 :#HRS TV/DAY/5+

Item Number: 10550

Question Number(s): 4A16

How much TV do you estimate you watch on an average weekday?

1="None" 2="Half-hour or less" 3="About one hour" 4="About two hours" 5="About three hours" 6="About four hours" 7="Five hours or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.3	134	1	NONE: (1)
16.1	15.6	392	2	1/2 HOUR: (2)
23.2	22.6	567	3	ONE HOUR: (3)
22.9	22.2	559	4	2 HOURS: (4)
14.0	13.6	342	5	3 HOURS: (5)
9.3	9.0	226	6	4 HOURS: (6)
9.2	8.9	224	7	5+ HRS: (7)
	2.8	70	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 155-156

V4273

074A17 :#BKS LAST YR/10+

Item Number: 10560

Question Number(s): 4A17

In the past year, how many books have you read just because you wanted to--that is, without their being assigned?

1="None" 2="One" 3="Two to five" 4="Six to nine" 5="Ten or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	23.6	592	1	NONE: (1)
17.2	16.9	425	2	ONE: (2)
37.2	36.5	918	3	2-5: (3)
9.6	9.4	236	4	6-9: (4)
12.1	11.9	299	5	10+: (5)
	1.6	41	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 157-158

V4274**074A18 :INTEREST IN GOVT**

Item Number: 06330

Question Number(s): 4A18

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.5	238	1	NO INTR:(1)
21.0	20.7	519	2	LIT INTR:(2)
43.1	42.4	1,065	3	SOM INTR:(3)
18.0	17.7	445	4	LOT INTR:(4)
8.1	8.0	201	5	VGRT INT:(5)
	1.8	44	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 159-160

V4275**074A19A:>INFLC LARG CORP**

Item Number: 10570

Question Number(s): 4A19A

Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

A: Large corporations?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.6	241	1	MCH LESS:(1)
24.6	24.0	604	2	LESS:(2)
31.9	31.1	783	3	SAME NOW:(3)
9.1	8.9	225	4	MORE:(4)
4.2	4.1	104	5	MCH MORE:(5)
20.3	19.9	499	8	NO OPIN:(8)
	2.3	57	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 161-162

V4276**074A19B:>INFLC LBR UNION**

Item Number: 10580

Question Number(s): 4A19B

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

B: Major labor unions?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	109	1	MCH LESS:(1)
12.1	11.9	298	2	LESS:(2)
33.3	32.5	817	3	SAME NOW:(3)
19.7	19.2	484	4	MORE:(4)
7.4	7.2	182	5	MCH MORE:(5)
23.0	22.5	566	8	NO OPIN:(8)
	2.3	57	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 163-164

V4277

074A19C:>INFLC CHURCHES

Item Number: 10590

Question Number(s): 4A19C

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

C: Churches and religious organizations?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.5	263	1	MCH LESS:(1)
11.1	10.8	273	2	LESS:(2)
28.0	27.3	687	3	SAME NOW:(3)
21.6	21.1	530	4	MORE:(4)
16.2	15.8	397	5	MCH MORE:(5)
12.4	12.1	305	8	NO OPIN:(8)
	2.3	58	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 165-166

V4278**074A19D:>INFLC NEWS MDIA**

Item Number: 10600

Question Number(s): 4A19D

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

D: The national news media (TV, magazines, news services)?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	16.8	422	1	MCH LESS:(1)
30.0	29.3	736	2	LESS:(2)
29.2	28.5	716	3	SAME NOW:(3)
8.4	8.2	206	4	MORE:(4)
4.7	4.5	114	5	MCH MORE:(5)
10.6	10.4	260	8	NO OPIN:(8)
	2.3	58	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 167-168

V4279**074A19E:>INFLC PRES&ADMN**

Item Number: 10610

Question Number(s): 4A19E

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

E: The Presidency and the administration?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"

8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.8	171	1	MCH LESS:(1)
15.6	15.2	383	2	LESS:(2)
38.0	37.2	934	3	SAME NOW:(3)
15.7	15.3	385	4	MORE:(4)
8.8	8.6	215	5	MCH MORE:(5)
15.0	14.7	369	8	NO OPIN:(8)
	2.3	57	-9	MISSING:(-9)

100.0	100.0	2,513	cases	(Wtd)
-------	-------	-------	-------	-------

Data type: numeric

Missing-data code: -9

Columns: 169-170

V4280

074A19F:>INFLC CONGRESS

Item Number: 10620

Question Number(s): 4A19F

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

F: The Congress--that is, the U.S. Senate and House of Representatives?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	107	1	MCH LESS:(1)
7.4	7.3	182	2	LESS:(2)
38.7	37.9	951	3	SAME NOW:(3)
23.1	22.6	568	4	MORE:(4)
8.7	8.5	215	5	MCH MORE:(5)
17.8	17.4	437	8	NO OPIN:(8)
	2.1	52	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 171-172

V4281

074A19G:>INFLC SUPRM CRT

Item Number: 10630

Question Number(s): 4A19G

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

G: The U.S. Supreme Court?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	74	1	MCH LESS:(1)
6.6	6.4	161	2	LESS:(2)
43.4	42.3	1,062	3	SAME NOW:(3)
19.8	19.3	486	4	MORE:(4)
8.5	8.3	208	5	MCH MORE:(5)
18.7	18.2	458	8	NO OPIN:(8)
	2.5	63	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 173-174

V4282

074A19H:>INFLC JUSTC SYS

Item Number: 10640

Question Number(s): 4A19H

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

H: All the courts and the justice system in general?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	77	1	MCH LESS:(1)
6.9	6.7	168	2	LESS:(2)
43.4	42.4	1,065	3	SAME NOW:(3)
21.0	20.5	516	4	MORE:(4)
7.1	6.9	174	5	MCH MORE:(5)
18.4	18.0	452	8	NO OPIN:(8)
	2.4	60	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 175-176

V4283**074A19I:>INFLC POLICE**

Item Number: 10650

Question Number(s): 4A19I

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

I: The police and other law enforcement agencies?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"

8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	126	1	MCH LESS:(1)
9.8	9.6	241	2	LESS:(2)
35.6	34.7	872	3	SAME NOW:(3)
23.8	23.2	584	4	MORE:(4)
11.8	11.5	289	5	MCH MORE:(5)
13.9	13.5	340	8	NO OPIN:(8)
	2.5	62	-9	MISSING:(-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 177-178

V4284**074A19J:>INFLC MILITARY**

Item Number: 10660

Question Number(s): 4A19J

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

J: The U.S. military?

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More"
8="No opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	139	1	MCH LESS:(1)
11.3	11.1	278	2	LESS:(2)
33.5	32.8	824	3	SAME NOW:(3)
19.9	19.4	488	4	MORE:(4)
14.0	13.7	343	5	MCH MORE:(5)
15.7	15.3	384	8	NO OPIN:(8)
	2.3	57	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 179-180

V4285**074A20A:ILGL AD MRJ PRIV**

Item Number: 10780

Question Number(s): 4A20A

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

A: Smoking marijuana (pot, weed) in private

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	46.3	1,163	1	NO: (1)
14.0	13.7	345	2	NOT SURE: (2)
38.8	38.0	956	3	YES: (3)
	2.0	50	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 181-182

V4286**074A20B:ILGL AD MRJ PUBL**

Item Number: 10790

Question Number(s): 4A20B

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

B: Smoking marijuana in public places

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.6	492	1	NO: (1)
10.6	10.4	261	2	NOT SURE: (2)
69.5	68.2	1,715	3	YES: (3)
	1.8	45	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 183-184

V4287**074A20C:ILGL AD LSD PRIV**

Item Number: 10800

Question Number(s): 4A20C

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

C: Taking LSD in private

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	21.9	549	1	NO: (1)
14.2	13.9	349	2	NOT SURE: (2)
63.5	62.2	1,563	3	YES: (3)
	2.1	52	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 185-186

V4288**074A20D:ILGL AD LSD PUBL**

Item Number: 10810

Question Number(s): 4A20D

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

D: Taking LSD in public places

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	13.0	326	1	NO: (1)
9.8	9.6	242	2	NOT SURE: (2)
76.9	75.2	1,891	3	YES: (3)
	2.2	55	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 187-188

V4453**074A20E:ILGL AD AM/SD PV**

Item Number: 10825

Question Number(s): 4A20E

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

E: Taking amphetamines (uppers) or sedatives (downers) in private

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	26.6	668	1	NO: (1)
18.6	18.2	458	2	NOT SURE: (2)
54.3	53.2	1,337	3	YES: (3)
	2.0	50	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 189-190

V4454**074A20F:ILGL AD AM/SD PB**

Item Number: 10835

Question Number(s): 4A20F

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

F: Taking amphetamines or sedatives in public places

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	13.9	350	1	NO: (1)
13.1	12.8	321	2	NOT SURE: (2)
72.7	71.3	1,791	3	YES: (3)
	2.0	51	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 191-192

V4291**074A20G:ILGL AD HRN PRIV**

Item Number: 10840

Question Number(s): 4A20G

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

G: Taking heroin in private

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	19.2	483	1	NO: (1)
7.9	7.7	194	2	NOT SURE: (2)
72.4	70.8	1,779	3	YES: (3)
	2.3	57	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 193-194

V4292**074A20H:ILGL AD HRN PUBL**

Item Number: 10850

Question Number(s): 4A20H

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

H: Taking heroin in public places

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.1	330	1	NO: (1)
4.8	4.7	119	2	NOT SURE: (2)
81.7	79.8	2,007	3	YES: (3)
	2.3	57	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 195-196

V4293**074A20I:ILGL AD DRNK PRV**

Item Number: 10860

Question Number(s): 4A20I

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

I: Getting drunk in private

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	63.3	1,590	1	NO: (1)
13.9	13.6	341	2	NOT SURE: (2)
21.4	21.0	527	3	YES: (3)
	2.2	55	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 197-198

V4294**074A20J:ILGL AD DRNK PBL**

Item Number: 10870

Question Number(s): 4A20J

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

J: Getting drunk in public places

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	31.5	792	1	NO: (1)
20.0	19.6	493	2	NOT SURE: (2)
47.8	46.8	1,177	3	YES: (3)
	2.0	50	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 199-200

V4295

074A20K:LAW 4 SMK TOBPUB

Item Number: 10760

Question Number(s): 4A20K

Do you think that people (who are 18 or older) should be prohibited by law from doing each of the following?

K: Smoking tobacco in certain specified public places

1="No" 2="Not Sure" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	38.5	966	1	NO: (1)
14.2	13.9	348	2	NOT SURE: (2)
46.5	45.4	1,141	3	YES: (3)
	2.3	57	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 201-202

V4296

074A21 :CRIME 2 USE MARJ

Item Number: 10880

Question Number(s): 4A21

In particular, there has been a great deal of public debate about whether marijuana use should be legal. Which of the following policies would you favor?

1="Using marijuana should be entirely legal" 2="It should be a minor violation--like a parking ticket--but not a crime"
3="It should be a crime" 4="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	28.4	713	1	LEGAL: (1)
28.1	27.3	687	2	TICKET: (2)
30.1	29.3	736	3	CRIME: (3)
12.8	12.4	312	4	DK: (4)
	2.6	65	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 203-204

V4297**074A22 :LEGAL 2 SELL MRJ**

Item Number: 10890

Question Number(s): 4A22

If it were legal for people to USE marijuana, should it also
be legal to SELL marijuana?

1="No" 2="Yes, but only to adults" 3="Yes, to anyone" 4="Don't
know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	29.0	728	1	NO: (1)
45.8	44.6	1,121	2	ADULTS: (2)
11.1	10.8	272	3	ANYONE: (3)
13.4	13.1	328	4	DK: (4)
	2.6	64	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 205-206

V4298

074A23 :USE<MJ IF LEGAL

Item Number: 10900

Question Number(s): 4A23

If marijuana were legal to use and legally available, which of the following would you be most likely to do?

1="Not use it, even if it were legal and available" 2="Try it"
 3="Use it about as often as I do now" 4="Use it more often
 than I do now" 5="Use it less than I do now" 6="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	59.6	1,499	1	NOT USE:(1)
8.9	8.6	217	2	TRY IT:(2)
15.2	14.8	373	3	AS OFTEN:(3)
5.5	5.3	134	4	MOR OFTN:(4)
1.5	1.5	38	5	LESS OFT:(5)
7.6	7.4	186	6	DK:(6)
	2.7	67	-9	MISSING:(-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 207-208

V4101**074B01 :EVR SMK CIG,REGL**

Item Number: 00760

Question Number(s): 4B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	51.9	1,303	1	NEVER: (1)
20.3	19.9	499	2	1-2X: (2)
11.8	11.6	291	3	OCCASNLY: (3)
5.3	5.2	130	4	REG PAST: (4)
9.8	9.6	242	5	REG NOW: (5)
	1.9	47	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 209-210

V4102

074B02 :#CIGS SMKD/30DAY

Item Number: 00780

Question Number(s): 4B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	78.1	1,962	1	NONE: (1)
7.6	7.4	187	2	<1 CIG/D: (2)
6.7	6.5	164	3	1-5/DAY: (3)
3.6	3.6	89	4	1/2PK/D: (4)
2.0	2.0	49	5	1 PK/DA: (5)
0.4	0.4	9	6	1 1/2 PK/D: (6)
0.1	0.1	3	7	2+ PKS/D: (7)
	2.0	49	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 211-212

V4103**074B03 :EVER DRINK**

Item Number: 00790

Question Number(s): 4B03

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	27.6	694	1	NO:(1)
71.4	68.9	1,733	2	YES:(2)
	3.4	86	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 213-214

V4104**074B04A:#X ALC/LIF SIPS**

Item Number: 00810

Question Number(s): 4B04A

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said no to header
question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	27.6	694	1	0 OCCAS: (1)
9.1	8.6	217	2	1-2X: (2)
11.5	10.9	275	3	3-5X: (3)
9.2	8.7	219	4	6-9X: (4)
10.8	10.3	258	5	10-19X: (5)
11.4	10.8	272	6	20-39X: (6)
19.2	18.4	461	7	40+OCCAS: (7)
	4.6	116	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 215-216

V4105**074B04B:#X ALC/ANN SIPS**

Item Number: 00820

Question Number(s): 4B04B

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	32.9	826	1	0 OCCAS: (1)
18.4	17.5	439	2	1-2X: (2)
11.9	11.3	284	3	3-5X: (3)
10.8	10.3	259	4	6-9X: (4)
11.9	11.3	284	5	10-19X: (5)
6.4	6.1	153	6	20-39X: (6)
6.1	5.8	146	7	40+OCCAS: (7)
	4.9	123	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 217-218

V4106**074B04C:#X ALC/30D SIPS**

Item Number: 00830

Question Number(s): 4B04C

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	54.7	1,374	1	0 OCCAS: (1)
20.2	19.3	485	2	1-2X: (2)
11.8	11.3	283	3	3-5X: (3)
5.6	5.4	135	4	6-9X: (4)
2.9	2.7	69	5	10-19X: (5)
0.7	0.7	16	6	20-39X: (6)
1.3	1.3	32	7	40+OCCAS: (7)
	4.7	119	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 219-220

V4107

074B05 :#X DRK ENF FL HI

Item Number: 00840

Question Number(s): 4B05

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	16.8	423	1	NONE: (1)
26.4	18.2	457	2	FEW: (2)
13.9	9.6	240	3	HALF: (3)
21.3	14.7	370	4	MOST: (4)
14.0	9.7	243	5	NRLY ALL: (5)
	31.0	779	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 221-222

V4108**074B06 :5+DRK ROW/LST 2W**

Item Number: 00850

Question Number(s): 4B06

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	70.4	1,768	1	NONE:(1)
10.0	9.4	237	2	ONCE:(2)
6.9	6.5	164	3	TWICE:(3)
6.0	5.6	141	4	3-5X:(4)
1.4	1.3	33	5	6-9X:(5)
1.1	1.1	27	6	10+ TIME:(6)
	5.7	144	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 223-224

V4115**074B07A: #XMJ+HS/LIFETIME**

Item Number: 00860

Question Number(s): 4B07A

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	56.3	1,416	1	0 OCCAS: (1)
9.7	9.4	235	2	1-2X: (2)
5.6	5.4	136	3	3-5X: (3)
3.6	3.4	86	4	6-9X: (4)
5.2	5.0	125	5	10-19X: (5)
4.5	4.4	110	6	20-39X: (6)
13.0	12.6	316	7	40+OCCAS: (7)
	3.5	88	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 225-226

V4116**074B07B: #XMJ+HS/LAST12MO**

Item Number: 00870

Question Number(s): 4B07B

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	65.6	1,649	1	0 OCCAS: (1)
10.1	9.7	244	2	1-2X: (2)
5.3	5.1	128	3	3-5X: (3)
3.3	3.1	79	4	6-9X: (4)
3.7	3.6	89	5	10-19X: (5)
3.2	3.0	76	6	20-39X: (6)
6.3	6.1	153	7	40+OCCAS: (7)
	3.8	95	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 227-228

V4117

074B07C: #XMJ+HS/LAST30DA

Item Number: 00880

Question Number(s): 4B07C

On how many occasions (if any) have you used marijuana
(weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	77.6	1,950	1	0 OCCAS: (1)
7.8	7.5	188	2	1-2X: (2)
3.1	3.0	75	3	3-5X: (3)
1.9	1.8	46	4	6-9X: (4)
2.3	2.2	55	5	10-19X: (5)
1.7	1.6	40	6	20-39X: (6)
2.5	2.4	60	7	40+OCCAS: (7)
	3.9	98	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 229-230

V4118**074B08A:#X LSD/LIFETIME**

Item Number: 00890

Question Number(s): 4B08A

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.8	2,382	1	0 OCCAS: (1)
1.6	1.5	38	2	1-2X: (2)
0.4	0.4	10	3	3-5X: (3)
0.3	0.3	7	4	6-9X: (4)
0.1	0.1	1	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.2	0.2	5	7	40+OCCAS: (7)
	2.7	68	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 231-232

V4119

074B08B:#X LSD/LAST 12MO

Item Number: 00900

Question Number(s): 4B08B

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.5	2,400	1	0 OCCAS: (1)
1.3	1.3	31	2	1-2X: (2)
0.1	0.1	3	3	3-5X: (3)
0.2	0.2	4	4	6-9X: (4)
0.1	0.0	1	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.7	69	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 233-234

V4120**074B08C:#X LSD/LAST 30DA**

Item Number: 00910

Question Number(s): 4B08C

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.7	2,431	1	0 OCCAS: (1)
0.3	0.2	6	2	1-2X: (2)
0.1	0.1	1	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.0	0.0	1	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.8	70	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 235-236

V4121**074B09A:#X PSYD/LIFETIME**

Item Number: 00920

Question Number(s): 4B09A

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	90.3	2,270	1	0 OCCAS: (1)
4.0	3.9	97	2	1-2X: (2)
1.5	1.5	36	3	3-5X: (3)
0.6	0.5	14	4	6-9X: (4)
0.4	0.4	9	5	10-19X: (5)
0.2	0.2	5	6	20-39X: (6)
0.5	0.5	13	7	40+OCCAS: (7)
	2.8	69	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 237-238

V4122**074B09B:#X PSYD/LAST12MO**

Item Number: 00930

Question Number(s): 4B09B

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	92.4	2,323	1	0 OCCAS:(1)
3.4	3.3	82	2	1-2X:(2)
0.7	0.6	16	3	3-5X:(3)
0.4	0.3	9	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	2.8	71	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 239-240

V4123

074B09C:#X PSYD/LAST30DA

Item Number: 00940

Question Number(s): 4B09C

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	95.8	2,407	1	0 OCCAS: (1)
0.8	0.8	20	2	1-2X: (2)
0.4	0.3	9	3	3-5X: (3)
0.2	0.1	4	4	6-9X: (4)
0.0	0.0	1	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.9	72	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 241-242

V4124	074R :#X COKE/LIFETIME
--------------	-------------------------------

Item Number: 00950

Question Number(s): 4B09X

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime? [item 22260]

and On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	89.8	2,257	1	0 OCCAS: (1)
3.1	3.0	75	2	1-2X: (2)
1.4	1.4	35	3	3-5X: (3)
0.5	0.5	12	4	6-9X: (4)
0.8	0.8	19	5	10-19X: (5)
0.4	0.4	10	6	20-39X: (6)
1.2	1.2	29	7	40+OCCAS: (7)
	3.0	76	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 243-244

V4125	074R :#X COKE/LAST12MO
-------	------------------------

Item Number: 00960

Question Number(s): 4B09Y

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months? [item 22270]

and On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	92.0	2,312	1	0 OCCAS: (1)
2.0	1.9	49	2	1-2X: (2)
1.3	1.2	31	3	3-5X: (3)
0.4	0.4	11	4	6-9X: (4)
0.6	0.5	14	5	10-19X: (5)
0.3	0.3	7	6	20-39X: (6)
0.5	0.5	11	7	40+OCCAS: (7)
	3.2	79	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 245-246

V4126	074R :#X COKE/LAST30DA
--------------	-------------------------------

Item Number: 00970

Question Number(s): 4B09Z

Component questions: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days? [item 22280]

and On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	95.0	2,388	1	0 OCCAS: (1)
1.0	1.0	26	2	1-2X: (2)
0.4	0.4	9	3	3-5X: (3)
0.1	0.1	3	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.2	0.2	5	7	40+OCCAS: (7)
	3.2	79	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 247-248

V4127

074B10A:#X AMPH/LIFETIME

Item Number: 00980

Question Number(s): 4B10A

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	85.9	2,159	1	0 OCCAS:(1)
4.0	3.9	98	2	1-2X:(2)
2.7	2.6	65	3	3-5X:(3)
1.2	1.1	29	4	6-9X:(4)
1.1	1.0	26	5	10-19X:(5)
1.0	0.9	24	6	20-39X:(6)
1.4	1.4	34	7	40+OCCAS:(7)
	3.2	79	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 249-250

V4128**074B10B: #X AMPH/LAST12MO**

Item Number: 00990

Question Number(s): 4B10B

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	89.6	2,253	1	0 OCCAS: (1)
3.3	3.2	81	2	1-2X: (2)
1.3	1.2	31	3	3-5X: (3)
1.1	1.1	27	4	6-9X: (4)
0.8	0.8	20	5	10-19X: (5)
0.5	0.5	12	6	20-39X: (6)
0.5	0.5	12	7	40+OCCAS: (7)
	3.1	79	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 251-252

V4129

074B10C: #X AMPH/LAST30DA

Item Number: 01000

Question Number(s): 4B10C

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	93.6	2,352	1	0 OCCAS: (1)
1.3	1.3	32	2	1-2X: (2)
1.1	1.0	26	3	3-5X: (3)
0.4	0.4	10	4	6-9X: (4)
0.4	0.4	10	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	3.2	79	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 253-254

V4436**074B11A:#X CRACK/LIFETIM**

Item Number: 22260

Question Number(s): 4B11A

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	94.9	2,385	1	0 OCCAS (1)
0.9	0.9	23	2	1-2X (2)
0.6	0.6	15	3	3-5X (3)
0.3	0.3	8	4	6-9X (4)
0.1	0.1	2	5	10-19X (5)
0.2	0.2	4	6	20-39X (6)
0.4	0.4	9	7	40+X (7)
	2.7	68	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 255-256

V4437**074B11B:#X CRACK/LAST12M**

Item Number: 22270

Question Number(s): 4B11B

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	95.7	2,405	1	0 OCCAS (1)
0.8	0.8	19	2	1-2X (2)
0.4	0.4	9	3	3-5X (3)
0.1	0.1	2	4	6-9X (4)
0.1	0.1	3	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.1	0.1	3	7	40+X (7)
	2.8	71	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 257-258

V4438**074B11C:#X CRACK/LAST30D**

Item Number: 22280

Question Number(s): 4B11C

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	96.4	2,424	1	0 OCCAS (1)
0.5	0.5	12	2	1-2X (2)
0.1	0.1	2	3	3-5X (3)
0.0	0.0	1	4	6-9X (4)
0.1	0.1	1	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.1	0.1	2	7	40+X (7)
	2.8	71	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 259-260

V4439**074B12A:#XOTH COKE/LIFE**

Item Number: 22320

Question Number(s): 4B12A

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	90.4	2,273	1	0 OCCAS (1)
3.3	3.2	80	2	1-2X (2)
0.9	0.9	22	3	3-5X (3)
0.6	0.6	14	4	6-9X (4)
0.6	0.6	16	5	10-19X (5)
0.3	0.3	8	6	20-39X (6)
1.0	1.0	24	7	40+X (7)
	3.0	76	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 261-262

V4440**074B12B:#XOTH COKE/12MO**

Item Number: 22330

Question Number(s): 4B12B

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	92.5	2,325	1	0 OCCAS (1)
2.0	1.9	48	2	1-2X (2)
1.0	0.9	23	3	3-5X (3)
0.4	0.4	9	4	6-9X (4)
0.4	0.4	11	5	10-19X (5)
0.3	0.3	7	6	20-39X (6)
0.4	0.4	10	7	40+X (7)
	3.2	79	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 263-264

V4441**074B12C:#XOTH COKE/30DA**

Item Number: 22340

Question Number(s): 4B12C

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	95.4	2,398	1	0 OCCAS (1)
0.9	0.9	22	2	1-2X (2)
0.3	0.3	6	3	3-5X (3)
0.1	0.1	2	4	6-9X (4)
0.1	0.1	2	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.1	0.1	4	7	40+X (7)
	3.2	79	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 265-266

V4133**074B13A:#X SED/BARB/LIFE**

Item Number: 01042

Question Number(s): 4B13A

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	88.9	2,233	1	0 OCCAS: (1)
3.2	3.2	79	2	1-2X: (2)
1.7	1.6	41	3	3-5X: (3)
0.9	0.8	21	4	6-9X: (4)
1.2	1.2	30	5	10-19X: (5)
0.4	0.4	9	6	20-39X: (6)
1.0	1.0	24	7	40+OCCAS: (7)
	3.0	75	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 267-268

V4134**074B13B:#X SED/BARB/12MO**

Item Number: 01052

Question Number(s): 4B13B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	91.4	2,298	1	0 OCCAS: (1)
2.8	2.7	67	2	1-2X: (2)
1.0	1.0	25	3	3-5X: (3)
0.9	0.9	22	4	6-9X: (4)
0.6	0.5	14	5	10-19X: (5)
0.2	0.2	4	6	20-39X: (6)
0.3	0.3	7	7	40+OCCAS: (7)
	3.0	76	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 269-270

V4135**074B13C:#X SED/BARB/30DA**

Item Number: 01062

Question Number(s): 4B13C

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	94.9	2,386	1	0 OCCAS: (1)
1.1	1.1	28	2	1-2X: (2)
0.5	0.5	13	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.3	0.3	7	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	3.1	78	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 271-272

V4136**074B14A:#X TRQL/LIFETIME**

Item Number: 01070

Question Number(s): 4B14A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	88.3	2,219	1	0 OCCAS: (1)
3.4	3.3	83	2	1-2X: (2)
1.9	1.9	47	3	3-5X: (3)
1.1	1.0	26	4	6-9X: (4)
1.1	1.1	27	5	10-19X: (5)
0.4	0.4	10	6	20-39X: (6)
0.9	0.9	23	7	40+OCCAS: (7)
	3.1	77	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 273-274

V4137

074B14B:#X TRQL/LAST12MO

Item Number: 01080

Question Number(s): 4B14B

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	91.2	2,292	1	0 OCCAS:(1)
2.8	2.7	67	2	1-2X:(2)
1.1	1.1	27	3	3-5X:(3)
0.8	0.8	20	4	6-9X:(4)
0.5	0.4	11	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	3.1	79	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 275-276

V4138

074B14C:#X TRQL/LAST30DA

Item Number: 01090

Question Number(s): 4B14C

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	94.5	2,375	1	0 OCCAS:(1)
1.3	1.2	31	2	1-2X:(2)
0.8	0.8	19	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.1	79	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 277-278

V4139**074B15A:#X "H"/LIFETIME**

Item Number: 01100

Question Number(s): 4B15A

On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	95.8	2,408	1	0 OCCAS: (1)
0.6	0.6	15	2	1-2X: (2)
0.1	0.1	3	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.2	0.2	4	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.2	80	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 279-280

V4140**074B15B:#X "H"/LAST 12MO**

Item Number: 01110

Question Number(s): 4B15B

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.2	2,418	1	0 OCCAS: (1)
0.4	0.4	10	2	1-2X: (2)
0.1	0.1	1	3	3-5X: (3)
0.1	0.1	3	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.1	0.1	1	7	40+OCCAS: (7)
	3.1	79	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 281-282

V4141**074B15C:#X "H"/LAST 30DA**

Item Number: 01120

Question Number(s): 4B15C

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	96.6	2,427	1	0 OCCAS: (1)
0.1	0.1	2	2	1-2X: (2)
0.1	0.1	2	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	3.2	80	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 283-284

V4142**074B16A:#X NARC/LIFETIME**

Item Number: 01130

Question Number(s): 4B16A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	82.9	2,083	1	0 OCCAS: (1)
5.2	5.0	127	2	1-2X: (2)
3.0	2.9	74	3	3-5X: (3)
1.9	1.8	45	4	6-9X: (4)
1.4	1.3	34	5	10-19X: (5)
1.1	1.0	26	6	20-39X: (6)
1.6	1.5	38	7	40+OCCAS: (7)
	3.5	87	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 285-286

V4143**074B16B:#X NARC/LAST12MO**

Item Number: 01140

Question Number(s): 4B16B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	87.2	2,192	1	0 OCCAS: (1)
4.2	4.0	101	2	1-2X: (2)
2.1	2.1	52	3	3-5X: (3)
1.0	1.0	25	4	6-9X: (4)
1.2	1.1	29	5	10-19X: (5)
0.5	0.5	12	6	20-39X: (6)
0.5	0.5	12	7	40+OCCAS: (7)
	3.6	90	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 287-288

V4144**074B16C:#X NARC/LAST30DA**

Item Number: 01150

Question Number(s): 4B16C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	93.0	2,338	1	0 OCCAS: (1)
1.6	1.5	39	2	1-2X: (2)
1.2	1.2	29	3	3-5X: (3)
0.4	0.4	9	4	6-9X: (4)
0.3	0.3	7	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.1	0.1	1	7	40+OCCAS: (7)
	3.5	89	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 289-290

V129**074B17A:#X METHAMPH/LIFE**

Item Number: 30800

Question Number(s): 4B17A

On how many occasions (if any) have you used methamphetamine
(meth, speed, crank, crystal meth) by any method . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	93.9	2,359	1	0 OCCAS: (1)
1.5	1.4	36	2	1-2X: (2)
0.2	0.2	5	3	3-5X: (3)
0.3	0.3	7	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.5	0.5	13	7	40+OCCAS: (7)
	3.5	89	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 291-292

V130**074B17B:#X METHAMPH/12MO**

Item Number: 30810

Question Number(s): 4B17B

On how many occasions (if any) have you used methamphetamine
(meth, speed, crank, crystal meth) by any method . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	94.8	2,382	1	0 OCCAS:(1)
0.9	0.9	21	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.6	91	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 293-294

V131**074B17C:#X METHAMPH/30DA**

Item Number: 30820

Question Number(s): 4B17C

On how many occasions (if any) have you used methamphetamine
(meth, speed, crank, crystal meth) by any method . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	95.8	2,408	1	0 OCCAS: (1)
0.3	0.2	6	2	1-2X: (2)
0.1	0.1	3	3	3-5X: (3)
0.1	0.1	4	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.6	91	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 295-296

V4450**074B18A:#X MDMA/LIFETIME**

Item Number: 22660

Question Number(s): 4B18A

On how many occasions (if any) have you used MDMA
("ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	90.9	2,285	1	0 OCCAS: (1)
3.0	2.9	72	2	1-2X: (2)
0.9	0.9	22	3	3-5X: (3)
0.6	0.6	14	4	6-9X: (4)
0.6	0.6	14	5	10-19X: (5)
0.2	0.2	6	6	20-39X: (6)
0.3	0.3	8	7	40+OCCAS: (7)
	3.6	92	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 297-298

V4451**074B18B:#X MDMA/LAST12MO**

Item Number: 22670

Question Number(s): 4B18B

On how many occasions (if any) have you used MDMA
("ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.4	2,323	1	0 OCCAS: (1)
2.5	2.4	61	2	1-2X: (2)
0.5	0.5	12	3	3-5X: (3)
0.3	0.3	7	4	6-9X: (4)
0.2	0.2	6	5	10-19X: (5)
0.2	0.2	6	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.8	96	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 299-300

V4452**074B18C:#X MDMA/LAST30DA**

Item Number: 22680

Question Number(s): 4B18C

On how many occasions (if any) have you used MDMA
("ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	94.9	2,384	1	0 OCCAS: (1)
0.9	0.9	21	2	1-2X: (2)
0.3	0.3	8	3	3-5X: (3)
0.1	0.1	4	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.8	96	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 301-302

V4148	074C01 (R) :AGE <>18 DICHOTOMY
--------------	---

Item Number:

Question Number(s): 4C01-2

Component questions: 1) "In what year were you born?" (item and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	40.8	1,025	1	< 18: (1)
58.0	56.3	1,416	2	18+: (2)
	2.9	72	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 303-304

V4150	074C03 :R'S SEX
--------------	------------------------

Item Number: 00030

Question Number(s): 4C03

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	42.8	1,076	1	MALE: (1)
54.1	50.5	1,270	2	FEMALE: (2)
	6.7	167	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 305-306

V4151

074C04 (R) : R'S RACEB/W/H

Item Number:

Question Number(s): 4C04A-I

How do you describe yourself? (Select one or more responses.)
 Black or African American; Mexican American or Chicano; Cuban
 American; Puerto Rican; Other Hispanic or Latino; Asian
 American; White (Caucasian); American Indian or Alaska Native;
 Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"
 = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
 "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All
 other responses, including those of respondents who fell into
 more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
 3="Hispanic" [see above].

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	11.7	293	1	BLACK: (1)
70.9	60.4	1,519	2	WHITE: (2)
15.4	13.2	331	3	HISPANIC: (3)
	14.8	371	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 307-308

V4152

074C05 :R SPD >TIM R-URB

Item Number: 00050

Question Number(s): 4C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.5	289	0	DK/MIXED: (0)
5.0	5.0	125	1	FARM: (1)
11.2	11.2	282	2	COUNTRY: (2)
25.5	25.5	640	3	SML TOWN: (3)
12.5	12.5	315	4	MED CITY: (4)
8.9	8.9	225	5	SUBURB: (5)
10.1	10.1	253	6	LRG CITY: (6)
6.2	6.2	156	7	SUBURB 6: (7)
4.9	4.9	122	8	VRYLG CY: (8)
4.3	4.3	107	9	SUBURB 8: (9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 309-310

V4153**074C06 :R NOT MARRIED**

Item Number: 00060

Question Number(s): 4C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	52	1	MARRIED: (1)
6.0	5.8	146	2	ENGAGED: (2)
1.6	1.6	40	3	SEP/DIV: (3)
90.2	87.6	2,203	4	SINGLE: (4)
	2.9	72	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 311-312

V49**07C07R:# SIBLINGS**

Item Number:

Question Number(s): 4C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.6	165	0	
26.4	25.6	644	1	
27.5	26.7	670	2	
39.3	38.2	960	3	3 OR MORE: (3)
	2.9	74	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 313-314

V4155**074C07Cb(R) :R'S HSHLD FATHER**

Item Number: 00090

Question Number(s): 4C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	27.3	686	0	NT MARKD: (0)
71.9	69.7	1,751	1	MARKED: (1)
	3.0	76	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 315-316

V4156**074C07Cc(R) :R'S HSHLD MOTHER**

Item Number: 00100

Question Number(s): 4C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.0	275	0	NT MARKD: (0)
88.7	86.0	2,162	1	MARKED: (1)
	3.0	76	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 317-318

V4157**074C07Cd(R) :R'S HSHLD BR/SR**

Item Number: 00110

Question Number(s): 4C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	31.8	798	0	NT MARKD: (0)
67.3	65.2	1,639	1	MARKED: (1)
	3.0	76	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 319-320

V4163**074C08 :FATHR EDUC LEVEL**

Item Number: 00310

Question Number(s): 4C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	78	1	GRDE SCH:(1)
10.0	9.7	244	2	SOME HS:(2)
27.3	26.4	664	3	HS GRAD:(3)
18.3	17.7	445	4	SOME CLG:(4)
20.3	19.6	493	5	CLG GRAD:(5)
12.0	11.6	292	6	GRAD SCH:(6)
8.9	8.7	218	7	DK:(7)
	3.2	81	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 321-322

V4164**074C09 :MOTHR EDUC LEVEL**

Item Number: 00320

Question Number(s): 4C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed
 college" 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.8	70	1	GRDE SCH:(1)
8.2	8.0	200	2	SOME HS:(2)
26.5	25.7	645	3	HS GRAD:(3)
20.4	19.7	496	4	SOME CLG:(4)
25.5	24.7	621	5	CLG GRAD:(5)
12.2	11.8	297	6	GRAD SCH:(6)
4.3	4.2	105	7	DK:(7)
	3.2	80	-9	MISSING:(-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 323-324

V4165

074C10 :MOTH PD JB R YNG

Item Number: 00330

Question Number(s): 4C10

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.1	354	1	NO: (1)
19.1	18.4	462	2	SOMETIME: (2)
18.4	17.7	445	3	MOSTTIME: (3)
47.8	46.0	1,157	4	ALL TIME: (4)
	3.8	95	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 325-326

V4166**074C11 :R'S POLTL PRFNC**

Item Number: 00340

Question Number(s): 4C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	8.8	221	1	STRG GOP: (1)
14.0	13.1	329	2	MILD GOP: (2)
13.2	12.3	309	3	MILD DEM: (3)
11.4	10.6	266	4	STRG DEM: (4)
10.1	9.4	237	5	INDEPNDT: (5)
14.2	13.2	332	6	NO PREF: (6)
2.0	1.8	46	7	OTHER: (7)
25.7	24.0	602	8	DK: (8)
	6.8	170	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 327-328

V4167

074C12 :R'POL BLF RADCL

Item Number: 00350

Question Number(s): 4C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of
 the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.0	102	1	VRV CONS:(1)
13.9	13.3	334	2	CONSERV:(2)
24.8	23.8	598	3	MODERATE:(3)
14.7	14.1	355	4	LIBERAL:(4)
4.2	4.1	102	5	VRV LIB:(5)
1.8	1.8	44	6	RADICAL:(6)
36.3	34.9	876	8	NONE/DK:(8)
	4.1	102	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 329-330

V4169**074C13B:R'ATTND REL SVC**

Item Number: 00370

Question Number(s): 4C13B

The next three questions are about religion.

B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	14.3	360	1	NEVER: (1)
36.2	27.5	690	2	RARELY: (2)
14.5	11.0	277	3	1-2X/MO: (3)
30.4	23.0	579	4	1/WK OR+: (4)
	24.2	607	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 331-332

V4170**074C13C:RLGN IMP R'S LF**

Item Number: 00380

Question Number(s): 4C13C

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
 4="Very important"

Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	15.1	380	1	NOT IMPT:(1)
24.4	18.4	464	2	LITL IMP:(2)
26.6	20.1	506	3	PRTY IMP:(3)
29.0	22.0	552	4	VERY IMP:(4)
	24.3	611	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 333-334

V4171

074C14 :WHEN R XPCT GRAD

Item Number: 00390

Question Number(s): 4C14

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	94.5	2,374	1	BY JUNE:(1)
1.7	1.6	40	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.4	0.3	9	6	WONT:(6)
	3.6	90	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 335-336

V4172

074C15 :R'S HS PROGRAM

Item Number: 00400

Question Number(s): 4C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	48.4	1,216	1	CLG PREP: (1)
33.0	31.7	796	2	GENERAL: (2)
7.3	7.0	177	3	VOC-TECH: (3)
9.2	8.8	221	4	OTH/DK: (4)
	4.1	103	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 337-338

V4173

074C16 :RT SF SCH AB>AVG

Item Number: 00410

Question Number(s): 4C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	28	1	FAR BLOW: (1)
2.0	1.9	47	2	BELOW AV: (2)
4.6	4.4	110	3	SL BELOW: (3)
33.8	32.3	811	4	AVERAGE: (4)
23.1	22.1	555	5	SL ABOVE: (5)
29.6	28.3	711	6	ABOVE AV: (6)
5.8	5.6	140	7	FAR ABOV: (7)
	4.4	111	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 339-340

V4174**074C17 :RT SF INTELL>AVG**

Item Number: 00420

Question Number(s): 4C17

How intelligent do you think you are compared with others
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	25	1	FAR BLOW: (1)
1.3	1.3	32	2	BELOW AV: (2)
4.3	4.1	103	3	SL BELOW: (3)
31.8	30.4	765	4	AVERAGE: (4)
24.7	23.7	595	5	SL ABOVE: (5)
29.4	28.2	708	6	ABOVE AV: (6)
7.5	7.2	180	7	FAR ABOV: (7)
	4.2	106	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 341-342

V4175**074C18A:#DA/4W SC MS ILL**

Item Number: 00430

Question Number(s): 4C18A

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	55.3	1,389	1	NONE: (1)
17.0	15.9	399	2	1 DAY: (2)
9.6	8.9	224	3	2 DAYS: (3)
6.5	6.0	152	4	3 DAYS: (4)
4.9	4.6	115	5	4-5 DAYS: (5)
1.6	1.5	38	6	6-10 DA: (6)
1.1	1.0	26	7	11+ DAYS: (7)
	6.8	172	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 343-344

V4176**074C18B:#DA/4W SC MS CUT**

Item Number: 00440

Question Number(s): 4C18B

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	64.6	1,624	1	NONE: (1)
12.8	11.7	294	2	1 DAY: (2)
6.5	6.0	150	3	2 DAYS: (3)
4.3	3.9	99	4	3 DAYS: (4)
3.0	2.8	70	5	4-5 DAYS: (5)
1.7	1.5	39	6	6-10 DA: (6)
1.3	1.2	31	7	11+ DAYS: (7)
	8.2	207	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 345-346

V4177

074C18C:#DA/4W SC MS OTH

Item Number: 00450

Question Number(s): 4C18C

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	51.8	1,303	1	NONE: (1)
19.7	18.4	462	2	1 DAY: (2)
11.4	10.6	267	3	2 DAYS: (3)
5.5	5.1	129	4	3 DAYS: (4)
4.8	4.5	113	5	4-5 DAYS: (5)
2.0	1.9	47	6	6-10 DA: (6)
1.1	1.0	26	7	11+ DAYS: (7)
	6.6	166	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 347-348

V4178**074C19 :#DA/4W SKP CLASS**

Item Number: 00460

Question Number(s): 4C19

During the LAST FOUR WEEKS, how often have you gone to school,
but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	64.0	1,608	1	NONE:(1)
19.8	19.0	478	2	1-2:(2)
8.4	8.1	203	3	3-5:(3)
3.6	3.5	87	4	6-10:(4)
0.7	0.7	17	5	11-20:(5)
0.8	0.7	18	6	21+:(6)
	4.0	101	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 349-350

V4179	074C20 :R HS GRADE/D=1
--------------	-------------------------------

Item Number: 00470

Question Number(s): 4C20

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
 1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	18	1	D: (1)
2.9	2.8	71	2	C-: (2)
5.3	5.1	128	3	C: (3)
8.3	7.9	199	4	C+: (4)
11.6	11.1	279	5	B-: (5)
17.8	17.0	427	6	B: (6)
19.7	18.9	474	7	B+: (7)
18.7	17.8	449	8	A-: (8)
15.0	14.3	360	9	A: (9)
	4.4	110	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 351-352

V4180

074C21A:R WL DO VOC/TEC

Item Number: 00480

Question Number(s): 4C21A

How likely is it that you will do each of the following things
after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	47.5	1,193	1	DEF WONT: (1)
24.6	22.5	565	2	PRB WONT: (2)
14.3	13.0	327	3	PRB WILL: (3)
9.0	8.2	207	4	DEF WILL: (4)
	8.8	222	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 353-354

V4181**074C21B:R WL DO ARMD FC**

Item Number: 00490

Question Number(s): 4C21B

How likely is it that you will do each of the following things
after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	66.1	1,661	1	DEF WONT: (1)
18.8	17.2	431	2	PRB WONT: (2)
5.3	4.8	121	3	PRB WILL: (3)
3.6	3.2	82	4	DEF WILL: (4)
	8.7	219	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 355-356

V4182**074C21C:R WL DO 2YR CLG**

Item Number: 00500

Question Number(s): 4C21C

How likely is it that you will do each of the following things
after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	33.5	842	1	DEF WONT: (1)
18.8	17.1	430	2	PRB WONT: (2)
23.3	21.2	532	3	PRB WILL: (3)
20.9	19.0	477	4	DEF WILL: (4)
	9.2	232	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 357-358

V4183

074C21D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 4C21D

How likely is it that you will do each of the following things
after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.9	173	1	DEF WONT: (1)
9.8	9.2	230	2	PRB WONT: (2)
24.3	22.7	570	3	PRB WILL: (3)
58.5	54.5	1,370	4	DEF WILL: (4)
	6.8	170	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 359-360

V4184

074C21E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 4C21E

How likely is it that you will do each of the following things
after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	15.2	382	1	DEF WONT: (1)
28.8	26.3	661	2	PRB WONT: (2)
33.2	30.4	763	3	PRB WILL: (3)
21.4	19.5	490	4	DEF WILL: (4)
	8.6	217	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 361-362

V4185**074C22A:R WNTDO VOC/TEC**

Item Number: 00530

Question Number(s): 4C22A

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	78.9	1,983	0	NT MARKD: (0)
16.2	15.2	382	1	MARKED: (1)
	5.9	148	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 363-364

V4186

074C22B:R WNTDO ARMD FC

Item Number: 00540

Question Number(s): 4C22B

How many of the following things would you WANT to do?
(Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	83.1	2,087	0	NT MARKD: (0)
11.8	11.1	278	1	MARKED: (1)
	5.9	148	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 365-366

V4187**074C22C:R WNTDO 2YR CLG**

Item Number: 00550

Question Number(s): 4C22C

How many of the following things would you WANT to do?
(Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	68.9	1,731	0	NT MARKD: (0)
26.8	25.2	635	1	MARKED: (1)
	5.9	148	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 367-368

V4188**074C22D:R WNTDO 4YR CLG**

Item Number: 00560

Question Number(s): 4C22D

How many of the following things would you WANT to do?
(Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	18.6	468	0	NT MARKD: (0)
80.2	75.5	1,897	1	MARKED: (1)
	5.9	148	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 369-370

V4189**074C22E:R WNTDO GRD/PRF**

Item Number: 00570

Question Number(s): 4C22E

How many of the following things would you WANT to do?
(Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	42.3	1,064	0	NT MARKD: (0)
55.0	51.8	1,302	1	MARKED: (1)
	5.9	148	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 371-372

V4190**074C22F:R WNTDO NONE**

Item Number: 00580

Question Number(s): 4C22F

How many of the following things would you WANT to do?
(Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	89.8	2,256	0	NT MARKD: (0)
4.6	4.4	110	1	MARKED: (1)
	5.9	148	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 373-374

V4191

074C23 :HRS/W WRK SCHYR

Item Number: 00590

Question Number(s): 4C23

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	26.4	664	1	NONE: (1)
9.8	9.3	233	2	5 OR <: (2)
10.0	9.4	237	3	6-10 HRS: (3)
11.4	10.8	271	4	11-15 HR: (4)
12.5	11.8	297	5	16-20 HR: (5)
10.9	10.3	259	6	21-25 HR: (6)
9.5	9.0	227	7	26-30 HR: (7)
8.1	7.7	193	8	30+ HRS: (8)
	5.3	133	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 375-376

V4192**074C24A:R\$/AVG WEEK JOB**

Item Number: 00600

Question Number(s): 4C24A

During an average week, how much money do you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	30.3	762	1	NONE: (1)
0.7	0.7	18	2	\$1-5: (2)
4.0	3.7	94	3	\$6-10: (3)
2.3	2.2	55	4	\$11-20: (4)
4.0	3.7	94	5	\$21-35: (5)
5.3	5.0	125	6	\$36-50: (6)
7.5	7.1	177	7	\$51-75: (7)
20.5	19.2	483	8	\$76-125: (8)
23.3	21.8	549	9	\$126+: (9)
	6.2	157	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 377-378

V4193**074C24B:R\$/AVG WEEK OTH**

Item Number: 00610

Question Number(s): 4C24B

During an average week, how much money do you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.2	38.4	965	1	NONE: (1)
4.9	4.4	112	2	\$1-5: (2)
8.5	7.7	194	3	\$6-10: (3)
15.8	14.4	361	4	\$11-20: (4)
10.6	9.7	243	5	\$21-35: (5)
6.7	6.1	153	6	\$36-50: (6)
4.0	3.6	91	7	\$51-75: (7)
2.8	2.6	65	8	\$76-125: (8)
4.6	4.2	105	9	\$126+: (9)
	8.9	224	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 379-380

V4194

074C25 :#X/AV WK GO OUT

Item Number: 00620

Question Number(s): 4C25

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"
6="Six or seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.4	262	1	< 1:(1)
14.5	13.7	343	2	ONE:(2)
28.8	27.1	680	3	TWO:(3)
22.3	20.9	526	4	THREE:(4)
14.8	13.9	350	5	4-5:(5)
8.5	8.0	200	6	6-7:(6)
	6.1	152	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 381-382

V4195	074C26 :#X DATE 3+/WK
--------------	------------------------------

Item Number: 00630

Question Number(s): 4C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	23.9	601	1	NEVER: (1)
19.2	17.9	451	2	1/MO OR<: (2)
16.0	14.9	375	3	2-3/MO: (3)
13.0	12.1	304	4	1/WK: (4)
16.3	15.3	383	5	2-3/WK: (5)
9.9	9.2	232	6	3+/WK: (6)
	6.6	166	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 383-384

V4196

074C27 :DRIVE>200 MI/WK

Item Number: 00640

Question Number(s): 4C27

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	18.9	474	1	NONE: (1)
8.1	7.6	191	2	1-10 MI: (2)
24.6	23.2	582	3	11-50: (3)
20.9	19.7	494	4	51-100: (4)
16.3	15.3	385	5	101-200: (5)
10.0	9.4	236	6	> 200: (6)
	6.0	150	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 385-386

V4197

074C28 :#X/12MO R TCKTD

Item Number: 00650

Question Number(s): 4C28

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	70.6	1,773	0	NONE:(0)
15.2	14.2	356	1	ONE:(1)
5.3	4.9	124	2	TWO:(2)
2.1	1.9	49	3	THREE:(3)
1.6	1.5	37	4	4+: (4)
	7.0	175	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 387-388

V4198**074C29AR:#TCKTS AFT DRNK**

Item Number: 00660

Question Number(s): 4C29A

How many of these tickets or warnings occurred after you
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	21.5	540	0	None: (0)
2.7	0.6	15	1	One: (1)
0.6	0.1	4	2	Two: (2)
0.4	0.1	2	3	3-4 or +: (3-4)
	77.7	1,952	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 389-390

V4199**074C29BR:#TCKTS AFT MARJ**

Item Number: 00670

Question Number(s): 4C29B

How many of these tickets or warnings occurred after you
were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	21.1	531	0	None: (0)
3.8	0.8	21	1	One: (1)
1.0	0.2	6	2	Two: (2)
0.4	0.1	2	3	3-4 or +: (3-4)
	77.7	1,953	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 391-392

V4200**074C29CR:#TCKTS AFT OTDG**

Item Number: 00680

Question Number(s): 4C29C

How many of these tickets or warnings occurred after you
were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	21.9	551	0	None: (0)
1.2	0.3	7	1	One: (1)
0.1	0.0	1	2	Two: (2)
0.2	0.1	1	3	3-4 or +: (3-4)
	77.7	1,954	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 393-394

V4201	074C30 :#ACCIDNTS/12 MO
-------	-------------------------

Item Number: 00690

Question Number(s): 4C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	74.0	1,861	0	NONE:(0)
15.8	14.6	367	1	ONE:(1)
3.7	3.5	87	2	TWO:(2)
0.5	0.5	11	3	THREE:(3)
0.2	0.2	5	4	4+:(4)
	7.2	181	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 395-396

V4202**074C31AR:#ACDTS AFT DRNK**

Item Number: 00700

Question Number(s): 4C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	18.0	453	0	None: (0)
2.0	0.4	9	1	One: (1)
0.6	0.1	3	2	Two: (2)
0.4	0.1	2	3	3-4 or +: (3-4)
	81.4	2,046	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 397-398

V4203**074C31BR:#ACDTS AFT MARJ**

Item Number: 00710

Question Number(s): 4C31B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	18.1	454	0	None: (0)
2.6	0.5	12	1	One: (1)
0.1	0.0	1	2	Two: (2)
0.2	0.0	1	3	3-4 or +: (3-4)
	81.4	2,045	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 399-400

V4204**074C31CR:#ACDTS AFT OTDG**

Item Number: 00720

Question Number(s): 4C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	18.3	461	0	None: (0)
0.0	0.0	0	1	One: (1)
0.1	0.0	1	2	Two: (2)
0.4	0.1	2	3	3-4 or +: (3-4)
	81.6	2,050	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 401-402

V4434**074D01A:# HRS PREF WORK**

Item Number: 25800

Question Number(s): 4D01A

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.2	157	1	NONE: (1)
4.7	4.3	109	2	5 OR < H: (2)
11.2	10.4	261	3	6-10: (3)
15.7	14.6	366	4	11-15: (4)
19.4	18.0	453	5	16-20: (5)
13.1	12.2	306	6	21-25: (6)
11.4	10.6	265	7	26-30: (7)
11.0	10.2	257	8	31+ HRS: (8)
6.9	6.4	161	9	DK: (9)
	7.1	178	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 403-404

V4435

074D01B:PRT #HR PREF WRK

Item Number: 25810

Question Number(s): 4D01B

How many hours per week do you think your PARENTS would prefer that you work in a paid job during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25" 7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.1	254	1	NONE: (1)
7.3	6.8	171	2	5 or < H: (2)
10.4	9.7	243	3	6-10: (3)
17.1	15.9	399	4	11-15: (4)
17.4	16.2	408	5	16-20: (5)
8.9	8.3	209	6	21-25: (6)
6.1	5.6	142	7	26-30: (7)
7.8	7.3	183	8	31+ HRS: (8)
14.1	13.1	330	9	DK: (9)
	6.9	174	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 405-406

V4385

074D02A:RCNT EMPLOYMT EXP

Item Number: 21530

Question Number(s): 4D02A

Which best describes your recent employment experience?

1="I have a paid job now." 2="No paid job now, but I had one during the past 3 months" 3="No paid job in the past three months--GO TO QUESTION 8" 4="Never had a paid job--GO TO QUESTION 8"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	54.7	1,375	1	JOB NOW: (1)
8.9	8.3	208	2	JOB 3MO: (2)
18.7	17.3	435	3	NOJOB 3M: (3)
13.3	12.3	309	4	NEVER: (4)
	7.4	187	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 407-408

V4432**074D02B:KIND OF PAID JOB**

Item Number: 25160

Question Number(s): 4D02B

Which of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

01="Have not worked for pay" 02="Lawn or yard work" 03="Fast food worker" 04="Waiter or waitress" 05="Other restaurant worker" 06="Newspaper route" 07="Babysitting or childcare" 08="Farm or agricultural work" 09="Store clerk or salesperson" 10="Office or clerical" 11="Odd jobs" 12="Other"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.1	28	1	HVNT WKD
3.7	2.4	59	2	LAWN
11.0	7.0	175	3	FASTFOOD
9.3	5.9	148	4	WAITER
9.5	6.0	151	5	OTH REST
0.4	0.2	6	6	PAPER RT
7.1	4.5	113	7	BABYSIT
3.2	2.0	51	8	FARM
20.8	13.2	331	9	SALES
6.6	4.2	105	10	OFFICE
2.0	1.3	32	11	ODD JOBS
24.5	15.4	388	12	OTHER
	36.9	927	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 409-411

V4300**074D02C: CMP SATFD W/JOB**

Item Number: 10910

Question Number(s): 4D02C

All things considered, how satisfied are (were) you with that job?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	3.7	93	1	COMP DIS: (1)
7.7	4.6	117	2	QUITE DS: (2)
7.0	4.3	107	3	SMWT DIS: (3)
14.5	8.8	220	4	NEITHER: (4)
20.4	12.3	310	5	SMWT SAT: (5)
30.8	18.6	468	6	QUITE ST: (6)
13.6	8.2	207	7	COMP SAT: (7)
	39.5	992	-9	MISSING: (-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 412-413

V4386

074D03 : JOB-#HRS/WEEK

Item Number: 21540

Question Number(s): 4D03

The next questions are about your present or most recent paid job. (If you presently hold more than one paid job, answer for the more important one.) On the average, how many hours per week do (did) you work on this particular job?

1="5 or less hours" 2="6 to 10 hours" 3="11 to 15 hours" 4="16 to 20 hours" 5="21 to 25 hours" 6="26 to 30 hours" 7="31 to 35 hours" 8="36 or more hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	7.0	175	1	5 OR <: (1)
12.8	8.6	217	2	6-10 HRS: (2)
18.1	12.1	305	3	11-15 HR: (3)
18.0	12.1	304	4	16-20 HR: (4)
15.2	10.2	257	5	21-25 HR: (5)
12.5	8.4	211	6	26-30 HR: (6)
6.1	4.1	103	7	31-35 HR: (7)
6.9	4.6	116	8	36+ HRS: (8)
	32.9	826	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 414-415

V4387

074D04 :JOB-SUPERVSR AGE

Item Number: 21550

Question Number(s): 4D04

About how old is (was) your supervisor?

1="Age 20 or younger" 2="21 to 25" 3="26 to 30" 4="31 or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	2.4	60	1	20 OR <:(1)
12.2	8.1	203	2	21-25:(2)
19.5	13.0	326	3	26-30:(3)
64.7	43.0	1,080	4	31+ YRS:(4)
	33.6	843	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 416-417

V4388

074D05 :JOB-#WKRS OWN AG

Item Number: 21560

Question Number(s): 4D05

How many of the other workers are within 2 or 3 years of your own age?

1="None" 2="A few" 3="About half" 4="Most" 5="Nearly all"
6="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	11.3	283	1	NONE: (1)
29.6	19.5	491	2	A FEW: (2)
17.4	11.5	288	3	ABT HALF: (3)
17.1	11.3	283	4	MOST: (4)
13.8	9.1	228	5	NRLY ALL: (5)
5.1	3.4	85	6	ALL: (6)
	34.0	855	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 418-419

V4403**074D06 :JOB-TCHR HELP GT**

Item Number: 21710

Question Number(s): 4D06

To what extent did any high school teacher or counselor help
you get this job?

1="Not At All" 2="A Little" 3="Some Extent" 4="Considerable
Extent" 5="A Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	59.0	1,483	1	NOT @ALL: (1)
3.6	2.4	60	2	A LITTLE: (2)
3.6	2.4	59	3	SOME: (3)
1.4	0.9	22	4	CNSIDRBL: (4)
2.2	1.5	37	5	GREAT: (5)
	33.9	852	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 420-421

V4404**074D07 :JOB-WORK STUDY**

Item Number: 21720

Question Number(s): 4D07

Is (was) this job part of a work-study program?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	5.7	143	1	YES:(1)
91.4	60.6	1,523	2	NO:(2)
	33.7	847	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 422-423

V4455

074D08:EVER AD STIM DR

Item Number: 31460

Question Number(s): 4D08

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Cylert, and others. Have you ever taken any of these stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil.)

1="No--GO TO QUESTION 11" 2="Yes, in the past, but not now"
3="Yes, I take them now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	83.8	2,106	1	NO: (1)
5.4	4.9	124	2	YES PAST: (2)
2.3	2.1	53	3	YES NOW: (3)
	9.2	230	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 424-425

V4456**074D09:AGE 1ST AD STIM**

Item Number: 31470

Question Number(s): 4D09

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 yrs. old" 2="5-9" 3="10-14" 4="15+ yrs. old"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.5	13	1	1-4 YRS:(1)
35.5	2.5	62	2	5-9:(2)
25.1	1.7	44	3	10-14:(3)
31.7	2.2	55	4	15+ YRS:(4)
	93.1	2,339	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 426-427

V4457

074D10:# YRS TK AD STIM

Item Number: 31480

Question Number(s): 4D10

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 yr." 2="1 year" 3="2 yrs." 4="3-5 yrs." 5="6-9 yrs." 6="10 or more yrs."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	1.9	48	1	<1 YEAR: (1)
6.7	0.5	12	2	1 YEAR: (2)
17.8	1.2	31	3	2 YRS: (3)
22.8	1.6	40	4	3-5 YRS: (4)
16.0	1.1	28	5	6-9 YRS: (5)
9.1	0.6	16	6	10+ YRS: (6)
	93.1	2,339	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 428-429

V4458**074D11:EVER AD NONSTIM**

Item Number: 31490

Question Number(s): 4D11

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, or Tofranil)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	79.4	1,997	1	NO: (1)
4.7	4.3	107	2	YES PAST: (2)
1.9	1.7	42	3	YES NOW: (3)
5.3	4.7	119	8	DONT KNOW: (8)
	9.9	248	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 430-431

V4301

074D12A:I CNT CHNG WORLD

Item Number: 10920

Question Number(s): 4D12A

People have different opinions about world problems. How much do you agree or disagree with each of the following statements?

A: I feel that I can do very little to change the way the world is today

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	14.5	365	1	DISAGREE: (1)
23.7	21.4	539	2	MOST DIS: (2)
25.3	22.8	574	3	NEITHER: (3)
22.9	20.7	520	4	MOST AGR: (4)
12.0	10.8	272	5	AGREE: (5)
	9.7	243	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 432-433

V4302**074D12B:SOCTY WONT LAST**

Item Number: 10930

Question Number(s): 4D12B

How much do you agree or disagree with each of the following statements?

B: It does little good to clean up air and water pollution because this society will not last long enough for it to matter

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	31.7	798	1	DISAGREE: (1)
25.0	22.6	567	2	MOST DIS: (2)
21.0	18.9	475	3	NEITHER: (3)
11.8	10.6	267	4	MOST AGR: (4)
7.0	6.3	159	5	AGREE: (5)
	9.8	247	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 434-435

V4303**074D12C:THG TUF,TCHN SLV**

Item Number: 10940

Question Number(s): 4D12C

How much do you agree or disagree with each of the following statements?

C: When things get tough enough, we'll put our minds to it and find a technological solution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.4	161	1	DISAGREE: (1)
8.4	7.6	191	2	MOST DIS: (2)
29.7	26.7	671	3	NEITHER: (3)
37.6	33.8	849	4	MOST AGR: (4)
17.2	15.4	388	5	AGREE: (5)
	10.1	254	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 436-437

V4304**074D12D:NO HOPE 4 WORLD**

Item Number: 10950

Question Number(s): 4D12D

How much do you agree or disagree with each of the following statements?

D: When I think about all the terrible things that have been happening, it is hard for me to hold out much hope for the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	15.4	387	1	DISAGREE: (1)
24.1	21.6	543	2	MOST DIS: (2)
29.4	26.4	664	3	NEITHER: (3)
20.5	18.4	462	4	MOST AGR: (4)
9.0	8.1	202	5	AGREE: (5)
	10.1	255	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 438-439

V4305

074D12E:WNR PURPS 2 LIF

Item Number: 10960

Question Number(s): 4D12E

How much do you agree or disagree with each of the following statements?

E: I often wonder if there is any real purpose to my life in light of the world situation

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	27.9	702	1	DISAGREE: (1)
18.1	16.2	406	2	MOST DIS: (2)
29.0	26.0	654	3	NEITHER: (3)
14.0	12.5	315	4	MOST AGR: (4)
7.7	6.9	174	5	AGREE: (5)
	10.4	262	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 440-441

V4306**074D12F:WRLD UPHVL 10 YR**

Item Number: 10970

Question Number(s): 4D12F

How much do you agree or disagree with each of the following statements?

F: My guess is that this country will be caught up in a major world upheaval in the next 10 years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	9.9	249	1	DISAGREE: (1)
11.8	10.6	265	2	MOST DIS: (2)
39.7	35.4	889	3	NEITHER: (3)
23.8	21.2	533	4	MOST AGR: (4)
13.6	12.1	304	5	AGREE: (5)
	10.9	273	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 442-443

V4307

074D12G:ANNIHLTN IN LFTM

Item Number: 10980

Question Number(s): 4D12G

How much do you agree or disagree with each of the following statements?

G: Nuclear or biological annihilation will probably be the fate of all mankind, within my lifetime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	22.4	563	1	DISAGREE: (1)
19.2	17.1	431	2	MOST DIS: (2)
37.5	33.4	840	3	NEITHER: (3)
10.9	9.7	244	4	MOST AGR: (4)
7.3	6.5	163	5	AGREE: (5)
	10.9	273	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 444-445

V4308**074D12H:HMN RCE RSILIENT**

Item Number: 10990

Question Number(s): 4D12H

How much do you agree or disagree with each of the following statements?

H: The human race has come through tough times before, and will do so again

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.5	138	1	DISAGREE: (1)
5.3	4.7	119	2	MOST DIS: (2)
29.0	25.9	651	3	NEITHER: (3)
34.7	31.0	779	4	MOST AGR: (4)
24.9	22.3	559	5	AGREE: (5)
	10.6	267	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 446-447

V4309

074D13A:#X BEER/LIFETIME

Item Number: 11000

Question Number(s): 4D13A

The next questions are about alcohol use -- this time asking separately about beer, wine, wine coolers, and hard liquor. On how many occasions (if any) have you had beer to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	26.1	656	1	0 OCCAS: (1)
14.9	12.1	303	2	1-2X: (2)
9.7	7.8	197	3	3-5X: (3)
6.6	5.3	134	4	6-9X: (4)
9.5	7.7	194	5	10-19X: (5)
9.4	7.6	192	6	20-39X: (6)
17.5	14.2	357	7	40+OCCAS: (7)
	19.2	481	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 448-449

V4310**074D13B:#X BEER/LAST12MO**

Item Number: 11010

Question Number(s): 4D13B

On how many occasions (if any) have you had beer to
drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	35.8	900	1	0 OCCAS: (1)
14.3	11.4	287	2	1-2X: (2)
9.6	7.6	192	3	3-5X: (3)
8.1	6.4	162	4	6-9X: (4)
10.8	8.6	216	5	10-19X: (5)
6.0	4.8	121	6	20-39X: (6)
6.4	5.1	128	7	40+OCCAS: (7)
	20.2	507	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 450-451

V4311**074D13C:#X BEER/LAST30DA**

Item Number: 11020

Question Number(s): 4D13C

On how many occasions (if any) have you had beer to
drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	50.8	1,278	1	0 OCCAS: (1)
14.6	11.7	293	2	1-2X: (2)
10.6	8.5	212	3	3-5X: (3)
6.1	4.9	123	4	6-9X: (4)
2.9	2.3	57	5	10-19X: (5)
1.0	0.8	20	6	20-39X: (6)
1.0	0.8	20	7	40+OCCAS: (7)
	20.3	509	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 452-453

V4312**074D14 : 5+BR/LST2WK,10+X**

Item Number: 11030

Question Number(s): 4D14

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce cans of beer (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	62.1	1,560	1	NONE: (1)
7.7	6.1	153	2	ONCE: (2)
5.9	4.7	119	3	TWICE: (3)
5.8	4.6	117	4	3-5X: (4)
1.3	1.1	26	5	6-9X: (5)
1.0	0.8	20	6	10+ TIME: (6)
	20.6	519	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 454-455

V4428**074D15A:#X WIN COOL/LIFE**

Item Number: 22620

Question Number(s): 4D15A

On how many occasions (if any) have you had wine cooler(s)
to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	40.8	1,025	1	0 OCCAS: (1)
15.7	12.7	320	2	1-2X: (2)
11.8	9.5	240	3	3-5X: (3)
7.6	6.2	155	4	6-9X: (4)
6.1	5.0	125	5	10-19X: (5)
4.3	3.5	88	6	20-39X: (6)
3.9	3.1	79	7	40+OCCAS: (7)
	19.2	482	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 456-457

V4429**074D15B:#X WIN COOL/12MO**

Item Number: 22630

Question Number(s): 4D15B

On how many occasions (if any) have you had wine cooler(s)
to drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	55.0	1,383	1	0 OCCAS: (1)
15.2	12.2	307	2	1-2X: (2)
6.9	5.5	138	3	3-5X: (3)
4.2	3.3	84	4	6-9X: (4)
2.3	1.8	46	5	10-19X: (5)
1.4	1.1	29	6	20-39X: (6)
1.3	1.1	27	7	40+OCCAS: (7)
	19.9	499	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 458-459

V4430**074D15C:#X WIN COOL/30DA**

Item Number: 22640

Question Number(s): 4D15C

On how many occasions (if any) have you had wine cooler(s)
to drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	70.1	1,762	1	0 OCCAS: (1)
8.2	6.6	166	2	1-2X: (2)
1.7	1.3	34	3	3-5X: (3)
1.0	0.8	20	4	6-9X: (4)
0.9	0.7	18	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.5	0.4	11	7	40+OCCAS: (7)
	19.9	500	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 460-461

V4431**074D16 : 5+WINCOOL/LST2WK**

Item Number: 22650

Question Number(s): 4D16

Think back over the LAST TWO WEEKS. How many times have you had five or more 12-ounce bottles of wine cooler (or the equivalent) in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	74.1	1,862	1	NONE: (1)
2.3	1.8	45	2	ONCE: (2)
1.6	1.3	32	3	TWICE: (3)
0.9	0.7	18	4	3-5X: (4)
0.4	0.3	8	5	6-9X: (5)
0.5	0.4	10	6	10+ TIME: (6)
	21.4	538	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 462-463

V4313**074D17A:#X WINE/LIFETIME**

Item Number: 11040

Question Number(s): 4D17A

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	39.3	987	1	0 OCCAS: (1)
20.0	16.0	402	2	1-2X: (2)
12.9	10.4	260	3	3-5X: (3)
6.5	5.2	130	4	6-9X: (4)
5.3	4.2	106	5	10-19X: (5)
2.5	2.0	49	6	20-39X: (6)
3.8	3.0	76	7	40+OCCAS: (7)
	20.0	502	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 464-465

V4314**074D17B:#X WINE/LAST12MO**

Item Number: 11050

Question Number(s): 4D17B

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	51.8	1,301	1	0 OCCAS: (1)
19.8	15.9	398	2	1-2X: (2)
6.9	5.5	138	3	3-5X: (3)
3.8	3.0	76	4	6-9X: (4)
2.5	2.0	50	5	10-19X: (5)
0.8	0.7	17	6	20-39X: (6)
1.4	1.1	28	7	40+OCCAS: (7)
	20.1	505	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 466-467

V4315

074D17C:#X WINE/LAST30DA

Item Number: 11060

Question Number(s): 4D17C

On how many occasions (if any) have you had wine to drink, not counting wine coolers . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	68.5	1,723	1	0 OCCAS: (1)
8.8	7.0	177	2	1-2X: (2)
3.0	2.4	61	3	3-5X: (3)
1.1	0.8	21	4	6-9X: (4)
0.6	0.5	12	5	10-19X: (5)
0.1	0.0	1	6	20-39X: (6)
0.5	0.4	10	7	40+OCCAS: (7)
	20.2	508	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 468-469

V4316

074D18 :#X 20OZ+ WN/2 WK

Item Number: 11070

Question Number(s): 4D18

Think back over the LAST TWO WEEKS. How many times have you had five or more 4-ounce glasses of wine in a row (or the equivalent, which is about three-fourths of a bottle)?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	74.6	1,875	1	NONE: (1)
2.5	2.0	49	2	ONCE: (2)
1.5	1.2	29	3	TWICE: (3)
0.7	0.6	15	4	3-5X: (4)
0.1	0.1	2	5	6-9X: (5)
0.3	0.3	7	6	10+ TIME: (6)
	21.4	537	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 470-471

V4317

074D19A:#X LIQR/LIFETIME

Item Number: 11080

Question Number(s): 4D19A

The next questions are about hard liquor. (Hard liquor includes whiskey, Scotch, bourbon, gin, vodka, rum, etc., or mixed drinks made with liquor.) On how many occasions (if any) have you had liquor to drink . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	26.9	675	1	0 OCCAS:(1)
10.4	8.2	206	2	1-2X:(2)
10.6	8.4	210	3	3-5X:(3)
9.3	7.4	186	4	6-9X:(4)
11.8	9.4	236	5	10-19X:(5)
9.9	7.8	197	6	20-39X:(6)
14.1	11.2	281	7	40+OCCAS:(7)
	20.8	523	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 472-473

V4318**074D19B:#X LIQR/LAST12MO**

Item Number: 11090

Question Number(s): 4D19B

On how many occasions (if any) have you had liquor to
drink . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	34.1	857	1	0 OCCAS: (1)
15.6	12.3	310	2	1-2X: (2)
11.7	9.3	233	3	3-5X: (3)
10.6	8.4	210	4	6-9X: (4)
9.2	7.3	182	5	10-19X: (5)
4.5	3.6	89	6	20-39X: (6)
5.4	4.3	107	7	40+OCCAS: (7)
	20.9	525	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 474-475

V4319

074D19C:#X LIQR/LAST30DA

Item Number: 11100

Question Number(s): 4D19C

On how many occasions (if any) have you had liquor to
drink . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	52.2	1,312	1	0 OCCAS: (1)
17.5	13.8	347	2	1-2X: (2)
8.9	7.0	176	3	3-5X: (3)
3.8	3.0	76	4	6-9X: (4)
2.2	1.8	44	5	10-19X: (5)
0.5	0.4	10	6	20-39X: (6)
0.9	0.7	19	7	40+OCCAS: (7)
	21.1	529	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 476-477

V4320

074D20 :#X 5+LIQ/LST 2WK

Item Number: 11110

Question Number(s): 4D20

Think back over the LAST TWO WEEKS. How many times have you had five or more mixed drinks or shot glasses of hard liquor in a row?

1="None" 2="Once" 3="Twice" 4="Three to five times" 5="Six to nine times" 6="Ten or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	58.3	1,464	1	NONE: (1)
9.6	7.2	182	2	ONCE: (2)
5.5	4.1	104	3	TWICE: (3)
5.0	3.8	95	4	3-5X: (4)
1.2	0.9	23	5	6-9X: (5)
1.6	1.2	30	6	10+ TIME: (6)
	24.5	616	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 478-479

V4445**074D21:COST MJ/OZ.\$500+**

Item Number: 20506

Question Number(s): 4D21

The next questions are on another topic. Do you know about
how much an ounce of marijuana would cost in your area?

88="Don't Know" 1="Less than \$50" 2="\$50 - \$99" 3="\$100 -
\$149" 4="\$150 - \$199" 5="\$200 - \$249" 6="\$250 - \$299" 7="\$300
- \$399" 8="\$400 - \$499" 9="\$500 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	8.5	213	1	< \$50 (1)
7.5	6.7	167	2	\$50-\$99(2)
6.4	5.7	142	3	\$100-\$149(3)
2.9	2.5	63	4	\$150-\$199(4)
2.1	1.9	47	5	\$200-\$249(5)
1.5	1.3	33	6	\$250-\$299(6)
1.4	1.2	31	7	\$300-\$399(7)
0.4	0.4	10	8	\$400-\$499(8)
0.4	0.4	9	9	\$500 or more(9)
67.7	59.7	1,500	88	Dont know(88)
	11.8	298	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 480-482

V4446**074D22:DRG SL NBHD/12MO**

Item Number: 30880

Question Number(s): 4D22

During the past 12 months, how often have you seen people
selling illegal drugs in your neighborhood?

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	54.3	1,365	1	NEVER: (1)
14.9	13.1	328	2	FEW X/YR: (2)
8.3	7.3	183	3	1-2X/MO: (3)
7.5	6.6	166	4	1+X/WEEK: (4)
7.5	6.6	166	5	ALMST DALY: (5)
	12.1	305	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 483-484

V4321**074E01A:MLTRY GET AHEAD**

Item Number: 11120

Question Number(s): 4E01A

These next questions ask for your opinions about the military services in the United States. To what extent do you think the following opportunities are available to people who work in the military services?

A: A chance to get ahead

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	9.7	244	1	VLIT EXT:(1)
11.7	10.0	251	2	LITL EXT:(2)
42.4	36.3	912	3	SM EXTNT:(3)
20.4	17.4	438	4	GRT EXT:(4)
14.1	12.1	303	5	VGRT EXT:(5)
	14.5	364	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 485-486

V4322**074E01B:MLTRY MORE ED**

Item Number: 11130

Question Number(s): 4E01B

To what extent do you think the following opportunities are available to people who work in the military services?

B: A chance to get more education

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	7.1	180	1	VLIT EXT:(1)
10.2	8.7	218	2	LITL EXT:(2)
34.4	29.4	740	3	SM EXTNT:(3)
29.4	25.1	631	4	GRT EXT:(4)
17.7	15.1	379	5	VGRT EXT:(5)
	14.5	365	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 487-488

V4323

074E01C:MLTRY ADVNC RESP

Item Number: 11140

Question Number(s): 4E01C

To what extent do you think the following opportunities are available to people who work in the military services?

C: A chance to advance to a more responsible position

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	5.9	149	1	VLIT EXT:(1)
8.2	7.0	175	2	LITL EXT:(2)
30.7	26.2	657	3	SM EXTNT:(3)
33.5	28.5	716	4	GRT EXT:(4)
20.7	17.7	444	5	VGRT EXT:(5)
	14.8	371	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 489-490

V4324**074E01D:MLTRY >FLFLLG JB**

Item Number: 11150

Question Number(s): 4E01D

To what extent do you think the following opportunities are available to people who work in the military services?

D: A chance to have a personally more fulfilling job

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.0	200	1	VLIT EXT:(1)
11.1	9.5	239	2	LITL EXT:(2)
31.8	27.1	682	3	SM EXTNT:(3)
29.1	24.8	623	4	GRT EXT:(4)
18.7	15.9	400	5	VGRT EXT:(5)
	14.7	369	-9	MISSING:(-9)

 100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 491-492

V4325**074E01E:MLTRY IDEAS HERD**

Item Number: 11160

Question Number(s): 4E01E

To what extent do you think the following opportunities are available to people who work in the military services?

E: A chance to get their ideas heard

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	16.1	404	1	VLIT EXT:(1)
18.2	15.4	387	2	LITL EXT:(2)
33.6	28.4	715	3	SM EXTNT:(3)
17.3	14.7	369	4	GRT EXT:(4)
11.9	10.1	253	5	VGRT EXT:(5)
	15.3	386	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 493-494

V4326**074E02 :EXTNT MLTRY JSTC**

Item Number: 11170

Question Number(s): 4E02

To what extent is it likely that a person in the military
can get things changed and set right if treated unjustly
by a superior?

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some
Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	16.8	423	1	VLIT EXT:(1)
23.5	19.8	498	2	LITL EXT:(2)
37.9	31.9	801	3	SM EXTNT:(3)
12.6	10.6	266	4	GRT EXT:(4)
6.0	5.0	126	5	VGRT EXT:(5)
	15.8	398	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 495-496

V4327

074E03 :MLTRY DSCRM WOMN

Item Number: 11180

Question Number(s): 4E03

To what extent do you think there is any discrimination
against women who are in the armed services?

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some
Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	12.4	312	1	VLIT EXT:(1)
20.1	16.9	425	2	LITL EXT:(2)
38.9	32.8	823	3	SM EXTNT:(3)
17.3	14.6	367	4	GRT EXT:(4)
9.0	7.6	190	5	VGRT EXT:(5)
	15.8	396	-9	MISSING:(-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 497-498

V4328**074E04 :MLTRY DSCRM BLKS**

Item Number: 11190

Question Number(s): 4E04

To what extent do you think there is any discrimination
against African-American people who are in the armed
services?

1="To a Very Little Extent" 2="To a Little Extent" 3="To Some
Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	23.1	580	1	VLIT EXT:(1)
24.5	20.6	517	2	LITL EXT:(2)
34.3	28.8	724	3	SM EXTNT:(3)
8.6	7.2	182	4	GRT EXT:(4)
5.2	4.4	111	5	VGRT EXT:(5)
	15.9	399	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 499-500

V4433**074E05 :NT VOL 4 NEC WAR**

Item Number: 11220

Question Number(s): 4E05

If YOU felt that it was necessary for the U.S. to fight in some future war, how likely is it that you would volunteer for military service in that war?

1="I'm sure that I would volunteer" 2="I would very likely volunteer" 3="I would probably volunteer" 4="I would probably NOT volunteer" 5="I would very likely NOT volunteer" 6="I would definitely NOT volunteer" 7="In my opinion, there is no such thing as a 'necessary' war"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	9.4	235	1	DEF VOLN: (1)
3.1	2.6	66	2	LKLY VOL: (2)
10.7	9.2	231	3	PRBL VOL: (3)
15.3	13.1	329	4	PRBL NOT: (4)
9.2	7.8	197	5	LKLY NOT: (5)
30.6	26.2	658	6	DEF NOT: (6)
20.2	17.3	434	7	NVR NECS: (7)
	14.5	364	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 501-502

V4356**074E06A:FRD DAP CIGS**

Item Number: 11470

Question Number(s): 4E06A

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

A: Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	16.2	407	1	NT DISAP:(1)
30.9	26.8	673	2	DISAPPRV:(2)
50.4	43.6	1,097	3	STRG DIS:(3)
	13.4	336	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 503-504

V4357**074E06B:FRD DAP TRY MARJ**

Item Number: 11480

Question Number(s): 4E06B

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

B: Trying marijuana (pot, weed) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	34.2	860	1	NT DISAP:(1)
23.5	20.3	510	2	DISAPPRV:(2)
36.9	31.9	802	3	STRG DIS:(3)
	13.6	341	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 505-506

V4358**074E06C:FRD DAP MJ OCC**

Item Number: 11490

Question Number(s): 4E06C

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

C: Smoking marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	29.6	744	1	NT DISAP:(1)
22.7	19.5	491	2	DISAPPRV:(2)
42.9	37.0	929	3	STRG DIS:(3)
	13.9	349	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 507-508

V4359**074E06D:FRD DAP MJ REG**

Item Number: 11500

Question Number(s): 4E06D

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

D: Smoking marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	18.5	466	1	NT DISAP:(1)
24.7	21.2	532	2	DISAPPRV:(2)
53.7	46.1	1,159	3	STRG DIS:(3)
	14.1	356	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 509-510

V4360**074E06E:FRD DAP TRY LSD**

Item Number: 11510

Question Number(s): 4E06E

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

E: Trying LSD once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	9.9	248	1	NT DISAP:(1)
20.9	18.0	453	2	DISAPPRV:(2)
67.6	58.2	1,464	3	STRG DIS:(3)
	13.9	349	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 511-512

V4361**074E06F:FRD DAP TRY AMP**

Item Number: 11520

Question Number(s): 4E06F

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

F: Trying an amphetamine (upper, pep pill, bennie, speed)
once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	10.9	275	1	NT DISAP:(1)
22.8	19.7	495	2	DISAPPRV:(2)
64.5	55.7	1,399	3	STRG DIS:(3)
	13.7	344	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 513-514

V4414**074E06G:FRD DAP TRY COKE**

Item Number: 11525

Question Number(s): 4E06G

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

G: Trying cocaine once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	8.9	223	1	NT DISAP:(1)
19.5	16.8	423	2	DISAPPRV:(2)
70.2	60.5	1,521	3	STRG DIS:(3)
	13.8	346	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 515-516

V4415**074E06H:FRD DAP COKE OCC**

Item Number: 11526

Question Number(s): 4E06H

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

H: Taking cocaine occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	5.8	147	1	NT DISAP:(1)
17.8	15.3	384	2	DISAPPRV:(2)
75.4	64.7	1,627	3	STRG DIS:(3)
	14.2	356	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 517-518

V4362

074E06I:FRD DAP 1-2DR/DA

Item Number: 11530

Question Number(s): 4E06I

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

I: Taking one or two drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	21.8	549	1	NT DISAP:(1)
30.7	26.5	665	2	DISAPPRV:(2)
43.9	37.8	949	3	STRG DIS:(3)
	13.9	350	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 519-520

V4363**074E06J:FRD DAP 4-5DR/DA**

Item Number: 11540

Question Number(s): 4E06J

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

J: Taking four or five drinks nearly every day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	13.0	326	1	NT DISAP:(1)
27.0	23.1	582	2	DISAPPRV:(2)
57.9	49.6	1,247	3	STRG DIS:(3)
	14.3	359	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 521-522

V4364**074E06K:FRD DAP 5+DR/WKD**

Item Number: 11550

Question Number(s): 4E06K

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

K: Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	34.3	863	1	NT DISAP:(1)
21.9	18.8	472	2	DISAPPRV:(2)
38.1	32.7	822	3	STRG DIS:(3)
	14.2	357	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 523-524

V4412**074E06L:FRD DAP DRIV+2DR**

Item Number: 11551

Question Number(s): 4E06L

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

L: Driving a car after having 1-2 drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	15.3	383	1	NT DISAP:(1)
27.0	23.2	582	2	DISAPPRV:(2)
55.2	47.4	1,191	3	STRG DIS:(3)
	14.2	356	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 525-526

V4413**074E06M:FRD DAP DRIV+5DR**

Item Number: 11552

Question Number(s): 4E06M

How do you think your CLOSE FRIENDS feel (or would feel) about
YOU doing each of the following things?

M: Driving a car after having 5 or more drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.4	136	1	NT DISAP:(1)
15.6	13.4	336	2	DISAPPRV:(2)
78.0	66.7	1,676	3	STRG DIS:(3)
	14.5	365	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 527-528

V4416**074E07A:USE DRUGS-ATHLTS**

Item Number: 22380

Question Number(s): 4E07A

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	14.7	368	1	0-10%:(1)
24.4	20.9	526	2	11-30%:(2)
19.9	17.1	430	3	31-50%:(3)
12.4	10.6	267	4	51-70%:(4)
6.5	5.6	141	5	71-90%:(5)
3.2	2.7	69	6	91-100%:(6)
16.5	14.1	355	8	NO IDEA:(8)
	14.3	358	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 529-530

V4417**074E07B:USE DRUGS-ROCKRS**

Item Number: 22390

Question Number(s): 4E07B

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.0	76	1	0-10%:(1)
5.4	4.6	117	2	11-30%:(2)
9.9	8.5	214	3	31-50%:(3)
21.0	18.0	452	4	51-70%:(4)
28.8	24.7	621	5	71-90%:(5)
19.3	16.5	415	6	91-100%:(6)
12.0	10.3	258	8	NO IDEA:(8)
	14.4	361	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 531-532

V4418**074E07C:USE DRUGS-ACTORS**

Item Number: 22400

Question Number(s): 4E07C

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.0	125	1	0-10%:(1)
13.2	11.3	284	2	11-30%:(2)
19.1	16.4	411	3	31-50%:(3)
21.4	18.3	459	4	51-70%:(4)
17.3	14.8	371	5	71-90%:(5)
9.0	7.7	193	6	91-100%:(6)
14.1	12.1	304	8	NO IDEA:(8)
	14.6	366	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 533-534

V4419**074E08A:DISAP USE-ATHLTS**

Item Number: 22420

Question Number(s): 4E08A

How many people in the following groups would you guess
strongly disapprove of such illicit drug use?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	10.4	262	1	0-10%: (1)
18.9	16.1	404	2	11-30%: (2)
15.5	13.2	331	3	31-50%: (3)
13.2	11.3	283	4	51-70%: (4)
12.6	10.7	269	5	71-90%: (5)
7.4	6.3	158	6	91-100%: (6)
20.1	17.1	429	8	NO IDEA: (8)
	15.0	377	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 535-536

V4420**074E08B:DISAP USE-ROCKRS**

Item Number: 22430

Question Number(s): 4E08B

How many people in the following groups would you guess
strongly disapprove of such illicit drug use?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	23.1	581	1	0-10%: (1)
26.7	22.6	569	2	11-30%: (2)
14.0	11.8	297	3	31-50%: (3)
6.9	5.9	148	4	51-70%: (4)
3.8	3.2	81	5	71-90%: (5)
2.2	1.9	47	6	91-100%: (6)
19.1	16.2	408	8	NO IDEA: (8)
	15.2	382	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 537-538

V4421**074E08C:DISAP USE-ACTORS**

Item Number: 22440

Question Number(s): 4E08C

How many people in the following groups would you guess
strongly disapprove of such illicit drug use?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	12.9	325	1	0-10%: (1)
23.8	20.1	506	2	11-30%: (2)
19.1	16.1	405	3	31-50%: (3)
12.9	10.9	274	4	51-70%: (4)
6.4	5.4	135	5	71-90%: (5)
2.4	2.0	51	6	91-100%: (6)
20.2	17.1	430	8	NO IDEA: (8)
	15.4	387	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 539-540

V4422**074E08D:DISAP USE-PEOPLE**

Item Number: 22450

Question Number(s): 4E08D

How many people in the following groups would you guess
strongly disapprove of such illicit drug use?

D: People your age (in general)

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	12.0	302	1	0-10%: (1)
20.5	17.3	435	2	11-30%: (2)
23.1	19.5	490	3	31-50%: (3)
15.8	13.4	337	4	51-70%: (4)
7.4	6.3	158	5	71-90%: (5)
3.3	2.8	69	6	91-100%: (6)
15.7	13.3	335	8	NO IDEA: (8)
	15.4	387	-9	MISSING: (-9)

100.0 100.0 2,513 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 541-542

V4423**074E09 :#X SEE DRUG SPTS**

Item Number: 22460

Question Number(s): 4E09

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	10.5	263	1	NOT@ALL: (1)
9.7	8.1	204	2	<1/MONTH: (2)
24.0	20.1	505	3	1-3X/MON: (3)
26.0	21.7	546	4	1-3/WEEK: (4)
19.3	16.1	404	5	DAILY: (5)
8.4	7.1	177	6	>1/DAY: (6)
	16.4	413	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 543-544

V4424**074E10A:ADS-PEOPL <FAVBL**

Item Number: 22470

Question Number(s): 4E10A

To what extent do you think such commercials have . . .

A: . . . Made people your age less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	27.6	694	1	NOT @ALL: (1)
28.1	23.4	589	2	LTTL EXT: (2)
29.9	24.9	626	3	SOME EXT: (3)
5.3	4.4	111	4	GRT EXT: (4)
3.5	2.9	74	5	VRGR EXT: (5)
	16.7	420	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 545-546

V4425**074E10B:ADS-YOU <FAVORBL**

Item Number: 22480

Question Number(s): 4E10B

To what extent do you think such commercials have . . .

B: . . . Made you less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	28.2	707	1	NOT @ALL: (1)
18.4	15.3	385	2	LTTL EXT: (2)
25.5	21.2	533	3	SOME EXT: (3)
10.5	8.8	220	4	GRT EXT: (4)
11.8	9.8	247	5	VRGR EXT: (5)
	16.7	420	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 547-548

V4426**074E10C:ADS-YOU <TRY DRG**

Item Number: 22490

Question Number(s): 4E10C

To what extent do you think such commercials have . . .

C: . . . Made you less likely to use drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	29.4	740	1	NOT @ALL: (1)
16.9	14.0	352	2	LTTL EXT: (2)
24.2	20.0	503	3	SOME EXT: (3)
9.2	7.7	192	4	GRT EXT: (4)
14.2	11.8	296	5	VRGR EXT: (5)
	17.1	430	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 549-550

V4427**074E10D:ADS-OVRST DANGER**

Item Number: 22500

Question Number(s): 4E10D

To what extent do you think such commercials have . . .

D: . . . Overstated the dangers or risks of drug use?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	29.5	742	1	NOT @ALL: (1)
19.3	15.9	399	2	LTTL EXT: (2)
23.6	19.5	490	3	SOME EXT: (3)
10.0	8.2	206	4	GRT EXT: (4)
11.3	9.3	235	5	VRGR EXT: (5)
	17.5	440	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513		cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 551-552

V4447**074E11:#X ANTIDRUG ADS**

Item Number: 30890

Question Number(s): 4E11

In recent months, about how often have you seen anti-drug ads on billboards or in magazines or newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	15.6	393	1	NOT@ALL: (1)
21.2	17.8	448	2	<1/MONTH: (2)
30.7	25.8	649	3	1-3X/MON: (3)
18.5	15.5	390	4	1-3X/WEEK: (4)
7.7	6.5	163	5	DAILY: (5)
3.3	2.8	71	6	>1/DAY: (6)
	15.9	399	-9	MISSING: (-9)
-----	-----	-----		
100.0	100.0	2,513	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 553-554

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at <http://www.monitoringthefuture.org/pubs.html>.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.