

ICPSR 3184

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2000

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

Codebook for 12th Grade, Form 1 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

CONTENTS

item	page
Introduction	ii
Data Collection Description	ii
Data Collection Procedures	ii
Sampling Information	iii
Stage 1: Geographic Areas	iii
Stage 2: Schools	iii
Stage 3: Students	iii
School Recruiting Procedure	iv
Advance Contact with Teachers and Students	iv
Questionnaire Administration	v
Procedures for Protecting Confidentiality	v
Content Areas and Questionnaire Design	vi
Measurement Content Areas	vi
Representativeness and Validity	viii
School Participation	viii
Student Participation	ix
Validity of Self-Report Data	ix
Accuracy of Sample	x
Consistency and the Measurement of Trends	x
Interpreting Racial Differences	x
Differential Representation	xi
Differential Response Tendencies	xii
Covariance with Other Factors	xii
Weighting Information	xiii
File Structure	xiv
Codebook Information	xv
ICPSR Processing Information	xvi
Frequencies	1

APPENDICES

Appendix A - Publications	350
Appendix B - Sample Size and Student Response Rates	364

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2000, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling.

For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing

the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name

and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments.
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.

- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
 - J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
 - K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
 - L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
 - M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
 - N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
 - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
 - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
 - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are

included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that

their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is

associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for

some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2000 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part #	form	#variables	logical record length	unweighted N
<hr/>				
Part 1	Core	108	224	13286
Part 2	Form 1	615	1237	2242
Part 3	Form 2	330	667	2212
Part 4	Form 3	358	723	2220
Part 5	Form 4	281	569	2196
Part 6	Form 5	310	627	2197
Part 7	Form 6	338	683	2219

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

.....

[1] V1134	[2] 991A13	KIND OF PAID JOB
-----------	------------	------------------

[3] A13: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[4] PCT	[5] PCT	[6] N	[7] VALUE	[8] LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	

[9]	[10]	[11]
100.0	100.0	5,745 cases (Wtd)

[12] Data type: numeric

[13] Decimals: 0

[14] Missing-data codes: 0,99

[15] Columns: 98-99

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [4] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [5] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [6] Indicates the weighted frequency of occurrence of each code value for this variable.
- [7] Indicates the code values occurring in the data for this variable.
- [8] Indicates the textual definitions of the codes for this variable.
- [9] Indicates the total of the valid case percentages (100%).
- [10] Indicates the total of all case percentages (100%).
- [11] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [12] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [13] Indicates the number of decimal places in the variable.
- [14] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [15] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

FREQUENCIES
FORM 1 DATA FILE

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

CASE IDENTIFICATION NUMBER

2,240 cases (Wtd) (Range of valid codes: 1-2,242)

Data type: numeric

Missing-data code: -9

Columns: 1234-1237

V13	001	:SCHL RGN-4 CAT
-----	-----	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			

19.8	19.8	445	1	NE: (1)
24.4	24.4	547	2	NC: (2)
35.4	35.4	793	3	S: (3)
20.3	20.3	456	4	W: (4)

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Column: 1

V16	001	:SELF-REP/NOT=0
-----	-----	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			

69.9	69.9	1,566	0	
30.1	30.1	674	1	

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Column: 2

V17	001	:SMSA/NON-SMSA=0
------------	------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	24.7	553	0	
75.3	75.3	1,688	1	
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Column: 3

V1	YEAR OF ADMIN (4-DIGITS)
-----------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,240	2000	
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 4-7

V3	001	:FORM ID
-----------	------------	-----------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,240	1	
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Column: 8

V4	001	:R'S ID-SERIAL #
-----------	------------	-------------------------

2,240 cases (Wtd) (Range of valid codes: 10,001-12,242)

Data type: numeric
Missing-data code: -9
Columns: 9-13

V49	00C07R:# SIBLINGS
-----	-------------------

How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.7	128	0	
30.7	27.9	624	1	
26.1	23.7	531	2	
36.9	33.5	750	3	3 OR MORE
	9.2	206	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 14-15

V1101	001B001 :EVR SMK CIG,REG
-------	--------------------------

Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	37.8	848	1	NEVER: (1)
23.7	23.2	520	2	1-2X: (2)
15.6	15.3	342	3	OCCASNLY: (3)
6.6	6.4	144	4	REG PAST: (4)
15.3	15.0	335	5	REG NOW: (5)
	2.3	51	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 16-17

V1102	001B002 :#CIGS SMKD/30DA
-------	--------------------------

How frequently have you smoked cigarettes during the past
30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	67.6	1,515	1	NONE: (1)
11.8	11.5	257	2	<1 CIG/D: (2)
7.8	7.6	170	3	1-5/DAY: (3)
7.1	6.9	155	4	2PK/D: (4)
2.8	2.7	61	5	1 PK/DA: (5)
0.6	0.6	14	6	1 2PK/: (6)
0.6	0.6	13	7	2+ PKS/D: (7)
0.0	0.0	0	8	INAP: (8)
	2.5	55	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 18-19

V1104	001B007A:#X ALC/LIF SIPS
-------	--------------------------

On how many occasions (if any) have you had alcohol to
drink--more than just a few sips . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	15.1	337	1	0 OCCAS: (1)
11.7	11.2	251	2	1-2X: (2)
10.4	10.0	224	3	3-5X: (3)
9.5	9.1	203	4	6-9X: (4)
13.1	12.5	280	5	10-19X: (5)
12.6	12.1	271	6	20-39X: (6)
27.0	25.9	580	7	40+OCCAS: (7)
	4.2	94	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 20-21

V1105	001B007B:#X ALC/ANN SIPS
-------	--------------------------

On how many occasions (if any) have you had alcohol to
drink--more than just a few sips . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	24.6	550	1	0 OCCAS: (1)
16.3	15.5	348	2	1-2X: (2)
14.0	13.3	299	3	3-5X: (3)
10.6	10.1	226	4	6-9X: (4)
13.2	12.6	282	5	10-19X: (5)
8.3	7.9	178	6	20-39X: (6)
11.7	11.2	251	7	40+OCCAS: (7)
	4.7	106	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 22-23

V1106	001B007C:#X ALC/30D SIPS
-------	--------------------------

On how many occasions (if any) have you had alcohol to
drink--more than just a few sips . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	46.6	1,043	1	0 OCCAS: (1)
21.4	20.4	458	2	1-2X: (2)
12.6	12.1	270	3	3-5X: (3)
8.9	8.5	190	4	6-9X: (4)
5.1	4.9	109	5	10-19X: (5)
1.1	1.1	24	6	20-39X: (6)
2.0	1.9	42	7	40+OCCAS: (7)
	4.6	104	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 24-25

V1108	001B012 :5+DRK ROW/LST 2
-------	--------------------------

Think back over the LAST TWO WEEKS. How many times have
you had five or more drinks in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	66.9	1,498	1	NONE: (1)
10.3	9.7	218	2	ONCE: (2)
7.5	7.1	159	3	TWICE: (3)
8.7	8.3	185	4	3-5X: (4)
1.4	1.4	31	5	6-9X: (5)
1.3	1.3	28	6	10+ TIME: (6)
	5.4	121	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 26-27

V1109	001B018A:#X HASH/LIFETIM
-------	--------------------------

On how many occasions (if any) have you used hashish . . .
. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	84.7	1,897	1	0 OCCAS: (1)
4.1	3.9	88	2	1-2X: (2)
2.1	2.0	45	3	3-5X: (3)
1.2	1.1	25	4	6-9X: (4)
1.4	1.4	30	5	10-19X: (5)
1.0	0.9	21	6	20-39X: (6)
2.0	1.9	43	7	40+OCCAS: (7)
	4.1	92	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 28-29

V1110	001B018B:#X HASH/LAST12M
-------	--------------------------

On how many occasions (if any) have you used hashish . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	88.1	1,973	1	0 OCCAS: (1)
2.7	2.6	58	2	1-2X: (2)
1.7	1.7	37	3	3-5X: (3)
1.0	1.0	22	4	6-9X: (4)
1.2	1.1	25	5	10-19X: (5)
0.6	0.6	12	6	20-39X: (6)
0.9	0.9	20	7	40+OCCAS: (7)
	4.1	93	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 30-31

V1111	001B018C:#X HASH/LAST30D
-------	--------------------------

On how many occasions (if any) have you used hashish . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	92.1	2,063	1	0 OCCAS: (1)
1.6	1.6	35	2	1-2X: (2)
0.4	0.4	9	3	3-5X: (3)
0.9	0.8	18	4	6-9X: (4)
0.4	0.4	8	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	4.3	96	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 32-33

V1112	001B019A:#X MARJ/LIFETIM
-------	--------------------------

On how many occasions (if any) have you used marijuana . . .
 . . .in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	48.4	1,085	1	0 OCCAS:(1)
8.4	8.1	181	2	1-2X:(2)
6.7	6.4	143	3	3-5X:(3)
5.4	5.2	116	4	6-9X:(4)
6.4	6.1	136	5	10-19X:(5)
6.1	5.8	130	6	20-39X:(6)
16.4	15.7	351	7	40+OCCAS:(7)
	4.4	100	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 34-35

V1113	001B019B:#X MARJ/LAST12M
-------	--------------------------

On how many occasions (if any) have you used hashish . . .
 . . .during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	58.3	1,307	1	0 OCCAS:(1)
10.5	9.9	222	2	1-2X:(2)
6.7	6.4	142	3	3-5X:(3)
4.7	4.5	100	4	6-9X:(4)
4.8	4.6	103	5	10-19X:(5)
3.4	3.2	73	6	20-39X:(6)
8.5	8.1	181	7	40+OCCAS:(7)
	5.0	112	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 36-37

V1114	001B019C:#X MARJ/LAST30D
-------	--------------------------

On how many occasions (if any) have you used hashish . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	74.2	1,663	1	0 OCCAS:(1)
7.6	7.2	161	2	1-2X:(2)
3.4	3.2	72	3	3-5X:(3)
2.4	2.3	52	4	6-9X:(4)
2.3	2.2	50	5	10-19X:(5)
2.2	2.1	47	6	20-39X:(6)
3.8	3.6	81	7	40+OCCAS:(7)
	5.1	114	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 38-39

V1115	001B019 :#XMJ+HS/LIFETIM
-------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	48.1	1,078	1	0 OCCAS:(1)
8.1	7.7	173	2	1-2X:(2)
7.1	6.7	151	3	3-5X:(3)
5.4	5.2	116	4	6-9X:(4)
6.1	5.8	130	5	10-19X:(5)
5.8	5.5	123	6	20-39X:(6)
17.0	16.2	362	7	40+OCCAS:(7)
	4.7	106	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 40-41

V1116	001B019 :#XMJ+HS/LAST12M
-------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	58.1	1,302	1	0 OCCAS: (1)
10.2	9.7	216	2	1-2X: (2)
7.0	6.6	148	3	3-5X: (3)
4.4	4.1	93	4	6-9X: (4)
4.5	4.3	95	5	10-19X: (5)
3.2	3.1	68	6	20-39X: (6)
9.1	8.6	193	7	40+OCCAS: (7)
	5.5	124	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 42-43

V1117	001B019 :#XMJ+HS/LAST30D
-------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	74.0	1,657	1	0 OCCAS: (1)
7.2	6.8	152	2	1-2X: (2)
3.5	3.3	73	3	3-5X: (3)
2.1	2.0	44	4	6-9X: (4)
2.5	2.4	53	5	10-19X: (5)
2.3	2.2	49	6	20-39X: (6)
4.0	3.8	85	7	40+OCCAS: (7)
	5.7	127	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 44-45

V1118	001B033A:#X LSD/LIFETIME
-------	--------------------------

On how many occasions (if any) have you taken LSD . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	84.4	1,890	1	0 OCCAS:(1)
4.9	4.7	105	2	1-2X:(2)
2.4	2.2	50	3	3-5X:(3)
1.3	1.2	28	4	6-9X:(4)
1.1	1.0	23	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.8	0.8	17	7	40+OCCAS:(7)
	5.4	122	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 46-47

V1119	001B033B:#X LSD/LAST 12M
-------	--------------------------

On how many occasions (if any) have you taken LSD . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	88.2	1,975	1	0 OCCAS:(1)
4.6	4.3	97	2	1-2X:(2)
1.2	1.1	25	3	3-5X:(3)
0.4	0.4	8	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	5.4	121	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 48-49

V1120	001B033C:#X LSD/LAST 30D
-------	--------------------------

On how many occasions (if any) have you taken LSD . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	93.5	2,094	1	0 OCCAS: (1)
0.7	0.6	14	2	1-2X: (2)
0.4	0.3	8	3	3-5X: (3)
0.1	0.1	1	4	6-9X: (4)
0.1	0.1	1	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.1	0.1	1	7	40+OCCAS: (7)
	5.4	121	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 50-51

V1121	001B042A:#X PSYD/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken psychedelics
 other than LSD . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	86.1	1,929	1	0 OCCAS: (1)
3.4	3.2	71	2	1-2X: (2)
1.5	1.3	30	3	3-5X: (3)
0.5	0.5	10	4	6-9X: (4)
0.8	0.8	17	5	10-19X: (5)
0.4	0.4	9	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	7.3	165	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 52-53

V1122	001B042B:#X PSYD/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken psychedelics
other than LSD . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	88.1	1,974	1	0 OCCAS: (1)
2.8	2.5	57	2	1-2X: (2)
0.9	0.9	19	3	3-5X: (3)
0.5	0.4	9	4	6-9X: (4)
0.5	0.4	10	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	7.4	166	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 54-55

V1123	001B042C:#X PSYD/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken psychedelics
other than LSD . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	91.0	2,038	1	0 OCCAS: (1)
0.9	0.9	19	2	1-2X: (2)
0.5	0.5	11	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.1	0.1	1	7	40+OCCAS: (7)
	7.5	168	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 56-57

V1124	001R	:#X COKE/LIFETIM
-------	------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	82.8	1,856	1	0 OCCAS: (1)
3.1	2.8	62	2	1-2X: (2)
2.2	2.0	45	3	3-5X: (3)
0.6	0.6	13	4	6-9X: (4)
0.4	0.4	9	5	10-19X: (5)
0.3	0.3	6	6	20-39X: (6)
0.8	0.7	16	7	40+OCCAS: (7)
	10.4	234	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 58-59

V1125	001R	:#X COKE/LAST12M
-------	------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	85.5	1,916	1	0 OCCAS: (1)
2.2	1.9	44	2	1-2X: (2)
1.2	1.1	25	3	3-5X: (3)
0.5	0.4	10	4	6-9X: (4)
0.3	0.2	5	5	10-19X: (5)
0.2	0.2	4	6	20-39X: (6)
0.2	0.2	3	7	40+OCCAS: (7)
	10.4	233	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 60-61

V1126	001R	:#X COKE/LAST30D
-------	------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	88.1	1,974	1	0 OCCAS: (1)
0.8	0.7	17	2	1-2X: (2)
0.5	0.5	10	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.2	0.2	3	7	40+OCCAS: (7)
	10.3	232	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 62-63

V1127	001B050A:#X AMPH/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken amphetamines
 on your own--that is, without a doctor telling you to
 take them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	81.7	1,829	1	0 OCCAS: (1)
4.1	3.8	85	2	1-2X: (2)
1.7	1.6	35	3	3-5X: (3)
1.3	1.2	27	4	6-9X: (4)
1.4	1.3	30	5	10-19X: (5)
1.2	1.1	24	6	20-39X: (6)
1.4	1.3	29	7	40+OCCAS: (7)
	8.1	181	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 64-65

V1128	001B050B:#X AMPH/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	85.8	1,922	1	0 OCCAS: (1)
2.3	2.1	48	2	1-2X: (2)
1.2	1.1	24	3	3-5X: (3)
1.1	1.0	23	4	6-9X: (4)
1.0	0.9	21	5	10-19X: (5)
0.6	0.5	11	6	20-39X: (6)
0.5	0.5	11	7	40+OCCAS: (7)
	8.0	180	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 66-67

V1129	001B050C:#X AMPH/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	88.6	1,984	1	0 OCCAS: (1)
1.5	1.4	30	2	1-2X: (2)
1.2	1.1	24	3	3-5X: (3)
0.3	0.3	6	4	6-9X: (4)
0.4	0.4	8	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.3	0.3	6	7	40+OCCAS: (7)
	8.0	179	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 68-69

V1130	001B060A:#X QUAD/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take
them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	91.3	2,045	1	0 OCCAS: (1)
0.4	0.3	7	2	1-2X: (2)
0.0	0.0	1	3	3-5X: (3)
0.2	0.2	4	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	8.0	178	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 70-71

V1131	001B060B:#X QUAD/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take
them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	91.8	2,056	1	0 OCCAS: (1)
0.0	0.0	1	2	1-2X: (2)
0.1	0.1	2	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	7.9	178	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 72-73

V1132	001B060C:#X QUAD/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take
them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	91.9	2,060	1	0 OCCAS: (1)
0.1	0.1	2	2	1-2X: (2)
0.1	0.1	1	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	7.9	177	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 74-75

V1133	001B062A:#X BRBT/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken barbiturates
on your own--that is, without a doctor telling you to
take them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	87.2	1,953	1	0 OCCAS: (1)
1.6	1.5	33	2	1-2X: (2)
1.1	1.0	22	3	3-5X: (3)
0.7	0.6	13	4	6-9X: (4)
0.4	0.4	8	5	10-19X: (5)
0.4	0.4	8	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	8.7	194	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 76-77

V1134	001B062B:#X BRBT/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken barbiturates
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	88.5	1,983	1	0 OCCAS: (1)
1.4	1.3	29	2	1-2X: (2)
0.8	0.8	17	3	3-5X: (3)
0.5	0.4	10	4	6-9X: (4)
0.2	0.2	5	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.1	0.1	3	7	40+OCCAS: (7)
	8.5	191	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 78-79

V1135	001B062C:#X BRBT/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken barbiturates
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	90.1	2,019	1	0 OCCAS: (1)
0.7	0.7	15	2	1-2X: (2)
0.4	0.3	7	3	3-5X: (3)
0.1	0.0	1	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	8.6	193	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 80-81

V1136	001B065A:#X TRQL/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	85.6	1,918	1	0 OCCAS: (1)
2.5	2.2	50	2	1-2X: (2)
1.6	1.4	32	3	3-5X: (3)
0.7	0.7	15	4	6-9X: (4)
0.5	0.4	10	5	10-19X: (5)
0.2	0.1	3	6	20-39X: (6)
0.5	0.5	10	7	40+OCCAS: (7)
	9.0	202	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 82-83

V1137	001B065B:#X TRQL/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	87.8	1,967	1	0 OCCAS: (1)
1.6	1.5	33	2	1-2X: (2)
0.9	0.8	18	3	3-5X: (3)
0.7	0.6	13	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.3	0.3	6	7	40+OCCAS: (7)
	8.9	198	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 84-85

V1138	001B065C:#X TRQL/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	89.5	2,004	1	0 OCCAS: (1)
0.7	0.7	15	2	1-2X: (2)
0.7	0.7	15	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	8.9	198	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 86-87

V1139	001B086A:#X H/LIFETIME
-------	------------------------

On how many occasions (if any) have you taken heroin . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	88.7	1,987	1	0 OCCAS: (1)
1.2	1.1	25	2	1-2X: (2)
0.3	0.3	7	3	3-5X: (3)
0.2	0.2	5	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.2	0.2	5	7	40+OCCAS: (7)
	9.3	209	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 88-89

V1140	001B086B:#X H/LAST 12M
-------	------------------------

On how many occasions (if any) have you taken heroin . . .
 . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	89.6	2,007	1	0 OCCAS:(1)
0.5	0.5	10	2	1-2X:(2)
0.3	0.2	5	3	3-5X:(3)
0.2	0.2	3	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	3	7	40+OCCAS:(7)
	9.3	209	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 90-91

V1141	001B086C:#X H/LAST 30D
-------	------------------------

On how many occasions (if any) have you taken heroin . . .
 . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	90.3	2,023	1	0 OCCAS:(1)
0.2	0.2	4	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.2	0.2	3	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	9.3	209	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 92-93

V1142	001B088A:#X NARC/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	80.9	1,813	1	0 OCCAS: (1)
4.7	4.2	94	2	1-2X: (2)
2.0	1.8	41	3	3-5X: (3)
0.7	0.6	14	4	6-9X: (4)
0.5	0.5	10	5	10-19X: (5)
1.0	0.9	19	6	20-39X: (6)
0.5	0.5	10	7	40+OCCAS: (7)
	10.7	239	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 94-95

V1143	001B088B:#X NARC/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	84.4	1,891	1	0 OCCAS:(1)
3.0	2.7	60	2	1-2X:(2)
1.2	1.1	25	3	3-5X:(3)
0.6	0.5	12	4	6-9X:(4)
0.6	0.5	12	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.2	0.2	3	7	40+OCCAS:(7)
	10.3	230	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 96-97

V1144	001B088C:#X NARC/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	87.4	1,959	1	0 OCCAS: (1)
1.6	1.4	32	2	1-2X: (2)
0.5	0.4	9	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.1	0.0	1	6	20-39X: (6)
0.1	0.1	1	7	40+OCCAS: (7)
	10.3	232	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 98-99

V1148	001(R) :AGE <>18 DICHOTOMY
-------	----------------------------

In what year were you born:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	42.7	957	1	< 18: (1)
53.2	48.5	1,087	2	18+: (2)
	8.8	196	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 100-101

V1150 001C03 :R'S SEX

What is your sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	44.5	997	1	MALE: (1)
50.1	44.6	999	2	FEMALE: (2)
	10.9	244	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 102-103

V1151 001C04 :R'S RACE

How do you describe yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	60.7	1,360	0	WHITE
17.1	12.5	281	1	BLACK
	26.8	600	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 104-105

V1152	001C005 :R SPD >TIM R-UR
-------	--------------------------

Where did you grow up mostly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	DK/MIXED: (0)
6.3	5.3	119	1	FARM: (1)
13.8	11.5	258	2	COUNTRY: (2)
29.8	24.9	559	3	SML TOWN: (3)
12.7	10.6	239	4	MED CITY: (4)
7.4	6.1	138	5	SUBURB 4: (5)
11.2	9.3	209	6	LRG CITY: (6)
6.8	5.7	127	7	SUBURB 6: (7)
8.0	6.7	150	8	VRYLG CY: (8)
4.0	3.3	74	9	SUBURB 8: (9)
	16.4	368	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 106-107

V1153	001C006 :R NOT MARRIED
-------	------------------------

What is your present marital status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.5	56	1	MARRIED: (1)
5.6	5.1	115	2	ENGAGED: (2)
0.8	0.7	16	3	SEP/DIV: (3)
90.8	82.4	1,847	4	SINGLE: (4)
	9.2	206	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 108-109

V1155	001C07Cb(R):R'S HSHLD FATHER
-------	------------------------------

Which of the following people live in the same household
with you?

Father (or male guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	22.8	512	0	NT MARKD:(0)
74.6	67.2	1,506	1	MARKED:(1)
	9.9	223	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 110-111

V1156	001C07Cc(R):R'S HSHLD MOTHER
-------	------------------------------

Which of the following people live in the same household
with you?

Mother (or female guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	9.8	219	0	NT MARKD:(0)
89.2	80.3	1,799	1	MARKED:(1)
	9.9	223	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 112-113

V1157	001C07Cd(R):R'S HSHLD BR/SR
-------	-----------------------------

Which of the following people live in the same household
with you?

Brother(s) and/or sister(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	29.9	671	0	NT MARKD:(0)
66.7	60.1	1,347	1	MARKED:(1)
	9.9	223	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 114-115

V1163	001C008 :FATHR EDUC LEVE
-------	--------------------------

What is the highest level of schooling your father
completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.5	57	1	GRDE SCH:(1)
10.4	8.7	194	2	SOME HS:(2)
32.1	26.8	599	3	HS GRAD:(3)
18.4	15.4	344	4	SOME CLG:(4)
21.6	18.0	404	5	CLG GRAD:(5)
14.5	12.1	271	6	GRAD SCH:(6)
0.0	0.0	0	7	DK:(7)
	16.6	371	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 116-117

V1164	001C009 :MOTHR EDUC LEVE
-------	--------------------------

What is the highest level of schooling your mother completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.6	36	1	GRDE SCH:(1)
8.9	7.8	174	2	SOME HS:(2)
31.0	26.9	604	3	HS GRAD:(3)
21.4	18.6	418	4	SOME CLG:(4)
24.4	21.2	475	5	CLG GRAD:(5)
12.4	10.8	241	6	GRAD SCH:(6)
0.0	0.0	0	7	DK:(7)
	13.1	294	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 118-119

V1165	001C010 :MOTH PD JB R YN
-------	--------------------------

Did your mother have a paid job (half-time or more) during the time you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	14.1	316	1	NO:(1)
20.0	17.9	402	2	SOMETIME:(2)
16.8	15.1	338	3	MOSTTIME:(3)
47.4	42.5	953	4	ALL TIME:(4)
	10.4	232	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 120-121

V1166	001C011 :R'S POLTL PRFNC
-------	--------------------------

How would you describe your political preference?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	7.4	165	1	STRG GOP: (1)
18.9	11.4	255	2	MILD GOP: (2)
19.2	11.6	260	3	MILD DEM: (3)
12.3	7.4	166	4	STRG DEM: (4)
11.4	6.9	154	5	INDEPNDT: (5)
23.9	14.4	323	6	NO PREF: (6)
2.1	1.3	29	7	OTHER: (7)
0.0	0.0	0	8	DK: (8)
	39.7	889	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 122-123

V1167	001C012 :R'POL BLF RADCL
-------	--------------------------

How would you describe your political beliefs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	3.1	69	1	VRV CONS: (1)
18.3	9.3	209	2	CONSERV: (2)
40.6	20.8	465	3	MODERATE: (3)
22.7	11.6	260	4	LIBERAL: (4)
6.4	3.3	73	5	VRV LIB: (5)
6.0	3.1	68	6	RADICAL: (6)
0.0	0.0	0	8	NONE/DK: (8)
	48.9	1,095	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 124-125

V1169	001C013B:R'ATTND REL SVC
-------	--------------------------

How often do you attend religious services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	9.1	203	1	NEVER: (1)
35.3	24.5	550	2	RARELY: (2)
17.3	12.0	269	3	1-2X/MO: (3)
34.3	23.9	535	4	WK OR+: (4)
	30.5	683	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 126-127

V1170	001C013C:RLGN IMP R'S LF
-------	--------------------------

How important is religion in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	9.6	214	1	NOT IMPT: (1)
23.6	16.4	368	2	LITL IMP: (2)
31.5	21.9	490	3	PRTY IMP: (3)
31.1	21.6	484	4	VERY IMP: (4)
	30.6	685	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 128-129

V1171	001C014 :WHEN R XPCT GRA
-------	--------------------------

When are you most likely to graduate from high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	86.6	1,939	1	BY JUNE: (1)
2.1	1.8	41	2	JULY-JAN: (2)
0.0	0.0	0	3	AFT JAN: (3)
0.5	0.5	11	6	WONT: (6)
	11.1	249	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 130-131

V1172	001C015 :R'S HS PROGRAM
-------	-------------------------

Which of the following best describes your present high school program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	47.2	1,057	1	CLG PREP: (1)
30.0	26.5	593	2	GENERAL: (2)
9.7	8.5	191	3	VOC-TECH: (3)
6.8	6.0	135	4	OTH/DK: (4)
	11.7	263	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 132-133

V1173	001C016 :RT SF SCH AB>AV
-------	--------------------------

Compared with others your age throughout the country, how
do you rate yourself on school ability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	26	1	FAR BLOW: (1)
1.4	1.3	28	2	BELOW AV: (2)
4.4	3.8	86	3	SL BELOW: (3)
33.2	29.0	650	4	AVERAGE: (4)
23.8	20.8	467	5	SL ABOVE: (5)
29.1	25.4	569	6	ABOVE AV: (6)
6.7	5.9	132	7	FAR ABOV: (7)
	12.6	282	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 134-135

V1174	001C017 :RT SF INTELL>AV
-------	--------------------------

How intelligent do you think you are compared with others
your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	18	1	FAR BLOW: (1)
1.1	1.0	22	2	BELOW AV: (2)
3.4	3.0	66	3	SL BELOW: (3)
31.0	27.1	608	4	AVERAGE: (4)
26.3	23.0	515	5	SL ABOVE: (5)
29.0	25.3	567	6	ABOVE AV: (6)
8.3	7.2	162	7	FAR ABOV: (7)
	12.6	282	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 136-137

V1175	001C018A:#DA/4W SC MS IL
-------	--------------------------

During the LAST FOUR WEEKS how many whole days of school
have you missed...

Because of illness...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	49.8	1,115	1	NONE: (1)
17.2	14.9	333	2	1 DAY: (2)
11.3	9.7	218	3	2 DAYS: (3)
6.5	5.6	126	4	3 DAYS: (4)
4.4	3.8	85	5	4-5 DAYS: (5)
1.7	1.5	33	6	6-10 DA: (6)
1.1	1.0	22	7	11+ DAYS: (7)
	13.8	308	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 138-139

V1176	001C018B:#DA/4W SC MS CU
-------	--------------------------

During the LAST FOUR WEEKS how many whole days of school
have you missed...

Because you skipped or "cut"...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	57.9	1,297	1	NONE: (1)
15.0	12.7	284	2	1 DAY: (2)
7.4	6.3	141	3	2 DAYS: (3)
3.9	3.3	74	4	3 DAYS: (4)
2.8	2.3	52	5	4-5 DAYS: (5)
1.4	1.2	27	6	6-10 DA: (6)
0.9	0.8	18	7	11+ DAYS: (7)
	15.5	346	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 140-141

V1177	001C018C:#DA/4W SC MS OT
-------	--------------------------

During the LAST FOUR WEEKS how many whole days of school
have you missed...

For other reasons...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.1	47.0	1,052	1	NONE:(1)
20.2	17.2	384	2	1 DAY:(2)
11.8	10.0	224	3	2 DAYS:(3)
5.9	5.0	113	4	3 DAYS:(4)
4.3	3.6	82	5	4-5 DAYS:(5)
1.4	1.2	28	6	6-10 DA:(6)
1.3	1.1	25	7	11+ DAYS:(7)
	14.8	332	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 142-143

V1178	001C019 :#DA/4W SKP CLAS
-------	--------------------------

During the last four weeks, how often have you gone to
school, but skipped a class when you weren't supposed to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	55.7	1,249	1	NOT@ALL:(1)
20.2	17.6	395	2	1-2:(2)
9.4	8.2	184	3	3-5:(3)
3.5	3.1	69	4	6-10:(4)
1.8	1.5	34	5	11-20:(5)
1.2	1.0	23	6	21+:(6)
	12.8	286	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 144-145

V1179	001C020 :R HS GRADE/D=1
-------	-------------------------

Which of the following best describes your average grade
so far in high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.0	23	1	D: (1)
3.1	2.7	59	2	C-: (2)
6.2	5.4	120	3	C: (3)
9.1	7.9	177	4	C+: (4)
13.0	11.3	253	5	B-: (5)
18.8	16.3	366	6	B: (6)
17.4	15.1	337	7	B+: (7)
15.4	13.4	299	8	A-: (8)
15.8	13.7	306	9	A: (9)
	13.3	298	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 146-147

V1180	001C021A:R WL DO VOC/TEC
-------	--------------------------

How likely is it that you will do each of the following
things after high school?

Attend a technical or vocational school...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	43.9	983	1	DEF WONT: (1)
22.4	18.5	414	2	PRB WONT: (2)
15.7	13.0	290	3	PRB WILL: (3)
8.8	7.3	163	4	DEF WILL: (4)
	17.4	390	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 148-149

V1181	001C021B:R WL DO ARMD FC
-------	--------------------------

How likely is it that you will do each of the following things after high school?

Serve in the armed forces...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	57.8	1,295	1	DEF WONT:(1)
15.5	12.4	277	2	PRB WONT:(2)
6.3	5.0	112	3	PRB WILL:(3)
6.0	4.8	108	4	DEF WILL:(4)
	20.0	448	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 150-151

V1182	001C021C:R WL DO 2YR CLG
-------	--------------------------

How likely is it that you will do each of the following things after high school?

Graduate from a two-year college program...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	35.6	797	1	DEF WONT:(1)
18.6	15.3	343	2	PRB WONT:(2)
21.2	17.4	390	3	PRB WILL:(3)
16.9	13.8	310	4	DEF WILL:(4)
	17.9	400	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 152-153

V1183	001C021D:R WL DO 4YR CLG
-------	--------------------------

How likely is it that you will do each of the following things after high school?

Graduate from college (four-year program)...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	9.5	213	1	DEF WONT:(1)
11.8	10.0	224	2	PRB WONT:(2)
20.8	17.7	397	3	PRB WILL:(3)
56.2	47.8	1,070	4	DEF WILL:(4)
	15.0	336	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 154-155

V1184	001C021E:R WL DO GRD/PRF
-------	--------------------------

How likely is it that you will do each of the following things after high school?

Attend graduate or professional school after college...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	17.0	381	1	DEF WONT:(1)
28.3	23.4	525	2	PRB WONT:(2)
31.1	25.7	576	3	PRB WILL:(3)
20.0	16.6	371	4	DEF WILL:(4)
	17.2	386	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 156-157

V1185	001C022A:R WNTDO VOC/TEC
-------	--------------------------

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	70.1	1,570	0	NT MARKD:(0)
17.5	14.9	333	1	MARKED:(1)
	15.1	337	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 158-159

V1186	001C022B:R WNTDO ARMD FC
-------	--------------------------

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Serve in the armed forces

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	74.6	1,671	0	NT MARKD:(0)
12.2	10.4	232	1	MARKED:(1)
	15.1	337	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 160-161

V1187	001C022C:R WNTDO 2YR CLG
-------	--------------------------

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	66.0	1,479	0	NT MARKD:(0)
22.3	18.9	424	1	MARKED:(1)
	15.1	337	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 162-163

V1188	001C022D:R WNTDO 4YR CLG
-------	--------------------------

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	20.9	468	0	NT MARKD:(0)
75.4	64.1	1,435	1	MARKED:(1)
	15.1	337	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 164-165

V1189	001C022E:R WNTDO GRD/PRF
-------	--------------------------

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	40.8	915	0	NT MARKD:(0)
51.9	44.1	988	1	MARKED:(1)
	15.1	337	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 166-167

V1190	001C022F:R WNTDO NONE
-------	-----------------------

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

None of the above

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	78.7	1,762	0	NT MARKD:(0)
7.4	6.3	141	1	MARKED:(1)
	15.1	337	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 168-169

V1191	001C023 :HRS/W WRK SCHYR
-------	--------------------------

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	19.8	445	1	NONE: (1)
8.3	7.0	158	2	5 OR <: (2)
9.5	8.1	182	3	6-10 HRS: (3)
9.9	8.4	189	4	11-15 HR: (4)
17.6	14.9	334	5	16-20 HR: (5)
13.5	11.5	257	6	21-25 HR: (6)
9.7	8.2	185	7	26-30 HR: (7)
8.1	6.9	154	8	30+ HRS: (8)
	15.1	338	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 170-171

V1192	001C024A:R\$/AVG WEEK JOB
-------	---------------------------

During an average week, how much money do you get from...

A job or other work...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	21.4	479	1	NONE: (1)
0.9	0.7	16	2	\$1-5: (2)
3.2	2.6	59	3	\$6-10: (3)
2.2	1.8	41	4	\$11-20: (4)
3.7	3.1	69	5	\$21-35: (5)
6.5	5.4	121	6	\$36-50: (6)
12.0	9.9	222	7	\$51-75: (7)
23.7	19.6	439	8	\$76-125: (8)
21.9	18.1	405	9	\$126+: (9)
	17.3	388	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 172-173

V1193	001C024B:R\$/AVG WEEK OTH
-------	---------------------------

During an average week, how much money do you get from...

Other sources (allowances, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	31.4	703	1	NONE: (1)
4.4	3.6	81	2	\$1-5: (2)
9.6	7.9	176	3	\$6-10: (3)
18.0	14.7	329	4	\$11-20: (4)
11.4	9.3	209	5	\$21-35: (5)
8.2	6.7	150	6	\$36-50: (6)
2.9	2.4	53	7	\$51-75: (7)
3.5	2.8	64	8	\$76-125: (8)
3.8	3.1	69	9	\$126+: (9)
	18.1	406	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 174-175

V1194	001C025 :#X/AV WK GO OUT
-------	--------------------------

During a typical week, on how many evenings do you go out
for fun and recreation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.6	192	1	< 1: (1)
14.3	12.0	269	2	ONE: (2)
27.4	23.1	517	3	TWO: (3)
25.9	21.8	487	4	THREE: (4)
16.0	13.5	302	5	4-5: (5)
6.3	5.3	118	6	6-7: (6)
	15.8	355	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 176-177

V1195	001C026 :#X DATE 3+/WK
-------	------------------------

On the average, how often do you go out with a date (or your spouse, if you are married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	17.8	398	1	NEVER: (1)
20.0	16.7	373	2	MO OR<: (2)
13.8	11.5	257	3	2-3/MO: (3)
15.7	13.1	293	4	WK: (4)
17.2	14.3	320	5	2-3/WK: (5)
12.0	9.9	223	6	3+/WK: (6)
	16.8	375	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 178-179

V1196	001C027 :DRIVE>200 MI/WK
-------	--------------------------

During an average week, how much do you usually drive a car, truck, a motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	12.0	268	1	NONE: (1)
7.3	6.1	136	2	1-10 MI: (2)
19.5	16.3	366	3	11-50: (3)
22.6	18.9	424	4	51-100: (4)
21.0	17.6	394	5	101-200: (5)
15.4	12.9	290	6	> 200: (6)
	16.2	362	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 180-181

V1197	001C028 :#X/12MO R TCKTD
-------	--------------------------

Within the LAST 12 MONTHS how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	58.1	1,301	0	NONE:(0)
19.1	15.7	351	1	ONE:(1)
6.0	4.9	111	2	TWO:(2)
2.6	2.2	48	3	THREE:(3)
1.4	1.1	26	4	4+:(4)
	18.0	403	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 182-183

V1198	001C029A:#TCKTS AFT DRNK
-------	--------------------------

How many of these tickets or warnings occurred after you were...

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	22.3	499	0	None:(0)
6.0	1.4	32	1	One:(1)
0.3	0.1	2	2	Two:(2)
0.6	0.1	3	3	3-4 or +:(3-4)
	76.1	1,705	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 184-185

V1199	001C029B:#TCKTS AFT MARJ
-------	--------------------------

How many of these tickets or warnings occurred after you
were...

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	22.7	508	0	None: (0)
4.2	1.0	23	1	One: (1)
0.4	0.1	2	2	Two: (2)
0.4	0.1	2	3	3-4 or +: (3-4)
	76.1	1,705	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 186-187

V1200	001C029C:#TCKTS AFT OTDG
-------	--------------------------

How many of these tickets or warnings occurred after you
were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	23.6	529	0	None: (0)
0.3	0.1	1	1	One: (1)
0.4	0.1	2	2	Two: (2)
0.2	0.0	1	3	3-4 or +: (3-4)
	76.2	1,707	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 188-189

V1201	001C030 :#ACCIDNTS/12 MO
-------	--------------------------

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	62.1	1,391	0	NONE:(0)
17.3	14.0	313	1	ONE:(1)
4.5	3.6	81	2	TWO:(2)
1.0	0.8	18	3	THREE:(3)
0.3	0.2	5	4	4+:(4)
	19.3	431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 190-191

V1202	001C031A:#ACDTS AFT DRNK
-------	--------------------------

How many of these accidents occurred after you were...

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	17.6	395	0	None:(0)
4.5	0.8	19	1	One:(1)
0.3	0.1	1	2	Two:(2)
0.4	0.1	2	3	3-4 or +:(3-4)
	81.4	1,824	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 192-193

V1203	001C031B:#ACDTS AFT MARJ
-------	--------------------------

How many of these accidents occurred after you were...

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	17.9	402	0	None: (0)
2.8	0.5	12	1	One: (1)
0.0	0.0	0	2	Two: (2)
0.4	0.1	2	3	3-4 or +: (3-4)
	81.5	1,825	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 194-195

V1204	001C031C:#ACDTS AFT OTDG
-------	--------------------------

How many of these accidents occurred after you were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	18.4	413	0	None: (0)
0.5	0.1	2	1	One: (1)
0.0	0.0	0	2	Two: (2)
0.0	0.0	0	3	3-4 or +: (3-4)
	81.5	1,825	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 196-197

V1205	001C032 :R'S BRANCH SERV
-------	--------------------------

What is, or will be, your branch of service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	2.9	64	1	ARMY: (1)
10.6	1.0	22	2	NAVY: (2)
11.7	1.1	24	3	MARINES: (3)
29.9	2.8	62	4	AIRFORCE: (4)
6.3	0.6	13	5	COAST GD: (5)
10.8	1.0	22	6	UNCERTN: (6)
	90.7	2,031	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 198-199

V1206	001C033 :R XPCTS B OFFCR
-------	--------------------------

Do you expect to be an officer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	1.5	34	1	NO: (1)
37.4	3.6	82	2	UNCERTN: (2)
47.3	4.6	103	3	YES: (3)
0.0	0.0	0	8	NO ANSR: (8)
	90.2	2,021	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 200-201

V1207	001C034 :R XPCTS MLTR CR
-------	--------------------------

Do you expect to have a career in the Armed Forces?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	1.9	43	1	NO: (1)
42.5	4.1	92	2	UNCERTN: (2)
37.7	3.7	82	3	YES: (3)
0.0	0.0	0	8	NO ANSR: (8)
	90.3	2,023	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 202-203

V1208	001B001 :EVR SMK CIG,REG
-------	--------------------------

Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	37.8	848	1	NEVER: (1)
23.7	23.2	520	2	1-2X: (2)
15.6	15.3	342	3	OCCASNLY: (3)
6.6	6.4	144	4	REG PAST: (4)
15.3	15.0	335	5	REG NOW: (5)
	2.3	51	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 204-205

V1210	001B002 :#CIGS SMKD/30DA
-------	--------------------------

How frequently have you smoked cigarettes during the past
30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	29.8	667	1	NT DAILY: (1)
19.2	11.5	257	2	<1 CIG/D: (2)
12.7	7.6	170	3	1-5/DAY: (3)
11.6	6.9	155	4	2 PK: (4)
4.6	2.7	61	5	1 PK: (5)
1.0	0.6	14	6	1 2 PK: (6)
0.9	0.6	13	7	2+ PKS: (7)
0.0	0.0	0	8	INAP: (8)
	40.3	903	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 206-207

V1211	001B004A:TRY STP SMK&FL
-------	-------------------------

Have you ever tried to stop smoking and found that you
could not?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	11.9	267	1	YES: (1)
79.3	45.7	1,023	2	NO: (2)
0.0	0.0	0	8	INAP: (8)
	42.4	951	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 208-209

V1212	001B004C:WNT STP SMK NW
-------	-------------------------

Do you want to stop smoking now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.3	11.2	252	1	YES: (1)
51.7	12.0	269	2	NO: (2)
0.0	0.0	0	8	DNT SMOK: (8)
	76.7	1,719	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 210-211

V1213	001B006 :NO SMK IN 5 YR
-------	-------------------------

Do you think you will be smoking cigarettes five years
 from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	27	1	DEF WILL: (1)
10.5	10.3	230	2	PRB WILL: (2)
20.5	20.0	448	3	PRB WONT: (3)
67.7	66.0	1,480	4	DEF WONT: (4)
	2.5	55	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 212-213

V1214	001B007A:#X ALC/LIF SIPS
-------	--------------------------

On how many occasions (if any) have you had alcohol to
drink--more than just a few sips . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	15.1	337	1	0 OCCAS: (1)
11.7	11.2	251	2	1-2X: (2)
10.4	10.0	224	3	3-5X: (3)
9.5	9.1	203	4	6-9X: (4)
13.1	12.5	280	5	10-19X: (5)
12.6	12.1	271	6	20-39X: (6)
27.0	25.9	580	7	40+OCCAS: (7)
	4.2	94	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 214-215

V1215	001B007B:#X ALC/ANN SIPS
-------	--------------------------

On how many occasions (if any) have you had alcohol to
drink--more than just a few sips . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	24.6	550	1	0 OCCAS: (1)
16.3	15.5	348	2	1-2X: (2)
14.0	13.3	299	3	3-5X: (3)
10.6	10.1	226	4	6-9X: (4)
13.2	12.6	282	5	10-19X: (5)
8.3	7.9	178	6	20-39X: (6)
11.7	11.2	251	7	40+OCCAS: (7)
	4.7	106	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 216-217

V1216	001B007C:#X ALC/30D SIPS
-------	--------------------------

On how many occasions (if any) have you had alcohol to
drink--more than just a few sips . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	46.6	1,043	1	0 OCCAS: (1)
21.4	20.4	458	2	1-2X: (2)
12.6	12.1	270	3	3-5X: (3)
8.9	8.5	190	4	6-9X: (4)
5.1	4.9	109	5	10-19X: (5)
1.1	1.1	24	6	20-39X: (6)
2.0	1.9	42	7	40+OCCAS: (7)
	4.6	104	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 218-219

V1217	001B008A:#X/YR ALC ALONE
-------	--------------------------

When you used alcohol during the last year, how often
did you use it in each of the following situations?

When you were alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	53.4	1,196	1	NOT @ALL: (1)
19.3	13.6	306	2	FEW TIME: (2)
3.6	2.5	57	3	SOM TIME: (3)
0.4	0.3	6	4	MST TIME: (4)
1.0	0.7	16	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.5	660	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 220-221

V1218	001B008B:#X/YR ALC-2 PPL
-------	--------------------------

When you used alcohol during the last year, how often did
you use it in each of the following situations?

With just 1 or 2 other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	15.9	356	1	NOT @ALL: (1)
36.9	25.9	581	2	FEW TIME: (2)
22.3	15.6	350	3	SOM TIME: (3)
12.3	8.6	193	4	MST TIME: (4)
5.9	4.2	94	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.8	667	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 222-223

V1219	001B008C:#X/YR ALC@PARTY
-------	--------------------------

When you used alcohol during the last year, how often did
you use it in each of the following situations?

At a party

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	9.9	222	1	NOT @ALL: (1)
16.6	11.7	262	2	FEW TIME: (2)
12.2	8.6	192	3	SOM TIME: (3)
33.9	23.8	533	4	MST TIME: (4)
23.2	16.3	365	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.8	667	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 224-225

V1220	001B008D:#X/YR ALC-DT/SP
-------	--------------------------

When you used alcohol during the last year, how often did
you use it in each of the following situations?

When your date or spouse was present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	32.8	735	1	NOT @ALL: (1)
21.2	14.9	333	2	FEW TIME: (2)
16.4	11.5	257	3	SOM TIME: (3)
10.1	7.1	158	4	MST TIME: (4)
5.5	3.8	86	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	30.0	671	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 226-227

V1221	001B008E:#X/YR ALC-ADLTS
-------	--------------------------

When you used alcohol during the last year, how often did
you use it in each of the following situations?

When people over age 30 were present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	28.6	641	1	NOT @ALL: (1)
34.9	24.6	551	2	FEW TIME: (2)
12.3	8.7	195	3	SOM TIME: (3)
6.0	4.2	94	4	MST TIME: (4)
6.1	4.3	96	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.7	664	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 228-229

V1222	001B008F:#X/YR ALC-DATIM
-------	--------------------------

When you used alcohol during the last year, how often did you use it in each of the following situations?

During the daytime (before 4:00 p.m.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	46.2	1,035	1	NOT @ALL: (1)
24.9	17.5	393	2	FEW TIME: (2)
7.4	5.2	117	3	SOM TIME: (3)
0.8	0.5	12	4	MST TIME: (4)
1.4	1.0	22	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.5	662	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 230-231

V1223	001B008G:#X/YR ALC@HOME
-------	-------------------------

When you used alcohol during the last year, how often did you use it in each of the following situations?

At your home (or apartment or dorm)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	32.5	728	1	NOT @ALL: (1)
28.0	19.7	442	2	FEW TIME: (2)
15.2	10.7	240	3	SOM TIME: (3)
6.2	4.4	98	4	MST TIME: (4)
4.6	3.2	72	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.5	660	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 232-233

V1224	001B008H:#X/YR ALC@SCHL
-------	-------------------------

When you used alcohol during the last year, how often did
you use it in each of the following situations?

At school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	63.8	1,429	1	NOT @ALL: (1)
7.0	4.9	110	2	FEW TIME: (2)
1.0	0.7	16	3	SOM TIME: (3)
0.6	0.4	9	4	MST TIME: (4)
0.7	0.5	11	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.7	665	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 234-235

V1225	001B008I:#X/YR ALCIN CAR
-------	--------------------------

When you used alcohol during the last year, how often did
you use it in each of the following situations?

In a car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	45.7	1,024	1	NOT @ALL: (1)
20.1	14.2	318	2	FEW TIME: (2)
10.4	7.3	164	3	SOM TIME: (3)
3.0	2.1	48	4	MST TIME: (4)
1.6	1.1	25	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	29.5	661	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 236-237

V1226	001B009A:ALC EXPERIMENT
--------------	--------------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To experiment--to see what it's like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	35.2	788	0	NT MARKD:(0)
49.0	33.9	759	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 238-239

V1227	001B009B:ALC RELAX
--------------	---------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To relax or relieve tension

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	37.1	831	0	NT MARKD:(0)
46.3	32.0	716	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 240-241

V1228	001B009C:ALC GET HIGH
--------------	------------------------------

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

To feel good or get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	38.3	858	0	NT MARKD:(0)
44.6	30.8	689	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 242-243

V1229	001B009D:ALC SEEK INSIGHT
--------------	----------------------------------

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

To seek deeper insights and understanding

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	65.5	1,467	0	NT MARKD:(0)
5.2	3.6	81	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 244-245

V1230	001B009E:ALC GD TM FRNDS
-------	--------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To have a good time with my friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	17.8	399	0	NT MARKD:(0)
74.2	51.2	1,148	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 246-247

V1231	001B009F:ALC FIT IN GRP
-------	-------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To fit in with a group I like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	62.8	1,407	0	NT MARKD:(0)
9.0	6.2	140	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 248-249

V1232	001B009G:ALC GET AWY PRB
--------------	---------------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To get away from my problems or troubles

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	54.0	1,210	0	NT MARKD:(0)
21.8	15.1	338	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 250-251

V1233	001B009H:ALC BOREDOM
--------------	-----------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

Because of boredom, nothing else to do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	51.1	1,144	0	NT MARKD:(0)
26.1	18.0	403	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 252-253

V1234	001B009I:ALC ANGR&FRSTRN
-------	--------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

Because of anger or frustration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	56.8	1,272	0	NT MARKD:(0)
17.8	12.3	275	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 254-255

V1235	001B009J:ALC GT THRU DAY
-------	--------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	66.9	1,498	0	NT MARKD:(0)
3.2	2.2	50	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 256-257

V1236	001B009K:ALC INCRS EF DR
-------	--------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To increase the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	64.3	1,441	0	NT MARKD:(0)
6.9	4.7	106	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 258-259

V1237	001B009L:ALC DECRS EF DR
-------	--------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To decrease (offset) the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	68.2	1,527	0	NT MARKD:(0)
1.3	0.9	20	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 260-261

V1238	001B009M:ALC GET SLEEP
-------	------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

To get to sleep

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	65.3	1,463	0	NT MARKD:(0)
5.4	3.8	84	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 262-263

V1239	001B009N:ALC TASTES GOOD
-------	--------------------------

What have been the most important reasons for your drinking
alcoholic beverages? (Mark all that apply.)

Because it tastes good

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	42.9	962	0	NT MARKD:(0)
37.9	26.1	586	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 264-265

V1240	001B0090:ALC I AM HOOKED
-------	--------------------------

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

Because I am "hooked"--I feel I have to drink

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	67.9	1,522	0	NT MARKD: (0)
1.6	1.1	25	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	30.9	693	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 266-267

V1241	001B010 :#X DRK ENF FL H
-------	--------------------------

When you drink alcoholic beverages, how high do you usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	15.8	354	1	NOT HIGH: (1)
25.9	18.1	406	2	LIT HIGH: (2)
38.8	27.2	609	3	MOD HIGH: (3)
12.6	8.8	198	4	VRV HIGH: (4)
0.0	0.0	0	8	INAP: (8)
	30.0	673	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 268-269

V1242	001B011 :DRK AL,HI24+HR
-------	-------------------------

When you drink alcoholic beverages, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	17.2	385	1	N GET HI:(1)
32.1	22.2	497	2	1-2 HRS:(2)
37.0	25.6	574	3	3-6 HRS:(3)
5.3	3.7	82	4	7-24 HRS:(4)
0.9	0.6	14	5	>24 HRS:(5)
0.0	0.0	0	8	INAP:(8)
	30.7	688	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 270-271

V1243	001B012 :5+DRK ROW/LST 2
-------	--------------------------

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	42.3	947	1	NONE:(1)
13.9	9.7	218	2	ONCE:(2)
10.1	7.1	159	3	TWICE:(3)
11.8	8.3	185	4	3-5X:(4)
2.0	1.4	31	5	6-9X:(5)
1.8	1.3	28	6	10+ TIME:(6)
0.0	0.0	0	8	INAP:(8)
	30.0	672	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 272-273

V1244	001B013 :#X/2W,3-4 DR RW
-------	--------------------------

During the last two weeks, how many times have you had 3
or 4 drinks in a row (but no more than that)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	45.6	1,022	1	NONE: (1)
17.2	12.0	269	2	ONCE: (2)
9.5	6.6	149	3	TWICE: (3)
6.1	4.2	95	4	3-5X: (4)
1.5	1.0	23	5	6-9X: (5)
0.6	0.4	9	6	10+ TIME: (6)
0.0	0.0	0	8	INAP: (8)
	30.1	674	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 274-275

V1245	001B014A:#X/2WK,2 DRK RW
-------	--------------------------

During the last two weeks, how many times have you had two
drinks in a row (but no more than that)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	48.9	1,096	1	NONE: (1)
15.2	10.5	235	2	ONCE: (2)
6.8	4.7	105	3	TWICE: (3)
4.4	3.0	68	4	3-5X: (4)
1.8	1.2	27	5	6-9X: (5)
0.4	0.3	6	6	10-19X: (6)
0.3	0.2	5	7	20+ TIME: (7)
	31.2	699	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 276-277

V1246	001B014B:#X/2WK,JST 1DRK
-------	--------------------------

During the last two weeks, how many times have you had
just one drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	47.6	1,066	1	NONE: (1)
18.5	12.5	281	2	ONCE: (2)
5.8	3.9	88	3	TWICE: (3)
3.6	2.4	55	4	3-5X: (4)
0.6	0.4	9	5	6-9X: (5)
0.7	0.5	11	6	10-19X: (6)
0.3	0.2	4	7	20+ TIME: (7)
	32.5	727	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 278-279

V1247	001B015 :TRY STP ALC&FL
-------	-------------------------

Have you ever tried to stop using alcoholic beverages and
found that you couldn't stop?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.2	50	1	YES: (1)
96.8	67.2	1,505	2	NO: (2)
0.0	0.0	0	8	INAP: (8)
	30.6	685	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 280-281

V1248	001B017 :NO ALC IN 5 YR
-------	-------------------------

Do you think you will be drinking alcoholic beverages five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	18.7	420	1	DEF WILL: (1)
48.4	46.9	1,052	2	PRB WILL: (2)
14.1	13.7	306	3	PRB WONT: (3)
18.1	17.5	393	4	DEF WONT: (4)
	3.1	70	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 282-283

V1249	001B018A:#X HASH/LIFETIM
-------	--------------------------

On how many occasions (if any) have you used hashish . . .
. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	84.7	1,897	1	0 OCCAS: (1)
4.1	3.9	88	2	1-2X: (2)
2.1	2.0	45	3	3-5X: (3)
1.2	1.1	25	4	6-9X: (4)
1.4	1.4	30	5	10-19X: (5)
1.0	0.9	21	6	20-39X: (6)
2.0	1.9	43	7	40+OCCAS: (7)
	4.1	92	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 284-285

V1250	001B018B:#X HASH/LAST12M
-------	--------------------------

On how many occasions (if any) have you used hashish . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	88.1	1,973	1	0 OCCAS: (1)
2.7	2.6	58	2	1-2X: (2)
1.7	1.7	37	3	3-5X: (3)
1.0	1.0	22	4	6-9X: (4)
1.2	1.1	25	5	10-19X: (5)
0.6	0.6	12	6	20-39X: (6)
0.9	0.9	20	7	40+OCCAS: (7)
	4.1	93	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 286-287

V1251	001B018C:#X HASH/LAST30D
-------	--------------------------

On how many occasions (if any) have you used hashish . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	92.1	2,063	1	0 OCCAS: (1)
1.6	1.6	35	2	1-2X: (2)
0.4	0.4	9	3	3-5X: (3)
0.9	0.8	18	4	6-9X: (4)
0.4	0.4	8	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	4.3	96	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 288-289

V1252	001B019A:#X MARJ/LIFETIM
-------	--------------------------

On how many occasions (if any) have you used marijuana . . .
 . . .in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	48.4	1,085	1	0 OCCAS:(1)
8.4	8.1	181	2	1-2X:(2)
6.7	6.4	143	3	3-5X:(3)
5.4	5.2	116	4	6-9X:(4)
6.4	6.1	136	5	10-19X:(5)
6.1	5.8	130	6	20-39X:(6)
16.4	15.7	351	7	40+OCCAS:(7)
	4.4	100	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 290-291

V1253	001B019B:#X MARJ/LAST12M
-------	--------------------------

On how many occasions (if any) have you used marijuana . . .
 . . .during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	58.3	1,307	1	0 OCCAS:(1)
10.5	9.9	222	2	1-2X:(2)
6.7	6.4	142	3	3-5X:(3)
4.7	4.5	100	4	6-9X:(4)
4.8	4.6	103	5	10-19X:(5)
3.4	3.2	73	6	20-39X:(6)
8.5	8.1	181	7	40+OCCAS:(7)
	5.0	112	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 292-293

V1254	001B019C:#X MARJ/LAST30D
-------	--------------------------

On how many occasions (if any) have you used marijuana . . .
 . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	74.2	1,663	1	0 OCCAS:(1)
7.6	7.2	161	2	1-2X:(2)
3.4	3.2	72	3	3-5X:(3)
2.4	2.3	52	4	6-9X:(4)
2.3	2.2	50	5	10-19X:(5)
2.2	2.1	47	6	20-39X:(6)
3.8	3.6	81	7	40+OCCAS:(7)
	5.1	114	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 294-295

V1255	001B020A:#X/YR MJ ALONE
-------	-------------------------

When you used marijuana or hashish during the last year,
 how often did you use it in each of the following
 situations?

When you were alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	25.2	565	1	NOT @ALL:(1)
17.5	6.4	144	2	FEW TIME:(2)
10.4	3.8	85	3	SOM TIME:(3)
1.8	0.7	15	4	MST TIME:(4)
1.4	0.5	12	5	EVRYTIME:(5)
0.0	0.0	0	8	INAP:(8)
	63.4	1,420	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 296-297

V1256	001B020B:#X/YR MJ-2 PPL
-------	-------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

With just 1 or 2 other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	3.7	82	1	NOT @ALL: (1)
29.6	10.8	243	2	FEW TIME: (2)
18.8	6.9	154	3	SOM TIME: (3)
28.5	10.4	234	4	MST TIME: (4)
13.0	4.8	107	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.4	1,420	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 298-299

V1257	001B020C:#X/YR MJ@PARTY
-------	-------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

At a party

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	9.2	206	1	NOT @ALL: (1)
21.4	7.9	176	2	FEW TIME: (2)
21.1	7.8	174	3	SOM TIME: (3)
17.5	6.4	144	4	MST TIME: (4)
14.8	5.4	122	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.3	1,419	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 300-301

V1258	001B020D:#X/YR MJ-DT/SP
-------	-------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

When your date or spouse was present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	20.1	450	1	NOT @ALL: (1)
20.0	7.3	163	2	FEW TIME: (2)
9.3	3.4	76	3	SOM TIME: (3)
9.3	3.4	76	4	MST TIME: (4)
6.4	2.4	53	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.5	1,422	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 302-303

V1259	001B020E:#X/YR MJ-ADLTS
-------	-------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

When people over age 30 were present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	23.6	529	1	NOT @ALL: (1)
18.6	6.8	152	2	FEW TIME: (2)
10.0	3.6	81	3	SOM TIME: (3)
3.8	1.4	31	4	MST TIME: (4)
2.7	1.0	22	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.6	1,424	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 304-305

V1260	001B020F:#X/YR MJ-DATIME
-------	--------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

During the daytime (before 4:00 p.m.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	15.4	345	1	NOT @ALL: (1)
23.8	8.7	195	2	FEW TIME: (2)
19.7	7.2	161	3	SOM TIME: (3)
10.7	3.9	88	4	MST TIME: (4)
3.7	1.3	30	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.4	1,421	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 306-307

V1261	001B020G:#X/YR MJ@HOME
-------	------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

At your home (or apartment or dorm)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	20.4	457	1	NOT @ALL: (1)
21.0	7.7	172	2	FEW TIME: (2)
10.8	3.9	88	3	SOM TIME: (3)
9.3	3.4	76	4	MST TIME: (4)
3.1	1.1	25	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.5	1,421	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 308-309

V1262	001B020H:#X/YR MJ@SCHL
-------	------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

At school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	28.7	643	1	NOT @ALL: (1)
13.1	4.8	107	2	FEW TIME: (2)
4.2	1.5	35	3	SOM TIME: (3)
2.2	0.8	18	4	MST TIME: (4)
1.9	0.7	16	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.4	1,421	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 310-311

V1263	001B020I:#X/YR MJIN CAR
-------	-------------------------

When you used marijuana or hashish during the last year,
how often did you use it in each of the following
situations?

In a car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	11.1	248	1	NOT @ALL: (1)
24.5	8.9	200	2	FEW TIME: (2)
22.9	8.3	187	3	SOM TIME: (3)
17.1	6.2	140	4	MST TIME: (4)
5.1	1.9	42	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	63.5	1,423	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 312-313

V1264	001B021 :#X OVL MJ+ ALC
-------	-------------------------

How many of the times when you used marijuana or hashish
during the last year did you use it along with alcohol
--that is, so that their effects overlapped?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	12.1	270	1	NOT @ALL:(1)
30.9	11.2	252	2	FEW TIME:(2)
20.1	7.3	163	3	SOM TIME:(3)
10.0	3.6	81	4	MST TIME:(4)
5.9	2.1	48	5	EVRYTIME:(5)

	63.6	1,426	-9	Missing
--	------	-------	----	---------

100.0	100.0	2,240	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric

Missing-data code: -9

Columns: 314-315

V1265	001B022A:MJ EXPERIMENT
-------	------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022A: To experiment--to see what it's like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	13.4	300	0	NT MARKD:(0)
62.9	22.7	508	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing

100.0	100.0	2,240	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric

Missing-data code: -9

Columns: 316-317

V1266	001B022B:MJ RELAX
--------------	--------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022B: To relax or relieve tension

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	15.7	351	0	NT MARKD:(0)
56.6	20.5	458	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 318-319

V1267	001B022C:MJ GET HIGH
--------------	-----------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022C: To feel good or get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	9.3	207	0	NT MARKD:(0)
74.4	26.9	602	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 320-321

V1268	001B022D:MJ SEEK INSIGHT
-------	--------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022D: To seek deeper insights and understanding

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	30.0	671	0	NT MARKD:(0)
17.0	6.2	138	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 322-323

V1269	001B022E:MJ GD TM FRNDS
-------	-------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022E: To have a good time with my friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	11.8	263	0	NT MARKD:(0)
67.5	24.4	546	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 324-325

V1270	001B022F:MJ FIT IN GRP
-------	------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022F: To fit in with a group I like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	32.4	725	0	NT MARKD:(0)
10.4	3.7	84	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 326-327

V1271	001B022G:MJ GET AWY PRB
-------	-------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022G: To get away from my problems or troubles

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	27.4	615	0	NT MARKD:(0)
24.0	8.7	194	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 328-329

V1272	001B022H:MJ BOREDOM
--------------	----------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022H: Because of boredom, nothing else to do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	24.9	558	0	NT MARKD:(0)
31.0	11.2	251	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 330-331

V1273	001B022I:MJ ANGR&FRUSTRN
--------------	-------------------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

Because of anger or frustration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	29.4	658	0	NT MARKD:(0)
18.6	6.7	151	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 332-333

V1274	001B022J:MJ GET THRU DAY
-------	--------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

To get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	32.5	727	0	NT MARKD:(0)
10.1	3.6	82	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 334-335

V1275	001B022K:MJ INCRS EF DRG
-------	--------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022K: To increase the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	31.7	710	0	NT MARKD:(0)
12.3	4.4	99	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 336-337

V1276	001B022L:MJ DECRS EF DRG
--------------	---------------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022L: To decrease (offset) the effects of some other drugs(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	35.4	794	0	NT MARKD: (0)
1.9	0.7	15	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 338-339

V1277	001B022M:MJ I AM HOOKED
--------------	--------------------------------

What have been the most important reasons for your using
marijuana or hashish? (Mark all that apply.)

B022M: Because I am "hooked"--I have to have it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	34.6	775	0	NT MARKD: (0)
4.2	1.5	34	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 340-341

V1278	001B023 :MJ/HSB, VRY HIGH
-------	---------------------------

When you use marijuana or hashish, how high do you usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	2.3	52	1	NOT HIGH: (1)
22.4	8.1	181	2	LIT HIGH: (2)
39.9	14.5	324	3	MOD HIGH: (3)
31.3	11.3	254	4	VRY HIGH: (4)
0.0	0.0	0	8	INAP: (8)
	63.8	1,429	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 342-343

V1279	001B024 :MJ/HSB, HI 24+HR
-------	---------------------------

When you use marijuana or hashish, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	3.2	71	1	N GET HI: (1)
51.7	18.7	419	2	1-2 HRS: (2)
35.0	12.6	283	3	3-6 HRS: (3)
3.6	1.3	29	4	7-24 HRS: (4)
0.9	0.3	7	5	>24 HRS: (5)
0.0	0.0	0	8	INAP: (8)
	63.9	1,431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 344-345

V1280	001B025 :JOINT/DA LST MO
-------	--------------------------

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	16.4	367	1	NONE: (1)
28.6	9.6	215	2	<DAY: (2)
7.5	2.5	57	3	DAY: (3)
7.2	2.4	54	4	2-3/DAY: (4)
5.1	1.7	38	5	4-6/DAY: (5)
1.2	0.4	9	6	7-10/DAY: (6)
1.6	0.5	12	7	11+/DAY: (7)
0.0	0.0	0	8	INAP: (8)
	66.5	1,489	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 346-347

V1281	001B026 :OZS.MJ LST MO/6
-------	--------------------------

Do you know how much marijuana you have used (in ounces) during the LAST MONTH?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	14.8	332	1	NONE: (1)
17.3	4.7	106	2	< 2 OZ: (2)
6.6	1.8	40	3	2 OZ: (3)
8.2	2.2	50	4	1 OZ: (4)
5.1	1.4	31	5	2 OZ: (5)
4.9	1.3	30	6	3-5 OZ: (6)
3.5	0.9	21	7	6+ OZ: (7)
0.0	0.0	0	8	INAP/DK: (8)
	72.8	1,630	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 348-349

V1282	001B027 :TRY STP MJ &FL
-------	-------------------------

Have you ever tried to stop using marijuana or hashish and
found that your couldn't stop?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	3.4	77	1	YES: (1)
90.6	33.0	739	2	NO: (2)
0.0	0.0	0	8	INAP: (8)
	63.6	1,424	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 350-351

V1283	001B032 :NO MJ/HSB IN5YR
-------	--------------------------

Do you think you will be using marijuana or hashish five
years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	79	1	DEF WILL: (1)
8.7	8.3	186	2	PRB WILL: (2)
21.3	20.4	457	3	PRB WONT: (3)
66.3	63.6	1,424	4	DEF WONT: (4)
	4.2	93	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 352-353

V1284	001B033A:#X LSD/LIFETIME
-------	--------------------------

On how many occasions (if any) have you taken LSD . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	84.4	1,890	1	0 OCCAS:(1)
4.9	4.7	105	2	1-2X:(2)
2.4	2.2	50	3	3-5X:(3)
1.3	1.2	28	4	6-9X:(4)
1.1	1.0	23	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.8	0.8	17	7	40+OCCAS:(7)
	5.4	122	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 354-355

V1285	001B033B:#X LSD/LAST 12M
-------	--------------------------

On how many occasions (if any) have you taken LSD . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	88.2	1,975	1	0 OCCAS:(1)
4.6	4.3	97	2	1-2X:(2)
1.2	1.1	25	3	3-5X:(3)
0.4	0.4	8	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	5.4	121	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 356-357

V1286	001B033C:#X LSD/LAST 30D
-------	--------------------------

On how many occasions (if any) have you taken LSD . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	93.5	2,094	1	0 OCCAS:(1)
0.7	0.6	14	2	1-2X:(2)
0.4	0.3	8	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	5.4	121	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 358-359

V1287	001B034A:#X/YR LSD ALONE
-------	--------------------------

When you used LSD during the last year, how often did you
 use it in each of the following situations?

When you were alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	5.6	126	1	NOT @ALL:(1)
6.5	0.4	9	2	FEW TIME:(2)
3.2	0.2	5	3	SOM TIME:(3)
1.9	0.1	3	4	MST TIME:(4)
1.4	0.1	2	5	EVRYTIME:(5)
0.0	0.0	0	8	INAP:(8)
	93.5	2,095	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 360-361

V1288	001B034B:#X/YR LSD-2 PPL
-------	--------------------------

When you used LSD during the last year, how often did you use it in each of the following situations?

With just 1 or 2 other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	1.9	43	1	NOT @ALL: (1)
34.1	2.2	50	2	FEW TIME: (2)
9.4	0.6	14	3	SOM TIME: (3)
13.5	0.9	20	4	MST TIME: (4)
13.4	0.9	20	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.5	2,094	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 362-363

V1289	001B034C:#X/YR LSD@PARTY
-------	--------------------------

When you used LSD during the last year, how often did you use it in each of the following situations?

At a party

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	2.2	49	1	NOT @ALL: (1)
25.6	1.7	37	2	FEW TIME: (2)
14.5	0.9	21	3	SOM TIME: (3)
9.5	0.6	14	4	MST TIME: (4)
16.2	1.0	23	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.6	2,096	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 364-365

V1290	001B034D:#X/YR LSD-DT/SP
-------	--------------------------

When you used LSD during the last year, how often did you
use it in each of the following situations?

When your date or spouse was present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	4.4	100	1	NOT @ALL: (1)
13.4	0.9	19	2	FEW TIME: (2)
6.0	0.4	9	3	SOM TIME: (3)
5.1	0.3	7	4	MST TIME: (4)
6.4	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.6	2,096	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 366-367

V1291	001B034E:#X/YR LSD-ADLTS
-------	--------------------------

When you used LSD during the last year, how often did you
use it in each of the following situations?

When people over age 30 were present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	4.4	99	1	NOT @ALL: (1)
14.7	0.9	21	2	FEW TIME: (2)
10.5	0.7	15	3	SOM TIME: (3)
2.1	0.1	3	4	MST TIME: (4)
4.3	0.3	6	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.6	2,096	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 368-369

V1292	001B034F:#X/YR LSD-DATIM
-------	--------------------------

When you used LSD during the last year, how often did you
use it in each of the following situations?

During the daytime (before 4:00 p.m.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	3.5	79	1	NOT @ALL: (1)
25.7	1.7	37	2	FEW TIME: (2)
9.8	0.6	14	3	SOM TIME: (3)
4.0	0.3	6	4	MST TIME: (4)
6.2	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.5	2,095	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 370-371

V1293	001B034G:#X/YR LSD@HOME
-------	-------------------------

When you used LSD during the last year, how often did you
use it in each of the following situations?

At your home (or apartment or dorm)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	4.1	92	1	NOT @ALL: (1)
18.3	1.2	26	2	FEW TIME: (2)
9.3	0.6	13	3	SOM TIME: (3)
4.9	0.3	7	4	MST TIME: (4)
3.3	0.2	5	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.6	2,097	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 372-373

V1294	001B034H:#X/YR LSD@SCHL
-------	-------------------------

When you used LSD during the last year, how often did you use it in each of the following situations?

At school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	5.0	113	1	NOT @ALL: (1)
12.6	0.8	18	2	FEW TIME: (2)
4.3	0.3	6	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
4.2	0.3	6	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.6	2,097	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 374-375

V1295	001B034I:#X/YR LSDIN CAR
-------	--------------------------

When you used LSD during the last year, how often did you use it in each of the following situations?

In a car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	3.9	86	1	NOT @ALL: (1)
15.7	1.0	22	2	FEW TIME: (2)
14.7	0.9	21	3	SOM TIME: (3)
2.2	0.1	3	4	MST TIME: (4)
6.6	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.7	2,098	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 376-377

V1296	001B035A:#X OVL LSD+ ALC
-------	--------------------------

How many of the times when you used LSD during the last
year did you use it along with each of the following drugs
--that is, so that their effects overlapped?

With alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	3.3	75	1	NOT @ALL: (1)
17.0	1.1	24	2	FEW TIME: (2)
8.6	0.5	12	3	SOM TIME: (3)
12.3	0.8	17	4	MST TIME: (4)
9.3	0.6	13	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 378-379

V1297	001B035B:#X OVL LSD+ MJ
-------	-------------------------

How many of the times when you used LSD during the last
year did you use it along with each of the following drugs
--that is, so that their effects overlapped?

With marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	2.5	57	1	NOT @ALL: (1)
16.9	1.1	24	2	FEW TIME: (2)
6.6	0.4	9	3	SOM TIME: (3)
13.8	0.9	20	4	MST TIME: (4)
23.0	1.5	33	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	93.6	2,097	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 380-381

V1298	001B036A:LSD EXPERIMENT
-------	-------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036A: To experiment--to see what it's like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	1.0	21	0	NT MARKD:(0)
84.8	5.3	120	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 382-383

V1299	001B036B:LSD RELAX
-------	--------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036B: To relax or relieve tension

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	5.6	125	0	NT MARKD:(0)
11.7	0.7	16	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 384-385

V1300	001B036C:LSD GET HIGH
--------------	------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036C: To feel good or get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	2.9	65	0	NT MARKD: (0)
54.1	3.4	76	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 386-387

V1301	001B036D:LSD SEEK INSIGHT
--------------	----------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036D: To seek deeper insights and understanding

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	4.4	98	0	NT MARKD: (0)
30.4	1.9	43	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 388-389

V1302	001B036E:LSD GD TM FRNDS
--------------	---------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036E: To have a good time with my friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	2.7	61	0	NT MARKD:(0)
57.0	3.6	81	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 390-391

V1303	001B036F:LSD FIT IN GRP
--------------	--------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036F: To fit in with a group I like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	6.0	133	0	NT MARKD:(0)
5.5	0.3	8	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 392-393

V1304	001B036G:LSD GT AWY PRB
--------------	--------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036G: To get away from my problems or troubles

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	5.8	130	0	NT MARKD:(0)
7.8	0.5	11	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 394-395

V1305	001B036H:LSD BOREDOM
--------------	-----------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036H: Because of boredom, nothing else to do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	5.1	114	0	NT MARKD:(0)
19.0	1.2	27	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 396-397

V1306	001B036I:LSD ANGR&FRSTRN
--------------	-------------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

Because of anger or frustration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	6.0	135	0	NT MARKD:(0)
4.5	0.3	6	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 398-399

V1307	001B036J:LSD GT THRU DAY
--------------	---------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

To get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	6.2	138	0	NT MARKD:(0)
2.0	0.1	3	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 400-401

V1308	001B036K:LSD INCRS EF DR
--------------	---------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036K: To increase the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	5.7	127	0	NT MARKD: (0)
10.1	0.6	14	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 402-403

V1309	001B036L:LSD DCRS EF DRG
--------------	---------------------------------

What have been the most important reasons for your taking
LSD? (Mark all that apply.)

B036L: To decrease (offset) the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	6.3	140	0	NT MARKD: (0)
0.7	0.0	1	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 404-405

V1310	001B036M:LSD I AM HOOKED
-------	--------------------------

What have been the most important reasons for your taking LSD? (Mark all that apply.)

B036M: Because I am "hooked"--I have to have it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	6.2	138	0	NT MARKD: (0)
2.0	0.1	3	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	93.7	2,099	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 406-407

V1311	001B037 :LSD,GET VERY HI
-------	--------------------------

When you take LSD, how high do you usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.3	7	1	NOT HIGH: (1)
6.7	0.4	10	2	LIT HIGH: (2)
22.2	1.4	32	3	MOD HIGH: (3)
66.3	4.3	96	4	VRV HIGH: (4)
0.0	0.0	0	8	INAP: (8)
	93.5	2,095	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 408-409

V1312	001B038 :LSD,HIGH 24+ HR
-------	--------------------------

When you take LSD, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.2	5	1	N GET HI:(1)
4.0	0.3	6	2	1-2 HRS:(2)
31.2	2.0	45	3	3-6 HRS:(3)
56.1	3.6	80	4	7-24 HRS:(4)
5.5	0.4	8	5	>24 HRS:(5)
0.0	0.0	0	8	INAP:(8)
	93.6	2,097	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 410-411

V1313	001B039 :1+ BAD TRIP LSD
-------	--------------------------

Have you ever had a "bad trip" on LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	3.8	85	1	NO:(1)
32.8	2.1	48	2	ONCE:(2)
8.9	0.6	13	3	> ONCE:(3)
0.0	0.0	0	8	INAP:(8)
	93.5	2,094	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 412-413

V1314	001B040 :TRY STP LSD&FL
-------	-------------------------

Have you ever tried to stop using LSD and found that you
couldn't stop?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.3	6	1	YES: (1)
96.0	6.2	139	2	NO: (2)
0.0	0.0	0	8	INAP: (8)
	93.6	2,096	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 414-415

V1315	001B041 :NO LSD IN 5 YRS
-------	--------------------------

Do you think you will be using LSD five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.4	31	1	DEF WILL: (1)
1.2	1.1	24	2	PRB WILL: (2)
7.1	6.4	143	3	PRB WONT: (3)
90.1	81.0	1,814	4	DEF WONT: (4)
	10.1	227	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 416-417

V1316	001B042A:#X PSYD/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken psychedelics
other than LSD . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	86.1	1,929	1	0 OCCAS: (1)
3.4	3.2	71	2	1-2X: (2)
1.5	1.3	30	3	3-5X: (3)
0.5	0.5	10	4	6-9X: (4)
0.8	0.8	17	5	10-19X: (5)
0.4	0.4	9	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	7.3	165	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 418-419

V1317	001B042B:#X PSYD/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken psychedelics
other than LSD . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	88.1	1,974	1	0 OCCAS: (1)
2.8	2.5	57	2	1-2X: (2)
0.9	0.9	19	3	3-5X: (3)
0.5	0.4	9	4	6-9X: (4)
0.5	0.4	10	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	7.4	166	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 420-421

V1318	001B042C:#X PSYD/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken psychedelics
other than LSD . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	91.0	2,038	1	0 OCCAS: (1)
0.9	0.9	19	2	1-2X: (2)
0.5	0.5	11	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.1	0.1	2	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.1	0.1	1	7	40+OCCAS: (7)
	7.5	168	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 422-423

V1319	001B043 :PSYD,GT VERY HI
-------	--------------------------

When you take psychedelics other than LSD, how high do you
usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	1	1	NOT HIGH: (1)
4.2	0.2	4	2	LIT HIGH: (2)
26.1	1.2	26	3	MOD HIGH: (3)
68.2	3.0	68	4	VRV HIGH: (4)
0.0	0.0	0	8	INAP: (8)
	95.6	2,141	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 424-425

V1320	001B044 :PSYD,HI 24+ HRS
-------	--------------------------

When you take psychedelics other than LSD, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	2	1	N GET HI:(1)
10.0	0.4	10	2	1-2 HRS:(2)
52.6	2.3	52	3	3-6 HRS:(3)
32.3	1.4	32	4	7-24 HRS:(4)
3.2	0.1	3	5	>24 HRS:(5)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 426-427

V1321	001B045A:TKN YR,MESCALIN
-------	--------------------------

What psychedelics other than LSD have you taken during the last year? (Mark all that apply.)

B045A: Mescaline

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	3.0	66	0	NT MARKD:(0)
29.0	1.2	27	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 428-429

V1322	001B045B:TKN YR,PEYOTE
--------------	-------------------------------

What psychedelics other than LSD have you taken during the last year? (Mark all that apply.)

B045B: Peyote

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	4.0	90	0	NT MARKD:(0)
4.1	0.2	4	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 430-431

V1323	001B045C:TKN YR,PSILOCYB
--------------	---------------------------------

What psychedelics other than LSD have you taken during the last year? (Mark all that apply.)

B045C: Psilocybin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	2.9	65	0	NT MARKD:(0)
30.9	1.3	29	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 432-433

V1324	001B045D:TKN YR,PCP
--------------	----------------------------

What psychedelics other than LSD have you taken during the
last year? (Mark all that apply.)

B045D: PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	3.1	69	0	NT MARKD:(0)
26.4	1.1	25	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 434-435

V1325	001B045E:TKN YR,CNCT THC
--------------	---------------------------------

What psychedelics other than LSD have you taken during the
last year? (Mark all that apply.)

B045E: Concentrated THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	3.3	74	0	NT MARKD:(0)
20.5	0.9	19	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 436-437

V1326	001B045F:TKN YR,OTH PSYD
--------------	---------------------------------

What psychedelics other than LSD have you taken during the last year? (Mark all that apply.)

B045F: Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	1.9	43	0	NT MARKD:(0)
54.4	2.3	51	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 438-439

V1327	001B045G:TKN YR,DK NAME
--------------	--------------------------------

What psychedelics other than LSD have you taken during the last year? (Mark all that apply.)

B045G: Don't know the names of some I have used

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	3.5	78	0	NT MARKD:(0)
17.1	0.7	16	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 440-441

V1328	001B049 :DR TOLD TK AMPH
-------	--------------------------

Have you ever taken amphetamines because a doctor told you
to use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	86.2	1,932	1	NO: (1)
2.1	1.9	43	2	YES BUT: (2)
5.3	4.9	110	3	YES 1ST: (3)
	6.9	155	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 442-443

V1329	001B050A:#X AMPH/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to
take them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	81.7	1,829	1	0 OCCAS: (1)
4.1	3.8	85	2	1-2X: (2)
1.7	1.6	35	3	3-5X: (3)
1.3	1.2	27	4	6-9X: (4)
1.4	1.3	30	5	10-19X: (5)
1.2	1.1	24	6	20-39X: (6)
1.4	1.3	29	7	40+OCCAS: (7)
	8.1	181	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 444-445

V1330	001B050B:#X AMPH/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	85.8	1,922	1	0 OCCAS:(1)
2.3	2.1	48	2	1-2X:(2)
1.2	1.1	24	3	3-5X:(3)
1.1	1.0	23	4	6-9X:(4)
1.0	0.9	21	5	10-19X:(5)
0.6	0.5	11	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS:(7)
	8.0	180	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 446-447

V1331	001B050C:#X AMPH/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	88.6	1,984	1	0 OCCAS: (1)
1.5	1.4	30	2	1-2X: (2)
1.2	1.1	24	3	3-5X: (3)
0.3	0.3	6	4	6-9X: (4)
0.4	0.4	8	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.3	0.3	6	7	40+OCCAS: (7)
	8.0	179	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 448-449

V1332	001B051A:#X/YR AMPH ALNE
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

When you were alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	2.9	65	1	NOT @ALL: (1)
20.9	1.2	26	2	FEW TIME: (2)
14.4	0.8	18	3	SOM TIME: (3)
7.0	0.4	9	4	MST TIME: (4)
6.8	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.3	2,113	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 450-451

V1333	001B051B:#X/YR AMPH-2PPL
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

With just 1 or 2 other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	1.8	40	1	NOT @ALL: (1)
35.8	2.0	45	2	FEW TIME: (2)
21.8	1.2	28	3	SOM TIME: (3)
8.8	0.5	11	4	MST TIME: (4)
1.8	0.1	2	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.3	2,113	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 452-453

V1334	001B051C:#X/YR AMPH@PRTY
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

At a party

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	2.3	53	1	NOT @ALL: (1)
14.1	0.8	18	2	FEW TIME: (2)
18.8	1.1	24	3	SOM TIME: (3)
13.9	0.8	18	4	MST TIME: (4)
11.8	0.7	15	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.3	2,113	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 454-455

V1335	001B051D:#X/YR AMPH-DT/S
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

When your date or spouse was present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.4	3.5	79	1	NOT @ALL: (1)
23.8	1.3	30	2	FEW TIME: (2)
9.1	0.5	11	3	SOM TIME: (3)
2.8	0.2	4	4	MST TIME: (4)
0.9	0.1	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.4	2,115	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 456-457

V1336	001B051E:#X/YR AMPH-ADLT
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

When people over age 30 were present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	3.7	83	1	NOT @ALL: (1)
10.5	0.6	13	2	FEW TIME: (2)
16.4	0.9	21	3	SOM TIME: (3)
3.1	0.2	4	4	MST TIME: (4)
4.2	0.2	5	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.4	2,115	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 458-459

V1337	001B051F:#X/YR AMPH-DATM
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

During the daytime (before 4:00 p.m.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	2.4	54	1	NOT @ALL: (1)
18.7	1.0	23	2	FEW TIME: (2)
20.8	1.2	26	3	SOM TIME: (3)
9.7	0.5	12	4	MST TIME: (4)
7.5	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.4	2,115	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 460-461

V1338	001B051G:#X/YR AMPH@HOME
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

At your home (or apartment or dorm)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	2.8	62	1	NOT @ALL: (1)
21.8	1.2	28	2	FEW TIME: (2)
10.5	0.6	13	3	SOM TIME: (3)
11.9	0.7	15	4	MST TIME: (4)
6.9	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.4	2,114	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 462-463

V1339	001B051H:#X/YR AMPH@SCHL
-------	--------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

At school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	3.0	66	1	NOT @ALL: (1)
27.2	1.5	34	2	FEW TIME: (2)
12.1	0.7	15	3	SOM TIME: (3)
4.7	0.3	6	4	MST TIME: (4)
2.7	0.1	3	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 464-465

V1340	001B051I:#X/YR AMPH@CAR
-------	-------------------------

When you used amphetamines during the last year, how often
did you use them in each of the following situations?

In a car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	2.9	66	1	NOT @ALL: (1)
18.9	1.1	24	2	FEW TIME: (2)
19.2	1.1	24	3	SOM TIME: (3)
6.0	0.3	7	4	MST TIME: (4)
2.9	0.2	4	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 466-467

V1341	001B052A:#X OVL AMPH+ALC
-------	--------------------------

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	3.0	67	1	NOT @ALL: (1)
18.8	1.1	24	2	FEW TIME: (2)
14.4	0.8	18	3	SOM TIME: (3)
6.6	0.4	8	4	MST TIME: (4)
7.2	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.3	2,113	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 468-469

V1342	001B052B:#X OVL AMPH+MJ
-------	-------------------------

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	3.1	69	1	NOT @ALL: (1)
14.0	0.8	17	2	FEW TIME: (2)
10.3	0.6	13	3	SOM TIME: (3)
11.2	0.6	14	4	MST TIME: (4)
9.1	0.5	11	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	94.4	2,115	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 470-471

V1343	001B052C:#X OVL AMPH+LSD
--------------	---------------------------------

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	5.1	113	1	NOT @ALL:(1)
2.2	0.1	3	2	FEW TIME:(2)
4.6	0.3	6	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
2.7	0.2	3	5	EVRYTIME:(5)
0.0	0.0	0	8	INAP:(8)
	94.4	2,115	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 472-473

V1344	001B052D:#X OVL AMPH+PSY
--------------	---------------------------------

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With psychedelics other than LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	4.9	110	1	NOT @ALL:(1)
4.0	0.2	5	2	FEW TIME:(2)
1.8	0.1	2	3	SOM TIME:(3)
0.9	0.1	1	4	MST TIME:(4)
2.5	0.1	3	5	EVRYTIME:(5)
0.0	0.0	0	8	INAP:(8)
	94.6	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 474-475

V1345	001B053A:AMPH EXPERIMENT
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053A: To experiment--to see what it's like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	2.7	61	0	NT MARKD:(0)
50.0	2.7	61	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 476-477

V1346	001B053B:AMPH RELAX
-------	---------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053B: To relax or relieve tension

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	3.3	74	0	NT MARKD:(0)
39.5	2.2	48	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 478-479

V1347	001B053C:AMPH GET HIGH
-------	------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053C: To feel good or get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	2.5	56	0	NT MARKD:(0)
54.4	3.0	67	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 480-481

V1348	001B053D:AMPH SK INSIGHT
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053D: To seek deeper insights and understanding

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	4.8	107	0	NT MARKD:(0)
12.2	0.7	15	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 482-483

V1349	001B053E:AMPH GD TM FRND
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053E: To have a good time with my friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	3.7	83	0	NT MARKD:(0)
32.0	1.7	39	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 484-485

V1350	001B053F:AMPH FIT IN GRP
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053F: To fit in with a group I like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	5.3	118	0	NT MARKD:(0)
3.8	0.2	5	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 486-487

V1351	001B053G:AMPH GT AWY PRB
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053G: To get away from my problems or troubles

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	4.5	100	0	NT MARKD:(0)
17.9	1.0	22	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 488-489

V1352	001B053H:AMPH BOREDOM
-------	-----------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

Because of boredom, nothing else to do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	4.2	93	0	NT MARKD:(0)
23.7	1.3	29	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 490-491

V1353	001B053I:AMPH ANGR&FRSTN
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

Because of anger or frustration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	4.9	109	0	NT MARKD:(0)
11.2	0.6	14	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 492-493

V1354	001B053J:AMPH GT THRU DA
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

To get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	4.8	109	0	NT MARKD:(0)
11.3	0.6	14	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 494-495

V1355	001B053K:AMPH INCR EF DR
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053K: To increase the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	4.8	108	0	NT MARKD:(0)
11.6	0.6	14	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 496-497

V1356	001B053L:AMPH DCRS EF DR
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

To decrease (offset) the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	5.4	122	0	NT MARKD:(0)
0.6	0.0	1	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 498-499

V1357	001B053M:AMPH STAY AWAKE
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053M: To stay awake

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	3.3	74	0	NT MARKD:(0)
39.5	2.2	48	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 500-501

V1358	001B053N:AMPH GET>ENERGY
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B053N: To get more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	3.1	69	0	NT MARKD:(0)
43.8	2.4	54	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 502-503

V1359	001B0530:AMPH LOSE WGHT
-------	-------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

B0530: To help me lose weight

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	3.8	85	0	NT MARKD:(0)
30.7	1.7	38	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 504-505

V1360	001B053P:AMPH I AM HOOKD
-------	--------------------------

What have been the most important reasons for your taking
amphetamines without a doctor's orders? (Mark all that
apply.)

Because I am "hooked"--I feel I have to have them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	5.3	119	0	NT MARKD:(0)
3.1	0.2	4	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.5	2,118	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 506-507

V1361	001B054 :AMPH,GT VERY HI
-------	--------------------------

When you take amphetamines, how high do you usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.7	15	1	NOT HIGH:(1)
22.8	1.3	29	2	LIT HIGH:(2)
27.9	1.6	35	3	MOD HIGH:(3)
19.9	1.1	25	4	VRV HIGH:(4)
17.6	1.0	22	5	N TK HI:(5)
0.0	0.0	0	8	INAP:(8)
	94.3	2,113	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 508-509

V1362	001B055 :AMPH,HI 24+ HRS
-------	--------------------------

When you take amphetamines, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	1.4	30	1	N GET HI:(1)
25.9	1.4	32	2	1-2 HRS:(2)
35.0	1.9	43	3	3-6 HRS:(3)
14.0	0.8	17	4	7-24 HRS:(4)
0.6	0.0	1	5	>24 HRS:(5)
0.0	0.0	0	8	INAP:(8)
	94.5	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 510-511

V1363	001B056A:TKN YR,BENZDRIN
--------------	---------------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056A: Benzedrine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	5.4	120	0	NT MARKD:(0)
3.1	0.2	4	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 512-513

V1364	001B056B:TKN YR,DEXEDRIN
--------------	---------------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056B: Dexedrine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	5.0	112	0	NT MARKD:(0)
10.1	0.6	13	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 514-515

V1365	001B056C:TKN YR,METHDRIN
--------------	---------------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056C: Methedrine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	5.3	119	0	NT MARKD:(0)
4.7	0.3	6	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 516-517

V1366	001B056D:TKN YR,RITALIN
--------------	--------------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056D: Ritalin (methylphenidate)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	3.5	79	0	NT MARKD:(0)
36.8	2.0	46	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 518-519

V1367	001B056E:TKN YR,PRELUDIN
--------------	---------------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056E: Preludin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	5.5	124	0	NT MARKD:(0)
0.2	0.0	0	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 520-521

V1368	001B056F:TKN YR,DEXAMYL
--------------	--------------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056F: Dexamyl

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	5.4	121	0	NT MARKD:(0)
3.1	0.2	4	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 522-523

V1369	001B056G:TKN YR,METHAMPH
-------	--------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056G: Methamphetamine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	4.7	105	0	NT MARKD:(0)
15.4	0.9	19	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 524-525

V1370	001B056I:TKN YR,OTH AMPH
-------	--------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	2.9	65	0	NT MARKD:(0)
48.1	2.7	60	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 526-527

V1371	001B056J:TKN YR,DNT KN N
--------------	---------------------------------

What amphetamines have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B056J: Don't know the names of some amphetamines I have used

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	3.6	82	0	NT MARKD: (0)
34.4	1.9	43	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 528-529

V1372	001B057A:MTHD AMPH-MOUTH
--------------	---------------------------------

What methods have you used for taking amphetamines?
(Mark all that apply.)

B057A: By mouth

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.7	16	0	NT MARKD: (0)
87.5	4.9	109	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 530-531

V1373	001B057C: MTHD AMPH-INJCT
--------------	----------------------------------

What methods have you used for taking amphetamines?
(Mark all that apply.)

B057C: Injection

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	5.4	122	0	NT MARKD: (0)
2.0	0.1	2	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 532-533

V1374	001B057D: MTHD AMPH-OTHER
--------------	----------------------------------

What methods have you used for taking amphetamines?
(Mark all that apply.)

B057D: Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	4.4	98	0	NT MARKD: (0)
20.8	1.2	26	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 534-535

V1375	001B058 :TRY STP AMP&FL
-------	-------------------------

Have you ever tried to stop using amphetamines and found
that you couldn't stop?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.5	11	1	YES: (1)
91.7	5.2	117	2	NO: (2)
0.0	0.0	0	8	INAP: (8)
	94.3	2,112	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 536-537

V1376	001B059 :NO AMPH IN 5YR
-------	-------------------------

Do you think you will be using amphetamines without a
doctor's orders five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	13	1	DEF WILL: (1)
3.2	2.8	64	2	PRB WILL: (2)
16.6	14.9	334	3	PRB WONT: (3)
79.6	71.4	1,600	4	DEF WONT: (4)
	10.2	229	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 538-539

V1377	001B060A:#X QUAD/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take
them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	91.3	2,045	1	0 OCCAS: (1)
0.4	0.3	7	2	1-2X: (2)
0.0	0.0	1	3	3-5X: (3)
0.2	0.2	4	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.1	0.1	2	7	40+OCCAS: (7)
	8.0	178	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 540-541

V1378	001B060B:#X QUAD/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take
them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	91.8	2,056	1	0 OCCAS: (1)
0.0	0.0	1	2	1-2X: (2)
0.1	0.1	2	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	7.9	178	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 542-543

V1379	001B060C:#X QUAD/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken quaaludes on
your own--that is, without a doctor telling you to take
them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	91.9	2,060	1	0 OCCAS: (1)
0.1	0.1	2	2	1-2X: (2)
0.1	0.1	1	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	7.9	177	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 544-545

V1382	001B061 :DR TOLD TK BARB
-------	--------------------------

Have you ever taken barbiturates because a doctor told you
to use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	88.3	1,978	1	NO: (1)
0.9	0.8	18	2	YES BUT: (2)
1.9	1.7	38	3	YES 1ST: (3)
	9.2	206	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 546-547

V1383	001B062A:#X BRBT/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken barbiturates
on your own--that is, without a doctor telling you to
take them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	87.2	1,953	1	0 OCCAS: (1)
1.6	1.5	33	2	1-2X: (2)
1.1	1.0	22	3	3-5X: (3)
0.7	0.6	13	4	6-9X: (4)
0.4	0.4	8	5	10-19X: (5)
0.4	0.4	8	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	8.7	194	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 548-549

V1384	001B062B:#X BRBT/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken barbiturates
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	88.5	1,983	1	0 OCCAS: (1)
1.4	1.3	29	2	1-2X: (2)
0.8	0.8	17	3	3-5X: (3)
0.5	0.4	10	4	6-9X: (4)
0.2	0.2	5	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.1	0.1	3	7	40+OCCAS: (7)
	8.5	191	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 550-551

V1385	001B062C:#X BRBT/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken barbiturates
on your own--that is, without a doctor telling you to
take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	90.1	2,019	1	0 OCCAS: (1)
0.7	0.7	15	2	1-2X: (2)
0.4	0.3	7	3	3-5X: (3)
0.1	0.0	1	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	8.6	193	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 552-553

V1428	001B063 :NO BARB IN 5YR
-------	-------------------------

Do you think you will be using barbiturates without a doctor's
prescription five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	17	1	DEF WILL: (1)
1.1	1.0	22	2	PRB WILL: (2)
13.3	12.1	272	3	PRB WONT: (3)
84.7	77.2	1,729	4	DEF WONT: (4)
	8.9	199	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 554-555

V1429	001B064 :DR TOLD TK TRNQ
-------	--------------------------

Have you ever taken tranquilizers because a doctor told you
to use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	84.7	1,897	1	NO: (1)
0.8	0.7	17	2	YES BUT: (2)
5.9	5.4	121	3	YES 1ST: (3)
	9.2	205	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 556-557

V1430	001B065A:#X TRQL/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	85.6	1,918	1	0 OCCAS: (1)
2.5	2.2	50	2	1-2X: (2)
1.6	1.4	32	3	3-5X: (3)
0.7	0.7	15	4	6-9X: (4)
0.5	0.4	10	5	10-19X: (5)
0.2	0.1	3	6	20-39X: (6)
0.5	0.5	10	7	40+OCCAS: (7)
	9.0	202	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 558-559

V1431	001B065B:#X TRQL/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	87.8	1,967	1	0 OCCAS: (1)
1.6	1.5	33	2	1-2X: (2)
0.9	0.8	18	3	3-5X: (3)
0.7	0.6	13	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.3	0.3	6	7	40+OCCAS: (7)
	8.9	198	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 560-561

V1432	001B065C:#X TRQL/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	89.5	2,004	1	0 OCCAS: (1)
0.7	0.7	15	2	1-2X: (2)
0.7	0.7	15	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	8.9	198	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 562-563

V1433	001B066A:#X/YR TRQL ALNE
-------	--------------------------

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

When you were alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	1.4	32	1	NOT @ALL: (1)
23.6	0.7	16	2	FEW TIME: (2)
8.2	0.2	6	3	SOM TIME: (3)
12.8	0.4	9	4	MST TIME: (4)
8.6	0.3	6	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	97.0	2,172	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 564-565

V1434	001B066B:#X/YR TRQL-2PPL
-------	--------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

With just 1 or 2 other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.8	19	1	NOT @ALL: (1)
33.4	1.0	23	2	FEW TIME: (2)
18.4	0.6	13	3	SOM TIME: (3)
13.4	0.4	9	4	MST TIME: (4)
7.5	0.2	5	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,171	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 566-567

V1435	001B066C:#X/YR TRQL@PRTY
-------	--------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

At a party

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	1.6	36	1	NOT @ALL: (1)
14.2	0.4	10	2	FEW TIME: (2)
15.7	0.5	11	3	SOM TIME: (3)
8.3	0.3	6	4	MST TIME: (4)
9.9	0.3	7	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,171	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 568-569

V1436	001B066D:#X/YR TRQL-DT/S
-------	--------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

When your date or spouse was present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	2.0	45	1	NOT @ALL: (1)
16.9	0.5	12	2	FEW TIME: (2)
10.1	0.3	7	3	SOM TIME: (3)
3.2	0.1	2	4	MST TIME: (4)
3.9	0.1	3	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,171	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 570-571

V1437	001B066E:#X/YR TRQL-ADLT
-------	--------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

When people over age 30 were present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	2.1	46	1	NOT @ALL: (1)
15.8	0.5	11	2	FEW TIME: (2)
9.9	0.3	7	3	SOM TIME: (3)
3.3	0.1	2	4	MST TIME: (4)
3.9	0.1	3	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,171	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 572-573

V1438	001B066F:#X/YR TRQL-DATM
-------	--------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

During the daytime (before 4:00 p.m.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	1.7	39	1	NOT @ALL: (1)
18.3	0.6	13	2	FEW TIME: (2)
12.1	0.4	8	3	SOM TIME: (3)
3.4	0.1	2	4	MST TIME: (4)
9.7	0.3	7	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,172	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 574-575

V1439	001B066G:#X/YR TRQL@HOME
-------	--------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

At your home (or apartment or dorm)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	1.4	32	1	NOT @ALL: (1)
14.8	0.5	10	2	FEW TIME: (2)
19.1	0.6	13	3	SOM TIME: (3)
10.3	0.3	7	4	MST TIME: (4)
8.6	0.3	6	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,172	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 576-577

V1440	001B066H:#X/YR TRQL@SCHL
-------	--------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

At school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	2.0	45	1	NOT @ALL: (1)
19.8	0.6	14	2	FEW TIME: (2)
8.7	0.3	6	3	SOM TIME: (3)
2.5	0.1	2	4	MST TIME: (4)
3.6	0.1	2	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,172	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 578-579

V1441	001B066I:#X/YR TRQL@CAR
-------	-------------------------

When you used tranquilizers during the last year, how often
did you use them in each of the following situations?

In a car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.1	2.1	47	1	NOT @ALL: (1)
17.7	0.6	12	2	FEW TIME: (2)
6.0	0.2	4	3	SOM TIME: (3)
2.0	0.1	1	4	MST TIME: (4)
7.3	0.2	5	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 580-581

V1442	001B067A:#X OVL TRQL+ALC
-------	--------------------------

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	1.1	25	1	NOT @ALL: (1)
23.0	0.7	17	2	FEW TIME: (2)
18.7	0.6	14	3	SOM TIME: (3)
13.9	0.5	10	4	MST TIME: (4)
10.5	0.3	8	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 582-583

V1443	001B067B:#X OVL TRQL+MJ
-------	-------------------------

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	1.6	36	1	NOT @ALL: (1)
17.7	0.6	13	2	FEW TIME: (2)
3.8	0.1	3	3	SOM TIME: (3)
24.8	0.8	18	4	MST TIME: (4)
4.0	0.1	3	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 584-585

V1444	001B067C:#X OVL TRQL+LSD
-------	--------------------------

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	3.0	68	1	NOT @ALL: (1)
2.4	0.1	2	2	FEW TIME: (2)
1.0	0.0	1	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
2.1	0.1	2	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 586-587

V1445	001B067D:#X OVL TRQL+PSY
-------	--------------------------

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With psychedelics other than LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	2.9	66	1	NOT @ALL: (1)
3.6	0.1	3	2	FEW TIME: (2)
1.7	0.1	1	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
1.6	0.1	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.8	2,169	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 588-589

V1446	001B067E:#X OVL TRQL+AMP
-------	--------------------------

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	2.7	60	1	NOT @ALL: (1)
9.2	0.3	7	2	FEW TIME: (2)
3.4	0.1	2	3	SOM TIME: (3)
2.8	0.1	2	4	MST TIME: (4)
0.6	0.0	0	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 590-591

V1447	001B067F:#X OVL TRQL+QUA
-------	--------------------------

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With quaaludes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	3.0	67	1	NOT @ALL: (1)
2.1	0.1	1	2	FEW TIME: (2)
0.6	0.0	0	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,171	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 592-593

V1448	001B067G:#X OVL TRQL+BRB
-------	--------------------------

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	2.8	62	1	NOT @ALL:(1)
7.6	0.2	5	2	FEW TIME:(2)
6.7	0.2	5	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 594-595

V1449	001B068A:TRNQ EXPERIMENT
-------	--------------------------

What have been the most important reasons for taking tranquilizers without a doctor's orders?
(Mark all that apply.)

B068A. To experiment--to see what it's like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	1.5	34	0	NT MARKD:(0)
53.6	1.7	39	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 596-597

V1450	001B068B:TRNQ RELAX
-------	---------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068B. To relax or relieve tension

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	1.1	24	0	NT MARKD:(0)
67.3	2.2	49	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 598-599

V1451	001B068C:TRNQ GET HIGH
-------	------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068C. To feel good or get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	1.7	37	0	NT MARKD:(0)
48.9	1.6	36	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 600-601

V1452	001B068D:TRNQ SK INSIGHT
-------	--------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068D. To seek deeper insights and understanding

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	3.0	68	0	NT MARKD:(0)
6.2	0.2	4	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 602-603

V1453	001B068E:TRNQ GD TM FRND
-------	--------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068E. To have a good time with my friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	2.2	49	0	NT MARKD:(0)
32.6	1.1	24	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 604-605

V1454	001B068F:TRNQ FIT IN GRP
--------------	---------------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068F. To fit in with a group I like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	3.1	69	0	NT MARKD: (0)
5.0	0.2	4	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 606-607

V1455	001B068G:TRNQ GT AWY PRB
--------------	---------------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068G. To get away from my problems or troubles

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	2.3	52	0	NT MARKD: (0)
28.9	0.9	21	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 608-609

V1456	001B068H:TRNQ BOREDOM
-------	-----------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068H. Because of boredom, nothing else to do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	2.8	64	0	NT MARKD:(0)
12.4	0.4	9	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 610-611

V1457	001B068I:TRNQ ANGR&FRSTN
-------	--------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068I. Because of anger or frustration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	2.8	62	0	NT MARKD:(0)
13.9	0.5	10	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 612-613

V1458	001B068J:TRNQ GT THRU DA
-------	--------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068J. To get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	3.0	67	0	NT MARKD:(0)
7.4	0.2	5	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 614-615

V1459	001B068K:TRNQ INCR EF DR
-------	--------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068K. To increase the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	2.6	59	0	NT MARKD:(0)
19.1	0.6	14	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 616-617

V1460	001B068L:TRNQ DCRS EF DR
-------	--------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068L. To decrease (offset) the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	3.2	71	0	NT MARKD:(0)
1.6	0.1	1	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 618-619

V1461	001B068M:TRNQ GET SLEEP
-------	-------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068M. To get to sleep

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	2.2	49	0	NT MARKD:(0)
33.1	1.1	24	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 620-621

V1462	001B0680:TRNQ I AM HOOKD
-------	--------------------------

What have been the most important reasons for taking
tr tranquilizers without a doctor's orders?
(Mark all that apply.)

B0680. Because I am "hooked"--I have to have them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	3.2	71	0	NT MARKD: (0)
2.6	0.1	2	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 622-623

V1463	001B069 :TRNQ,GT VERY HI
-------	--------------------------

When you take tranquilizers, how high do you usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	0.3	7	1	NOT HIGH: (1)
34.6	1.1	24	2	LIT HIGH: (2)
35.4	1.1	25	3	MOD HIGH: (3)
10.6	0.3	7	4	VRV HIGH: (4)
9.0	0.3	6	5	N TK HI: (5)
0.0	0.0	0	8	INAP: (8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 624-625

V1464	001B070 :TRNQ,HI 24+ HRS
-------	--------------------------

When you take tranquilizers, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	0.4	9	1	N GET HI:(1)
35.5	1.1	25	2	1-2 HRS:(2)
44.9	1.4	32	3	3-6 HRS:(3)
4.9	0.2	3	4	7-24 HRS:(4)
1.8	0.1	1	5	>24 HRS:(5)
0.0	0.0	0	8	INAP:(8)
	96.8	2,169	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 626-627

V1465	001B071A:TKN YR,LIBRIUM
-------	-------------------------

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

B071A: Librium

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	2.9	65	0	NT MARKD:(0)
7.0	0.2	5	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 628-629

V1466	001B071B:TKN YR, VALIUM
--------------	--------------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071B: Valium

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	0.7	16	0	NT MARKD: (0)
76.9	2.4	54	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 630-631

V1467	001B071C:TKN YR, MILTOWN
--------------	---------------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071C: Miltown

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	3.0	68	0	NT MARKD: (0)
2.1	0.1	1	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 632-633

V1468	001B071D:TKN YR,EQUANIL
-------	-------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071D: Equanil

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	2.9	65	0	NT MARKD:(0)
6.5	0.2	5	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 634-635

V1469	001B071E:TKN YR,MEPRBMTE
-------	--------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071E: Meprobamate

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	3.1	69	0	NT MARKD:(0)
0.8	0.0	1	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 636-637

V1470	001B071F:TKN YR,SERAX
--------------	------------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071F: Serax

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	3.0	67	0	NT MARKD:(0)
4.2	0.1	3	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 638-639

V1471	001B071G:TKN YR,ATARAX
--------------	-------------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071G: Atarax

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	2.9	65	0	NT MARKD:(0)
6.5	0.2	5	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 640-641

V1472	001B071H:TKN YR,TRANXENE
--------------	---------------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071H: Tranxene

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	3.1	69	0	NT MARKD:(0)
1.4	0.0	1	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 642-643

V1473	001B071I:TKN YR,VISTARIL
--------------	---------------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

Vistaril

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	3.0	68	0	NT MARKD:(0)
2.1	0.1	1	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 644-645

V1474	001B071J:TKN YR,DNT KNW
-------	-------------------------

What tranquilizers have you taken during the last year
without a doctor's orders? (Mark all that apply.)

B071J: Don't know the names of some tranquilizers I have used

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	1.8	39	0	NT MARKD:(0)
43.6	1.4	30	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	96.9	2,170	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 646-647

V1475	001B072 :TRY STP TRQ&FL
-------	-------------------------

Have you ever tried to stop using tranquilizers and found
that you couldn't stop?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	2	1	YES:(1)
96.8	3.2	71	2	NO:(2)
0.0	0.0	0	8	INAP:(8)
	96.7	2,167	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 648-649

V1476	001B073 :NO TRNQ IN 5YR
-------	-------------------------

Do you think you will be using tranquilizers without a
doctor's orders five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	16	1	DEF WILL: (1)
1.4	1.3	28	2	PRB WILL: (2)
14.0	12.5	280	3	PRB WONT: (3)
83.7	74.5	1,669	4	DEF WONT: (4)
	11.0	247	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 650-651

V1480	001B077A:#X/YR COKE ALNE
-------	--------------------------

When you used cocaine during the last year, how often did
you use it in each of the following situations?

When you were alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	4.0	90	1	NOT @ALL: (1)
9.6	0.5	10	2	FEW TIME: (2)
6.4	0.3	7	3	SOM TIME: (3)
0.9	0.0	1	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.2	2,132	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 652-653

V1481	001B077B:#X/YR COKE-2PPL
-------	--------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

With just 1 or 2 other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	1.5	34	1	NOT @ALL: (1)
32.4	1.6	35	2	FEW TIME: (2)
8.4	0.4	9	3	SOM TIME: (3)
9.3	0.4	10	4	MST TIME: (4)
18.6	0.9	20	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.2	2,133	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 654-655

V1482	001B077C:#X/YR COKE@PRTY
-------	--------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

At a party

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	1.6	35	1	NOT @ALL: (1)
28.6	1.3	29	2	FEW TIME: (2)
7.3	0.3	7	3	SOM TIME: (3)
14.0	0.6	14	4	MST TIME: (4)
16.1	0.7	16	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.4	2,138	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 656-657

V1483	001B077D:#X/YR COKE-DT/S
-------	--------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

When your date or spouse was present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	3.1	70	1	NOT @ALL: (1)
17.3	0.8	18	2	FEW TIME: (2)
3.4	0.2	3	3	SOM TIME: (3)
5.5	0.3	6	4	MST TIME: (4)
5.8	0.3	6	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.4	2,137	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 658-659

V1484	001B077E:#X/YR COKE-ADLT
-------	--------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

When people over age 30 were present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	3.5	78	1	NOT @ALL: (1)
13.9	0.6	14	2	FEW TIME: (2)
1.5	0.1	2	3	SOM TIME: (3)
3.9	0.2	4	4	MST TIME: (4)
4.6	0.2	5	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.4	2,137	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 660-661

V1485	001B077F:#X/YR COKE-DATM
-------	--------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

During the daytime (before 4:00 p.m.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	3.7	84	1	NOT @ALL: (1)
14.4	0.7	15	2	FEW TIME: (2)
2.7	0.1	3	3	SOM TIME: (3)
0.9	0.0	1	4	MST TIME: (4)
0.9	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.4	2,137	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 662-663

V1486	001B077G:#X/YR COKE@HOME
-------	--------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

At your home (or apartment or dorm)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	3.3	73	1	NOT @ALL: (1)
15.6	0.7	16	2	FEW TIME: (2)
8.1	0.4	8	3	SOM TIME: (3)
2.3	0.1	2	4	MST TIME: (4)
2.8	0.1	3	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.4	2,137	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 664-665

V1487	001B077H:#X/YR COKE@SCHL
-------	--------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

At school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	4.1	92	1	NOT @ALL: (1)
9.5	0.4	10	2	FEW TIME: (2)
0.0	0.0	0	3	SOM TIME: (3)
0.9	0.0	1	4	MST TIME: (4)
0.9	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.4	2,136	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 666-667

V1488	001B077I:#X/YR COKE@CAR
-------	-------------------------

When you used cocaine during the last year, how often did you use it in each of the following situations?

In a car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	2.8	62	1	NOT @ALL: (1)
25.5	1.1	26	2	FEW TIME: (2)
8.1	0.4	8	3	SOM TIME: (3)
3.4	0.2	3	4	MST TIME: (4)
1.0	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.5	2,140	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 668-669

V1489	001B078A:#X OVL COKE+ALC
-------	--------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	1.5	34	1	NOT @ALL: (1)
29.3	1.4	31	2	FEW TIME: (2)
7.9	0.4	8	3	SOM TIME: (3)
10.2	0.5	11	4	MST TIME: (4)
20.7	1.0	22	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.3	2,135	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 670-671

V1490	001B078B:#X OVL COKE+MJ
-------	-------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	1.4	32	1	NOT @ALL: (1)
20.2	1.0	21	2	FEW TIME: (2)
10.2	0.5	11	3	SOM TIME: (3)
19.0	0.9	20	4	MST TIME: (4)
20.2	1.0	21	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.3	2,134	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 672-673

V1491	001B078C:#X OVL COKE+LSD
-------	--------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	4.3	96	1	NOT @ALL: (1)
3.2	0.1	3	2	FEW TIME: (2)
0.0	0.0	0	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
3.9	0.2	4	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.4	2,137	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 674-675

V1492	001B078D:#X OVL COKE+PSY
-------	--------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With psychedelics other than LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	4.1	92	1	NOT @ALL: (1)
3.2	0.1	3	2	FEW TIME: (2)
0.0	0.0	0	3	SOM TIME: (3)
1.3	0.1	1	4	MST TIME: (4)
4.9	0.2	5	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.5	2,139	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 676-677

V1493	001B078E:#X OVL COKE+AMP
-------	--------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	4.3	95	1	NOT @ALL: (1)
2.5	0.1	3	2	FEW TIME: (2)
3.5	0.2	4	3	SOM TIME: (3)
2.1	0.1	2	4	MST TIME: (4)
0.5	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.3	2,136	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 678-679

V1494	001B078F:#X OVL COKE+QUA
-------	--------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With quaaludes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	4.6	102	1	NOT @ALL: (1)
2.0	0.1	2	2	FEW TIME: (2)
0.0	0.0	0	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.3	2,136	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 680-681

V1495	001B078G:#X OVL COKE+BRB
-------	--------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	4.5	100	1	NOT @ALL: (1)
4.2	0.2	4	2	FEW TIME: (2)
0.0	0.0	0	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.3	2,136	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 682-683

V1496	001B078H:#X OVL COKE+TRN
-------	--------------------------

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

With tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	4.0	89	1	NOT @ALL: (1)
3.8	0.2	4	2	FEW TIME: (2)
0.8	0.0	1	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 684-685

V1497	001B079A:COKE EXPERIMENT
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079A: To experiment--to see what it's like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	1.0	22	0	NT MARKD:(0)
76.3	3.2	71	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 686-687

V1498	001B079B:COKE RELAX
--------------	----------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079B: To relax or relieve tension

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	3.4	77	0	NT MARKD:(0)
18.1	0.8	17	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 688-689

V1499	001B079C:COKE GET HIGH
--------------	-------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079C: To feel good or get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	2.1	48	0	NT MARKD:(0)
49.1	2.0	46	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 690-691

V1500	001B079D:COKE SK INSIGHT
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079D: To seek deeper insights and understanding

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	3.9	88	0	NT MARKD:(0)
6.2	0.3	6	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 692-693

V1501	001B079E:COKE GD TM FRND
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079E: To have a good time with my friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	2.8	63	0	NT MARKD:(0)
32.4	1.4	30	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 694-695

V1502	001B079F:COKE FIT IN GRP
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079F: To fit in with a group I like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	3.9	87	0	NT MARKD:(0)
6.8	0.3	6	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 696-697

V1503	001B079G:COKE GT AWY PRB
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079G: To get away from my problems or troubles

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	3.7	83	0	NT MARKD:(0)
11.7	0.5	11	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 698-699

V1504	001B079H:COKE BOREDOM
--------------	------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

Because of boredom, "nothing else to do"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	3.5	79	0	NT MARKD:(0)
15.1	0.6	14	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 700-701

V1505	001B079I:COKE ANGR&FRSTN
--------------	-------------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

Because of anger or frustration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	4.0	89	0	NT MARKD:(0)
4.7	0.2	4	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 702-703

V1506	001B079J:COKE GT THRU DA
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

To get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	4.0	90	0	NT MARKD:(0)
3.6	0.2	3	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 704-705

V1507	001B079K:COKE INCR EF DR
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079K: To increase the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	3.8	85	0	NT MARKD:(0)
8.9	0.4	8	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 706-707

V1508	001B079L:COKE DCRS EF DR
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079L: To decrease (offset) the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	4.1	92	0	NT MARKD:(0)
1.6	0.1	2	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 708-709

V1509	001B079M:COKE STAY AWAKE
--------------	---------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079M: To stay awake

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	3.4	75	0	NT MARKD:(0)
19.7	0.8	18	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 710-711

V1510	001B079N:COKE GET>ENERGY
--------------	------------------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B079N: To get more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	3.5	78	0	NT MARKD:(0)
16.6	0.7	16	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 712-713

V1511	001B0790:COKE I AM HOOKD
-------	--------------------------

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

B0790: Because I am "hooked"--I have to have it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	4.0	90	0	NT MARKD: (0)
3.7	0.2	3	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 714-715

V1512	001B080 :COK,GET VERY HI
-------	--------------------------

When you take cocaine, how high do you usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.4	9	1	NOT HIGH: (1)
29.2	1.3	29	2	LIT HIGH: (2)
29.0	1.3	29	3	MOD HIGH: (3)
26.8	1.2	27	4	VRV HIGH: (4)
5.8	0.3	6	5	N TK HI: (5)
0.0	0.0	0	8	INAP: (8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 716-717

V1513	001B081 :COK,HIGH 24+ HR
-------	--------------------------

When you take cocaine, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	0.7	16	1	N GET HI:(1)
39.3	1.7	38	2	1-2 HRS:(2)
28.5	1.2	28	3	3-6 HRS:(3)
11.4	0.5	11	4	7-24 HRS:(4)
4.6	0.2	4	5	>24 HRS:(5)
0.0	0.0	0	8	INAP:(8)
	95.6	2,143	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 718-719

V1514	001B082 :TRY STP COK&FL
-------	-------------------------

Have you ever tried to stop using cocaine and found that
 you couldn't stop?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.3	7	1	YES:(1)
93.0	4.0	90	2	NO:(2)
0.0	0.0	0	8	INAP:(8)
	95.7	2,143	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 720-721

V1515	001B084A: MTHD COKE SNORT
--------------	----------------------------------

What methods have you used for taking cocaine?
(Mark all that apply.)

B084A: Sniffing or "snorting"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	0.9	20	0	NT MARKD: (0)
78.8	3.4	76	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 722-723

V1516	001B084B: MTHD COKE-SMOKE
--------------	----------------------------------

What methods have you used for taking cocaine?
(Mark all that apply.)

B084B: Smoking

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	2.3	50	0	NT MARKD: (0)
47.5	2.0	46	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 724-725

V1517	001B084C: MTHD COKE-INJCT
--------------	----------------------------------

What methods have you used for taking cocaine?
(Mark all that apply.)

B084C: Injection

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	4.0	90	0	NT MARKD: (0)
6.4	0.3	6	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 726-727

V1518	001B084E: MTHD COKE-MOUTH
--------------	----------------------------------

What methods have you used for taking cocaine? (Mark all
that apply.)

B084E: By mouth

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	3.4	75	0	NT MARKD: (0)
21.8	0.9	21	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 728-729

V1519	001B084F: MTHD COKE-OTHER
-------	---------------------------

What methods have you used for taking cocaine? (Mark all that apply.)

B084F: Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	4.1	92	0	NT MARKD: (0)
4.7	0.2	4	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 730-731

V1520	001B085 :NO COKE IN 5YR
-------	-------------------------

Do you think you will be using cocaine five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	15	1	DEF WILL: (1)
0.7	0.6	13	2	PRB WILL: (2)
7.4	6.7	150	3	PRB WONT: (3)
91.3	82.7	1,853	4	DEF WONT: (4)
	9.3	209	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 732-733

V1521	001B086A:#X H/LIFETIME
-------	------------------------

On how many occasions (if any) have you taken heroin . . .
 . . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	88.7	1,987	1	0 OCCAS: (1)
1.2	1.1	25	2	1-2X: (2)
0.3	0.3	7	3	3-5X: (3)
0.2	0.2	5	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.2	0.2	5	7	40+OCCAS: (7)
	9.3	209	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 734-735

V1522	001B086B:#X H/LAST 12M
-------	------------------------

On how many occasions (if any) have you taken heroin . . .
 . . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	89.6	2,007	1	0 OCCAS: (1)
0.5	0.5	10	2	1-2X: (2)
0.3	0.2	5	3	3-5X: (3)
0.2	0.2	3	4	6-9X: (4)
0.1	0.1	1	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.2	0.2	3	7	40+OCCAS: (7)
	9.3	209	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 736-737

V1523	001B086C:#X H/LAST 30D
-------	------------------------

On how many occasions (if any) have you taken heroin . . .
 . . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	90.3	2,023	1	0 OCCAS: (1)
0.2	0.2	4	2	1-2X: (2)
0.0	0.0	1	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.0	0.0	0	5	10-19X: (5)
0.2	0.2	3	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	9.3	209	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 738-739

V1564	001B087 :DR TOLD TK NARC
-------	--------------------------

Have you ever taken any narcotics other than heroin because
 a doctor told you to use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	76.5	1,713	1	NO: (1)
2.2	2.0	44	2	YES BUT: (2)
12.6	11.3	253	3	YES 1ST: (3)
	10.2	229	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 740-741

V1565	001B088A:#X NARC/LIFETIM
-------	--------------------------

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	80.9	1,813	1	0 OCCAS: (1)
4.7	4.2	94	2	1-2X: (2)
2.0	1.8	41	3	3-5X: (3)
0.7	0.6	14	4	6-9X: (4)
0.5	0.5	10	5	10-19X: (5)
1.0	0.9	19	6	20-39X: (6)
0.5	0.5	10	7	40+OCCAS: (7)
	10.7	239	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 742-743

V1566	001B088B:#X NARC/LAST12M
-------	--------------------------

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	84.4	1,891	1	0 OCCAS: (1)
3.0	2.7	60	2	1-2X: (2)
1.2	1.1	25	3	3-5X: (3)
0.6	0.5	12	4	6-9X: (4)
0.6	0.5	12	5	10-19X: (5)
0.3	0.3	6	6	20-39X: (6)
0.2	0.2	3	7	40+OCCAS: (7)
	10.3	230	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 744-745

V1567	001B088C:#X NARC/LAST30D
-------	--------------------------

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	87.4	1,959	1	0 OCCAS: (1)
1.6	1.4	32	2	1-2X: (2)
0.5	0.4	9	3	3-5X: (3)
0.1	0.1	2	4	6-9X: (4)
0.2	0.2	4	5	10-19X: (5)
0.1	0.0	1	6	20-39X: (6)
0.1	0.1	1	7	40+OCCAS: (7)
	10.3	232	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 746-747

V1568	001B089A:#X/YR NARC ALNE
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

When you were alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	1.9	43	1	NOT @ALL: (1)
30.0	1.3	28	2	FEW TIME: (2)
9.0	0.4	8	3	SOM TIME: (3)
5.6	0.2	5	4	MST TIME: (4)
9.7	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,146	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 748-749

V1569	001B089B:#X/YR NARC-2PPL
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

With just 1 or 2 other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	1.3	28	1	NOT @ALL: (1)
32.6	1.4	31	2	FEW TIME: (2)
13.1	0.6	13	3	SOM TIME: (3)
14.8	0.6	14	4	MST TIME: (4)
10.2	0.4	10	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 750-751

V1570	001B089C:#X/YR NARC@PTY
-------	-------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

At a party

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	2.2	50	1	NOT @ALL: (1)
10.4	0.4	10	2	FEW TIME: (2)
12.2	0.5	12	3	SOM TIME: (3)
12.5	0.5	12	4	MST TIME: (4)
13.1	0.6	13	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 752-753

V1571	001B089D:#X/YR NARC-DT/S
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

When your date or spouse was present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	3.2	72	1	NOT @ALL: (1)
9.5	0.4	9	2	FEW TIME: (2)
7.5	0.3	7	3	SOM TIME: (3)
2.8	0.1	3	4	MST TIME: (4)
6.0	0.3	6	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 754-755

V1572	001B089E:#X/YR NARC-ADLT
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

When people over age 30 were present

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	3.1	69	1	NOT @ALL: (1)
11.1	0.5	11	2	FEW TIME: (2)
7.4	0.3	7	3	SOM TIME: (3)
3.2	0.1	3	4	MST TIME: (4)
8.6	0.4	9	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 756-757

V1573	001B089F:#X/YR NARC-DATM
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

During the daytime (before 4:00 p.m.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	1.8	40	1	NOT @ALL: (1)
33.6	1.5	33	2	FEW TIME: (2)
15.2	0.7	15	3	SOM TIME: (3)
3.6	0.2	4	4	MST TIME: (4)
7.1	0.3	7	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 758-759

V1574	001B089G:#X/YR NARC@HOME
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

At your home (or apartment or dorm)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	1.8	40	1	NOT @ALL: (1)
28.0	1.2	26	2	FEW TIME: (2)
7.9	0.3	7	3	SOM TIME: (3)
7.3	0.3	7	4	MST TIME: (4)
13.8	0.6	13	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,146	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 760-761

V1575	001B089H:#X/YR NARC@SCHL
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

At school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	3.1	70	1	NOT @ALL: (1)
15.6	0.7	15	2	FEW TIME: (2)
4.9	0.2	5	3	SOM TIME: (3)
3.4	0.1	3	4	MST TIME: (4)
2.2	0.1	2	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,146	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 762-763

V1576	001B089I:#X/YR NARC @CAR
-------	--------------------------

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

In a car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	3.1	70	1	NOT @ALL: (1)
11.5	0.5	11	2	FEW TIME: (2)
6.4	0.3	6	3	SOM TIME: (3)
2.6	0.1	2	4	MST TIME: (4)
5.3	0.2	5	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 764-765

V1577	001B090A:#X OVL NARC+ALC
-------	--------------------------

How many of the times when you used narcotics other than
heroin during the last year did you use them along with
each of the following drugs--that is, so that their
effects overlapped?

With alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	2.1	47	1	NOT @ALL: (1)
21.5	0.9	20	2	FEW TIME: (2)
10.8	0.5	10	3	SOM TIME: (3)
4.7	0.2	4	4	MST TIME: (4)
13.3	0.6	13	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 766-767

V1578	001B090B:#X OVL NARC+MJ
-------	-------------------------

How many of the times when you used narcotics other than
heroin during the last year did you use them along with
each of the following drugs--that is, so that their
effects overlapped?

With marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	2.1	48	1	NOT @ALL: (1)
16.2	0.7	16	2	FEW TIME: (2)
4.0	0.2	4	3	SOM TIME: (3)
10.6	0.5	10	4	MST TIME: (4)
19.7	0.8	19	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 768-769

V1579	001B090C:#X OVL NARC+LSD
-------	--------------------------

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	4.0	91	1	NOT @ALL: (1)
2.4	0.1	2	2	FEW TIME: (2)
0.0	0.0	0	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.6	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 770-771

V1580	001B090D:#X OVL NARC+PSY
-------	--------------------------

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With psychedelics other than LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	3.9	88	1	NOT @ALL: (1)
0.6	0.0	1	2	FEW TIME: (2)
3.2	0.1	3	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
1.8	0.1	2	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 772-773

V1581	001B090E:#X OVL NARC+AMP
-------	--------------------------

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	3.8	84	1	NOT @ALL: (1)
5.0	0.2	5	2	FEW TIME: (2)
0.5	0.0	0	3	SOM TIME: (3)
1.8	0.1	2	4	MST TIME: (4)
0.6	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.9	2,149	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 774-775

V1582	001B090F:#X OVL NARC+QUA
-------	--------------------------

How many of the times when you used narcotics other than
heroin during the last year did you use them along with
each of the following drugs--that is, so that their
effects overlapped?

With quaaludes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	4.0	90	1	NOT @ALL: (1)
0.9	0.0	1	2	FEW TIME: (2)
0.0	0.0	0	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.6	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.9	2,149	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 776-777

V1583	001B090G:#X OVL NARC+BRB
-------	--------------------------

How many of the times when you used narcotics other than
heroin during the last year did you use them along with
each of the following drugs--that is, so that their
effects overlapped?

With barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	3.8	86	1	NOT @ALL: (1)
3.5	0.1	3	2	FEW TIME: (2)
3.1	0.1	3	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.6	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.9	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 778-779

V1584	001B090H:#X OVL NARC+TRN
-------	--------------------------

How many of the times when you used narcotics other than
heroin during the last year did you use them along with
each of the following drugs--that is, so that their
effects overlapped?

With tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	3.7	84	1	NOT @ALL: (1)
4.0	0.2	4	2	FEW TIME: (2)
1.6	0.1	2	3	SOM TIME: (3)
1.7	0.1	2	4	MST TIME: (4)
2.5	0.1	2	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.8	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 780-781

V1585	001B090I:#X OVL NARC+COK
-------	--------------------------

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	3.8	85	1	NOT @ALL: (1)
2.3	0.1	2	2	FEW TIME: (2)
2.5	0.1	2	3	SOM TIME: (3)
0.5	0.0	0	4	MST TIME: (4)
0.6	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	96.0	2,150	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 782-783

V1586	001B090J:#X OVL NARC+HER
-------	--------------------------

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped?

With heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	4.0	89	1	NOT @ALL: (1)
0.0	0.0	0	2	FEW TIME: (2)
3.3	0.1	3	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.6	0.0	1	5	EVRYTIME: (5)
0.0	0.0	0	8	INAP: (8)
	95.9	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 784-785

V1587	001B091A:NARC EXPERIMENT
-------	--------------------------

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091A: To experiment--to see what it's like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	2.5	57	0	NT MARKD: (0)
43.1	1.9	43	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 786-787

V1588**001B091B:NARC RELAX**

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091B: To relax or relieve tension

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	2.0	46	0	NT MARKD:(0)
54.2	2.4	54	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 788-789

V1589**001B091C:NARC GET HIGH**

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091C: To feel good or get high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	2.3	52	0	NT MARKD:(0)
47.6	2.1	47	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 790-791

V1590	001B091D:NARC SK INSIGTS
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091D: To seek deeper insights and understanding

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	4.2	93	0	NT MARKD:(0)
6.2	0.3	6	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 792-793

V1591	001B091E:NARC GD TM FRND
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091E: To have a good time with my friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	3.4	77	0	NT MARKD:(0)
23.0	1.0	23	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 794-795

V1592	001B091F:NARC FIT IN GRP
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091F: To fit in with a group I like

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	4.2	94	0	NT MARKD:(0)
5.6	0.2	6	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 796-797

V1593	001B091G:NARC GT AWY PBM
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091G: To get away from my problems or troubles

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	3.9	88	0	NT MARKD:(0)
12.1	0.5	12	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 798-799

V1594	001B091H:NARC BORED0M
--------------	------------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091H: Because of boredom, "nothing else to do"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	3.7	84	0	NT MARKD:(0)
15.7	0.7	16	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 800-801

V1595	001B091I:NARC ANGR&FRSTN
--------------	-------------------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

Because of anger or frustration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	4.0	90	0	NT MARKD:(0)
9.8	0.4	10	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 802-803

V1596	001B091J:NARC GT THRU DA
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

To get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	4.3	96	0	NT MARKD:(0)
4.0	0.2	4	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 804-805

V1597	001B091K:NARC INC EF DG
-------	-------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091K: To increase the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	3.7	82	0	NT MARKD:(0)
17.2	0.8	17	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 806-807

V1598	001B091L:NARC DEC EF DG
-------	-------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

To decrease (offset) the effects of some other drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	4.4	99	0	NT MARKD:(0)
1.1	0.0	1	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 808-809

V1599	001B091M:NARC GET SLEEP
-------	-------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B091M: To get to sleep

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	3.5	79	0	NT MARKD:(0)
20.8	0.9	21	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 810-811

V1600	001B091N:NARC SBST HERIN
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

As a substitute for heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	4.4	98	0	NT MARKD:(0)
1.7	0.1	2	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 812-813

V1601	001B091Q:NARC I AM HOOKD
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

Because I am "hooked"--I have to have them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	4.2	95	0	NT MARKD:(0)
5.0	0.2	5	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 814-815

V1602	001B092 :NARC,GT VERY HI
-------	--------------------------

When you take narcotics other than heroin, how high do you usually get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	0.4	10	1	NOT HIGH:(1)
20.0	0.9	20	2	LIT HIGH:(2)
31.4	1.4	32	3	MOD HIGH:(3)
19.7	0.9	20	4	VRV HIGH:(4)
19.0	0.9	19	5	N TK HI:(5)
0.0	0.0	0	8	INAP:(8)
	95.5	2,139	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 816-817

V1603	001B093 :NARC,HI 24+ HRS
-------	--------------------------

When you take narcotics other than heroin, how long do you usually stay high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	1.0	22	1	N GET HI:(1)
26.4	1.1	25	2	1-2 HRS:(2)
42.7	1.8	41	3	3-6 HRS:(3)
4.0	0.2	4	4	7-24 HRS:(4)
3.6	0.2	3	5	>24 HRS:(5)
0.0	0.0	0	8	INAP:(8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 818-819

V1604	001B094A:NARC TKN MTHDNE
-------	--------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

B094A: Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	3.6	82	0	NT MARKD: (0)
13.9	0.6	13	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 820-821

V1605	001B094B:NARC TKN OPIUM
-------	-------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

B094B: Opium

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	2.4	54	0	NT MARKD: (0)
43.6	1.8	41	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 822-823

V1606 001B094C:NARC TKN MRPHNE

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

B094C: Morphine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	3.2	71	0	NT MARKD: (0)
25.3	1.1	24	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 824-825

V1607 001B094D:NARC TKN CODEIN

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

B094D: Codeine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	1.0	23	0	NT MARKD: (0)
76.1	3.2	72	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 826-827

V1608	001B094E:NARC TKN DEMROL
-------	--------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

Demerol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	3.5	79	0	NT MARKD: (0)
17.3	0.7	16	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 828-829

V1609	001B094F:NARC TKN PARGRC
-------	--------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

Paregoric

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	95	0	NT MARKD: (0)
0.0	0.0	0	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 830-831

V1610	001B094G:NARC TKN TALWIN
-------	--------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

B094G: Talwin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	95	0	NT MARKD: (0)
0.0	0.0	0	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 832-833

V1611	001B094H:NARC TKN LDANUM
-------	--------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

Laudanum

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	4.2	94	0	NT MARKD: (0)
0.9	0.0	1	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 834-835

V1612	001B094I:NARC TKN OTHER
-------	-------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	3.0	68	0	NT MARKD: (0)
28.2	1.2	27	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 836-837

V1613	001B094J:NARC TKN DNT KN
-------	--------------------------

What narcotics other than heroin have you taken during the
last year without a doctor's orders? (Mark all that apply.)

Don't know the names of some I have used

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	3.7	84	0	NT MARKD: (0)
11.8	0.5	11	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,145	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 838-839

V1614	001B095 :TRY STP NARC&FL
-------	--------------------------

Have you ever tried to stop using narcotics other than
heroin and found that you couldn't stop?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	0.3	7	1	YES: (1)
92.4	4.0	90	2	NO: (2)
0.0	0.0	0	8	INAP: (8)
	95.6	2,142	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 840-841

V1615	001B096A:METH NARC SNORT
-------	--------------------------

What methods have you used for taking any of these
narcotics other than heroin? (Mark all that apply.)

B096A: Sniffing or "snorting"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	3.4	77	0	NT MARKD: (0)
17.1	0.7	16	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.9	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 842-843

V1616	001B096B:METH NARC SMOKE
-------	--------------------------

What methods have you used for taking any of these
narcotics other than heroin? (Mark all that apply.)

B096B: Smoking

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	2.8	63	0	NT MARKD: (0)
31.6	1.3	29	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.9	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 844-845

V1617	001B096C:METH NARC INJCT
-------	--------------------------

What methods have you used for taking any of these
narcotics other than heroin? (Mark all that apply.)

B096C: Injection

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	3.9	87	0	NT MARKD: (0)
6.5	0.3	6	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.9	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 846-847

V1618	001B096D:METH NARC MOUTH
--------------	---------------------------------

What methods have you used for taking any of these
narcotics other than heroin? (Mark all that apply.)

B096D: By mouth

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	0.7	16	0	NT MARKD:(0)
82.9	3.4	77	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.9	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 848-849

V1619	001B096E:METH NARC OTHER
--------------	---------------------------------

What methods have you used for taking any of these
narcotics other than heroin? (Mark all that apply.)

B096E: Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	4.1	92	0	NT MARKD:(0)
0.9	0.0	1	1	MARKED:(1)
0.0	0.0	0	8	INAP:(8)
	95.9	2,147	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 850-851

V1620	001B097 :NO NARC IN 5YR
-------	-------------------------

Do you think you will be using any narcotics other than
heroin without a doctor's orders five years from now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	17	1	DEF WILL:(1)
1.6	1.5	33	2	PRB WILL:(2)
10.5	9.5	213	3	PRB WONT:(3)
87.0	78.9	1,768	4	DEF WONT:(4)
	9.3	209	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 852-853

V1621	001B100A:GR 1ST SMOK DLY
-------	--------------------------

When (if ever) did you FIRST do each of the following
things? Don't count anything you took because a doctor
told you to.

Smoke cigarettes on a daily basis

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	2.4	53	1	GRADE 6:(1)
11.6	2.9	64	2	GRADE 7:(2)
14.2	3.5	78	3	GRADE 8:(3)
20.2	5.0	112	4	GRADE 9:(4)
19.3	4.8	107	5	GRADE 10:(5)
15.0	3.7	83	6	GRADE 11:(6)
10.2	2.5	57	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	75.2	1,686	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 854-855

V1622	001B100B:GR 1ST TRY ALC
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try an alcoholic beverage--more than just a few sips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	7.9	177	1	GRADE 6:(1)
9.3	6.7	150	2	GRADE 7:(2)
15.3	11.0	247	3	GRADE 8:(3)
25.0	17.9	402	4	GRADE 9:(4)
18.9	13.6	304	5	GRADE 10:(5)
13.8	9.9	222	6	GRADE 11:(6)
6.7	4.8	108	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	28.1	630	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 856-857

V1623	001B100C:GR 1ST TRY MJ
-------	------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	2.1	48	1	GRADE 6:(1)
9.7	4.1	91	2	GRADE 7:(2)
16.8	7.1	158	3	GRADE 8:(3)
25.7	10.8	242	4	GRADE 9:(4)
16.8	7.1	159	5	GRADE 10:(5)
15.3	6.4	144	6	GRADE 11:(6)
10.7	4.5	101	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	57.9	1,297	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 858-859

V1624	001B100D:GR 1ST TRY LSD
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	4	1	GRADE 6:(1)
5.0	0.4	9	2	GRADE 7:(2)
7.4	0.6	14	3	GRADE 8:(3)
18.4	1.6	35	4	GRADE 9:(4)
27.8	2.4	53	5	GRADE 10:(5)
26.9	2.3	51	6	GRADE 11:(6)
12.5	1.1	24	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	91.5	2,050	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 860-861

V1625	001B100E:GR 1ST TRY PSY
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try a psychedelic other than LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.2	4	1	GRADE 6:(1)
1.8	0.1	2	2	GRADE 7:(2)
12.5	0.5	12	3	GRADE 8:(3)
17.7	0.8	17	4	GRADE 9:(4)
19.9	0.9	19	5	GRADE 10:(5)
28.6	1.2	28	6	GRADE 11:(6)
15.2	0.7	15	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	95.7	2,143	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 862-863

V1626	001B100F:GR 1ST TRY AMP
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.3	6	1	GRADE 6:(1)
2.0	0.1	3	2	GRADE 7:(2)
13.9	0.8	19	3	GRADE 8:(3)
18.5	1.1	25	4	GRADE 9:(4)
27.0	1.6	37	5	GRADE 10:(5)
18.6	1.1	25	6	GRADE 11:(6)
15.4	0.9	21	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	93.9	2,104	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 864-865

V1627	001B100G:GR 1ST TRY QUA
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try quaaludes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	0.1	3	1	GRADE 6:(1)
13.8	0.1	1	2	GRADE 7:(2)
0.0	0.0	0	3	GRADE 8:(3)
8.9	0.0	1	4	GRADE 9:(4)
26.3	0.1	3	5	GRADE 10:(5)
18.6	0.1	2	6	GRADE 11:(6)
8.4	0.0	1	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	99.5	2,229	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 866-867

V1628	001B100H:GR 1ST TRY BRB
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.1	3	1	GRADE 6:(1)
8.4	0.2	5	2	GRADE 7:(2)
4.4	0.1	2	3	GRADE 8:(3)
19.4	0.5	10	4	GRADE 9:(4)
22.2	0.5	12	5	GRADE 10:(5)
15.1	0.4	8	6	GRADE 11:(6)
24.4	0.6	13	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	97.6	2,187	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 868-869

V1629	001B100I:GR 1ST TRY TRN
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	0.3	6	1	GRADE 6:(1)
4.2	0.1	3	2	GRADE 7:(2)
3.4	0.1	3	3	GRADE 8:(3)
18.2	0.6	15	4	GRADE 9:(4)
28.9	1.0	23	5	GRADE 10:(5)
16.6	0.6	13	6	GRADE 11:(6)
21.4	0.8	17	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	96.4	2,160	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 870-871

V1630	001B100J:GR 1ST TRY COK
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.2	4	1	GRADE 6:(1)
1.0	0.1	1	2	GRADE 7:(2)
5.3	0.3	7	3	GRADE 8:(3)
14.6	0.9	20	4	GRADE 9:(4)
23.5	1.5	33	5	GRADE 10:(5)
29.4	1.8	41	6	GRADE 11:(6)
23.2	1.4	32	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	93.8	2,101	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 872-873

V1631	001B100K:GR 1ST TRY HER
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.2	5	1	GRADE 6:(1)
5.8	0.1	2	2	GRADE 7:(2)
12.1	0.2	5	3	GRADE 8:(3)
19.2	0.3	7	4	GRADE 9:(4)
8.5	0.1	3	5	GRADE 10:(5)
29.1	0.5	11	6	GRADE 11:(6)
13.3	0.2	5	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	98.3	2,202	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 874-875

V1632	001B100L:GR 1ST TRY NRC
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try any narcotic other than heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.2	5	1	GRADE 6:(1)
1.4	0.1	2	2	GRADE 7:(2)
6.3	0.3	7	3	GRADE 8:(3)
12.8	0.7	15	4	GRADE 9:(4)
21.2	1.1	25	5	GRADE 10:(5)
32.9	1.7	39	6	GRADE 11:(6)
21.4	1.1	25	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	94.7	2,121	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 876-877

V1633	001A001 :VRY HPY THS DAY
-------	--------------------------

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	13.9	311	1	NT HAPPY:(1)
62.6	61.9	1,387	2	PRTY HPY:(2)
23.4	23.1	518	3	VRY HPY:(3)
	1.0	23	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 878-879

V1634	001A002A:US NEEDS PLANNG
--------------	---------------------------------

How much do you agree or disagree with each of the following statements?

The nation needs much more long-range planning and coordination to be prepared for the future

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	55	1	DISAGREE: (1)
3.7	3.6	82	2	MOST DIS: (2)
18.5	18.3	410	3	NEITHER: (3)
42.2	41.7	934	4	MOST AGR: (4)
33.1	32.7	732	5	AGREE: (5)
	1.3	28	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 880-881

V1635	001A002B:ENJOY FAST PACE
--------------	---------------------------------

How much do you agree or disagree with each of the following statements?

I enjoy the fast pace and changes of today's world

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.3	185	1	DISAGREE: (1)
13.1	13.0	291	2	MOST DIS: (2)
21.8	21.6	484	3	NEITHER: (3)
35.8	35.5	794	4	MOST AGR: (4)
20.9	20.7	464	5	AGREE: (5)
	1.0	22	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 882-883

V1636	001A002C:THG CHG 2 QUICK
-------	--------------------------

How much do you agree or disagree with each of the following statements?

Things change too quickly in today's world

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	13.1	294	1	DISAGREE: (1)
20.5	20.3	454	2	MOST DIS: (2)
23.4	23.1	517	3	NEITHER: (3)
24.2	23.9	535	4	MOST AGR: (4)
18.6	18.4	411	5	AGREE: (5)
	1.3	28	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 884-885

V1637	001A002D:X AHEAD TOUGHER
-------	--------------------------

How much do you agree or disagree with each of the following statements?

I think the times ahead for me will be tougher and less fun than things are now

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.5	436	1	DISAGREE: (1)
21.4	21.1	472	2	MOST DIS: (2)
18.3	18.0	403	3	NEITHER: (3)
23.1	22.7	510	4	MOST AGR: (4)
17.5	17.2	385	5	AGREE: (5)
	1.6	35	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 886-887

V1638	001A003 :TM SPT ADLT MST
-------	--------------------------

Of all the time you spend with other people, about how much is spent with people over 30?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	23.1	518	1	VRV LITL:(1)
40.6	40.4	905	2	SOME:(2)
28.2	28.0	628	3	ABT HALF:(3)
6.4	6.4	144	4	MOST:(4)
1.5	1.5	34	5	NRLY ALL:(5)
	0.5	12	-9	Missing
-----	-----	-----		
100.0	100.0	2,240		cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 888-889

V1639	001A004 :LK MR TM ADLT
-------	------------------------

Would you like to spend more time, or less time, with people over 30 if you could?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.6	147	1	MCH LESS:(1)
10.4	10.3	232	2	SOM LESS:(2)
66.4	65.8	1,474	3	SAM TIME:(3)
14.5	14.4	322	4	SOM MORE:(4)
2.1	2.1	47	5	MCH MORE:(5)
	0.8	18	-9	Missing
-----	-----	-----		
100.0	100.0	2,240		cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 890-891

V1640	001A005 :LK MR TM YG CHD
-------	--------------------------

Would you like to spend more time, or less time, working
with or helping younger children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.0	180	1	MCH LESS: (1)
7.0	7.0	156	2	SOM LESS: (2)
32.6	32.4	726	3	SAM TIME: (3)
32.1	31.9	714	4	SOM MORE: (4)
20.2	20.1	450	5	MCH MORE: (5)
	0.7	15	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 892-893

V1641	001A006A:SAT PRESENT JOB
-------	--------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

Your job? (If you have no job, leave blank)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	4.6	103	1	COMP DIS:(1)
4.4	3.1	69	2	
8.5	6.0	134	3	
23.2	16.3	365	4	NEUTRAL:(4)
19.7	13.9	310	5	
20.2	14.2	319	6	
17.6	12.4	277	7	COMP SAT:(7)
	29.6	663	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 894-895

V1642	001A006B:SAT NEIGHBORHOD
-------	--------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

The neighborhood where you live?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.5	123	1	COMP DIS: (1)
3.5	3.5	79	2	
7.5	7.5	168	3	
19.7	19.6	439	4	NEUTRAL: (4)
13.1	13.0	292	5	
20.7	20.5	460	6	
29.9	29.7	664	7	COMP SAT: (7)
	0.7	15	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 896-897

V1643

001A006C:SAT PRSNL SAFTY

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	77	1	COMP DIS: (1)
2.5	2.5	55	2	
4.8	4.7	106	3	
18.1	18.0	403	4	NEUTRAL: (4)
11.2	11.1	249	5	
23.2	23.1	518	6	
36.8	36.6	820	7	COMP SAT: (7)
	0.5	11	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 898-899

V1644

001A006D:SAT OWN PROP SF

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	145	1	COMP DIS:(1)
4.7	4.7	104	2	
11.6	11.5	258	3	
19.1	18.9	424	4	NEUTRAL:(4)
16.2	16.1	360	5	
21.5	21.4	479	6	
20.4	20.3	454	7	COMP SAT:(7)
	0.7	16	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 900-901

V1645

001A006E:SAT EDUC EXPRNC

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

Your educational experiences?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	102	1	COMP DIS: (1)
4.0	4.0	89	2	
7.7	7.7	172	3	
20.6	20.4	458	4	NEUTRAL: (4)
22.1	21.9	491	5	
24.7	24.5	548	6	
16.2	16.1	360	7	COMP SAT: (7)
	0.9	20	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 902-903

V1646

001A006F:SAT OWN FRIENDS

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

Your friends and other people you spend time with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	29	1	COMP DIS: (1)
1.3	1.3	30	2	
2.7	2.6	59	3	
10.0	9.9	221	4	NEUTRAL: (4)
13.8	13.6	305	5	
30.6	30.2	678	6	
40.4	40.0	896	7	COMP SAT: (7)
	1.0	23	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 904-905

V1647	001A006G:SAT GT ALNG PRN
-------	--------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

The way you get along with your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	113	1	COMP DIS: (1)
5.1	5.0	112	2	
6.1	6.0	135	3	
14.6	14.5	326	4	NEUTRAL: (4)
15.6	15.5	347	5	
23.5	23.3	523	6	
30.1	29.9	669	7	COMP SAT: (7)
	0.7	15	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 906-907

V1648	001A006H:SAT YOURSELF
-------	-----------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

Yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	68	1	COMP DIS: (1)
2.9	2.9	64	2	
5.0	4.9	110	3	
16.3	16.1	361	4	NEUTRAL: (4)
13.2	13.0	292	5	
26.6	26.3	589	6	
33.0	32.7	733	7	COMP SAT: (7)
	1.0	23	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 908-909

V1649	001A006I:SAT STD OF LVG
-------	-------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	59	1	COMP DIS:(1)
2.6	2.6	58	2	
5.5	5.4	122	3	
14.7	14.6	326	4	NEUTRAL:(4)
15.8	15.7	352	5	
25.3	25.1	563	6	
33.5	33.2	744	7	COMP SAT:(7)
	0.7	16	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 910-911

V1650	001A006J:SAT TIME FR THG
-------	--------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

The amount of time you have for doing things you want to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.2	251	1	COMP DIS:(1)
9.1	9.0	202	2	
15.8	15.6	350	3	
17.8	17.6	395	4	NEUTRAL:(4)
18.5	18.3	411	5	
16.0	15.8	355	6	
11.7	11.6	259	7	COMP SAT:(7)
	0.7	16	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 912-913

V1651	001A006K:SAT SPD LEISR
-------	------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

The way you spend your leisure time--recreation, relaxation, and so on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	5.0	112	1	COMP DIS: (1)
4.3	4.3	96	2	
9.2	9.1	205	3	
17.6	17.5	391	4	NEUTRAL: (4)
19.9	19.8	443	5	
20.6	20.5	459	6	
23.3	23.1	518	7	COMP SAT: (7)
	0.7	16	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 914-915

V1652

001A006L:SAT LIFE AS WHL

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

Your life as a whole these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	72	1	COMP DIS: (1)
3.7	3.6	81	2	
6.3	6.2	139	3	
19.0	18.8	422	4	NEUTRAL: (4)
21.1	20.9	468	5	
27.3	27.0	605	6	
19.4	19.2	431	7	COMP SAT: (7)
	1.0	23	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 916-917

V1653	001A006M:SAT GOVT OPRNG
-------	-------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

The way our national government is operating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.2	227	1	COMP DIS: (1)
8.9	8.8	198	2	
12.7	12.5	281	3	
43.2	42.8	959	4	NEUTRAL: (4)
14.9	14.7	330	5	
6.7	6.6	148	6	
3.4	3.3	75	7	COMP SAT: (7)
	1.0	22	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 918-919

V1654	001A006N:SAT AMT OF FUN
-------	-------------------------

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer.

How satisfied are you with . . .

The amount of fun you are having?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	114	1	COMP DIS: (1)
3.5	3.5	78	2	
8.9	8.9	199	3	
15.3	15.2	341	4	NEUTRAL: (4)
21.4	21.3	476	5	
23.4	23.2	520	6	
22.4	22.2	497	7	COMP SAT: (7)
	0.7	15	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 920-921

V1655	001A007A:IMP B SUCCSS WK
--------------	---------------------------------

How important is each of the following to you in your life?

Being successful in my line of work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	35	1	NOT IMPT:(1)
7.3	7.2	161	2	SOM IMPT:(2)
29.6	29.2	654	3	QUITE IM:(3)
61.6	60.9	1,363	4	EXTR IMP:(4)
	1.2	27	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 922-923

V1656	001A007B:IMP GD MRRG&FAM
--------------	-------------------------------------

How important is each of the following to you in your life?

Having a good marriage and family life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.9	87	1	NOT IMPT:(1)
5.5	5.4	121	2	SOM IMPT:(2)
13.6	13.4	300	3	QUITE IM:(3)
77.0	75.9	1,701	4	EXTR IMP:(4)
	1.4	32	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 924-925

V1657	001A007C:IMP LOTS OF \$
-------	-------------------------

How important is each of the following to you in your life?

Having lots of money

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	123	1	NOT IMPT:(1)
29.8	29.4	658	2	SOM IMPT:(2)
36.2	35.7	800	3	QUITE IM:(3)
28.4	28.0	627	4	EXTR IMP:(4)
	1.4	32	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 926-927

V1658	001A007D:IMP TM RCRN&HBY
-------	--------------------------

How important is each of the following to you in your life?

Having plenty of time for recreation and hobbies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	38	1	NOT IMPT:(1)
20.0	19.8	442	2	SOM IMPT:(2)
43.3	42.8	958	3	QUITE IM:(3)
35.0	34.6	775	4	EXTR IMP:(4)
	1.2	26	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 928-929

V1659	001A007E:IMP STRG FRDSHP
--------------	---------------------------------

How important is each of the following to you in your life?

Having strong friendships

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	33	1	NOT IMPT:(1)
7.9	7.8	174	2	SOM IMPT:(2)
26.1	25.8	579	3	QUITE IM:(3)
64.5	63.7	1,428	4	EXTR IMP:(4)
	1.2	26	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 930-931

V1660	001A007F:IMP STEADY WORK
--------------	---------------------------------

How important is each of the following to you in your life?

Being able to find steady work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	34	1	NOT IMPT:(1)
4.8	4.8	107	2	SOM IMPT:(2)
25.8	25.5	570	3	QUITE IM:(3)
67.8	66.9	1,500	4	EXTR IMP:(4)
	1.3	30	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 932-933

V1661	001A007G:IMP CNTRBTN SOC
--------------	---------------------------------

How important is each of the following to you in your life?

Making a contribution to society

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	152	1	NOT IMPT:(1)
33.7	33.3	746	2	SOM IMPT:(2)
39.4	38.9	871	3	QUITE IM:(3)
20.0	19.8	444	4	EXTR IMP:(4)
	1.2	27	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 934-935

V1662	001A007H:IMP LDR COMUNITY
--------------	----------------------------------

How important is each of the following to you in your life?

Being a leader in my community

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.4	479	1	NOT IMPT:(1)
38.6	38.1	852	2	SOM IMPT:(2)
25.9	25.6	573	3	QUITE IM:(3)
13.8	13.6	305	4	EXTR IMP:(4)
	1.4	31	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 936-937

V1663	001A007I:IMP CHLD BTR OP
-------	--------------------------

How important is each of the following to you in your life?

Being able to give my children better opportunities than
I've had

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	42	1	NOT IMPT:(1)
6.4	6.2	139	2	SOM IMPT:(2)
24.5	24.0	539	3	QUITE IM:(3)
67.2	65.8	1,474	4	EXTR IMP:(4)
	2.1	46	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 938-939

V1664	001A007J:IMP LIV CLS PRN
-------	--------------------------

How important is each of the following to you in your life?

Living close to parents and relatives

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.7	374	1	NOT IMPT:(1)
39.6	39.0	874	2	SOM IMPT:(2)
28.9	28.4	637	3	QUITE IM:(3)
14.6	14.3	321	4	EXTR IMP:(4)
	1.5	34	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 940-941

V1665	001A007K:IMP GT AWY AREA
-------	--------------------------

How important is each of the following to you in your life?

Getting away from this area of the country

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	45.1	1,009	1	NOT IMPT:(1)
23.1	22.8	512	2	SOM IMPT:(2)
15.5	15.3	344	3	QUITE IM:(3)
15.7	15.6	348	4	EXTR IMP:(4)
	1.2	27	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 942-943

V1666	001A007L:IMP CRRCT INEQL
-------	--------------------------

How important is each of the following to you in your life?

Working to correct social and economic inequalities

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.3	478	1	NOT IMPT:(1)
42.8	42.1	944	2	SOM IMPT:(2)
24.9	24.5	549	3	QUITE IM:(3)
10.6	10.4	233	4	EXTR IMP:(4)
	1.6	36	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 944-945

V1667	001A007M:IMP NEW XPRNCE
--------------	--------------------------------

How important is each of the following to you in your life?

Discovering new ways to experience things

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	173	1	NOT IMPT:(1)
28.8	28.4	637	2	SOM IMPT:(2)
39.1	38.7	866	3	QUITE IM:(3)
24.3	24.0	538	4	EXTR IMP:(4)
	1.2	27	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 946-947

V1668	001A007N:IMP FND PRPS LF
--------------	---------------------------------

How important is each of the following to you in your life?

Finding purpose and meaning in my life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	105	1	NOT IMPT:(1)
10.4	10.3	230	2	SOM IMPT:(2)
24.1	23.8	534	3	QUITE IM:(3)
60.8	60.1	1,347	4	EXTR IMP:(4)
	1.1	25	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 948-949

V1669	001A008 :PPL CAN B TRSTD
-------	--------------------------

Generally speaking, would you say that most people can be
trusted or that you can't be too careful in dealing with
people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	51.4	1,151	1	CAREFUL: (1)
24.4	23.3	521	2	DK: (2)
21.7	20.7	463	3	TRST MST: (3)
	4.7	105	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 950-951

V1670	001A009 :PPL TRY B HLPFL
-------	--------------------------

Would you say that most of the time people try to be helpful
or that they are mostly just looking out for themselves?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	41.1	920	1	FOR SELF: (1)
33.5	33.0	739	2	DK: (2)
24.9	24.5	550	3	TRY HELP: (3)
	1.4	31	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 952-953

V1671	001A010 :PPL TRY BE FAIR
--------------	---------------------------------

Do you think most people would try to take advantage of you
if they got a chance or would they try to be fair?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	44.1	988	1	TAKE ADV: (1)
36.4	35.9	804	2	DK: (2)
18.8	18.5	414	3	TRY FAIR: (3)
	1.5	35	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 954-955

V1672	001A011A: -OBY LW=-GD CTZ
--------------	----------------------------------

These next questions ask your opinions about a number of
different topics. How much do you agree or disagree with
each statement below?

I feel that you can't be a good citizen unless you always
obey the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.2	497	1	DISAGREE: (1)
18.1	17.8	399	2	MOST DIS: (2)
23.1	22.8	510	3	NEITHER: (3)
28.7	28.3	635	4	MOST AGR: (4)
7.7	7.6	171	5	AGREE: (5)
	1.3	29	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 956-957

V1673	001A011B:GD CTZN ALG GOV
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

I feel good citizens should go along with whatever the government does even if they disagree with it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	43.1	966	1	DISAGREE: (1)
26.6	26.2	587	2	MOST DIS: (2)
17.9	17.7	395	3	NEITHER: (3)
9.4	9.3	209	4	MOST AGR: (4)
2.4	2.4	53	5	AGREE: (5)
	1.3	29	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 958-959

V1674	001A011C:GD CTZN CHG GOV
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

I feel good citizens try to change the government policies they disagree with

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.7	151	1	DISAGREE: (1)
7.8	7.7	172	2	MOST DIS: (2)
28.8	28.3	635	3	NEITHER: (3)
32.5	31.9	715	4	MOST AGR: (4)
24.0	23.5	527	5	AGREE: (5)
	1.8	40	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 960-961

V1675	001A011D:VOTE->MAJ IMPCT
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

The way people vote has a major impact on how things are run in this country

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.9	199	1	DISAGREE: (1)
11.8	11.6	260	2	MOST DIS: (2)
18.1	17.8	398	3	NEITHER: (3)
29.4	28.9	648	4	MOST AGR: (4)
31.7	31.1	697	5	AGREE: (5)
	1.7	38	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 962-963

V1676	001A011E:CTZN GRP HV EFC
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

People who get together in citizen action groups to influence government policies can have a real effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	125	1	DISAGREE: (1)
8.9	8.7	195	2	MOST DIS: (2)
32.5	31.8	712	3	NEITHER: (3)
35.0	34.2	767	4	MOST AGR: (4)
18.0	17.6	394	5	AGREE: (5)
	2.2	48	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 964-965

V1677	001A011F:OUR SYST ST BS
-------	-------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

Despite its many faults, our system of doing things is still the best in the world

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.2	161	1	DISAGREE: (1)
8.8	8.6	193	2	MOST DIS: (2)
29.3	28.8	645	3	NEITHER: (3)
32.7	32.1	718	4	MOST AGR: (4)
21.9	21.5	482	5	AGREE: (5)
	1.8	41	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 966-967

V1678	001A011G:US NEEDS GROWTH
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

America needs growth to survive, and that is going to require some increase in pollution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	31.7	710	1	DISAGREE: (1)
21.4	20.9	468	2	MOST DIS: (2)
26.1	25.4	570	3	NEITHER: (3)
13.4	13.1	294	4	MOST AGR: (4)
6.5	6.4	143	5	AGREE: (5)
	2.5	56	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 968-969

V1679	001A011H:LV THNGS TO GOD
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

If we just leave things to God, they will turn out for the best

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.2	385	1	DISAGREE: (1)
10.5	10.2	229	2	MOST DIS: (2)
24.6	23.9	535	3	NEITHER: (3)
19.7	19.1	429	4	MOST AGR: (4)
27.6	26.9	602	5	AGREE: (5)
	2.7	61	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 970-971

V1680	001A011I:GO SCH ENJY XPR
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

Going to school has been an enjoyable experience for me

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.3	231	1	DISAGREE: (1)
10.2	10.0	223	2	MOST DIS: (2)
18.9	18.5	415	3	NEITHER: (3)
39.1	38.3	858	4	MOST AGR: (4)
21.4	21.0	470	5	AGREE: (5)
	1.9	43	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 972-973

V1681	001A011J:DO WL SC IMP/JB
-------	--------------------------

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

Doing well in school is important for getting a good job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	100	1	DISAGREE: (1)
4.6	4.5	101	2	MOST DIS: (2)
6.9	6.8	151	3	NEITHER: (3)
27.6	27.1	606	4	MOST AGR: (4)
56.4	55.4	1,240	5	AGREE: (5)
	1.9	42	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 974-975

V1682	001D001 :R LIKES SCHOOL
-------	-------------------------

Some people like school very much. Others don't.
How do you feel about going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	6.6	148	1	DONT@ALL: (1)
13.8	11.3	254	2	NOT VMCH: (2)
46.9	38.5	861	3	SOME: (3)
23.7	19.5	436	4	LIK ALOT: (4)
7.5	6.2	139	5	LIK VMCH: (5)
	17.9	402	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 976-977

V1683	001D002 :SC WRK NVR MNG
--------------	--------------------------------

How often do you feel that the school work you are assigned
is meaningful and important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	5.0	113	1	NEVER: (1)
24.8	20.3	454	2	SELDOM: (2)
41.0	33.5	750	3	SOMETIME: (3)
19.9	16.2	364	4	OFTEN: (4)
8.1	6.6	149	5	ALWAYS: (5)
	18.3	411	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 978-979

V1684	001D003 :MST COUR V DUL
--------------	--------------------------------

How interesting are most of your courses to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	7.1	158	1	VRV DULL: (1)
23.2	18.8	422	2	SLTLY DU: (2)
45.0	36.5	817	3	FRLY INT: (3)
20.0	16.2	362	4	QUITE IN: (4)
3.1	2.5	56	5	VRV EXCI: (5)
	19.0	425	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 980-981

V1685	001D004 :LRN SCH NT IMP
-------	-------------------------

How important do you think the things you are learning in
school are going to be for your later life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.1	92	1	NOT IMPT: (1)
24.9	20.2	452	2	SLTLY IM: (2)
32.5	26.3	589	3	FRLY IMP: (3)
23.4	19.0	426	4	QUITE IM: (4)
14.1	11.4	256	5	VRV IMPT: (5)
	18.9	424	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 982-983

V1686	001D005 :LOT CMPTN GRADE
-------	--------------------------

How much competition for grades is there among students
at your school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.2	184	1	NONE: (1)
22.7	18.3	410	2	A LITTLE: (2)
30.9	25.0	560	3	SOME: (3)
23.1	18.6	417	4	QUITEBIT: (4)
13.2	10.6	239	5	GRT DEAL: (5)
	19.3	431	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 984-985

V1687	001D006 :STDTS DSLK CHTG
-------	--------------------------

How do you think most of the students in your classes would
feel if you cheated on a test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	2.9	65	1	LIK VMCH: (1)
3.3	2.7	59	2	LIKE IT: (2)
81.1	65.4	1,465	3	NOT CARE: (3)
9.4	7.6	169	4	DISLIKE: (4)
2.6	2.1	47	5	DLIK MCH: (5)
	19.4	435	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 986-987

V1688	001D007 :ST -LK PROV TCH
-------	--------------------------

How do you think most of the students in your classes would
feel if you intentionally did things to make your teachers
angry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	4.5	102	1	LIK VMCH: (1)
11.4	9.0	202	2	LIKE IT: (2)
51.0	40.5	908	3	NOT CARE: (3)
26.6	21.2	474	4	DISLIKE: (4)
5.3	4.2	94	5	DLIK MCH: (5)
	20.6	461	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 988-989

V1689	001D008 :FRD NCG/TCH -LK
-------	--------------------------

How often do you find that your friends encourage you to
do things which your teachers wouldn't like?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	30.0	673	1	NEVER: (1)
34.2	27.2	609	2	SELDOM: (2)
19.5	15.5	347	3	SOMETIME: (3)
6.0	4.8	107	4	OFTEN: (4)
2.5	2.0	45	5	ALWAYS: (5)
	20.5	458	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 990-991

V1690	001D009 :R IN WK-STDY PG
-------	--------------------------

Have you ever been in a work-study program--that is, a
program where you work on a job as part of your schooling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	63.9	1,432	1	NOT EVER: (1)
8.6	6.8	151	2	HALF YR: (2)
7.8	6.1	138	3	ABT 1 YR: (3)
1.5	1.2	26	4	ABT 2 YR: (4)
0.8	0.6	13	5	>2 YRS: (5)
	21.4	480	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 992-993

V1691	001D010 :#X/YR COUNS IND
-------	--------------------------

How many times this school year have you seen a counselor individually?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	23.7	531	1	NO TIMES: (1)
11.7	9.2	207	2	1 TIME: (2)
14.4	11.3	254	3	2 TIMES: (3)
23.4	18.4	413	4	3-4 TIME: (4)
9.8	7.7	173	5	5-7 TIME: (5)
4.2	3.3	74	6	8-10 TIM: (6)
6.4	5.1	113	7	11+ TIME: (7)
	21.2	476	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 994-995

V1692	001D011 :#X/YR COUNS GRP
-------	--------------------------

How many times this school year have you seen a counselor as a part of a group of other students?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	49.0	1,098	1	NO TIMES: (1)
11.2	8.8	197	2	1 TIME: (2)
11.3	8.9	199	3	2 TIMES: (3)
8.3	6.5	145	4	3-4 TIME: (4)
1.9	1.5	33	5	5-7 TIME: (5)
1.4	1.1	25	6	8-10 TIM: (6)
3.4	2.6	59	7	11+ TIME: (7)
	21.6	484	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 996-997

V1693	001D012 :R LK C COUNS MR
-------	--------------------------

Would you have preferred to see a counselor more or less
often than you have during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	11.3	253	1	MCH LESS: (1)
6.4	4.9	110	2	LIT LESS: (2)
47.3	36.2	811	3	AS OFTEN: (3)
20.2	15.4	346	4	MOR OFTN: (4)
11.4	8.7	195	5	MCH MORE: (5)
	23.4	525	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 998-999

V1694	001D013 :CSLNG VRY HLPFL
-------	--------------------------

How helpful have your sessions with a counselor been to
you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	9.5	213	1	NOT @ALL: (1)
16.8	13.1	292	2	A LITTLE: (2)
17.9	13.9	311	3	SOMEWHAT: (3)
18.3	14.2	318	4	QUITE: (4)
12.5	9.7	218	5	EXT HELP: (5)
22.3	17.4	389	8	NO SEE: (8)
	22.2	498	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1000-1001

V1696	001B068N:TRNQ RLV PHYS P
-------	--------------------------

What have been the most important reasons for taking
tranquilizers without a doctor's orders?
(Mark all that apply.)

B068N. To relieve physical pain

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	2.3	52	0	NT MARKD: (0)
28.7	0.9	21	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	96.8	2,168	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1002-1003

V1697	001B0910:NARC RLV PHYS P
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B0910: To relieve physical pain

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	2.5	55	0	NT MARKD: (0)
44.3	2.0	44	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1004-1005

V1698	001B091P:NARC RLV COUGHN
-------	--------------------------

What have been the most important reasons for your using
narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

To control coughing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	3.8	85	0	NT MARKD: (0)
15.0	0.7	15	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.6	2,141	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1006-1007

V1699	001D014A:CNSL COURSES
-------	-----------------------

Would you have preferred more or less of each of the
following types of counseling in the last year?

Choosing what courses to take

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	4.3	97	1	MCH LESS: (1)
2.8	2.1	47	2	LIT LESS: (2)
42.9	32.2	720	3	ABT RITE: (3)
23.7	17.8	398	4	LIT MORE: (4)
24.7	18.5	415	5	MCH MORE: (5)
	25.1	562	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1008-1009

V1700	001D014B:CNSL CL PROB
-------	-----------------------

Would you have preferred more or less of each of the
following types of counseling in the last year?

Discussing problems with course work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	8.6	192	1	MCH LESS: (1)
3.4	2.5	57	2	LIT LESS: (2)
47.3	35.0	784	3	ABT RITE: (3)
22.2	16.4	367	4	LIT MORE: (4)
15.5	11.5	258	5	MCH MORE: (5)
	26.0	583	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1010-1011

V1701	001D014C:CNSL TRBL R IN
-------	-------------------------

Would you have preferred more or less of each of the
following types of counseling in the last year?

Discussing any trouble you've gotten into

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	13.3	299	1	MCH LESS: (1)
5.8	4.2	93	2	LIT LESS: (2)
56.6	40.6	911	3	ABT RITE: (3)
9.4	6.8	152	4	LIT MORE: (4)
9.6	6.9	154	5	MCH MORE: (5)
	28.2	633	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1012-1013

V1702	001D014D:CNSL MILTRY PLN
-------	--------------------------

Would you have preferred more or less of each of the
following types of counseling in the last year?

Discussing military plans

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	27.3	612	1	MCH LESS:(1)
4.5	3.2	72	2	LIT LESS:(2)
46.4	33.0	739	3	ABT RITE:(3)
5.2	3.7	82	4	LIT MORE:(4)
5.4	3.9	87	5	MCH MORE:(5)
	28.9	648	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1014-1015

V1703	001D014E:CNSL EDUC PLANS
-------	--------------------------

Would you have preferred more or less of each of the
following types of counseling in the last year?

Discussing education or training plans

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	7.3	164	1	MCH LESS:(1)
2.2	1.6	37	2	LIT LESS:(2)
38.3	28.2	633	3	ABT RITE:(3)
28.3	20.9	468	4	LIT MORE:(4)
21.2	15.6	349	5	MCH MORE:(5)
	26.4	590	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1016-1017

V1704	001D014F:CNSL CAREER PLN
--------------	---------------------------------

Would you have preferred more or less of each of the
following types of counseling in the last year?

Discussing career plans or job choice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	5.1	114	1	MCH LESS: (1)
2.7	1.9	43	2	LIT LESS: (2)
34.6	25.2	565	3	ABT RITE: (3)
28.8	21.0	470	4	LIT MORE: (4)
27.0	19.7	442	5	MCH MORE: (5)
	27.0	606	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1018-1019

V1705	001D014G:CNSL PRNL PROB
--------------	--------------------------------

Would you have preferred more or less of each of the
following types of counseling in the last year?

Discussing personal problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	16.3	366	1	MCH LESS: (1)
4.9	3.5	79	2	LIT LESS: (2)
51.1	36.7	821	3	ABT RITE: (3)
11.5	8.2	184	4	LIT MORE: (4)
9.9	7.1	158	5	MCH MORE: (5)
	28.2	632	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1020-1021

V1706	001B028 :MJ/HSB EVR DLY
-------	-------------------------

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	78.5	1,758	1	NO: (1)
17.1	16.2	362	2	YES: (2)
	5.3	119	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1022-1023

V1707	001B029 :GR 1ST DAILY MJ
-------	--------------------------

How old were you when you first smoked marijuana or hashish that frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	1.5	34	1	GRADE 6: (1)
29.9	5.5	123	2	GRADE 7-: (2)
22.0	4.0	90	3	GRADE 9: (3)
16.7	3.1	68	4	GRADE 10: (4)
14.4	2.6	59	5	GRADE 11: (5)
8.6	1.6	35	6	GRADE 12: (6)
	81.7	1,830	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1024-1025

V1708	001B030 :RECENT DAILY MJ
-------	--------------------------

How recently did you use marijuana or hashish on a daily,
or almost daily, basis for at least a month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	5.3	119	1	PAST MON: (1)
7.5	1.4	30	2	2 MO AGO: (2)
16.8	3.0	68	3	3-9 MO: (3)
17.2	3.1	69	4	ABT 1 YR: (4)
15.8	2.8	64	5	ABT 2 YR: (5)
13.1	2.4	53	6	3+ YRS: (6)
	82.0	1,837	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1026-1027

V1709	001B031 :#X DAILY MJ/LFT
-------	--------------------------

Over your whole lifetime, during how many months have you
used marijuana or hashish on a daily or near-daily basis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	6.6	147	1	<3 MON: (1)
22.1	4.0	89	2	3-9 MO: (2)
5.9	1.0	24	3	ABT 1 YR: (3)
4.5	0.8	18	4	1 2 YR: (4)
12.9	2.3	52	5	ABT 2 YR: (5)
13.7	2.5	55	6	3-5 YRS: (6)
3.6	0.6	15	7	6-9 YRS: (7)
0.5	0.1	2	8	10+ YRS: (8)
	82.1	1,839	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1028-1029

V1710	001B046A:#X DIETPILL/LFT
-------	--------------------------

Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim, Dietac, Prolamine, and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	77.9	1,745	1	0 OCCAS: (1)
5.3	4.9	111	2	1-2X: (2)
3.6	3.3	75	3	3-5X: (3)
1.9	1.8	41	4	6-9X: (4)
1.5	1.4	32	5	10-19X: (5)
1.3	1.2	27	6	20-39X: (6)
2.8	2.6	58	7	40+OCCAS: (7)
	6.8	152	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 1030-1031

V1711	001B046B:#X DIETPILL/12M
-------	--------------------------

Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim, Dietac, Prolamine, and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	83.0	1,859	1	0 OCCAS: (1)
4.1	3.8	85	2	1-2X: (2)
1.8	1.7	39	3	3-5X: (3)
1.4	1.3	28	4	6-9X: (4)
0.6	0.6	13	5	10-19X: (5)
1.3	1.2	28	6	20-39X: (6)
1.7	1.6	36	7	40+OCCAS: (7)
	6.8	153	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1032-1033

V1712	001B046C:#X DIETPILL/30D
-------	--------------------------

Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim, Dietac, Prolamine, and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	87.7	1,965	1	0 OCCAS: (1)
2.4	2.3	50	2	1-2X: (2)
0.6	0.5	12	3	3-5X: (3)
0.7	0.6	14	4	6-9X: (4)
1.0	0.9	20	5	10-19X: (5)
0.9	0.8	18	6	20-39X: (6)
0.3	0.3	6	7	40+OCCAS: (7)
	6.9	155	-9	Missing
-----	-----	-----		
100.0	100.0	2,240		cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1034-1035

V1713	001B047A:#X STA-AWAK/LFT
-------	--------------------------

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz, Vivarin, Wake, Caffedrine, and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	71.6	1,605	1	0 OCCAS:(1)
7.8	7.2	161	2	1-2X:(2)
5.2	4.8	108	3	3-5X:(3)
3.4	3.2	72	4	6-9X:(4)
3.5	3.2	72	5	10-19X:(5)
1.7	1.6	35	6	20-39X:(6)
1.5	1.4	30	7	40+OCCAS:(7)
	7.0	157	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1036-1037

V1714	001B047B:#X STA-AWAK/12M
-------	--------------------------

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz, Vivarin, Wake, Caffedrine, and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	79.0	1,769	1	0 OCCAS:(1)
6.6	6.1	137	2	1-2X:(2)
3.3	3.1	69	3	3-5X:(3)
2.0	1.9	42	4	6-9X:(4)
1.5	1.4	31	5	10-19X:(5)
1.1	1.0	23	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS:(7)
	7.0	158	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 1038-1039

V1715	001B047C:#X STA-AWAK/30D
-------	--------------------------

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz, Vivarin, Wake, Caffedrine, and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	86.1	1,929	1	0 OCCAS:(1)
4.5	4.2	93	2	1-2X:(2)
0.7	0.6	14	3	3-5X:(3)
1.2	1.1	24	4	6-9X:(4)
0.4	0.4	8	5	10-19X:(5)
0.4	0.3	8	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS:(7)
	7.2	161	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1040-1041

V1716	001B048A:#X LOOKALIK/LFT
-------	--------------------------

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	83.8	1,878	1	0 OCCAS: (1)
4.7	4.4	98	2	1-2X: (2)
2.1	1.9	43	3	3-5X: (3)
0.6	0.5	12	4	6-9X: (4)
1.1	1.0	22	5	10-19X: (5)
0.6	0.5	11	6	20-39X: (6)
1.1	1.0	22	7	40+OCCAS: (7)
	6.8	153	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1042-1043

V1717	001B048B:#X LOOKALIK/12M
-------	--------------------------

In addition to non-prescription diet and stay-awake pills,
 there are other stimulants and pep pills which can be sold
 legally in most states without a prescription--usually by
 mail. These are sometimes called "fake pep pills,"
 "imitation speed," or "look-alikes," because they look
 like prescription amphetamines and sometimes have similar
 names. Other than the diet pills and stay-awake pills
 you have already told us about, on how many occasions
 (if any) have you taken other non-prescription
 stimulants or pep pills . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	87.7	1,965	1	0 OCCAS: (1)
2.6	2.4	53	2	1-2X: (2)
1.0	0.9	20	3	3-5X: (3)
1.0	1.0	22	4	6-9X: (4)
0.7	0.6	14	5	10-19X: (5)
0.3	0.2	6	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	6.8	152	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1044-1045

V1718	001B048C:#X LOOKALIK/30D
-------	--------------------------

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	90.7	2,031	1	0 OCCAS: (1)
1.4	1.3	29	2	1-2X: (2)
0.8	0.8	17	3	3-5X: (3)
0.2	0.2	5	4	6-9X: (4)
0.2	0.2	5	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	1	7	40+OCCAS: (7)
	6.8	152	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1046-1047

V1719	001D015A:#DA HEADACHE
-------	-----------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Headache

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	13.7	307	1	NONE: (1)
16.9	12.9	288	2	1 DAY: (2)
19.8	15.0	337	3	2 DAYS: (3)
23.4	17.7	398	4	3-5 DAYS: (4)
9.9	7.5	168	5	6-9 DAYS: (5)
7.7	5.8	130	6	10-19 DA: (6)
4.3	3.3	74	7	20+ DAYS: (7)
	24.0	539	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1048-1049

V1720	001D015B:#DA SORE THROAT
-------	--------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Sore throat or hoarse voice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	27.9	624	1	NONE: (1)
16.6	12.6	282	2	1 DAY: (2)
16.8	12.7	284	3	2 DAYS: (3)
19.1	14.4	323	4	3-5 DAYS: (4)
7.8	5.9	132	5	6-9 DAYS: (5)
2.3	1.8	39	6	10-19 DA: (6)
0.7	0.5	11	7	20+ DAYS: (7)
	24.3	544	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1050-1051

V1721	001D015C:#DA SINUS CONG
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Trouble with sinus congestion, runny nose, or sneezing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	17.5	391	1	NONE: (1)
9.4	7.1	160	2	1 DAY: (2)
12.5	9.5	212	3	2 DAYS: (3)
23.4	17.7	396	4	3-5 DAYS: (4)
16.2	12.2	274	5	6-9 DAYS: (5)
8.8	6.6	149	6	10-19 DA: (6)
6.5	4.9	111	7	20+ DAYS: (7)
	24.4	547	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1052-1053

V1722	001D015D:#DA COUGHING
-------	-----------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Coughing spells

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	39.3	881	1	NONE: (1)
13.5	10.1	227	2	1 DAY: (2)
12.3	9.3	207	3	2 DAYS: (3)
10.7	8.1	181	4	3-5 DAYS: (4)
6.1	4.6	103	5	6-9 DAYS: (5)
3.4	2.6	58	6	10-19 DA: (6)
1.7	1.3	29	7	20+ DAYS: (7)
	24.8	555	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1054-1055

V1723	001D015E:#DA CHEST COLD
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Chest colds

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	54.0	1,211	1	NONE: (1)
9.9	7.4	167	2	1 DAY: (2)
6.5	4.9	110	3	2 DAYS: (3)
7.7	5.8	130	4	3-5 DAYS: (4)
2.3	1.7	39	5	6-9 DAYS: (5)
1.2	0.9	21	6	10-19 DA: (6)
0.4	0.3	7	7	20+ DAYS: (7)
	24.8	557	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1056-1057

V1724	001D015F:#DA COUGH PHLM
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Coughing up phlegm or blood

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	59.6	1,336	1	NONE: (1)
4.4	3.3	74	2	1 DAY: (2)
4.8	3.6	80	3	2 DAYS: (3)
4.6	3.4	77	4	3-5 DAYS: (4)
3.4	2.5	57	5	6-9 DAYS: (5)
2.1	1.5	35	6	10-19 DA: (6)
1.2	0.9	21	7	20+ DAYS: (7)
	25.0	561	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1058-1059

V1725	001D015G:#DA SHORT BRTH
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Shortness of breath when you were not exercising

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	60.7	1,360	1	NONE: (1)
5.6	4.2	94	2	1 DAY: (2)
4.0	3.0	67	3	2 DAYS: (3)
5.2	3.9	87	4	3-5 DAYS: (4)
1.9	1.4	31	5	6-9 DAYS: (5)
1.3	1.0	22	6	10-19 DA: (6)
1.3	1.0	21	7	20+ DAYS: (7)
	24.8	556	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1060-1061

V1726

001D015H:#DA WHEEZING

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Wheezing or gasping

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	65.3	1,462	1	NONE: (1)
3.3	2.5	56	2	1 DAY: (2)
3.3	2.5	55	3	2 DAYS: (3)
2.8	2.1	48	4	3-5 DAYS: (4)
2.1	1.6	35	5	6-9 DAYS: (5)
0.7	0.6	12	6	10-19 DA: (6)
0.8	0.6	14	7	20+ DAYS: (7)
	24.9	557	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1062-1063

V1727	001D015I:#DA TRBL REMEM
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Trouble remembering things

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	46.9	1,051	1	NONE: (1)
10.7	8.1	181	2	1 DAY: (2)
7.3	5.5	123	3	2 DAYS: (3)
6.9	5.2	116	4	3-5 DAYS: (4)
4.7	3.6	80	5	6-9 DAYS: (5)
3.2	2.4	54	6	10-19 DA: (6)
4.8	3.6	80	7	20+ DAYS: (7)
	24.8	555	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1064-1065

V1728	001D015J:#DA DFCT THINK
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Difficulty thinking or concentrating

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	37.5	841	1	NONE: (1)
11.1	8.4	187	2	1 DAY: (2)
11.5	8.7	194	3	2 DAYS: (3)
11.7	8.8	197	4	3-5 DAYS: (4)
5.5	4.1	92	5	6-9 DAYS: (5)
4.8	3.6	81	6	10-19 DA: (6)
5.2	3.9	87	7	20+ DAYS: (7)
	25.1	561	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1066-1067

V1729	001D015K:#DA TRBL LEARN
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Trouble learning new things

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	52.6	1,179	1	NONE: (1)
8.7	6.5	145	2	1 DAY: (2)
8.1	6.0	135	3	2 DAYS: (3)
6.0	4.4	99	4	3-5 DAYS: (4)
3.0	2.2	50	5	6-9 DAYS: (5)
2.4	1.8	39	6	10-19 DA: (6)
1.3	1.0	22	7	20+ DAYS: (7)
	25.5	571	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1068-1069

V1730	001D015L:#DA TRBL SLEEP
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Trouble sleeping

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	31.4	704	1	NONE: (1)
12.5	9.4	210	2	1 DAY: (2)
12.8	9.6	214	3	2 DAYS: (3)
11.4	8.5	191	4	3-5 DAYS: (4)
7.7	5.8	129	5	6-9 DAYS: (5)
6.2	4.7	105	6	10-19 DA: (6)
7.2	5.4	121	7	20+ DAYS: (7)
	25.2	565	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1070-1071

V1731	001D015M:#DA TRBL START
-------	-------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Trouble getting started in the morning

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	24.0	538	1	NONE: (1)
7.7	5.8	130	2	1 DAY: (2)
9.2	6.9	155	3	2 DAYS: (3)
11.1	8.3	187	4	3-5 DAYS: (4)
9.2	6.9	154	5	6-9 DAYS: (5)
7.8	5.9	131	6	10-19 DA: (6)
22.9	17.2	385	7	20+ DAYS: (7)
	25.1	561	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1072-1073

V1732	001D015N:#DA STAY HOME
-------	------------------------

These next questions concern your health. During the LAST
30 DAYS, on how many days (if any) did you have the
following problems or symptoms?

Stayed home most or all of a day because you were not
feeling well

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	43.5	975	1	NONE: (1)
17.8	13.4	299	2	1 DAY: (2)
12.6	9.4	211	3	2 DAYS: (3)
7.7	5.8	129	4	3-5 DAYS: (4)
2.3	1.7	38	5	6-9 DAYS: (5)
1.2	0.9	19	6	10-19 DA: (6)
0.5	0.4	8	7	20+ DAYS: (7)
	25.0	559	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1074-1075

V1733	001D016A:#X/12M DOC-CHEK
-------	--------------------------

In the LAST 12 MONTHS, how many times (if any) have you
seen a doctor or other professional for each of the
following?

For a routine physical check-up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	33.5	751	1	NONE: (1)
35.3	26.9	603	2	ONCE: (2)
15.3	11.6	260	3	TWICE: (3)
3.8	2.9	64	4	3-5X: (4)
0.6	0.5	10	5	6-9X: (5)
1.0	0.8	17	6	10+ TIME: (6)
	23.9	535	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1076-1077

V1734	001D016B:#X/12M DOC-FGHT
-------	--------------------------

In the LAST 12 MONTHS, how many times (if any) have you
seen a doctor or other professional for each of the
following?

For an injury suffered in a fight, assault, or auto
accident

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	68.1	1,526	1	NONE: (1)
4.8	3.6	82	2	ONCE: (2)
2.7	2.0	45	3	TWICE: (3)
0.8	0.6	14	4	3-5X: (4)
0.4	0.3	6	5	6-9X: (5)
1.1	0.8	18	6	10+ TIME: (6)
	24.5	549	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1078-1079

V1735	001D016C:#X/12M DOC-INJ
-------	-------------------------

In the LAST 12 MONTHS, how many times (if any) have you
seen a doctor or other professional for each of the
following?

For any other accidental injury

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	59.3	1,328	1	NONE: (1)
8.7	6.6	147	2	ONCE: (2)
5.5	4.1	92	3	TWICE: (3)
4.6	3.5	77	4	3-5X: (4)
0.9	0.6	14	5	6-9X: (5)
1.5	1.1	25	6	10+ TIME: (6)
	24.8	556	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1080-1081

V1736	001D016D:#X/12M DOC-ILL
-------	-------------------------

In the LAST 12 MONTHS, how many times (if any) have you
seen a doctor or other professional for each of the
following?

For some physical illness or symptom

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	42.7	956	1	NONE: (1)
17.7	13.3	298	2	ONCE: (2)
12.8	9.7	216	3	TWICE: (3)
9.5	7.2	160	4	3-5X: (4)
1.7	1.3	28	5	6-9X: (5)
1.5	1.1	25	6	10+ TIME: (6)
	24.9	558	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1082-1083

V1737	001D016E:#X/12M DOC-PSY
-------	-------------------------

In the LAST 12 MONTHS, how many times (if any) have you
seen a doctor or other professional for each of the
following?

For some emotional or psychological problem or symptom

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	69.8	1,564	1	NONE: (1)
2.7	2.0	46	2	ONCE: (2)
1.2	0.9	20	3	TWICE: (3)
1.2	0.9	21	4	3-5X: (4)
0.6	0.5	10	5	6-9X: (5)
1.0	0.7	16	6	10+ TIME: (6)
	25.1	562	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1084-1085

V1738	001D017A:#X/12M HSP-INJ
-------	-------------------------

In the LAST 12 MONTHS, how many times (if any) have you
spent one or more nights in the hospital . . .

Because of an injury

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	71.4	1,600	1	NONE: (1)
3.1	2.3	53	2	ONCE: (2)
1.3	0.9	21	3	TWICE: (3)
0.5	0.4	8	4	3-5X: (4)
0.3	0.2	4	5	6-9X: (5)
0.1	0.1	2	6	10+ TIME: (6)
	24.6	552	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1086-1087

V1739	001D017B:#X/12M HSP-ILL
-------	-------------------------

In the LAST 12 MONTHS, how many times (if any) have you
spent one or more nights in the hospital . . .

Because of some physical illness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	71.3	1,598	1	NONE: (1)
2.3	1.8	39	2	ONCE: (2)
1.6	1.2	27	3	TWICE: (3)
0.5	0.4	9	4	3-5X: (4)
0.3	0.2	4	5	6-9X: (5)
0.2	0.1	3	6	10+ TIME: (6)
	25.0	560	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1088-1089

V1740	001D018 :RLTV PHY HEALTH
-------	--------------------------

Overall, relative to other people your age, do you think
your physical health over the past year has been . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	3.9	88	1	MCH <AVG: (1)
12.8	9.6	215	2	SOM <AVG: (2)
41.9	31.5	706	3	ABT AVR: (3)
22.2	16.7	374	4	SOM >AVG: (4)
18.0	13.5	303	5	MCH >AVG: (5)
	24.8	555	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1090-1091

V1743	001B083A:FRM COKE-POWDER
--------------	---------------------------------

What forms of cocaine have you used? (Mark all that apply.)

B083A. Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.2	5	0	NT MRKD: (0)
95.1	4.0	90	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,146	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1092-1093

V1744	001B083C:FRM COKE-FRBASE
--------------	---------------------------------

What forms of cocaine have you used? (Mark all that apply.)

B083C. "Freebase" or "base"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	3.6	80	0	NT MRKD: (0)
15.6	0.7	15	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,146	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1094-1095

V1745	001B083D:FRM COKE-PASTE
--------------	--------------------------------

What forms of cocaine have you used? (Mark all that apply.)

B083D. Coca paste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	3.9	88	0	NT MRKD: (0)
7.1	0.3	7	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,146	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 1096-1097

V1746	001B083B:FRM COKE-CRACK
--------------	--------------------------------

What forms of cocaine have you used? (Mark all that apply.)

B083B. "Crack" or "rock"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	2.7	61	0	NT MRKD: (0)
36.0	1.5	34	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.8	2,146	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
 Missing-data code: -9
 Columns: 1098-1099

V1747	001B084D: MTHD COKE-INHAL
-------	---------------------------

What methods have you used for taking cocaine?
(Mark all that apply.)

B084D: Inhaling fumes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	3.9	88	0	NT MRKD: (0)
8.7	0.4	8	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	95.7	2,144	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1100-1101

V1748	001B100M: GR 1ST SMOK EVR
-------	---------------------------

When (if ever) did you FIRST do each of the following
things? Don't count anything you took because a doctor
told you to.

Smoke your first cigarette

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	11.9	266	1	GRADE 6: (1)
21.3	10.7	240	2	GRADE 7: (2)
17.8	9.0	201	3	GRADE 8: (3)
17.6	8.8	198	4	GRADE 9: (4)
10.6	5.3	120	5	GRADE 10: (5)
6.1	3.1	69	6	GRADE 11: (6)
2.9	1.5	33	7	GRADE 12: (7)
0.0	0.0	0	8	NEVER: (8)
	49.7	1,113	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1102-1103

V1749	001B100N:GR 1ST DRUNK
-------	-----------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Drink enough to feel drunk or very high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	2.8	64	1	GRADE 6:(1)
6.9	3.6	80	2	GRADE 7:(2)
13.3	6.9	154	3	GRADE 8:(3)
28.2	14.5	325	4	GRADE 9:(4)
21.5	11.1	248	5	GRADE 10:(5)
17.1	8.8	198	6	GRADE 11:(6)
7.4	3.8	86	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	48.5	1,086	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1104-1105

V1752	001B003 :#CIG/DAY-30DAYS
-------	--------------------------

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	29.6	662	1	NONE: (1)
12.9	7.7	172	2	<DAY: (2)
6.9	4.1	91	3	1-2: (3)
11.4	6.8	151	4	3-7: (4)
7.6	4.5	101	5	8-12: (5)
4.7	2.8	62	6	13-17: (6)
2.5	1.5	34	7	18-22: (7)
0.3	0.2	4	8	23-27: (8)
0.8	0.4	10	9	28-32: (9)
0.1	0.1	2	10	33-37: (10)
2.9	1.7	39	11	38+: (11)
	40.7	912	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1106-1107

V1754	001B004B:#X TRY STOP SMK
-------	--------------------------

How many times (if any) have you tried to stop smoking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	33.1	741	1	NONE: (1)
19.3	11.0	246	2	ONCE: (2)
12.4	7.0	157	3	TWICE: (3)
7.6	4.3	97	4	3-5X: (4)
0.8	0.5	11	5	6-9X: (5)
1.5	0.8	18	6	10+X: (6)
	43.3	970	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1108-1109

V1755	001B074 :EVR TK CRACK/FB
-------	--------------------------

Have you ever taken cocaine in "crack" form or in any other
freebase form--that is, where you inhaled the fumes from
smoking, heating, or burning it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	87.9	1,968	1	NO: (1)
3.4	3.1	70	2	YES: (2)
	9.0	202	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1110-1111

V1756	001B075A:#X CRACK/LIFTIM
-------	--------------------------

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	88.3	1,979	1	0 OCCAS: (1)
1.5	1.3	30	2	1-2X: (2)
0.7	0.6	13	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.5	0.4	9	5	10-19X: (5)
0.0	0.0	1	6	20-39X: (6)
0.4	0.4	9	7	40+OCCAS: (7)
	8.9	198	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1112-1113

V1757	001B075B:#X CRACK/LST12M
-------	--------------------------

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	89.7	2,009	1	0 OCCAS: (1)
0.8	0.7	17	2	1-2X: (2)
0.1	0.1	2	3	3-5X: (3)
0.3	0.3	6	4	6-9X: (4)
0.1	0.1	1	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.2	0.2	3	7	40+OCCAS: (7)
	8.9	198	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1114-1115

V1758	001B075C:#X CRACK/LST30D
-------	--------------------------

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	90.4	2,026	1	0 OCCAS: (1)
0.2	0.2	5	2	1-2X: (2)
0.2	0.2	5	3	3-5X: (3)
0.0	0.0	1	4	6-9X: (4)
0.3	0.2	5	5	10-19X: (5)
0.0	0.0	0	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	8.9	198	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1116-1117

V1759	001B076A:#XOTH COKE/LIFE
-------	--------------------------

On how many occasions (if any) have you taken cocaine in any
other form . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	84.3	1,888	1	0 OCCAS: (1)
3.6	3.3	73	2	1-2X: (2)
1.5	1.3	30	3	3-5X: (3)
0.9	0.8	18	4	6-9X: (4)
0.3	0.3	6	5	10-19X: (5)
0.1	0.1	3	6	20-39X: (6)
0.6	0.5	12	7	40+OCCAS: (7)
	9.4	210	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1118-1119

V1760	001B076B:#XOTH COKE/12MO
-------	--------------------------

On how many occasions (if any) have you taken cocaine in any
other form . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	86.7	1,943	1	0 OCCAS: (1)
2.7	2.4	55	2	1-2X: (2)
1.0	0.9	20	3	3-5X: (3)
0.4	0.3	7	4	6-9X: (4)
0.1	0.1	3	5	10-19X: (5)
0.1	0.1	2	6	20-39X: (6)
0.2	0.2	3	7	40+OCCAS: (7)
	9.3	208	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1120-1121

V1761	001B076C:#XOTH COKE/30DA
-------	--------------------------

On how many occasions (if any) have you taken cocaine in any other form . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	89.5	2,004	1	0 OCCAS: (1)
1.1	1.0	21	2	1-2X: (2)
0.2	0.2	4	3	3-5X: (3)
0.0	0.0	0	4	6-9X: (4)
0.0	0.0	1	5	10-19X: (5)
0.2	0.2	3	6	20-39X: (6)
0.0	0.0	0	7	40+OCCAS: (7)
	9.2	206	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1122-1123

V1762	001B098 :ATTND DRG TRTMN
-------	--------------------------

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	89.3	2,000	1	NO/NVR: (1)
0.7	0.7	15	2	Y/- PSTYR: (2)
0.4	0.4	8	3	Y/PST YR: (3)
	9.7	217	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1124-1125

V1763	001B099 :RCV DRG COUNSEL
-------	--------------------------

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	87.5	1,960	1	NO/NVR: (1)
2.1	1.9	42	2	Y/-PSTYR: (2)
1.2	1.1	24	3	Y/PST YR: (3)
	9.5	213	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1126-1127

V1764	001B056H:TKN YR,CRYSMETH
-------	--------------------------

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

B056H: Crystal meth

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	3.8	85	0	NT MARKD: (0)
31.5	1.8	39	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1128-1129

V1765	001B057B: MTHD AMPH-SMOKG
-------	---------------------------

What methods have you used for taking amphetamines?
(Mark all that apply.)

B057B: Smoking

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	4.3	97	0	NT MARKD: (0)
22.3	1.2	28	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	94.4	2,116	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1130-1131

V1766	001A012A: RSK OF CIG1+PK
-------	--------------------------

The next questions ask for your opinions on the effects of
using certain drugs and other substances. How much do
you think people risk harming themselves (physically or
in other ways), if they . . .

Smoke one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	67	1	NO RISK: (1)
4.2	4.0	90	2	SLIGHT: (2)
20.3	19.3	432	3	MOD RISK: (3)
72.4	68.7	1,540	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	5.0	112	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1132-1133

V1767	001A012B:RSK OF MJ 1-2 X
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try marijuana once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	38.2	857	1	NO RISK: (1)
31.8	29.7	666	2	SLIGHT: (2)
13.3	12.4	278	3	MOD RISK: (3)
13.9	13.0	291	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	6.6	148	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1134-1135

V1768	001A012C:RSK OF MJ OCSNL
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	15.5	347	1	NO RISK: (1)
29.2	27.2	609	2	SLIGHT: (2)
31.5	29.4	658	3	MOD RISK: (3)
22.7	21.1	473	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	6.8	153	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1136-1137

V1769	001A012D:RSK OF MJ REGLY
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.2	161	1	NO RISK: (1)
13.1	12.2	274	2	SLIGHT: (2)
20.8	19.4	435	3	MOD RISK: (3)
58.3	54.3	1,217	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	6.8	153	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1138-1139

V1770	001A012E:RSK COK PWDR 1-
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try cocaine in powder form once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.5	122	1	NO RISK: (1)
19.5	17.6	394	2	SLIGHT: (2)
24.8	22.3	500	3	MOD RISK: (3)
49.5	44.5	997	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	10.1	226	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1140-1141

V1771	001A012F:RSK COK PWDR OC
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take cocaine powder occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.0	68	1	NO RISK: (1)
4.2	3.8	84	2	SLIGHT: (2)
21.6	19.5	437	3	MOD RISK: (3)
70.8	63.8	1,430	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	9.9	221	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1142-1143

V1772	001A012G:RSK COK PWDR RE
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take cocaine powder regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.5	57	1	NO RISK: (1)
1.3	1.2	27	2	SLIGHT: (2)
3.7	3.3	74	3	MOD RISK: (3)
92.2	83.0	1,860	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	10.0	223	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1144-1145

V1773	001A012H:RSK CRACK 1-2X
-------	-------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try "crack" cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.2	93	1	NO RISK: (1)
15.4	13.6	305	2	SLIGHT: (2)
21.8	19.2	431	3	MOD RISK: (3)
58.1	51.4	1,152	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	11.5	259	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1146-1147

V1774	001A012I:RSK CRACK OCC
-------	------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take "crack" cocaine occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.8	63	1	NO RISK: (1)
2.3	2.1	46	2	SLIGHT: (2)
17.0	15.0	336	3	MOD RISK: (3)
77.5	68.6	1,536	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	11.5	258	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1148-1149

V1775	001A012J:RSK CRACK REG
-------	------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take "crack" cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.7	61	1	NO RISK: (1)
1.1	0.9	21	2	SLIGHT: (2)
2.1	1.9	42	3	MOD RISK: (3)
93.7	83.0	1,860	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	11.4	256	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1150-1151

V1776	001A012K:RSK OF 1-2 DRIN
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	50.4	1,129	1	NO RISK:(1)
31.9	30.4	681	2	SLIGHT:(2)
8.3	7.9	177	3	MOD RISK:(3)
7.1	6.8	151	4	GRT RISK:(4)
0.0	0.0	0	5	CANT SAY:(5)
	4.6	102	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1152-1153

V1777	001A012L:RSK OF 1-2 DR/D
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	14.6	327	1	NO RISK: (1)
29.6	28.3	633	2	SLIGHT: (2)
34.8	33.2	744	3	MOD RISK: (3)
20.4	19.4	436	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.5	100	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1154-1155

V1778	001A012M:RSK OF 4-5 DR/D
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.5	123	1	NO RISK: (1)
8.6	8.2	184	2	SLIGHT: (2)
24.4	23.2	520	3	MOD RISK: (3)
61.3	58.4	1,308	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.7	105	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1156-1157

V1779	001A012N:RSK OF 5+DR/WKN
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Have five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.2	227	1	NO RISK:(1)
17.5	16.7	375	2	SLIGHT:(2)
26.6	25.4	570	3	MOD RISK:(3)
45.3	43.3	970	4	GRT RISK:(4)
0.0	0.0	0	5	CANT SAY:(5)
	4.4	99	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1158-1159

V1780	001A013A:EASY GT MARIJUA
-------	--------------------------

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	60	1	PROB IMP:(1)
1.6	1.6	35	2	VRy DIFF:(2)
3.7	3.6	80	3	FRLY DIF:(3)
20.4	19.9	446	4	FRLY EAS:(4)
71.6	69.9	1,565	5	VRy EASY:(5)
	2.4	53	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1160-1161

V1781	001A013B:EASY GT CRACK
-------	------------------------

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

"Crack" cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	7.9	178	1	PROB IMP:(1)
13.0	12.6	282	2	VRV DIFF:(2)
26.2	25.4	569	3	FRLY DIF:(3)
34.1	33.0	738	4	FRLY EAS:(4)
18.5	17.9	400	5	VRV EASY:(5)
	3.3	73	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1162-1163

V1782	001A013C:EASY GT COK PWD
-------	--------------------------

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.6	194	1	PROB IMP:(1)
14.2	13.7	307	2	VRV DIFF:(2)
25.0	24.2	541	3	FRLY DIF:(3)
31.4	30.4	681	4	FRLY EAS:(4)
20.5	19.8	443	5	VRV EASY:(5)
	3.3	74	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1164-1165

V1783	001B1000:GR 1ST TRY CRAC
-------	--------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try "crack" cocaine, specifically

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.2	4	1	GRADE 6:(1)
5.5	0.1	3	2	GRADE 7:(2)
2.5	0.1	1	3	GRADE 8:(3)
23.6	0.6	13	4	GRADE 9:(4)
21.4	0.5	12	5	GRADE 10:(5)
22.7	0.6	13	6	GRADE 11:(6)
16.8	0.4	9	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	97.5	2,184	-9	Missing

 100.0 100.0 2,240 cases (Wtd)

Data type: numeric
 Missing-data code: -9
 Columns: 1166-1167

V1784	001B100P:GR 1ST TRY ICE
-------	-------------------------

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try crystal meth ("ice")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	0.4	8	1	GRADE 6:(1)
2.2	0.1	1	2	GRADE 7:(2)
8.5	0.2	5	3	GRADE 8:(3)
21.3	0.6	13	4	GRADE 9:(4)
8.6	0.2	5	5	GRADE 10:(5)
23.9	0.7	15	6	GRADE 11:(6)
21.7	0.6	13	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER:(8)
	97.3	2,179	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1168-1169

V1785	001B101A:ALL FRD SMK CIG
-------	--------------------------

How many of your friends would you estimate . . .

Smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	9.7	218	1	NONE:(1)
29.7	26.9	603	2	A FEW:(2)
33.5	30.4	680	3	SOME:(3)
23.7	21.5	481	4	MOST:(4)
2.3	2.1	46	5	ALL:(5)
	9.5	212	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1170-1171

V1786	001B101B:ALL FRD SMK MAR
-------	--------------------------

How many of your friends would you estimate . . .

Smoke marijuana (pot, grass) or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	14.9	333	1	NONE: (1)
31.7	28.7	644	2	A FEW: (2)
29.9	27.1	606	3	SOME: (3)
19.0	17.2	386	4	MOST: (4)
2.9	2.6	59	5	ALL: (5)
	9.5	212	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1172-1173

V1787	001B101C:# FRNDS TK CRAC
-------	--------------------------

How many of your friends would you estimate . . .

Take "crack" cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	70.5	1,579	1	NONE: (1)
17.6	15.8	355	2	A FEW: (2)
3.2	2.9	65	3	SOME: (3)
0.1	0.1	3	4	MOST: (4)
0.5	0.4	10	5	ALL: (5)
	10.2	229	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1174-1175

V1788	001B101D:# FRNDS TK C PW
-------	--------------------------

How many of your friends would you estimate . . .

Take cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	65.2	1,460	1	NONE: (1)
22.2	19.8	443	2	A FEW: (2)
3.6	3.2	72	3	SOME: (3)
0.7	0.6	14	4	MOST: (4)
0.4	0.4	9	5	ALL: (5)
	10.8	242	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1176-1177

V1789	001B101E:ALL FRD DRK ALC
-------	--------------------------

How many of your friends would you estimate . . .

Drink alcoholic beverages (liquor, beer, wine)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.5	124	1	NONE: (1)
10.0	9.0	202	2	A FEW: (2)
17.9	16.1	361	3	SOME: (3)
42.5	38.3	857	4	MOST: (4)
23.4	21.1	472	5	ALL: (5)
	10.0	224	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1178-1179

V1790	001B101F:ALL FRD GT DRUN
-------	--------------------------

How many of your friends would you estimate . . .

Get drunk at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	19.0	426	1	NONE: (1)
28.5	25.7	576	2	A FEW: (2)
26.4	23.8	534	3	SOME: (3)
18.0	16.2	364	4	MOST: (4)
6.0	5.4	122	5	ALL: (5)
	9.7	218	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1180-1181

V1791	001D021A:DAP SMK 1PCK CI
-------	--------------------------

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

Smoking one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	26.7	598	1	DONT DIS: (1)
34.2	25.3	567	2	DISAPPRV: (2)
29.7	22.0	492	3	STRG DIS: (3)
	26.0	583	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric

Missing-data code: -9

Columns: 1182-1183

V1792	001D021B:DAP TRY MRJ 1-2
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying marijuana once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	34.8	780	1	DONT DIS:(1)
25.8	19.1	428	2	DISAPPRV:(2)
27.1	20.0	449	3	STRG DIS:(3)
	26.1	584	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1184-1185

V1793	001D021C:DAP SMK MRJ OCC
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	26.2	587	1	DONT DIS:(1)
28.3	20.8	466	2	DISAPPRV:(2)
36.2	26.6	596	3	STRG DIS:(3)
	26.4	590	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1186-1187

V1794	001D021D:DAP SMK MRJ REG
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	16.7	373	1	DONT DIS:(1)
27.5	20.2	452	2	DISAPPRV:(2)
49.9	36.7	821	3	STRG DIS:(3)
	26.5	593	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1188-1189

V1795	001D021E:DAP COK PWD 1-2
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying cocaine in powder form once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	9.1	203	1	DONT DIS:(1)
23.6	17.3	388	2	DISAPPRV:(2)
64.1	47.0	1,054	3	STRG DIS:(3)
	26.6	595	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1190-1191

V1796	001D021F:DAP COK PWDR OC
--------------	---------------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking cocaine powder occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	6.4	144	1	DONT DIS:(1)
20.5	14.9	334	2	DISAPPRV:(2)
70.8	51.7	1,157	3	STRG DIS:(3)
	27.0	605	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1192-1193

V1797	001D021G:DAP COK PWDR RE
--------------	---------------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking cocaine powder regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	6.2	138	1	DONT DIS:(1)
15.1	11.0	248	2	DISAPPRV:(2)
76.5	56.0	1,254	3	STRG DIS:(3)
	26.8	600	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1194-1195

V1798	001D021H:DAP TRY CRK 1-2
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying "crack" cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	7.4	166	1	DONT DIS:(1)
20.9	15.4	345	2	DISAPPRV:(2)
69.0	50.8	1,139	3	STRG DIS:(3)
	26.3	590	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1196-1197

V1799	001D021I:DAP CRACK OCC
-------	------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking "crack" cocaine occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	6.0	134	1	DONT DIS:(1)
18.1	13.3	297	2	DISAPPRV:(2)
73.8	54.1	1,211	3	STRG DIS:(3)
	26.7	598	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1198-1199

V1800	001D021J:DAP CRACK REG
-------	------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking "crack" cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	5.8	131	1	DONT DIS:(1)
14.7	10.7	239	2	DISAPPRV:(2)
77.3	56.3	1,262	3	STRG DIS:(3)
	27.1	608	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1200-1201

V1801	001D021K:DAP TRY DRK ALC
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	52.1	1,167	1	DONT DIS:(1)
16.3	11.9	267	2	DISAPPRV:(2)
12.5	9.2	205	3	STRG DIS:(3)
	26.8	601	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1202-1203

V1802	001D021L:DAP 1-2 DRK/DAY
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	27.6	619	1	DONT DIS:(1)
35.6	26.1	584	2	DISAPPRV:(2)
26.7	19.6	439	3	STRG DIS:(3)
	26.7	598	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1204-1205

V1803	001D021M:DAP 4-5 DRK/DAY
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	12.3	275	1	DONT DIS:(1)
29.5	21.7	487	2	DISAPPRV:(2)
53.8	39.6	888	3	STRG DIS:(3)
	26.3	590	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1206-1207

V1804	001D021N:DAP 5+ DRK WKND
-------	--------------------------

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Having five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	25.4	569	1	DONT DIS:(1)
24.5	17.9	402	2	DISAPPRV:(2)
40.8	29.9	670	3	STRG DIS:(3)
	26.7	599	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1208-1209

V1805	001B016A:#XDRUNK/LIFETIM
-------	--------------------------

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages?

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	33.4	748	1	0 OCCAS:(1)
16.7	14.9	335	2	1-2X:(2)
10.8	9.6	216	3	3-5X:(3)
8.0	7.1	159	4	6-9X:(4)
8.0	7.2	161	5	10-19X:(5)
6.9	6.1	137	6	20-39X:(6)
12.3	11.0	247	7	40+OCCAS:(7)
	10.6	237	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 1210-1211

V1806	001B016B:#XDRUNK/LAST12M
-------	--------------------------

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages?

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	43.4	972	1	0 OCCAS: (1)
17.3	15.4	345	2	1-2X: (2)
10.4	9.3	208	3	3-5X: (3)
6.5	5.8	130	4	6-9X: (4)
7.5	6.7	150	5	10-19X: (5)
4.0	3.5	79	6	20-39X: (6)
5.3	4.7	106	7	40+OCCAS: (7)
	11.3	252	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1212-1213

V1807	001B016C:#XDRUNK/LAST30D
-------	--------------------------

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages?

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	61.0	1,368	1	0 OCCAS: (1)
16.1	14.3	321	2	1-2X: (2)
7.1	6.3	141	3	3-5X: (3)
4.7	4.2	93	4	6-9X: (4)
2.1	1.8	41	5	10-19X: (5)
0.6	0.6	13	6	20-39X: (6)
0.6	0.5	12	7	40+OCCAS: (7)
	11.2	252	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1214-1215

V1808	001A012O:RSK H -NDL 1-2X
-------	--------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try heroin once or twice without using a needle

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	3.8	84	1	NO RISK: (1)
7.3	6.2	139	2	SLIGHT: (2)
17.5	15.0	335	3	MOD RISK: (3)
70.8	60.6	1,356	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	14.5	325	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1216-1217

V1809	001A012P:RSK H -NDL OCC
-------	-------------------------

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take heroin occasionally without using a needle

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.0	67	1	NO RISK: (1)
1.6	1.4	31	2	SLIGHT: (2)
8.9	7.6	171	3	MOD RISK: (3)
86.0	73.6	1,648	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	14.4	323	-9	Missing

100.0 100.0 2,240 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 1218-1219

V1810	001B005 :USUAL CIG BRAND
-------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	1	BASIC: (1)
0.5	0.2	5	2	B&H: (2)
0.1	0.1	1	3	B&W: (3)
0.0	0.0	0	4	CAMBRIDGE: (4)
8.9	4.4	98	5	CAMEL: (5)
0.8	0.4	9	6	CAPRI: (6)
0.0	0.0	0	7	CARLTON: (7)
0.3	0.1	3	8	DORAL: (8)
0.0	0.0	0	9	GPC: (9)
0.0	0.0	0	10	KENT: (10)
0.5	0.3	6	11	KOOL: (11)
47.0	23.2	520	12	MARLBORO: (12)
0.1	0.1	2	13	MERIT: (13)
0.3	0.1	3	14	MISTY: (14)
0.0	0.0	0	15	MONARCH: (15)
0.0	0.0	0	16	MORE: (16)
13.4	6.6	148	17	NEWPORT: (17)
0.0	0.0	0	18	PALLMALL: (18)
1.8	0.9	20	19	PARLIAMENT: (19)
0.0	0.0	0	20	SALEM: (20)
0.2	0.1	2	21	VANTAGE: (21)
0.4	0.2	5	22	VA SLIMS: (22)
0.0	0.0	1	23	WINSTON: (23)
2.1	1.0	23	24	OTHER: (24)
23.5	11.6	260	25	NO USUAL: (25)
	50.6	1,133	-9	Missing
-----	-----	-----		
100.0	100.0	2,240	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 1220-1221

V1811	001B008J:#X/YR ALC@PARK/B
-------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	45.7	1,024	1	NOT @ALL: (1)
19.4	13.6	306	2	FEW TIME: (2)
10.3	7.2	162	3	SOM TIME: (3)
3.6	2.5	57	4	MST TIME: (4)
1.9	1.3	29	5	EVRYTIME: (5)

	29.5	661	-9	Missing
--	------	-----	----	---------

100.0	100.0	2,240	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric

Missing-data code: -9

Columns: 1222-1223

V1812	001B008K:#X/YR ALC@BAR/RT
-------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	45.0	1,008	1	NOT @ALL: (1)
20.6	14.5	325	2	FEW TIME: (2)
9.3	6.6	147	3	SOM TIME: (3)
4.2	2.9	66	4	MST TIME: (4)
2.0	1.4	32	5	EVRYTIME: (5)

	29.6	662	-9	Missing
--	------	-----	----	---------

100.0	100.0	2,240	cases (Wtd)	
-------	-------	-------	-------------	--

Data type: numeric

Missing-data code: -9

Columns: 1224-1225

V1813	001B020J:#X/YR MJ@PARK/BH
--------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	19.9	455	1	NOT @ALL: (1)
18.7	6.8	153	2	FEW TIME: (2)
17.3	6.3	142	3	SOM TIME: (3)
5.9	2.2	48	4	MST TIME: (4)
3.9	1.4	32	5	EVRYTIME: (5)

	63.4	1,420	-9	Missing
--	------	-------	----	---------

-----	-----	-----		
-------	-------	-------	--	--

100.0	100.0	2,240	cases	(Wtd)
-------	-------	-------	-------	-------

Data type: numeric

Missing-data code: -9

Columns: 1226-1227

V5	SAMPLING WEIGHT
-----------	------------------------

2,240 cases (Wtd) (Range of valid codes: .1589-4.8585)

Data type: numeric

Decimals: 4

Missing-data code: -9.0000

Columns: 1228-1233

APPENDIX A

PUBLICATIONS

ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L.D. Johnston and J.G. Bachman, 1980, 188 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 264 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 268 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984, 280 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984, 282 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 288 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1992, 327 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1995, 339 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1997, 341 pp.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 376 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 378 pp.

ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20852 (Tel. 1-800-729-6686). There is no charge for single copies.

- Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.
- Highlights from drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.
- Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.
- Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.
- 1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.
- Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.
- Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.
- Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.
- Student drug use, attitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.
- Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.
- Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.
- Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.
- Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-1450). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.
- National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.
- Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.
- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989 (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors (DHHS Publication No. (ADM) 91-1813) and Volume II: College students and young adults (DHHS

- Publication No. (ADM) 91-1835). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students (DHHS Pub. No. (NIH) 93-3481). Volume II: College students and young adults (DHHS Pub. No. (NIH) 93-3481). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1992, 231 pp. and 176 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students (NIH Pub. No. 93-3597). Volume II: College students and young adults (NIH Pub. No. 93-3598). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 1993, 269 pp. and 190 pp., respectively.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students (NIH Pub. No. 94-3809). Volume II: College students and young adults (NIH Pub. No. 94-3810). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1994, 281 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students (NIH Pub. No. 95-4026). Volume II: College students and young adults (1996). (NIH Pub. No. 96-4027). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1995, 327 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students (1996). (NIH Pub. No. 96-4139). Volume II: College students and young adults (1997). (NIH Pub. No. 98-4140). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 381 pp. and 188 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students (1998). (NIH Pub. No. 98-4345). Volume II: College students and young adults (1998). (NIH Pub. No. 98-4346). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 433 pp. and 206 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students (1999). (NIH Pub. No. 99-4660). Volume II: College students and young adults (NIH Pub. No. 99-4661). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 420 pp. and 218 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999 (2000). (NIH Pub. No. 00-4690). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 56 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students (2000). (NIH Pub. No. 00-4802). Volume II: College students and adults ages 19-40 (NIH Pub. No. 00-4803). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 480 pp. and 240 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000 (2001). (NIH Pub. No. 01-4923). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 54 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students (2001). (NIH Pub. No. 01-4924). Volume II: College students and adults ages 19-40 (NIH Pub. No. 01-4925). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 492 pp. and 238 pp., respectively.

JOURNAL ARTICLES

- Schulenberg, J., Maggs, J.L., Long, S.W., Sher, K.J., Gotham, H.J., Baer, J.S., Kivlahan, D.R., Marlatt, G.A., & Zucker, R.A. (2001). The problem of college drinking: Insights from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, 25, 473-477.
- Brown, T.N., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science* 2(1), 29-43.
- Bryant, A.L., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 1(2), 71-87.
- O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P.M., & Johnston, L.D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.

- An, L.C., O'Malley, P.M., Schulenberg, J., Bachman, J.G., & Johnston, L.D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.
- Schulenberg, J., Maggs, J.L., Dielman, T.E., Leech, S.L., Kloska, D.D., Shope, J.T., & Laetz, V.B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J.M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J.M., Jr., Forman, T.A., Guthrie, B.J., Bachman, J.G., O'Malley, P.M., Johnston, L.D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88, 887-892.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use and Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J.M., Jr. & Bachman, J.G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse*, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L.D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.
- Osgood, D.W., Wilson, J.K., Bachman, J.G., O'Malley, P.M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., Wadsworth, K.N., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.
- Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.
- Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.
- Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1), 31-35.
- Bachman, J.G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L.D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(7), 39-41.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.
- Bachman, J.G., & Wallace, J.M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1(fall), 85-97.
- Bachman, J.G., Wallace, J.M., Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P.M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.
- Johnston, L.D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, 41, 29-40.
- Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.
- Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, 51, 329-345.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.
- Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, 53, 81-93.
- Bachman, J.G. (1987). An eye on the future. *Psychology Today*, 21(7), 6-8.
- Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society*, 13(2), 169-187.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.
- Bachman, J.G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.
- Bachman, J.G., & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frogpond revisited (again). *Journal of Personality and Social Psychology*, 50, 35-46.
- Diamond, G., & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.
- Johnston, L.D., & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues*, 16, 29-66.
- Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in *The Drinking and Drug Practices Surveyor*, March 1985, 20, 11-14.)
- Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology*, 47, 629-645.
- Bachman, J.G., & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, 90, 624-639.

- Bachman, J.G., & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly*, 48, 491-509.
- O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, 13, 421-426.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health*, 74, 682-688.
- Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, 10(1), 86-104.
- Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A.*, 10(3), 64-67.
- Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, 32, 347-360.
- Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, 9(1), 109-135. (Work funded by NIE.)
- Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, 10, 463-480.
- Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, 7, 7.
- O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, 19, 257-268.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions*, 18, 805-824.
- Bachman, J.G. (1981). Youth views about the military: Recent trends. *Economic Outlook U.S.A.*, 8(3), 61-65.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, 71, 59-69.
- Bachman, J.G., & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly*, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, *Survey research methods*. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, 10, 407-441.
- Herzog, A.R., & Bachman, J.G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, 45(4), 549-559.
- Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, 1(4), 11-14.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A.*, 7(2), 39-42.
- Bachman, J.G., & Johnston, L.D. (1979). The freshmen, 1979. *Psychology Today*, 13(4), 79-87.
- O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology*, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept*. Arlington Heights, IL: AHM Press.)
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. *Science Teacher*, 45(6), 26-31.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. *Youth and Society*, 10, 65-77.
- Segal, D.R., & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society*, 10, 47-64.

- Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society*, 10, 127-134.
- Bachman, J.G., & Johnston, L.D. (1976). Drug use among American youth. *Economic Outlook U.S.A.*, 3, 32-33.

CHAPTERS

- Pacula, R.L., Grossman, M., Chaloupka, F.J., O'Malley, P.M., Johnston, L.D., & Farrelly, M.C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).
- O'Malley, P.M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C.E. Faupel & P.M. Roman (eds.) *Encyclopedia of Criminology and Deviant Behavior*, Volume 4, Self-Destructive Behavior and Disvalued Identity. London: Brunner-Routledge, Taylor & Francis Group.
- O'Malley, P.M. (2000). The Monitoring the Future survey. In *Encyclopedia of Drugs, Alcohol, and Addictive Behavior*, Second Edition. Macmillan Reference USA.
- Johnston, L.D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.
- Johnston, L.D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.
- Bachman, J.G., & Wallace, J.M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*, second edition. Macmillan Publishing.
- Johnston, L.D. (2000). The epidemiology of drug use. In W.B. Hansen, S.M. Giles, & M.D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- (Johnston, L.D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) *The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries*. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Epidemiology of substance abuse in adolescence. In P.J. Ott, R.E. Tarter, & R.T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment*. Needham Heights, MA: Allyn & Bacon.
- Johnston, L.D., & O'Malley, P.M. (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The Validity of self-reported drug use: Improving the accuracy of survey estimates*. (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G.A. Marlatt and G.R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement]]
- (Johnston, L.D., O'Malley, P.M., & Bachman, J.G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K.

- Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Wallace, J.M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J.L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press.
- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J. Brooks-Gunn, & A.C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W.B., & O'Malley, P.M. (1996). Drug use. In R.J. DiClemente, W.B. Hansen, & L.E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W.R., & Wallace, J.M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.
- Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P.M. et al., 1995, uncredited). Epidemiology of injection drug use. In Normand, J., Vlahov, D., & Moses, L.E. (Eds.), *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P.M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J.G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J.M., Jr., & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J.L. Andrados (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L.D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.
- Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use*. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York, NY: Garland.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it MemorexTM? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L.D., & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L.D., & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), *Self-report methods of estimating drug use: Meeting current challenges to validity*. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives*. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept*. Arlington Heights, IL: AMH Press.
- Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.

- Brooke, E., & Johnston, L.D. (1979). The assessment of drug abuse. In Resource book on measures to reduce illicit demand for drugs (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues*. (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics*. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research*. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

TESTIMONY

- Johnston, L.D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the Congressional Record.
- Johnston, L.D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in The Congressional Record.
- Johnston, L.D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in The Congressional Record.
- Johnston, L.D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in The Congressional Record.
- Johnston, L.D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In The Congressional Record.
- Johnston, L.D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in The Congressional Record.
- Johnston, L.D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act

- of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.
- Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record*, 134:89, D774.
- Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record*, 134:87, D756.
- Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P.M., & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

Paper No.

- 1 The Monitoring the Future project: Design and procedures. J.G. Bachman and L.D. Johnston, 1978, 67 pp.
- 2 Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp.
- 3 High school seniors' preferences for sharing work and family responsibilities between husband and wife. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp.
- 4 Fewer rebels, fewer causes: A profile of today's college freshmen. J.G. Bachman and L.D. Johnston, 1979, 30 pp.
- 5 Developing composite measures of drug use: Comparisons among lifetime annual, and monthly prevalence reports for thirteen classes of drugs. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp.
- 6 Description of a special survey using a single combined form of the Monitoring the Future questionnaires. A.R. Herzog and J.G. Bachman, 1979, 35 pp.
- 7 Ecological concerns among high school seniors: 1976-1979. J.D. Miller and J.G. Bachman, 1980, 28 pp.

- 8 Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp.
- 9 When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. J.G. Bachman and P.M. O'Malley, 1980, 12 pp.
- 10 High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980. A.R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
- 11 Changes in drug use after high school as a function of role status and social environment. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp.
- 12 Trends in high school seniors' views of the military. J.G. Bachman, 1981, 28 pp.
- 13 Marijuana decriminalization: The impact on youth 1975-1980. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp.
- 14 Period, age, and cohort effects on substance use among American youth 1976-1982. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp.
- 15 Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982. L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp.
- 16 The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth. J.G. Bachman and P.M. O'Malley, 1983, 30 pp.
- 18 The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and D.E. Bare, 1985, 135 pp.
- 19 Changes in marijuana use linked to changes in perceived risks and disapproval. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp.
- 20 Correlates of employment among high school seniors. J.G. Bachman, D. E. Bare, and E.I. Frankie, 1986, 105 pp.
- 21 Change and consistency in the correlates of drug use among high school seniors: 1975-1986. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1986, 21 pp.
- 22 Differentiation of period, age, and cohort effects on drug use 1976-1986. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp.
- 23 Sex differences in adolescents' health-threatening behaviors: What accounts for them? A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp.
- 24 Student drug use in America: Differences among high schools 1986-1987. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp.
- 25 Drug use among American college students and their noncollege age peers. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp.
- 26 Reducing drug use in America: A perspective, a strategy, and some promising approaches. L.D. Johnston, 1988, 57 pp.
- 28 Minimum drinking age laws effects on American youth 1976-1987. P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.

- 29 Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.
- 30 Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates. J.G. Bachman, J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and P.M. O'Malley, 1990, 63 pp.
- 31 The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987. L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.
- 32 Part-time work by high school seniors: Sorting out correlates and possible consequences. J.G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
- 33 The Monitoring the Future project after seventeen years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.
- 34 Aims and objectives of the Monitoring the Future study. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996, revised, 125pp.
- 35 Changes in drug use during the post-high school years. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, and J. Schulenberg, 1992, 168 pp.
- 37 Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992. J. Schulenberg, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1994, 62 pp.
- 38 The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- 39 Changes in drug use during ages 18-32. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, J. Schulenberg, J. Lim, and K.N. Wadsworth, 1996, 87 pp.
- 40 Trends in military propensity and the propensity-enlistment relationship. J.G. Bachman, P. Freedman-Doan, D.R. Segal, and P.M. O'Malley, 1997, 68 pp.
- 41 Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors. J.G. Bachman, D.R. Segal, P. Freedman-Doan, and P.M. O'Malley, 1998, 163 pp.
- 42 Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment. J.G. Bachman, P. Freedman-Doan, L.D. Johnston, P.M. O'Malley, and D.R. Segal, 1999, 33 pp..
- 43 Life paths into young adulthood and the course of substance use and well-being: Inter and intra cohort comparisons. J. Schulenberg, P. M. O'Malley, J.G. Bachman, and L.D. Johnston, 1998, 64 pp.
- 44 Reasons for use, abstention, and quitting illicit drug use by American adolescents. A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L.D. Johnston, 1998, 27 pp.
- 45 Cigarette brand preferences among adolescents. L.D. Johnston, P.M. O'Malley, J.G. Bachman, & J. Schulenberg, 1999, 37 pp.
- 46 Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use. A.L. Bryant, J. Schulenberg, J.G. Bachman, P.M. O'Malley, L.D. Johnston, 2000, 29 pp.
- 47 Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996). C. Pilgrim, J. Schulenberg, P.M. O'Malley, J.G. Bachman, L.D. Johnston, 2000, 48 pp.

- 53 Demographic subgroup trends for various licit and illicit drugs, 1975-2000. L.D. Johnston, P.M. O'Malley, J.G. Bachman, 2001, 225 pp.

APPENDIX B

SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	1975	1976	1977	1978	1979	1980
# Public Schools	111	108	108	111	111	107
# Private Schools	14	15	16	20	20	20
Total # Schools	125	123	124	131	131	127
Total # Students	15,791	16,678	18,438	18,924	16,662	16,524
Student Response Rate (%) *	78%	77%	79%	83%	82%	82%
	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response Rate (%) *	81%	83%	84%	83%	84%	83%

SAMPLE SIZE AND STUDENT RESPONSE RATES
(continued)

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%
	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

SAMPLE SIZE AND STUDENT RESPONSE RATES
(continued)

	1999	2000
# Public Schools	124	116
# Private Schools	19	18
Total # Schools	143	134
Total # Students	14,056	13,286
Student Response Rate (%) *	83%	83%

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.