#### **ICPSR 4264**

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2004

Lloyd D. Johnston University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social
Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Form 1 Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

### **Contents**

	ontents	
Π	NTRODUCTION	iii
	DATA COLLECTION DESCRIPTION	iii
	DATA COLLECTION PROCEDURES	iii
	SAMPLING INFORMATION	iv
	STAGE 1: GEOGRAPHIC AREAS	iv iv v
	QUESTIONNAIRE ADMINISTRATIONPROCEDURES FOR PROTECTING CONFIDENTIALITY	
	CONTENT AREAS AND QUESTIONNAIRE DESIGN	
	MEASUREMENT CONTENT AREAS	
	REPRESENTATIVENESS AND VALIDITY	
	SCHOOL PARTICIPATIONSTUDENT PARTICIPATION.	
	VALIDITY OF SELF-REPORT DATAACCURACY OF THE SAMPLECONSISTENCY AND THE MEASUREMENT OF TRENDS	ix
	INTERPRETING RACIAL DIFFERENCES	
	DIFFERENTIAL REPRESENTATION.	xi
	DIFFERENTIAL RESPONSE TENDENCIESCOVARIANCE WITH OTHER FACTORS	
	WEIGHTING INFORMATION	
	FILE STRUCTURE	
	CODEBOOK INFORMATION	
	ICPSR PROCESSING INFORMATION	
E.	REQUENCIES	
	PPENDICES	
<b>/</b> \		
	Appendix B - Sample Size and Student Response Rates	
	ADDEDOLX D - NAMBLE NIZE AND NUMERI KESDONSE KAIES	409

#### **INTRODUCTION**

#### DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2004, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

#### DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

#### SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

#### CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

# \_\_\_\_\_

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.	HEALTH.	Health habits.	somatic symptoms,	medical treatment
1.		ricarui maono,	somane symptoms,	, meatear a camien


Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

#### REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed

to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprises a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of

the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

#### WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

#### **FILE STRUCTURE**

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2004 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

part #	form	# of variables	Logical record length	unweighted n
1	Core	108	228	15,222
2	Form 1	618	1249	2,563
3	Form 2	332	675	2,521
4	Form 3	354	720	2,528
5	Form 4	280	574	2,532
6	Form 5	308	627	2,552
7	Form 6	332	676	2,526

The SAS, SPSS, and Stata data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

#### **CODEBOOK INFORMATION**

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

#### [1] **V1134**

#### [2] 991A13 KIND OF PAID JOB

- [3] Item Number: 25160
- [4] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
[10]	[11]	[ 1	.2]	
100.0	100.0	5,745	cases	(Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99

1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

#### **ICPSR PROCESSING INFORMATION**

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

## **FREQUENCIES**

Form 1 FILE

#### CASEID

#### CASE IDENTIFICATION NUMBER

2,571 cases (Wtd) (Range of valid codes: 1-2,563)

Data type: numeric

Columns: 1-4

#### v1

#### YEAR OF ADMIN (4-DIGITS)

PCT PCT N VALUE LABEL

VALID ALL

100.0 100.0 2,571 2004

\_\_\_\_\_

100.0 100.0 2,571 cases (Wtd)

Data type: numeric

Columns: 5-8

#### V3

#### 041 :FORM ID

PCT PCT N VALUE LABEL

VALID ALL

100.0 100.0 2,571 1

\_\_\_\_\_

100.0 100.0 2,571 cases (Wtd)

Data type: numeric

Columns: 9-10

#### $\nabla 4$

#### 041 :1

:R'S ID-SERIAL #

2,571 cases (Wtd) (Range of valid codes: 10,001-12,563)

Data type: numeric Columns: 11-15

#### V5

#### SAMPLING WEIGHT

2,571 cases (Wtd) (Range of valid codes: .1515-5.5186)

Data type: numeric

Decimals: 4
Columns: 16-21

V13	041	· SCHT.	RGN-4	САТ
V T 3	041	· SCHL	KGM - I	CAI

Region of the country, based on Census categories, in which respondent's school is located. 1=Northeast, 2=North Central, 3=South, 4=West.

PCT	PCT	N	VALUE	${ t LABEL}$
VALID	ALL			
21.2	21.2	546	1	NE
26.3	26.3	675	2	NC
34.3	34.3	881	3	S
18.2	18.2	469	4	M
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Columns: 22-23

V16 041 :SELF-REP/NOT=0

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	71.4	1,834	0	NO
28.6	28.6	736	1	YES
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Columns: 24-25

V17 041 :SMSA/NON-SMSA=0

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.9	615	0	NO
76.1	76.1	1,956	1	YES
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Columns: 26-27

#### V1633 041A001 :VRY HPY THS DAY

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.9	333	1	NT HAPPY:(1)
66.0	65.5	1,684	2	PRTY HPY:(2)
20.9	20.8	534	3	VRY HPY:(3)
	0.7	19	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 28-29

#### V1634

#### 041A002A:US NEEDS PLANNG

Item Number: 01200

How much do you agree or disagree with each of the following statements? A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	63	1	DISAGREE: (1)
4.5	4.5	115	2	MOST DIS:(2)
21.7	21.5	552	3	NEITHER: (3)
43.2	42.8	1,100	4	MOST AGR: (4)
28.1	27.8	715	5	AGREE: (5)
	1.0	26	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 30-31

#### V1635 041A002B:ENJOY FAST PACE

Item Number: 01210

How much do you agree or disagree with each of the following statements? B: I enjoy the fast pace and changes of today's

world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	192	1	DISAGREE: (1)
14.5	14.3	368	2	MOST DIS:(2)
27.7	27.4	705	3	NEITHER: (3)
36.6	36.3	932	4	MOST AGR: (4)
13.7	13.6	349	5	AGREE: (5)
	0.9	24	-9	MISSING
1000	1000	0 551	,	7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 32-33

#### V1636

#### 041A002C:THG CHG 2 QUICK

Item Number: 01220

How much do you agree or disagree with each of the following statements? C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.4	242	1	DISAGREE: (1)
21.2	21.0	540	2	MOST DIS:(2)
26.8	26.5	682	3	NEITHER:(3)
24.5	24.3	624	4	MOST AGR: (4)
17.9	17.7	456	5	AGREE: (5)
	1.0	26	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 34-35

#### V1637 041A002D:X AHEAD TOUGHER

Item Number: 01230

How much do you agree or disagree with each of the following statements? D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	16.9	435	1	DISAGREE:(1)
23.3	23.0	591	2	MOST DIS:(2)
20.1	19.9	510	3	NEITHER:(3)
21.1	20.9	537	4	MOST AGR: (4)
18.3	18.1	465	5	AGREE: (5)
	1.3	33	-9	MISSING
100.0	100.0	2,571	cases (	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 36-37

#### V1638

#### 041A003 :TM SPT ADLT MST

Item Number: 01240

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	24.5	631	1	VRY LITL:(1)
40.8	40.8	1,048	2	SOME: (2)
25.7	25.7	660	3	ABT HALF:(3)
7.4	7.3	189	4	MOST: (4)
1.5	1.5	38	5	NRLY ALL:(5)
	0.2	5	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 38-39

#### V1639 041A004 :LK MR TM ADLT

Item Number: 01250

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	173	1	MCH LESS:(1)
11.0	11.0	282	2	SOM LESS:(2)
66.1	65.8	1,692	3	SAM TIME:(3)
13.0	12.9	332	4	SOM MORE: (4)
3.1	3.1	79	5	MCH MORE: (5)
	0.5	12	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

100.0 100.0 2,371 cases (We

Data type: numeric Missing-data code: -9

Columns: 40-41

#### V1640

#### 041A005 :LK MR TM YG CHD

Item Number: 01260

Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	8.5	219	1	MCH LESS:(1)
6.5	6.5	166	2	SOM LESS:(2)
35.1	34.9	898	3	SAM TIME:(3)
34.9	34.8	894	4	SOM MORE: (4)
14.9	14.9	383	5	MCH MORE: (5)
	0.4	10	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 42-43

#### V1641 041A006A:SAT PRESENT JOB

Item Number: 01270

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . . A: Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	4.5	115	1	COMP DIS:(1)
5.0	3.2	83	2	
9.9	6.4	163	3	
23.1	14.9	382	4	NEUTRAL: (4)
18.4	11.9	305	5	
20.6	13.3	342	6	
16.0	10.3	264	7	COMP SAT: (7)
	35.6	916	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 44-45

#### V1642 041A006B:SAT NEIGHBORHOD

Item Number: 01280

How satisfied are you with . . . B: The neighborhood where

you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT VALID	PCT	N	VALUE	LABEL
4.6	ALL 4.6	118	1	COMP DIS:(1)
3.5	3.5	90	2	COMP DIS.(1)
6.9	6.9	176	3	
18.4	18.3	470	4	NEUTRAL: (4)
15.9	15.8	407	5	
21.8	21.6	556	6	
28.9	28.8	740	7	COMP SAT: (7)
	0.5	13	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 46-47

#### V1643 041A006C:SAT PRSNL SAFTY

Item Number: 01290

How satisfied are you with . . . C: Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	71	1	COMP DIS:(1)
1.7	1.7	44	2	
5.9	5.9	151	3	
14.8	14.8	380	4	NEUTRAL: (4)
13.9	13.8	354	5	
27.0	26.9	691	6	
33.8	33.7	865	7	COMP SAT: (7)
	0.6	15	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 48-49

#### V1644 041A006D:SAT OWN PROP SF

Item Number: 01300

How satisfied are you with . . .  $\ensuremath{ ext{D}}$ : The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.8	148	1	COMP DIS:(1)
5.0	5.0	128	2	
11.2	11.1	287	3	
19.0	18.8	484	4	NEUTRAL: (4)
18.3	18.2	468	5	
21.9	21.7	557	6	
18.8	18.6	479	7	COMP SAT: (7)
	0.8	20	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 50-51

#### V1645 041A006E:SAT EDUC EXPRNC

Item Number: 01310

How satisfied are you with . . . E: Your educational

experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely

Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	76	1	COMP DIS:(1)
2.8	2.8	71	2	
6.3	6.2	159	3	
20.3	20.1	517	4	NEUTRAL: (4)
22.4	22.1	569	5	
28.2	27.9	717	6	
17.0	16.9	433	7	COMP SAT: (7)
	1.1	29	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 52-53

#### V1646

#### 041A006F:SAT OWN FRIENDS

Item Number: 01320

How satisfied are you with . . . F: Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
COMP DIS:(1)	1 (	15	0.6	0.6
	2	17	0.7	0.7
	3	69	2.7	2.7
NEUTRAL: (4)	4 1	244	9.5	9.6
	5	332	12.9	13.0
	6	780	30.3	30.5
COMP SAT: (7)	7 (	1,098	42.7	43.0
MISSING	-9 I	16	0.6	
td)	cases (W	2,571	100.0	100.0

Data type: numeric Missing-data code: -9

Columns: 54-55

#### V1647 041A006G:SAT GT ALNG PRN

Item Number: 01330

How satisfied are you with . . . G: The way you get along

with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely

Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.4	112	1	COMP DIS:(1)
3.9	3.8	99	2	
7.1	7.0	181	3	
15.5	15.4	396	4	NEUTRAL: (4)
16.0	15.9	409	5	
25.1	25.0	642	6	
28.1	28.0	719	7	COMP SAT: (7)
	0.5	14	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 56-57

#### V1648

#### 041A006H:SAT YOURSELF

Item Number: 01340

How satisfied are you with . . . H: Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	60	1	COMP DIS:(1)
2.9	2.9	74	2	
6.3	6.3	161	3	
14.9	14.8	379	4	NEUTRAL: (4)
15.2	15.1	387	5	
26.7	26.4	680	6	
31.5	31.2	802	7	COMP SAT: (7)
	1.1	27	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 58-59

#### V1649 041A006I:SAT STD OF LVG

Item Number: 01350

How satisfied are you with . . . I: Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	46	1	COMP DIS:(1)
2.1	2.1	55	2	
5.6	5.6	144	3	
13.2	13.1	336	4	NEUTRAL: (4)
16.2	16.2	416	5	
29.0	28.9	743	6	
32.0	31.8	818	7	COMP SAT: (7)
	0.5	12	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 60-61

#### V1650 041A006J:SAT TIME FR THG

Item Number: 01360

How satisfied are you with . . .  ${\tt J:}$  The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.0	181	1	COMP DIS:(1)
8.3	8.2	211	2	
15.0	14.9	384	3	
17.6	17.5	449	4	NEUTRAL: (4)
19.3	19.2	494	5	
19.5	19.4	500	6	
13.3	13.2	339	7	COMP SAT: (7)
	0.5	13	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 62-63

#### V1651

#### 041A006K:SAT SPD LEISR

Item Number: 01370

How satisfied are you with . . . K: The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	98	1	COMP DIS:(1)
3.3	3.3	85	2	
8.0	8.0	205	3	
17.9	17.8	457	4	NEUTRAL: (4)
20.8	20.7	531	5	
23.2	23.0	591	6	
22.9	22.7	585	7	COMP SAT: (7)
	0.7	17	-9	MISSING
100 0	100 0	0 571	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 64-65

#### V1652 041A006L:SAT LIFE AS WHL

Item Number: 01380

How satisfied are you with . . . L: Your life as a whole

these days?

7 = "Completely Satisfied" 4 = "Neutral" 1 = "Completely

Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	67	1	COMP DIS:(1)
2.6	2.6	67	2	
6.6	6.6	168	3	
18.4	18.3	469	4	NEUTRAL: (4)
21.0	20.8	535	5	
30.6	30.3	779	6	
18.2	18.0	463	7	COMP SAT: (7)
	0.8	22	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 66-67

V1653

#### 041A006M:SAT GOVT OPRTNG

Item Number: 01390

How satisfied are you with . . . M: The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.5	374	1	COMP DIS:(1)
11.0	10.9	281	2	
14.8	14.7	377	3	
33.9	33.7	865	4	NEUTRAL: (4)
12.2	12.1	312	5	
8.5	8.4	217	6	
5.0	5.0	129	7	COMP SAT: (7)
	0.7	18	-9	MISSING
100 0	100 0	O E71	anana	/ W+ J \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 68-69

#### V1654 041A006N:SAT AMT OF FUN

Item Number: 01400

How satisfied are you with . . . N: The amount of fun you

are having?

7="Completely Satisfied" 4="Neutral" 1="Completely

Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	82	1	COMP DIS:(1)
4.1	4.1	105	2	
8.0	8.0	205	3	
15.7	15.6	401	4	NEUTRAL: (4)
21.4	21.3	549	5	
27.0	26.9	691	6	
20.6	20.5	527	7	COMP SAT: (7)
	0.5	13	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 70-71

#### V1655

#### 041A007A:IMP B SUCCSS WK

Item Number: 01410

How important is each of the following to you in your life? A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

Γ	PCT	N	VALUE	LABEL
	VALID			
5	1.6	40	1	NOT IMPT:(1)
L	8.2	209	2	SOM IMPT:(2)
5	29.8	758	3	QUITE IM:(3)
71,	60.4	1,534	4	EXTR IMP:(4)
L		29	-9	MISSING
າ າ	100 0 1	O E71	aaaaa / T	/ 5 + n

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 72-73

## V1656 041A007B:IMP GD MRRG&FAM

Item Number: 01420

How important is each of the following to you in your life? B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	68	1	NOT IMPT:(1)
6.1	6.1	156	2	SOM IMPT:(2)
16.1	15.9	409	3	QUITE IM:(3)
75.1	74.4	1,911	4	EXTR IMP:(4)
	1.0	26	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 74-75

#### V1657

## 041A007C:IMP LOTS OF \$

Item Number: 01430

How important is each of the following to you in your life? C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.4	191	1	NOT IMPT:(1)
30.7	30.3	779	2	SOM IMPT:(2)
36.3	35.8	921	3	QUITE IM:(3)
25.6	25.3	649	4	EXTR IMP:(4)
	1.2	31	-9	MISSING
100 0	100 0	2 571	rageg (	( b+w

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 76-77

#### V1658 041A007D:IMP TM RCRN&HBY

Item Number: 01440

How important is each of the following to you in your life? D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	35	1	NOT IMPT:(1)
20.4	20.2	519	2	SOM IMPT:(2)
45.9	45.4	1,167	3	QUITE IM:(3)
32.3	31.9	821	4	EXTR IMP:(4)
	1.2	30	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 78-79

#### V1659

## 041A007E:IMP STRG FRDSHP

Item Number: 01450

How important is each of the following to you in your life? E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	33	1	NOT IMPT:(1)
7.3	7.2	185	2	SOM IMPT:(2)
25.6	25.3	650	3	QUITE IM:(3)
65.8	65.0	1,671	4	EXTR IMP:(4)
	1.3	33	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 80-81

## V1660 041A007F:IMP STEADY WORK

Item Number: 01460

How important is each of the following to you in your life? F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	31	1	NOT IMPT:(1)
5.4	5.3	137	2	SOM IMPT:(2)
26.8	26.5	682	3	QUITE IM:(3)
66.6	65.8	1,692	4	EXTR IMP:(4)
	1.1	29	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 82-83

#### V1661

## 041A007G:IMP CNTRBTN SOC

Item Number: 01470

How important is each of the following to you in your life? G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.5	168	1	NOT IMPT:(1)
31.7	31.2	802	2	SOM IMPT:(2)
40.1	39.6	1,017	3	QUITE IM:(3)
21.6	21.3	547	4	EXTR IMP:(4)
	1.4	37	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 84-85

#### V1662 041A007H:IMP LDR COMUNTY

Item Number: 01480

How important is each of the following to you in your life? H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	21.7	558	1	NOT IMPT:(1)
37.1	36.6	941	2	SOM IMPT:(2)
25.9	25.6	657	3	QUITE IM:(3)
15.1	14.9	382	4	EXTR IMP:(4)
	1.2	32	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 86-87

#### V1663

## 041A007I:IMP CHLD BTR OP

Item Number: 01490

How important is each of the following to you in your life? I: Being able to give my children better opportunities than I've

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	71	1	NOT IMPT:(1)
8.5	8.4	215	2	SOM IMPT:(2)
24.1	23.8	611	3	QUITE IM:(3)
64.5	63.5	1,633	4	EXTR IMP:(4)
	1.6	41	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 88-89

## V1664 041A007J:IMP LIV CLS PRN

Item Number: 01500

How important is each of the following to you in your life? J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	17.0	437	1	NOT IMPT:(1)
36.1	35.6	915	2	SOM IMPT:(2)
29.4	29.0	746	3	QUITE IM:(3)
17.2	17.0	437	4	EXTR IMP:(4)
	1.3	35	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 90-91

#### V1665

## 041A007K:IMP GT AWY AREA

Item Number: 01510

How important is each of the following to you in your life? K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	44.9	1,154	1	NOT IMPT:(1)
23.9	23.6	606	2	SOM IMPT:(2)
16.1	15.9	408	3	QUITE IM:(3)
14.6	14.4	370	4	EXTR IMP:(4)
	1.2	32	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 92-93

#### V1666 041A007L:IMP CRRCT INEQL

Item Number: 01520

How important is each of the following to you in your life? L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	20.1	518	1	NOT IMPT:(1)
43.2	42.6	1,095	2	SOM IMPT:(2)
23.7	23.4	602	3	QUITE IM:(3)
12.6	12.5	321	4	EXTR IMP:(4)
	1.4	35	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 94-95

#### V1667

## 041A007M:IMP NEW XPRNCE

Item Number: 01530

How important is each of the following to you in your life? M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	199	1	NOT IMPT:(1)
30.2	29.9	768	2	SOM IMPT:(2)
39.3	38.8	999	3	QUITE IM:(3)
22.6	22.3	574	4	EXTR IMP:(4)
	1.2	31	-9	MISSING
100 0	100 0	2 571	anana	( L+M)

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 96-97

## V1668 041A007N:IMP FND PRPS LF

Item Number: 01540

How important is each of the following to you in your life?  $\mathbb{N}$ : Finding purpose and meaning in  $\mathbb{N}$ !

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	109	1	NOT IMPT:(1)
10.4	10.3	264	2	SOM IMPT:(2)
27.2	26.8	690	3	QUITE IM:(3)
58.1	57.5	1,477	4	EXTR IMP:(4)
	1.2	30	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 98-99

#### V1669

## 041A008 :PPL CAN B TRSTD

Item Number: 01550

Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided" 1="Can't be too careful"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	45.7	1,175	1	CAREFUL: (1)
31.6	30.6	787	2	DK:(2)
21.1	20.5	526	3	TRST MST:(3)
	3.2	82	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 100-101

#### V1670 041A009 :PPL TRY B HLPFL

Item Number: 01560

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	39.1	1,006	1	FOR SELF: (1)
36.1	35.6	915	2	DK:(2)
24.1	23.8	612	3	TRY HELP:(3)
	1.5	38	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 102-103

## V1671

#### 041A010 :PPL TRY BE FAIR

Item Number: 01570

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	40.8	1,049	1	TAKE ADV:(1)
38.6	38.0	977	2	DK:(2)
19.9	19.6	505	3	TRY FAIR: (3)
	1.5	39	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 104-105

## V1672 041A011A:-OBY LW=-GD CTZ

Item Number: 01580

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below? A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	20.8	534	1	DISAGREE: (1)
22.7	22.4	576	2	MOST DIS:(2)
25.5	25.2	647	3	NEITHER:(3)
22.8	22.5	578	4	MOST AGR: (4)
7.8	7.7	198	5	AGREE: (5)
	1.5	39	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 106-107

# V1673

# 041A011B:GD CTZN ALG GOV

Item Number: 01590

How much do you agree or disagree with each statement below? B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	38.2	982	1	DISAGREE: (1)
24.8	24.3	626	2	MOST DIS:(2)
21.7	21.3	547	3	NEITHER: (3)
11.4	11.2	287	4	MOST AGR: (4)
3.3	3.2	83	5	AGREE: (5)
	1.8	46	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 108-109

## V1674 041A011C:GD CTZN CHG GOV

Item Number: 01600

How much do you agree or disagree with each statement below? C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	141	1	DISAGREE:(1)
8.6	8.4	217	2	MOST DIS:(2)
29.8	29.2	750	3	NEITHER: (3)
33.3	32.5	836	4	MOST AGR: (4)
22.7	22.2	570	5	AGREE: (5)
	2.2	57	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 110-111

V1675

## 041A011D:VOTE->MAJ IMPCT

Item Number: 01610

How much do you agree or disagree with each statement below? D: The way people vote has a major impact on how things are run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.4	163	1	DISAGREE: (1)
9.3	9.1	235	2	MOST DIS:(2)
18.4	18.1	465	3	NEITHER: (3)
33.9	33.3	857	4	MOST AGR: (4)
32.0	31.5	809	5	AGREE: (5)
	1.6	42	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 112-113

## V1676 041A011E:CTZN GRP HV EFC

Item Number: 01620

How much do you agree or disagree with each statement below? E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	119	1	DISAGREE:(1)
10.0	9.8	251	2	MOST DIS:(2)
35.0	34.3	881	3	NEITHER:(3)
33.9	33.2	854	4	MOST AGR: (4)
16.4	16.0	412	5	AGREE: (5)
	2.1	54	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 114-115

## V1677

## 041A011F:OUR SYST ST BS

Item Number: 01630

How much do you agree or disagree with each statement below? F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.7	198	1	DISAGREE: (1)
10.3	10.1	260	2	MOST DIS:(2)
29.7	29.0	746	3	NEITHER:(3)
30.7	30.0	772	4	MOST AGR: (4)
21.5	21.0	540	5	AGREE: (5)
	2.1	54	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 116-117

## V1678 041A011G:US NEEDS GROWTH

Item Number: 01640

How much do you agree or disagree with each statement below? G: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	27.9	718	1	DISAGREE:(1)
22.0	21.5	553	2	MOST DIS:(2)
29.7	29.1	747	3	NEITHER: (3)
14.3	14.0	361	4	MOST AGR:(4)
5.4	5.3	137	5	AGREE: (5)
	2.1	55	-9	MISSING
100 0	100 0	2 571	a2 a c a	( L+W)

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 118-119

## V1679

## 041A011H:LV THNGS TO GOD

Item Number: 01650

How much do you agree or disagree with each statement below? H: If we just leave things to God, they will turn out for the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.8	535	1	DISAGREE:(1)
9.9	9.7	249	2	MOST DIS:(2)
26.7	26.1	670	3	NEITHER: (3)
17.8	17.4	448	4	MOST AGR: (4)
24.2	23.6	607	5	AGREE: (5)
	2.4	62	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 120-121

## V1680 041A011I:GO SCH ENJY XPR

Item Number: 01660

How much do you agree or disagree with each statement below? I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.5	192	1	DISAGREE: (1)
9.9	9.7	250	2	MOST DIS:(2)
22.2	21.8	561	3	NEITHER: (3)
39.4	38.8	996	4	MOST AGR: (4)
20.9	20.5	528	5	AGREE: (5)
	1.7	43	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 122-123

#### V1681

## 041A011J:DO WL SC IMP/JB

Item Number: 01670

How much do you agree or disagree with each statement below? J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	77	1	DISAGREE: (1)
4.0	3.9	100	2	MOST DIS:(2)
10.4	10.2	262	3	NEITHER: (3)
28.2	27.7	712	4	MOST AGR: (4)
54.4	53.4	1,373	5	AGREE: (5)
	1.8	46	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 124-125

#### V1766 041A012A:RSK OF CIG1+PK/

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

DOT	DOT	ът	777 T TTD	TADET
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	80	1	NO RISK:(1)
4.1	4.0	104	2	SLIGHT:(2)
16.2	16.0	411	3	MOD RISK:(3)
72.8	71.9	1,849	4	GRT RISK:(4)
3.8	3.8	97	5	CANT SAY: (5)
	1.2	31	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 126-127

## V1767

# 041A012B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . . B: Try marijuana once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	36.3	934	1	NO RISK:(1)
32.2	31.8	817	2	SLIGHT:(2)
12.6	12.5	321	3	MOD RISK:(3)
14.0	13.8	356	4	GRT RISK:(4)
4.4	4.4	112	5	CANT SAY: (5)
	1.2	31	-9	MISSING
100 0	100 0	0 571	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 128-129

## V1768 041A012C:RSK OF MJ OCSNL

Item Number: 12380

How much do you think people risk harming themselves (physically or in other ways), if they . . . C: Smoke marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	15.0	385	1	NO RISK:(1)
27.2	26.8	690	2	SLIGHT:(2)
30.7	30.3	779	3	MOD RISK:(3)
22.5	22.2	572	4	GRT RISK:(4)
4.5	4.4	114	5	CANT SAY: (5)
	1.2	31	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 130-131

## V1769

## 041A012D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves (physically or in other ways), if they . . . D: Smoke marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.6	195	1	NO RISK:(1)
12.1	11.9	307	2	SLIGHT:(2)
23.5	23.1	595	3	MOD RISK:(3)
52.2	51.4	1,322	4	GRT RISK:(4)
4.5	4.4	113	5	CANT SAY: (5)
	1.5	39	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 132-133

## V1770 041A012E:RSK COK PWDR 1-

Item Number: 12501

How much do you think people risk harming themselves (physically or in other ways), if they . . . E: Try cocaine in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	176	1	NO RISK:(1)
16.8	16.6	428	2	SLIGHT:(2)
24.8	24.5	631	3	MOD RISK:(3)
43.5	43.0	1,106	4	GRT RISK:(4)
7.9	7.8	200	5	CANT SAY: (5)
	1.2	31	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 134-135

## V1771

## 041A012F:RSK COK PWDR OC

Item Number: 12502

How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Take cocaine powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	89	1	NO RISK:(1)
5.0	5.0	128	2	SLIGHT:(2)
19.8	19.6	503	3	MOD RISK:(3)
64.0	63.1	1,623	4	GRT RISK:(4)
7.7	7.6	194	5	CANT SAY: (5)
	1.3	34	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 136-137

# V1772 041A012G:RSK COK PWDR RE

Item Number: 12503

How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take cocaine powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	76	1	NO RISK:(1)
1.0	0.9	24	2	SLIGHT:(2)
4.2	4.2	108	3	MOD RISK:(3)
84.4	83.3	2,143	4	<pre>GRT RISK:(4)</pre>
7.4	7.3	188	5	CANT SAY: (5)
	1.3	33	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 138-139

## V1773

## 041A012H:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves (physically or in other ways), if they . . . H: Try "crack" cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	129	1	NO RISK:(1)
12.6	12.4	318	2	SLIGHT:(2)
22.7	22.4	575	3	MOD RISK:(3)
50.2	49.5	1,273	4	GRT RISK:(4)
9.5	9.4	240	5	CANT SAY: (5)
	1.4	36	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 140-141

## V1774 041A012I:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves (physically or in other ways), if they. . . I: Take "crack" cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	78	1	NO RISK:(1)
2.7	2.6	68	2	SLIGHT:(2)
16.2	16.0	412	3	MOD RISK:(3)
68.7	67.8	1,744	4	GRT RISK:(4)
9.3	9.2	236	5	CANT SAY: (5)
	1.3	33	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 142-143

## V1775

## 041A012J:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves (physically or in other ways), if they . . . J: Take "crack" cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	72	1	NO RISK:(1)
0.4	0.4	9	2	SLIGHT:(2)
2.7	2.7	69	3	MOD RISK:(3)
84.8	83.3	2,142	4	GRT RISK:(4)
9.3	9.1	234	5	CANT SAY: (5)
	1.7	45	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 144-145

# V1776 041A012K:RSK OF 1-2 DRIN

Item Number: 12510

How much do you think people risk harming themselves (physically or in other ways), if they . . . K: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	50.7	1,303	1	NO RISK:(1)
31.4	30.9	795	2	SLIGHT:(2)
7.3	7.2	186	3	MOD RISK:(3)
6.9	6.8	175	4	<pre>GRT RISK:(4)</pre>
2.8	2.8	72	5	CANT SAY: (5)
	1.5	39	-9	MISSING
100.0	100.0	2.571	cases	(Wtd)

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 146-147

## V1777

## 041A012L:RSK OF 1-2 DR/D

Item Number: 12520

How much do you think people risk harming themselves (physically or in other ways), if they . . . L: Take one or two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.7	377	1	NO RISK:(1)
30.4	30.1	774	2	SLIGHT:(2)
32.7	32.3	831	3	MOD RISK:(3)
19.2	19.0	488	4	GRT RISK:(4)
2.9	2.9	73	5	CANT SAY: (5)
	1.1	29	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 148-149

#### V1778 041A012M:RSK OF 4-5 DR/D

Item Number: 12530

How much do you think people risk harming themselves (physically or in other ways), if they . . . M: Take four or five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	138	1	NO RISK:(1)
9.7	9.6	247	2	SLIGHT:(2)
24.6	24.3	624	3	MOD RISK:(3)
57.2	56.4	1,451	4	GRT RISK:(4)
3.0	2.9	75	5	CANT SAY: (5)
	1.4	35	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 150-151

## V1779

## 041A012N:RSK OF 5+DR/WKN

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they. . . N: Have five or more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.1	260	1	NO RISK:(1)
16.7	16.5	424	2	SLIGHT:(2)
29.1	28.7	739	3	MOD RISK:(3)
40.3	39.8	1,022	4	GRT RISK:(4)
3.6	3.5	91	5	CANT SAY: (5)
	1.4	35	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 152-153

## V1808 041A0120:RSK H -NDL 1-2X

Item Number: 29600

How much do you think people risk harming themselves (physically or in other ways), if they. . . O: Try heroin once or twice without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	103	1	NO RISK:(1)
5.6	5.6	143	2	SLIGHT:(2)
18.0	17.8	457	3	MOD RISK:(3)
60.8	60.0	1,542	4	GRT RISK:(4)
11.5	11.3	291	5	CANT SAY: (5)
	1.3	34	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9

Columns: 154-155

## V1809

## 041A012P:RSK H -NDL OCC

Item Number: 29610

How much do you think people risk harming themselves (physically or in other ways), if they. . . P: Take heroin occasionally without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	81	1	NO RISK:(1)
1.7	1.7	42	2	SLIGHT:(2)
8.2	8.1	209	3	MOD RISK:(3)
75.8	74.9	1,925	4	<pre>GRT RISK:(4)</pre>
11.1	10.9	281	5	CANT SAY: (5)
	1.3	33	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 156-157

#### V1780 041A013A:EASY GT MARIJUA

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	104	1	PROB IMP:(1)
2.6	2.6	66	2	VRY DIFF:(2)
5.4	5.3	136	3	<pre>FRLY DIF:(3)</pre>
23.4	22.9	588	4	FRLY EAS: (4)
64.5	63.1	1,622	5	VRY EASY: (5)
	2.1	54	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 158-159

# V1781

## 041A013B:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.4	242	1	PROB IMP:(1)
15.7	15.3	393	2	VRY DIFF:(2)
31.3	30.5	785	3	<pre>FRLY DIF:(3)</pre>
27.9	27.2	699	4	FRLY EAS: (4)
15.5	15.2	389	5	VRY EASY: (5)
	2.4	62	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 160-161

## V1782 041A013C:EASY GT COK PWD

Item Number: 06812

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.3	265	1	PROB IMP:(1)
16.2	15.8	406	2	<pre>VRY DIFF:(2)</pre>
27.9	27.3	701	3	<pre>FRLY DIF:(3)</pre>
26.0	25.4	654	4	FRLY EAS: (4)
19.4	19.0	487	5	VRY EASY: (5)
	2.3	58	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 162-163

---

## V1208

## 041B001 :EVR SMK CIG, REG

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	47.7	1,226	1	NEVER: (1)
21.5	20.9	537	2	1-2X:(2)
11.0	10.6	274	3	OCCASNLY: (3)
4.7	4.6	117	4	REG PAST:(4)
13.8	13.4	346	5	REG NOW: (5)
	2.8	71	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 164-165

## V1101 041B001 :EVR SMK CIG,REG

Item Number: 00760

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	47.7	1,226	1	NEVER: (1)
21.5	20.9	537	2	1-2X:(2)
11.0	10.6	274	3	OCCASNLY: (3)
4.7	4.6	117	4	REG PAST:(4)
13.8	13.4	346	5	REG NOW: (5)
	2.8	71	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

100.0 100.0 2,371 cases (N

Data type: numeric Missing-data code: -9 Columns: 166-167

#### V1210

## 041B002 :#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	25.2	648	1	NT DAILY:(1)
17.4	8.6	221	2	<1 CIG/D:(2)
15.1	7.5	193	3	1-5/DAY:(3)
9.8	4.8	124	4	1/2 PK:(4)
4.0	2.0	51	5	1 PK:(5)
1.4	0.7	18	6	1 1/2 PK:(6)
1.5	0.7	19	7	2+ PKS:(7)
	50.4	1,296	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 168-169 V1102 041B002 :#CIGS SMKD/30DA

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all"[includes respondents who reported nonuse above] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	72.9	1,874	1	NONE: (1)
8.9	8.6	221	2	<1 CIG/D:(2)
7.7	7.5	193	3	1-5/DAY:(3)
5.0	4.8	124	4	1/2PK/D:(4)
2.0	2.0	51	5	1 PK/DA:(5)
0.7	0.7	18	6	1 1/2PK/:(6)
0.8	0.7	19	7	2+ PKS/D:(7)
	2.7	70	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 170-171

#### V1752 041B003 :#CIG/DAY-30DAYS

Item Number: 00781

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than 1 per day" 03="1 to 2"  $\,$  04="3 to 7"  $\,$ 05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28 to 32" 10="33 to 37" 11="38 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		VIILOL	
51.1	25.3	650	1	NONE:(1)
21.1	25.5	050	1	NONE · (I)
12.7	6.3	162	2	<1/DAY:(2)
6.6	3.2	83	3	1-2:(3)
12.1	6.0	154	4	3-7:(4)
7.1	3.5	91	5	8-12:(5)
2.7	1.4	35	6	13-17:(6)
3.1	1.5	39	7	18-22:(7)
0.8	0.4	10	8	23-27:(8)
1.0	0.5	12	9	28-32:(9)
0.3	0.1	4	10	33-37:(10)
2.6	1.3	32	11	38+:(11)
	50.5	1,298	-9	MISSING
100 0	100 0	0 571	/	T-T-L -7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 172-174

# V1211

## 041B004A:\*TRY STP SMK&FL

Item Number: 01690

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	8.8	226	1	YES:(1)
81.8	39.5	1,015	2	NO:(2)
	51.7	1,330	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 175-176

# V1754 041B004B:#X TRY STOP SMK

Item Number: 01691

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	30.1	775	1	NONE: (1)
17.1	8.2	210	2	ONCE: (2)
10.3	4.9	126	3	TWICE:(3)
7.6	3.6	93	4	3-5X:(4)
0.6	0.3	8	5	6-9X:(5)
1.2	0.6	14	6	10+X:(6)
	52.4	1,346	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 177-178

## V1212

## 041B004C:\*WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

	- ~-			
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	8.2	211	1	YES:(1)
24.3	11.8	304	2	NO: (2)
58.8	28.6	734	8	DNT SMOK:(8)
	51.4	1,321	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 179-180

#### V1810 041B005 :USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites" 04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral" 09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall" 19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston" 24="Other" 25="No Usual Brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	4	1	BASIC:(1)
0.3	0.1	3	2	B & H:(2)
0.2	0.1	2	3	B & W:(3)
0.0	0.0	0	4	CAMBRIDGE: (4)
10.1	4.0	104	5	CAMEL: (5)
0.3	0.1	3	6	CAPRI:(6)
0.0	0.0	0	7	CARLTON: (7)
0.5	0.2	5	8	DORAL: (8)
0.1	0.1	1	9	GPC:(9)
0.0	0.0	0	10	KENT: (10)
1.5	0.6	15	11	KOOL: (11)
38.6	15.5	397	12	MARLBORO: (12)
0.0	0.0	0	13	MERIT: (13)
0.1	0.1	1	14	MISTY: (14)
0.0	0.0	0	15	MONARCH: (15)
0.0	0.0	0	16	MORE: (16)
14.2	5.7	147	17	NEWPORT: (17)
0.1	0.0	1	18	PALLMALL: (18)
3.4	1.4	35	19	PARLIAMENT: (19)
0.3	0.1	3	20	SALEM: (20)
0.0	0.0	0	21	VANTAGE: (21)
1.1	0.4	11	22	VA SLIMS:(22)
0.3	0.1	3	23	WINSTON: (23)
3.8	1.5	39	24	OTHER: (24)
24.6	9.9	254	25	NO USUAL: (25)
	59.9	1,541	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 181-183

## V1213 041B006 :NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	40	1	DEF WILL:(1)
11.0	10.8	277	2	PRB WILL:(2)
18.1	17.8	457	3	PRB WONT:(3)
69.3	68.0	1,747	4	DEF WONT: (4)
	1.9	49	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 184-185

#### V1214

## 041B007A: #X ALC/LIF SIPS

Item Number:

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, wine coolers, and liquor. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . a. in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	17.5	449	1	0 OCCAS:(1)
10.0	9.6	246	2	1-2X:(2)
11.9	11.3	291	3	3-5X:(3)
10.1	9.7	248	4	6-9X:(4)
13.1	12.5	322	5	10-19X:(5)
11.4	10.9	281	6	20-39X:(6)
25.0	23.9	614	7	40+OCCAS:(7)
	4.6	119	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 186-187

#### V1104 041B007A: #X ALC/LIF SIPS

Item Number: 00810

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, wine coolers, and liquor. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . . a. in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	17.5	449	1	0 OCCAS:(1)
10.0	9.6	246	2	1-2X:(2)
11.9	11.3	291	3	3-5X:(3)
10.1	9.7	248	4	6-9X:(4)
13.1	12.5	322	5	10-19X:(5)
11.4	10.9	281	6	20-39X:(6)
25.0	23.9	614	7	40+OCCAS:(7)
	4.6	119	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 188-189

V1215

# 041B007B: #X ALC/ANN SIPS

Item Number:

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .b. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	25.2	648	1	0 OCCAS:(1)
18.1	17.2	443	2	1-2X:(2)
13.3	12.6	324	3	3-5X:(3)
10.5	9.9	256	4	6-9X:(4)
13.0	12.4	318	5	10-19X:(5)
9.0	8.6	220	6	20-39X:(6)
9.7	9.2	238	7	40+OCCAS:(7)
	4.8	125	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 190-191

#### V1105 041B007B: #X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcohol to drink-more than just a few sips . . . b. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	25.2	648	1	0 OCCAS:(1)
18.1	17.2	443	2	1-2X:(2)
13.3	12.6	324	3	3-5X:(3)
10.5	9.9	256	4	6-9X:(4)
13.0	12.4	318	5	10-19X:(5)
9.0	8.6	220	6	20-39X:(6)
9.7	9.2	238	7	40+OCCAS:(7)
	4.8	125	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 192-193

V1216

## 041B007C: #X ALC/30D SIPS

Item Number:

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . . c. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	47.9	1,230	1	0 OCCAS:(1)
20.2	19.3	497	2	1-2X:(2)
13.6	13.0	334	3	3-5X:(3)
7.8	7.5	192	4	6-9X:(4)
5.5	5.2	135	5	10-19X:(5)
0.9	0.9	23	6	20-39X:(6)
1.9	1.8	46	7	40+OCCAS:(7)
	4.4	112	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 194-195

#### V1106 041B007C: #X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcohol to drink-more than just a few sips . . . c. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	47.9	1,230	1	0 OCCAS:(1)
20.2	19.3	497	2	1-2X:(2)
13.6	13.0	334	3	3-5X:(3)
7.8	7.5	192	4	6-9X:(4)
5.5	5.2	135	5	10-19X:(5)
0.9	0.9	23	6	20-39X:(6)
1.9	1.8	46	7	40+OCCAS:(7)
	4.4	112	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 196-197

## V1217 041B008A: #X/YR ALC ALONE

Item Number: 01720

IF YOU HAVE NOT HAD ANY BEER, WINE, WINE COOLERS, OR LIQUOR IN THE LAST TWELVE MONTHS, GO TO QUESTION 16. When you used alcohol during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	53.8	1,384	1	NOT @ALL:(1)
15.2	10.5	271	2	FEW TIME: (2)
4.5	3.1	80	3	SOM TIME: (3)
1.5	1.0	26	4	MST TIME: (4)
1.1	0.8	20	5	EVRYTIME: (5)
	30.7	790	-9	MISSING
100 0	100 0	O F71	~~~~ /	7.7 3 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 198-199

# V1218

# 041B008B: #X/YR ALC-2 PPL

Item Number: 01730

When you used alcohol during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	17.3	446	1	NOT @ALL:(1)
37.4	25.8	662	2	FEW TIME: (2)
19.9	13.7	353	3	SOM TIME:(3)
11.5	7.9	203	4	MST TIME: (4)
6.0	4.2	107	5	EVRYTIME: (5)
	31.1	800	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 200-201

## V1219 041B008C:#X/YR ALC@PARTY

Item Number: 01740

When you used alcohol during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	10.1	259	1	NOT @ALL:(1)
15.5	10.7	275	2	FEW TIME: (2)
13.5	9.3	240	3	SOM TIME: (3)
33.8	23.4	601	4	MST TIME: (4)
22.6	15.6	401	5	EVRYTIME: (5)
	30.9	794	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 202-203

#### V1220

## 041B008D: #X/YR ALC-DT/SP

Item Number: 01750

When you used alcohol during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\footnote{1.5mm}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	33.9	871	1	NOT @ALL:(1)
22.6	15.6	400	2	FEW TIME: (2)
13.8	9.5	243	3	SOM TIME: (3)
8.7	6.0	153	4	MST TIME: (4)
5.7	3.9	101	5	EVRYTIME: (5)
	31.2	802	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 204-205

### V1221 041B008E: #X/YR ALC-ADLTS

Item Number: 01760

When you used alcohol during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	28.9	743	1	NOT @ALL:(1)
29.1	20.2	520	2	FEW TIME: (2)
14.9	10.3	265	3	SOM TIME:(3)
7.6	5.3	136	4	MST TIME: (4)
6.8	4.7	121	5	EVRYTIME: (5)
	30.5	785	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 206-207

### V1222

# 041B008F: #X/YR ALC-DATIM

Item Number: 01770

When you used alcohol during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	46.8	1,203	1	NOT @ALL:(1)
20.0	13.9	356	2	FEW TIME: (2)
9.1	6.3	161	3	SOM TIME: (3)
1.4	1.0	24	4	MST TIME: (4)
1.9	1.3	33	5	EVRYTIME: (5)
	30.8	792	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 208-209

# V1223 041B008G: #X/YR ALC@HOME

Item Number: 01780

When you used alcohol during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	29.0	747	1	NOT @ALL:(1)
30.5	21.1	543	2	FEW TIME: (2)
13.4	9.3	239	3	SOM TIME: (3)
8.4	5.8	149	4	MST TIME: (4)
5.7	4.0	102	5	EVRYTIME: (5)
	30.8	791	-9	MISSING
100 0	100 0	2 571	angog /	/ L+M

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 210-211

### V1224

# 041B008H: #X/YR ALC@SCHL

Item Number: 01790

When you used alcohol during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\ \ \,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	63.0	1,621	1	NOT @ALL:(1)
5.6	3.9	99	2	FEW TIME: (2)
2.2	1.5	38	3	SOM TIME: (3)
0.4	0.3	7	4	MST TIME: (4)
0.8	0.6	15	5	EVRYTIME: (5)
	30.8	791	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 212-213

# V1225 041B008I:#X/YR ALCIN CAR

Item Number: 01810

When you used alcohol during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	46.9	1,206	1	NOT @ALL:(1)
20.7	14.3	366	2	FEW TIME: (2)
8.1	5.6	143	3	SOM TIME: (3)
2.1	1.5	38	4	MST TIME: (4)
1.1	0.8	20	5	EVRYTIME: (5)
	31.0	797	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 214-215

### V1811

## 041B008J:#X/YR ALC@PARK/B

Item Number: 30910

When you used alcohol during the last year, how often did you use it in each of the following situations? J. At a park or beach.

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\ \ \,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	46.9	1,206	1	NOT @ALL:(1)
17.4	12.0	309	2	FEW TIME: (2)
10.0	6.9	178	3	SOM TIME: (3)
3.1	2.2	55	4	MST TIME: (4)
1.6	1.1	28	5	EVRYTIME: (5)
	30.9	794	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 216-217

#### V1812 041B008K: #X/YR ALC@BAR/RT

Item Number: 30920

When you used alcohol during the last year, how often did you use it in each of the following situations? K. At a bar or restaurant.

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	48.2	1,240	1	NOT @ALL:(1)
16.3	11.3	291	2	FEW TIME: (2)
7.4	5.1	131	3	SOM TIME: (3)
3.1	2.1	54	4	MST TIME: (4)
3.5	2.4	62	5	EVRYTIME: (5)
	30.8	792	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 218-219

# V1226

# 041B009A:ALC EXPERIMENT

Item Number: 01820

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) A. To experiment -- to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	32.8	843	0	NT MARKD:(0)
51.5	34.9	896	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 220-221

# V1227 041B009B:ALC RELAX

Item Number: 01830

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	36.4	935	0	NT MARKD:(0)
46.3	31.3	805	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 222-223

# V1228

# 041B009C:ALC GET HIGH

Item Number: 01840

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.7	40.4	1,038	0	NT MARKD:(0)
40.3	27.3	702	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 224-225

### V1229 041B009D:ALC SEEK INSGHT

Item Number: 01850

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	64.2	1,651	0	NT MARKD:(0)
5.1	3.4	88	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 226-227

# V1230

# 041B009E:ALC GD TM FRNDS

Item Number: 01860

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	17.3	444	0	NT MARKD:(0)
74.5	50.4	1,296	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 228-229

# V1231 041B009F:ALC FIT IN GRP

Item Number: 01870

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) F. To fit in with a group I like  ${\sf N}$ 

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	62.3	1,603	0	NT MARKD:(0)
7.9	5.3	137	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 230-231

# V1232

# 041B009G:ALC GET AWY PRB

Item Number: 01880

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	52.0	1,337	0	NT MARKD:(0)
23.1	15.6	402	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 232-233

#### V1233 041B009H:ALC BOREDOM

Item Number: 01890

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	49.7	1,277	0	NT MARKD:(0)
26.6	18.0	462	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 234-235

# V1234

# 041B009I:ALC ANGR&FRSTRN

Item Number: 01900

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	56.9	1,462	0	NT MARKD:(0)
15.9	10.8	277	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 236-237

# V1235 041B009J:ALC GT THRU DAY

Item Number: 01910

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) J. To get through the day  $\frac{1}{2}$ 

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	64.8	1,665	0	NT MARKD:(0)
4.3	2.9	74	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 238-239

# V1236

# 041B009K:ALC INCRS EF DR

Item Number: 01920

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	62.8	1,614	0	NT MARKD:(0)
7.2	4.9	125	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 240-241

### V1237 041B009L:ALC DECRS EF DR

Item Number: 01930

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	66.7	1,715	0	NT MARKD:(0)
1.4	1.0	25	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 242-243

# V1238

# 041B009M:ALC GET SLEEP

Item Number: 01940

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	62.4	1,603	0	NT MARKD:(0)
7.8	5.3	136	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 244-245

# V1239 041B009N:ALC TASTES GOOD

Item Number: 01950

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) N. Because it tastes good

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	39.9	1,027	0	NT MARKD:(0)
41.0	27.7	713	1	MARKED: (1)
	32.3	831	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 246-247

### V1240

# 041B009O:ALC I AM HOOKED

Item Number: 01960

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 248-249

### V1241 041B010 :#X DRK ENF FL H

Item Number: 01970

When you drink alcoholic beverages, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

PCT	PCT	N	VALUE	LABI	EL
VALID	ALL				
23.6	16.4	421	1	NOT	HIGH:(1)
25.3	17.5	451	2	LIT	HIGH:(2)
37.9	26.2	675	3	MOD	HIGH:(3)
13.2	9.1	235	4	VRY	HIGH: (4)
	30.7	789	-9	MISS	SING
100.0	100.0	2,571	cases (	Wtd)	

Data type: numeric Missing-data code: -9 Columns: 250-251

### V1242

# 041B011 :DRK AL,HI24+HR

Item Number: 01980

When you drink alcoholic beverages, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
PCI	PCI	IN	VALUE	LADEL
VALID	ALL			
24.7	17.0	438	1	N GET HI:(1)
31.5	21.7	558	2	1-2 HRS:(2)
36.4	25.1	645	3	3-6 HRS:(3)
6.7	4.6	119	4	7-24 HRS:(4)
0.7	0.5	12	5	>24 HRS:(5)
	31.0	798	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 252-253

V1243 041B012 :5+DRK ROW/LST 2

Item Number: 00850

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink or shot glass of liquor. Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	42.6	1,095	1	NONE: (1)
11.4	7.7	199	2	ONCE: (2)
11.1	7.6	195	3	TWICE:(3)
10.9	7.4	191	4	3-5X:(4)
2.2	1.5	38	5	6-9X:(5)
1.7	1.1	29	6	10+ TIME:(6)
	32.0	823	-9	MISSING
100 0	100 0	2 571	72767	( L+M)

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 254-255 V1108 041B012 :5+DRK ROW/LST 2

Item Number: 00850

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink or shot glass of liquor. Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

1="None"[includes respondents who reported nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	67.8	1,744	1	NONE: (1)
8.3	7.7	199	2	ONCE: (2)
8.1	7.6	195	3	TWICE:(3)
8.0	7.4	191	4	3-5X:(4)
1.6	1.5	38	5	6-9X:(5)
1.2	1.1	29	6	10+ TIME:(6)
	6.8	174	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 256-257

# V1244 041B013 :#X/2W,3-4 DR RW

Item Number: 01990

During the last two weeks, how many times have you had 3 or 4 drinks in a row (but no more than that)?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	45.4	1,166	1	NONE: (1)
16.1	11.0	283	2	ONCE: (2)
9.0	6.1	158	3	TWICE:(3)
6.0	4.1	105	4	3-5X:(4)
1.4	0.9	24	5	6-9X:(5)
1.0	0.7	18	6	10+ TIME:(6)
	31.8	818	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 258-259

### V1245

# 041B014A: #X/2WK, 2 DRK RW

Item Number: 02000

During the last two weeks, how many times have you had two drinks in a row (but no more than that)?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 to 19 times" 7="20 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	47.0	1,207	1	NONE: (1)
15.6	10.5	270	2	ONCE: (2)
7.3	4.9	125	3	TWICE:(3)
4.0	2.7	70	4	3-5X:(4)
1.7	1.1	29	5	6-9X:(5)
0.5	0.4	9	6	10-19X:(6)
1.1	0.7	19	7	20+ TIME:(7)
	32.8	842	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 260-261

# V1246 041B014B: #X/2WK, JST 1DRK

Item Number: 02010

During the last two weeks, how many times have you had just one drink?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 to 19 times" 7="20 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	46.1	1,185	1	NONE: (1)
18.9	12.5	322	2	ONCE: (2)
6.2	4.1	106	3	TWICE:(3)
2.7	1.8	47	4	3-5X:(4)
1.2	0.8	20	5	6-9X:(5)
0.7	0.5	12	6	10-19X:(6)
0.7	0.5	12	7	20+ TIME:(7)
	33.7	867	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 262-263

# V1247

# 041B015 :\*TRY STP ALC&FL

Item Number: 02020

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.1	54	1	YES:(1)
96.9	66.8	1,717	2	NO:(2)
	31.1	799	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 264-265

# V1805 041B016A: #XDRUNK/LIFETIM

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	36.8	947	1	0 OCCAS:(1)
13.7	12.2	313	2	1-2X:(2)
11.4	10.2	261	3	3-5X:(3)
6.9	6.1	158	4	6-9X:(4)
8.3	7.4	190	5	10-19X:(5)
7.4	6.6	169	6	20-39X:(6)
10.9	9.7	249	7	40+OCCAS:(7)
	11.0	283	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 266-267

# V1806 041B016B: #XDRUNK/LAST12M

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	43.8	1,125	1	0 OCCAS:(1)
16.9	14.9	384	2	1-2X:(2)
10.1	8.9	229	3	3-5X:(3)
7.0	6.2	160	4	6-9X:(4)
7.0	6.2	158	5	10-19X:(5)
5.5	4.8	124	6	20-39X:(6)
4.1	3.6	93	7	40+OCCAS:(7)
	11.5	296	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 268-269

## V1807 041B016C: #XDRUNK/LAST30D

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	61.2	1,572	1	0 OCCAS:(1)
15.9	14.0	361	2	1-2X:(2)
7.7	6.8	174	3	3-5X:(3)
4.0	3.6	92	4	6-9X:(4)
2.1	1.9	48	5	10-19X:(5)
0.4	0.3	9	6	20-39X:(6)
0.7	0.7	17	7	40+OCCAS:(7)
	11.6	298	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 270-271

# V1248

# 041B017 :NO ALC IN 5 YR

Item Number: 02030

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	23.4	601	1	DEF WILL:(1)
46.8	45.4	1,168	2	PRB WILL:(2)
13.3	12.9	332	3	PRB WONT:(3)
15.8	15.4	395	4	DEF WONT: (4)
	2.9	74	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Columns: 272-273

Missing-data code: -9

### V1249 041B018A: #X HASH/LIFETIM

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	85.4	2,196	1	0 OCCAS:(1)
4.4	4.2	109	2	1-2X:(2)
1.7	1.6	42	3	3-5X:(3)
0.9	0.9	23	4	6-9X:(4)
0.9	0.9	22	5	10-19X:(5)
0.7	0.6	16	6	20-39X:(6)
2.4	2.3	58	7	40+OCCAS:(7)
	4.0	104	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 274-275

# V1109 041B018A:#X HASH/LIFETIM

Item Number: 02040

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	85.4	2,196	1	0 OCCAS:(1)
4.4	4.2	109	2	1-2X:(2)
1.7	1.6	42	3	3-5X:(3)
0.9	0.9	23	4	6-9X:(4)
0.9	0.9	22	5	10-19X:(5)
0.7	0.6	16	6	20-39X:(6)
2.4	2.3	58	7	40+OCCAS: (7)
	4.0	104	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 276-277

### V1250 041B018B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	88.9	2,287	1	0 OCCAS:(1)
3.6	3.4	88	2	1-2X:(2)
0.8	0.7	19	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.6	0.6	16	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
1.3	1.3	32	7	40+OCCAS:(7)
	4.0	104	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 278-279

# V1110 041B018B:#X HASH/LAST12M

Item Number: 02050

On how many occasions (if any) have you used hashish . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	88.9	2,287	1	0 OCCAS:(1)
3.6	3.4	88	2	1-2X:(2)
0.8	0.7	19	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.6	0.6	16	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
1.3	1.3	32	7	40+OCCAS:(7)
	4.0	104	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 280-281

### V1251 041B018C:#X HASH/LAST30D

Item Number: 02060

On how many occasions (if any) have you used hashish . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	92.4	2,376	1	0 OCCAS:(1)
1.4	1.3	34	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.4	0.3	9	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS:(7)
	4.1	106	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 282-283

# V1111 041B018C:#X HASH/LAST30D

Item Number: 02060

On how many occasions (if any) have you used hashish . . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	92.4	2,376	1	0 OCCAS:(1)
1.4	1.3	34	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.4	0.3	9	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS: (7)
	4.1	106	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 284-285

### V1252 041B019A:#X MARJ/LIFETIM

Item Number: 02070

On how many occasions (if any) have you used marijuana . . . A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	53.3	1,370	1	0 OCCAS:(1)
8.5	8.1	209	2	1-2X:(2)
5.3	5.1	132	3	3-5X:(3)
4.7	4.5	115	4	6-9X:(4)
4.9	4.7	121	5	10-19X:(5)
4.6	4.4	114	6	20-39X:(6)
16.4	15.7	403	7	40+OCCAS:(7)
	4.2	108	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 286-287

# V1112 041B019A:#X MARJ/LIFETIM

Item Number: 02070

On how many occasions (if any) have you used marijuana . . . A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	53.3	1,370	1	0 OCCAS:(1)
8.5	8.1	209	2	1-2X:(2)
5.3	5.1	132	3	3-5X:(3)
4.7	4.5	115	4	6-9X:(4)
4.9	4.7	121	5	10-19X:(5)
4.6	4.4	114	6	20-39X:(6)
16.4	15.7	403	7	40+OCCAS:(7)
	4.2	108	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 288-289

### V1253 041B019B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . . B: . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	62.8	1,615	1	0 OCCAS:(1)
8.6	8.3	212	2	1-2X:(2)
4.8	4.6	117	3	3-5X:(3)
3.6	3.5	89	4	6-9X:(4)
4.0	3.8	97	5	10-19X:(5)
3.2	3.0	78	6	20-39X:(6)
10.3	9.8	253	7	40+OCCAS:(7)
	4.2	109	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 290-291

# V1113 041B019B:#X MARJ/LAST12M

Item Number: 02080

On how many occasions (if any) have you used marijuana . . . B: . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	62.8	1,615	1	0 OCCAS:(1)
8.6	8.3	212	2	1-2X:(2)
4.8	4.6	117	3	3-5X:(3)
3.6	3.5	89	4	6-9X:(4)
4.0	3.8	97	5	10-19X:(5)
3.2	3.0	78	6	20-39X:(6)
10.3	9.8	253	7	40+OCCAS:(7)
	4.2	109	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 292-293

### V1254 041B019C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	74.5	1,915	1	0 OCCAS:(1)
6.7	6.4	164	2	1-2X:(2)
3.5	3.3	86	3	3-5X:(3)
2.2	2.1	54	4	6-9X:(4)
3.0	2.9	73	5	10-19X:(5)
3.1	3.0	77	6	20-39X:(6)
3.7	3.5	91	7	40+OCCAS:(7)
	4.3	110	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 294-295

# V1114 041B019C:#X MARJ/LAST30D

Item Number: 02090

On how many occasions (if any) have you used marijuana . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	74.5	1,915	1	0 OCCAS:(1)
6.7	6.4	164	2	1-2X:(2)
3.5	3.3	86	3	3-5X:(3)
2.2	2.1	54	4	6-9X:(4)
3.0	2.9	73	5	10-19X:(5)
3.1	3.0	77	6	20-39X:(6)
3.7	3.5	91	7	40+OCCAS:(7)
	4.3	110	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 296-297

### V1115 041B019X:#XMJ+HS/LIFETIM

Item Number: 00860

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	53.1	1,366	1	0 OCCAS:(1)
8.1	7.8	199	2	1-2X:(2)
5.4	5.2	133	3	3-5X:(3)
4.8	4.5	117	4	6-9X:(4)
4.8	4.5	117	5	10-19X:(5)
4.5	4.3	110	6	20-39X:(6)
16.8	16.1	413	7	40+OCCAS:(7)
	4.5	116	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 298-299

# V1116 041B019Y: #XMJ+HS/LAST12M

Item Number: 00870

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	62.6	1,610	1	0 OCCAS:(1)
7.9	7.5	193	2	1-2X:(2)
5.2	5.0	128	3	3-5X:(3)
3.5	3.3	85	4	6-9X:(4)
3.9	3.7	96	5	10-19X:(5)
3.1	3.0	76	6	20-39X:(6)
10.8	10.3	264	7	40+OCCAS:(7)
	4.6	119	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 300-301

### V1117 041B019Z: #XMJ+HS/LAST30D

Item Number: 00880

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	74.1	1,906	1	0 OCCAS:(1)
6.0	5.7	147	2	1-2X:(2)
3.8	3.7	94	3	3-5X:(3)
2.2	2.1	55	4	6-9X:(4)
3.1	3.0	76	5	10-19X:(5)
2.8	2.7	68	6	20-39X:(6)
4.2	4.0	102	7	40+OCCAS: (7)
	4.7	122	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 302-303

### V1255 041B020A: #X/YR MJ ALONE

Item Number: 02100

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28. When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	20.3	523	1	NOT @ALL:(1)
21.0	7.0	179	2	FEW TIME: (2)
12.3	4.1	104	3	SOM TIME: (3)
3.6	1.2	30	4	MST TIME: (4)
1.6	0.5	14	5	EVRYTIME: (5)
	66.9	1,721	-9	MISSING
100 0	100 0	0 571	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 304-305

# V1256

# 041B020B: #X/YR MJ-2 PPL

Item Number: 02110

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	2.3	58	1	NOT @ALL:(1)
29.2	9.6	247	2	FEW TIME: (2)
22.3	7.4	189	3	SOM TIME:(3)
31.3	10.3	265	4	MST TIME: (4)
10.3	3.4	87	5	EVRYTIME: (5)
	67.1	1,724	-9	MISSING
1000	100 0	0 551	,	TT: 7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 306-307

# V1257 041B020C:#X/YR MJ@PARTY

Item Number: 02120

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	6.9	176	1	NOT @ALL:(1)
25.1	8.3	213	2	FEW TIME: (2)
19.9	6.6	169	3	SOM TIME: (3)
21.1	7.0	180	4	MST TIME: (4)
13.2	4.4	112	5	EVRYTIME: (5)
	66.9	1,721	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9

Columns: 308-309

### V1258

# 041B020D: #X/YR MJ-DT/SP

Item Number: 02130

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	16.2	417	1	NOT @ALL:(1)
20.2	6.6	170	2	FEW TIME: (2)
12.8	4.2	108	3	SOM TIME: (3)
10.2	3.3	86	4	MST TIME: (4)
7.3	2.4	61	5	EVRYTIME: (5)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

,

Data type: numeric Missing-data code: -9 Columns: 310-311

#### V1259 041B020E:#X/YR MJ-ADLTS

Item Number: 02140

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	21.2	545	1	NOT @ALL:(1)
17.8	5.9	151	2	FEW TIME: (2)
10.9	3.6	92	3	SOM TIME:(3)
3.7	1.2	31	4	MST TIME: (4)
3.2	1.1	27	5	EVRYTIME: (5)
	67.1	1,725	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 312-313

#### V1260

#### 041B020F: #X/YR MJ-DATIME

Item Number: 02150

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	11.0	283	1	NOT @ALL:(1)
23.3	7.6	196	2	FEW TIME: (2)
26.8	8.8	227	3	SOM TIME: (3)
11.5	3.8	97	4	MST TIME: (4)
4.9	1.6	42	5	EVRYTIME: (5)
	67.2	1,727	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 314-315

## V1261 041B020G: #X/YR MJ@HOME

Item Number: 02160

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	16.3	418	1	NOT @ALL:(1)
21.7	7.1	183	2	FEW TIME: (2)
13.5	4.4	114	3	SOM TIME:(3)
10.1	3.3	86	4	MST TIME:(4)
5.2	1.7	44	5	EVRYTIME: (5)
	67.1	1,726	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 316-317

#### V1262

## 041B020H: #X/YR MJ@SCHL

Item Number: 02170

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	26.6	685	1	NOT @ALL:(1)
10.1	3.3	86	2	FEW TIME: (2)
4.7	1.5	40	3	SOM TIME: (3)
2.5	0.8	21	4	MST TIME: (4)
1.5	0.5	13	5	EVRYTIME: (5)
	67.2	1,727	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 318-319

## V1263 041B020I:#X/YR MJIN CAR

Item Number: 02190

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? I:

In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	8.4	217	1	NOT @ALL:(1)
23.3	7.7	197	2	FEW TIME: (2)
22.4	7.4	190	3	SOM TIME: (3)
22.0	7.2	186	4	MST TIME: (4)
6.8	2.2	58	5	EVRYTIME: (5)
	67.0	1,723	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 320-321

# V1813

## 041B020J:#X/YR MJ@PARK/BH

Item Number: 30930

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? J. At a park or beach.

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	18.1	466	1	NOT @ALL:(1)
21.0	6.9	178	2	FEW TIME: (2)
14.8	4.9	125	3	SOM TIME: (3)
5.6	1.8	47	4	MST TIME: (4)
3.7	1.2	31	5	EVRYTIME: (5)
	67.0	1,723	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 322-323

#### V1264 041B021 :#X OVL MJ+ ALC

Item Number: 02200

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	10.3	264	1	NOT @ALL:(1)
28.5	9.2	236	2	FEW TIME: (2)
21.8	7.0	180	3	SOM TIME:(3)
11.8	3.8	98	4	MST TIME: (4)
6.0	1.9	50	5	EVRYTIME: (5)
	67.7	1,741	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 324-325

# V1265

## 041B022A:MJ EXPERIMENT

Item Number: 02210

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) A. To experiment -- to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	11.7	302	0	NT MARKD:(0)
64.2	21.1	541	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 326-327

## V1266 041B022B:MJ RELAX

Item Number: 02220

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	11.9	305	0	NT MARKD:(0)
63.8	20.9	538	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 328-329

## V1267

## 041B022C:MJ GET HIGH

Item Number: 02230

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	7.5	193	0	NT MARKD:(0)
77.1	25.3	650	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 330-331

#### V1268 041B022D:MJ SEEK INSIGHT

Item Number: 02240

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	26.2	675	0	NT MARKD:(0)
20.0	6.6	169	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 332-333

#### V1269

## 041B022E:MJ GD TM FRNDS

Item Number: 02250

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	11.7	301	0	NT MARKD:(0)
64.3	21.1	542	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 334-335

## V1270 041B022F:MJ FIT IN GRP

Item Number: 02260

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	30.1	773	0	NT MARKD:(0)
8.4	2.7	71	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 336-337

## V1271

## 041B022G:MJ GET AWY PRB

Item Number: 02270

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	22.7	585	0	NT MARKD:(0)
30.7	10.1	259	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 338-339

#### V1272 041B022H:MJ BOREDOM

Item Number: 02280

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	21.4	549	0	NT MARKD:(0)
34.9	11.4	294	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 340-341

## V1273

#### 041B022I:MJ ANGR&FRUSTRN

Item Number: 02290

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	25.3	652	0	NT MARKD:(0)
22.7	7.4	191	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 342-343

## V1274 041B022J:MJ GET THRU DAY

Item Number: 02300

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	27.9	717	0	NT MARKD:(0)
15.0	4.9	126	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 344-345

#### V1275

## 041B022K:MJ INCRS EF DRG

Item Number: 02310

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	27.7	711	0	NT MARKD:(0)
15.6	5.1	132	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 346-347

#### V1276 041B022L:MJ DECRS EF DRG

Item Number: 02320

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) L. To decrease (offset) the effects of some other drugs(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	31.7	815	0	NT MARKD:(0)
3.3	1.1	28	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 348-349

#### V1277

#### 041B022M:MJ I AM HOOKED

Item Number: 02330

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	30.8	791	0	NT MARKD:(0)
6.2	2.0	52	1	MARKED: (1)
	67.2	1,728	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 350-351

## V1278 041B023 :MJ/HSH,VRY HIGH

Item Number: 02340

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

PCT	PCT	N	VALUE	LABI	EL
VALID	ALL				
5.3	1.7	45	1	NOT	HIGH:(1)
19.3	6.3	163	2	LIT	HIGH:(2)
42.5	13.9	358	3	MOD	HIGH:(3)
32.9	10.8	277	4	VRY	HIGH:(4)
	67.2	1,728	-9	MISS	SING
100.0	100.0	2,571	cases (	Wtd)	

Data type: numeric Missing-data code: -9 Columns: 352-353

#### V1279

## 041B024 :MJ/HSH,HI 24+HR

Item Number: 02350

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.9	50	1	N GET HI: (1)
52.5	17.1	441	2	1-2 HRS:(2)
35.4	11.6	297	3	3-6 HRS:(3)
4.2	1.4	36	4	7-24 HRS:(4)
1.9	0.6	16	5	>24 HRS:(5)
	67.3	1,731	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 354-355

#### V1280 041B025 :JOINT/DA LST MO

Item Number: 02360

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day" 5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	11.7	301	1	NONE: (1)
31.2	9.4	243	2	<1/DAY:(2)
7.7	2.3	60	3	1/DAY:(3)
13.0	4.0	102	4	2-3/DAY:(4)
5.4	1.6	42	5	4-6/DAY:(5)
1.1	0.3	8	6	7-10/DAY:(6)
3.0	0.9	23	7	11+/DAY:(7)
	69.7	1,792	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 356-357

## V1281 041B026 :OZS.MJ LST MO/6

Item Number: 02370

Do you know how much marijuana you have used (in ounces) during the LAST MONTH?

8="Don't know" 1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About 1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more ounces"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	9.9	254	1	NONE: (1)
15.6	4.7	122	2	< 1/2 OZ:(2)
8.2	2.5	64	3	1/2 OZ:(3)
8.2	2.5	64	4	1 OZ:(4)
6.6	2.0	51	5	2 OZ:(5)
4.4	1.4	35	6	3-5 OZ:(6)
5.4	1.7	43	7	6+ OZ:(7)
19.2	5.8	150	8	<pre>INAP/DK:(8)</pre>
	69.6	1,788	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 358-359

## V1282

## 041B027 :\*TRY STP MJ &FL

Item Number: 02380

Have you ever tried to stop using marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	2.8	73	1	YES:(1)
91.3	29.8	765	2	NO:(2)
	67.4	1,733	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 360-361

## V1706 041B028 :MJ/HSH EVR DLY

Item Number: 21180

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	78.1	2,007	1	NO:(1)
17.5	16.5	425	2	YES:(2)
	5.4	138	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 362-363

## V1707 041B029 :GR 1ST DAILY MJ

Item Number: 21190

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)" 4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
9.3	1.7	43	1	GRADE	6:(1)
25.2	4.6	118	2	GRADE	7-:(2)
19.6	3.6	92	3	GRADE	9:(3)
23.5	4.3	110	4	GRADE	10:(4)
15.6	2.8	73	5	GRADE	11:(5)
6.8	1.2	32	6	GRADE	12:(6)
	81.8	2,103	-9	MISSI	1G
100.0	100.0	2,571	cases (	Wtd)	

Data type: numeric Missing-data code: -9

Columns: 364-365

## V1708 041B030 :RECENT DAILY MJ

Item Number: 21200

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	6.3	162	1	PAST MON:(1)
6.5	1.1	30	2	2 MO AGO:(2)
17.4	3.1	79	3	3-9 MO:(3)
14.6	2.6	66	4	ABT 1 YR:(4)
14.4	2.5	65	5	ABT 2 YR:(5)
11.2	2.0	51	6	3+ YRS:(6)
	82.4	2,119	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 366-367

## V1709 041B031 :#X DAILY MJ/LFT

Item Number: 21210

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year" 4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	5.7	146	1	<3 MON:(1)
19.5	3.4	88	2	3-9 MO:(2)
9.4	1.7	42	3	ABT 1 YR:(3)
9.5	1.7	43	4	1 1/2 YR:(4)
15.4	2.7	70	5	ABT 2 YR:(5)
10.0	1.8	45	6	3-5 YRS:(6)
2.2	0.4	10	7	6-9 YRS:(7)
1.6	0.3	7	8	10+ YRS:(8)
	82.4	2,119	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 368-369

## V1283

#### 041B032 :NO MJ/HSH IN5YR

Item Number: 02390

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABI	EL
VALID	ALL				
4.0	3.9	99	1	DEF	WILL:(1)
9.7	9.3	240	2	PRB	WILL:(2)
20.0	19.3	496	3	PRB	WONT:(3)
66.3	63.9	1,642	4	DEF	WONT: (4)
	3.6	93	-9	MISS	SING
100.0	100.0	2,571	cases (	Wtd)	

100.0 100.0 2,371 cases (wee

Data type: numeric Missing-data code: -9 Columns: 370-371

## V1284 041B033A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	89.0	2,288	1	0 OCCAS:(1)
3.3	3.1	80	2	1-2X:(2)
0.8	0.7	19	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.8	0.7	19	7	40+OCCAS:(7)
	5.5	141	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 372-373

#### V1118 041B033A:#X LSD/LIFETIME

Item Number: 00890

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD ("acid"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	89.0	2,288	1	0 OCCAS:(1)
3.3	3.1	80	2	1-2X:(2)
0.8	0.7	19	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.8	0.7	19	7	40+OCCAS: (7)
	5.5	141	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 374-375

## V1285 041B033B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD . . . B: . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	91.6	2,354	1	0 OCCAS:(1)
1.6	1.5	39	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	5.6	144	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 376-377

#### V1119 041B033B:#X LSD/LAST 12M

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . . B: . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	91.6	2,354	1	0 OCCAS:(1)
1.6	1.5	39	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	5.6	144	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 378-379

## V1286 041B033C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD . . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	93.4	2,402	1	0 OCCAS:(1)
0.4	0.4	10	2	1-2X:(2)
0.1	0.0	1	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	5.6	143	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 380-381

#### V1120 041B033C:#X LSD/LAST 30D

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	93.4	2,402	1	0 OCCAS:(1)
0.4	0.4	10	2	1-2X:(2)
0.1	0.0	1	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	5.6	143	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 382-383

#### V1287 041B034A: #X/YR LSD ALONE

Item Number: 02400

IF YOU HAVE NOT TAKEN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 41. When you used LSD during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	2.0	52	1	NOT @ALL:(1)
8.6	0.3	7	2	FEW TIME: (2)
14.5	0.4	11	3	SOM TIME: (3)
2.1	0.1	2	4	MST TIME: (4)
6.7	0.2	5	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING
100 0	100 0	0 571	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 384-385

## V1288

## 041B034B: #X/YR LSD-2 PPL

Item Number: 02410

When you used LSD during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	0.9	22	1	NOT @ALL:(1)
25.0	0.7	19	2	FEW TIME: (2)
7.8	0.2	6	3	SOM TIME:(3)
20.6	0.6	16	4	MST TIME: (4)
18.1	0.5	14	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 386-387

## V1289 041B034C:#X/YR LSD@PARTY

Item Number: 02420

When you used LSD during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	1.3	33	1	NOT @ALL:(1)
12.4	0.4	10	2	FEW TIME: (2)
12.2	0.4	9	3	SOM TIME: (3)
8.3	0.2	6	4	MST TIME: (4)
23.5	0.7	18	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 388-389

#### V1290

#### 041B034D: #X/YR LSD-DT/SP

Item Number: 02430

When you used LSD during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\ \ \,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	1.9	49	1	NOT @ALL:(1)
10.2	0.3	8	2	FEW TIME: (2)
13.0	0.4	10	3	SOM TIME: (3)
1.1	0.0	1	4	MST TIME: (4)
11.4	0.3	9	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 390-391

#### V1291 041B034E: #X/YR LSD-ADLTS

Item Number: 02440

When you used LSD during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	2.1	53	1	NOT @ALL:(1)
7.0	0.2	5	2	FEW TIME: (2)
11.9	0.4	9	3	SOM TIME: (3)
6.9	0.2	5	4	MST TIME: (4)
4.9	0.1	4	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 392-393

#### V1292

## 041B034F: #X/YR LSD-DATIM

Item Number: 02450

When you used LSD during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	1.7	45	1	NOT @ALL:(1)
16.9	0.5	13	2	FEW TIME: (2)
9.7	0.3	7	3	SOM TIME: (3)
8.2	0.2	6	4	MST TIME: (4)
6.8	0.2	5	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 394-395

#### V1293 041B034G: #X/YR LSD@HOME

Item Number: 02460

When you used LSD during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	1.6	40	1	NOT @ALL:(1)
12.5	0.4	10	2	FEW TIME: (2)
17.6	0.5	13	3	SOM TIME: (3)
3.6	0.1	3	4	MST TIME: (4)
14.2	0.4	11	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 396-397

# V1294

## 041B034H: #X/YR LSD@SCHL

Item Number: 02470

When you used LSD during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	2.2	56	1	NOT @ALL:(1)
8.1	0.2	6	2	FEW TIME: (2)
6.4	0.2	5	3	SOM TIME: (3)
7.8	0.2	6	4	MST TIME: (4)
5.0	0.1	4	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 398-399

## V1295 041B034I:#X/YR LSDIN CAR

Item Number: 02490

When you used LSD during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	1.9	48	1	NOT @ALL:(1)
19.1	0.6	15	2	FEW TIME: (2)
9.0	0.3	7	3	SOM TIME: (3)
3.7	0.1	3	4	MST TIME: (4)
5.0	0.1	4	5	EVRYTIME: (5)
	97.0	2,494	-9	MISSING
100 0	100 0	O E71	,	T.T. 7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 400-401

#### V1296

#### 041B035A: #X OVL LSD+ ALC

Item Number: 02500

How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\footnote{1.5mm}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.5	39	1	NOT @ALL:(1)
16.3	0.5	13	2	FEW TIME: (2)
8.7	0.3	7	3	SOM TIME:(3)
12.5	0.4	10	4	MST TIME: (4)
12.6	0.4	10	5	EVRYTIME: (5)
	97.0	2,493	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 402-403

#### V1297 041B035B:#X OVL LSD+ MJ

Item Number: 02510

How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	1.0	24	1	NOT @ALL:(1)
17.8	0.5	13	2	FEW TIME: (2)
11.0	0.3	8	3	SOM TIME: (3)
10.4	0.3	8	4	MST TIME: (4)
28.1	0.8	21	5	EVRYTIME: (5)
	97.1	2,496	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 404-405

# V1298

## 041B036A:LSD EXPERIMENT

Item Number: 02520

What have been the most important reasons for your taking LSD? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	0.5	13	0	NT MARKD:(0)
81.4	2.3	59	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 406-407

## V1299 041B036B:LSD RELAX

Item Number: 02530

What have been the most important reasons for your taking LSD? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	2.3	59	0	NT MARKD:(0)
18.3	0.5	13	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 408-409

#### V1300

#### 041B036C:LSD GET HIGH

Item Number: 02540

What have been the most important reasons for your taking LSD? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	1.6	42	0	NT MARKD:(0)
42.2	1.2	30	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 410-411

#### V1301 041B036D:LSD SEEK INSGHT

Item Number: 02550

What have been the most important reasons for your taking LSD? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	2.0	51	0	NT MARKD:(0)
29.8	0.8	21	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 412-413

## V1302

## 041B036E:LSD GD TM FRNDS

Item Number: 02560

What have been the most important reasons for your taking LSD? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.1	1.9	48	0	NT MARKD:(0)
32.9	0.9	24	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 414-415

## V1303 041B036F:LSD FIT IN GRP

Item Number: 02570

What have been the most important reasons for your taking LSD? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	2.6	67	0	NT MARKD:(0)
6.7	0.2	5	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 416-417

#### V1304

## 041B036G:LSD GT AWY PRB

Item Number: 02580

What have been the most important reasons for your taking LSD? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	2.2	57	0	NT MARKD:(0)
20.5	0.6	15	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 418-419

#### V1305 041B036H:LSD BOREDOM

Item Number: 02590

What have been the most important reasons for your taking LSD? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	2.3	59	0	NT MARKD:(0)
17.9	0.5	13	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 420-421

## V1306

## 041B036I:LSD ANGR&FRSTRN

Item Number: 02600

What have been the most important reasons for your taking LSD? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	2.5	64	0	NT MARKD:(0)
11.4	0.3	8	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 422-423

## V1307 041B036J:LSD GT THRU DAY

Item Number: 02610

What have been the most important reasons for your taking LSD? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	2.5	65	0	NT MARKD:(0)
9.3	0.3	7	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 424-425

#### V1308

## 041B036K:LSD INCRS EF DR

Item Number: 02620

What have been the most important reasons for your taking LSD? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	2.6	66	0	NT MARKD:(0)
8.8	0.2	6	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 426-427

## V1309 041B036L:LSD DCRS EF DRG

Item Number: 02630

What have been the most important reasons for your taking LSD? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	2.7	69	0	NT MARKD:(0)
3.7	0.1	3	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 428-429

## V1310

#### 041B036M:LSD I AM HOOKED

Item Number: 02640

What have been the most important reasons for your taking LSD? (Mark all that apply.) M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	2.6	66	0	NT MARKD:(0)
8.0	0.2	6	1	MARKED: (1)
	97.2	2,499	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 430-431

## V1311 041B037 :LSD,GET VERY HI

Item Number: 02650

When you take LSD, how high do you usually get?

N VALUE LABEL

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

PCT PCT VALID ALL

0.3 8 1 NOT HIGH: (1) 10.9 10.8 0.3 8 2 LIT HIGH: (2) 3 MOD HIGH: (3) 0.5 14 18.0 60.3 46 4 VRY HIGH: (4) 1.8

97.0 2,494 -9 MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 432-433

#### V1312

#### 041B038 :LSD,HIGH 24+ HR

Item Number: 02660

When you take LSD, how long do you usually stay high?

1="Usually don't get high" 2="Two hours or less" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	0.3	7	1	N GET HI:(1)
11.1	0.3	9	2	1-2 HRS:(2)
32.2	1.0	25	3	3-6 HRS:(3)
35.7	1.1	27	4	7-24 HRS:(4)
12.2	0.4	9	5	>24 HRS:(5)
	97.0	2,494	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 434-435

#### V1313 041B039 :1+ BAD TRIP LSD

Item Number: 02670

Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	1.6	41	1	NO: (1)
35.3	1.1	29	2	ONCE: (2)
14.6	0.5	12	3	> ONCE:(3)
	96.8	2,489	-9	MISSING
100.0 100.0 2,571 cases (Wtd)				

Data type: numeric Missing-data code: -9 Columns: 436-437

#### V1314 041B040 :\*TRY STP LSD&FL

Item Number: 02680

Have you ever tried to stop using LSD and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	0.4	11	1	YES:(1)
86.8	2.7	71	2	NO:(2)
	96.8	2,489	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 438-439

### V1315 041B041 :NO LSD IN 5 YRS

Item Number: 02690

Do you think you will be using LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	25	1	DEF WILL:(1)
1.1	0.9	24	2	PRB WILL:(2)
7.1	6.4	165	3	PRB WONT:(3)
90.7	81.6	2,097	4	DEF WONT: (4)
	10.1	260	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 440-441

#### V1316

#### 041B042A: #X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD. This group would include the following drugs: Mescaline, Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions (if any) have you used hallucinogens other than LSD. . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	85.3	2,193	1	0 OCCAS:(1)
4.2	3.9	101	2	1-2X:(2)
1.7	1.6	41	3	3-5X:(3)
0.8	0.8	20	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.6	0.5	14	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS: (7)
	6.7	172	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 442-443

100.0 100.0 2,571 cases (Wtd)

#### V1121 041B042A: #X PSYD/LIFETIM

Item Number: 00920

The next questions are about HALLUCINOGENS OTHER THAN LSD. This group would include the following drugs: Mescaline, Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions (if any) have you used hallucinogens other than LSD. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	85.3	2,193	1	0 OCCAS:(1)
4.2	3.9	101	2	1-2X:(2)
1.7	1.6	41	3	3-5X:(3)
0.8	0.8	20	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.6	0.5	14	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	6.7	172	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 444-445

# V1317 041B042B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	87.7	2,254	1	0 OCCAS:(1)
3.5	3.3	84	2	1-2X:(2)
1.2	1.1	28	3	3-5X:(3)
0.7	0.7	18	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	6.8	174	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 446-447

#### V1122 041B042B:#X PSYD/LAST12M

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	87.7	2,254	1	0 OCCAS:(1)
3.5	3.3	84	2	1-2X:(2)
1.2	1.1	28	3	3-5X:(3)
0.7	0.7	18	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	6.8	174	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 448-449

# V1318 041B042C:#X PSYD/LAST30D

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	91.3	2,347	1	0 OCCAS:(1)
1.4	1.3	32	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	6.8	175	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 450-451

#### V1123 041B042C: #X PSYD/LAST30D

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	91.3	2,347	1	0 OCCAS:(1)
1.4	1.3	32	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	6.8	175	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 452-453

### V1319

# 041B043 :PSYD,GT VERY HI

Item Number: 02700

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 46. When you take hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	6	1	NOT HIGH: (1)
10.3	0.6	15	2	LIT HIGH:(2)
33.1	1.9	48	3	MOD HIGH:(3)
52.7	3.0	76	4	VRY HIGH: (4)
	94.4	2,425	-9	MISSING
100 0	100 0	O E71	anana /	M+ 4 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 454-455

### V1320 041B044 :PSYD,HI 24+ HRS

Item Number: 02710

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.1	4	1	N GET HI:(1)
13.6	0.8	19	2	1-2 HRS:(2)
54.5	3.0	78	3	3-6 HRS:(3)
28.3	1.6	41	4	7-24 HRS:(4)
1.1	0.1	2	5	>24 HRS:(5)
	94.4	2,427	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 456-457

#### V1321

# 041B045A:TKN YR, MESCALIN

Item Number: 02720

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) A. Mescaline

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	5.0	128	0	NT MARKD:(0)
9.7	0.5	14	1	MARKED: (1)
	94.5	2,429	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 458-459

#### V1322 041B045B:TKN YR, PEYOTE

Item Number: 02730

What hallucinogens other than LSD have you taken during the

last year? (Mark all that apply.) B. Peyote

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	4.9	127	0	NT MARKD:(0)
10.6	0.6	15	1	MARKED: (1)
	94.5	2,429	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 460-461

#### V1323

### 041B045C:TKN YR, PSILOCYB

Item Number: 02740

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) C. "Shrooms" or Psilocybin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.4	10	0	NT MARKD:(0)
92.6	5.1	131	1	MARKED: (1)
	94.5	2,429	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 462-463

### V1324 041B045D:TKN YR,PCP

Item Number: 02750

What hallucinogens other than LSD have you taken during the

last year? (Mark all that apply.) D. PCP

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	4.6	119	0	NT MARKD:(0)
16.0	0.9	23	1	MARKED: (1)
	94.5	2,429	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 464-465

#### V1325

### 041B045E:TKN YR, CNCT THC

Item Number: 02760

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) E. Concentrated THC

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	4.4	113	0	NT MARKD:(0)
20.5	1.1	29	1	MARKED: (1)
	94.5	2,429	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 466-467

#### V1326 041B045F:TKN YR,OTH PSYD

Item Number: 02770

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	4.4	112	0	NT MARKD:(0)
21.1	1.2	30	1	MARKED: (1)
	94.5	2,429	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 468-469

#### V1327

### 041B045G:TKN YR,DK NAME

Item Number: 02780

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	4.9	126	0	NT MARKD:(0)
11.1	0.6	16	1	MARKED: (1)
	94.5	2,429	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 470-471

V1710 041B046A:#X DIETPILL/LFT

Item Number: 21220

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Dietac(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

D.CIII	ъст	3.7		
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	79.9	2,054	1	0 OCCAS:(1)
5.1	4.8	124	2	1-2X:(2)
3.0	2.8	72	3	3-5X:(3)
1.5	1.4	35	4	6-9X:(4)
1.6	1.5	39	5	10-19X:(5)
1.6	1.5	39	6	20-39X:(6)
2.6	2.4	63	7	40+OCCAS:(7)
	5.6	144	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 472-473

# V1711 041B046B:#X DIETPILL/12M

Item Number: 21230

On how many occasions (if any) have you taken such non-prescription diet pills . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	84.6	2,174	1	0 OCCAS:(1)
4.5	4.2	108	2	1-2X:(2)
1.4	1.3	34	3	3-5X:(3)
1.2	1.1	29	4	6-9X:(4)
1.0	0.9	23	5	10-19X:(5)
1.2	1.2	30	6	20-39X:(6)
1.3	1.2	32	7	40+OCCAS:(7)
	5.5	141	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 474-475

\_\_\_\_\_

# V1712 041B046C:#X DIETPILL/30D

Item Number: 21240

On how many occasions (if any) have you taken such non-prescription diet pills . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	89.1	2,291	1	0 OCCAS:(1)
1.9	1.8	47	2	1-2X:(2)
1.2	1.1	29	3	3-5X:(3)
0.8	0.7	19	4	6-9X:(4)
0.8	0.8	20	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	5.7	145	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 476-477

\_\_\_\_\_

# V1713 041B047A: #X STA-AWAK/LFT

Item Number: 21250

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), Wake(R), Caffedrine(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		V1111011	
		1 000	1	0 00070.(1)
81.8	77.4	1,990	Τ.	0 OCCAS:(1)
8.4	7.9	204	2	1-2X:(2)
3.3	3.1	80	3	3-5X:(3)
2.2	2.1	54	4	6-9X:(4)
1.6	1.6	40	5	10-19X:(5)
1.1	1.1	27	6	20-39X:(6)
1.5	1.4	37	7	40+OCCAS:(7)
	5.4	139	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 478-479

# V1714 041B047B:#X STA-AWAK/12M

Item Number: 21260

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	83.7	2,152	1	0 OCCAS:(1)
6.1	5.7	148	2	1-2X:(2)
1.7	1.6	42	3	3-5X:(3)
1.5	1.4	36	4	6-9X:(4)
0.9	0.9	22	5	10-19X:(5)
0.8	0.7	19	6	20-39X:(6)
0.5	0.5	12	7	40+OCCAS:(7)
	5.5	141	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 480-481

\_\_\_\_\_

# V1715 041B047C: #X STA-AWAK/30D

Item Number: 21270

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	90.3	2,321	1	0 OCCAS:(1)
2.0	1.9	49	2	1-2X:(2)
0.9	0.9	23	3	3-5X:(3)
1.0	0.9	24	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	5.5	142	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 482-483

\_\_\_\_\_

### V1716 041B048A:#X LOOKALIK/LFT

Item Number: 21280

In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	87.0	2,237	1	0 OCCAS:(1)
4.1	3.9	100	2	1-2X:(2)
1.7	1.6	41	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.5	0.4	11	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.8	0.8	21	7	40+OCCAS:(7)
	5.4	140	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 484-485

#### V1717 041B048B:#X LOOKALIK/12M

Item Number: 21290

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	90.0	2,313	1	0 OCCAS:(1)
2.9	2.7	70	2	1-2X:(2)
0.7	0.7	18	3	3-5X:(3)
0.4	0.3	9	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	5.4	138	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 486-487

# V1718 041B048C:#X LOOKALIK/30D

Item Number: 21300

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	92.1	2,369	1	0 OCCAS:(1)
1.5	1.4	37	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	4	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS: (7)
	5.5	142	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 488-489

041B049 :DR TOLD TK AMPH V1328

Item Number: 02790

The next questions are about AMPHETAMINES, which doctors have prescribed to help people lose weight or to give people more energy. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines are sometimes
called: Uppers, Ups, Speed, Bennies, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Preludin, Dexamyl, Methamphetamine. IN YOUR ANSWERS ABOUT AMPHETAMINES, \_DO NOT\_ INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS. Have you ever taken amphetamines because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own." 3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	88.1	2,266	1	NO:(1)
2.3	2.2	56	2	YES BUT: (2)
4.8	4.6	118	3	YES 1ST:(3)
	5.1	132	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 490-491

# V1329 041B050A:#X AMPH/LIFETIM

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	82.5	2,121	1	0 OCCAS:(1)
3.6	3.4	87	2	1-2X:(2)
2.2	2.1	53	3	3-5X:(3)
1.9	1.8	45	4	6-9X:(4)
1.6	1.5	40	5	10-19X:(5)
1.1	1.1	28	6	20-39X:(6)
2.0	1.9	48	7	40+OCCAS:(7)
	5.8	150	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 492-493

# V1127 041B050A: #X AMPH/LIFETIM

Item Number: 00980

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	82.5	2,121	1	0 OCCAS:(1)
3.6	3.4	87	2	1-2X:(2)
2.2	2.1	53	3	3-5X:(3)
1.9	1.8	45	4	6-9X:(4)
1.6	1.5	40	5	10-19X:(5)
1.1	1.1	28	6	20-39X:(6)
2.0	1.9	48	7	40+OCCAS:(7)
	5.8	150	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 494-495

### V1330 041B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	86.0	2,211	1	0 OCCAS:(1)
2.8	2.7	69	2	1-2X:(2)
1.8	1.7	43	3	3-5X:(3)
1.8	1.7	44	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.8	0.8	20	6	20-39X:(6)
0.7	0.7	17	7	40+OCCAS:(7)
	5.8	149	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 496-497

### V1128 041B050B:#X AMPH/LAST12M

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	86.0	2,211	1	0 OCCAS:(1)
2.8	2.7	69	2	1-2X:(2)
1.8	1.7	43	3	3-5X:(3)
1.8	1.7	44	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.8	0.8	20	6	20-39X:(6)
0.7	0.7	17	7	40+OCCAS:(7)
	5.8	149	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 498-499

### V1331 041B050C:#X AMPH/LAST30D

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	90.1	2,316	1	0 OCCAS:(1)
1.9	1.8	46	2	1-2X:(2)
0.9	0.8	22	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.4	0.4	11	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	5.9	152	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 500-501

# V1129 041B050C:#X AMPH/LAST30D

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	90.1	2,316	1	0 OCCAS:(1)
1.9	1.8	46	2	1-2X:(2)
0.9	0.8	22	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.4	0.4	11	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	5.9	152	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 502-503 V1332 041B051A: #X/YR AMPH ALNE

Item Number: 02800

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. When you used amphetamines during the last year, how often did you use them in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	3.8	97	1	NOT @ALL:(1)
22.4	1.8	45	2	FEW TIME: (2)
7.8	0.6	16	3	SOM TIME: (3)
9.7	0.8	19	4	MST TIME: (4)
12.0	0.9	24	5	EVRYTIME: (5)
	92.2	2,369	-9	MISSING
			,	

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 504-505

#### V1333 041B051B:#X/YR AMPH-2PPL

Item Number: 02810

When you used amphetamines during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	2.2	56	1	NOT @ALL:(1)
36.6	2.9	74	2	FEW TIME: (2)
16.1	1.3	32	3	SOM TIME: (3)
9.9	0.8	20	4	MST TIME: (4)
9.7	0.8	20	5	EVRYTIME: (5)
	92.2	2,370	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 506-507

# V1334

### 041B051C: #X/YR AMPH@PRTY

Item Number: 02820

When you used amphetamines during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	4.1	104	1	NOT @ALL:(1)
22.2	1.7	44	2	FEW TIME: (2)
11.2	0.9	22	3	SOM TIME: (3)
7.5	0.6	15	4	MST TIME: (4)
7.1	0.6	14	5	EVRYTIME: (5)
	92.2	2,371	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 508-509

### V1335 041B051D:#X/YR AMPH-DT/S

Item Number: 02830

When you used amphetamines during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	5.5	142	1	NOT @ALL:(1)
12.4	1.0	25	2	FEW TIME: (2)
9.9	0.8	20	3	SOM TIME: (3)
3.5	0.3	7	4	MST TIME: (4)
3.5	0.3	7	5	EVRYTIME: (5)
	92.2	2,371	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 510-511

# V1336

### 041B051E: #X/YR AMPH-ADLT

Item Number: 02840

When you used amphetamines during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	4.8	123	1	NOT @ALL:(1)
19.5	1.5	39	2	FEW TIME: (2)
7.7	0.6	15	3	SOM TIME: (3)
7.4	0.6	15	4	MST TIME: (4)
3.6	0.3	7	5	EVRYTIME: (5)
	92.2	2,371	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 512-513

### V1337 041B051F:#X/YR AMPH-DATM

Item Number: 02850

When you used amphetamines during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	2.4	63	1	NOT @ALL:(1)
20.7	1.6	41	2	FEW TIME: (2)
15.5	1.2	31	3	SOM TIME: (3)
15.2	1.2	30	4	MST TIME: (4)
17.3	1.4	35	5	EVRYTIME: (5)
	92.2	2,371	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 514-515

#### V1338

### 041B051G: #X/YR AMPH@HOME

Item Number: 02860

When you used amphetamines during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	2.6	66	1	NOT @ALL:(1)
21.2	1.6	42	2	FEW TIME: (2)
12.7	1.0	25	3	SOM TIME: (3)
14.5	1.1	29	4	MST TIME: (4)
18.4	1.4	37	5	EVRYTIME: (5)
	92.3	2,372	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 516-517

### V1339 041B051H: #X/YR AMPH@SCHL

Item Number: 02880

When you used amphetamines during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	3.6	92	1	NOT @ALL:(1)
23.5	1.8	47	2	FEW TIME: (2)
11.9	0.9	24	3	SOM TIME:(3)
11.8	0.9	24	4	MST TIME: (4)
6.7	0.5	13	5	EVRYTIME: (5)
	92.2	2,371	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9

Columns: 518-519

# V1340

### 041B051I:#X/YR AMPH@CAR

Item Number: 02890

When you used amphetamines during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	3.9	100	1	NOT @ALL:(1)
30.2	2.3	58	2	FEW TIME: (2)
9.3	0.7	18	3	SOM TIME: (3)
5.0	0.4	10	4	MST TIME: (4)
4.1	0.3	8	5	EVRYTIME: (5)
	92.5	2,377	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 520-521

#### V1341 041B052A: #X OVL AMPH+ALC

Item Number: 02900

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	3.7	95	1	NOT @ALL:(1)
24.5	1.9	48	2	FEW TIME: (2)
13.9	1.1	27	3	SOM TIME: (3)
5.5	0.4	11	4	MST TIME: (4)
7.6	0.6	15	5	EVRYTIME: (5)
	92.3	2,374	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

100.0 100.0 2,371 cases (w

Data type: numeric Missing-data code: -9 Columns: 522-523

# V1342

## 041B052B:#X OVL AMPH+MJ

Item Number: 02910

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	3.7	96	1	NOT @ALL:(1)
20.4	1.6	40	2	FEW TIME: (2)
15.6	1.2	31	3	SOM TIME: (3)
7.8	0.6	15	4	MST TIME: (4)
7.4	0.6	15	5	EVRYTIME: (5)
	92.3	2,374	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 524-525

#### V1343 041B052C:#X OVL AMPH+LSD

Item Number: 02920

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	7.1	182	1	NOT @ALL:(1)
1.5	0.1	3	2	FEW TIME: (2)
2.7	0.2	5	3	SOM TIME: (3)
1.8	0.1	4	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	92.5	2,377	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 526-527

# V1344

#### 041B052D: #X OVL AMPH+PSY

Item Number: 02930

How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	6.8	174	1	NOT @ALL:(1)
3.6	0.3	7	2	FEW TIME: (2)
2.2	0.2	4	3	SOM TIME: (3)
1.8	0.1	3	4	MST TIME: (4)
0.7	0.1	1	5	EVRYTIME: (5)
	92.6	2,381	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 528-529

#### V1345 041B053A:AMPH EXPERIMENT

Item Number: 02940

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	3.6	91	0	NT MARKD:(0)
53.1	4.0	103	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 530-531

#### V1346

### 041B053B:AMPH RELAX

Item Number: 02950

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	5.4	139	0	NT MARKD:(0)
28.6	2.2	56	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 532-533

# V1347 041B053C:AMPH GET HIGH

Item Number: 02960

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	3.9	100	0	NT MARKD:(0)
48.6	3.7	95	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 534-535

#### V1348

# 041B053D:AMPH SK INSIGHT

Item Number: 02970

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	6.3	162	0	NT MARKD:(0)
16.6	1.3	32	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 536-537

#### V1349 041B053E:AMPH GD TM FRND

Item Number: 02980

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	5.4	139	0	NT MARKD:(0)
28.5	2.2	56	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 538-539

#### V1350

### 041B053F:AMPH FIT IN GRP

Item Number: 02990

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	7.1	182	0	NT MARKD:(0)
6.5	0.5	13	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 540-541

# V1351 041B053G:AMPH GT AWY PRB

Item Number: 03000

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	6.6	171	0	NT MARKD:(0)
12.3	0.9	24	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 542-543

### V1352

# 041B053H:AMPH BOREDOM

Item Number: 03010

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	5.9	153	0	NT MARKD:(0)
21.6	1.6	42	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 544-545

#### V1353 041B053I:AMPH ANGR&FRSTN

Item Number: 03020

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	6.9	178	0	NT MARKD:(0)
8.4	0.6	16	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 546-547

### V1354

# 041B053J:AMPH GT THRU DA

Item Number: 03030

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	6.0	155	0	NT MARKD:(0)
20.7	1.6	40	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 548-549

# V1355 041B053K:AMPH INCR EF DR

Item Number: 03040

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	6.8	174	0	NT MARKD:(0)
10.7	0.8	21	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 550-551

### V1356

# 041B053L:AMPH DCRS EF DR

Item Number: 03050

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	7.3	189	0	NT MARKD:(0)
3.0	0.2	6	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 552-553

#### V1357 041B053M:AMPH STAY AWAKE

Item Number: 03060

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	4.1	104	0	NT MARKD:(0)
46.4	3.5	90	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 554-555

### V1358

# 041B053N:AMPH GET>ENERGY

Item Number: 03070

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	3.1	80	0	NT MARKD:(0)
58.8	4.5	115	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 556-557

# V1359 041B0530:AMPH LOSE WGHT

Item Number: 03080

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) O. To help me lose weight

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	5.4	139	0	NT MARKD:(0)
28.7	2.2	56	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 558-559

### V1360

# 041B053P:AMPH I AM HOOKD

Item Number: 03090

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) P. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	7.2	185	0	NT MARKD:(0)
5.0	0.4	10	1	MARKED: (1)
	92.4	2,376	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 560-561

#### V1361 041B054 :AMPH,GT VERY HI

Item Number: 03100

When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	1.2	30	1	NOT HIGH: (1)
28.4	2.2	57	2	LIT HIGH:(2)
25.0	1.9	50	3	MOD HIGH: (3)
12.7	1.0	25	4	VRY HIGH: (4)
18.9	1.5	38	5	N TK HI:(5)
	92.2	2,371	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 562-563

## V1362

# 041B055 :AMPH,HI 24+ HRS

Item Number: 03110

When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	2.4	61	1	N GET HI:(1)
22.3	1.7	44	2	1-2 HRS:(2)
26.5	2.1	53	3	3-6 HRS:(3)
19.8	1.5	40	4	7-24 HRS:(4)
0.8	0.1	2	5	>24 HRS:(5)
	92.2	2,371	-9	MISSING
100 0	100 0	2 571	anaoa /	V ► → W

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 564-565

# V1363 041B056A:TKN YR,BENZDRIN

Item Number: 03120

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Benzedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	6.8	174	0	NT MARKD:(0)
8.7	0.6	17	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 566-567

### V1364

# 041B056B:TKN YR, DEXEDRIN

Item Number: 03130

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) B. Dexedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	6.3	161	0	NT MARKD:(0)
15.8	1.2	30	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 568-569

# V1365 041B056C:TKN YR, METHDRIN

Item Number: 03140

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) C. Methedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	7.1	182	0	NT MARKD:(0)
4.8	0.4	9	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 570-571

### V1366

# 041B056D:TKN YR, RITALIN

Item Number: 03150

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) D. Ritalin (methylphenidate)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	3.9	101	0	NT MARKD:(0)
46.9	3.5	90	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 572-573

# V1367 041B056E:TKN YR, PRELUDIN

Item Number: 03160

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Preludin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	7.2	186	0	NT MARKD:(0)
2.6	0.2	5	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 574-575

### V1368

# 041B056F:TKN YR, DEXAMYL

Item Number: 03170

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) F. Dexamyl

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	7.0	180	0	NT MARKD:(0)
5.6	0.4	11	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 576-577

#### V1369 041B056G:TKN YR, METHAMPH

Item Number: 03180

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) G. Methamphetamine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	6.1	156	0	NT MARKD:(0)
18.6	1.4	35	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 578-579

### V1764

# 041B056H:TKN YR, CRYSMETH

Item Number: 03185

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) H. Crystal meth

0="UNMARKED" 1="MARKED"

ъсш	ъсш	3.7	777 T TTD	T 3 D D T
PCT	PCT	IN	VALUE	LABEL
VALID	ALL			
77.3	5.7	148	0	NT MARKD:(0)
22.7	1.7	43	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 580-581

# V1370 041B056I:TKN YR,OTH AMPH

Item Number: 03190

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) I. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	4.4	113	0	NT MARKD:(0)
40.8	3.0	78	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 582-583

### V1371

# 041B056J:TKN YR,DNT KN N

Item Number: 03200

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) J. Don't know the names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	4.7	121	0	NT MARKD:(0)
36.5	2.7	70	1	MARKED: (1)
	92.6	2,380	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 584-585

#### V1372 041B057A:MTHD AMPH-MOUTH

Item Number: 03210

What methods have you used for taking amphetamines during the

last year? (Mark all that apply.) A. By mouth

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL0.9 22 0 NT MARKD: (0) 11.4 6.7 173 88.6 1 MARKED: (1) 92.4 2,376 -9 MISSING 100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 586-587

#### V1765

#### 041B057B:MTHD AMPH-SMOKG

Item Number: 03215

What methods have you used for taking amphetamines during the last year? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL6.2 160 1.4 35 82.2 0 NT MARKD:(0) 17.8 1 MARKED: (1) 92.4 2,376 -9 MISSING ----100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 588-589

### V1373 041B057C:MTHD AMPH-INJCT

Item Number: 03220

What methods have you used for taking amphetamines during the

last year? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

Data type: numeric

Missing-data code: -9 Columns: 590-591

#### V1374

#### 041B057D:MTHD AMPH-OTHER

Item Number: 03230

What methods have you used for taking amphetamines during the last year? (Mark all that apply.) D. Other

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 592-593

#### V1375 041B058 :\*TRY STP AMP&FL

Item Number: 03240

Have you ever tried to stop using amphetamines and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.3	9	1	YES:(1)
95.5	7.3	187	2	NO:(2)
	92.4	2,374	-9	MISSING
100.0	100.0	2,571	cases (	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 594-595

### V1376

# 041B059 :NO AMPH IN 5YR

Item Number: 03250

Do you think you will be using amphetamines without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	22	1	DEF WILL:(1)
3.4	3.0	78	2	PRB WILL:(2)
17.0	15.4	396	3	PRB WONT:(3)
78.7	71.3	1,833	4	DEF WONT: (4)
	9.4	242	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 596-597

# V1377 041B060A: #X QUAD/LIFETIM

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone). Quaaludes are sometimes called: Soapers, Quads, Ludes. On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	92.6	2,379	1	0 OCCAS:(1)
0.4	0.3	9	2	1-2X:(2)
0.4	0.3	9	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS: (7)
	6.3	161	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 598-599

#### V1130 041B060A: #X QUAD/LIFETIM

Item Number: 01010

The next questions are about QUAALUDES (Methaqualone). Quaaludes are sometimes called: Soapers, Quads, Ludes. On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	92.6	2,379	1	0 OCCAS:(1)
0.4	0.3	9	2	1-2X:(2)
0.4	0.3	9	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS: (7)
	6.3	161	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 600-601

# V1378 041B060B:#X QUAD/LAST12M

Item Number: 01020

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	93.0	2,391	1	0 OCCAS:(1)
0.2	0.2	6	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	6.3	161	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 602-603

\_\_\_\_\_

# V1131 041B060B:#X QUAD/LAST12M

Item Number: 01020

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	93.0	2,391	1	0 OCCAS:(1)
0.2	0.2	6	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	6.3	161	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 604-605

\_\_\_\_\_

# V1379 041B060C:#X QUAD/LAST30D

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	93.3	2,398	1	0 OCCAS:(1)
0.3	0.2	6	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.3	161	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 606-607

# V1132 041B060C:#X QUAD/LAST30D

Item Number: 01030

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	93.3	2,398	1	0 OCCAS:(1)
0.3	0.2	6	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.3	161	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 608-609 V1382 041B061 :DR TOLD TK BARB

Item Number: 03280

The next questions are about BARBITURATES, which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription. Barbiturates are sometimes called: Downs, Downers, Goofballs, Yellows, Reds, Blues, Rainbows. They include the following drugs: Phenobarbital, Seconal, Tuinal, Nembutal, Luminal, Desbutal, Amytal. Have you ever taken barbiturates because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own." 3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	90.4	2,323	1	NO:(1)
1.1	1.1	27	2	YES BUT: (2)
2.0	1.9	48	3	YES 1ST:(3)
	6.7	172	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 610-611

# V1383 041B062A:#X BRBT/LIFETIM

Item Number: 01040

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	89.0	2,288	1	0 OCCAS:(1)
1.5	1.4	37	2	1-2X:(2)
1.4	1.3	33	3	3-5X:(3)
0.9	0.8	21	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	6.2	159	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 612-613

# V1133 041B062A:#X BRBT/LIFETIM

Item Number: 01040

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	89.0	2,288	1	0 OCCAS:(1)
1.5	1.4	37	2	1-2X:(2)
1.4	1.3	33	3	3-5X:(3)
0.9	0.8	21	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	6.2	159	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 614-615

# V1384 041B062B:#X BRBT/LAST12M

Item Number: 01050

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	90.7	2,330	1	0 OCCAS:(1)
1.4	1.4	35	2	1-2X:(2)
0.9	0.8	21	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	6.1	157	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 616-617

# V1134 041B062B:#X BRBT/LAST12M

Item Number: 01050

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	90.7	2,330	1	0 OCCAS:(1)
1.4	1.4	35	2	1-2X:(2)
0.9	0.8	21	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	6.1	157	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 618-619

# V1385 041B062C:#X BRBT/LAST30D

Item Number: 01060

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	92.5	2,377	1	0 OCCAS:(1)
1.0	1.0	24	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.0	155	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 620-621

# V1135 041B062C:#X BRBT/LAST30D

Item Number: 01060

On how many occasions (if any) have you taken barbiturates on your own--that is, without a doctor telling you to take them.

. . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	92.5	2,377	1	0 OCCAS:(1)
1.0	1.0	24	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	6.0	155	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 622-623

# V1428

### 041B063 :NO BARB IN 5YR

Item Number: 03720

Do you think you will be using barbiturates without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	24	1	DEF WILL:(1)
1.2	1.1	29	2	PRB WILL:(2)
13.0	12.2	312	3	PRB WONT:(3)
84.7	79.0	2,031	4	DEF WONT: (4)
	6.8	174	-9	MISSING
1000	1000	0 551	,	7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 624-625

#### V1429 041B064 :DR TOLD TK TRNQ

Item Number: 03730

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs: Librium, Valium, Xanax, Equanil, Meprobamate, Serax, Atarax, Tranxene, Vistaril. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own." 3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	88.0	2,263	1	NO:(1)
1.6	1.5	38	2	YES BUT: (2)
4.1	3.9	99	3	YES 1ST:(3)
	6.7	171	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 626-627

# V1430 041B065A: #X TRQL/LIFETIM

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	84.7	2,177	1	0 OCCAS:(1)
4.3	4.0	102	2	1-2X:(2)
1.9	1.7	45	3	3-5X:(3)
0.9	0.9	22	4	6-9X:(4)
0.7	0.7	17	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
0.7	0.7	17	7	40+OCCAS:(7)
	6.8	175	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 628-629

# V1136 041B065A:#X TRQL/LIFETIM

Item Number: 01070

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	84.7	2,177	1	0 OCCAS:(1)
4.3	4.0	102	2	1-2X:(2)
1.9	1.7	45	3	3-5X:(3)
0.9	0.9	22	4	6-9X:(4)
0.7	0.7	17	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
0.7	0.7	17	7	40+OCCAS: (7)
	6.8	175	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 630-631

# V1431 041B065B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	87.5	2,250	1	0 OCCAS:(1)
2.7	2.5	64	2	1-2X:(2)
1.3	1.2	31	3	3-5X:(3)
0.8	0.7	18	4	6-9X:(4)
0.6	0.5	14	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	6.9	178	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 632-633

# V1137 041B065B:#X TRQL/LAST12M

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	87.5	2,250	1	0 OCCAS:(1)
2.7	2.5	64	2	1-2X:(2)
1.3	1.2	31	3	3-5X:(3)
0.8	0.7	18	4	6-9X:(4)
0.6	0.5	14	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	6.9	178	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 634-635

# V1432 041B065C:#X TRQL/LAST30D

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	90.8	2,333	1	0 OCCAS:(1)
1.2	1.1	29	2	1-2X:(2)
0.6	0.6	15	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	6.9	178	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 636-637

# V1138 041B065C:#X TRQL/LAST30D

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	90.8	2,333	1	0 OCCAS:(1)
1.2	1.1	29	2	1-2X:(2)
0.6	0.6	15	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	6.9	178	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 638-639 V1433 041B066A: #X/YR TRQL ALNE

Item Number: 03740

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73. When you used tranquilizers during the last year, how often did you use them in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	2.5	65	1	NOT @ALL:(1)
20.7	1.1	27	2	FEW TIME: (2)
15.5	0.8	20	3	SOM TIME: (3)
3.2	0.2	4	4	MST TIME: (4)
11.0	0.6	14	5	EVRYTIME: (5)
	94.9	2,439	-9	MISSING
		0	,	

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 640-641

# V1434 041B066B: #X/YR TRQL-2PPL

Item Number: 03750

When you used tranquilizers during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	1.3	32	1	NOT @ALL:(1)
42.0	2.2	56	2	FEW TIME: (2)
14.2	0.7	19	3	SOM TIME: (3)
9.8	0.5	13	4	MST TIME: (4)
9.7	0.5	13	5	EVRYTIME: (5)
	94.8	2,438	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 642-643

# V1435

# 041B066C: #X/YR TRQL@PRTY

Item Number: 03760

When you used tranquilizers during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	2.9	76	1	NOT @ALL:(1)
14.5	0.7	19	2	FEW TIME: (2)
13.4	0.7	18	3	SOM TIME: (3)
9.3	0.5	12	4	MST TIME: (4)
5.7	0.3	8	5	EVRYTIME: (5)
	94.8	2,438	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 644-645

# V1436 041B066D:#X/YR TRQL-DT/S

Item Number: 03770

When you used tranquilizers during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	3.2	83	1	NOT @ALL:(1)
13.5	0.7	18	2	FEW TIME: (2)
8.8	0.4	12	3	SOM TIME:(3)
7.9	0.4	10	4	MST TIME: (4)
7.1	0.4	9	5	EVRYTIME: (5)
	94.9	2,439	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 646-647

# V1437

## 041B066E: #X/YR TRQL-ADLT

Item Number: 03780

When you used tranquilizers during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	3.1	80	1	NOT @ALL:(1)
17.1	0.9	23	2	FEW TIME: (2)
7.5	0.4	10	3	SOM TIME: (3)
7.7	0.4	10	4	MST TIME: (4)
6.7	0.3	9	5	EVRYTIME: (5)
	94.9	2,439	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 648-649

## V1438 041B066F: #X/YR TRQL-DATM

Item Number: 03790

When you used tranquilizers during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	2.5	64	1	NOT @ALL:(1)
20.2	1.0	27	2	FEW TIME: (2)
16.6	0.9	22	3	SOM TIME: (3)
8.3	0.4	11	4	MST TIME: (4)
7.1	0.4	9	5	EVRYTIME: (5)
	94.8	2,437	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 650-651

# V1439

## 041B066G: #X/YR TRQL@HOME

Item Number: 03800

When you used tranquilizers during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	1.9	50	1	NOT @ALL:(1)
22.5	1.2	30	2	FEW TIME: (2)
14.2	0.7	19	3	SOM TIME: (3)
10.2	0.5	14	4	MST TIME: (4)
15.5	0.8	21	5	EVRYTIME: (5)
	94.8	2,437	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 652-653

# V1440 041B066H: #X/YR TRQL@SCHL

Item Number: 03810

When you used tranquilizers during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	3.4	87	1	NOT @ALL:(1)
16.6	0.9	22	2	FEW TIME: (2)
10.0	0.5	13	3	SOM TIME: (3)
5.5	0.3	7	4	MST TIME: (4)
1.8	0.1	2	5	EVRYTIME: (5)
	94.8	2,438	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

100.0 100.0 1,071 0abeb (.

Data type: numeric Missing-data code: -9 Columns: 654-655

#### V1441

## 041B066I:#X/YR TRQL@CAR

Item Number: 03830

When you used tranquilizers during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	3.3	84	1	NOT @ALL:(1)
17.4	0.9	23	2	FEW TIME: (2)
9.2	0.5	12	3	SOM TIME: (3)
7.5	0.4	10	4	MST TIME: (4)
2.3	0.1	3	5	EVRYTIME: (5)
	94.8	2,438	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 656-657

## V1442 041B067A: #X OVL TRQL+ALC

Item Number: 03840

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	2.1	53	1	NOT @ALL:(1)
27.8	1.4	37	2	FEW TIME: (2)
15.8	0.8	21	3	SOM TIME: (3)
8.4	0.4	11	4	MST TIME: (4)
7.9	0.4	10	5	EVRYTIME: (5)
	94.8	2,438	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 658-659

# V1443

## 041B067B:#X OVL TRQL+MJ

Item Number: 03850

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	2.3	59	1	NOT @ALL:(1)
13.6	0.7	18	2	FEW TIME: (2)
15.5	0.8	21	3	SOM TIME: (3)
13.7	0.7	18	4	MST TIME: (4)
12.9	0.7	17	5	EVRYTIME: (5)
	94.8	2,438	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 660-661

## V1444 041B067C:#X OVL TRQL+LSD

Item Number: 03860

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	4.4	114	1	NOT @ALL:(1)
3.2	0.2	4	2	FEW TIME: (2)
3.6	0.2	5	3	SOM TIME: (3)
3.9	0.2	5	4	MST TIME: (4)
1.0	0.1	1	5	EVRYTIME: (5)
	95.0	2,442	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 662-663

#### V1445

## 041B067D: #X OVL TRQL+PSY

Item Number: 03870

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	4.4	114	1	NOT @ALL:(1)
2.8	0.1	4	2	FEW TIME: (2)
6.8	0.3	9	3	SOM TIME: (3)
2.7	0.1	3	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 664-665

## V1446 041B067E:#X OVL TRQL+AMP

Item Number: 03880

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	4.3	111	1	NOT @ALL:(1)
4.4	0.2	6	2	FEW TIME: (2)
4.0	0.2	5	3	SOM TIME:(3)
4.7	0.2	6	4	MST TIME: (4)
1.3	0.1	2	5	EVRYTIME: (5)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 666-667

# V1447

## 041B067F: #X OVL TRQL+QUA

Item Number: 03890

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	4.6	118	1	NOT @ALL:(1)
1.9	0.1	2	2	FEW TIME: (2)
4.2	0.2	6	3	SOM TIME: (3)
2.6	0.1	3	4	MST TIME: (4)
1.3	0.1	2	5	EVRYTIME: (5)
	94.9	2,440	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 668-669

## V1448 041B067G:#X OVL TRQL+BRB

Item Number: 03900

How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	4.3	111	1	NOT @ALL:(1)
3.0	0.2	4	2	FEW TIME: (2)
6.6	0.3	9	3	SOM TIME: (3)
1.4	0.1	2	4	MST TIME: (4)
3.4	0.2	4	5	EVRYTIME: (5)
	95.0	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 670-671

# V1449

## 041B068A:TRNQ EXPERIMENT

Item Number: 03910

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) A. To experiment—to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	2.3	59	0	NT MARKD:(0)
54.9	2.8	71	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 672-673

#### V1450 041B068B:TRNQ RELAX

Item Number: 03920

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	2.0	50	0	NT MARKD:(0)
61.4	3.1	80	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 674-675

## V1451

## 041B068C:TRNQ GET HIGH

Item Number: 03930

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	2.3	58	0	NT MARKD:(0)
55.3	2.8	72	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 676-677

# V1452 041B068D:TRNQ SK INSIGHT

Item Number: 03940

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	4.5	117	0	NT MARKD:(0)
10.1	0.5	13	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 678-679

#### V1453

## 041B068E:TRNQ GD TM FRND

Item Number: 03950

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	3.7	96	0	NT MARKD:(0)
26.2	1.3	34	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 680-681

#### V1454 041B068F:TRNQ FIT IN GRP

Item Number: 03960

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	4.6	119	0	NT MARKD:(0)
8.7	0.4	11	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 682-683

#### V1455

## 041B068G:TRNQ GT AWY PRB

Item Number: 03970

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	3.8	97	0	NT MARKD:(0)
25.4	1.3	33	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 684-685

## V1456 041B068H:TRNQ BOREDOM

Item Number: 03980

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	3.9	101	0	NT MARKD:(0)
22.6	1.1	29	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 686-687

#### V1457

## 041B068I:TRNQ ANGR&FRSTN

Item Number: 03990

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	4.0	103	0	NT MARKD:(0)
20.7	1.0	27	1	MARKED:(1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 688-689

#### V1458 041B068J:TRNQ GT THRU DA

Item Number: 04000

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	4.5	115	0	NT MARKD:(0)
11.8	0.6	15	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 690-691

#### V1459

## 041B068K:TRNQ INCR EF DR

Item Number: 04010

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	4.1	104	0	NT MARKD:(0)
19.7	1.0	26	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 692-693

## V1460 041B068L:TRNQ DCRS EF DR

Item Number: 04020

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	4.8	125	0	NT MARKD:(0)
4.1	0.2	5	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 694-695

#### V1461

#### 041B068M:TRNQ GET SLEEP

Item Number: 04030

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.6	3.1	79	0	NT MARKD:(0)
39.4	2.0	51	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 696-697

#### V1696 041B068N:TRNQ RLV PHYS P

Item Number: 04035

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) N. To relieve physical pain

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	3.2	82	0	NT MARKD:(0)
37.2	1.9	48	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 698-699

#### V1462

## 041B068O:TRNQ I AM HOOKD

Item Number: 04040

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	4.9	126	0	NT MARKD:(0)
2.7	0.1	4	1	MARKED: (1)
	94.9	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 700-701

## V1463 041B069 :TRNQ,GT VERY HI

Item Number: 04050

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	0.7	17	1	NOT HIGH: (1)
24.1	1.1	30	2	LIT HIGH:(2)
30.7	1.5	38	3	MOD HIGH: (3)
16.3	0.8	20	4	VRY HIGH: (4)
14.7	0.7	18	5	N TK HI:(5)
	95.2	2,448	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 702-703

#### V1464

## 041B070 :TRNQ,HI 24+ HRS

Item Number: 04060

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	1.1	28	1	N GET HI:(1)
27.9	1.4	35	2	1-2 HRS:(2)
36.5	1.8	46	3	3-6 HRS:(3)
11.0	0.5	14	4	7-24 HRS:(4)
1.9	0.1	2	5	>24 HRS:(5)
	95.1	2,446	-9	MISSING
1000	1000	0 551	,	7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 704-705

#### V1465 041B071A:TKN YR,LIBRIUM

Item Number: 04070

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Librium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	4.6	119	0	NT MARKD:(0)
5.1	0.3	6	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 706-707

#### V1466

## 041B071B:TKN YR, VALIUM

Item Number: 04080

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) B. Valium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	2.1	54	0	NT MARKD:(0)
57.3	2.8	72	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 708-709

## V1814 041B071C:TKN YR, XANAX

Item Number: 04095

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) C. Xanax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.4	2.5	63	0	NT MARKD:(0)
49.6	2.4	62	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 710-711

#### V1468

## 041B071D:TKN YR, EQUANIL

Item Number: 04100

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) D. Equanil

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	4.8	123	0	NT MARKD:(0)
2.1	0.1	3	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 712-713

#### V1469 041B071E:TKN YR, MEPRBMTE

Item Number: 04110

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Meprobamate

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	4.7	122	0	NT MARKD:(0)
3.1	0.2	4	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 714-715

#### V1470

## 041B071F:TKN YR, SERAX

Item Number: 04120

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) F. Serax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	4.8	122	0	NT MARKD:(0)
2.7	0.1	3	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 716-717

## V1471 041B071G:TKN YR,ATARAX

Item Number: 04130

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) G. Atarax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	4.8	122	0	NT MARKD:(0)
2.5	0.1	3	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 718-719

#### V1472

## 041B071H:TKN YR,TRANXENE

Item Number: 04140

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) H. Tranxene

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	4.8	124	0	NT MARKD:(0)
1.2	0.1	2	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 720-721

#### V1473 041B071I:TKN YR, VISTARIL

Item Number: 04150

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) I. Vistaril

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	4.8	123	0	NT MARKD:(0)
2.2	0.1	3	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 722-723

#### V1815

## 041B071J:TKN YR,OTH TRNQ

Item Number: 04155

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) J. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	2.6	68	0	NT MARKD:(0)
46.2	2.3	58	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 724-725

# V1474 041B071K:TKN YR,DNT KNW

Item Number: 04160

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) K. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	4.0	103	0	NT MARKD:(0)
17.6	0.9	22	1	MARKED: (1)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 726-727

## V1475

## 041B072 :\*TRY STP TRQ&FL

Item Number: 04170

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	3	1	YES:(1)
97.8	4.8	122	2	NO:(2)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 728-729

#### V1476 041B073 :NO TRNQ IN 5YR

Item Number: 04180

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	17	1	DEF WILL:(1)
1.8	1.6	42	2	PRB WILL:(2)
15.3	13.8	356	3	PRB WONT:(3)
82.2	74.3	1,911	4	DEF WONT: (4)
	9.5	245	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 730-731

#### V1755

#### 041B074 :EVR TK CRACK/FB

Item Number: 22250

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 76" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	89.1	2,291	1	NO:(1)
3.5	3.3	84	2	YES:(2)
	7.6	196	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 732-733

# V1756 041B075A:#X CRACK/LIFTIM

Item Number: 22260

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	89.5	2,301	1	0 OCCAS:(1)
1.3	1.2	31	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.5	0.4	11	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	7.5	193	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 734-735

# V1757 041B075B:#X CRACK/LST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	90.5	2,326	1	0 OCCAS:(1)
0.8	0.7	18	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.5	0.4	11	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	7.6	195	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 736-737

\_\_\_\_\_

# V1758 041B075C:#X CRACK/LST30D

Item Number: 22280

On how many occasions (if any) have you taken "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	91.5	2,351	1	0 OCCAS:(1)
0.7	0.6	16	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	7.5	194	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 738-739

\_\_\_\_\_

#### V1759 041B076A: #XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you taken cocaine in any other form . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	85.8	2,205	1	0 OCCAS:(1)
2.4	2.2	57	2	1-2X:(2)
1.3	1.2	32	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.8	0.8	20	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
1.1	1.0	26	7	40+OCCAS:(7)
	7.9	203	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 740-741

# V1760 041B076B:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you taken cocaine in any other form . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	88.1	2,264	1	0 OCCAS:(1)
1.4	1.3	34	2	1-2X:(2)
1.1	1.0	26	3	3-5X:(3)
0.6	0.5	14	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	7.8	200	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 742-743

# V1761 041B076C: #XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you taken cocaine in any other form . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	89.9	2,312	1	0 OCCAS:(1)
1.3	1.2	30	2	1-2X:(2)
0.6	0.5	14	3	3-5X:(3)
0.3	0.2	6	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	7.8	200	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 744-745 V1124 041R :#X COKE/LIFETIME

Item Number: 00950

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item 22260) and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime?) (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	83.6	2,148	1	0 OCCAS:(1)
2.0	1.8	46	2	1-2X:(2)
2.1	1.9	48	3	3-5X:(3)
0.5	0.4	11	4	6-9X:(4)
0.9	0.8	21	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
1.5	1.3	34	7	40+OCCAS: (7)
	9.7	248	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 746-747 V1125 041R :#X COKE/LAST12MO

Item Number: 00960

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item 22270) and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months?) (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	85.8	2,206	1	0 OCCAS:(1)
1.3	1.2	31	2	1-2X:(2)
1.5	1.4	35	3	3-5X:(3)
0.5	0.4	11	4	6-9X:(4)
0.7	0.6	16	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS: (7)
	9.6	247	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 748-749

V1126 041R :#X COKE/LAST30DA

Item Number: 00970

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item 22280) and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days?) (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	88.0	2,262	1	0 OCCAS:(1)
1.1	1.0	25	2	1-2X:(2)
0.8	0.8	20	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	9.6	247	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 750-751

#### V1480 041B077A: #X/YR COKE ALNE

Item Number: 04190

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 85. When you used cocaine during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	3.5	90	1	NOT @ALL:(1)
12.9	0.7	17	2	FEW TIME: (2)
11.7	0.6	15	3	SOM TIME: (3)
3.1	0.2	4	4	MST TIME: (4)
2.8	0.1	4	5	EVRYTIME: (5)
	95.0	2,441	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 752-753

# V1481

## 041B077B: #X/YR COKE-2PPL

Item Number: 04200

When you used cocaine during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	1.2	31	1	NOT @ALL:(1)
20.5	1.0	26	2	FEW TIME: (2)
21.5	1.1	28	3	SOM TIME: (3)
12.5	0.6	16	4	MST TIME: (4)
21.5	1.1	28	5	EVRYTIME: (5)
	95.0	2,442	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 754-755

## V1482 041B077C:#X/YR COKE@PRTY

Item Number: 04210

When you used cocaine during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	1.7	44	1	NOT @ALL:(1)
19.3	0.9	24	2	FEW TIME: (2)
19.4	0.9	24	3	SOM TIME: (3)
13.6	0.7	17	4	MST TIME: (4)
13.1	0.6	17	5	EVRYTIME: (5)
	95.1	2,445	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 756-757

#### V1483

#### 041B077D: #X/YR COKE-DT/S

Item Number: 04220

When you used cocaine during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\footnote{1.5mm}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.6	3.2	82	1	NOT @ALL:(1)
11.1	0.5	14	2	FEW TIME: (2)
11.9	0.6	15	3	SOM TIME: (3)
7.6	0.4	9	4	MST TIME: (4)
2.8	0.1	3	5	EVRYTIME: (5)
	95.2	2,447	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 758-759

#### V1484 041B077E: #X/YR COKE-ADLT

Item Number: 04230

When you used cocaine during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	3.4	87	1	NOT @ALL:(1)
12.9	0.6	16	2	FEW TIME: (2)
14.4	0.7	18	3	SOM TIME:(3)
2.3	0.1	3	4	MST TIME: (4)
0.4	0.0	1	5	EVRYTIME: (5)
	95.2	2,447	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 760-761

# V1485

## 041B077F: #X/YR COKE-DATM

Item Number: 04240

When you used cocaine during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	3.0	78	1	NOT @ALL:(1)
12.4	0.6	15	2	FEW TIME: (2)
15.6	0.8	19	3	SOM TIME: (3)
6.8	0.3	8	4	MST TIME: (4)
2.4	0.1	3	5	EVRYTIME: (5)
	95.2	2,446	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 762-763

## V1486 041B077G:#X/YR COKE@HOME

Item Number: 04250

When you used cocaine during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	2.4	63	1	NOT @ALL:(1)
16.2	0.8	20	2	FEW TIME: (2)
19.0	0.9	23	3	SOM TIME: (3)
8.9	0.4	11	4	MST TIME: (4)
5.3	0.3	7	5	EVRYTIME: (5)
	95.2	2,447	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 764-765

# V1487

## 041B077H: #X/YR COKE@SCHL

Item Number: 04260

When you used cocaine during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\footnote{1.5mm}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	3.9	100	1	NOT @ALL:(1)
4.2	0.2	5	2	FEW TIME: (2)
10.9	0.5	14	3	SOM TIME: (3)
2.8	0.1	3	4	MST TIME: (4)
1.8	0.1	2	5	EVRYTIME: (5)
	95.1	2,446	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 766-767

## V1488 041B077I:#X/YR COKE@CAR

Item Number: 04280

When you used cocaine during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	2.3	59	1	NOT @ALL:(1)
22.1	1.1	27	2	FEW TIME: (2)
15.1	0.7	19	3	SOM TIME: (3)
9.9	0.5	12	4	MST TIME: (4)
4.8	0.2	6	5	EVRYTIME: (5)
	95.2	2,448	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 768-769

#### V1489

#### 041B078A: #X OVL COKE+ALC

Item Number: 04290

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs—that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	2.2	56	1	NOT @ALL:(1)
17.9	0.9	22	2	FEW TIME: (2)
10.5	0.5	13	3	SOM TIME: (3)
14.0	0.7	18	4	MST TIME: (4)
13.0	0.6	16	5	EVRYTIME: (5)
	95.1	2,445	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 770-771

#### V1490 041B078B:#X OVL COKE+MJ

Item Number: 04300

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs—that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	1.7	45	1	NOT @ALL:(1)
14.8	0.7	18	2	FEW TIME: (2)
19.6	0.9	23	3	SOM TIME: (3)
14.2	0.7	17	4	MST TIME: (4)
13.7	0.6	16	5	EVRYTIME: (5)
	95.4	2,452	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 772-773

# V1491

## 041B078C: #X OVL COKE+LSD

Item Number: 04310

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	4.1	105	1	NOT @ALL:(1)
2.6	0.1	3	2	FEW TIME: (2)
2.7	0.1	3	3	SOM TIME: (3)
0.8	0.0	1	4	MST TIME: (4)
1.3	0.1	1	5	EVRYTIME: (5)
	95.6	2,457	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 774-775

#### V1492 041B078D: #X OVL COKE+PSY

Item Number: 04320

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs—that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	4.0	103	1	NOT @ALL:(1)
0.8	0.0	1	2	FEW TIME: (2)
5.9	0.3	7	3	SOM TIME: (3)
0.7	0.0	1	4	MST TIME: (4)
2.0	0.1	2	5	EVRYTIME: (5)
	95.6	2,457	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 776-777

## V1493

## 041B078E: #X OVL COKE+AMP

Item Number: 04330

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs—that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	4.0	102	1	NOT @ALL:(1)
3.0	0.1	3	2	FEW TIME: (2)
4.9	0.2	6	3	SOM TIME: (3)
0.8	0.0	1	4	MST TIME: (4)
1.3	0.1	1	5	EVRYTIME: (5)
	95.6	2,457	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 778-779

## V1494 041B078F: #X OVL COKE+QUA

Item Number: 04340

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs—that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	4.2	107	1	NOT @ALL:(1)
1.2	0.1	1	2	FEW TIME: (2)
3.4	0.2	4	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
1.3	0.1	1	5	EVRYTIME: (5)
	95.6	2,457	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 780-781

#### V1495

#### 041B078G: #X OVL COKE+BRB

Item Number: 04350

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs—that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	4.1	107	1	NOT @ALL:(1)
1.2	0.1	1	2	FEW TIME: (2)
2.7	0.1	3	3	SOM TIME: (3)
0.6	0.0	1	4	MST TIME: (4)
1.3	0.1	1	5	EVRYTIME: (5)
	95.6	2,458	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 782-783

## V1496 041B078H: #X OVL COKE+TRN

Item Number: 04360

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs—that is, so that their effects overlapped? H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	3.9	100	1	NOT @ALL:(1)
3.5	0.1	4	2	FEW TIME: (2)
2.1	0.1	2	3	SOM TIME: (3)
1.2	0.1	1	4	MST TIME: (4)
0.9	0.0	1	5	EVRYTIME: (5)
	95.8	2,462	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 784-785

## V1497

## 041B079A:COKE EXPERIMENT

Item Number: 04370

What have been the most important reasons for your taking cocaine? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	0.9	24	0	NT MARKD:(0)
78.0	3.3	86	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 786-787

## V1498 041B079B:COKE RELAX

Item Number: 04380

What have been the most important reasons for your taking cocaine? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	3.3	84	0	NT MARKD:(0)
23.5	1.0	26	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 788-789

## V1499

## 041B079C:COKE GET HIGH

Item Number: 04390

What have been the most important reasons for your taking cocaine? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	1.2	30	0	NT MARKD:(0)
72.5	3.1	79	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 790-791

#### V1500 041B079D:COKE SK INSIGHT

Item Number: 04400

What have been the most important reasons for your taking cocaine? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	3.9	99	0	NT MARKD:(0)
9.3	0.4	10	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 792-793

## V1501

## 041B079E:COKE GD TM FRND

Item Number: 04410

What have been the most important reasons for your taking cocaine? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	2.2	56	0	NT MARKD:(0)
49.3	2.1	54	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 794-795

## V1502 041B079F:COKE FIT IN GRP

Item Number: 04420

What have been the most important reasons for your taking cocaine? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	3.9	101	0	NT MARKD:(0)
7.6	0.3	8	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 796-797

#### V1503

## 041B079G:COKE GT AWY PRB

Item Number: 04430

What have been the most important reasons for your taking cocaine? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	3.5	89	0	NT MARKD:(0)
19.0	0.8	21	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 798-799

#### V1504 041B079H:COKE BOREDOM

Item Number: 04440

What have been the most important reasons for your taking cocaine? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	3.2	81	0	NT MARKD:(0)
25.7	1.1	28	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 800-801

#### V1505

## 041B079I:COKE ANGR&FRSTN

Item Number: 04450

What have been the most important reasons for your taking cocaine? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	3.8	98	0	NT MARKD:(0)
11.0	0.5	12	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 802-803

## V1506 041B079J:COKE GT THRU DA

Item Number: 04460

What have been the most important reasons for your taking cocaine? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	3.9	101	0	NT MARKD:(0)
8.2	0.3	9	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 804-805

#### V1507

## 041B079K:COKE INCR EF DR

Item Number: 04470

What have been the most important reasons for your taking cocaine? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	3.4	87	0	NT MARKD:(0)
20.3	0.9	22	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 806-807

#### V1508 041B079L:COKE DCRS EF DR

Item Number: 04480

What have been the most important reasons for your taking cocaine? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	3.9	100	0	NT MARKD:(0)
9.2	0.4	10	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 808-809

#### V1509

## 041B079M:COKE STAY AWAKE

Item Number: 04490

What have been the most important reasons for your taking cocaine? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	3.1	79	0	NT MARKD:(0)
27.5	1.2	30	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 810-811

## V1510 041B079N:COKE GET>ENERGY

Item Number: 04500

What have been the most important reasons for your taking cocaine? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.1	2.6	67	0	NT MARKD:(0)
38.9	1.7	43	1	MARKED: (1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 812-813

#### V1511

## 041B0790:COKE I AM HOOKD

Item Number: 04510

What have been the most important reasons for your taking cocaine? (Mark all that apply.) O. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	4.0	104	0	NT MARKD:(0)
5.2	0.2	6	1	MARKED:(1)
	95.7	2,461	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 814-815

#### V1512 041B080 :COK,GET VERY HI

Item Number: 04520

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high" 5="I don't take it to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.6	15	1	NOT HIGH: (1)
18.7	0.9	22	2	LIT HIGH:(2)
35.8	1.7	43	3	MOD HIGH: (3)
28.0	1.3	33	4	VRY HIGH: (4)
5.0	0.2	6	5	N TK HI:(5)
	95.4	2,452	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 816-817

#### V1513

## 041B081 :COK, HIGH 24+ HR

Item Number: 04530

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	0.8	20	1	N GET HI:(1)
48.2	2.2	57	2	1-2 HRS:(2)
23.1	1.1	27	3	3-6 HRS:(3)
8.8	0.4	10	4	7-24 HRS:(4)
3.1	0.1	4	5	>24 HRS:(5)
	95.4	2,452	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 818-819

## V1514 041B082 :\*TRY STP COK&FL

Item Number: 04540

Have you ever tried to stop using cocaine and found that you

couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	0.5	14	1	YES:(1)
87.8	3.9	101	2	NO:(2)
	95.5	2,455	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 820-821

#### V1743

# 041B083A:FRM COKE-POWDER

Item Number: 04531

What forms of cocaine have you used? (Mark all that apply.) A. Cocaine powder

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	4	0	NT MRKD:(0)
96.8	4.2	108	1	MARKED: (1)
	95.7	2,460	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 822-823

#### V1746 041B083B:FRM COKE-CRACK

Item Number: 04534

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL3.0 76 1.4 35 0 NT MRKD:(0) 68.4 1 MARKED: (1) 31.6 95.7 2,460 -9 MISSING 100.0 100.0 2,571 cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 824-825

#### V1744

#### 041B083C:FRM COKE-FRBASE

Item Number: 04532

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL77.1 3.3 86 0 NT MRKD:(0) 3.3 86 1.0 25 22.9 1 MARKED: (1) 95.7 2,460 -9 MISSING \_\_\_\_\_ 100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 826-827

## V1745 041B083D:FRM COKE-PASTE

Item Number: 04533

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	3.8	98	0	NT MRKD:(0)
12.1	0.5	13	1	MARKED: (1)
	95.7	2,460	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 828-829

#### V1515

## 041B084A:MTHD COKE SNORT

Item Number: 04550

What methods have you used for taking cocaine? (Mark all that apply.) A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.3	7	0	NT MARKD:(0)
93.5	4.0	104	1	MARKED: (1)
	95.7	2,460	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 830-831

#### V1516 041B084B:MTHD COKE-SMOKE

Item Number: 04560

What methods have you used for taking cocaine? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL2.5 65 0 NT MARKD: (0) 58.5 1.8 46 1 MARKED: (1) 41.5 95.7 2,460 -9 MISSING 100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 832-833

# V1517

#### 041B084C:MTHD COKE-INJCT

Item Number: 04570

What methods have you used for taking cocaine? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL105 7 94.1 4.1 0 NT MARKD:(0) 5.9 0.3 1 MARKED: (1) 95.7 2,460 -9 MISSING \_\_\_\_\_ 100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 834-835

#### V1747 041B084D:MTHD COKE-INHAL

Item Number: 04575

What methods have you used for taking cocaine? (Mark all that apply.) D. Inhaling fumes

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL
VALID ALL
82.2 3.6 91 0 NT MRKD:(0)
17.8 0.8 20 1 MARKED:(1)
95.7 2,460 -9 MISSING
---- ---- ----100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 836-837

#### V1518

#### 041B084E:MTHD COKE-MOUTH

Item Number: 04580

What methods have you used for taking cocaine? (Mark all that apply.) E. By mouth

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 838-839

#### V1519 041B084F:MTHD COKE-OTHER

Item Number: 04590

What methods have you used for taking cocaine? (Mark all that apply.) F. Other

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL4.2 107 0 NT MARKD:(0) 96.4 4 0.2 1 MARKED: (1) 3.6 95.7 2,460 -9 MISSING 100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 840-841

#### V1520 041B085 :NO COKE IN 5YR

Item Number: 04600

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	15	1	DEF WILL:(1)
1.1	1.0	27	2	PRB WILL:(2)
7.8	7.2	184	3	PRB WONT:(3)
90.4	83.3	2,141	4	DEF WONT: (4)
	7.9	203	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 842-843

## V1521 041B086A:#X "H"/LIFETIME

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	90.6	2,329	1	0 OCCAS:(1)
0.6	0.5	13	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	8.0	205	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 844-845

\_\_\_\_\_

#### V1139 041B086A:#X "H"/LIFETIME

Item Number: 01100

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	90.6	2,329	1	0 OCCAS:(1)
0.6	0.5	13	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	8.0	205	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 846-847

## V1522 041B086B:#X "H"/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	91.1	2,341	1	0 OCCAS:(1)
0.5	0.4	11	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.3	0.2	6	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	7.9	204	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 848-849

#### V1140 041B086B:#X "H"/LAST 12M

Item Number: 01110

On how many occasions (if any) have you taken heroin . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	91.1	2,341	1	0 OCCAS:(1)
0.5	0.4	11	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.3	0.2	6	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	7.9	204	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 850-851

## V1523 041B086C:#X "H"/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	91.4	2,350	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.1	4	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	8.0	206	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 852-853

#### V1141 041B086C:#X "H"/LAST 30D

Item Number: 01120

On how many occasions (if any) have you taken heroin . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	91.4	2,350	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.1	4	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	8.0	206	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 854-855

V1564 041B087 :DR TOLD TK NARC

Item Number: 05020

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription. These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Dilaudid, Morphine, Vicodin. Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own." 3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	76.7	1,971	1	NO:(1)
3.5	3.2	82	2	YES BUT: (2)
13.4	12.4	318	3	YES 1ST:(3)
	7.8	199	-9	MISSING
100.0	100.0	2,571	cases (	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 856-857

## V1565 041B088A:#X NARC/LIFETIM

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	80.6	2,071	1	0 OCCAS:(1)
4.4	4.1	105	2	1-2X:(2)
2.7	2.5	64	3	3-5X:(3)
1.4	1.3	33	4	6-9X:(4)
1.4	1.3	34	5	10-19X:(5)
0.7	0.6	16	6	20-39X:(6)
1.6	1.4	37	7	40+OCCAS:(7)
	8.2	211	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 858-859

## V1142 041B088A: #X NARC/LIFETIM

Item Number: 01130

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	80.6	2,071	1	0 OCCAS:(1)
4.4	4.1	105	2	1-2X:(2)
2.7	2.5	64	3	3-5X:(3)
1.4	1.3	33	4	6-9X:(4)
1.4	1.3	34	5	10-19X:(5)
0.7	0.6	16	6	20-39X:(6)
1.6	1.4	37	7	40+OCCAS:(7)
	8.2	211	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 860-861

\_\_\_\_\_

## V1566 041B088B:#X NARC/LAST12M

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	84.3	2,166	1	0 OCCAS:(1)
2.8	2.6	67	2	1-2X:(2)
2.0	1.8	47	3	3-5X:(3)
1.3	1.2	30	4	6-9X:(4)
1.0	0.9	23	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS:(7)
	8.2	212	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 862-863

## V1143 041B088B:#X NARC/LAST12M

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	84.3	2,166	1	0 OCCAS:(1)
2.8	2.6	67	2	1-2X:(2)
2.0	1.8	47	3	3-5X:(3)
1.3	1.2	30	4	6-9X:(4)
1.0	0.9	23	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS:(7)
	8.2	212	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 864-865

## V1567 041B088C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	87.9	2,259	1	0 OCCAS:(1)
2.4	2.2	57	2	1-2X:(2)
0.7	0.6	16	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	8.3	213	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 866-867

## V1144 041B088C:#X NARC/LAST30D

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	87.9	2,259	1	0 OCCAS:(1)
2.4	2.2	57	2	1-2X:(2)
0.7	0.6	16	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	8.3	213	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 868-869 V1568 041B089A: #X/YR NARC ALNE

Item Number: 05030

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 97. | THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 97. | When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	3.1	80	1	NOT @ALL:(1)
26.1	1.8	47	2	FEW TIME: (2)
12.2	0.9	22	3	SOM TIME: (3)
9.8	0.7	18	4	MST TIME: (4)
7.9	0.6	14	5	EVRYTIME: (5)
	93.0	2,390	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 870-871

## V1569 041B089B:#X/YR NARC-2PPL

Item Number: 05040

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	1.6	42	1	NOT @ALL:(1)
35.3	2.5	64	2	FEW TIME: (2)
21.6	1.5	39	3	SOM TIME:(3)
11.3	0.8	20	4	MST TIME:(4)
8.6	0.6	16	5	EVRYTIME: (5)
	93.0	2,390	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 872-873

#### V1570

## 041B089C: #X/YR NARC@PRTY

Item Number: 05050

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	3.1	79	1	NOT @ALL:(1)
17.2	1.2	31	2	FEW TIME: (2)
19.1	1.3	34	3	SOM TIME: (3)
11.3	0.8	20	4	MST TIME: (4)
8.2	0.6	15	5	EVRYTIME: (5)
	93.1	2,392	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 874-875

## V1571 041B089D:#X/YR NARC-DT/S

Item Number: 05060

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	4.4	113	1	NOT @ALL:(1)
13.4	0.9	24	2	FEW TIME: (2)
10.7	0.7	19	3	SOM TIME:(3)
7.7	0.5	14	4	MST TIME: (4)
5.3	0.4	10	5	EVRYTIME: (5)
	93.0	2,391	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 876-877

#### V1572

## 041B089E: #X/YR NARC-ADLT

Item Number: 05070

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	4.6	117	1	NOT @ALL:(1)
12.6	0.9	23	2	FEW TIME: (2)
13.1	0.9	24	3	SOM TIME: (3)
7.0	0.5	13	4	MST TIME: (4)
2.3	0.2	4	5	EVRYTIME: (5)
	93.0	2,390	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 878-879

#### V1573 041B089F:#X/YR NARC-DATM

Item Number: 05080

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	2.8	72	1	NOT @ALL:(1)
28.0	2.0	51	2	FEW TIME: (2)
17.7	1.2	32	3	SOM TIME: (3)
8.8	0.6	16	4	MST TIME: (4)
5.6	0.4	10	5	EVRYTIME: (5)
	92.9	2,389	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 880-881

# V1574

## 041B089G: #X/YR NARC@HOME

Item Number: 05090

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	2.4	61	1	NOT @ALL:(1)
27.0	1.9	49	2	FEW TIME: (2)
14.1	1.0	26	3	SOM TIME: (3)
15.1	1.1	27	4	MST TIME: (4)
10.2	0.7	18	5	EVRYTIME: (5)
	93.0	2,390	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 882-883

## V1575 041B089H: #X/YR NARC@SCHL

Item Number: 05100

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	4.3	110	1	NOT @ALL:(1)
14.4	1.0	26	2	FEW TIME: (2)
17.9	1.3	32	3	SOM TIME:(3)
5.2	0.4	9	4	MST TIME: (4)
1.7	0.1	3	5	EVRYTIME: (5)
	93.0	2,390	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 884-885

# V1576

## 041B089I:#X/YR NARC @CAR

Item Number: 05120

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	3.9	100	1	NOT @ALL:(1)
20.8	1.5	38	2	FEW TIME: (2)
11.7	0.8	21	3	SOM TIME:(3)
9.7	0.7	18	4	MST TIME: (4)
2.5	0.2	5	5	EVRYTIME: (5)
	93.0	2,390	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 886-887

### V1577 041B090A: #X OVL NARC+ALC

Item Number: 05130

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	2.9	75	1	NOT @ALL:(1)
22.8	1.6	41	2	FEW TIME: (2)
15.5	1.1	28	3	SOM TIME: (3)
11.0	0.8	20	4	MST TIME: (4)
9.2	0.6	16	5	EVRYTIME: (5)
	93.0	2,391	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 888-889

# V1578

# 041B090B: #X OVL NARC+MJ

Item Number: 05140

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	2.8	72	1	NOT @ALL:(1)
18.3	1.3	32	2	FEW TIME: (2)
19.0	1.3	33	3	SOM TIME: (3)
5.9	0.4	10	4	MST TIME: (4)
16.0	1.1	28	5	EVRYTIME: (5)
	93.2	2,395	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 890-891

## V1579 041B090C:#X OVL NARC+LSD

Item Number: 05150

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	6.4	164	1	NOT @ALL:(1)
1.9	0.1	3	2	FEW TIME: (2)
4.3	0.3	7	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	93.2	2,396	-9	MISSING
100 0	100 0	0 571	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 892-893

# V1580

# 041B090D: #X OVL NARC+PSY

Item Number: 05160

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: hallucinogenss other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	6.3	163	1	NOT @ALL:(1)
3.9	0.3	7	2	FEW TIME: (2)
3.7	0.3	7	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	93.2	2,395	-9	MISSING
100 0	100 0	2 571	aaaaa /	/ K + M

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 894-895

### V1581 041B090E: #X OVL NARC+AMP

Item Number: 05170

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	6.2	159	1	NOT @ALL:(1)
3.9	0.3	7	2	FEW TIME: (2)
5.4	0.4	9	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	93.2	2,396	-9	MISSING
100 0	100 0	O E 71	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 896-897

# V1582

# 041B090F: #X OVL NARC+QUA

Item Number: 05180

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	6.4	166	1	NOT @ALL:(1)
0.3	0.0	1	2	FEW TIME: (2)
3.5	0.2	6	3	SOM TIME: (3)
1.2	0.1	2	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	93.2	2,396	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 898-899

### V1583 041B090G: #X OVL NARC+BRB

Item Number: 05190

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	6.4	166	1	NOT @ALL:(1)
1.1	0.1	2	2	FEW TIME: (2)
4.0	0.3	7	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	93.2	2,396	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 900-901

# V1584

# 041B090H: #X OVL NARC+TRN

Item Number: 05200

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	5.9	152	1	NOT @ALL:(1)
5.7	0.4	10	2	FEW TIME: (2)
6.4	0.4	11	3	SOM TIME: (3)
1.1	0.1	2	4	MST TIME: (4)
0.0	0.0	0	5	EVRYTIME: (5)
	93.2	2,396	-9	MISSING
100 0	100 0	2 571	/	T.T == ~1 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 902-903

### V1585 041B090I:#X OVL NARC+COK

Item Number: 05210

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? I: With cocaine

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	5.9	152	1	NOT @ALL:(1)
7.2	0.5	13	2	FEW TIME: (2)
4.1	0.3	7	3	SOM TIME: (3)
0.8	0.1	1	4	MST TIME: (4)
0.8	0.1	1	5	EVRYTIME: (5)
	93.2	2,396	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 904-905

# V1586

# 041B090J:#X OVL NARC+HER

Item Number: 05220

How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? J: With heroin

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	6.4	165	1	NOT @ALL:(1)
1.4	0.1	2	2	FEW TIME: (2)
3.5	0.2	6	3	SOM TIME: (3)
0.0	0.0	0	4	MST TIME: (4)
0.4	0.0	1	5	EVRYTIME: (5)
	93.2	2,396	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 906-907

## V1587 041B091A:NARC EXPERIMENT

Item Number: 05230

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) A. To experiment—to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	2.7	70	0	NT MARKD:(0)
59.4	4.0	102	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 908-909

### V1588

## 041B091B:NARC RELAX

Item Number: 05240

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	2.8	71	0	NT MARKD:(0)
58.7	3.9	101	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 910-911

## V1589 041B091C:NARC GET HIGH

Item Number: 05250

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	2.9	75	0	NT MARKD:(0)
56.6	3.8	97	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 912-913

### V1590

## 041B091D:NARC SK INSIGTS

Item Number: 05260

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	6.2	159	0	NT MARKD:(0)
7.6	0.5	13	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 914-915

## V1591 041B091E:NARC GD TM FRND

Item Number: 05270

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	4.6	119	0	NT MARKD:(0)
30.7	2.1	53	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 916-917

### V1592

# 041B091F:NARC FIT IN GRP

Item Number: 05280

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	6.5	168	0	NT MARKD:(0)
2.3	0.2	4	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 918-919

## V1593 041B091G:NARC GT AWY PBM

Item Number: 05290

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	5.7	146	0	NT MARKD:(0)
15.5	1.0	27	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 920-921

### V1594

## 041B091H:NARC BOREDOM

Item Number: 05300

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	5.3	135	0	NT MARKD:(0)
21.6	1.4	37	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 922-923

## V1595 041B091I:NARC ANGR&FRSTN

Item Number: 05310

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	6.1	156	0	NT MARKD:(0)
9.2	0.6	16	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 924-925

### V1596

# 041B091J:NARC GT THRU DA

Item Number: 05320

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	6.1	158	0	NT MARKD:(0)
8.5	0.6	15	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 926-927

## V1597 041B091K:NARC INC EF DG

Item Number: 05330

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	5.1	132	0	NT MARKD:(0)
23.5	1.6	40	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 928-929

#### V1598

#### 041B091L:NARC DEC EF DG

Item Number: 05340

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	6.7	171	0	NT MARKD:(0)
0.5	0.0	1	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 930-931

## V1599 041B091M:NARC GET SLEEP

Item Number: 05350

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	4.8	123	0	NT MARKD:(0)
28.6	1.9	49	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 932-933

### V1600

# 041B091N:NARC SBST HERIN

Item Number: 05360

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	6.6	169	0	NT MARKD:(0)
2.0	0.1	3	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 934-935

## V1697 041B0910:NARC RLV PHYS P

Item Number: 05363

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) O. To relieve physical pain

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	3.8	97	0	NT MARKD:(0)
43.6	2.9	75	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 936-937

### V1698

## 041B091P:NARC RLV COUGHN

Item Number: 05366

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) P. To control coughing

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	6.4	166	0	NT MARKD:(0)
3.7	0.3	6	1	MARKED:(1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 938-939

#### V1601 041B091Q:NARC I AM HOOKD

Item Number: 05370

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? all that apply.) Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	6.6	170	0	NT MARKD:(0)
1.3	0.1	2	1	MARKED: (1)
	93.3	2,399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 940-941

#### V1602

### 041B092 :NARC,GT VERY HI

Item Number: 05380

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high" 4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	0.6	16	1	NOT HIGH: (1)
24.8	1.7	44	2	LIT HIGH:(2)
40.8	2.8	72	3	MOD HIGH: (3)
17.7	1.2	31	4	VRY HIGH: (4)
7.6	0.5	13	5	N TK HI:(5)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 942-943

## V1603 041B093 :NARC,HI 24+ HRS

Item Number: 05390

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	1.1	27	1	N GET HI:(1)
36.0	2.5	64	2	1-2 HRS:(2)
41.2	2.8	73	3	3-6 HRS:(3)
6.5	0.4	12	4	7-24 HRS:(4)
0.8	0.1	1	5	>24 HRS:(5)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 944-945

#### V1604

## 041B094A:NARC TKN MTHDNE

Item Number: 05400

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Methadone

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	6.1	157	0	NT MARKD:(0)
10.9	0.8	19	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 946-947

#### V1605 041B094B:NARC TKN OPIUM

Item Number: 05410

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) B. Opium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	5.0	129	0	NT MARKD:(0)
27.0	1.9	48	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 948-949

### V1606

## 041B094C:NARC TKN MRPHNE

Item Number: 05420

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) C. Morphine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	5.0	129	0	NT MARKD:(0)
27.0	1.9	48	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 950-951

### V1607 041B094D:NARC TKN CODEIN

Item Number: 05430

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) D. Codeine

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 952-953

### V1608

### 041B094E:NARC TKN DEMROL

Item Number: 05440

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Demerol

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 954-955

#### V1816 041B094F:NARC TKN VICODN

Item Number: 05445

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) F. Vicodin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	2.3	59	0	NT MARKD:(0)
66.4	4.6	117	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 956-957

### V1817

## 041B094G:NARC TKN OXYCON

Item Number: 05455

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) G. OxyContin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	4.4	113	0	NT MARKD:(0)
36.1	2.5	64	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 958-959

## V1818 041B094H:NARC TKN PERCET

Item Number: 05465

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	4.2	108	0	NT MARKD:(0)
38.6	2.6	68	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 960-961

### V1819

## 041B094I:NARC TKN PERDAN

Item Number: 05475

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	6.3	162	0	NT MARKD:(0)
8.0	0.6	14	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 962-963

#### V1820 041B094J:NARC TKN DILAUD

Item Number: 05478

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) J. Dilaudid

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	6.6	171	0	NT MARKD:(0)
3.3	0.2	6	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 964-965

### V1612

## 041B094K:NARC TKN OTHER

Item Number: 05480

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) K. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	5.4	138	0	NT MARKD:(0)
21.8	1.5	38	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 966-967

## V1613 041B094L:NARC TKN DNT KN

Item Number: 05490

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) L. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	6.4	165	0	NT MARKD:(0)
6.7	0.5	12	1	MARKED: (1)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 968-969

## V1614 041B095 :TRY STP NARC&FL

Item Number: 05500

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.3	8	1	YES:(1)
95.3	6.6	169	2	NO:(2)
	93.1	2,394	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 970-971

#### V1615 041B096A:METH NARC SNORT

Item Number: 05510

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.1	4.2	107	0	NT MARKD:(0)
36.9	2.4	63	1	MARKED: (1)
	93.4	2,401	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 972-973

### V1616

## 041B096B:METH NARC SMOKE

Item Number: 05520

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	5.1	130	0	NT MARKD:(0)
23.1	1.5	39	1	MARKED: (1)
	93.4	2,401	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 974-975

## V1617 041B096C:METH NARC INJCT

Item Number: 05530

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	6.4	165	0	NT MARKD:(0)
2.5	0.2	4	1	MARKED: (1)
	93.4	2,401	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 976-977

### V1618

# 041B096D:METH NARC MOUTH

Item Number: 05540

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) D. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	0.7	18	0	NT MARKD:(0)
89.4	5.9	152	1	MARKED: (1)
	93.4	2,401	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 978-979

## V1619 041B096E:METH NARC OTHER

Item Number: 05550

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) E. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	6.5	166	0	NT MARKD:(0)
2.0	0.1	3	1	MARKED: (1)
	93.4	2,401	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 980-981

### V1620

# 041B097 :NO NARC IN 5YR

Item Number: 05560

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	16	1	DEF WILL:(1)
2.9	2.7	70	2	PRB WILL:(2)
11.4	10.5	271	3	PRB WONT:(3)
84.9	78.3	2,013	4	DEF WONT: (4)
	7.8	201	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 982-983

## V1762 041B098 :ATTND DRG TRTMN

Item Number: 22360

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	91.4	2,350	1	NO/NVR:(1)
0.5	0.5	13	2	Y/-PSTYR:(2)
0.7	0.6	16	3	Y/PST YR:(3)
	7.5	193	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 984-985

## V1763

#### 041B099 :RCV DRG COUNSEL

Item Number: 22370

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	89.4	2,298	1	NO/NVR:(1)
1.6	1.5	39	2	Y/-PSTYR:(2)
1.5	1.4	37	3	Y/PST YR:(3)
	7.7	197	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 986-987

#### V1621 041B100A:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

	LABEL	VALUE	N	PCT	PCT
				ALL	VALID
6:(1)	GRADE	1	36	1.4	1.5
7:(2)	GRADE	2	50	1.9	2.2
8:(3)	GRADE	3	63	2.5	2.7
9:(4)	GRADE	4	102	4.0	4.4
10:(5)	GRADE	5	78	3.0	3.4
11:(6)	GRADE	6	114	4.4	4.9
12:(7)	GRADE	7	71	2.8	3.1
(8)	NEVER:	8	1,795	69.8	77.8
IG	MISSIN	-9	262	10.2	

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 988-989

# V1622 041B100B:GR 1ST TRY ALC

Item Number: 05580

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	7.2	186	1	GRADE 6:(1)
6.8	6.0	153	2	GRADE 7:(2)
11.0	9.6	247	3	GRADE 8:(3)
17.6	15.3	394	4	GRADE 9:(4)
16.1	14.0	361	5	GRADE 10:(5)
13.2	11.5	297	6	GRADE 11:(6)
8.3	7.3	186	7	GRADE 12:(7)
18.8	16.4	421	8	NEVER: (8)
	12.7	327	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 990-991

#### V1623 041B100C:GR 1ST TRY MJ

Item Number: 05590

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
2.1	1.9	49	1	GRADE	6:(1)
4.1	3.7	95	2	GRADE	7:(2)
6.5	5.9	151	3	GRADE	8:(3)
10.5	9.5	245	4	GRADE	9:(4)
8.5	7.7	198	5	GRADE	10:(5)
6.8	6.1	158	6	GRADE	11:(6)
4.2	3.8	97	7	GRADE	12:(7)
57.4	51.9	1,334	8	NEVER:	(8)
	9.5	244	-9	MISSIN	IG

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 992-993

# V1624 041B100D:GR 1ST TRY LSD

Item Number: 05600

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	GRADE 6:(1)
0.3	0.3	7	2	GRADE 7:(2)
0.4	0.4	10	3	GRADE 8:(3)
1.4	1.3	34	4	GRADE 9:(4)
1.0	0.9	23	5	GRADE 10:(5)
1.1	1.0	26	6	GRADE 11:(6)
0.4	0.4	10	7	GRADE 12:(7)
95.3	87.5	2,250	8	NEVER: (8)
	8.2	210	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 994-995

#### V1625 041B100E:GR 1ST TRY PSY

Item Number: 05610

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

BEL	UE	N	PCT	PCT
			ALL	VALID
ADE	1	1	0.0	0.1
ADE	2	1	0.0	0.0
ADE	3	17	0.7	0.7
ADE	4	28	1.1	1.2
ADE	5	39	1.5	1.7
ADE	6	35	1.4	1.5
ADE	7	26	1.0	1.1
VER	8	2,180	84.8	93.7
SSI	-9	245	9.5	

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 996-997

# V1626 041B100F:GR 1ST TRY AMP

Item Number: 05620

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

	LABEL	VALUE	N	PCT	PCT
				ALL	VALID
6:(1)	GRADE	1	3	0.1	0.2
7:(2)	GRADE	2	10	0.4	0.4
8:(3)	GRADE	3	20	0.8	0.9
9:(4)	GRADE	4	29	1.1	1.3
10:(5)	GRADE	5	61	2.4	2.7
11:(6)	GRADE	6	43	1.7	1.9
12:(7)	GRADE	7	19	0.7	0.8
:(8)	NEVER:	8	2,074	80.7	91.8
1G	MISSI	-9	312	12.1	

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 998-999

#### V1627 041B100G:GR 1ST TRY QUA

Item Number: 05630

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	4	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.1	0.1	2	3	GRADE 8:(3)
0.3	0.2	6	4	GRADE 9:(4)
0.1	0.1	3	5	GRADE 10:(5)
0.2	0.2	5	6	GRADE 11:(6)
0.1	0.1	3	7	GRADE 12:(7)
99.0	90.7	2,331	8	NEVER: (8)
	8.4	215	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1000-1001

## V1628 041B100H:GR 1ST TRY BRB

Item Number: 05640

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. H: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

	LABEL	VALUE	N	PCT	PCT
				ALL	VALID
6:(1)	GRADE	1	4	0.1	0.2
7:(2)	GRADE	2	7	0.3	0.3
8:(3)	GRADE	3	3	0.1	0.1
9:(4)	GRADE	4	13	0.5	0.6
10:(5)	GRADE	5	14	0.5	0.6
11:(6)	GRADE	6	13	0.5	0.6
12:(7)	GRADE	7	9	0.4	0.4
:(8)	NEVER:	8	2,246	87.4	97.3
1G	MISSI	-9	262	10.2	

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1002-1003

#### V1629 041B100I:GR 1ST TRY TRN

Item Number: 05650

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.4	0.3	8	1	GRADE	6:(1)
0.3	0.2	6	2	GRADE	7:(2)
0.3	0.3	7	3	GRADE	8:(3)
1.5	1.3	34	4	GRADE	9:(4)
1.3	1.1	29	5	GRADE	10:(5)
1.7	1.5	38	6	GRADE	11:(6)
1.4	1.2	31	7	GRADE	12:(7)
93.3	83.4	2,144	8	NEVER:	:(8)
	10.6	273	-9	MISSIN	1G

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1004-1005

# V1630 041B100J:GR 1ST TRY COK

Item Number: 05660

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.2	0.2	5	2	GRADE 7:(2)
0.3	0.3	7	3	GRADE 8:(3)
1.3	1.2	30	4	GRADE 9:(4)
1.2	1.1	29	5	GRADE 10:(5)
2.0	1.8	46	6	GRADE 11:(6)
1.9	1.8	45	7	GRADE 12:(7)
93.0	85.5	2,197	8	NEVER: (8)
	8.1	208	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1006-1007

#### V1631 041B100K:GR 1ST TRY HER

Item Number: 05670

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.5	0.5	12	4	GRADE 9:(4)
0.2	0.2	5	5	GRADE 10:(5)
0.3	0.3	7	6	GRADE 11:(6)
0.1	0.1	3	7	GRADE 12:(7)
98.4	90.3	2,322	8	NEVER: (8)
	8.2	212	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1008-1009

# V1632 041B100L:GR 1ST TRY NRC

Item Number: 05680

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	6	1	GRADE 6:(1)
0.2	0.2	5	2	GRADE 7:(2)
0.7	0.6	15	3	GRADE 8:(3)
2.1	1.9	49	4	GRADE 9:(4)
2.3	2.0	52	5	GRADE 10:(5)
3.0	2.7	69	6	GRADE 11:(6)
1.5	1.3	34	7	GRADE 12:(7)
90.0	80.2	2,062	8	NEVER: (8)
	10.9	279	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1010-1011

#### V1748 041B100M:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. M: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
11.7	10.2	263	1	GRADE	6:(1)
7.6	6.6	170	2	GRADE	7:(2)
7.6	6.6	170	3	GRADE	8:(3)
7.7	6.8	174	4	GRADE	9:(4)
5.6	4.9	126	5	GRADE	10:(5)
4.9	4.3	110	6	GRADE	11:(6)
3.3	2.9	74	7	GRADE	12:(7)
51.7	45.3	1,164	8	NEVER:	(8)
	12.4	319	-9	MISSIN	ſĠ

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1012-1013

# V1749 041B100N:GR 1ST DRUNK

Item Number: 05585

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
2.6	2.2	56	1	GRADE 6:(1)	
3.6	3.1	79	2	GRADE 7:(2)	
7.9	6.7	172	3	GRADE 8:(3)	
13.2	11.2	289	4	GRADE 9:(4)	
12.7	10.8	278	5	GRADE 10:(5	)
11.7	9.9	256	6	GRADE 11:(6	)
6.5	5.5	142	7	GRADE 12:(7	)
41.9	35.6	916	8	NEVER: (8)	
	14.9	384	-9	MISSING	

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1014-1015

#### V1783 041B1000:GR 1ST TRY CRAC

Item Number: 05661

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. O: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	GRADE 6:(1)
0.2	0.2	4	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.6	0.6	15	4	GRADE 9:(4)
0.6	0.5	13	5	GRADE 10:(5)
0.6	0.6	14	6	GRADE 11:(6)
0.5	0.5	12	7	GRADE 12:(7)
97.4	88.3	2,271	8	NEVER: (8)
	9.3	238	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1016-1017

# V1784 041B100P:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. P: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	8	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.2	0.1	4	3	GRADE 8:(3)
0.5	0.5	12	4	GRADE 9:(4)
0.8	0.7	19	5	GRADE 10:(5)
1.0	0.9	23	6	GRADE 11:(6)
0.8	0.8	20	7	GRADE 12:(7)
96.3	88.8	2,284	8	NEVER: (8)
	7.7	199	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1018-1019

# V1785

# 041B101A:ALL FRD SMK CIG

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	15.2	392	1	NONE: (1)
36.7	34.1	877	2	A FEW: (2)
27.6	25.6	659	3	SOME: (3)
17.7	16.5	424	4	MOST: (4)
1.5	1.4	36	5	ALL:(5)
	7.2	184	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1020-1021

#### V1786 041B101B:ALL FRD SMK MAR

Item Number: 07080

How many of your friends would you estimate . . .  $\ensuremath{\mathtt{B}}\xspace\colon$  Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	18.9	486	1	NONE: (1)
31.2	28.9	743	2	A FEW: (2)
27.6	25.6	658	3	SOME: (3)
18.0	16.7	430	4	MOST:(4)
2.8	2.6	66	5	ALL:(5)
	7.3	188	-9	MISSING
100.0	100.0	2,571	cases (	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 1022-1023

## V1787

## 041B101C:# FRNDS TK CRAC

Item Number: 07151

How many of your friends would you estimate . . . C: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	72.7	1,868	1	NONE: (1)
17.1	15.8	405	2	A FEW: (2)
3.1	2.9	75	3	SOME: (3)
0.8	0.7	18	4	MOST: (4)
0.3	0.2	6	5	ALL:(5)
	7.7	198	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1024-1025

# V1788 041B101D:# FRNDS TK C PW

Item Number: 23990

How many of your friends would you estimate. . . D: Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	67.6	1,737	1	NONE: (1)
20.9	19.2	494	2	A FEW: (2)
4.1	3.7	96	3	SOME: (3)
0.9	0.9	22	4	MOST: (4)
0.5	0.4	11	5	ALL:(5)
	8.2	210	-9	MISSING
100 0	100 0	O E71	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1026-1027

### V1789

## 041B101E:ALL FRD DRK ALC

Item Number: 07190

How many of your friends would you estimate . . . E: Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.1	184	1	NONE: (1)
11.2	10.4	267	2	A FEW: (2)
19.0	17.6	452	3	SOME: (3)
40.8	37.7	968	4	MOST: (4)
21.2	19.6	503	5	ALL:(5)
	7.6	196	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1028-1029

#### V1790 041B101F:ALL FRD GT DRUN

Item Number: 07200

How many of your friends would you estimate . . . F: Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	23.1	594	1	NONE: (1)
27.6	25.6	657	2	A FEW: (2)
24.1	22.3	573	3	SOME: (3)
18.5	17.2	442	4	MOST:(4)
4.9	4.6	117	5	ALL:(5)
	7.3	187	-9	MISSING
100 0	100.0	2.571	cases	Wtd)

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1030-1031

### V1148

## 041(R) :AGE <>18 DICHOTOMY

Item Number:

Item comprised of responses to question C01 "In what year were you born?"(item 00010), question CO2 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	42.8	1,101	1	< 18:(1)
54.4	51.0	1,312	2	18+:(2)
	6.1	158	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1032-1033

# V1150 041C003 :R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	44.8	1,152	1	MALE: (1)
51.2	47.1	1,210	2	FEMALE: (2)
	8.1	208	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1034-1035

## V1151 041C04 :R'S RACE

Item Number: 00040

How do you describe yourself?

2="Black or African American" 3="Mexican American or Chicano" 4="Cuban American" 8="Puerto Rican" 9="Other Latin American" 5="Asian American" 6="White (Caucasian)" 1="American Indian (Native American Indian)" 7="Other". Responses other than 2 ("Black or African American") and 6 ("White [Caucasian]") were recoded to missing data in this dataset.

Г	PCT	N	VALUE	LABEL
	VALID			
3 1	86.1	1,639	0	WHITE:(6)
3	13.9	264	1	BLACK:(2)
9		667	-9	MISSING
2	100.0 1	2.571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1036-1037

#### V1152 041C005 :R SPD >TIM R-UR

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.4	371	0	DK/MIXED:(0)
5.0	5.0	128	1	FARM:(1)
9.6	9.6	246	2	COUNTRY: (2)
27.1	27.1	697	3	SML TOWN: (3)
11.5	11.5	296	4	MED CITY: (4)
9.5	9.5	245	5	SUBURB 4:(5)
7.8	7.8	199	6	LRG CITY:(6)
7.7	7.7	199	7	SUBURB 6:(7)
3.8	3.8	98	8	VRYLG CY:(8)
3.5	3.5	90	9	SUBURB 8:(9)
1000	1000	0 551	,	1\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1038-1039

## V1153

# 041C006 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.7	69	1	MARRIED:(1)
4.8	4.5	116	2	ENGAGED: (2)
0.8	0.8	20	3	SEP/DIV:(3)
91.4	85.2	2,191	4	SINGLE:(4)
	6.8	174	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 1040-1041

V49 04C07R:# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more" For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	5.8	149	0	
31.5	29.4	755	1	
27.3	25.5	655	2	
35.0	32.7	840	3	
	6.7	172	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1042-1043

# V1155

# 041C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) . . . B. . . . Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	23.6	607	0	NT MARKD:(0)
74.6	69.4	1,785	1	MARKED: (1)
	7.0	179	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1044-1045

#### V1156 041C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) . . . C. . . . Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	9.5	243	0	NT MARKD:(0)
89.8	83.6	2,148	1	MARKED: (1)
	7.0	179	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1046-1047

# V1157

# 041C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.) D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	29.7	763	0	NT MARKD:(0)
68.1	63.3	1,628	1	MARKED: (1)
	7.0	179	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1048-1049

V1163 041C008 :FATHR EDUC LEVE

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.7	95	1	GRDE SCH:(1)
9.5	8.8	227	2	SOME HS:(2)
29.0	26.8	689	3	HS GRAD: (3)
13.8	12.8	329	4	SOME CLG:(4)
21.7	20.1	515	5	CLG GRAD: (5)
13.8	12.8	329	6	GRAD SCH:(6)
8.2	7.6	195	7	DK:(7)
	7.4	191	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1050-1051

# V1164 041C009 :MOTHR EDUC LEVE

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.8	72	1	GRDE SCH:(1)
8.0	7.4	191	2	SOME HS:(2)
26.8	24.8	638	3	HS GRAD:(3)
17.8	16.5	424	4	SOME CLG:(4)
25.4	23.6	606	5	CLG GRAD: (5)
14.1	13.1	336	6	GRAD SCH: (6)
4.8	4.4	114	7	DK:(7)
	7.3	188	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1052-1053

# V1165

# 041C010 :MOTH PD JB R YN

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	14.2	365	1	NO:(1)
20.5	18.9	487	2	SOMETIME: (2)
16.9	15.6	401	3	MOSTTIME: (3)
47.1	43.5	1,118	4	ALL TIME: (4)
	7.8	200	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1054-1055

# V1166 041C011 :R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	8.3	214	1	STRG GOP:(1)
14.1	12.5	321	2	MILD GOP:(2)
11.9	10.6	272	3	MILD DEM:(3)
11.0	9.8	251	4	STRG DEM: (4)
10.7	9.4	242	5	<pre>INDEPNDT:(5)</pre>
15.7	13.9	357	6	NO PREF: (6)
1.6	1.4	36	7	OTHER: (7)
25.5	22.6	581	8	DK:(8)
	11.5	296	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1056-1057

# V1167 041C012 :R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.2	109	1	VRY CONS:(1)
11.3	10.3	265	2	CONSERV: (2)
23.1	21.2	544	3	MODERATE: (3)
13.9	12.7	328	4	LIBERAL: (4)
5.1	4.7	121	5	VRY LIB:(5)
2.1	1.9	50	6	<pre>RADICAL:(6)</pre>
39.8	36.5	937	8	NONE/DK:(8)
	8.4	216	-9	MISSING
	4000	0	,	: 3.

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1058-1059

# V1169

# 041C013B:R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	11.7	302	1	NEVER: (1)
35.2	26.4	680	2	RARELY:(2)
15.1	11.3	292	3	1-2X/MO:(3)
34.1	25.7	660	4	1/WK OR+:(4)
	24.8	637	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

.

Data type: numeric Missing-data code: -9 Columns: 1060-1061

# V1170 041C013C:RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	11.9	305	1	NOT IMPT:(1)
25.9	19.4	499	2	LITL IMP:(2)
27.6	20.7	532	3	PRTY IMP:(3)
30.8	23.1	594	4	VERY IMP:(4)
	25.0	641	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1062-1063

### V1171

## 041C014 :WHEN R XPCT GRA

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	89.7	2,305	1	BY JUNE: (1)
1.4	1.3	33	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
1.1	1.0	25	6	WONT: (6)
	8.1	208	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1064-1065

# V1172 041C015 :R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	49.5	1,272	1	CLG PREP:(1)
30.6	27.9	718	2	GENERAL: (2)
5.8	5.3	137	3	VOC-TECH: (3)
9.3	8.5	218	4	OTH/DK:(4)
	8.8	226	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1066-1067

### V1173

## 041C016 :RT SF SCH AB>AV

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	33	1	FAR BLOW: (1)
1.8	1.6	42	2	BELOW AV: (2)
4.2	3.8	99	3	SL BELOW: (3)
33.3	30.3	778	4	AVERAGE: (4)
22.6	20.6	529	5	SL ABOVE: (5)
28.8	26.2	674	6	ABOVE AV: (6)
7.8	7.1	183	7	FAR ABOV: (7)
	9.0	232	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1068-1069

# V1174 041C017 :RT SF INTELL>AV

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	33	1	FAR BLOW: (1)
1.4	1.3	34	2	BELOW AV: (2)
4.1	3.7	95	3	SL BELOW: (3)
30.6	27.9	717	4	AVERAGE: (4)
24.8	22.6	582	5	SL ABOVE: (5)
29.0	26.5	681	6	ABOVE AV: (6)
8.7	7.9	203	7	FAR ABOV: (7)
	8.7	224	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1070-1071

#### 041C018A: #DA/4W SC MS IL V1175

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	51.9	1,335	1	NONE: (1)
17.8	16.0	411	2	1 DAY:(2)
10.1	9.0	233	3	2 DAYS:(3)
6.8	6.1	158	4	3 DAYS:(4)
5.2	4.7	120	5	4-5 DAYS:(5)
1.3	1.2	31	6	6-10 DA:(6)
1.1	1.0	26	7	11+ DAYS:(7)
	10.0	257	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1072-1073

# V1176

# 041C018B:#DA/4W SC MS CU

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	60.1	1,546	1	NONE: (1)
14.0	12.4	319	2	1 DAY:(2)
6.8	6.0	155	3	2 DAYS:(3)
4.3	3.8	97	4	3 DAYS:(4)
3.5	3.1	79	5	4-5 DAYS:(5)
1.7	1.5	40	6	6-10 DA:(6)
1.7	1.5	38	7	11+ DAYS:(7)
	11.5	297	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1074-1075

# V1177 041C018C:#DA/4W SC MS OT

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	48.5	1,246	1	NONE: (1)
20.7	18.5	476	2	1 DAY:(2)
11.3	10.1	260	3	2 DAYS:(3)
6.3	5.6	145	4	3 DAYS:(4)
4.1	3.6	94	5	4-5 DAYS:(5)
2.0	1.8	45	6	6-10 DA:(6)
1.2	1.1	28	7	11+ DAYS:(7)
	10.8	278	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1076-1077

# V1178

# 041C019 :#DA/4W SKP CLAS

Item Number: 00460

During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	58.6	1,506	1	NOT@ALL:(1)
22.0	19.9	511	2	1-2:(2)
7.4	6.7	173	3	3-5:(3)
2.7	2.5	64	4	6-10:(4)
1.5	1.3	34	5	11-20:(5)
1.7	1.5	39	6	21+:(6)
	9.5	244	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1078-1079

#### V1179 041C020 :R HS GRADE/D=1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92) 7="B+ (87-89)" 6="B (83-86)" 5="B-(80-82)" 4="C+(77-79)" 3="C(73-76)" 2="C-(70-72)"1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	25	1	D:(1)
2.5	2.3	59	2	C-:(2)
5.7	5.2	133	3	C:(3)
8.7	7.9	203	4	C+:(4)
11.9	10.8	277	5	B-:(5)
17.9	16.2	417	6	B:(6)
17.1	15.5	397	7	B+:(7)
18.2	16.5	423	8	A-:(8)
17.0	15.4	395	9	A:(9)
	9.4	241	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1080-1081

# V1180 041C021A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school? A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	46.2	1,189	1	DEF WONT: (1)
23.9	20.6	530	2	PRB WONT: (2)
13.5	11.7	300	3	PRB WILL:(3)
9.1	7.9	203	4	DEF WILL: (4)
	13.6	349	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1082-1083

### V1181

## 041C021B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school? B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	58.3	1,499	1	DEF WONT: (1)
18.7	15.7	404	2	PRB WONT: (2)
6.1	5.1	131	3	PRB WILL:(3)
5.6	4.7	120	4	DEF WILL: (4)
	16.2	416	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1084-1085

# V1182 041C021C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school? C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	35.5	912	1	DEF WONT: (1)
19.8	17.1	441	2	PRB WONT:(2)
22.7	19.6	503	3	PRB WILL:(3)
16.5	14.2	366	4	DEF WILL: (4)
	13.6	349	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1086-1087

### V1183

## 041C021D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school? D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"  $\tt 4="Definitely Will"$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	8.3	214	1	DEF WONT: (1)
9.9	8.8	226	2	PRB WONT:(2)
22.3	19.8	509	3	PRB WILL:(3)
58.4	51.8	1,332	4	DEF WILL: (4)
	11.3	290	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1088-1089

# V1184 041C021E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	15.6	402	1	DEF WONT: (1)
28.2	24.6	632	2	PRB WONT:(2)
32.3	28.2	724	3	PRB WILL:(3)
21.6	18.8	484	4	DEF WILL: (4)
	12.8	328	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1090-1091

### V1185

## 041C022A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	74.6	1,917	0	NT MARKD:(0)
16.0	14.2	365	1	MARKED: (1)
	11.2	289	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1092-1093

#### V1186 041C022B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	76.6	1,969	0	NT MARKD:(0)
13.7	12.2	312	1	MARKED: (1)
	11.2	289	-9	MISSING
100.0	100.0	2,571	cases (	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1094-1095

## V1187

## 041C022C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	68.0	1,749	0	NT MARKD:(0)
23.3	20.7	533	1	MARKED: (1)
	11.2	289	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1096-1097

## V1188

# 041C022D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	20.9	536	0	NT MARKD:(0)
76.5	67.9	1,745	1	MARKED: (1)
	11.2	289	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1098-1099

### V1189

### 041C022E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	42.6	1,095	0	NT MARKD:(0)
52.0	46.2	1,187	1	MARKED: (1)
	11.2	289	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1100-1101

#### V1190 041C022F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	82.6	2,123	0	NT MARKD:(0)
7.0	6.2	159	1	MARKED: (1)
	11.2	289	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1102-1103

#### V1191 041C023 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	27.2	700	1	NONE: (1)
9.3	8.3	212	2	5 OR <:(2)
10.0	8.9	228	3	6-10 HRS:(3)
11.3	10.1	259	4	11-15 HR:(4)
14.3	12.7	327	5	16-20 HR:(5)
10.3	9.1	235	6	21-25 HR:(6)
6.5	5.7	147	7	26-30 HR:(7)
7.5	6.7	171	8	30+ HRS:(8)
	11.3	292	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1104-1105

# V1192 041C024A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from. . A. A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	29.0	746	1	NONE: (1)
1.2	1.1	27	2	\$1-5:(2)
2.8	2.5	64	3	\$6-10:(3)
3.6	3.2	81	4	\$11-20:(4)
3.9	3.4	87	5	\$21-35:(5)
6.5	5.7	147	6	\$36-50:(6)
9.8	8.6	221	7	\$51-75:(7)
19.6	17.2	441	8	\$76-125:(8)
19.4	16.9	436	9	\$126+:(9)
	12.5	321	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1106-1107

#### V1193 041C024B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from. . . B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	33.4	859	1	NONE: (1)
6.1	5.2	135	2	\$1-5:(2)
10.9	9.4	241	3	\$6-10:(3)
17.4	15.1	387	4	\$11-20:(4)
11.0	9.5	243	5	\$21-35:(5)
8.1	7.0	180	6	\$36-50:(6)
2.4	2.1	53	7	\$51-75:(7)
2.3	2.0	51	8	\$76-125:(8)
3.2	2.8	71	9	\$126+:(9)
	13.7	351	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1108-1109

# V1194 041C025 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	10.0	258	1	< 1:(1)
14.2	12.6	324	2	ONE:(2)
27.2	24.2	622	3	TWO:(3)
24.0	21.3	549	4	THREE: (4)
16.1	14.3	367	5	4-5:(5)
7.3	6.5	167	6	6-7:(6)
	11.1	284	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 1110-1111

## V1195

# 041C026 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"  $^{\prime\prime}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	25.3	650	1	NEVER: (1)
19.3	16.9	435	2	1/MO OR<:(2)
12.7	11.2	287	3	2-3/MO:(3)
14.1	12.4	319	4	1/WK:(4)
15.5	13.6	349	5	2-3/WK:(5)
9.5	8.3	214	6	3+/WK:(6)
	12.3	316	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1112-1113

# V1196 041C027 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	14.7	378	1	NONE: (1)
8.3	7.3	189	2	1-10 MI:(2)
20.8	18.4	474	3	11-50:(3)
22.2	19.7	507	4	51-100:(4)
20.4	18.1	465	5	101-200:(5)
11.8	10.5	269	6	> 200:(6)
	11.2	289	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1114-1115

## V1197

# 041C028 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	63.1	1,623	0	NONE: (0)
17.2	14.7	378	1	ONE:(1)
5.7	4.9	125	2	TWO:(2)
2.0	1.7	44	3	THREE:(3)
1.4	1.2	30	4	4+:(4)
	14.4	371	-9	MISSING
	1000	0 551	,	7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1116-1117

# V1198 041C029A: #TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	20.8	535	C	None:(0)
5.4	1.2	31	1	One:(1)
1.0	0.2	6	2	2 Two:(2)
0.6	0.1	3	3	3-4  or  +: (3-4)
	77.6	1,995	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 1118-1119

### V1199

## 041C029B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	21.4	551	0	None:(0)
2.6	0.6	15	1	One:(1)
0.4	0.1	3	2	Two: (2)
0.4	0.1	2	3	3-4  or  +: (3-4)
	77.8	2,000	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1120-1121

#### V1200 041C029C: #TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	22.0	567	0	None:(0)
0.3	0.1	2	1	One:(1)
0.0	0.0	0	2	Two: (2)
0.3	0.1	2	3	3-4  or  +: (3-4)
	77.8	2,001	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 1122-1123

### V1201

### 041C030 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	66.8	1,717	0	NONE: (0)
16.4	14.1	361	1	ONE: (1)
4.1	3.5	91	2	TWO:(2)
1.0	0.8	21	3	THREE: (3)
0.4	0.3	9	4	4+:(4)
	14.5	372	-9	MISSING
100 0	100 0	0 571	/	T.T.L7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1124-1125

# V1202 041C031A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	18.3	471	C	None:(0)
2.2	0.4	11	1	One:(1)
0.5	0.1	3	2	? Two:(2)
0.0	0.0	0	3	3-4  or  +: (3-4)
	81.2	2,087	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1126-1127

### V1203

## 041C031B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	18.1	466	C	None:(0)
3.0	0.6	14	1	One:(1)
0.4	0.1	2	2	Two: (2)
0.2	0.0	1	3	3-4  or  +: (3-4)
	81.2	2,087	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1128-1129

#### V1204 041C031C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	18.7	480	0	None:(0)
0.7	0.1	3	1	One:(1)
0.0	0.0	0	2	? Two:(2)
0.0	0.0	0	3	3-4  or  +: (3-4)
	81.2	2,088	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 1130-1131

### V1205

## 041C032 :R'S BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D. What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	2.5	65	1	ARMY:(1)
13.6	1.3	34	2	NAVY: (2)
23.5	2.3	59	3	MARINES:(3)
20.8	2.0	52	4	AIRFORCE:(4)
2.9	0.3	7	5	COAST GD:(5)
13.3	1.3	33	6	UNCERTN: (6)
	90.3	2,321	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1132-1133

#### V1206 041C033 :R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	1.3	35	1	NO:(1)
47.3	4.7	120	2	UNCERTN: (2)
39.1	3.9	100	3	YES:(3)
	90.1	2,316	-9	MISSING
100 0	100 0	O E71	aaaa	/ tu+ -1 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1134-1135

#### V1207

# 041C034 :R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	1.8	46	1	NO:(1)
36.6	3.6	94	2	UNCERTN: (2)
45.2	4.5	116	3	YES:(3)
	90.1	2,315	-9	MISSING
100.0	100.0	2,571	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1136-1137

#### V1682 041D001 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot" 3="I like school some" 2="I don't like school very much" 1="I don't like school at all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.1	156	1	DONT@ALL:(1)
16.5	14.3	368	2	NOT VMCH:(2)
45.9	39.8	1,022	3	SOME: (3)
22.6	19.6	503	4	LIK ALOT:(4)
7.9	6.8	176	5	LIK VMCH:(5)
	13.4	345	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1138-1139

# V1683

# 041D002 :\*SC WRK NVR MNG

Item Number: 05700

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.1	156	1	NEVER: (1)
26.2	22.6	581	2	SELDOM: (2)
38.2	32.9	847	3	SOMETIME: (3)
21.3	18.4	473	4	OFTEN: (4)
7.3	6.3	162	5	ALWAYS: (5)
	13.7	352	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1140-1141

## V1684 041D003 :\*MST COUR V DUL

Item Number: 05710

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting" 3="Fairly interesting" 2="Slightly dull" 1="Very dull"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	7.9	204	1	VRY DULL:(1)
24.3	21.0	539	2	SLTLY DU:(2)
41.4	35.7	918	3	FRLY INT:(3)
21.4	18.5	475	4	QUITE IN: (4)
3.7	3.2	82	5	VRY EXCI:(5)
	13.7	353	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1142-1143

#### V1685

### 041D004 :\*LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important" 2="Slightly important" 1="Not at all important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.0	129	1	NOT IMPT:(1)
25.0	21.5	554	2	SLTLY IM:(2)
32.0	27.6	709	3	FRLY IMP:(3)
22.8	19.7	506	4	QUITE IM:(4)
14.3	12.4	318	5	VRY IMPT:(5)
	13.9	356	-9	MISSING
100 0	100 0	2 571	cageg (	( b+w

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1144-1145

## V1686 041D005 :LOT CMPTN GRADE

Item Number: 05730

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	9.7	250	1	NONE: (1)
22.0	19.0	487	2	A LITTLE:(2)
32.5	28.0	719	3	SOME: (3)
22.1	19.1	490	4	QUITEBIT: (4)
12.1	10.4	268	5	<pre>GRT DEAL:(5)</pre>
	13.9	357	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 1146-1147

#### V1687

## 041D006 :STDTS DSLK CHTG

Item Number: 05740

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it" 3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.7	95	1	LIK VMCH:(1)
2.8	2.4	61	2	LIKE IT:(2)
78.1	67.1	1,724	3	NOT CARE: (3)
11.8	10.1	260	4	DISLIKE:(4)
3.0	2.6	67	5	DLIK MCH:(5)
	14.1	364	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1148-1149

# V1688 041D007 :ST -LK PROV TCH

Item Number: 05750

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it" 3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.5	117	1	LIK VMCH:(1)
11.8	10.1	259	2	LIKE IT:(2)
48.2	41.3	1,062	3	NOT CARE: (3)
28.8	24.7	635	4	DISLIKE: (4)
5.9	5.0	129	5	DLIK MCH:(5)
	14.4	370	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1150-1151

# V1689

# 041D008 :FRD NCG/TCH -LK

Item Number: 05760

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	33.9	872	1	NEVER: (1)
32.1	27.4	704	2	SELDOM: (2)
18.8	16.0	412	3	SOMETIME: (3)
7.2	6.2	158	4	OFTEN: (4)
2.3	1.9	50	5	ALWAYS: (5)
	14.6	375	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1152-1153

## V1690 041D009 :R IN WK-STDY PG

Item Number: 05770

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	70.6	1,816	1	NOT EVER: (1)
7.7	6.6	170	2	HALF YR:(2)
7.5	6.4	164	3	ABT 1 YR:(3)
1.6	1.4	36	4	ABT 2 YR:(4)
0.7	0.6	15	5	>2 YRS:(5)
	14.4	370	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1154-1155

# V1691

## 041D010 :#X/YR COUNS IND

Item Number: 05780

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	23.5	605	1	NO TIMES:(1)
11.3	9.6	247	2	1 TIME:(2)
16.5	14.1	363	3	2 TIMES:(3)
25.4	21.7	558	4	3-4 TIME: (4)
9.9	8.5	218	5	5-7 TIME:(5)
4.3	3.7	95	6	8-10 TIM:(6)
5.0	4.3	110	7	11+ TIME:(7)
	14.6	375	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1156-1157

## V1692 041D011 :#X/YR COUNS GRP

Item Number: 05790

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	56.6	1,455	1	NO TIMES:(1)
11.5	9.8	251	2	1 TIME:(2)
9.1	7.7	199	3	2 TIMES:(3)
7.0	5.9	153	4	3-4 TIME: (4)
2.7	2.3	59	5	5-7 TIME:(5)
1.8	1.5	38	6	8-10 TIM:(6)
1.4	1.2	32	7	11+ TIME:(7)
	14.9	384	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1158-1159

# V1693

# 041D012 :R LK C COUNS MR

Item Number: 05800

Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often" 2="A little less often" 1="Much less often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	12.8	330	1	MCH LESS:(1)
7.1	5.9	151	2	LIT LESS:(2)
50.4	41.9	1,076	3	AS OFTEN: (3)
18.6	15.5	397	4	MOR OFTN: (4)
8.5	7.0	181	5	MCH MORE: (5)
	16.9	435	-9	MISSING
1000	1000	0 551	,	7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1160-1161

## V1694 041D013 :CSLNG VRY HLPFL

Item Number: 05810

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful" 2="A little helpful" 1="Not at all helpful" 8="Did not see a counselor this year."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	9.0	230	1	NOT @ALL:(1)
15.6	13.2	339	2	A LITTLE:(2)
16.4	13.9	357	3	SOMEWHAT: (3)
23.1	19.5	502	4	QUITE:(4)
13.5	11.4	293	5	EXT HELP:(5)
20.8	17.6	451	8	NO SEE:(8)
	15.5	399	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

100.0 100.0 2,5/1 Cases (WC

Data type: numeric Missing-data code: -9 Columns: 1162-1163

#### V1699

## 041D014A:CNSL COURSES

Item Number: 05811

Would you have preferred more or less of each of the following types of counseling in the last year? A: Choosing what courses to take

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	5.6	145	1	MCH LESS:(1)
2.0	1.6	42	2	LIT LESS:(2)
47.0	38.6	992	3	ABT RITE:(3)
23.8	19.5	503	4	LIT MORE: (4)
20.3	16.7	430	5	MCH MORE: (5)
	17.9	460	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1164-1165

# V1700 041D014B:CNSL CL PROB

Item Number: 05812

Would you have preferred more or less of each of the following types of counseling in the last year? B: Discussing problems with course work

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	9.4	241	1	MCH LESS:(1)
3.7	3.0	78	2	LIT LESS:(2)
55.3	44.9	1,153	3	ABT RITE:(3)
17.6	14.3	367	4	LIT MORE: (4)
11.8	9.6	247	5	MCH MORE: (5)
	18.8	484	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1166-1167

#### V1701

#### 041D014C:CNSL TRBL R IN

Item Number: 05813

Would you have preferred more or less of each of the following types of counseling in the last year? C: Discussing any trouble you've gotten into

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	14.2	366	1	MCH LESS:(1)
4.8	3.9	99	2	LIT LESS:(2)
60.9	48.9	1,258	3	ABT RITE:(3)
8.9	7.2	184	4	LIT MORE: (4)
7.6	6.1	158	5	MCH MORE: (5)
	19.7	505	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1168-1169

## V1702 041D014D:CNSL MILTRY PLN

Item Number: 05814

Would you have preferred more or less of each of the following types of counseling in the last year? D: Discussing military plans

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	27.4	703	1	MCH LESS:(1)
4.8	3.8	97	2	LIT LESS:(2)
50.2	39.9	1,027	3	ABT RITE:(3)
4.2	3.4	87	4	LIT MORE: (4)
6.5	5.1	132	5	MCH MORE: (5)
	20.4	524	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1170-1171

#### V1703

## 041D014E:CNSL EDUC PLANS

Item Number: 05815

Would you have preferred more or less of each of the following types of counseling in the last year? E: Discussing education or training plans

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	8.4	216	1	MCH LESS:(1)
3.1	2.5	64	2	LIT LESS:(2)
44.1	35.7	917	3	ABT RITE:(3)
25.4	20.5	528	4	LIT MORE: (4)
17.1	13.8	355	5	MCH MORE: (5)
	19.1	491	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1172-1173

## V1704 041D014F:CNSL CAREER PLN

Item Number: 05816

Would you have preferred more or less of each of the following types of counseling in the last year? F: Discussing career plans or job choice

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	6.8	175	1	MCH LESS:(1)
2.2	1.8	45	2	LIT LESS:(2)
40.1	32.5	835	3	ABT RITE:(3)
27.1	22.0	564	4	LIT MORE: (4)
22.2	18.0	462	5	MCH MORE: (5)
	19.0	489	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1174-1175

# V1705

#### 041D014G:CNSL PRNL PROB

Item Number: 05817

Would you have preferred more or less of each of the following types of counseling in the last year? G: Discussing personal problems

5="Much More" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	15.4	397	1	MCH LESS:(1)
6.0	4.8	124	2	LIT LESS:(2)
55.8	44.8	1,152	3	ABT RITE:(3)
10.1	8.1	208	4	LIT MORE: (4)
8.8	7.1	182	5	MCH MORE: (5)
	19.7	507	-9	MISSING
				·

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1176-1177

#### V1719 041D015A:#DA HEADACHE

Item Number: 21310

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	16.5	425	1	NONE: (1)
17.7	14.7	378	2	1 DAY:(2)
20.1	16.7	430	3	2 DAYS:(3)
21.9	18.2	469	4	3-5 DAYS:(4)
10.0	8.3	214	5	6-9 DAYS:(5)
6.5	5.4	138	6	10-19 DA:(6)
3.8	3.2	81	7	20+ DAYS:(7)
	16.9	435	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1178-1179

# V1720 041D015B:#DA SORE THROAT

Item Number: 21320

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	32.2	829	1	NONE: (1)
16.7	13.8	355	2	1 DAY:(2)
16.1	13.3	342	3	2 DAYS:(3)
16.9	13.9	358	4	3-5 DAYS:(4)
8.2	6.8	174	5	6-9 DAYS:(5)
2.4	2.0	51	6	10-19 DA:(6)
0.7	0.5	14	7	20+ DAYS:(7)
	17.4	448	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1180-1181

#### V1721 041D015C:#DA SINUS CONG

Item Number: 21330

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9  $\,$ days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	21.8	561	1	NONE: (1)
12.1	10.0	257	2	1 DAY:(2)
12.3	10.2	261	3	2 DAYS:(3)
21.1	17.5	449	4	3-5 DAYS:(4)
13.8	11.5	295	5	6-9 DAYS:(5)
9.2	7.6	196	6	10-19 DA:(6)
5.2	4.3	110	7	20+ DAYS:(7)
	17.1	440	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1182-1183

## V1722 041D015D:#DA COUGHING

Item Number: 21340

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	46.1	1,186	1	NONE: (1)
12.5	10.3	266	2	1 DAY:(2)
9.4	7.7	199	3	2 DAYS:(3)
10.3	8.5	218	4	3-5 DAYS:(4)
7.1	5.8	149	5	6-9 DAYS:(5)
2.9	2.4	61	6	10-19 DA:(6)
1.7	1.4	37	7	20+ DAYS:(7)
	17.7	455	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1184-1185

# V1723

# 041D015E:#DA CHEST COLD

Item Number: 21350

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	59.7	1,535	1	NONE: (1)
8.7	7.2	184	2	1 DAY:(2)
7.4	6.1	158	3	2 DAYS:(3)
6.1	5.0	130	4	3-5 DAYS:(4)
3.5	2.9	74	5	6-9 DAYS:(5)
1.3	1.1	28	6	10-19 DA:(6)
0.6	0.5	13	7	20+ DAYS:(7)
	17.5	450	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1186-1187

#### V1724 041D015F:#DA COUGH PHLM

Item Number: 21360

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9  $\,$ days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	65.0	1,670	1	NONE: (1)
4.9	4.1	104	2	1 DAY:(2)
5.2	4.3	109	3	2 DAYS:(3)
4.6	3.8	96	4	3-5 DAYS:(4)
3.6	3.0	76	5	6-9 DAYS:(5)
1.4	1.1	29	6	10-19 DA:(6)
1.5	1.2	31	7	20+ DAYS:(7)
	17.6	454	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1188-1189

# V1725 041D015G:#DA SHORT BRTH

Item Number: 21370

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	65.2	1,677	1	NONE: (1)
7.1	5.9	151	2	1 DAY:(2)
5.5	4.5	116	3	2 DAYS:(3)
3.8	3.2	81	4	3-5 DAYS:(4)
1.8	1.5	38	5	6-9 DAYS:(5)
1.3	1.0	27	6	10-19 DA:(6)
1.2	1.0	25	7	20+ DAYS:(7)
	17.7	456	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1190-1191

#### V1726 041D015H:#DA WHEEZING

Item Number: 21380

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	69.2	1,780	1	NONE: (1)
6.2	5.1	132	2	1 DAY:(2)
3.5	2.9	74	3	2 DAYS:(3)
2.5	2.0	52	4	3-5 DAYS:(4)
1.8	1.5	38	5	6-9 DAYS:(5)
1.1	0.9	23	6	10-19 DA:(6)
0.7	0.6	15	7	20+ DAYS:(7)
	17.8	458	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1192-1193

# V1727 041D015I:#DA TRBL REMEM

Item Number: 21390

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	50.8	1,305	1	NONE: (1)
10.5	8.7	223	2	1 DAY:(2)
7.8	6.4	165	3	2 DAYS:(3)
7.1	5.9	151	4	3-5 DAYS:(4)
4.8	4.0	102	5	6-9 DAYS:(5)
2.4	2.0	51	6	10-19 DA:(6)
5.6	4.6	118	7	20+ DAYS:(7)
	17.7	455	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1194-1195

#### V1728 041D015J:#DA DFCT THINK

Item Number: 21400

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9  $\,$ days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	40.0	1,028	1	NONE: (1)
13.6	11.2	287	2	1 DAY:(2)
11.5	9.4	242	3	2 DAYS:(3)
10.4	8.5	219	4	3-5 DAYS:(4)
6.1	5.0	130	5	6-9 DAYS:(5)
4.2	3.5	89	6	10-19 DA:(6)
5.5	4.5	116	7	20+ DAYS:(7)
	17.9	460	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1196-1197

# V1729 041D015K:#DA TRBL LEARN

Item Number: 21410

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	57.0	1,466	1	NONE: (1)
9.8	8.0	206	2	1 DAY:(2)
7.8	6.4	165	3	2 DAYS:(3)
5.9	4.8	124	4	3-5 DAYS:(4)
2.9	2.4	62	5	6-9 DAYS:(5)
1.9	1.6	41	6	10-19 DA:(6)
1.9	1.6	40	7	20+ DAYS:(7)
	18.2	467	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1198-1199

#### V1730 041D015L:#DA TRBL SLEEP

Item Number: 21420

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9  $\,$ days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	36.2	931	1	NONE: (1)
12.1	9.9	255	2	1 DAY:(2)
12.6	10.3	266	3	2 DAYS:(3)
11.3	9.2	238	4	3-5 DAYS:(4)
8.2	6.7	173	5	6-9 DAYS:(5)
5.9	4.9	125	6	10-19 DA:(6)
5.8	4.7	122	7	20+ DAYS:(7)
	17.9	460	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1200-1201

# V1731 041D015M:#DA TRBL START

Item Number: 21430

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"  $\frac{1}{2}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	28.3	727	1	NONE: (1)
8.8	7.2	186	2	1 DAY:(2)
11.1	9.1	235	3	2 DAYS:(3)
11.9	9.7	251	4	3-5 DAYS:(4)
7.0	5.8	148	5	6-9 DAYS:(5)
8.9	7.3	188	6	10-19 DA:(6)
17.8	14.6	376	7	20+ DAYS:(7)
	17.9	460	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1202-1203

#### V1732 041D015N:#DA STAY HOME

Item Number: 21440

During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9  $\,$ days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	49.9	1,282	1	NONE: (1)
18.2	15.0	385	2	1 DAY:(2)
10.2	8.4	216	3	2 DAYS:(3)
7.1	5.8	150	4	3-5 DAYS:(4)
2.5	2.1	53	5	6-9 DAYS:(5)
0.5	0.4	10	6	10-19 DA:(6)
0.7	0.6	15	7	20+ DAYS:(7)
	17.9	459	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1204-1205

### V1733 041D016A: #X/12M DOC-CHEK

Item Number: 21450

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	33.9	872	1	NONE: (1)
38.8	32.7	841	2	ONCE: (2)
14.4	12.2	313	3	TWICE:(3)
5.3	4.4	114	4	3-5X:(4)
0.6	0.5	13	5	6-9X:(5)
0.7	0.6	15	6	10+ TIME:(6)
	15.6	401	-9	MISSING
1000	1000	0 551	,	7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1206-1207

# V1734

# 041D016B: #X/12M DOC-FGHT

Item Number: 21460

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	76.0	1,955	1	NONE: (1)
5.1	4.3	110	2	ONCE: (2)
2.8	2.4	60	3	TWICE:(3)
0.7	0.6	14	4	3-5X:(4)
0.3	0.3	7	5	6-9X:(5)
0.5	0.4	11	6	10+ TIME:(6)
	16.0	412	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1208-1209

### V1735 041D016C:#X/12M DOC-INJ

Item Number: 21470

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	67.9	1,746	1	NONE: (1)
10.0	8.4	215	2	ONCE: (2)
4.7	3.9	100	3	TWICE:(3)
2.6	2.2	57	4	3-5X:(4)
0.8	0.7	17	5	6-9X:(5)
0.8	0.7	17	6	10+ TIME:(6)
	16.3	418	-9	MISSING
1000	1000	0 551	,	7 \

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1210-1211

# V1736

# 041D016D: #X/12M DOC-ILL

Item Number: 21480

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	45.1	1,161	1	NONE: (1)
22.0	18.4	473	2	ONCE: (2)
12.3	10.3	265	3	TWICE:(3)
8.3	7.0	179	4	3-5X:(4)
2.1	1.8	46	5	6-9X:(5)
1.4	1.2	31	6	10+ TIME:(6)
	16.2	417	-9	MISSING
1000	1000	0 551	,	7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1212-1213

#### V1737 041D016E: #X/12M DOC-PSY

Item Number: 21490

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	75.0	1,929	1	NONE: (1)
4.3	3.6	92	2	ONCE: (2)
2.4	2.0	51	3	TWICE:(3)
1.5	1.2	32	4	3-5X:(4)
0.8	0.6	16	5	6-9X:(5)
1.2	1.0	27	6	10+ TIME:(6)
	16.5	424	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1214-1215

# V1738

# 041D017A: #X/12M HSP-INJ

Item Number: 21500

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . . A: Because of an injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	78.7	2,022	1	NONE: (1)
3.8	3.2	81	2	ONCE: (2)
1.0	0.8	22	3	TWICE:(3)
0.4	0.3	8	4	3-5X:(4)
0.2	0.2	4	5	6-9X:(5)
0.3	0.2	6	6	10+ TIME:(6)
	16.7	428	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 1216-1217

### V1739 041D017B:#X/12M HSP-ILL

Item Number: 21510

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . . B: Because of some physical illness

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	77.0	1,980	1	NONE: (1)
4.4	3.6	94	2	ONCE: (2)
1.2	1.0	25	3	TWICE:(3)
0.7	0.5	14	4	3-5X:(4)
0.5	0.4	10	5	6-9X:(5)
0.3	0.2	5	6	10+ TIME:(6)
	17.2	442	-9	MISSING

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1218-1219

# V1740

# 041D018 :RLTV PHY HEALTH

Item Number: 21520

Overall, relative to other people your age, do you think your physical health over the past year has been . . .

1="Much poorer than average" 2="Somewhat poorer than average" 3="About average" 4="Somewhat better than average" 5="Much better than average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.0	129	1	MCH <avg:(1)< td=""></avg:(1)<>
12.6	10.6	272	2	SOM <avg:(2)< td=""></avg:(2)<>
44.6	37.5	963	3	ABT AVRG:(3)
21.0	17.6	452	4	SOM >AVG:(4)
15.8	13.3	341	5	MCH >AVG:(5)
	16.1	413	-9	MISSING
1000	1000	0 551	,	7\

100.0 100.0 2,571 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 1220-1221

# V1791 041D021A:DAP SMK 1PCK CI

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	27.4	705	1	DONT DIS:(1)
34.2	28.6	735	2	DISAPPRV:(2)
33.0	27.6	709	3	STRG DIS:(3)
	16.4	422	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1222-1223

#### V1792

#### 041D021B:DAP TRY MRJ 1-2

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	39.5	1,016	1	DONT DIS:(1)
25.6	21.3	548	2	DISAPPRV:(2)
26.9	22.4	576	3	STRG DIS:(3)
	16.7	430	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1224-1225

# V1793 041D021C:DAP SMK MRJ OCC

Item Number: 08580

Do YOU disapprove of people (who are  $18\ \mathrm{or}\ \mathrm{older})$  doing each

of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	30.7	790	1	DONT DIS:(1)
28.6	23.8	613	2	DISAPPRV:(2)
34.4	28.6	735	3	STRG DIS:(3)
	16.8	433	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

\_\_\_\_\_\_(

Data type: numeric Missing-data code: -9 Columns: 1226-1227

#### V1794

#### 041D021D:DAP SMK MRJ REG

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each

of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	21.5	553	1	DONT DIS:(1)
27.4	22.7	583	2	DISAPPRV:(2)
46.5	38.4	988	3	STRG DIS:(3)
	17.4	448	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1228-1229

## V1795 041D021E:DAP COK PWD 1-2

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying cocaine in powder form once or

twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	13.3	341	1	DONT DIS:(1)
24.8	20.4	525	2	DISAPPRV:(2)
59.1	48.7	1,253	3	STRG DIS:(3)
	17.6	452	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1230-1231

### V1796

#### 041D021F:DAP COK PWDR OC

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	9.8	252	1	DONT DIS:(1)
21.7	17.9	461	2	DISAPPRV:(2)
66.5	55.0	1,415	3	STRG DIS:(3)
	17.2	443	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1232-1233

# V1797 041D021G:DAP COK PWDR RE

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	8.5	218	1	DONT DIS:(1)
18.4	15.2	390	2	DISAPPRV:(2)
71.3	58.7	1,510	3	STRG DIS:(3)
	17.6	453	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1234-1235

#### V1798

## 041D021H:DAP TRY CRK 1-2

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	10.4	267	1	DONT DIS:(1)
22.3	18.2	468	2	DISAPPRV:(2)
65.0	53.1	1,365	3	STRG DIS:(3)
	18.3	469	-9	MISSING
100.0	100.0	2,571	cases (	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 1236-1237

# V1799 041D021I:DAP CRACK OCC

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	8.8	226	1	DONT DIS:(1)
19.6	16.0	412	2	DISAPPRV:(2)
69.7	57.1	1,468	3	STRG DIS:(3)
	18.1	466	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 1238-1239

#### V1800

#### 041D021J:DAP CRACK REG

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	7.9	203	1	DONT DIS:(1)
17.2	14.1	363	2	DISAPPRV:(2)
73.1	59.9	1,541	3	STRG DIS:(3)
	18.1	464	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1240-1241

## V1801 041D021K:DAP TRY DRK ALC

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	61.0	1,568	1	DONT DIS:(1)
14.0	11.5	297	2	DISAPPRV:(2)
11.9	9.8	253	3	STRG DIS:(3)
	17.6	453	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1242-1243

### V1802

#### 041D021L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	777 T TTD	TADET
PCI	PCI	IN	VALUE	LABEL
VALID	ALL			
38.0	31.3	806	1	DONT DIS:(1)
38.1	31.4	807	2	DISAPPRV:(2)
23.9	19.7	506	3	STRG DIS:(3)
	17.6	452	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1244-1245

## V1803 041D021M:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following? M: Taking four or five drinks nearly every

day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	15.1	388	1	DONT DIS:(1)
30.6	25.2	647	2	DISAPPRV:(2)
51.0	41.9	1,077	3	STRG DIS:(3)
	17.8	458	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1246-1247

### V1804

#### 041D021N:DAP 5+ DRK WKND

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following: N: Having five or more drinks  $\,$  once or  $\,$ 

twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	29.7	763	1	DONT DIS:(1)
24.6	20.1	517	2	DISAPPRV:(2)
39.0	31.9	819	3	STRG DIS:(3)
	18.4	472	-9	MISSING
100.0	100.0	2,571	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 1248-1249

# **APPENDICES**

# **Appendix A: Publications**

## ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2005). *Monitoring the Future: Questionnaire responses from the nation's high school seniors*, 2002. Ann Arbor, MI: Institute for Social Research, 384 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (2003). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2001*. Ann Arbor, MI: Institute for Social Research, 380 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2000.* Ann Arbor, MI: Institute for Social Research, 380 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1999.* Ann Arbor, MI: Institute for Social Research, 378 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998.* Ann Arbor, MI: Institute for Social Research, 378 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997.* Ann Arbor, MI: Institute for Social Research, 378 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996.* Ann Arbor, MI: Institute for Social Research, 376 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1997). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995*. Ann Arbor, MI: Institute for Social Research, 341 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1997). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994.* Ann Arbor, MI: Institute for Social Research, 339 pp.

- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1995). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993*. Ann Arbor, MI: Institute for Social Research, 339 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1993). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992.* Ann Arbor, MI: Institute for Social Research, 339 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1993). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991*. Ann Arbor, MI: Institute for Social Research, 339 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1993). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990.* Ann Arbor, MI: Institute for Social Research, 339 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1992). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989.* Ann Arbor, MI: Institute for Social Research, 327 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988.* Ann Arbor, MI: Institute for Social Research, 283 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1991). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987.* Ann Arbor, MI: Institute for Social Research, 283 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1987). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986.* Ann Arbor, MI: Institute for Social Research, 288 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1986). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985.* Ann Arbor, MI: Institute for Social Research, 284 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1985). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984.* Ann Arbor, MI: Institute for Social Research, 284 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1984). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983.* Ann Arbor, MI: Institute for Social Research, 282 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1984). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982.* Ann Arbor, MI: Institute for Social Research, 280 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1982). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981.* Ann Arbor, MI: Institute for Social Research, 286 pp.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976.* Ann Arbor, MI: Institute for Social Research, 264 pp.
- Johnston, L. D., & Bachman, J. G. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors*, 1975. Ann Arbor, MI: Institute for Social Research, 188 pp.

## ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20847-2345 (Tel. 1-800-729-6686). There is no charge for single copies.

- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2005). *Monitoring the Future national survey results on drug use*, 1975-2004. *Volume I: Secondary school students* (NIH Publication No. 05-5727). Bethesda, MD: National Institute on Drug Abuse, 680 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2005). *Monitoring the Future national results on adolescent drug use: Overview of key findings, 2004* (NIH Publication No. 05-5726). Bethesda, MD: National Institute on Drug Abuse, 66 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Monitoring the Future national survey results on drug use, 1975-2003. Volume I: Secondary school students* (NIH Publication No. 04-5507). Bethesda, MD: National Institute on Drug Abuse, 545 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Monitoring the Future national survey results on drug use, 1975-2003. Volume II: College students and adults ages 19-45* (NIH Publication No. 04-5508). Bethesda, MD: National Institute on Drug Abuse, 267 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Monitoring the Future national results on adolescent drug use: Overview of key findings, 2003* (NIH Publication No. 04-5506). Bethesda, MD: National Institute on Drug Abuse, 59 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 2002* (NIH Publication No. 03-5374). Bethesda, MD: National Institute on Drug Abuse, 56 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the Future national survey results on drug use, 1975-2002. Volume I: Secondary school students* (NIH Publication No. 03-5375). Bethesda, MD: National Institute on Drug Abuse, 520 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the Future national survey results on drug use, 1975-2002. Volume II: College students and adults ages 19-40* (NIH Publication No. 03-5376). Bethesda, MD: National Institute on Drug Abuse, 253 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 2001* (NIH Publication No. 02-5105). Bethesda, MD: National Institute on Drug Abuse, 56 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Monitoring the Future national survey results on drug use, 1975-2001. Volume I: Secondary school students* (NIH Publication No. 02-5106). Bethesda, MD: National Institute on Drug Abuse, 503 pp.

- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Monitoring the Future national survey results on drug use*, 1975-2001. *Volume II: College students and adults ages 19-40* (NIH Publication No. 02-5107). Bethesda, MD: National Institute on Drug Abuse, 242 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 2000* (NIH Publication No. 01-4923). Bethesda, MD: National Institute on Drug Abuse, 54 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students* (NIH Publication No. 01-4924). Bethesda, MD: National Institute on Drug Abuse, 492 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Monitoring the Future national survey results on drug use, 1975-2000. Volume II: College students and adults ages 19-40* (NIH Publication No. 01-4925). Bethesda, MD: National Institute on Drug Abuse, 238 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2000). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 1999* (NIH Publication No. 00-4690). Bethesda, MD: National Institute on Drug Abuse, 48 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2000). *Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students* (NIH Publication No. 00-4802). Bethesda, MD: National Institute on Drug Abuse, 480 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2000). *Monitoring the Future national survey results on drug use, 1975-1999. Volume II: College students and adults ages 19-40* (NIH Publication No. 00-4803). Bethesda, MD: National Institute on Drug Abuse, 240 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1999). *National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students* (NIH Publication No. 99-4660). Bethesda, MD: National Institute on Drug Abuse, 420 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1999). *National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume II: College students and young adults* (NIH Publication No. 99-4661). Bethesda, MD: National Institute on Drug Abuse, 218 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1998). *National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students.* (NIH Publication No. 98-4345). Rockville, MD: National Institute on Drug Abuse, 433 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1998). *National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume II: College students and young adults.* (NIH Publication No. 98-4346). Rockville, MD: National Institute on Drug Abuse, 206 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1996). *National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students.* (NIH Publication No. 96-4139). Rockville, MD: National Institute on Drug Abuse, 381 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1997). *National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume II: College students and young adults.* (NIH Publication No. 98-4140). Rockville, MD: National Institute on Drug Abuse, 188 pp.

- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1995). *National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students.* (NIH Publication No. 95-4026). Rockville, MD: National Institute on Drug Abuse, 316 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1996). *National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume II: College students and young adults.* (NIH Publication No. 96-4027). Rockville, MD: National Institute on Drug Abuse, 183 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1994). *National survey results on drug use from the Monitoring the Future study, 1975-1993. Volume I: Secondary school students.* (NIH Publication No. 94-3809). Rockville, MD: National Institute on Drug Abuse, 281 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1994). *National survey results on drug use from the Monitoring the Future study, 1975-1993. Volume II: College students and young adults.* (NIH Publication No. 94-3810). Rockville, MD: National Institute on Drug Abuse, 182 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1993). *National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students.* (NIH Publication No. 93-3597). Rockville, MD: National Institute on Drug Abuse, 250 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1993). *National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume II: College students and young adults.* (NIH Publication No. 93-3598). Rockville, MD: National Institute on Drug Abuse, 185 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). *Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students.* (NIH Publication No. 93-3480). Rockville, MD: National Institute on Drug Abuse, 231 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1993). *Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume II: College students and young adults.* (NIH Publication No. 93-3481). Rockville, MD: National Institute on Drug Abuse, 176 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1991). *Drug use among American high school seniors, college students and young adults, 1975-1990. Volume I: High school seniors.* (DHHS Publication No. [ADM] 91-1813). Rockville, MD: National Institute on Drug Abuse, 199 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1991). *Drug use among American high school seniors, college students and young adults, 1975-1990. Volume II: College students and young adults.* (DHHS Publication No. [ADM] 91-1835). Rockville, MD: National Institute on Drug Abuse, 168 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1991). *Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989* (Institute for Social Research: Ann Arbor, MI). 331 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1989). *Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988.* (DHHS Publication No. [ADM] 89-1638). Rockville, MD: National Institute on Drug Abuse, 339 pp.

- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). *Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987*. (DHHS Publication No. [ADM] 89-1602). Rockville, MD: National Institute on Drug Abuse, 307 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). *National trends in drug use and related factors among American high school students and young adults, 1975-1986.* (DHHS Publication No. [ADM] 87-1535). Rockville, MD: National Institute on Drug Abuse, 265 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1986). *Drug use among American high school students, college students, and other young adults: National trends through 1985.* (DHHS Publication No. [ADM] 86-1450). Rockville, MD: National Institute on Drug Abuse, 237 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1985). *Use of licit and illicit drugs by America's high school students: 1975-1984*. (DHHS Publication No. [ADM] 85-1394). Rockville, MD: National Institute on Drug Abuse, 167 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1984). *Drugs and American high school students:* 1975-1983. (DHHS Publication No. [ADM] 85-1374). Rockville, MD: National Institute on Drug Abuse, 492 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1984). *Highlights from drugs and American high school students: 1975-1983.* (DHHS Publication No. [ADM] 84-1317). Rockville, MD: National Institute on Drug Abuse, 135 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1982). *Student drug use, attitudes, and beliefs: National trends*, 1975-1982. (DHHS Publication No. [ADM] 83-1260). Rockville, MD: National Institute on Drug Abuse, 134 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1982). *Student drug use in America, 1975-1981*. (DHHS Publication No. [ADM] 82-1221). Rockville, MD: National Institute on Drug Abuse, 450 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1981). *Highlights from student drug use in America*, *1975-1981*. (DHHS Publication No. [ADM] 82-1208). Rockville, MD: National Institute on Drug Abuse, 130 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). *Highlights from student drug use in America*, 1975-1980. (DHHS Publication No. [ADM] 81-1066). Rockville, MD: National Institute on Drug Abuse, 120 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1979). 1979 Highlights: Drugs and the nation's high school students, five-year national trends. (DHEW Publication No. [ADM] 80-930). Rockville, MD: National Institute on Drug Abuse, 85 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1979). *Drugs and the class of 1978: Behaviors, attitudes, and recent national trends*. (DHEW Publication No. [ADM] 79-877). Rockville, MD: National Institute on Drug Abuse, 376 pp.

Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1979). *Highlights from drugs and the class of '78: Behaviors, attitudes and recent national trends*. (DHEW Publication No. [ADM] 79-878). Rockville, MD: National Institute on Drug Abuse, 62 pp.

Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1977). *Drug use among American high school students*, *1975-1977*. (DHEW Publication No. [ADM] 78-619). Rockville, MD: National Institute on Drug Abuse, 256 pp.

Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1978). *Highlights from drug use among American high school students*, 1975-1977. (DHEW Publication No. [ADM] 78-621). Rockville, MD: National Institute on Drug Abuse, 43 pp.

## **JOURNAL ARTICLES**

- Schulenberg, J. E., Merline, A. C., Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Laetz, V. B. (2005). Trajectories of marijuana use during the transition to adulthood: The big picture based on national panel data. *Journal of Drug Issues*, *35*, 255-279.
- Delva, J., Wallace, J. M. Jr., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. E. (2005). The epidemiology of alcohol, marijuana, and cocaine use among Mexican American, Puerto Rican, Cuban American, and other Latin American eighth-grade students in the United States: 1991-2002. *American Journal of Public Health*, 95, 696-702.
- McCabe, S. E., Schulenberg, J. E., Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Kloska, D. D. (2005). Selection and socialization effects of fraternities and sororities on US college student substance use: A multi-cohort national longitudinal study. *Addiction*, 100, 512-524.
- Johnston, L. D., Terry-McElrath, Y. M., O'Malley, P. M., & Wakefield, M. (2005). Trends in recall and appraisal of anti-smoking advertising among American youth: National survey results, 1997-2001. *Prevention Science*, 6, 1-19.
- Tauras, J. A., Chaloupka, F. J., Farrelly, M. C., Giovino, G. A., Wakefield, M., Johnston, L. D., O'Malley, P. M., Kloska, D. D., & Pechacek, T. F. (2005). State tobacco control spending and youth smoking. *American Journal of Public Health*, *95*, 338-344.
- Yamaguchi, R., O'Malley, P. M., & Johnston, L. D. (2004). Relationships between school drug searches and student substance use in U.S. schools. *Educational Evaluation and Policy Analysis*, 26, 329-341.
- Schulenberg, J. E., Bryant, A. L., & O'Malley, P. M. (2004). Taking hold of some kind of life: How developmental tasks relate to trajectories of well-being during the transition to adulthood. *Development and Psychopathology, 16*, 1119-1140.
- Schulenberg, J. E., Sameroff, A. J., & Cicchetti, D. (2004). Editorial: The transition to adulthood as a critical juncture in the course of psychopathology and mental health. *Development and Psychopathology*, *16*, 799-806.
- Johnston, L. D., O'Malley, P. M., & Terry-McElrath, Y. M. (2004). Methods, locations, and ease of cigarette access for American youth, 1997-2002. *American Journal of Preventive Medicine*, 27, 267-276.
- Wakefield, M., Kloska, D. D., O'Malley, P. M., Johnston, L. D., Chaloupka, F., Pierce, J., Giovino, G., Ruel, E., & Flay, B. R. (2004). The role of smoking intentions in predicting future smoking among youth: Findings from Monitoring the Future data. *Addiction*, *99*, 914-922.
- O'Malley, P. M., & Wagenaar, A. C. (2004). Effects of safety belt laws on safety belt use by American high school seniors, 1986-2000. *Journal of Safety Research*, 35, 125-130.
- Merline, A. C., O'Malley, P. M., Schulenberg, J. E., Bachman, J. G., & Johnston, L. D. (2004). Substance use among adults 35 years of age: Prevalence, adulthood predictors, and impact of adolescent substance use. *American Journal of Public Health*, 94, 96-102.

- Wallace, J. M., Jr., Brown, T. N., Bachman J. G., & LaVeist, T. A. (2003). The influence of race and religion on abstinence from alcohol, cigarettes and marijuana among adolescents. *Journal of Studies on Alcohol*, 64, 843-848.
- Wallace, J. M., Jr., Forman, T. A., Caldwell, C. H., & Willis, D. S. (2003). Religion and U.S. secondary school students: Current patterns, recent trends, and sociodemographic correlates. *Youth & Society*, *35*, 98-125.
- Bryant, A. L., Schulenberg, J. E., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2003). How academic achievement, attitudes, and behaviors relate to the course of substance use during adolescence: A 6-year, multiwave national longitudinal study. *Journal of Research on Adolescence*, *13*(3), 361-397.
- Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2003). Wishing to work: New perspectives on how adolescents' part-time work intensity is linked to educational disengagement, substance use, and other problem behaviours. *International Journal of Behavioral Development*, 27(4), 301-315.
- O'Malley, P. M., & Johnston, L. D. (2003). Unsafe driving by high school seniors: National trends from 1976 to 2001 in tickets and accidents after use of alcohol, marijuana, and other illegal drugs. *Journal of Studies on Alcohol*, 64, 305-312.
- Yamaguchi, R., Johnston, L. D., & O'Malley, P. M. (2003). The relationship between student illicit drug use and school drug-testing policies. *Journal of School Health*, 73(4), 159-164.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Schulenberg, J. E., Cooper, S. M., & Johnston, L. D. (2003). Gender and ethnic differences in smoking, drinking, and illicit drug use among American 8th, 10th and 12th grade students, 1976-2000. *Addiction*, 98, 225-234.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Cooper, S. M. (2002). Tobacco, alcohol, and illicit drug use: Racial and ethnic differences among U.S. high school seniors, 1976-2000. *Public Health Reports*, *117*(Supplement 1), S67-S75.
- Kumar, R., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Bachman, J. G. (2002). Effects of school-level norms on student substance use. *Prevention Science*, *3*(2), 105-124.
- O'Malley, P. M., & Johnston, L. D. (2002). Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement 14*, 23-39.
- Schulenberg, J. E., & Maggs, J. L. (2002). A developmental perspective on alcohol use and heavy drinking during adolescence and the transition to adulthood. *Journal of Studies on Alcohol, Supplement 14*, 54-70.
- Wallace, J. M., Jr., & Muroff, J. R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention*, 22(3), 235-261.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science*, 2(1), 29-43.

- Maggs, J. L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science*, *5*(4), 196-200.
- Safron, D. J., Schulenberg, J. E., & Bachman, J. G. (2001). Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior*, 42, 425-449.
- Schulenberg, J., Maggs, J. L., Long, S. W., Sher, K. J., Gotham, H. J., Baer, J. S., Kivlahan, D. R., Marlatt, G. A., & Zucker, R. A. (2001). The problem of college drinking: Insights from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, *25*, 473-477.
- Schuster, C., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse*, 36(8), 997-1014.
- Wagenaar, A. C., O'Malley, P. M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.
- Brown, T. N., Wallace, J. M., Jr., Williams, D. R. (2001). Race-related correlates of young adults' subjective well-being. *Social Indicators Research*, 53, 97-116.
- Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, *1*(2), 71-87.
- O'Malley, P. M., Johnston, L. D., Bachman, J. G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P. M., & Johnston, L. D. (1999). Drinking and driving among U.S. high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.
- An, L. C., O'Malley, P. M., Schulenberg, J. E., Bachman, J. G., & Johnston, L. D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). Changing patterns of drug use among U.S. military recruits before and after enlistment. *American Journal of Public Health*, 89, 672-677.
- Schulenberg, J., Maggs, J. L., Dielman, T. E., Leech, S. L., Kloska, D. D., Shope, J. T., & Laetz, V. B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J. M., Jr. (1999). The social ecology of addiction: Race, risk and resilience. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J. M., Jr., Forman, T. A., Guthrie, B. J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.

- Bachman, J. G., Segal, D. R., Freedman-Doan, P., & O'Malley, P. M. (1998). Does enlistment propensity predict accession? High school seniors' plans and subsequent behavior. *Armed Forces & Society*, 25, 59-80.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1998). Explaining the recent increases in students' marijuana use: Impacts of perceived risks and disapproval, 1976 through 1996. *American Journal of Public Health*, 88, 887-892.
- Maggs, J. L., & Schulenberg, J. (1998). Reasons to drink and not to drink: Altering trajectories of drinking through an alcohol misuse prevention program. *Applied Developmental Science*, 2, 48-60.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- Segal, M. W., Segal, D. R., Bachman, J. G., Freedman-Doan, P., & O'Malley, P. M. (1998). Gender and the propensity to enlist in the U.S. military. *Gender Issues*, 16, 65-87.
- Wallace, J. M., & Forman, T. A. (1998). Religion's role in promoting health and reducing risk among American youth. *Health Education & Behavior*, 25(6), 721-741.
- Astor, R. A., Behre, W. J., Fravil, K. A., & Wallace, J. M., Jr. (1997). Perceptions of school violence as a problem and reports of violent events: A national survey of school social workers. *Social Work*, 42(1), 55-68.
- Bell, R., Wechsler, H., & Johnston, L. D. (1997). Correlates of college student marijuana use: Results of a U.S. national survey. *Addiction*, *92*, 571-582.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use & Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993," Vol 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-43). (NIDA Research Monograph 110.) Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use & Misuse*, 32(12 & 13), 1637-1638. (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J. M., Jr., & Bachman, J. G. (1997). Issues and concerns on the validity of self-reports in student-based studies on minority populations. A chapter summarized and abstracted in *Substance Use & Misuse*, 32(12 & 13), 1949-1950. The chapter originally appeared in 1993 in M. R. De La Rasa & J.-L. Recio Adrados (Eds.), *Drug Abuse Among Minority Youth: Advances in Research and Methodology* as Validity of self-reports in student-based studies on minority populations: Issues and concerns (pp. 167-200). (NIDA Research Monograph 130). Rockville, MD: National Institute on Drug Abuse.
- Osgood, D. W., Wilson, J. K., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, *61*, 635-655.

- Schulenberg, J., O'Malley, P. M., Bachman, J. G., Wadsworth, K. N., & Johnston, L. D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, *57*, 289-304.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable-and pattern-centered approaches to change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1995). Adolescent substance use: Epidemiology and implications for public policy. *Substance Abuse*, *42*, 241-260.
- Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, *35*, 45-62.
- Wallace, J. M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, *1*(1), 31-35.
- Bachman, J. G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L. D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(4), 29-31.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, *4*, 227-248.
- Bachman, J. G., & Wallace, J. M. Jr. (1991). The "drug problem" among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, *1*, 315-319.
- Bachman, J. G., Wallace, J. M. Jr., O'Malley, P. M., Johnston, L. D., Kurth, C. L., & Neighbors, H. W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P. M., & Wagenaar, A. C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.
- Wallace, J. M., Jr., & Bachman, J. G. (1991). Explaining racial/ethnic differences in adolescent drug use: The impact of background and lifestyle. *Social Problems*, 38(3), 333-357.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.
- Johnston, L. D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, 41, 29-40.
- Osgood, D. W., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.

- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.
- Humphrey, R. H., O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, *51*, 329-345.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.
- Osgood, D. W., Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, *53*, 81-93.
- Bachman, J. G. (1987). Adolescence: An eye on the future. *Psychology Today*, 21(7), 6-8.
- Bachman, J. G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces & Society*, *13*(2), 169-187.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.
- Bachman, J. G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.
- Bachman, J. G., & O'Malley, P. M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, *50*, 35-46.
- Diamond, G., & Bachman, J. G. (1986). High school seniors and the nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.
- Johnston, L. D., & O'Malley, P. M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *The Journal of Drug Issues*, *16*, 29-66.
- Johnston, L. D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in *Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in *The Drinking and Drug Practices Surveyor*, March 1985, 20, 11-13.)
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1984). Drug use among young adults: The impacts of role status and social environment. *Journal of Personality and Social Psychology*, 47, 629-645.
- Bachman, J. G., & O'Malley, P. M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, *90*, 624-639.
- Bachman, J. G., & O'Malley, P. M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles. *Public Opinion Quarterly*, 48, 491-509.

- O'Malley, P. M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, *13*, 421-426.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). Period, age, and cohort effects on substance use among American youth, 1976-82. *American Journal of Public Health*, 74, 682-688.
- Bachman, J. G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, 10(1), 86-104.
- Bachman, J. G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook USA*, 10(3), 64-67.
- Bachman, J. G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, *32*, 347-360.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, *9*(1), 109-135. (Work funded by NIE.)
- Johnston, L. D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, 7, 7.
- O'Malley, P. M., & Bachman, J. G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, 19, 257-268.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1983). Reliability and consistency in self-reports of drug use. *The International Journal of the Addictions, 18*, 805-824.
- Bachman, J. G. (1981). Youth views about the military: Recent trends. *Economic Outlook USA*, 8(3), 61-65.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, 71, 59-69.
- Bachman, J. G., & O'Malley, P. M. (1981). When four months equal a year: Inconsistencies in student reports of drug use. *Public Opinion Quarterly*, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, *Survey research methods*. Chicago: Univ. of Chicago Press.)
- Bynner, J. M., O'Malley, P. M., & Bachman, J. G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, 10, 407-441.
- Herzog, A. R., & Bachman, J. G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, 45(4), 549-559.
- Johnston, L. D. (1981). American youth in the 1980s: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, *I*(4), 11-14.
- Johnston, L. D. (1981). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, *10*, 463-480.

- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook USA*, 7(2), 39-42.
- Bachman, J. G., & Johnston, L. D. (1979). The freshmen, 1979. Psychology Today, 13(4), 79-87.
- O'Malley, P. M., & Bachman, J. G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology, 37*, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept.* Arlington Heights, IL: AHM Press.)
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1978). The drug scene: A student survey. *The Science Teacher*, 45(6), 26-31.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1978). Drug use and military plans of high school seniors. *Youth & Society*, *10*, 65-77.
- Segal, D. R., & Bachman, J. G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth & Society*, 10, 47-64.
- Segal, D. R., Bachman, J. G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth & Society*, 10, 127-134.
- Bachman, J. G., & Johnston, L. D. (1976). Drug use among American youth. *Economic Outlook USA*, *3*, 32-33.

## **CHAPTERS**

- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2005). Early adult transitions and their relation to well-being and substance use. In R. A. Settersten, Jr., F. F. Furstenberg, Jr., & R. G. Rumbaut (Eds.), *On the frontier of adulthood: Theory, research, and public policy* (MacArthur network edited volume, pp. 417-453). University of Chicago Press.
- O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2004). Studying the transition from youth to adulthood: Impacts on substance use and abuse. In J. S. House, F. T. Juster, R. L. Kahn, H. Schuman, and E. Singer (Eds.), *Telescope on society: Survey research and social science at the University of Michigan and beyond* (pp. 305-329). Ann Arbor: University of Michigan Press.
- Schulenberg, J. E., Maggs, J. M., & O'Malley, P. M. (2003). How and why the understanding of developmental continuity and discontinuity is important: The sample case of long-term consequences of adolescent substance use. In J. T. Mortimer, & M. J. Shanahan (Eds.), *Handbook of the life course* (pp. 413-436). New York: Plenum Publishers.
- Johnston, L. D. (2003). Alcohol and illicit drugs: The role of risk perceptions. In Dan Romer (Ed.), *Reducing adolescent risk: Toward an integrated approach* (pp. 56-74). Thousand Oaks, CA: Sage.
- Johnston, L. D., & O'Malley, P. M. (2003). Tobacco, alcohol, and other drug use in adolescence: Modern-day epidemics. In R. P. Weissberg, H. J. Wahlberg, M. U. O'Brien, & C. B. Kuster (Eds.), *Long-term trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Burns, D. M., & Johnston L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking behavior: Where it is and why.* (Smoking and Tobacco Control Monograph No. 14, pp. 1-8). Bethesda, MD: National Cancer Institute.
- Johnston L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future study. In National Cancer Institute, *Changing adolescent smoking behavior: Where it is and why.* (Smoking and Tobacco Control Monograph No. 14, pp. 9-33). Bethesda, MD: National Cancer Institute.
- Johnston L. D., & O'Malley, P. M. (2001). Article 97: Drug use and abuse: Psychosocial aspects. In N. J. Smelser and P. B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.
- Pacula, R. L., Grossman, M., Chaloupka, F. J., O'Malley, P. M., Johnston, L. D., & Farrelly, M. C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).

- Schulenberg, J., Maggs, J. L., Steinman, K., & Zucker, R. A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P. M. Monti, S. M. Colby, & T. A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.
- Schulenberg, J., & O'Malley, P. M. (2001). Trends in alcohol use. In R. M. Lerner & J. V. Lerner (Eds.), *Adolescence in America: An encyclopedia* (pp. 41-44). Santa Barbara, CA: ABC-Clio.
- Bachman, J. G., & Wallace, J. M., Jr. (2001). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior* (2nd ed.) (pp. 911-916). New York: Macmillan Publishing.
- Johnston, L. D. (2000). The epidemiology of drug use. In W. B. Hansen, S. M. Giles, & M. D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- O'Malley, P. M. (2000). Drug use, socialization factors. In C. E. Faupel & P. M. Roman (Eds.), *Encyclopedia of criminology and deviant behavior, Volume 4, Self-destructive behavior and disvalued identity* (pp. 309-312). London: Brunner-Routledge, Taylor & Francis Group.
- O'Malley, P. M. (2000). The Monitoring the Future survey. In *Encyclopedia of drugs, alcohol, and addictive behavior* (2nd ed.). Macmillan Reference USA.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change* (pp. 224-255). New York: Cambridge University Press.
- Johnston, L. D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.
- Johnston, L. D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.
- Hall, W., Johnston, L. D., & Donnelly, N. (1999). Epidemiological evidence on patterns of cannabis use and their health consequences. In *The health implications of cannabis* (pp. 69-126). Geneva: World Health Organization.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1999). Epidemiology of substance abuse in adolescence. In P. J. Ott, R. E. Tarter, & R. T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, methodology, and intervention* (pp. 14-31). Boston: Allyn & Bacon.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable-and pattern-centered approaches to change. In G. A. Marlatt and G. R. VandenBos (Eds.), *Addictive behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association. [Originally appeared in *Developmental Psychology* (1996), *32*, 659-674.]
- (Johnston, L. D., O'Malley, P. M., & Bachman, J. G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).

- Schulenberg, J., Maggs, J. L., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 1-19). New York: Cambridge University Press.
- Johnston, L. D., & O'Malley, P. M. (1997). The recanting of earlier reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The validity of self-reported drug use: Improving the accuracy of survey estimates* (pp. 59-80). (NIDA Research Monograph 167.) Rockville, MD: National Institute on Drug Abuse.
- Wallace, J. M., Jr., & Williams, D. R. (1997). Religion and adolescent health-compromising behaviors. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 444-468). New York: Cambridge University Press.
- Maggs, J. L., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 522-546). New York: Cambridge University Press.
- Bachman, J. G., Wadsworth, K. N., O'Malley, P. M., Schulenberg, J., & Johnston, L. D. (1997). Marriage, divorce, and parenthood during the transition to young adulthood: Impacts on drug use and abuse. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 246-279). New York: Cambridge University Press.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Schulenberg, J. (1996). Transitions in drug use during late adolescence and young adulthood. In J. A. Graber, J. Brooks-Gunn, & A. C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W. B., & O'Malley, P. M. (1996). Drug use. In R. J. DiClemente, W. B. Hansen, & L. E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W. R., & Wallace, J. M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Bachman, J. G., & Wallace, J. M., Jr. (1995). Religion and drug use. In J. H. Jaffe et al. (Eds.), *Encyclopedia of drugs and alcohol* (pp. 911-916). New York: Macmillan Publishing.
- O'Malley, P. M. (1995). The Monitoring the Future study. In J. H. Jaffe et al. (Eds.), *Encyclopedia of drugs and alcohol*. New York: Macmillan Publishing.
- Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments* (pp. 37-64). Berlin: Walter de Gruyter.

- Wallace, J. M., Jr., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. J. Botwin, S. Schinke, & M. A. Orlandi (Eds.), *Drug abuse prevention with multiethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P. M. et al., 1995, uncredited). Epidemiology of injection drug use. In J. Normand, D. Vlahov, & L. E. Moses, (Eds). *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P. M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Rockville, MD: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J. G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. M. Collins & L. A. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Press.
- Wallace, J. M., Jr., & Bachman, J. G. (1993). Validity of self-reports in student-based studies on minority populations: Issues and concerns. In M. R. De La Rosa & J.-L. R. Andrados (Eds.) *Drug abuse among minority youth: Advances in research and methodology* (pp. 167-200). NIDA Research Monograph No. 130. Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In M. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L. D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life.* Vatican City: The Vatican.
- Johnston, L. D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In C. G. Leukefeld & W. J. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues*. (NIDA Research Monograph No. 107, pp. 57-80). Rockville, MD: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse*. (NIDA Research Monograph No. 110, pp. 19-43). Rockville, MD: National Institute on Drug Abuse.
- Bachman, J. G. (1991). School dropouts. In R. M. Lerner, A. C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York: Garland.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In L. Donohew, H. E. Sypher, & W. J. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1991). Toward a theory of drug epidemics. In L. Donohew, H. E. Sypher, & W. J. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-131). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes Leadership Conference on Substance Abuse Prevention*. Keynote address, Conference Proceedings (pp. 85-104). Ann Arbor, MI: University of Michigan School of Public Health.
- Johnston, L. D. (1989). America's drug problem in the media: Is it real or is it Memorex? In P. J. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F. M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L. D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C. L. Jones & R. J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention.* (NIDA Research Monograph No. 56, pp. 155-177). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L. D., & Harrison, L. D. (1985). An international perspective on alcohol use among youth. In U. Rydberg et al. (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L. D., & O'Malley, P. M. (1985). Issues of validity and population coverage in student surveys of drug use. In B. A. Rouse, N. J. Kozel, & L. G. Richards (Eds.), *Self-report methods of estimating drug use: Meeting current challenges to validity*. (NIDA Research Monograph No. 57, pp. 31-54). Rockville, MD: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1985). Cocaine use among American adolescents and young adults. In N. J. Kozel & E. H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives*. (NIDA Research Monograph No. 61, pp. 50-75). Rockville, MD: National Institute on Drug Abuse.
- Bachman, J. G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. B. Kaplan (Eds.), *Social psychology of the self-concept.* (pp. 356-364). Arlington Heights, IL: Harlan Davidson, Inc.

- Johnston, L. D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L. D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.
- Brooke, E., & Johnston, L. D. (1979). The assessment of drug abuse. In *Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L. D., O'Malley, P. M., & Eveland, L. K. (1978). Drugs and delinquency: A search for causal connections. In D. G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L. D. (1977). Introduction to the use of follow-up studies. In L. D. Johnston, D. N. Nurco, & L. N. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Problems of data acquisition in longitudinal studies. In L. G. Richards & L. B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues*. (NIDA Research Monograph No. 10, pp. 60-65). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J. D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics*. (NIDA Research Monograph No. 16, pp. 103-108). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., Nurco, D. N., & Robins, L. N. (1977). Reporting and utilizing the results of a follow-up study. In L. D. Johnston, D. N. Nurco, & L. N. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., & Bachman, J. G. (1976). Educational institutions and adolescent development. In J. F. Adams (Ed.), *Understanding adolescence: Current developments in adolescent psychology* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L. D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research*. (NIDA Research Monograph No. 2, pp. 36-39). Rockville, MD: National Institute on Drug Abuse.

#### **TESTIMONY**

Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in *The Congressional Record*.

Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in *The Congressional Record*.

Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in *The Congressional Record*.

Johnston, L. D. (2000, September 19). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on Drug Use Trends in America. Published in *The Congressional Record*.

Johnston, L. D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resourses in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in *The Congressional Record*.

Johnston, L. D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on "Recent trends in youthful drug use." Published in *The Congressional Record*.

Johnston, L. D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in *The Congressional Record*.

Johnston, L. D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in *The Congressional Record*.

Johnston, L. D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In *The Congressional Record*.

Johnston, L. D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.

- Johnston, L. D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record*, 134:89, D774.
- Johnston, L. D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record*, 134:87, D756.
- O'Malley, P. M., & Johnston, L. D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commisssion Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)
- Johnston, L. D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L. D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).

#### MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2005). *Demographic subgroup trends for various licit and illicit drugs, 1975-2004.* (Monitoring the Future Occasional Paper No. 61). Ann Arbor, MI: Institute for Social Research. 411 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Demographic subgroup trends for various licit and illicit drugs, 1975-2003.* (Monitoring the Future Occasional Paper No. 60). Ann Arbor, MI: Institute for Social Research. 334 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Demographic subgroup trends for various licit and illicit drugs*, 1975-2002. (Monitoring the Future Occasional Paper No. 59). Ann Arbor, MI: Institute for Social Research. 264 pp.
- Wallace, J. M, Jr., Brown T. N., Bachman, J. G., & LaViest, T. A. (2003). *Religion, race and abstinence from drug use among American adolescents*. (Monitoring the Future Occasional Paper No. 58). Ann Arbor, MI: Institute for Social Research. 25 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Demographic subgroup trends for various licit and illicit drugs*, 1975-2001. (Monitoring the Future Occasional Paper No. 57). Ann Arbor, MI: Institute for Social Research. 226 pp.
- Schulenberg, J. E., O'Malley, P. M., Bachman, J. G., Johnston, L. D., and Laetz, V. B. (2004). *How social role transitions from adolescence to adulthood relate to trajectories of well-being and substance use.* (Monitoring the Future Occasional Paper No. 56). Ann Arbor, MI: Institute for Social Research. 44 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M. (2001). *The Monitoring the Future project after 27 years: Design and procedures*. (Monitoring the Future Occasional Paper No. 54). Ann Arbor, MI: Institute for Social Research. 90 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Demographic subgroup trends for various licit and illicit drugs*, 1975-2000. (Monitoring the Future Occasional Paper No. 53). Ann Arbor, MI: Institute for Social Research. 226 pp.
- Johnston, L. D., O'Malley, P. M., Schulenberg, J. E., & Bachman, J. G. (2001). *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them as of 2001*. (Monitoring the Future Occasional Paper No. 52). Ann Arbor, MI: Institute for Social Research. 139 pp.
- Schulenberg, J., & Maggs, J. L. (2001). A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood. (Monitoring the Future Occasional Paper No. 51). Ann Arbor, MI: Institute for Social Research. 70 pp.
- Bachman, J. G., O'Malley, P. M., Schulenberg, J. E., Johnston, L. D., Bryant, A. L., Merline, A. C., Freedman-Doan, P., Ridenour, N. J., & Hart, T. C. (2001). *Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use.* (Monitoring the Future Occasional Paper No. 50). Ann Arbor, MI: Institute for Social Research. [Supplement to *The Decline of Substance Use in Young Adulthood* by Bachman et al.]

- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (2001). *Consistency and change in correlates of youth substance use, 1976-1997.* (Monitoring the Future Occasional Paper No. 49). Ann Arbor, MI: Institute for Social Research. 34 pp.
- Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2001). *Preferred work intensity of secondary school students: New findings and insights on why part-time work intensity correlates with drug use and problem behavior*. (Monitoring the Future Occasional Paper No. 48). Ann Arbor, MI: Institute for Social Research. 105 pp.
- Pilgrim, C., Schulenberg, J., O'Malley, P. M., Bachman, J. G., Johnston, L. D. (2000). *Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons* (1994-1996). (Monitoring the Future Occasional Paper No. 47). Ann Arbor, MI: Institute for Social Research. 48 pp.
- Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (2000). *Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use.* (Monitoring the Future Occasional Paper No. 46). Ann Arbor, MI: Institute for Social Research. 29 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (1999). *Cigarette brand preferences among adolescents*. (Monitoring the Future Occasional Paper No. 45.) Ann Arbor, MI: Institute for Social Research. 36 pp.
- Johnston, L. D. (1998). *Reasons for use, abstention, and quitting illicit drug use by American adolescents*. (Monitoring the Future Occasional Paper No. 44). A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. Ann Arbor, MI: Institute for Social Research. 27 pp.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1998). *Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons*. (Monitoring the Future Occasional Paper No. 43). Ann Arbor, MI: Institute for Social Research. 61 pp.
- Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). *Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.* (Monitoring the Future Occasional Paper No. 42.) Ann Arbor, MI: Institute for Social Research. 33 pp.
- Bachman, J. G., Segal, D. R., Freedman-Doan, P., & O'Malley, P. M. (1998). *Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors*. (Monitoring the Future Occasional Paper No. 41). Ann Arbor, MI: The Institute for Social Research. 163 pp.
- Bachman, J. G., Freedman-Doan, P., Segal, D. R., & O'Malley, P. M. (1997). *Trends in military propensity and the propensity-enlistment relationship*. (Monitoring the Future Occasional Paper No. 40). Ann Arbor, MI: The Institute for Social Research. 68 pp.
- Bachman, J. G., O'Malley, P. M., Johnston, L. D., Rodgers, W. L., Schulenberg, J. E., Lim, J., & Wadsworth, K. N. (1996). *Changes in drug use during ages 18-32*. (Monitoring the Future Occasional Paper No. 39.) Ann Arbor, MI: Institute for Social Research. 91 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1996). *The Monitoring the Future project after twenty-two years: Design and procedures.* (Monitoring the Future Occasional Paper No.

- 38.) Ann Arbor, MI: Institute for Social Research. 89 pp. [See Occasional Paper No. 54 for the most updated version.]
- Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1994). *Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976 through 1992*. (Monitoring the Future Occasional Paper No. 37.) Ann Arbor, MI: Institute for Social Research. 62 pp.
- Bachman, J. G., O'Malley, P. M., Johnston, L. D., Rodgers, W. L., & Schulenberg, J. E. (1992). *Changes in drug use during the post-high school years*. (Monitoring the Future Occasional Paper No. 35.) Ann Arbor, MI: Institute for Social Research. 168 pp.
- Johnston, L. D., O'Malley, P. M., Schulenberg, J., & Bachman, J. G. (1996). *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them* (2nd ed.). (Monitoring the Future Occasional Paper No. 34.) Ann Arbor, MI: Institute for Social Research. 122 pp. [See Occasional Paper No. 52 for the most updated version.]
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). *The Monitoring the Future project after seventeen years: Design and procedures.* (Monitoring the Future Occasional Paper No. 33.) Ann Arbor, MI: Institute for Social Research. 86 pp. [See Occasional Paper No. 54 for the most updated version.]
- Bachman, J. G., & Schulenberg, J. (1992). *Part-time work by high school seniors: Sorting out correlates and possible consequences* (rev. ed.). (Monitoring the Future Occasional Paper No. 32.) Ann Arbor, MI: Institute for Social Research. 140 pp.
- Johnston, L. D., O'Malley, P. M., & Harrison, L. D. (1989). The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987. (Monitoring the Future Occasional Paper No. 31.) Ann Arbor, MI: Institute for Social Research. 104 pp.
- Bachman, J. G., Wallace, J. M. Jr., Kurth, C. L., Johnston, L. D., O'Malley, P. M. (1991). *Drug use among black, white, Hispanic, Native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates* (rev. ed.). (Monitoring the Future Occasional Paper No. 30.) Ann Arbor, MI: Institute for Social Research. 63 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M. (1990). *Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.* (Monitoring the Future Occasional Paper No. 29.) Ann Arbor, MI: Institute for Social Research. 42 pp.
- O'Malley, P. M., & Wagenaar, A. C. (1990). *Minimum drinking age laws effects on American youth 1976-1987*. (Monitoring the Future Occasional Paper No. 28.) Ann Arbor, MI: Institute for Social Research. 94 pp.
- Johnston, L. D. (1988). *Reducing drug use in America: A perspective, a strategy, and some promising approaches.* (Monitoring the Future Occasional Paper No. 26.) Ann Arbor, MI: Institute for Social Research. 57 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). *Drug use among American college students and their noncollege age peers*. (Monitoring the Future Occasional Paper No. 25.) Ann Arbor, MI: Institute for Social Research. 40 pp.

- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). *Student drug use in America: Differences among high schools 1986-1987*. (Monitoring the Future Occasional Paper No. 24.) Ann Arbor, MI: Institute for Social Research. 37 pp.
- Herzog, A. R., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1987). *Sex differences in adolescents' health-threatening behaviors: What accounts for them?* (Monitoring the Future Occasional Paper No. 23.) Ann Arbor, MI: Institute for Social Research. 36 pp.
- O'Malley, P. M., Bachman, J. G. & Johnston, L. D. (1988). *Differentiation of period, age, and cohort effects on drug use 1976-1986*. (Monitoring the Future Occasional Paper No. 22.) Ann Arbor, MI: Institute for Social Research. 62 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1986). *Change and consistency in the correlates of drug use among high school seniors: 1975-1986.* (Monitoring the Future Occasional Paper No. 21.) Ann Arbor, MI: Institute for Social Research. 21 pp.
- Bachman, J. G., Bare, D. E., & Frankie, E. I. (1986). *Correlates of employment among high school seniors*. (Monitoring the Future Occasional Paper No. 20.) Ann Arbor, MI: Institute for Social Research. 105 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1986). *Changes in marijuana use linked to changes in perceived risks and disapproval.* (Monitoring the Future Occasional Paper No. 19.) Ann Arbor, MI: Institute for Social Research. 28 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Bare, D. E. (1985). *The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school.* (Monitoring the Future Occasional Paper No. 18.) Ann Arbor, MI: Institute for Social Research. 135 pp.
- Bachman, J. G., & O'Malley, P. M. (1983). *The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.* (Monitoring the Future Occasional Paper No. 16.) Ann Arbor, MI: Institute for Social Research. 30 pp.
- Johnston, L. D., O'Malley, P. M., & Davis-Sacks, M. L. (1983). A worldwide survey of seniors in the Department of Defense Dependent Schools: Drug use and related factors, 1982. (Monitoring the Future Occasional Paper No. 15.) Ann Arbor, MI: Institute for Social Research. 72 pp.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). *Period, age, and cohort effects on substance use among American youth 1976-1982*. (Monitoring the Future Occasional Paper No. 14.) Ann Arbor, MI: Institute for Social Research. 64 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1981). *Marijuana decriminalization: The impact on youth 1975-1980*. (Monitoring the Future Occasional Paper No. 13.) Ann Arbor, MI: Institute for Social Research. 87 pp.
- Bachman, J. G. (1981). *Trends in high school seniors' views of the military*. (Monitoring the Future Occasional Paper No. 12.) Ann Arbor, MI: Institute for Social Research. 28 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1981). *Changes in drug use after high school as a function of role status and social environment*. (Monitoring the Future Occasional Paper No. 11.) Ann Arbor, MI: Institute for Social Research. 91 pp.

- Herzog, A. R. (1980). *High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980.* (Available in reprint from *Sociology of Education*, 1982.) (Monitoring the Future Occasional Paper No. 10.) Ann Arbor, MI: Institute for Social Research. 22 pp.
- Bachman, J. G., & O'Malley, P. M., (1980). When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. (Monitoring the Future Occasional Paper No. 9.) Ann Arbor, MI: Institute for Social Research. 12 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1980). *Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations.* (Monitoring the Future Occasional Paper No. 8.) Ann Arbor, MI: Institute for Social Research. 134 pp.
- Miller, J. D., & Bachman, J. G. (1980). *Ecological concerns among high school seniors: 1976-1979*. (Monitoring the Future Occasional Paper No. 7.) Ann Arbor, MI: Institute for Social Research. 28 pp.
- Herzog, A. R., & Bachman, J. G. (1979). *Description of a special survey using a single combined form of the Monitoring the Future questionnaires*. (Monitoring the Future Occasional Paper No. 6.) Ann Arbor, MI: Institute for Social Research. 35 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1979). *Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.* (Monitoring the Future Occasional Paper No. 5.) Ann Arbor, MI: Institute for Social Research. 64 pp.
- Bachman, J. G., & Johnston, L. D. (1979). Fewer rebels, fewer causes: A profile of today's college freshmen. (Monitoring the Future Occasional Paper No. 4.) Ann Arbor, MI: Institute for Social Research. 27 pp.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1979). *High school seniors' preferences for sharing work and family responsibilities between husband and wife*. (Monitoring the Future Occasional Paper No. 3.) Ann Arbor, MI: Institute for Social Research. 58 pp.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1978). *Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.* (Monitoring the Future Occasional Paper No. 2.) Ann Arbor, MI: Institute for Social Research. 42 pp.
- Bachman, J. G., & Johnston, L. D. (1978). *The Monitoring the Future project: Design and procedures*. (Monitoring the Future Occasional Paper No. 1.) Ann Arbor, MI: Institute for Social Research. 67 pp.

#### **BOOKS**

Bachman, J. G., O'Malley, P. M., Schulenberg, J. E., Johnston, L. D., Bryant, A. L., & Merline, A. C. (2002). *The decline of substance use in young adulthood: Changes in social activities, roles, and beliefs.* Mahwah, NJ: Lawrence Erlbaum Associates.

Andrews, F. M., Klem, L., O'Malley, P. M., Rodgers, W. L., Welch, K. B., & Davidson, T. N. (1998). *Selecting statistical techniques for social science data: A guide for SAS Users*. Cary, NC: SAS Institute Inc.

Bachman, J. G., Wadsworth, K. N., O'Malley, P. M., Johnston, L. D., & Schulenberg, J. E. (1997). *Smoking, drinking, and drug use in young adulthood: The impacts of new freedoms and new responsibilities*. Mahwah, NJ: Lawrence Erlbaum Associates.

Schulenberg, J., Maggs, J. L., & Hurrelmann, K. (Eds.) (1997). *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.

Bachman, J. G., O'Malley, P. M., & Johnston, J. (1987). *Youth in transition: Vol. 6, Adolscence to adulthood: A study of change and stability in the lives of young men.* Ann Arbor, MI: Institute for Social Research. (ERIC Document No. ED 168 927).

**Appendix B - Sample Size and Student Response Rates** 

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

1979	1000
1777	1980
111	107
20	20
131	127
16,662	16,524
82%	82%
	20 131 16,662

	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response	81%	83%	84%	83%	84%	83%
Rate (%) *	8170	6570	0470	0370	04 /0	03/0

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,251
Student Response	84%	83%	86%	86%	83%	84%
Rate (%) *	04 /0	0370	8070	8070	0.5 /0	0470

SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response	84%	84%	84%	83%	83%	82%
Rate (%) *	04 /0	0470	0470	6570	0.5 /0	8270

	1999	2000	2001	2002	2003	2004
# Public Schools	124	116	117	102	103	109
# Private Schools	19	18	17	18	19	19
Total # Schools	143	134	134	120	122	128
Total # Students	14,056	13,286	13,304	13,544	15,200	15,222
Student Response Rate (%) *	83%	83%	82%	83%	83%	82%

<sup>\*</sup> The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.