

ICPSR 25382

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2008

Lloyd D. Johnston

University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley

University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg

University of Michigan. Institute for Social Research. Survey Research Center

Form 1 Data Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25382.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TABLE OF CONTENTS

| | |
|---|---------------|
| INTRODUCTION..... | 3 |
| DATA COLLECTION DESCRIPTION | 3 |
| DATA COLLECTION PROCEDURES | 3 |
| SAMPLING INFORMATION | 4 |
| Stage 1: Geographic Areas..... | 4 |
| Stage 2: Schools | 4 |
| Stage 3: Students | 4 |
| School Recruiting Procedures | 5 |
| Advance Contact With Teachers and Students | 5 |
| Questionnaire Administration | 5 |
| Procedures for Protecting Confidentiality. | 6 |
| CONTENT AREAS AND QUESTIONNAIRE DESIGN | 6 |
| MEASUREMENT CONTENT AREAS | 6 |
| REPRESENTATIVENESS AND VALIDITY | 8 |
| School Participation | 8 |
| Student Participation | 9 |
| Validity of Self-Report Data | 9 |
| Accuracy of the Sample | 9 |
| Consistency and the Measurement of Trends | 10 |
| Interpreting Racial Differences | 10 |
| Differential Representation | 11 |
| Differential Response Tendencies. | 11 |
| Covariance With Other Factors | 12 |
| WEIGHTING INFORMATION | 13 |
| FILE STRUCTURE | 13 |
| CODEBOOK INFORMATION | 14 |
| ICPSR PROCESSING INFORMATION | 16 |
| Omitted Variables | 16 |
| Recoded Variables | 17 |
| Missing Data for Western Region..... | 18 |
| Questionnaire Form 1 Processing | 18 |
| Revised Question Text for the Core Dataset..... | 19 |
| FREQUENCIES..... | 21 |
| APPENDICES | 371 |
| Appendix A: Publications | 373 |
| Appendix B: Sample Size and Student Response Rates..... | 375 |

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2008, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 12 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the

investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to

note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9-12 percent of each year's sample -- are represented by only 250 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the

degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African

American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in the 2008 codebooks are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

| part # | form | # of variables | Logical record length | Unweighted n |
|--------|--------|----------------|--------------------------|--------------|
| 1 | Core | 185 | 382 | 14,577 |
| 2 | Form 1 | 624 | 1,261 | 2,441 |
| 3 | Form 2 | 332 | 675 | 2,423 |
| 4 | Form 3 | 357 | 726 | 2,409 |
| 5 | Form 4 | 270 | 554 | 2,429 |
| 6 | Form 5 | 327 | 665 | 2,436 |
| 7 | Form 6 | 333 | 678 | 2,439 |

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119

[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)

[4] Variable Type: numeric (ISO)

[5] Range of Missing Values (M): -9

Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

| V2119:082A04E #X INTERNET NEWS | | | | |
|--------------------------------|---------------|------------------------------|-----------|-----------------|
| Value [10] | Label [11] | Unweighted Frequency [12] | % [13] | Valid % [14] |
| 1 | NEVER:(1) | 280 | 5.2% | 5.2% |
| 2 | FEW/YR:(2) | 216 | 4.0% | 4.0% |
| 3 | 1-2/MO:(3) | 576 | 10.6% | 10.8% |
| 4 | 1 /WK:(4) | 1235 | 22.8% | 23.1% |
| 5 | NR DAILY:(5) | 3050 | 56.3% | 56.9% |
| -9(M) | MISSING:(-9) | 59 | 1.1% | - |

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3] Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

| | |
|--------------|---|
| All datasets | C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC |
| Form 1 | D19. CURRENT HEIGHT D20. CURRENT WEIGHT |
| Form 2 | 2A19P. ARRSTD&TKN 2 POL |
| Form 5 | 5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT |

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

| | |
|--------------|---|
| All datasets | C13B R'ATTND REL SVC C13C RLGN IMP R'S LF |
| Form 2 | 2A19A FRQ FIGHT PARNTS |
| Form 4 | 4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE |
| Form 5 | 5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN |
| Form 6 | 6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT |

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 25382

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2008

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2008

Form 1 Data

| CASEID | CASE IDENTIFICATION NUMBER | | | |
|--|---|----------------------|---------|---------|
| Location: | 1-4(width: 4; decimal: 0) | | | |
| Variable Type: | numeric (ISO) | | | |
| V1 | YEAR OF ADMIN (4-DIGITS) | | | |
| Location: | 5-8(width: 4; decimal: 0) | | | |
| Variable Type: | numeric (ISO) | | | |
| V1: YEAR OF ADMIN (4-DIGITS) | | | | |
| Value | | Unweighted Frequency | % | Valid % |
| 2008 | | 2441 | 100.0 % | 100.0% |
| V3 | 081:FORM ID | | | |
| Location: | 9-10(width: 2; decimal: 0) | | | |
| Variable Type: | numeric (ISO) | | | |
| V3: 081:FORM ID | | | | |
| Value | | Unweighted Frequency | % | Valid % |
| 1 | | 2441 | 100.0 % | 100.0% |
| V4 | 081:R'S ID-SERIAL # | | | |
| Location: | 11-15(width: 5; decimal: 0) | | | |
| Variable Type: | numeric (ISO) | | | |
| V5 | SAMPLING WEIGHT | | | |
| Location: | 16-21(width: 6; decimal: 4) | | | |
| Variable Type: | numeric (ISO) | | | |
| V13 | SCH REG-4 CAT | | | |
| Location: | 22-23(width: 2; decimal: 0) | | | |
| Variable Type: | numeric (ISO) | | | |
| Question: | Region of the country, based on Census categories, in which respondent's school is located. | | | |
| 1=Northeast 2=North Central 3=South 4=West | | | | |
| V13: SCH REG-4 CAT | | | | |
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NE:(1) | 490 | 20.1 % | 20.1% |

- Study 25382 -

| V13: SCH REG-4 CAT | | | | |
|--------------------|--------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | NC:(2) | 576 | 23.6 % | 23.6% |
| 3 | S:(3) | 812 | 33.3 % | 33.3% |
| 4 | W:(4) | 563 | 23.1 % | 23.1% |

V16 LARGE MSA=1/NOT=0

Location: 24-25(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

| V16: LARGE MSA=1/NOT=0 | | | | |
|------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NOT:(0) | 1617 | 66.2 % | 66.2% |
| 1 | LARGE MSA:(1) | 824 | 33.8 % | 33.8% |

V17 MSA=1/NON MSA=0

Location: 26-27(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

| V17: MSA=1/NON MSA=0 | | | | |
|----------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NON-MSA:(0) | 438 | 17.9 % | 17.9% |
| 1 | MSA:(1) | 2003 | 82.1 % | 82.1% |

V1633 081A001:VRY HPY THS DAY

Location: 28-29(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01190

Question Number(s): 1A001

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

| V1633: 081A001:VRY HPY THS DAY | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NT HAPPY:(1) | 317 | 13.0 % | 13.1% |
| 2 | PRTY HPY:(2) | 1566 | 64.2 % | 64.7% |
| 3 | VRY HPY:(3) | 537 | 22.0 % | 22.2% |
| -9 (M) | MISSING:(-9) | 21 | 0.9 % | - |

V1634 081A002A:US NEEDS PLANNG

Location: 30-31(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01200

Question Number(s): 1A002A

How much do you agree or disagree with each of the following statements?

A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| V1634: 081A002A:US NEEDS PLANNG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 42 | 1.7 % | 1.7% |
| 2 | MOST DIS:(2) | 74 | 3.0 % | 3.1% |
| 3 | NEITHER:(3) | 395 | 16.2 % | 16.4% |
| 4 | MOST AGR:(4) | 1003 | 41.1 % | 41.5% |
| 5 | AGREE:(5) | 901 | 36.9 % | 37.3% |
| -9 (M) | MISSING:(-9) | 26 | 1.1 % | - |

V1635 081A002B:ENJOY FAST PACE

Location: 32-33(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01210

Question Number(s): 1A002B

How much do you agree or disagree with each of the following statements?

B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1635: 081A002B:ENJOY FAST PACE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 207 | 8.5 % | 8.6% |
| 2 | MOST DIS:(2) | 356 | 14.6 % | 14.8% |
| 3 | NEITHER:(3) | 678 | 27.8 % | 28.1% |
| 4 | MOST AGR:(4) | 821 | 33.6 % | 34.1% |
| 5 | AGREE:(5) | 348 | 14.3 % | 14.4% |
| -9 (M) | MISSING:(-9) | 31 | 1.3 % | - |

V1636 081A002C:THG CHG 2 QUICK

Location: 34-35(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01220

Question Number(s): 1A002C

How much do you agree or disagree with each of the following statements?

C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1636: 081A002C:THG CHG 2 QUICK | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 241 | 9.9 % | 10.0% |
| 2 | MOST DIS:(2) | 482 | 19.7 % | 20.0% |
| 3 | NEITHER:(3) | 593 | 24.3 % | 24.6% |
| 4 | MOST AGR:(4) | 638 | 26.1 % | 26.5% |

- Study 25382 -

| V1636: 081A002C:THG CHG 2 QUICK | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | AGREE:(5) | 455 | 18.6 % | 18.9% |
| -9 (M) | MISSING:(-9) | 32 | 1.3 % | - |

V1637 081A002D:X AHEAD TOUGHER

Location: 36-37(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01230

Question Number(s): 1A002D

How much do you agree or disagree with each of the following statements?

D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1637: 081A002D:X AHEAD TOUGHER | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 372 | 15.2 % | 15.5% |
| 2 | MOST DIS:(2) | 463 | 19.0 % | 19.3% |
| 3 | NEITHER:(3) | 436 | 17.9 % | 18.2% |
| 4 | MOST AGR:(4) | 597 | 24.5 % | 24.9% |
| 5 | AGREE:(5) | 531 | 21.8 % | 22.1% |
| -9 (M) | MISSING:(-9) | 42 | 1.7 % | - |

V1638 081A003:TM SPT ADLT MST

Location: 38-39(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01240

Question Number(s): 1A003

Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

- Study 25382 -

| V1638: 081A003:TM SPT ADLT MST | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | VRV LITL:(1) | 681 | 27.9 % | 28.1% |
| 2 | SOME:(2) | 941 | 38.5 % | 38.8% |
| 3 | ABT HALF:(3) | 603 | 24.7 % | 24.8% |
| 4 | MOST:(4) | 168 | 6.9 % | 6.9% |
| 5 | NRLY ALL:(5) | 34 | 1.4 % | 1.4% |
| -9 (M) | MISSING:(-9) | 14 | 0.6 % | - |

V1639 **081A004:LK MR TM ADLT**

Location: 40-41(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01250

Question Number(s): 1A004

Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

| V1639: 081A004:LK MR TM ADLT | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 244 | 10.0 % | 10.1% |
| 2 | SOM LESS:(2) | 260 | 10.7 % | 10.7% |
| 3 | SAM TIME:(3) | 1562 | 64.0 % | 64.4% |
| 4 | SOM MORE:(4) | 307 | 12.6 % | 12.6% |
| 5 | MCH MORE:(5) | 54 | 2.2 % | 2.2% |
| -9 (M) | MISSING:(-9) | 14 | 0.6 % | - |

V1640 **081A005:LK MR TM YG CHD**

Location: 42-43(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01260

Question Number(s): 1A005

Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same"

- Study 25382 -

as now" 4="Somewhat more time" 5="Much more time"

| V1640: 081A005:LK MR TM YG CHD | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 229 | 9.4 % | 9.4% |
| 2 | SOM LESS:(2) | 171 | 7.0 % | 7.1% |
| 3 | SAM TIME:(3) | 797 | 32.7 % | 32.9% |
| 4 | SOM MORE:(4) | 801 | 32.8 % | 33.0% |
| 5 | MCH MORE:(5) | 426 | 17.5 % | 17.6% |
| -9 (M) | MISSING:(-9) | 17 | 0.7 % | - |

V1641 081A006A:SAT PRESENT JOB

Location: 44-45(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01270

Question Number(s): 1A006A

The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . .

A: . . . Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1641: 081A006A:SAT PRESENT JOB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 102 | 4.2 % | 6.6% |
| 2 | - | 70 | 2.9 % | 4.6% |
| 3 | - | 158 | 6.5 % | 10.3% |
| 4 | NEUTRAL:(4) | 339 | 13.9 % | 22.1% |
| 5 | - | 234 | 9.6 % | 15.2% |
| 6 | - | 336 | 13.8 % | 21.9% |
| 7 | COMP SAT:(7) | 297 | 12.2 % | 19.3% |
| -9 (M) | MISSING:(-9) | 905 | 37.1 % | - |

V1642 081A006B:SAT NEIGHBORHOD

Location: 46-47(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01280

Question Number(s): 1A006B

How satisfied are you with . . .

B: . . . The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1642: 081A006B:SAT NEIGHBORHOD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 104 | 4.3 % | 4.3% |
| 2 | - | 90 | 3.7 % | 3.7% |
| 3 | - | 193 | 7.9 % | 8.0% |
| 4 | NEUTRAL:(4) | 479 | 19.6 % | 19.7% |
| 5 | - | 344 | 14.1 % | 14.2% |
| 6 | - | 530 | 21.7 % | 21.8% |
| 7 | COMP SAT:(7) | 686 | 28.1 % | 28.3% |
| -9 (M) | MISSING:(-9) | 15 | 0.6 % | - |

V1643

081A006C:SAT PRSNL SAFETY

Location: 48-49(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01290

Question Number(s): 1A006C

How satisfied are you with . . .

C: . . . Your personal safety in your neighborhood, on your job, and in your school--safety from being attacked and injured in some way?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1643: 081A006C:SAT PRSNL SAFETY | | | | |
|----------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 91 | 3.7 % | 3.8% |
| 2 | - | 51 | 2.1 % | 2.1% |

- Study 25382 -

| V1643: 081A006C:SAT PRSNL SAFTY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | - | 179 | 7.3 % | 7.4% |
| 4 | NEUTRAL:(4) | 391 | 16.0 % | 16.1% |
| 5 | - | 333 | 13.6 % | 13.7% |
| 6 | - | 603 | 24.7 % | 24.9% |
| 7 | COMP SAT:(7) | 774 | 31.7 % | 32.0% |
| -9 (M) | MISSING:(-9) | 19 | 0.8 % | - |

V1644 081A006D:SAT OWN PROP SF

Location: 50-51(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01300

Question Number(s): 1A006D

How satisfied are you with . . .

D: . . . The safety of things you own from being stolen or destroyed in your neighborhood, on your job, and in your school?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1644: 081A006D:SAT OWN PROP SF | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 167 | 6.8 % | 6.9% |
| 2 | - | 143 | 5.9 % | 5.9% |
| 3 | - | 261 | 10.7 % | 10.8% |
| 4 | NEUTRAL:(4) | 450 | 18.4 % | 18.6% |
| 5 | - | 400 | 16.4 % | 16.5% |
| 6 | - | 568 | 23.3 % | 23.5% |
| 7 | COMP SAT:(7) | 429 | 17.6 % | 17.7% |
| -9 (M) | MISSING:(-9) | 23 | 0.9 % | - |

V1645 081A006E:SAT EDUC EXPRNC

Location: 52-53(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01310

- Study 25382 -

Question Number(s): 1A006E

How satisfied are you with . . .

E: . . . Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1645: 081A006E:SAT EDUC EXPRNC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 70 | 2.9 % | 2.9% |
| 2 | - | 63 | 2.6 % | 2.6% |
| 3 | - | 172 | 7.0 % | 7.1% |
| 4 | NEUTRAL:(4) | 406 | 16.6 % | 16.8% |
| 5 | - | 509 | 20.9 % | 21.1% |
| 6 | - | 709 | 29.0 % | 29.4% |
| 7 | COMP SAT:(7) | 481 | 19.7 % | 20.0% |
| -9 (M) | MISSING:(-9) | 31 | 1.3 % | - |

V1646

081A006F:SAT OWN FRIENDS

Location: 54-55(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01320

Question Number(s): 1A006F

How satisfied are you with . . .

F: . . . Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1646: 081A006F:SAT OWN FRIENDS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 26 | 1.1 % | 1.1% |
| 2 | - | 32 | 1.3 % | 1.3% |
| 3 | - | 61 | 2.5 % | 2.5% |
| 4 | NEUTRAL:(4) | 210 | 8.6 % | 8.7% |
| 5 | - | 295 | 12.1 % | 12.2% |
| 6 | - | 681 | 27.9 % | 28.2% |
| 7 | COMP SAT:(7) | 1109 | 45.4 % | 45.9% |

- Study 25382 -

| V1646: 081A006F:SAT OWN FRIENDS | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 27 | 1.1 % | - |

V1647 081A006G:SAT GT ALNG PRN

Location: 56-57(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01330

Question Number(s): 1A006G

How satisfied are you with . . .

G: . . . The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1647: 081A006G:SAT GT ALNG PRN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 106 | 4.3 % | 4.4% |
| 2 | - | 102 | 4.2 % | 4.2% |
| 3 | - | 156 | 6.4 % | 6.5% |
| 4 | NEUTRAL:(4) | 367 | 15.0 % | 15.2% |
| 5 | - | 410 | 16.8 % | 17.0% |
| 6 | - | 617 | 25.3 % | 25.5% |
| 7 | COMP SAT:(7) | 658 | 27.0 % | 27.2% |
| -9 (M) | MISSING:(-9) | 25 | 1.0 % | - |

V1648 081A006H:SAT YOURSELF

Location: 58-59(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01340

Question Number(s): 1A006H

How satisfied are you with . . .

H: . . . Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

- Study 25382 -

| V1648: 081A006H:SAT YOURSELF | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 61 | 2.5 % | 2.5% |
| 2 | - | 69 | 2.8 % | 2.9% |
| 3 | - | 126 | 5.2 % | 5.2% |
| 4 | NEUTRAL:(4) | 337 | 13.8 % | 14.0% |
| 5 | - | 388 | 15.9 % | 16.1% |
| 6 | - | 652 | 26.7 % | 27.1% |
| 7 | COMP SAT:(7) | 775 | 31.7 % | 32.2% |
| -9 (M) | MISSING:(-9) | 33 | 1.4 % | - |

V1649 081A006I:SAT STD OF LVG

Location: 60-61(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01350

Question Number(s): 1A006I

How satisfied are you with . . .

I: . . . Your standard of living--the things you have like housing, car, furniture, recreation, and the like?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1649: 081A006I:SAT STD OF LVG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 56 | 2.3 % | 2.3% |
| 2 | - | 53 | 2.2 % | 2.2% |
| 3 | - | 158 | 6.5 % | 6.5% |
| 4 | NEUTRAL:(4) | 305 | 12.5 % | 12.6% |
| 5 | - | 393 | 16.1 % | 16.2% |
| 6 | - | 646 | 26.5 % | 26.7% |
| 7 | COMP SAT:(7) | 809 | 33.1 % | 33.4% |
| -9 (M) | MISSING:(-9) | 21 | 0.9 % | - |

V1650 081A006J:SAT TIME FR THG

Location: 62-63(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01360

Question Number(s): 1A006J

How satisfied are you with . . .

J: . . . The amount of time you have for doing things you want to do?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1650: 081A006J:SAT TIME FR THG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 167 | 6.8 % | 6.9% |
| 2 | - | 180 | 7.4 % | 7.4% |
| 3 | - | 330 | 13.5 % | 13.6% |
| 4 | NEUTRAL:(4) | 383 | 15.7 % | 15.8% |
| 5 | - | 538 | 22.0 % | 22.2% |
| 6 | - | 461 | 18.9 % | 19.0% |
| 7 | COMP SAT:(7) | 361 | 14.8 % | 14.9% |
| -9 (M) | MISSING:(-9) | 21 | 0.9 % | - |

V1651

081A006K:SAT SPD LEISR

Location: 64-65(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01370

Question Number(s): 1A006K

How satisfied are you with . . .

K: . . . The way you spend your leisure time--recreation, relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1651: 081A006K:SAT SPD LEISR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 83 | 3.4 % | 3.4% |
| 2 | - | 86 | 3.5 % | 3.6% |
| 3 | - | 193 | 7.9 % | 8.0% |
| 4 | NEUTRAL:(4) | 395 | 16.2 % | 16.3% |

- Study 25382 -

| V1651: 081A006K:SAT SPD LEISR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | - | 469 | 19.2 % | 19.4% |
| 6 | - | 599 | 24.5 % | 24.8% |
| 7 | COMP SAT:(7) | 595 | 24.4 % | 24.6% |
| -9 (M) | MISSING:(-9) | 21 | 0.9 % | - |

V1652

081A006L:SAT LIFE AS WHL

Location: 66-67(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01380

Question Number(s): 1A006L

How satisfied are you with . . .

L: . . . Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1652: 081A006L:SAT LIFE AS WHL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 76 | 3.1 % | 3.1% |
| 2 | - | 64 | 2.6 % | 2.7% |
| 3 | - | 159 | 6.5 % | 6.6% |
| 4 | NEUTRAL:(4) | 443 | 18.1 % | 18.3% |
| 5 | - | 493 | 20.2 % | 20.4% |
| 6 | - | 757 | 31.0 % | 31.3% |
| 7 | COMP SAT:(7) | 423 | 17.3 % | 17.5% |
| -9 (M) | MISSING:(-9) | 26 | 1.1 % | - |

V1653

081A006M:SAT GOVT OPRTNG

Location: 68-69(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01390

Question Number(s): 1A006M

How satisfied are you with . . .

M: . . . The way our national government is operating?

- Study 25382 -

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1653: 081A006M:SAT GOVT OPRTNG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 455 | 18.6 % | 18.8% |
| 2 | - | 366 | 15.0 % | 15.1% |
| 3 | - | 421 | 17.2 % | 17.4% |
| 4 | NEUTRAL:(4) | 751 | 30.8 % | 31.1% |
| 5 | - | 255 | 10.4 % | 10.5% |
| 6 | - | 119 | 4.9 % | 4.9% |
| 7 | COMP SAT:(7) | 51 | 2.1 % | 2.1% |
| -9 (M) | MISSING:(-9) | 23 | 0.9 % | - |

V1654 081A006N:SAT AMT OF FUN

Location: 70-71(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01400

Question Number(s): 1A006N

How satisfied are you with . . .

N: . . . The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

| V1654: 081A006N:SAT AMT OF FUN | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | COMP DIS:(1) | 100 | 4.1 % | 4.1% |
| 2 | - | 108 | 4.4 % | 4.5% |
| 3 | - | 187 | 7.7 % | 7.7% |
| 4 | NEUTRAL:(4) | 361 | 14.8 % | 14.9% |
| 5 | - | 547 | 22.4 % | 22.6% |
| 6 | - | 621 | 25.4 % | 25.7% |
| 7 | COMP SAT:(7) | 497 | 20.4 % | 20.5% |
| -9 (M) | MISSING:(-9) | 20 | 0.8 % | - |

V1655 081A007A:IMP B SUCCSS WK

Location: 72-73(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 01410

Question Number(s): 1A007A

How important is each of the following to you in your life?

A: Being successful in my line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

| V1655: 081A007A:IMP B SUCCSS WK | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 43 | 1.8 % | 1.8% |
| 2 | SOM IMPT:(2) | 171 | 7.0 % | 7.2% |
| 3 | QUITE IM:(3) | 611 | 25.0 % | 25.6% |
| 4 | EXTR IMP:(4) | 1562 | 64.0 % | 65.4% |
| -9 (M) | MISSING:(-9) | 54 | 2.2 % | - |

V1656 081A007B:IMP GD MRRG&FAM

Location: 74-75(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01420

Question Number(s): 1A007B

How important is each of the following to you in your life?

B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

| V1656: 081A007B:IMP GD MRRG&FAM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 78 | 3.2 % | 3.3% |
| 2 | SOM IMPT:(2) | 164 | 6.7 % | 6.9% |
| 3 | QUITE IM:(3) | 351 | 14.4 % | 14.7% |
| 4 | EXTR IMP:(4) | 1793 | 73.5 % | 75.1% |
| -9 (M) | MISSING:(-9) | 55 | 2.3 % | - |

V1657 081A007C:IMP LOTS OF \$

Location: 76-77(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01430

Question Number(s): 1A007C

How important is each of the following to you in your life?

C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

| V1657: 081A007C:IMP LOTS OF \$ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 148 | 6.1 % | 6.2% |
| 2 | SOM IMPT:(2) | 702 | 28.8 % | 29.4% |
| 3 | QUITE IM:(3) | 887 | 36.3 % | 37.2% |
| 4 | EXTR IMP:(4) | 648 | 26.5 % | 27.2% |
| -9 (M) | MISSING:(-9) | 56 | 2.3 % | - |

V1658 081A007D:IMP TM RCRN&HBY

Location: 78-79(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01440

Question Number(s): 1A007D

How important is each of the following to you in your life?

D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

| V1658: 081A007D:IMP TM RCRN&HBY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 53 | 2.2 % | 2.2% |
| 2 | SOM IMPT:(2) | 444 | 18.2 % | 18.6% |
| 3 | QUITE IM:(3) | 1057 | 43.3 % | 44.2% |
| 4 | EXTR IMP:(4) | 838 | 34.3 % | 35.0% |
| -9 (M) | MISSING:(-9) | 49 | 2.0 % | - |

V1659 081A007E:IMP STRG FRDSHP

- Study 25382 -

Location: 80-81(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01450

Question Number(s): 1A007E

How important is each of the following to you in your life?

E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

| V1659: 081A007E:IMP STRG FRDSHP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 48 | 2.0 % | 2.0% |
| 2 | SOM IMPT:(2) | 162 | 6.6 % | 6.8% |
| 3 | QUITE IM:(3) | 591 | 24.2 % | 24.7% |
| 4 | EXTR IMP:(4) | 1587 | 65.0 % | 66.5% |
| -9 (M) | MISSING:(-9) | 53 | 2.2 % | - |

V1660 081A007F:IMP STEADY WORK

Location: 82-83(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01460

Question Number(s): 1A007F

How important is each of the following to you in your life?

F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

| V1660: 081A007F:IMP STEADY WORK | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 29 | 1.2 % | 1.2% |
| 2 | SOM IMPT:(2) | 128 | 5.2 % | 5.4% |
| 3 | QUITE IM:(3) | 577 | 23.6 % | 24.1% |
| 4 | EXTR IMP:(4) | 1658 | 67.9 % | 69.3% |
| -9 (M) | MISSING:(-9) | 49 | 2.0 % | - |

- Study 25382 -

V1661 081A007G:IMP CNTRBTN SOC

Location: 84-85(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01470

Question Number(s): 1A007G

How important is each of the following to you in your life?

G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

| V1661: 081A007G:IMP CNTRBTN SOC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 142 | 5.8 % | 5.9% |
| 2 | SOM IMPT:(2) | 640 | 26.2 % | 26.8% |
| 3 | QUITE IM:(3) | 941 | 38.5 % | 39.4% |
| 4 | EXTR IMP:(4) | 665 | 27.2 % | 27.8% |
| -9 (M) | MISSING:(-9) | 53 | 2.2 % | - |

V1662 081A007H:IMP LDR COMUNTY

Location: 86-87(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01480

Question Number(s): 1A007H

How important is each of the following to you in your life?

H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

| V1662: 081A007H:IMP LDR COMUNTY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 474 | 19.4 % | 19.9% |
| 2 | SOM IMPT:(2) | 823 | 33.7 % | 34.6% |
| 3 | QUITE IM:(3) | 665 | 27.2 % | 27.9% |
| 4 | EXTR IMP:(4) | 419 | 17.2 % | 17.6% |

- Study 25382 -

| V1662: 081A007H:IMP LDR COMUNITY | | | | |
|----------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 60 | 2.5 % | - |

V1663 081A007I:IMP CHLD BTR OP

Location: 88-89(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01490

Question Number(s): 1A007I

How important is each of the following to you in your life?

I: Being able to give my children better opportunities than I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

| V1663: 081A007I:IMP CHLD BTR OP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 74 | 3.0 % | 3.1% |
| 2 | SOM IMPT:(2) | 146 | 6.0 % | 6.1% |
| 3 | QUITE IM:(3) | 484 | 19.8 % | 20.4% |
| 4 | EXTR IMP:(4) | 1674 | 68.6 % | 70.4% |
| -9 (M) | MISSING:(-9) | 63 | 2.6 % | - |

V1664 081A007J:IMP LIV CLS PRN

Location: 90-91(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01500

Question Number(s): 1A007J

How important is each of the following to you in your life?

J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

- Study 25382 -

| V1664: 081A007J:IMP LIV CLS PRN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 366 | 15.0 % | 15.4% |
| 2 | SOM IMPT:(2) | 830 | 34.0 % | 34.8% |
| 3 | QUITE IM:(3) | 737 | 30.2 % | 30.9% |
| 4 | EXTR IMP:(4) | 450 | 18.4 % | 18.9% |
| -9 (M) | MISSING:(-9) | 58 | 2.4 % | - |

V1665 **081A007K:IMP GT AWY AREA**

Location: 92-93(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01510

Question Number(s): 1A007K

How important is each of the following to you in your life?

K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

| V1665: 081A007K:IMP GT AWY AREA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 1020 | 41.8 % | 42.7% |
| 2 | SOM IMPT:(2) | 613 | 25.1 % | 25.6% |
| 3 | QUITE IM:(3) | 364 | 14.9 % | 15.2% |
| 4 | EXTR IMP:(4) | 393 | 16.1 % | 16.4% |
| -9 (M) | MISSING:(-9) | 51 | 2.1 % | - |

V1666 **081A007L:IMP CRRCT INEQL**

Location: 94-95(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01520

Question Number(s): 1A007L

How important is each of the following to you in your life?

L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"

- Study 25382 -

4="Extremely Important"

| V1666: 081A007L:IMP CRRCT INEQL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 400 | 16.4 % | 16.7% |
| 2 | SOM IMPT:(2) | 919 | 37.6 % | 38.4% |
| 3 | QUITE IM:(3) | 702 | 28.8 % | 29.4% |
| 4 | EXTR IMP:(4) | 370 | 15.2 % | 15.5% |
| -9 (M) | MISSING:(-9) | 50 | 2.0 % | - |

V1667 081A007M:IMP NEW XPRNCE

Location: 96-97(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01530

Question Number(s): 1A007M

How important is each of the following to you in your life?

M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"

4="Extremely Important"

| V1667: 081A007M:IMP NEW XPRNCE | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 143 | 5.9 % | 6.0% |
| 2 | SOM IMPT:(2) | 623 | 25.5 % | 26.1% |
| 3 | QUITE IM:(3) | 970 | 39.7 % | 40.6% |
| 4 | EXTR IMP:(4) | 655 | 26.8 % | 27.4% |
| -9 (M) | MISSING:(-9) | 50 | 2.0 % | - |

V1668 081A007N:IMP FND PRPS LF

Location: 98-99(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01540

Question Number(s): 1A007N

How important is each of the following to you in your life?

N: Finding purpose and meaning in my life

- Study 25382 -

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

| V1668: 081A007N:IMP FND PRPS LF | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 102 | 4.2 % | 4.3% |
| 2 | SOM IMPT:(2) | 208 | 8.5 % | 8.7% |
| 3 | QUITE IM:(3) | 557 | 22.8 % | 23.3% |
| 4 | EXTR IMP:(4) | 1525 | 62.5 % | 63.8% |
| -9 (M) | MISSING:(-9) | 49 | 2.0 % | - |

V1669 081A008:PPL CAN B TRSTD

Location: 100-101(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01550

Question Number(s): 1A008

Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided"
1="Can't be too careful"

| V1669: 081A008:PPL CAN B TRSTD | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | CAREFUL:(1) | 1198 | 49.1 % | 51.4% |
| 2 | DK:(2) | 677 | 27.7 % | 29.1% |
| 3 | TRST MST:(3) | 454 | 18.6 % | 19.5% |
| -9 (M) | MISSING:(-9) | 112 | 4.6 % | - |

V1670 081A009:PPL TRY B HLPFL

Location: 102-103(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01560

Question Number(s): 1A009

Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

- Study 25382 -

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

| V1670: 081A009:PPL TRY B HLPFL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | FOR SELF:(1) | 987 | 40.4 % | 41.4% |
| 2 | DK:(2) | 823 | 33.7 % | 34.5% |
| 3 | TRY HELP:(3) | 573 | 23.5 % | 24.0% |
| -9 (M) | MISSING:(-9) | 58 | 2.4 % | - |

V1671

081A010:PPL TRY BE FAIR

Location: 104-105(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01570

Question Number(s): 1A010

Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

| V1671: 081A010:PPL TRY BE FAIR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | TAKE ADV:(1) | 1062 | 43.5 % | 44.6% |
| 2 | DK:(2) | 848 | 34.7 % | 35.6% |
| 3 | TRY FAIR:(3) | 469 | 19.2 % | 19.7% |
| -9 (M) | MISSING:(-9) | 62 | 2.5 % | - |

V1672

081A011A:-OBY LW = -GD CTZ

Location: 106-107(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01580

Question Number(s): 1A011A

These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: I feel that you can't be a good citizen unless you

- Study 25382 -

always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1672: 081A011A:-OBY LW = -GD CTZ | | | | |
|-----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 471 | 19.3 % | 19.8% |
| 2 | MOST DIS:(2) | 537 | 22.0 % | 22.5% |
| 3 | NEITHER:(3) | 594 | 24.3 % | 24.9% |
| 4 | MOST AGR:(4) | 616 | 25.2 % | 25.8% |
| 5 | AGREE:(5) | 165 | 6.8 % | 6.9% |
| -9 (M) | MISSING:(-9) | 58 | 2.4 % | - |

V1673 **081A011B:GD CTZN ALG GOV**

Location: 108-109(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01590

Question Number(s): 1A011B

How much do you agree or disagree with each statement below?

B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1673: 081A011B:GD CTZN ALG GOV | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 984 | 40.3 % | 41.3% |
| 2 | MOST DIS:(2) | 615 | 25.2 % | 25.8% |
| 3 | NEITHER:(3) | 499 | 20.4 % | 20.9% |
| 4 | MOST AGR:(4) | 207 | 8.5 % | 8.7% |
| 5 | AGREE:(5) | 78 | 3.2 % | 3.3% |
| -9 (M) | MISSING:(-9) | 58 | 2.4 % | - |

V1674 **081A011C:GD CTZN CHG GOV**

Location: 110-111(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01600

Question Number(s): 1A011C

How much do you agree or disagree with each statement below?

C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1674: 081A011C:GD CTZN CHG GOV | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 112 | 4.6 % | 4.7% |
| 2 | MOST DIS:(2) | 175 | 7.2 % | 7.4% |
| 3 | NEITHER:(3) | 691 | 28.3 % | 29.1% |
| 4 | MOST AGR:(4) | 788 | 32.3 % | 33.2% |
| 5 | AGREE:(5) | 611 | 25.0 % | 25.7% |
| -9 (M) | MISSING:(-9) | 64 | 2.6 % | - |

V1675 **081A011D:VOTE->MAJ IMPCT**

Location: 112-113(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01610

Question Number(s): 1A011D

How much do you agree or disagree with each statement below?

D: The way people vote has a major impact on how things are run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1675: 081A011D:VOTE->MAJ IMPCT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 173 | 7.1 % | 7.3% |
| 2 | MOST DIS:(2) | 244 | 10.0 % | 10.2% |
| 3 | NEITHER:(3) | 444 | 18.2 % | 18.6% |
| 4 | MOST AGR:(4) | 761 | 31.2 % | 31.9% |
| 5 | AGREE:(5) | 761 | 31.2 % | 31.9% |
| -9 (M) | MISSING:(-9) | 58 | 2.4 % | - |

- Study 25382 -

V1676 081A011E:CTZN GRP HV EFC

Location: 114-115(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01620

Question Number(s): 1A011E

How much do you agree or disagree with each statement below?

E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1676: 081A011E:CTZN GRP HV EFC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 104 | 4.3 % | 4.4% |
| 2 | MOST DIS:(2) | 236 | 9.7 % | 9.9% |
| 3 | NEITHER:(3) | 788 | 32.3 % | 33.2% |
| 4 | MOST AGR:(4) | 817 | 33.5 % | 34.4% |
| 5 | AGREE:(5) | 427 | 17.5 % | 18.0% |
| -9 (M) | MISSING:(-9) | 69 | 2.8 % | - |

V1677 081A011F:OUR SYST ST BS

Location: 116-117(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01630

Question Number(s): 1A011F

How much do you agree or disagree with each statement below?

F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1677: 081A011F:OUR SYST ST BS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 290 | 11.9 % | 12.2% |

- Study 25382 -

| V1677: 081A011F:OUR SYST ST BS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | MOST DIS:(2) | 368 | 15.1 % | 15.5% |
| 3 | NEITHER:(3) | 787 | 32.2 % | 33.1% |
| 4 | MOST AGR:(4) | 600 | 24.6 % | 25.2% |
| 5 | AGREE:(5) | 332 | 13.6 % | 14.0% |
| -9 (M) | MISSING:(-9) | 64 | 2.6 % | - |

V1678 081A011G:US NEEDS GROWTH

Location: 118-119(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01640

Question Number(s): 1A011G

How much do you agree or disagree with each statement below?

G: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1678: 081A011G:US NEEDS GROWTH | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 794 | 32.5 % | 33.4% |
| 2 | MOST DIS:(2) | 516 | 21.1 % | 21.7% |
| 3 | NEITHER:(3) | 620 | 25.4 % | 26.1% |
| 4 | MOST AGR:(4) | 268 | 11.0 % | 11.3% |
| 5 | AGREE:(5) | 179 | 7.3 % | 7.5% |
| -9 (M) | MISSING:(-9) | 64 | 2.6 % | - |

V1679 081A011H:LV THNGS TO GOD

Location: 120-121(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01650

Question Number(s): 1A011H

How much do you agree or disagree with each statement below?

H: If we just leave things to God, they will turn out for

- Study 25382 -

the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1679: 081A011H:LV THNGS TO GOD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 621 | 25.4 % | 26.2% |
| 2 | MOST DIS:(2) | 249 | 10.2 % | 10.5% |
| 3 | NEITHER:(3) | 598 | 24.5 % | 25.3% |
| 4 | MOST AGR:(4) | 397 | 16.3 % | 16.8% |
| 5 | AGREE:(5) | 502 | 20.6 % | 21.2% |
| -9 (M) | MISSING:(-9) | 74 | 3.0 % | - |

V1680 **081A011I:GO SCH ENJY XPR**

Location: 122-123(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01660

Question Number(s): 1A011I

How much do you agree or disagree with each statement below?

I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1680: 081A011I:GO SCH ENJY XPR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 169 | 6.9 % | 7.1% |
| 2 | MOST DIS:(2) | 207 | 8.5 % | 8.7% |
| 3 | NEITHER:(3) | 472 | 19.3 % | 19.8% |
| 4 | MOST AGR:(4) | 932 | 38.2 % | 39.2% |
| 5 | AGREE:(5) | 600 | 24.6 % | 25.2% |
| -9 (M) | MISSING:(-9) | 61 | 2.5 % | - |

V1681 **081A011J:DO WL SC IMP/JB**

Location: 124-125(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01670

- Study 25382 -

Question Number(s): 1A011J

How much do you agree or disagree with each statement below?

J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

| V1681: 081A011J:DO WL SC IMP/JB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DISAGREE:(1) | 70 | 2.9 % | 2.9% |
| 2 | MOST DIS:(2) | 70 | 2.9 % | 2.9% |
| 3 | NEITHER:(3) | 234 | 9.6 % | 9.8% |
| 4 | MOST AGR:(4) | 664 | 27.2 % | 27.9% |
| 5 | AGREE:(5) | 1341 | 54.9 % | 56.4% |
| -9 (M) | MISSING:(-9) | 62 | 2.5 % | - |

V1766

081A012A:RSK OF CIG1+PK/

Location: 126-127(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12360

Question Number(s): 1A012A

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1766: 081A012A:RSK OF CIG1+PK/ | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 97 | 4.0 % | 4.1% |
| 2 | SLIGHT:(2) | 99 | 4.1 % | 4.2% |
| 3 | MOD RISK:(3) | 385 | 15.8 % | 16.1% |
| 4 | GRT RISK:(4) | 1704 | 69.8 % | 71.4% |
| 5 | CANT SAY:(5) | 100 | 4.1 % | 4.2% |
| -9 (M) | MISSING:(-9) | 56 | 2.3 % | - |

- Study 25382 -

V1767 081A012B:RSK OF MJ 1-2 X

Location: 128-129(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12370

Question Number(s): 1A012B

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, grass) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1767: 081A012B:RSK OF MJ 1-2 X | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 884 | 36.2 % | 37.1% |
| 2 | SLIGHT:(2) | 713 | 29.2 % | 29.9% |
| 3 | MOD RISK:(3) | 331 | 13.6 % | 13.9% |
| 4 | GRT RISK:(4) | 341 | 14.0 % | 14.3% |
| 5 | CANT SAY:(5) | 114 | 4.7 % | 4.8% |
| -9 (M) | MISSING:(-9) | 58 | 2.4 % | - |

V1768 081A012C:RSK OF MJ OCSNL

Location: 130-131(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12380

Question Number(s): 1A012C

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1768: 081A012C:RSK OF MJ OCSNL | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 447 | 18.3 % | 18.8% |
| 2 | SLIGHT:(2) | 612 | 25.1 % | 25.7% |

- Study 25382 -

| V1768: 081A012C:RSK OF MJ OCSNL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | MOD RISK:(3) | 707 | 29.0 % | 29.7% |
| 4 | GRT RISK:(4) | 503 | 20.6 % | 21.1% |
| 5 | CANT SAY:(5) | 115 | 4.7 % | 4.8% |
| -9 (M) | MISSING:(-9) | 57 | 2.3 % | - |

V1769 **081A012D:RSK OF MJ REGLY**

Location: 132-133(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12390

Question Number(s): 1A012D

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1769: 081A012D:RSK OF MJ REGLY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 228 | 9.3 % | 9.6% |
| 2 | SLIGHT:(2) | 317 | 13.0 % | 13.3% |
| 3 | MOD RISK:(3) | 518 | 21.2 % | 21.8% |
| 4 | GRT RISK:(4) | 1203 | 49.3 % | 50.5% |
| 5 | CANT SAY:(5) | 114 | 4.7 % | 4.8% |
| -9 (M) | MISSING:(-9) | 61 | 2.5 % | - |

V1770 **081A012E:RSK COK PWDR 1-**

Location: 134-135(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12501

Question Number(s): 1A012E

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

- Study 25382 -

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1770: 081A012E:RSK COK PWDR 1- | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 177 | 7.3 % | 7.4% |
| 2 | SLIGHT:(2) | 424 | 17.4 % | 17.8% |
| 3 | MOD RISK:(3) | 595 | 24.4 % | 25.0% |
| 4 | GRT RISK:(4) | 1009 | 41.3 % | 42.4% |
| 5 | CANT SAY:(5) | 175 | 7.2 % | 7.4% |
| -9 (M) | MISSING:(-9) | 61 | 2.5 % | - |

V1771 081A012F:RSK COK PWDR OC

Location: 136-137(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12502

Question Number(s): 1A012F

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1771: 081A012F:RSK COK PWDR OC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 106 | 4.3 % | 4.5% |
| 2 | SLIGHT:(2) | 121 | 5.0 % | 5.1% |
| 3 | MOD RISK:(3) | 549 | 22.5 % | 23.0% |
| 4 | GRT RISK:(4) | 1435 | 58.8 % | 60.2% |
| 5 | CANT SAY:(5) | 171 | 7.0 % | 7.2% |
| -9 (M) | MISSING:(-9) | 59 | 2.4 % | - |

V1772 081A012G:RSK COK PWDR RE

Location: 138-139(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12503

- Study 25382 -

Question Number(s): 1A012G

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1772: 081A012G:RSK COK PWDR RE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 95 | 3.9 % | 4.0% |
| 2 | SLIGHT:(2) | 30 | 1.2 % | 1.3% |
| 3 | MOD RISK:(3) | 112 | 4.6 % | 4.7% |
| 4 | GRT RISK:(4) | 1980 | 81.1 % | 83.0% |
| 5 | CANT SAY:(5) | 168 | 6.9 % | 7.0% |
| -9 (M) | MISSING:(-9) | 56 | 2.3 % | - |

V1773

081A012H:RSK CRACK 1-2X

Location: 140-141(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12504

Question Number(s): 1A012H

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1773: 081A012H:RSK CRACK 1-2X | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 142 | 5.8 % | 6.0% |
| 2 | SLIGHT:(2) | 317 | 13.0 % | 13.3% |
| 3 | MOD RISK:(3) | 524 | 21.5 % | 22.0% |
| 4 | GRT RISK:(4) | 1197 | 49.0 % | 50.3% |
| 5 | CANT SAY:(5) | 202 | 8.3 % | 8.5% |
| -9 (M) | MISSING:(-9) | 59 | 2.4 % | - |

V1774

081A012I:RSK CRACK OCC

- Study 25382 -

Location: 142-143(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 12505

Question Number(s): 1A012I

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

| V1774: 081A012I:RSK CRACK OCC | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 104 | 4.3 % | 4.4% |
| 2 | SLIGHT:(2) | 72 | 2.9 % | 3.0% |
| 3 | MOD RISK:(3) | 439 | 18.0 % | 18.4% |
| 4 | GRT RISK:(4) | 1570 | 64.3 % | 65.9% |
| 5 | CANT SAY:(5) | 197 | 8.1 % | 8.3% |
| -9 (M) | MISSING:(-9) | 59 | 2.4 % | - |

V1775 081A012J:RSK CRACK REG

Location: 144-145(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 12506

Question Number(s): 1A012J

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

| V1775: 081A012J:RSK CRACK REG | | | | |
|-------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 97 | 4.0 % | 4.1% |
| 2 | SLIGHT:(2) | 29 | 1.2 % | 1.2% |
| 3 | MOD RISK:(3) | 57 | 2.3 % | 2.4% |

- Study 25382 -

| V1775: 081A012J:RSK CRACK REG | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | GRT RISK:(4) | 2002 | 82.0 % | 84.2% |
| 5 | CANT SAY:(5) | 194 | 7.9 % | 8.2% |
| -9 (M) | MISSING:(-9) | 62 | 2.5 % | - |

V1776 081A012K:RSK OF 1-2 DRIN

Location: 146-147(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12510

Question Number(s): 1A012K

How much do you think people risk harming themselves (physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage (beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1776: 081A012K:RSK OF 1-2 DRIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 1151 | 47.2 % | 48.3% |
| 2 | SLIGHT:(2) | 741 | 30.4 % | 31.1% |
| 3 | MOD RISK:(3) | 216 | 8.8 % | 9.1% |
| 4 | GRT RISK:(4) | 200 | 8.2 % | 8.4% |
| 5 | CANT SAY:(5) | 76 | 3.1 % | 3.2% |
| -9 (M) | MISSING:(-9) | 57 | 2.3 % | - |

V1777 081A012L:RSK OF 1-2 DR/D

Location: 148-149(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12520

Question Number(s): 1A012L

How much do you think people risk harming themselves (physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

- Study 25382 -

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1777: 081A012L:RSK OF 1-2 DR/D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 311 | 12.7 % | 13.0% |
| 2 | SLIGHT:(2) | 703 | 28.8 % | 29.5% |
| 3 | MOD RISK:(3) | 772 | 31.6 % | 32.4% |
| 4 | GRT RISK:(4) | 522 | 21.4 % | 21.9% |
| 5 | CANT SAY:(5) | 77 | 3.2 % | 3.2% |
| -9 (M) | MISSING:(-9) | 56 | 2.3 % | - |

V1778 **081A012M:RSK OF 4-5 DR/D**

Location: 150-151(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12530

Question Number(s): 1A012M

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1778: 081A012M:RSK OF 4-5 DR/D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 137 | 5.6 % | 5.7% |
| 2 | SLIGHT:(2) | 167 | 6.8 % | 7.0% |
| 3 | MOD RISK:(3) | 546 | 22.4 % | 22.9% |
| 4 | GRT RISK:(4) | 1451 | 59.4 % | 60.8% |
| 5 | CANT SAY:(5) | 84 | 3.4 % | 3.5% |
| -9 (M) | MISSING:(-9) | 56 | 2.3 % | - |

V1779 **081A012N:RSK OF 5+DR/WKN**

Location: 152-153(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12540

- Study 25382 -

Question Number(s): 1A012N

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1779: 081A012N:RSK OF 5+DR/WKN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 231 | 9.5 % | 9.7% |
| 2 | SLIGHT:(2) | 359 | 14.7 % | 15.1% |
| 3 | MOD RISK:(3) | 618 | 25.3 % | 25.9% |
| 4 | GRT RISK:(4) | 1096 | 44.9 % | 46.0% |
| 5 | CANT SAY:(5) | 79 | 3.2 % | 3.3% |
| -9 (M) | MISSING:(-9) | 58 | 2.4 % | - |

V1808

081A012O:RSK H -NDL 1-2X

Location: 154-155(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29600

Question Number(s): 1A012O

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

O: . . . Try heroin once or twice without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

| V1808: 081A012O:RSK H -NDL 1-2X | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 117 | 4.8 % | 4.9% |
| 2 | SLIGHT:(2) | 151 | 6.2 % | 6.3% |
| 3 | MOD RISK:(3) | 400 | 16.4 % | 16.8% |
| 4 | GRT RISK:(4) | 1458 | 59.7 % | 61.2% |
| 5 | CANT SAY:(5) | 256 | 10.5 % | 10.7% |
| -9 (M) | MISSING:(-9) | 59 | 2.4 % | - |

V1809

081A012P:RSK H -NDL OCC

- Study 25382 -

Location: 156-157(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 29610

Question Number(s): 1A012P

How much do you think people risk harming themselves
 (physically or in other ways), if they . . .

P: . . . Take heroin occasionally without using a needle?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
 5="Can't Say, Drug Unfamiliar"

| V1809: 081A012P:RSK H -NDL OCC | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO RISK:(1) | 99 | 4.1 % | 4.2% |
| 2 | SLIGHT:(2) | 45 | 1.8 % | 1.9% |
| 3 | MOD RISK:(3) | 222 | 9.1 % | 9.3% |
| 4 | GRT RISK:(4) | 1765 | 72.3 % | 74.0% |
| 5 | CANT SAY:(5) | 254 | 10.4 % | 10.6% |
| -9 (M) | MISSING:(-9) | 56 | 2.3 % | - |

V1780 081A013A:EASY GT MARIJUA

Location: 158-159(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 06750

Question Number(s): 1A013A

How difficult do you think it would be for you to get each
 of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly
 Difficult" 4="Fairly Easy" 5="Very Easy"

| V1780: 081A013A:EASY GT MARIJUA | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | PROB IMP:(1) | 123 | 5.0 % | 5.2% |
| 2 | VRY DIFF:(2) | 69 | 2.8 % | 2.9% |
| 3 | FRLY DIF:(3) | 172 | 7.0 % | 7.3% |

- Study 25382 -

| V1780: 081A013A:EASY GT MARIJUA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | FRLY EAS:(4) | 545 | 22.3 % | 23.0% |
| 5 | VRV EASY:(5) | 1463 | 59.9 % | 61.7% |
| -9 (M) | MISSING:(-9) | 69 | 2.8 % | - |

V1781 081A013B:EASY GT CRACK

Location: 160-161(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 06811

Question Number(s): 1A013B

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

| V1781: 081A013B:EASY GT CRACK | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | PROB IMP:(1) | 274 | 11.2 % | 11.6% |
| 2 | VRV DIF:(2) | 415 | 17.0 % | 17.5% |
| 3 | FRLY DIF:(3) | 726 | 29.7 % | 30.7% |
| 4 | FRLY EAS:(4) | 604 | 24.7 % | 25.5% |
| 5 | VRV EASY:(5) | 349 | 14.3 % | 14.7% |
| -9 (M) | MISSING:(-9) | 73 | 3.0 % | - |

V1782 081A013C:EASY GT COK PWD

Location: 162-163(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 06812

Question Number(s): 1A013C

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly

- Study 25382 -

Difficult" 4="Fairly Easy" 5="Very Easy"

| V1782: 081A013C:EASY GT COK PWD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | PROB IMP:(1) | 296 | 12.1 % | 12.5% |
| 2 | VRY DIFF:(2) | 386 | 15.8 % | 16.3% |
| 3 | FRLY DIF:(3) | 679 | 27.8 % | 28.6% |
| 4 | FRLY EAS:(4) | 594 | 24.3 % | 25.1% |
| 5 | VRY EASY:(5) | 416 | 17.0 % | 17.5% |
| -9 (M) | MISSING:(-9) | 70 | 2.9 % | - |

V1101 081B001 :EVR SMK CIG,REG

Location: 164-165(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00760

Question Number(s): 1B001

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly"
4="Regularly in the past" 5="Regularly now"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1101: 081B001 :EVR SMK CIG,REG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NEVER:(1) | 1313 | 53.8 % | 56.0% |
| 2 | 1-2X:(2) | 417 | 17.1 % | 17.8% |
| 3 | OCCASNLY:(3) | 296 | 12.1 % | 12.6% |
| 4 | REG PAST:(4) | 93 | 3.8 % | 4.0% |
| 5 | REG NOW:(5) | 224 | 9.2 % | 9.6% |
| -9 (M) | MISSING:(-9) | 98 | 4.0 % | - |

V1208 081B001:EVR SMK CIG,REG

Location: 166-167(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00760

- Study 25382 -

Question Number(s): 1B001

The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

| V1208: 081B001:EVR SMK CIG,REG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NEVER:(1) | 1313 | 53.8 % | 56.0% |
| 2 | 1-2X:(2) | 417 | 17.1 % | 17.8% |
| 3 | OCCASNLY:(3) | 296 | 12.1 % | 12.6% |
| 4 | REG PAST:(4) | 93 | 3.8 % | 4.0% |
| 5 | REG NOW:(5) | 224 | 9.2 % | 9.6% |
| -9 (M) | MISSING:(-9) | 98 | 4.0 % | - |

V1102

081B002 :#CIGS SMKD/30DA

Location: 168-169(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00780

Question Number(s): 1B002

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse above]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1102: 081B002 :#CIGS SMKD/30DA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1856 | 76.0 % | 79.1% |
| 2 | <1 CIG/D:(2) | 210 | 8.6 % | 9.0% |
| 3 | 1-5/DAY:(3) | 147 | 6.0 % | 6.3% |
| 4 | 1/2PK/D:(4) | 74 | 3.0 % | 3.2% |
| 5 | 1 PK/DA:(5) | 38 | 1.6 % | 1.6% |

- Study 25382 -

| V1102: 081B002 :#CIGS SMKD/30DA | | | | |
|---------------------------------|----------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 6 | 1 1/2 PK/D:(6) | 9 | 0.4 % | 0.4% |
| 7 | 2+ PKS/D:(7) | 12 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 95 | 3.9 % | - |

V1210 081B002:#CIGS SMKD/30DA

Location: 170-171(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00780

Question Number(s): 1B002

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

| V1210: 081B002:#CIGS SMKD/30DA | | | | |
|--------------------------------|----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NT DAILY:(1) | 543 | 22.2 % | 52.6% |
| 2 | <1 CIG/D:(2) | 210 | 8.6 % | 20.3% |
| 3 | 1-5/DAY:(3) | 147 | 6.0 % | 14.2% |
| 4 | 1/2 PK:(4) | 74 | 3.0 % | 7.2% |
| 5 | 1 PK:(5) | 38 | 1.6 % | 3.7% |
| 6 | 1 1/2 PK/D:(6) | 9 | 0.4 % | 0.9% |
| 7 | 2+ PKS:(7) | 12 | 0.5 % | 1.2% |
| -9 (M) | MISSING:(-9) | 1408 | 57.7 % | - |

V1752 081B003:#CIG/DAY-30DAYS

Location: 172-174(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00781

Question Number(s): 1B003

To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

- Study 25382 -

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7"
05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28
to 32" 10="33 to 37" 11="38 or more"

| V1752: 081B003:#CIG/DAY-30DAYS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 533 | 21.8 % | 51.6% |
| 2 | <1/DAY:(2) | 150 | 6.1 % | 14.5% |
| 3 | 1-2:(3) | 80 | 3.3 % | 7.7% |
| 4 | 3-7:(4) | 112 | 4.6 % | 10.8% |
| 5 | 8-12:(5) | 72 | 2.9 % | 7.0% |
| 6 | 13-17:(6) | 24 | 1.0 % | 2.3% |
| 7 | 18-22:(7) | 23 | 0.9 % | 2.2% |
| 8 | 23-27:(8) | 4 | 0.2 % | 0.4% |
| 9 | 28-32:(9) | 3 | 0.1 % | 0.3% |
| 10 | 33-37:(10) | 2 | 0.1 % | 0.2% |
| 11 | 38+:(11) | 30 | 1.2 % | 2.9% |
| -9 (M) | MISSING:(-9) | 1408 | 57.7 % | - |

V1211 081B004A:*TRY STP SMK&FL

Location: 175-176(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01690

Question Number(s): 1B004A

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

| V1211: 081B004A:*TRY STP SMK&FL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 147 | 6.0 % | 14.5% |
| 2 | NO:(2) | 866 | 35.5 % | 85.5% |
| -9 (M) | MISSING:(-9) | 1428 | 58.5 % | - |

V1754 081B004B:#X TRY STOP SMK

Location: 177-178(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01691

Question Number(s): 1B004B

How many times (if any) have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

| V1754: 081B004B:#X TRY STOP SMK | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 674 | 27.6 % | 66.9% |
| 2 | ONCE:(2) | 160 | 6.6 % | 15.9% |
| 3 | TWICE:(3) | 95 | 3.9 % | 9.4% |
| 4 | 3-5X:(4) | 53 | 2.2 % | 5.3% |
| 5 | 6-9X:(5) | 12 | 0.5 % | 1.2% |
| 6 | 10+X:(6) | 13 | 0.5 % | 1.3% |
| -9 (M) | MISSING:(-9) | 1434 | 58.7 % | - |

V1212 081B004C:*WNT STP SMK NW

Location: 179-180(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01700

Question Number(s): 1B004C

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

| V1212: 081B004C:*WNT STP SMK NW | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 143 | 5.9 % | 14.1% |
| 2 | NO:(2) | 247 | 10.1 % | 24.3% |
| 8 | DNT SMOK:(8) | 626 | 25.6 % | 61.6% |
| -9 (M) | MISSING:(-9) | 1425 | 58.4 % | - |

V1810 081B005:USUAL CIG BRAND

Location: 181-183(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30065

- Study 25382 -

Question Number(s): 1B005

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"
 04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"
 09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"
 14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"
 19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims"
 23="Winston" 24="Other" 25="No Usual Brand"

| V1810: 081B005:USUAL CIG BRAND | | | | |
|--------------------------------|-----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | BASIC:(1) | 6 | 0.2 % | 0.7% |
| 2 | B&H:(2) | 1 | 0.0 % | 0.1% |
| 3 | B&W:(3) | 3 | 0.1 % | 0.4% |
| 4 | CAMBRIDGE:(4) | 0 | 0.0 % | - |
| 5 | CAMEL:(5) | 116 | 4.8 % | 13.8% |
| 6 | CAPRI:(6) | 7 | 0.3 % | 0.8% |
| 7 | CARLTON:(7) | 0 | 0.0 % | - |
| 8 | DORAL:(8) | 3 | 0.1 % | 0.4% |
| 9 | GPC:(9) | 0 | 0.0 % | - |
| 10 | KENT:(10) | 0 | 0.0 % | - |
| 11 | KOOL:(11) | 14 | 0.6 % | 1.7% |
| 12 | MARLBORO:(12) | 291 | 11.9 % | 34.7% |
| 13 | MERIT:(13) | 0 | 0.0 % | - |
| 14 | MISTY:(14) | 0 | 0.0 % | - |
| 15 | MONARCH:(15) | 0 | 0.0 % | - |
| 16 | MORE:(16) | 0 | 0.0 % | - |
| 17 | NEWPORT:(17) | 94 | 3.9 % | 11.2% |
| 18 | PALLMALL:(18) | 2 | 0.1 % | 0.2% |
| 19 | PARLIAMENT:(19) | 16 | 0.7 % | 1.9% |
| 20 | SALEM:(20) | 4 | 0.2 % | 0.5% |
| 21 | VANTAGE:(21) | 0 | 0.0 % | - |
| 22 | VA SLIMS:(22) | 5 | 0.2 % | 0.6% |
| 23 | WINSTON:(23) | 6 | 0.2 % | 0.7% |
| 24 | OTHER:(24) | 55 | 2.3 % | 6.6% |
| 25 | NO USUAL:(25) | 216 | 8.8 % | 25.7% |
| -9 (M) | MISSING:(-9) | 1602 | 65.6 % | - |

V1213

081B006:NO SMK IN 5 YR

Location: 184-185(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 01710

Question Number(s): 1B006

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| V1213: 081B006:NO SMK IN 5 YR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 35 | 1.4 % | 1.5% |
| 2 | PRB WILL:(2) | 180 | 7.4 % | 7.5% |
| 3 | PRB WONT:(3) | 510 | 20.9 % | 21.3% |
| 4 | DEF WONT:(4) | 1667 | 68.3 % | 69.7% |
| -9 (M) | MISSING:(-9) | 49 | 2.0 % | - |

V1104 081B007A:#X ALC/LIF SIPS

Location: 186-187(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00810

Question Number(s): 1B007A

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1104: 081B007A:#X ALC/LIF SIPS | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 498 | 20.4 % | 21.4% |
| 2 | 1-2X:(2) | 304 | 12.5 % | 13.0% |

- Study 25382 -

| V1104: 081B007A:#X ALC/LIF SIPS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | 3-5X:(3) | 260 | 10.7 % | 11.2% |
| 4 | 6-9X:(4) | 230 | 9.4 % | 9.9% |
| 5 | 10-19X:(5) | 273 | 11.2 % | 11.7% |
| 6 | 20-39X:(6) | 247 | 10.1 % | 10.6% |
| 7 | 40+OCCAS:(7) | 519 | 21.3 % | 22.3% |
| -9 (M) | MISSING:(-9) | 110 | 4.5 % | - |

V1214 081B007A:#X ALC/LIF SIPS

Location: 188-189(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00810

Question Number(s): 1B007A

The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1214: 081B007A:#X ALC/LIF SIPS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 498 | 20.4 % | 21.4% |
| 2 | 1-2X:(2) | 304 | 12.5 % | 13.0% |
| 3 | 3-5X:(3) | 260 | 10.7 % | 11.2% |
| 4 | 6-9X:(4) | 230 | 9.4 % | 9.9% |
| 5 | 10-19X:(5) | 273 | 11.2 % | 11.7% |
| 6 | 20-39X:(6) | 247 | 10.1 % | 10.6% |
| 7 | 40+OCCAS:(7) | 519 | 21.3 % | 22.3% |
| -9 (M) | MISSING:(-9) | 110 | 4.5 % | - |

V1105 081B007B:#X ALC/ANN SIPS

Location: 190-191(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00820

Question Number(s): 1B007B

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1105: 081B007B:#X ALC/ANN SIPS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 695 | 28.5 % | 29.9% |
| 2 | 1-2X:(2) | 443 | 18.1 % | 19.1% |
| 3 | 3-5X:(3) | 312 | 12.8 % | 13.4% |
| 4 | 6-9X:(4) | 241 | 9.9 % | 10.4% |
| 5 | 10-19X:(5) | 259 | 10.6 % | 11.1% |
| 6 | 20-39X:(6) | 173 | 7.1 % | 7.4% |
| 7 | 40+OCCAS:(7) | 202 | 8.3 % | 8.7% |
| -9 (M) | MISSING:(-9) | 116 | 4.8 % | - |

V1215

081B007B:#X ALC/ANN SIPS

Location: 192-193(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00820

Question Number(s): 1B007B

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

| V1215: 081B007B:#X ALC/ANN SIPS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 695 | 28.5 % | 29.9% |
| 2 | 1-2X:(2) | 443 | 18.1 % | 19.1% |
| 3 | 3-5X:(3) | 312 | 12.8 % | 13.4% |
| 4 | 6-9X:(4) | 241 | 9.9 % | 10.4% |
| 5 | 10-19X:(5) | 259 | 10.6 % | 11.1% |
| 6 | 20-39X:(6) | 173 | 7.1 % | 7.4% |
| 7 | 40+OCCAS:(7) | 202 | 8.3 % | 8.7% |
| -9 (M) | MISSING:(-9) | 116 | 4.8 % | - |

V1106 081B007C:#X ALC/30D SIPS

Location: 194-195(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00830

Question Number(s): 1B007C

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1106: 081B007C:#X ALC/30D SIPS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1245 | 51.0 % | 53.6% |
| 2 | 1-2X:(2) | 494 | 20.2 % | 21.3% |
| 3 | 3-5X:(3) | 270 | 11.1 % | 11.6% |
| 4 | 6-9X:(4) | 138 | 5.7 % | 5.9% |
| 5 | 10-19X:(5) | 109 | 4.5 % | 4.7% |
| 6 | 20-39X:(6) | 33 | 1.4 % | 1.4% |
| 7 | 40+OCCAS:(7) | 34 | 1.4 % | 1.5% |
| -9 (M) | MISSING:(-9) | 118 | 4.8 % | - |

V1216 081B007C:#X ALC/30D SIPS

- Study 25382 -

Location: 196-197(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00830

Question Number(s): 1B007C

On how many occasions (if any) have you had alcohol to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1216: 081B007C:#X ALC/30D SIPS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1245 | 51.0 % | 53.6% |
| 2 | 1-2X:(2) | 494 | 20.2 % | 21.3% |
| 3 | 3-5X:(3) | 270 | 11.1 % | 11.6% |
| 4 | 6-9X:(4) | 138 | 5.7 % | 5.9% |
| 5 | 10-19X:(5) | 109 | 4.5 % | 4.7% |
| 6 | 20-39X:(6) | 33 | 1.4 % | 1.4% |
| 7 | 40+OCCAS:(7) | 34 | 1.4 % | 1.5% |
| -9 (M) | MISSING:(-9) | 118 | 4.8 % | - |

V1217 081B008A:#X/YR ALC ALONE

Location: 198-199(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 01720

Question Number(s): 1B008A

IF YOU HAVE NOT HAD ANY BEER, WINE, LIQUOR, OR OTHER ALCOHOLIC BEVERAGE IN THE LAST TWELVE MONTHS, GO TO QUESTION 16.

When you used alcohol during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times" 4="Most of the times" 5="Every time"

- Study 25382 -

| V1217: 081B008A:#X/YR ALC ALONE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 1260 | 51.6 % | 77.2% |
| 2 | FEW TIME:(2) | 268 | 11.0 % | 16.4% |
| 3 | SOM TIME:(3) | 67 | 2.7 % | 4.1% |
| 4 | MST TIME:(4) | 23 | 0.9 % | 1.4% |
| 5 | EVRYTIME:(5) | 14 | 0.6 % | 0.9% |
| -9 (M) | MISSING:(-9) | 809 | 33.1 % | - |

V1218 081B008B:#X/YR ALC-2 PPL

Location: 200-201(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01730

Question Number(s): 1B008B

When you used alcohol during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1218: 081B008B:#X/YR ALC-2 PPL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 393 | 16.1 % | 24.1% |
| 2 | FEW TIME:(2) | 619 | 25.4 % | 37.9% |
| 3 | SOM TIME:(3) | 312 | 12.8 % | 19.1% |
| 4 | MST TIME:(4) | 209 | 8.6 % | 12.8% |
| 5 | EVRYTIME:(5) | 99 | 4.1 % | 6.1% |
| -9 (M) | MISSING:(-9) | 809 | 33.1 % | - |

V1219 081B008C:#X/YR ALC@PARTY

Location: 202-203(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01740

Question Number(s): 1B008C

When you used alcohol during the last year, how often did you use it in each of the following situations?

- Study 25382 -

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1219: 081B008C:#X/YR ALC@PARTY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 302 | 12.4 % | 18.6% |
| 2 | FEW TIME:(2) | 255 | 10.4 % | 15.7% |
| 3 | SOM TIME:(3) | 185 | 7.6 % | 11.4% |
| 4 | MST TIME:(4) | 524 | 21.5 % | 32.2% |
| 5 | EVRYTIME:(5) | 361 | 14.8 % | 22.2% |
| -9 (M) | MISSING:(-9) | 814 | 33.3 % | - |

V1220

081B008D:#X/YR ALC-DT/SP

Location: 204-205(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01750

Question Number(s): 1B008D

When you used alcohol during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1220: 081B008D:#X/YR ALC-DT/SP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 856 | 35.1 % | 52.8% |
| 2 | FEW TIME:(2) | 317 | 13.0 % | 19.6% |
| 3 | SOM TIME:(3) | 225 | 9.2 % | 13.9% |
| 4 | MST TIME:(4) | 133 | 5.4 % | 8.2% |
| 5 | EVRYTIME:(5) | 89 | 3.6 % | 5.5% |
| -9 (M) | MISSING:(-9) | 821 | 33.6 % | - |

V1221

081B008E:#X/YR ALC-ADLTS

Location: 206-207(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01760

Question Number(s): 1B008E

When you used alcohol during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1221: 081B008E:#X/YR ALC-ADLTS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 697 | 28.6 % | 42.8% |
| 2 | FEW TIME:(2) | 474 | 19.4 % | 29.1% |
| 3 | SOM TIME:(3) | 213 | 8.7 % | 13.1% |
| 4 | MST TIME:(4) | 119 | 4.9 % | 7.3% |
| 5 | EVRYTIME:(5) | 127 | 5.2 % | 7.8% |
| -9 (M) | MISSING:(-9) | 811 | 33.2 % | - |

V1222

081B008F:#X/YR ALC-DATIM

Location: 208-209(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01770

Question Number(s): 1B008F

When you used alcohol during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1222: 081B008F:#X/YR ALC-DATIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 1132 | 46.4 % | 69.5% |
| 2 | FEW TIME:(2) | 326 | 13.4 % | 20.0% |
| 3 | SOM TIME:(3) | 126 | 5.2 % | 7.7% |
| 4 | MST TIME:(4) | 22 | 0.9 % | 1.4% |
| 5 | EVRYTIME:(5) | 23 | 0.9 % | 1.4% |
| -9 (M) | MISSING:(-9) | 812 | 33.3 % | - |

- Study 25382 -

V1223 081B008G:#X/YR ALC@HOME

Location: 210-211(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01780

Question Number(s): 1B008G

When you used alcohol during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1223: 081B008G:#X/YR ALC@HOME | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 702 | 28.8 % | 43.0% |
| 2 | FEW TIME:(2) | 435 | 17.8 % | 26.7% |
| 3 | SOM TIME:(3) | 241 | 9.9 % | 14.8% |
| 4 | MST TIME:(4) | 136 | 5.6 % | 8.3% |
| 5 | EVRYTIME:(5) | 117 | 4.8 % | 7.2% |
| -9 (M) | MISSING:(-9) | 810 | 33.2 % | - |

V1224 081B008H:#X/YR ALC@SCHL

Location: 212-213(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01790

Question Number(s): 1B008H

When you used alcohol during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1224: 081B008H:#X/YR ALC@SCHL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 1494 | 61.2 % | 91.6% |

- Study 25382 -

| V1224: 081B008H:#X/YR ALC@SCHL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | FEW TIME:(2) | 93 | 3.8 % | 5.7% |
| 3 | SOM TIME:(3) | 20 | 0.8 % | 1.2% |
| 4 | MST TIME:(4) | 12 | 0.5 % | 0.7% |
| 5 | EVRYTIME:(5) | 12 | 0.5 % | 0.7% |
| -9 (M) | MISSING:(-9) | 810 | 33.2 % | - |

V1225 **081B008I:#X/YR ALCIN CAR**

Location: 214-215(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01810

Question Number(s): 1B008I

When you used alcohol during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1225: 081B008I:#X/YR ALCIN CAR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 1169 | 47.9 % | 71.8% |
| 2 | FEW TIME:(2) | 277 | 11.3 % | 17.0% |
| 3 | SOM TIME:(3) | 138 | 5.7 % | 8.5% |
| 4 | MST TIME:(4) | 28 | 1.1 % | 1.7% |
| 5 | EVRYTIME:(5) | 17 | 0.7 % | 1.0% |
| -9 (M) | MISSING:(-9) | 812 | 33.3 % | - |

V1811 **081B008J:#X/YR ALC@PARK/B**

Location: 216-217(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30910

Question Number(s): 1B008J

When you used alcohol during the last year, how often did you use it in each of the following situations?

- Study 25382 -

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1811: 081B008J:#X/YR ALC@PARK/B | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 1098 | 45.0 % | 67.3% |
| 2 | FEW TIME:(2) | 267 | 10.9 % | 16.4% |
| 3 | SOM TIME:(3) | 178 | 7.3 % | 10.9% |
| 4 | MST TIME:(4) | 64 | 2.6 % | 3.9% |
| 5 | EVRYTIME:(5) | 24 | 1.0 % | 1.5% |
| -9 (M) | MISSING:(-9) | 810 | 33.2 % | - |

V1812 **081B008K:#X/YR ALC@BAR/RT**

Location: 218-219(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30920

Question Number(s): 1B008K

When you used alcohol during the last year, how often did you use it in each of the following situations?

K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1812: 081B008K:#X/YR ALC@BAR/RT | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 1191 | 48.8 % | 73.2% |
| 2 | FEW TIME:(2) | 243 | 10.0 % | 14.9% |
| 3 | SOM TIME:(3) | 108 | 4.4 % | 6.6% |
| 4 | MST TIME:(4) | 49 | 2.0 % | 3.0% |
| 5 | EVRYTIME:(5) | 36 | 1.5 % | 2.2% |
| -9 (M) | MISSING:(-9) | 814 | 33.3 % | - |

V1226 **081B009A:ALC EXPERIMENT**

Location: 220-221(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01820

Question Number(s): 1B009A

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

| V1226: 081B009A:ALC EXPERIMENT | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 732 | 30.0 % | 45.6% |
| 1 | MARKED:(1) | 872 | 35.7 % | 54.4% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1227 081B009B:ALC RELAX

Location: 222-223(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01830

Question Number(s): 1B009B

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

| V1227: 081B009B:ALC RELAX | | | | |
|---------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 901 | 36.9 % | 56.2% |
| 1 | MARKED:(1) | 703 | 28.8 % | 43.8% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1228 081B009C:ALC GET HIGH

Location: 224-225(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01840

- Study 25382 -

Question Number(s): 1B009C

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

| V1228: 081B009C:ALC GET HIGH | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1037 | 42.5 % | 64.7% |
| 1 | MARKED:(1) | 567 | 23.2 % | 35.3% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1229 081B009D:ALC SEEK INSGHT

Location: 226-227(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01850

Question Number(s): 1B009D

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

| V1229: 081B009D:ALC SEEK INSGHT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1488 | 61.0 % | 92.8% |
| 1 | MARKED:(1) | 116 | 4.8 % | 7.2% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1230 081B009E:ALC GD TM FRNDS

Location: 228-229(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01860

Question Number(s): 1B009E

What have been the most important reasons for your drinking

- Study 25382 -

alcoholic beverages? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

| V1230: 081B009E:ALC GD TM FRNDS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 432 | 17.7 % | 26.9% |
| 1 | MARKED:(1) | 1172 | 48.0 % | 73.1% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1231 081B009F:ALC FIT IN GRP

Location: 230-231(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01870

Question Number(s): 1B009F

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

| V1231: 081B009F:ALC FIT IN GRP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1511 | 61.9 % | 94.2% |
| 1 | MARKED:(1) | 93 | 3.8 % | 5.8% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1232 081B009G:ALC GET AWY PRB

Location: 232-233(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01880

Question Number(s): 1B009G

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

G. To get away from my problems or troubles

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1232: 081B009G:ALC GET AWY PRB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1250 | 51.2 % | 77.9% |
| 1 | MARKED:(1) | 354 | 14.5 % | 22.1% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1233 081B009H:ALC BOREDOM

Location: 234-235(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01890

Question Number(s): 1B009H

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

| V1233: 081B009H:ALC BOREDOM | | | | |
|-----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1257 | 51.5 % | 78.4% |
| 1 | MARKED:(1) | 347 | 14.2 % | 21.6% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1234 081B009I:ALC ANGR&FRSTRN

Location: 236-237(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01900

Question Number(s): 1B009I

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1234: 081B009I:ALC ANGR&FRSTRN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1384 | 56.7 % | 86.3% |
| 1 | MARKED:(1) | 220 | 9.0 % | 13.7% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1235 081B009J:ALC GT THRU DAY

Location: 238-239(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01910

Question Number(s): 1B009J

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

| V1235: 081B009J:ALC GT THRU DAY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1549 | 63.5 % | 96.6% |
| 1 | MARKED:(1) | 55 | 2.3 % | 3.4% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1236 081B009K:ALC INCRS EF DR

Location: 240-241(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01920

Question Number(s): 1B009K

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1236: 081B009K:ALC INCRS EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1509 | 61.8 % | 94.1% |
| 1 | MARKED:(1) | 95 | 3.9 % | 5.9% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1237 081B009L:ALC DECRS EF DR

Location: 242-243(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01930

Question Number(s): 1B009L

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

| V1237: 081B009L:ALC DECRS EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1585 | 64.9 % | 98.8% |
| 1 | MARKED:(1) | 19 | 0.8 % | 1.2% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1238 081B009M:ALC GET SLEEP

Location: 244-245(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01940

Question Number(s): 1B009M

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1238: 081B009M:ALC GET SLEEP | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1505 | 61.7 % | 93.8% |
| 1 | MARKED:(1) | 99 | 4.1 % | 6.2% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1239 081B009N:ALC TASTES GOOD

Location: 246-247(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01950

Question Number(s): 1B009N

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

N. Because it tastes good

0="UNMARKED" 1="MARKED"

| V1239: 081B009N:ALC TASTES GOOD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1011 | 41.4 % | 63.0% |
| 1 | MARKED:(1) | 593 | 24.3 % | 37.0% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1240 081B009O:ALC I AM HOOKED

Location: 248-249(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01960

Question Number(s): 1B009O

What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.)

O. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1240: 081B009O:ALC I AM HOOKED | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1572 | 64.4 % | 98.0% |
| 1 | MARKED:(1) | 32 | 1.3 % | 2.0% |
| -9 (M) | MISSING:(-9) | 837 | 34.3 % | - |

V1241 081B010:#X DRK ENF FL H

Location: 250-251(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01970

Question Number(s): 1B010

When you drink alcoholic beverages, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

| V1241: 081B010:#X DRK ENF FL H | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 452 | 18.5 % | 27.8% |
| 2 | LIT HIGH:(2) | 441 | 18.1 % | 27.2% |
| 3 | MOD HIGH:(3) | 570 | 23.4 % | 35.1% |
| 4 | VRY HIGH:(4) | 161 | 6.6 % | 9.9% |
| -9 (M) | MISSING:(-9) | 817 | 33.5 % | - |

V1242 081B011:DRK AL,HI24+HR

Location: 252-253(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01980

Question Number(s): 1B011

When you drink alcoholic beverages, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

- Study 25382 -

| V1242: 081B011:DRK AL,HI24+HR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 483 | 19.8 % | 29.8% |
| 2 | 1-2 HRS:(2) | 483 | 19.8 % | 29.8% |
| 3 | 3-6 HRS:(3) | 556 | 22.8 % | 34.3% |
| 4 | 7-24 HRS:(4) | 91 | 3.7 % | 5.6% |
| 5 | >24 HRS:(5) | 7 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 821 | 33.6 % | - |

V1824 081B012:4+DRK ROW/2WK

Location: 254-255(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00845

Question Number(s): 1B012

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink, shot glass of liquor, or the equivalent.

Think back over the LAST TWO WEEKS. How many times (if any) have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

| V1824: 081B012:4+DRK ROW/2WK | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 972 | 39.8 % | 60.7% |
| 2 | ONCE:(2) | 236 | 9.7 % | 14.7% |
| 3 | TWICE:(3) | 179 | 7.3 % | 11.2% |
| 4 | 3-5X:(4) | 165 | 6.8 % | 10.3% |
| 5 | 6-9X:(5) | 31 | 1.3 % | 1.9% |
| 6 | 10+ TIME:(6) | 19 | 0.8 % | 1.2% |
| -9 (M) | MISSING:(-9) | 839 | 34.4 % | - |

V1108 081B013 :5+DRK ROW/LST 2

Location: 256-257(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00850

Question Number(s): 1B013

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1108: 081B013 :5+DRK ROW/LST 2 | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1816 | 74.4 % | 78.9% |
| 2 | ONCE:(2) | 196 | 8.0 % | 8.5% |
| 3 | TWICE:(3) | 117 | 4.8 % | 5.1% |
| 4 | 3-5X:(4) | 135 | 5.5 % | 5.9% |
| 5 | 6-9X:(5) | 25 | 1.0 % | 1.1% |
| 6 | 10+ TIME:(6) | 12 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 140 | 5.7 % | - |

V1243

081B013:5+DRK ROW/LST 2

Location: 258-259(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00850

Question Number(s): 1B013

During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

| V1243: 081B013:5+DRK ROW/LST 2 | | | | |
|--------------------------------|-----------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1121 | 45.9 % | 69.8% |
| 2 | ONCE:(2) | 196 | 8.0 % | 12.2% |
| 3 | TWICE:(3) | 117 | 4.8 % | 7.3% |
| 4 | 3-5X:(4) | 135 | 5.5 % | 8.4% |

- Study 25382 -

| V1243: 081B013:5+DRK ROW/LST 2 | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | 6-9X:(5) | 25 | 1.0 % | 1.6% |
| 6 | 10+ TIME:(6) | 12 | 0.5 % | 0.7% |
| -9 (M) | MISSING:(-9) | 835 | 34.2 % | - |

V1825 081B014A:10+DRK ROW/2WK

Location: 260-261(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00853

Question Number(s): 1B014A

During the last two weeks, how many times (if any) have you had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

| V1825: 081B014A:10+DRK ROW/2WK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1359 | 55.7 % | 84.3% |
| 2 | ONCE:(2) | 115 | 4.7 % | 7.1% |
| 3 | TWICE:(3) | 75 | 3.1 % | 4.7% |
| 4 | 3-5X:(4) | 42 | 1.7 % | 2.6% |
| 5 | 6-9X:(5) | 12 | 0.5 % | 0.7% |
| 6 | 10+ TIME:(6) | 9 | 0.4 % | 0.6% |
| -9 (M) | MISSING:(-9) | 829 | 34.0 % | - |

V1826 081B014B:15+DRK ROW/2WK

Location: 262-263(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00855

Question Number(s): 1B014B

During the last two weeks, how many times (if any) have you had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

- Study 25382 -

| V1826: 081B014B:15+DRK ROW/2WK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1486 | 60.9 % | 91.8% |
| 2 | ONCE:(2) | 74 | 3.0 % | 4.6% |
| 3 | TWICE:(3) | 30 | 1.2 % | 1.9% |
| 4 | 3-5X:(4) | 14 | 0.6 % | 0.9% |
| 5 | 6-9X:(5) | 8 | 0.3 % | 0.5% |
| 6 | 10+ TIME:(6) | 7 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 822 | 33.7 % | - |

V1247 **081B015:*TRY STP ALC&FL**

Location: 264-265(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02020

Question Number(s): 1B015

Have you ever tried to stop using alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

| V1247: 081B015:*TRY STP ALC&FL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 64 | 2.6 % | 4.0% |
| 2 | NO:(2) | 1553 | 63.6 % | 96.0% |
| -9 (M) | MISSING:(-9) | 824 | 33.8 % | - |

V1805 **081B016A:#XDRUNK/LIFETIM**

Location: 266-267(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25020

Question Number(s): 1B016A

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

- Study 25382 -

More"

| V1805: 081B016A:#XDRUNK/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 994 | 40.7 % | 45.8% |
| 2 | 1-2X:(2) | 334 | 13.7 % | 15.4% |
| 3 | 3-5X:(3) | 204 | 8.4 % | 9.4% |
| 4 | 6-9X:(4) | 134 | 5.5 % | 6.2% |
| 5 | 10-19X:(5) | 172 | 7.0 % | 7.9% |
| 6 | 20-39X:(6) | 130 | 5.3 % | 6.0% |
| 7 | 40+OCCAS:(7) | 201 | 8.2 % | 9.3% |
| -9 (M) | MISSING:(-9) | 272 | 11.1 % | - |

V1806 081B016B:#XDRUNK/LAST12M

Location: 268-269(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25030

Question Number(s): 1B016B

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1806: 081B016B:#XDRUNK/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1174 | 48.1 % | 54.2% |
| 2 | 1-2X:(2) | 357 | 14.6 % | 16.5% |
| 3 | 3-5X:(3) | 185 | 7.6 % | 8.5% |
| 4 | 6-9X:(4) | 151 | 6.2 % | 7.0% |
| 5 | 10-19X:(5) | 137 | 5.6 % | 6.3% |
| 6 | 20-39X:(6) | 78 | 3.2 % | 3.6% |
| 7 | 40+OCCAS:(7) | 83 | 3.4 % | 3.8% |
| -9 (M) | MISSING:(-9) | 276 | 11.3 % | - |

V1807 081B016C:#XDRUNK/LAST30D

Location: 270-271(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 25040

Question Number(s): 1B016C

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1807: 081B016C:#XDRUNK/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1552 | 63.6 % | 71.7% |
| 2 | 1-2X:(2) | 349 | 14.3 % | 16.1% |
| 3 | 3-5X:(3) | 127 | 5.2 % | 5.9% |
| 4 | 6-9X:(4) | 75 | 3.1 % | 3.5% |
| 5 | 10-19X:(5) | 45 | 1.8 % | 2.1% |
| 6 | 20-39X:(6) | 10 | 0.4 % | 0.5% |
| 7 | 40+OCCAS:(7) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 275 | 11.3 % | - |

V1248

081B017:NO ALC IN 5 YR

Location: 272-273(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02030

Question Number(s): 1B017

Do you think you will be drinking alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| V1248: 081B017:NO ALC IN 5 YR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 573 | 23.5 % | 24.2% |
| 2 | PRB WILL:(2) | 1101 | 45.1 % | 46.6% |
| 3 | PRB WONT:(3) | 309 | 12.7 % | 13.1% |
| 4 | DEF WONT:(4) | 381 | 15.6 % | 16.1% |

- Study 25382 -

| V1248: 081B017:NO ALC IN 5 YR | | | | |
|-------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 77 | 3.2 % | - |

V1109 081B018A:#X HASH/LIFETIM

Location: 274-275(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02040

Question Number(s): 1B018A

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1109: 081B018A:#X HASH/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2103 | 86.2 % | 89.8% |
| 2 | 1-2X:(2) | 95 | 3.9 % | 4.1% |
| 3 | 3-5X:(3) | 37 | 1.5 % | 1.6% |
| 4 | 6-9X:(4) | 22 | 0.9 % | 0.9% |
| 5 | 10-19X:(5) | 16 | 0.7 % | 0.7% |
| 6 | 20-39X:(6) | 12 | 0.5 % | 0.5% |
| 7 | 40+OCCAS:(7) | 57 | 2.3 % | 2.4% |
| -9 (M) | MISSING:(-9) | 99 | 4.1 % | - |

V1249 081B018A:#X HASH/LIFETIM

Location: 276-277(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02040

Question Number(s): 1B018A

- Study 25382 -

The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1249: 081B018A:#X HASH/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2103 | 86.2 % | 89.8% |
| 2 | 1-2X:(2) | 95 | 3.9 % | 4.1% |
| 3 | 3-5X:(3) | 37 | 1.5 % | 1.6% |
| 4 | 6-9X:(4) | 22 | 0.9 % | 0.9% |
| 5 | 10-19X:(5) | 16 | 0.7 % | 0.7% |
| 6 | 20-39X:(6) | 12 | 0.5 % | 0.5% |
| 7 | 40+OCCAS:(7) | 57 | 2.3 % | 2.4% |
| -9 (M) | MISSING:(-9) | 99 | 4.1 % | - |

V1110 081B018B:#X HASH/LAST12M

Location: 278-279(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02050

Question Number(s): 1B018B

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1110: 081B018B:#X HASH/LAST12M | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2180 | 89.3 % | 93.2% |
| 2 | 1-2X:(2) | 61 | 2.5 % | 2.6% |

- Study 25382 -

| V1110: 081B018B:#X HASH/LAST12M | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 12 | 0.5 % | 0.5% |
| 5 | 10-19X:(5) | 15 | 0.6 % | 0.6% |
| 6 | 20-39X:(6) | 10 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 33 | 1.4 % | 1.4% |
| -9 (M) | MISSING:(-9) | 102 | 4.2 % | - |

V1250 081B018B:#X HASH/LAST12M

Location: 280-281(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02050

Question Number(s): 1B018B

On how many occasions (if any) have you used hashish . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1250: 081B018B:#X HASH/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2180 | 89.3 % | 93.2% |
| 2 | 1-2X:(2) | 61 | 2.5 % | 2.6% |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 12 | 0.5 % | 0.5% |
| 5 | 10-19X:(5) | 15 | 0.6 % | 0.6% |
| 6 | 20-39X:(6) | 10 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 33 | 1.4 % | 1.4% |
| -9 (M) | MISSING:(-9) | 102 | 4.2 % | - |

V1111 081B018C:#X HASH/LAST30D

Location: 282-283(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02060

Question Number(s): 1B018C

- Study 25382 -

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1111: 081B018C:#X HASH/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2251 | 92.2 % | 96.2% |
| 2 | 1-2X:(2) | 40 | 1.6 % | 1.7% |
| 3 | 3-5X:(3) | 11 | 0.5 % | 0.5% |
| 4 | 6-9X:(4) | 9 | 0.4 % | 0.4% |
| 5 | 10-19X:(5) | 7 | 0.3 % | 0.3% |
| 6 | 20-39X:(6) | 9 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 13 | 0.5 % | 0.6% |
| -9 (M) | MISSING:(-9) | 101 | 4.1 % | - |

V1251

081B018C:#X HASH/LAST30D

Location: 284-285(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02060

Question Number(s): 1B018C

On how many occasions (if any) have you used hashish . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1251: 081B018C:#X HASH/LAST30D | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2251 | 92.2 % | 96.2% |
| 2 | 1-2X:(2) | 40 | 1.6 % | 1.7% |
| 3 | 3-5X:(3) | 11 | 0.5 % | 0.5% |
| 4 | 6-9X:(4) | 9 | 0.4 % | 0.4% |

- Study 25382 -

| V1251: 081B018C:#X HASH/LAST30D | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | 10-19X:(5) | 7 | 0.3 % | 0.3% |
| 6 | 20-39X:(6) | 9 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 13 | 0.5 % | 0.6% |
| -9 (M) | MISSING:(-9) | 101 | 4.1 % | - |

V1112 081B019A:#X MARJ/LIFETIM

Location: 286-287(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02070

Question Number(s): 1B019A

On how many occasions (if any) have you used marijuana . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1112: 081B019A:#X MARJ/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1329 | 54.4 % | 57.0% |
| 2 | 1-2X:(2) | 203 | 8.3 % | 8.7% |
| 3 | 3-5X:(3) | 123 | 5.0 % | 5.3% |
| 4 | 6-9X:(4) | 98 | 4.0 % | 4.2% |
| 5 | 10-19X:(5) | 131 | 5.4 % | 5.6% |
| 6 | 20-39X:(6) | 99 | 4.1 % | 4.2% |
| 7 | 40+OCCAS:(7) | 349 | 14.3 % | 15.0% |
| -9 (M) | MISSING:(-9) | 109 | 4.5 % | - |

V1252 081B019A:#X MARJ/LIFETIM

Location: 288-289(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02070

- Study 25382 -

Question Number(s): 1B019A

On how many occasions (if any) have you used marijuana . . .

A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1252: 081B019A:#X MARJ/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1329 | 54.4 % | 57.0% |
| 2 | 1-2X:(2) | 203 | 8.3 % | 8.7% |
| 3 | 3-5X:(3) | 123 | 5.0 % | 5.3% |
| 4 | 6-9X:(4) | 98 | 4.0 % | 4.2% |
| 5 | 10-19X:(5) | 131 | 5.4 % | 5.6% |
| 6 | 20-39X:(6) | 99 | 4.1 % | 4.2% |
| 7 | 40+OCCAS:(7) | 349 | 14.3 % | 15.0% |
| -9 (M) | MISSING:(-9) | 109 | 4.5 % | - |

V1113

081B019B:#X MARJ/LAST12M

Location: 290-291(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02080

Question Number(s): 1B019B

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1113: 081B019B:#X MARJ/LAST12M | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1538 | 63.0 % | 66.0% |
| 2 | 1-2X:(2) | 196 | 8.0 % | 8.4% |
| 3 | 3-5X:(3) | 132 | 5.4 % | 5.7% |

- Study 25382 -

| V1113: 081B019B:#X MARJ/LAST12M | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | 6-9X:(4) | 97 | 4.0 % | 4.2% |
| 5 | 10-19X:(5) | 91 | 3.7 % | 3.9% |
| 6 | 20-39X:(6) | 62 | 2.5 % | 2.7% |
| 7 | 40+OCCAS:(7) | 213 | 8.7 % | 9.1% |
| -9 (M) | MISSING:(-9) | 112 | 4.6 % | - |

V1253 **081B019B:#X MARJ/LAST12M**

Location: 292-293(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02080

Question Number(s): 1B019B

On how many occasions (if any) have you used marijuana . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1253: 081B019B:#X MARJ/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1538 | 63.0 % | 66.0% |
| 2 | 1-2X:(2) | 196 | 8.0 % | 8.4% |
| 3 | 3-5X:(3) | 132 | 5.4 % | 5.7% |
| 4 | 6-9X:(4) | 97 | 4.0 % | 4.2% |
| 5 | 10-19X:(5) | 91 | 3.7 % | 3.9% |
| 6 | 20-39X:(6) | 62 | 2.5 % | 2.7% |
| 7 | 40+OCCAS:(7) | 213 | 8.7 % | 9.1% |
| -9 (M) | MISSING:(-9) | 112 | 4.6 % | - |

V1114 **081B019C:#X MARJ/LAST30D**

Location: 294-295(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02090

Question Number(s): 1B019C

- Study 25382 -

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1114: 081B019C:#X MARJ/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1848 | 75.7 % | 79.3% |
| 2 | 1-2X:(2) | 159 | 6.5 % | 6.8% |
| 3 | 3-5X:(3) | 75 | 3.1 % | 3.2% |
| 4 | 6-9X:(4) | 47 | 1.9 % | 2.0% |
| 5 | 10-19X:(5) | 58 | 2.4 % | 2.5% |
| 6 | 20-39X:(6) | 41 | 1.7 % | 1.8% |
| 7 | 40+OCCAS:(7) | 102 | 4.2 % | 4.4% |
| -9 (M) | MISSING:(-9) | 111 | 4.5 % | - |

V1254 081B019C:#X MARJ/LAST30D

Location: 296-297(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02090

Question Number(s): 1B019C

On how many occasions (if any) have you used marijuana . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1254: 081B019C:#X MARJ/LAST30D | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1848 | 75.7 % | 79.3% |
| 2 | 1-2X:(2) | 159 | 6.5 % | 6.8% |
| 3 | 3-5X:(3) | 75 | 3.1 % | 3.2% |
| 4 | 6-9X:(4) | 47 | 1.9 % | 2.0% |
| 5 | 10-19X:(5) | 58 | 2.4 % | 2.5% |

- Study 25382 -

| V1254: 081B019C:#X MARJ/LAST30D | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 6 | 20-39X:(6) | 41 | 1.7 % | 1.8% |
| 7 | 40+OCCAS:(7) | 102 | 4.2 % | 4.4% |
| -9 (M) | MISSING:(-9) | 111 | 4.5 % | - |

V1115 081B019X:#XMJ+HS/LIFETIM

Location: 298-299(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00860

Question Number(s): 1B019X

Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1115: 081B019X:#XMJ+HS/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1325 | 54.3 % | 57.1% |
| 2 | 1-2X:(2) | 184 | 7.5 % | 7.9% |
| 3 | 3-5X:(3) | 133 | 5.4 % | 5.7% |
| 4 | 6-9X:(4) | 95 | 3.9 % | 4.1% |
| 5 | 10-19X:(5) | 130 | 5.3 % | 5.6% |
| 6 | 20-39X:(6) | 94 | 3.9 % | 4.1% |
| 7 | 40+OCCAS:(7) | 358 | 14.7 % | 15.4% |
| -9 (M) | MISSING:(-9) | 122 | 5.0 % | - |

V1116 081B019Y:#XMJ+HS/LAST12M

Location: 300-301(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00870

- Study 25382 -

Question Number(s): 1B019Y

Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1116: 081B019Y:#XMJ+HS/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1530 | 62.7 % | 66.1% |
| 2 | 1-2X:(2) | 178 | 7.3 % | 7.7% |
| 3 | 3-5X:(3) | 136 | 5.6 % | 5.9% |
| 4 | 6-9X:(4) | 103 | 4.2 % | 4.4% |
| 5 | 10-19X:(5) | 88 | 3.6 % | 3.8% |
| 6 | 20-39X:(6) | 62 | 2.5 % | 2.7% |
| 7 | 40+OCCAS:(7) | 218 | 8.9 % | 9.4% |
| -9 (M) | MISSING:(-9) | 126 | 5.2 % | - |

V1117 081B019Z:#XMJ+HS/LAST30D

Location: 302-303(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00880

Question Number(s): 1B019Z

Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

- Study 25382 -

| V1117: 081B019Z:#XMJ+HS/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1830 | 75.0 % | 79.1% |
| 2 | 1-2X:(2) | 150 | 6.1 % | 6.5% |
| 3 | 3-5X:(3) | 81 | 3.3 % | 3.5% |
| 4 | 6-9X:(4) | 46 | 1.9 % | 2.0% |
| 5 | 10-19X:(5) | 61 | 2.5 % | 2.6% |
| 6 | 20-39X:(6) | 38 | 1.6 % | 1.6% |
| 7 | 40+OCCAS:(7) | 108 | 4.4 % | 4.7% |
| -9 (M) | MISSING:(-9) | 127 | 5.2 % | - |

V1255 **081B020A:#X/YR MJ ALONE**

Location: 304-305(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02100

Question Number(s): 1B020A

IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28.

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1255: 081B020A:#X/YR MJ ALONE | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 494 | 20.2 % | 63.3% |
| 2 | FEW TIME:(2) | 137 | 5.6 % | 17.6% |
| 3 | SOM TIME:(3) | 92 | 3.8 % | 11.8% |
| 4 | MST TIME:(4) | 33 | 1.4 % | 4.2% |
| 5 | EVRYTIME:(5) | 24 | 1.0 % | 3.1% |
| -9 (M) | MISSING:(-9) | 1661 | 68.0 % | - |

V1256 **081B020B:#X/YR MJ-2 PPL**

Location: 306-307(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 02110

Question Number(s): 1B020B

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1256: 081B020B:#X/YR MJ-2 PPL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 61 | 2.5 % | 7.8% |
| 2 | FEW TIME:(2) | 227 | 9.3 % | 29.0% |
| 3 | SOM TIME:(3) | 131 | 5.4 % | 16.7% |
| 4 | MST TIME:(4) | 247 | 10.1 % | 31.5% |
| 5 | EVRYTIME:(5) | 118 | 4.8 % | 15.1% |
| -9 (M) | MISSING:(-9) | 1657 | 67.9 % | - |

V1257 **081B020C:#X/YR MJ@PARTY**

Location: 308-309(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02120

Question Number(s): 1B020C

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1257: 081B020C:#X/YR MJ@PARTY | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 208 | 8.5 % | 26.6% |
| 2 | FEW TIME:(2) | 195 | 8.0 % | 24.9% |
| 3 | SOM TIME:(3) | 151 | 6.2 % | 19.3% |
| 4 | MST TIME:(4) | 121 | 5.0 % | 15.5% |
| 5 | EVRYTIME:(5) | 108 | 4.4 % | 13.8% |
| -9 (M) | MISSING:(-9) | 1658 | 67.9 % | - |

- Study 25382 -

V1258 081B020D:#X/YR MJ-DT/SP

Location: 310-311(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02130

Question Number(s): 1B020D

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1258: 081B020D:#X/YR MJ-DT/SP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 453 | 18.6 % | 58.1% |
| 2 | FEW TIME:(2) | 131 | 5.4 % | 16.8% |
| 3 | SOM TIME:(3) | 74 | 3.0 % | 9.5% |
| 4 | MST TIME:(4) | 61 | 2.5 % | 7.8% |
| 5 | EVRYTIME:(5) | 61 | 2.5 % | 7.8% |
| -9 (M) | MISSING:(-9) | 1661 | 68.0 % | - |

V1259 081B020E:#X/YR MJ-ADLTS

Location: 312-313(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02140

Question Number(s): 1B020E

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1259: 081B020E:#X/YR MJ-ADLTS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 539 | 22.1 % | 69.0% |

- Study 25382 -

| V1259: 081B020E:#X/YR MJ-ADLTS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | FEW TIME:(2) | 124 | 5.1 % | 15.9% |
| 3 | SOM TIME:(3) | 74 | 3.0 % | 9.5% |
| 4 | MST TIME:(4) | 18 | 0.7 % | 2.3% |
| 5 | EVRYTIME:(5) | 26 | 1.1 % | 3.3% |
| -9 (M) | MISSING:(-9) | 1660 | 68.0 % | - |

V1260

081B020F:#X/YR MJ-DATIME

Location: 314-315(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02150

Question Number(s): 1B020F

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1260: 081B020F:#X/YR MJ-DATIME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 269 | 11.0 % | 34.3% |
| 2 | FEW TIME:(2) | 199 | 8.2 % | 25.4% |
| 3 | SOM TIME:(3) | 169 | 6.9 % | 21.6% |
| 4 | MST TIME:(4) | 88 | 3.6 % | 11.2% |
| 5 | EVRYTIME:(5) | 59 | 2.4 % | 7.5% |
| -9 (M) | MISSING:(-9) | 1657 | 67.9 % | - |

V1261

081B020G:#X/YR MJ@HOME

Location: 316-317(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02160

Question Number(s): 1B020G

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

- Study 25382 -

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1261: 081B020G:#X/YR MJ@HOME | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 358 | 14.7 % | 46.0% |
| 2 | FEW TIME:(2) | 176 | 7.2 % | 22.6% |
| 3 | SOM TIME:(3) | 108 | 4.4 % | 13.9% |
| 4 | MST TIME:(4) | 78 | 3.2 % | 10.0% |
| 5 | EVRYTIME:(5) | 59 | 2.4 % | 7.6% |
| -9 (M) | MISSING:(-9) | 1662 | 68.1 % | - |

V1262 **081B020H:#X/YR MJ@SCHL**

Location: 318-319(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02170

Question Number(s): 1B020H

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1262: 081B020H:#X/YR MJ@SCHL | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 624 | 25.6 % | 79.9% |
| 2 | FEW TIME:(2) | 80 | 3.3 % | 10.2% |
| 3 | SOM TIME:(3) | 42 | 1.7 % | 5.4% |
| 4 | MST TIME:(4) | 19 | 0.8 % | 2.4% |
| 5 | EVRYTIME:(5) | 16 | 0.7 % | 2.0% |
| -9 (M) | MISSING:(-9) | 1660 | 68.0 % | - |

V1263 **081B020I:#X/YR MJIN CAR**

Location: 320-321(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 02190

Question Number(s): 1B020I

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1263: 081B020I:#X/YR MJIN CAR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 220 | 9.0 % | 28.1% |
| 2 | FEW TIME:(2) | 214 | 8.8 % | 27.3% |
| 3 | SOM TIME:(3) | 158 | 6.5 % | 20.2% |
| 4 | MST TIME:(4) | 142 | 5.8 % | 18.1% |
| 5 | EVRYTIME:(5) | 49 | 2.0 % | 6.3% |
| -9 (M) | MISSING:(-9) | 1658 | 67.9 % | - |

V1813 081B020J:#X/YR MJ@PARK/BH

Location: 322-323(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30930

Question Number(s): 1B020J

When you used marijuana or hashish during the last year, how often did you use it in each of the following situations?

J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1813: 081B020J:#X/YR MJ@PARK/BH | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 383 | 15.7 % | 49.0% |
| 2 | FEW TIME:(2) | 164 | 6.7 % | 21.0% |
| 3 | SOM TIME:(3) | 122 | 5.0 % | 15.6% |
| 4 | MST TIME:(4) | 74 | 3.0 % | 9.5% |
| 5 | EVRYTIME:(5) | 38 | 1.6 % | 4.9% |
| -9 (M) | MISSING:(-9) | 1660 | 68.0 % | - |

- Study 25382 -

V1264 081B021:#X OVL MJ+ ALC

Location: 324-325(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02200

Question Number(s): 1B021

How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1264: 081B021:#X OVL MJ+ ALC | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 279 | 11.4 % | 36.3% |
| 2 | FEW TIME:(2) | 229 | 9.4 % | 29.8% |
| 3 | SOM TIME:(3) | 160 | 6.6 % | 20.8% |
| 4 | MST TIME:(4) | 69 | 2.8 % | 9.0% |
| 5 | EVRYTIME:(5) | 31 | 1.3 % | 4.0% |
| -9 (M) | MISSING:(-9) | 1673 | 68.5 % | - |

V1265 081B022A:MJ EXPERIMENT

Location: 326-327(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02210

Question Number(s): 1B022A

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

| V1265: 081B022A:MJ EXPERIMENT | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 300 | 12.3 % | 39.0% |
| 1 | MARKED:(1) | 469 | 19.2 % | 61.0% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1266 081B022B:MJ RELAX

Location: 328-329(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02220

Question Number(s): 1B022B

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

| V1266: 081B022B:MJ RELAX | | | | |
|--------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 264 | 10.8 % | 34.3% |
| 1 | MARKED:(1) | 505 | 20.7 % | 65.7% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1267 081B022C:MJ GET HIGH

Location: 330-331(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02230

Question Number(s): 1B022C

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

| V1267: 081B022C:MJ GET HIGH | | | | |
|-----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 216 | 8.8 % | 28.1% |
| 1 | MARKED:(1) | 553 | 22.7 % | 71.9% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1268 081B022D:MJ SEEK INSIGHT

Location: 332-333(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02240

Question Number(s): 1B022D

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

| V1268: 081B022D:MJ SEEK INSIGHT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 566 | 23.2 % | 73.6% |
| 1 | MARKED:(1) | 203 | 8.3 % | 26.4% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1269

081B022E:MJ GD TM FRNDS

Location: 334-335(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02250

Question Number(s): 1B022E

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

| V1269: 081B022E:MJ GD TM FRNDS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 266 | 10.9 % | 34.6% |
| 1 | MARKED:(1) | 503 | 20.6 % | 65.4% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1270

081B022F:MJ FIT IN GRP

Location: 336-337(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 02260

Question Number(s): 1B022F

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

| V1270: 081B022F:MJ FIT IN GRP | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 722 | 29.6 % | 93.9% |
| 1 | MARKED:(1) | 47 | 1.9 % | 6.1% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1271

081B022G:MJ GET AWY PRB

Location: 338-339(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02270

Question Number(s): 1B022G

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

| V1271: 081B022G:MJ GET AWY PRB | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 538 | 22.0 % | 70.0% |
| 1 | MARKED:(1) | 231 | 9.5 % | 30.0% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1272

081B022H:MJ BOREDOM

Location: 340-341(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02280

- Study 25382 -

Question Number(s): 1B022H

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

| V1272: 081B022H:MJ BOREDOM | | | | |
|----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 498 | 20.4 % | 64.8% |
| 1 | MARKED:(1) | 271 | 11.1 % | 35.2% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1273 081B022I:MJ ANGR&FRUSTRN

Location: 342-343(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02290

Question Number(s): 1B022I

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

| V1273: 081B022I:MJ ANGR&FRUSTRN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 602 | 24.7 % | 78.3% |
| 1 | MARKED:(1) | 167 | 6.8 % | 21.7% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1274 081B022J:MJ GET THRU DAY

Location: 344-345(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02300

Question Number(s): 1B022J

What have been the most important reasons for your using

- Study 25382 -

marijuana or hashish? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

| V1274: 081B022J:MJ GET THRU DAY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 659 | 27.0 % | 85.7% |
| 1 | MARKED:(1) | 110 | 4.5 % | 14.3% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1275 081B022K:MJ INCRS EF DRG

Location: 346-347(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02310

Question Number(s): 1B022K

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

| V1275: 081B022K:MJ INCRS EF DRG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 671 | 27.5 % | 87.3% |
| 1 | MARKED:(1) | 98 | 4.0 % | 12.7% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1276 081B022L:MJ DECRS EF DRG

Location: 348-349(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02320

Question Number(s): 1B022L

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1276: 081B022L:MJ DECRS EF DRG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 744 | 30.5 % | 96.7% |
| 1 | MARKED:(1) | 25 | 1.0 % | 3.3% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1277 081B022M:MJ I AM HOOKED

Location: 350-351(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02330

Question Number(s): 1B022M

What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

| V1277: 081B022M:MJ I AM HOOKED | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 734 | 30.1 % | 95.4% |
| 1 | MARKED:(1) | 35 | 1.4 % | 4.6% |
| -9 (M) | MISSING:(-9) | 1672 | 68.5 % | - |

V1278 081B023:MJ/HSB,VRY HIGH

Location: 352-353(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02340

Question Number(s): 1B023

When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high"

- Study 25382 -

| V1278: 081B023:MJ/HSH,VRY HIGH | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 40 | 1.6 % | 5.2% |
| 2 | LIT HIGH:(2) | 163 | 6.7 % | 21.1% |
| 3 | MOD HIGH:(3) | 344 | 14.1 % | 44.6% |
| 4 | VRY HIGH:(4) | 224 | 9.2 % | 29.1% |
| -9 (M) | MISSING:(-9) | 1670 | 68.4 % | - |

V1279 **081B024:MJ/HSH,HI 24+HR**

Location: 354-355(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02350

Question Number(s): 1B024

When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

| V1279: 081B024:MJ/HSH,HI 24+HR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 57 | 2.3 % | 7.3% |
| 2 | 1-2 HRS:(2) | 377 | 15.4 % | 48.4% |
| 3 | 3-6 HRS:(3) | 297 | 12.2 % | 38.1% |
| 4 | 7-24 HRS:(4) | 39 | 1.6 % | 5.0% |
| 5 | >24 HRS:(5) | 9 | 0.4 % | 1.2% |
| -9 (M) | MISSING:(-9) | 1662 | 68.1 % | - |

V1280 **081B025:JOINT/DA LST MO**

Location: 356-357(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02360

Question Number(s): 1B025

During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

- Study 25382 -

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day"
5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

| V1280: 081B025:JOINT/DA LST MO | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 282 | 11.6 % | 40.9% |
| 2 | <1/DAY:(2) | 202 | 8.3 % | 29.3% |
| 3 | 1/DAY:(3) | 64 | 2.6 % | 9.3% |
| 4 | 2-3/DAY:(4) | 86 | 3.5 % | 12.5% |
| 5 | 4-6/DAY:(5) | 31 | 1.3 % | 4.5% |
| 6 | 7-10/DAY:(6) | 7 | 0.3 % | 1.0% |
| 7 | 11+/DAY:(7) | 18 | 0.7 % | 2.6% |
| -9 (M) | MISSING:(-9) | 1751 | 71.7 % | - |

V1281 **081B026:OZS.MJ LST MO/6**

Location: 358-359(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02370

Question Number(s): 1B026

Do you know how much marijuana you have used (in ounces)
during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About
1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more
ounces" 8="Don't Know"

| V1281: 081B026:OZS.MJ LST MO/6 | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 230 | 9.4 % | 33.4% |
| 2 | < 1/2 OZ:(2) | 124 | 5.1 % | 18.0% |
| 3 | 1/2 OZ:(3) | 38 | 1.6 % | 5.5% |
| 4 | 1 OZ:(4) | 63 | 2.6 % | 9.2% |
| 5 | 2 OZ:(5) | 40 | 1.6 % | 5.8% |
| 6 | 3-5 OZ:(6) | 25 | 1.0 % | 3.6% |
| 7 | 6+ OZ:(7) | 24 | 1.0 % | 3.5% |
| 8 | DK:(8) | 144 | 5.9 % | 20.9% |
| -9 (M) | MISSING:(-9) | 1753 | 71.8 % | - |

V1282 **081B027:*TRY STP MJ &FL**

Location: 360-361(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02380

Question Number(s): 1B027

Have you ever tried to stop using marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

| V1282: 081B027:*TRY STP MJ &FL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 70 | 2.9 % | 9.0% |
| 2 | NO:(2) | 707 | 29.0 % | 91.0% |
| -9 (M) | MISSING:(-9) | 1664 | 68.2 % | - |

V1706

081B028:MJ/HSH EVR DLY

Location: 362-363(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21180

Question Number(s): 1B028

Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

| V1706: 081B028:MJ/HSH EVR DLY | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 1948 | 79.8 % | 84.8% |
| 2 | YES:(2) | 349 | 14.3 % | 15.2% |
| -9 (M) | MISSING:(-9) | 144 | 5.9 % | - |

V1707

081B029:GR 1ST DAILY MJ

Location: 364-365(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21190

Question Number(s): 1B029

- Study 25382 -

How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)"
4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

| V1707: 081B029:GR 1ST DAILY MJ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 41 | 1.7 % | 9.9% |
| 2 | GRADE 7-:(2) | 98 | 4.0 % | 23.7% |
| 3 | GRADE 9:(3) | 92 | 3.8 % | 22.2% |
| 4 | GRADE 10:(4) | 82 | 3.4 % | 19.8% |
| 5 | GRADE 11:(5) | 68 | 2.8 % | 16.4% |
| 6 | GRADE 12:(6) | 33 | 1.4 % | 8.0% |
| -9 (M) | MISSING:(-9) | 2027 | 83.0 % | - |

V1708 **081B030:RECENT DAILY MJ**

Location: 366-367(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question: Item Number: 21200

Question Number(s): 1B030

How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

| V1708: 081B030:RECENT DAILY MJ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | PAST MON:(1) | 131 | 5.4 % | 32.8% |
| 2 | 2 MO AGO:(2) | 34 | 1.4 % | 8.5% |
| 3 | 3-9 MO:(3) | 71 | 2.9 % | 17.8% |
| 4 | ABT 1 YR:(4) | 63 | 2.6 % | 15.8% |
| 5 | ABT 2 YR:(5) | 51 | 2.1 % | 12.8% |
| 6 | 3+ YRS:(6) | 50 | 2.0 % | 12.5% |
| -9 (M) | MISSING:(-9) | 2041 | 83.6 % | - |

V1709 **081B031:#X DAILY MJ/LFT**

Location: 368-369(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 21210

Question Number(s): 1B031

Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year"
 4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years"
 7="6 to 9 years" 8="10 or more years"

| V1709: 081B031:#X DAILY MJ/LFT | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | <3 MON:(1) | 125 | 5.1 % | 31.5% |
| 2 | 3-9 MO:(2) | 88 | 3.6 % | 22.2% |
| 3 | ABT 1 YR:(3) | 39 | 1.6 % | 9.8% |
| 4 | 1 1/2 YR:(4) | 34 | 1.4 % | 8.6% |
| 5 | ABT 2 YR:(5) | 40 | 1.6 % | 10.1% |
| 6 | 3-5 YRS:(6) | 50 | 2.0 % | 12.6% |
| 7 | 6-9 YRS:(7) | 11 | 0.5 % | 2.8% |
| 8 | 10+ YRS:(8) | 10 | 0.4 % | 2.5% |
| -9 (M) | MISSING:(-9) | 2044 | 83.7 % | - |

V1283 081B032:NO MJ/HSN IN5YR

Location: 370-371(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 02390

Question Number(s): 1B032

Do you think you will be using marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not"
 4="I definitely will not"

| V1283: 081B032:NO MJ/HSN IN5YR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 104 | 4.3 % | 4.5% |
| 2 | PRB WILL:(2) | 270 | 11.1 % | 11.6% |
| 3 | PRB WONT:(3) | 462 | 18.9 % | 19.8% |

- Study 25382 -

| V1283: 081B032:NO MJ/HSB IN5YR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | DEF WONT:(4) | 1498 | 61.4 % | 64.2% |
| -9 (M) | MISSING:(-9) | 107 | 4.4 % | - |

V1118 081B033A:#X LSD/LIFETIME

Location: 372-373(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00890

Question Number(s): 1B033A

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1118: 081B033A:#X LSD/LIFETIME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2194 | 89.9 % | 96.0% |
| 2 | 1-2X:(2) | 46 | 1.9 % | 2.0% |
| 3 | 3-5X:(3) | 16 | 0.7 % | 0.7% |
| 4 | 6-9X:(4) | 11 | 0.5 % | 0.5% |
| 5 | 10-19X:(5) | 9 | 0.4 % | 0.4% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 156 | 6.4 % | - |

V1284 081B033A:#X LSD/LIFETIME

Location: 374-375(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00890

- Study 25382 -

Question Number(s): 1B033A

The next questions are about LSD, the hallucinogenic drug which is sometimes called "acid". On how many occasions (if any) have you used LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1284: 081B033A:#X LSD/LIFETIME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2194 | 89.9 % | 96.0% |
| 2 | 1-2X:(2) | 46 | 1.9 % | 2.0% |
| 3 | 3-5X:(3) | 16 | 0.7 % | 0.7% |
| 4 | 6-9X:(4) | 11 | 0.5 % | 0.5% |
| 5 | 10-19X:(5) | 9 | 0.4 % | 0.4% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 156 | 6.4 % | - |

V1119

081B033B:#X LSD/LAST 12M

Location: 376-377(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00900

Question Number(s): 1B033B

On how many occasions (if any) have you used LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1119: 081B033B:#X LSD/LAST 12M | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2221 | 91.0 % | 97.2% |
| 2 | 1-2X:(2) | 26 | 1.1 % | 1.1% |

- Study 25382 -

| V1119: 081B033B:#X LSD/LAST 12M | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | 3-5X:(3) | 20 | 0.8 % | 0.9% |
| 4 | 6-9X:(4) | 8 | 0.3 % | 0.4% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 2 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 157 | 6.4 % | - |

V1285 081B033B:#X LSD/LAST 12M

Location: 378-379(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00900

Question Number(s): 1B033B

On how many occasions (if any) have you used LSD) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1285: 081B033B:#X LSD/LAST 12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2221 | 91.0 % | 97.2% |
| 2 | 1-2X:(2) | 26 | 1.1 % | 1.1% |
| 3 | 3-5X:(3) | 20 | 0.8 % | 0.9% |
| 4 | 6-9X:(4) | 8 | 0.3 % | 0.4% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 2 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 157 | 6.4 % | - |

V1120 081B033C:#X LSD/LAST 30D

Location: 380-381(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00910

Question Number(s): 1B033C

- Study 25382 -

On how many occasions (if any) have you used LSD) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1120: 081B033C:#X LSD/LAST 30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2251 | 92.2 % | 98.6% |
| 2 | 1-2X:(2) | 18 | 0.7 % | 0.8% |
| 3 | 3-5X:(3) | 5 | 0.2 % | 0.2% |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 159 | 6.5 % | - |

V1286

081B033C:#X LSD/LAST 30D

Location: 382-383(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00910

Question Number(s): 1B033C

On how many occasions (if any) have you used LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1286: 081B033C:#X LSD/LAST 30D | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2251 | 92.2 % | 98.6% |
| 2 | 1-2X:(2) | 18 | 0.7 % | 0.8% |
| 3 | 3-5X:(3) | 5 | 0.2 % | 0.2% |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |

- Study 25382 -

| V1286: 081B033C:#X LSD/LAST 30D | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 159 | 6.5 % | - |

V1287 081B034A:#X/YR LSD ALONE

Location: 384-385(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02400

Question Number(s): 1B034A

IF YOU HAVE NOT TAKEN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 41.

When you used LSD during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1287: 081B034A:#X/YR LSD ALONE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 38 | 1.6 % | 58.5% |
| 2 | FEW TIME:(2) | 13 | 0.5 % | 20.0% |
| 3 | SOM TIME:(3) | 6 | 0.2 % | 9.2% |
| 4 | MST TIME:(4) | 3 | 0.1 % | 4.6% |
| 5 | EVRYTIME:(5) | 5 | 0.2 % | 7.7% |
| -9 (M) | MISSING:(-9) | 2376 | 97.3 % | - |

V1288 081B034B:#X/YR LSD-2 PPL

Location: 386-387(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02410

Question Number(s): 1B034B

When you used LSD during the last year, how often did you use

- Study 25382 -

it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1288: 081B034B:#X/YR LSD-2 PPL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 16 | 0.7 % | 24.2% |
| 2 | FEW TIME:(2) | 23 | 0.9 % | 34.8% |
| 3 | SOM TIME:(3) | 7 | 0.3 % | 10.6% |
| 4 | MST TIME:(4) | 8 | 0.3 % | 12.1% |
| 5 | EVRYTIME:(5) | 12 | 0.5 % | 18.2% |
| -9 (M) | MISSING:(-9) | 2375 | 97.3 % | - |

V1289 **081B034C:#X/YR LSD@PARTY**

Location: 388-389(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02420

Question Number(s): 1B034C

When you used LSD during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1289: 081B034C:#X/YR LSD@PARTY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 19 | 0.8 % | 28.8% |
| 2 | FEW TIME:(2) | 20 | 0.8 % | 30.3% |
| 3 | SOM TIME:(3) | 7 | 0.3 % | 10.6% |
| 4 | MST TIME:(4) | 9 | 0.4 % | 13.6% |
| 5 | EVRYTIME:(5) | 11 | 0.5 % | 16.7% |
| -9 (M) | MISSING:(-9) | 2375 | 97.3 % | - |

V1290 **081B034D:#X/YR LSD-DT/SP**

Location: 390-391(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 02430

Question Number(s): 1B034D

When you used LSD during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1290: 081B034D:#X/YR LSD-DT/SP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 44 | 1.8 % | 66.7% |
| 2 | FEW TIME:(2) | 7 | 0.3 % | 10.6% |
| 3 | SOM TIME:(3) | 6 | 0.2 % | 9.1% |
| 4 | MST TIME:(4) | 6 | 0.2 % | 9.1% |
| 5 | EVRYTIME:(5) | 3 | 0.1 % | 4.5% |
| -9 (M) | MISSING:(-9) | 2375 | 97.3 % | - |

V1291 081B034E:#X/YR LSD-ADLTS

Location: 392-393(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02440

Question Number(s): 1B034E

When you used LSD during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1291: 081B034E:#X/YR LSD-ADLTS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 46 | 1.9 % | 68.7% |
| 2 | FEW TIME:(2) | 6 | 0.2 % | 9.0% |
| 3 | SOM TIME:(3) | 5 | 0.2 % | 7.5% |
| 4 | MST TIME:(4) | 4 | 0.2 % | 6.0% |
| 5 | EVRYTIME:(5) | 6 | 0.2 % | 9.0% |
| -9 (M) | MISSING:(-9) | 2374 | 97.3 % | - |

- Study 25382 -

V1292 081B034F:#X/YR LSD-DATIM

Location: 394-395(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02450

Question Number(s): 1B034F

When you used LSD during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1292: 081B034F:#X/YR LSD-DATIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 38 | 1.6 % | 57.6% |
| 2 | FEW TIME:(2) | 9 | 0.4 % | 13.6% |
| 3 | SOM TIME:(3) | 7 | 0.3 % | 10.6% |
| 4 | MST TIME:(4) | 5 | 0.2 % | 7.6% |
| 5 | EVRYTIME:(5) | 7 | 0.3 % | 10.6% |
| -9 (M) | MISSING:(-9) | 2375 | 97.3 % | - |

V1293 081B034G:#X/YR LSD@HOME

Location: 396-397(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02460

Question Number(s): 1B034G

When you used LSD during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1293: 081B034G:#X/YR LSD@HOME | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 31 | 1.3 % | 47.7% |

- Study 25382 -

| V1293: 081B034G:#X/YR LSD@HOME | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | FEW TIME:(2) | 13 | 0.5 % | 20.0% |
| 3 | SOM TIME:(3) | 7 | 0.3 % | 10.8% |
| 4 | MST TIME:(4) | 5 | 0.2 % | 7.7% |
| 5 | EVRYTIME:(5) | 9 | 0.4 % | 13.8% |
| -9 (M) | MISSING:(-9) | 2376 | 97.3 % | - |

V1294 **081B034H:#X/YR LSD@SCHL**

Location: 398-399(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02470

Question Number(s): 1B034H

When you used LSD during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1294: 081B034H:#X/YR LSD@SCHL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 47 | 1.9 % | 71.2% |
| 2 | FEW TIME:(2) | 4 | 0.2 % | 6.1% |
| 3 | SOM TIME:(3) | 8 | 0.3 % | 12.1% |
| 4 | MST TIME:(4) | 3 | 0.1 % | 4.5% |
| 5 | EVRYTIME:(5) | 4 | 0.2 % | 6.1% |
| -9 (M) | MISSING:(-9) | 2375 | 97.3 % | - |

V1295 **081B034I:#X/YR LSDIN CAR**

Location: 400-401(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02490

Question Number(s): 1B034I

When you used LSD during the last year, how often did you use it in each of the following situations?

- Study 25382 -

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1295: 081B034I:#X/YR LSDIN CAR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 39 | 1.6 % | 60.0% |
| 2 | FEW TIME:(2) | 15 | 0.6 % | 23.1% |
| 3 | SOM TIME:(3) | 6 | 0.2 % | 9.2% |
| 4 | MST TIME:(4) | 1 | 0.0 % | 1.5% |
| 5 | EVRYTIME:(5) | 4 | 0.2 % | 6.2% |
| -9 (M) | MISSING:(-9) | 2376 | 97.3 % | - |

V1296 081B035A:#X OVL LSD+ ALC

Location: 402-403(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02500

Question Number(s): 1B035A

How many of the times when you used LSD during the last year
did you use it along with each of the following drugs--that
is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1296: 081B035A:#X OVL LSD+ ALC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 32 | 1.3 % | 52.5% |
| 2 | FEW TIME:(2) | 8 | 0.3 % | 13.1% |
| 3 | SOM TIME:(3) | 4 | 0.2 % | 6.6% |
| 4 | MST TIME:(4) | 6 | 0.2 % | 9.8% |
| 5 | EVRYTIME:(5) | 11 | 0.5 % | 18.0% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1297 081B035B:#X OVL LSD+ MJ

Location: 404-405(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 02510

Question Number(s): 1B035B

How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1297: 081B035B:#X OVL LSD+ MJ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 15 | 0.6 % | 23.8% |
| 2 | FEW TIME:(2) | 7 | 0.3 % | 11.1% |
| 3 | SOM TIME:(3) | 12 | 0.5 % | 19.0% |
| 4 | MST TIME:(4) | 3 | 0.1 % | 4.8% |
| 5 | EVRYTIME:(5) | 26 | 1.1 % | 41.3% |
| -9 (M) | MISSING:(-9) | 2378 | 97.4 % | - |

V1298 081B036A:LSD EXPERIMENT

Location: 406-407(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02520

Question Number(s): 1B036A

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

| V1298: 081B036A:LSD EXPERIMENT | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 20 | 0.8 % | 32.8% |
| 1 | MARKED:(1) | 41 | 1.7 % | 67.2% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1299 081B036B:LSD RELAX

Location: 408-409(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02530

Question Number(s): 1B036B

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

| V1299: 081B036B:LSD RELAX | | | | |
|---------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 44 | 1.8 % | 72.1% |
| 1 | MARKED:(1) | 17 | 0.7 % | 27.9% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1300

081B036C:LSD GET HIGH

Location: 410-411(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02540

Question Number(s): 1B036C

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

| V1300: 081B036C:LSD GET HIGH | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 29 | 1.2 % | 47.5% |
| 1 | MARKED:(1) | 32 | 1.3 % | 52.5% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1301

081B036D:LSD SEEK INSGHT

Location: 412-413(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 02550

Question Number(s): 1B036D

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

| V1301: 081B036D:LSD SEEK INSGHT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 34 | 1.4 % | 55.7% |
| 1 | MARKED:(1) | 27 | 1.1 % | 44.3% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1302 081B036E:LSD GD TM FRNDS

Location: 414-415(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02560

Question Number(s): 1B036E

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

| V1302: 081B036E:LSD GD TM FRNDS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 32 | 1.3 % | 52.5% |
| 1 | MARKED:(1) | 29 | 1.2 % | 47.5% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1303 081B036F:LSD FIT IN GRP

Location: 416-417(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02570

- Study 25382 -

Question Number(s): 1B036F

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

| V1303: 081B036F:LSD FIT IN GRP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 60 | 2.5 % | 98.4% |
| 1 | MARKED:(1) | 1 | 0.0 % | 1.6% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1304 081B036G:LSD GT AWY PRB

Location: 418-419(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02580

Question Number(s): 1B036G

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

| V1304: 081B036G:LSD GT AWY PRB | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 51 | 2.1 % | 83.6% |
| 1 | MARKED:(1) | 10 | 0.4 % | 16.4% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1305 081B036H:LSD BOREDOM

Location: 420-421(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02590

Question Number(s): 1B036H

What have been the most important reasons for your taking LSD?

- Study 25382 -

(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

| V1305: 081B036H:LSD BOREDOM | | | | |
|-----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 41 | 1.7 % | 67.2% |
| 1 | MARKED:(1) | 20 | 0.8 % | 32.8% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1306 081B036I:LSD ANGR&FRSTRN

Location: 422-423(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02600

Question Number(s): 1B036I

What have been the most important reasons for your taking LSD?

(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

| V1306: 081B036I:LSD ANGR&FRSTRN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 57 | 2.3 % | 93.4% |
| 1 | MARKED:(1) | 4 | 0.2 % | 6.6% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1307 081B036J:LSD GT THRU DAY

Location: 424-425(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02610

Question Number(s): 1B036J

What have been the most important reasons for your taking LSD?

(Mark all that apply.)

J. To get through the day

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1307: 081B036J:LSD GT THRU DAY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 58 | 2.4 % | 95.1% |
| 1 | MARKED:(1) | 3 | 0.1 % | 4.9% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1308 081B036K:LSD INCRS EF DR

Location: 426-427(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02620

Question Number(s): 1B036K

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

| V1308: 081B036K:LSD INCRS EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 56 | 2.3 % | 91.8% |
| 1 | MARKED:(1) | 5 | 0.2 % | 8.2% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1309 081B036L:LSD DCRS EF DRG

Location: 428-429(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02630

Question Number(s): 1B036L

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1309: 081B036L:LSD DCRS EF DRG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 60 | 2.5 % | 98.4% |
| 1 | MARKED:(1) | 1 | 0.0 % | 1.6% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1310 081B036M:LSD I AM HOOKED

Location: 430-431(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02640

Question Number(s): 1B036M

What have been the most important reasons for your taking LSD?
(Mark all that apply.)

M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

| V1310: 081B036M:LSD I AM HOOKED | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 58 | 2.4 % | 95.1% |
| 1 | MARKED:(1) | 3 | 0.1 % | 4.9% |
| -9 (M) | MISSING:(-9) | 2380 | 97.5 % | - |

V1311 081B037:LSD,GET VERY HI

Location: 432-433(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02650

Question Number(s): 1B037

When you take LSD, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

| V1311: 081B037:LSD,GET VERY HI | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 6 | 0.2 % | 9.2% |

- Study 25382 -

| V1311: 081B037:LSD,GET VERY HI | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | LIT HIGH:(2) | 5 | 0.2 % | 7.7% |
| 3 | MOD HIGH:(3) | 15 | 0.6 % | 23.1% |
| 4 | VRy HIGH:(4) | 39 | 1.6 % | 60.0% |
| -9 (M) | MISSING:(-9) | 2376 | 97.3 % | - |

V1312 081B038:LSD,HIGH 24+ HR

Location: 434-435(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02660

Question Number(s): 1B038

When you take LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

| V1312: 081B038:LSD,HIGH 24+ HR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 5 | 0.2 % | 7.8% |
| 2 | 1-2 HRS:(2) | 7 | 0.3 % | 10.9% |
| 3 | 3-6 HRS:(3) | 11 | 0.5 % | 17.2% |
| 4 | 7-24 HRS:(4) | 35 | 1.4 % | 54.7% |
| 5 | >24 HRS:(5) | 6 | 0.2 % | 9.4% |
| -9 (M) | MISSING:(-9) | 2377 | 97.4 % | - |

V1313 081B039:1+ BAD TRIP LSD

Location: 436-437(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02670

Question Number(s): 1B039

Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

- Study 25382 -

| V1313: 081B039:1+ BAD TRIP LSD | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 42 | 1.7 % | 57.5% |
| 2 | ONCE:(2) | 21 | 0.9 % | 28.8% |
| 3 | > ONCE:(3) | 10 | 0.4 % | 13.7% |
| -9 (M) | MISSING:(-9) | 2368 | 97.0 % | - |

V1314 081B040:*TRY STP LSD&FL

Location: 438-439(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02680

Question Number(s): 1B040

Have you ever tried to stop using LSD and found that you couldn't stop?

1="Yes" 2="No"

| V1314: 081B040:*TRY STP LSD&FL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 8 | 0.3 % | 11.4% |
| 2 | NO:(2) | 62 | 2.5 % | 88.6% |
| -9 (M) | MISSING:(-9) | 2371 | 97.1 % | - |

V1315 081B041:NO LSD IN 5 YRS

Location: 440-441(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02690

Question Number(s): 1B041

Do you think you will be using LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| V1315: 081B041:NO LSD IN 5 YRS | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 21 | 0.9 % | 1.0% |
| 2 | PRB WILL:(2) | 41 | 1.7 % | 1.9% |

- Study 25382 -

| V1315: 081B041:NO LSD IN 5 YRS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | PRB WONT:(3) | 153 | 6.3 % | 7.0% |
| 4 | DEF WONT:(4) | 1958 | 80.2 % | 90.1% |
| -9 (M) | MISSING:(-9) | 268 | 11.0 % | - |

V1121 081B042A:#X PSYD/LIFETIM

Location: 442-443(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00920

Question Number(s): 1B042A

The next questions are about HALLUCINOGENS OTHER THAN LSD.

This group would include the following drugs: Mescaline, Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions (if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1121: 081B042A:#X PSYD/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2096 | 85.9 % | 92.7% |
| 2 | 1-2X:(2) | 77 | 3.2 % | 3.4% |
| 3 | 3-5X:(3) | 44 | 1.8 % | 1.9% |
| 4 | 6-9X:(4) | 15 | 0.6 % | 0.7% |
| 5 | 10-19X:(5) | 13 | 0.5 % | 0.6% |
| 6 | 20-39X:(6) | 5 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 12 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1316 081B042A:#X PSYD/LIFETIM

Location: 444-445(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00920

Question Number(s): 1B042A

The next questions are about HALLUCINOGENS OTHER THAN LSD.
This group would include the following drugs: Mescaline,
Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions
(if any) have you taken hallucinogens other than LSD . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

| V1316: 081B042A:#X PSYD/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2096 | 85.9 % | 92.7% |
| 2 | 1-2X:(2) | 77 | 3.2 % | 3.4% |
| 3 | 3-5X:(3) | 44 | 1.8 % | 1.9% |
| 4 | 6-9X:(4) | 15 | 0.6 % | 0.7% |
| 5 | 10-19X:(5) | 13 | 0.5 % | 0.6% |
| 6 | 20-39X:(6) | 5 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 12 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1122

081B042B:#X PSYD/LAST12M

Location: 446-447(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 1B042B

On how many occasions (if any) have you taken hallucinogens
other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

- Study 25382 -

| V1122: 081B042B:#X PSYD/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2145 | 87.9 % | 94.8% |
| 2 | 1-2X:(2) | 64 | 2.6 % | 2.8% |
| 3 | 3-5X:(3) | 26 | 1.1 % | 1.1% |
| 4 | 6-9X:(4) | 15 | 0.6 % | 0.7% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1317 **081B042B:#X PSYD/LAST12M**

Location: 448-449(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 1B042B

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1317: 081B042B:#X PSYD/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2145 | 87.9 % | 94.8% |
| 2 | 1-2X:(2) | 64 | 2.6 % | 2.8% |
| 3 | 3-5X:(3) | 26 | 1.1 % | 1.1% |
| 4 | 6-9X:(4) | 15 | 0.6 % | 0.7% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1123 **081B042C:#X PSYD/LAST30D**

Location: 450-451(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00940

Question Number(s): 1B042C

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1123: 081B042C:#X PSYD/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2213 | 90.7 % | 97.8% |
| 2 | 1-2X:(2) | 32 | 1.3 % | 1.4% |
| 3 | 3-5X:(3) | 5 | 0.2 % | 0.2% |
| 4 | 6-9X:(4) | 5 | 0.2 % | 0.2% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 5 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1318 081B042C:#X PSYD/LAST30D

Location: 452-453(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00940

Question Number(s): 1B042C

On how many occasions (if any) have you taken hallucinogens other than LSD . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

| V1318: 081B042C:#X PSYD/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2213 | 90.7 % | 97.8% |
| 2 | 1-2X:(2) | 32 | 1.3 % | 1.4% |
| 3 | 3-5X:(3) | 5 | 0.2 % | 0.2% |
| 4 | 6-9X:(4) | 5 | 0.2 % | 0.2% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 5 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1319 **081B043:PSYD,GT VERY HI**

Location: 454-455(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02700

Question Number(s): 1B043

IF YOU HAVE NOT TAKEN ANY HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO QUESTION 46.

When you take hallucinogens other than LSD how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high"

| V1319: 081B043:PSYD,GT VERY HI | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 3 | 0.1 % | 2.6% |
| 2 | LIT HIGH:(2) | 11 | 0.5 % | 9.4% |
| 3 | MOD HIGH:(3) | 39 | 1.6 % | 33.3% |
| 4 | VRV HIGH:(4) | 64 | 2.6 % | 54.7% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1320 **081B044:PSYD,HI 24+ HRS**

Location: 456-457(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02710

Question Number(s): 1B044

- Study 25382 -

When you take hallucinogens other than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

| V1320: 081B044:PSYD,HI 24+ HRS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 6 | 0.2 % | 5.2% |
| 2 | 1-2 HRS:(2) | 19 | 0.8 % | 16.5% |
| 3 | 3-6 HRS:(3) | 55 | 2.3 % | 47.8% |
| 4 | 7-24 HRS:(4) | 31 | 1.3 % | 27.0% |
| 5 | >24 HRS:(5) | 4 | 0.2 % | 3.5% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1321 **081B045A:TKN YR,MESCALIN**

Location: 458-459(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02720

Question Number(s): 1B045A

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

A. Mescaline

0="UNMARKED" 1="MARKED"

| V1321: 081B045A:TKN YR,MESCALIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 106 | 4.3 % | 92.2% |
| 1 | MARKED:(1) | 9 | 0.4 % | 7.8% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1322 **081B045B:TKN YR,PEYOTE**

Location: 460-461(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02730

Question Number(s): 1B045B

- Study 25382 -

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

B. Peyote

0="UNMARKED" 1="MARKED"

| V1322: 081B045B:TKN YR,PEYOTE | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 104 | 4.3 % | 90.4% |
| 1 | MARKED:(1) | 11 | 0.5 % | 9.6% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1323 **081B045C:TKN YR,PSILOCYB**

Location: 462-463(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02740

Question Number(s): 1B045C

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

C. Psilocybin

0="UNMARKED" 1="MARKED"

| V1323: 081B045C:TKN YR,PSILOCYB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 21 | 0.9 % | 18.3% |
| 1 | MARKED:(1) | 94 | 3.9 % | 81.7% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1324 **081B045D:TKN YR,PCP**

Location: 464-465(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02750

Question Number(s): 1B045D

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

- Study 25382 -

D. PCP

0="UNMARKED" 1="MARKED"

| V1324: 081B045D:TKN YR,PCP | | | | |
|----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 101 | 4.1 % | 87.8% |
| 1 | MARKED:(1) | 14 | 0.6 % | 12.2% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1325 081B045E:TKN YR,CNCT THC

Location: 466-467(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02760

Question Number(s): 1B045E

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

E. Concentrated THC

0="UNMARKED" 1="MARKED"

| V1325: 081B045E:TKN YR,CNCT THC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 86 | 3.5 % | 74.8% |
| 1 | MARKED:(1) | 29 | 1.2 % | 25.2% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1326 081B045F:TKN YR,OTH PSYD

Location: 468-469(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02770

Question Number(s): 1B045F

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

F. Other

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1326: 081B045F:TKN YR,OTH PSYD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 75 | 3.1 % | 65.2% |
| 1 | MARKED:(1) | 40 | 1.6 % | 34.8% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1327 081B045G:TKN YR,DK NAME

Location: 470-471(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02780

Question Number(s): 1B045G

What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.)

G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

| V1327: 081B045G:TKN YR,DK NAME | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 106 | 4.3 % | 92.2% |
| 1 | MARKED:(1) | 9 | 0.4 % | 7.8% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1710 081B046A:#X DIETPILL/LFT

Location: 472-473(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21220

Question Number(s): 1B046A

The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Dietac(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . .

- Study 25382 -

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1710: 081B046A:#X DIETPILL/LFT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2073 | 84.9 % | 90.2% |
| 2 | 1-2X:(2) | 88 | 3.6 % | 3.8% |
| 3 | 3-5X:(3) | 37 | 1.5 % | 1.6% |
| 4 | 6-9X:(4) | 21 | 0.9 % | 0.9% |
| 5 | 10-19X:(5) | 29 | 1.2 % | 1.3% |
| 6 | 20-39X:(6) | 14 | 0.6 % | 0.6% |
| 7 | 40+OCCAS:(7) | 37 | 1.5 % | 1.6% |
| -9 (M) | MISSING:(-9) | 142 | 5.8 % | - |

V1711

081B046B:#X DIETPILL/12M

Location: 474-475(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21230

Question Number(s): 1B046B

On how many occasions (if any) have you taken such non-prescription diet pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1711: 081B046B:#X DIETPILL/12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2150 | 88.1 % | 93.4% |
| 2 | 1-2X:(2) | 51 | 2.1 % | 2.2% |
| 3 | 3-5X:(3) | 30 | 1.2 % | 1.3% |
| 4 | 6-9X:(4) | 16 | 0.7 % | 0.7% |
| 5 | 10-19X:(5) | 17 | 0.7 % | 0.7% |
| 6 | 20-39X:(6) | 16 | 0.7 % | 0.7% |
| 7 | 40+OCCAS:(7) | 21 | 0.9 % | 0.9% |
| -9 (M) | MISSING:(-9) | 140 | 5.7 % | - |

- Study 25382 -

V1712 081B046C:#X DIETPILL/30D

Location: 476-477(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21240

Question Number(s): 1B046C

On how many occasions (if any) have you taken such non-prescription diet pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1712: 081B046C:#X DIETPILL/30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2228 | 91.3 % | 96.8% |
| 2 | 1-2X:(2) | 25 | 1.0 % | 1.1% |
| 3 | 3-5X:(3) | 13 | 0.5 % | 0.6% |
| 4 | 6-9X:(4) | 12 | 0.5 % | 0.5% |
| 5 | 10-19X:(5) | 7 | 0.3 % | 0.3% |
| 6 | 20-39X:(6) | 5 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 11 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 140 | 5.7 % | - |

V1713 081B047A:#X STA-AWAK/LFT

Location: 478-479(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21250

Question Number(s): 1B047A

Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), Wake(R), Caffedrine(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

More"

| V1713: 081B047A:#X STA-AWAK/LFT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2068 | 84.7 % | 90.2% |
| 2 | 1-2X:(2) | 110 | 4.5 % | 4.8% |
| 3 | 3-5X:(3) | 57 | 2.3 % | 2.5% |
| 4 | 6-9X:(4) | 22 | 0.9 % | 1.0% |
| 5 | 10-19X:(5) | 18 | 0.7 % | 0.8% |
| 6 | 20-39X:(6) | 6 | 0.2 % | 0.3% |
| 7 | 40+OCCAS:(7) | 12 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 148 | 6.1 % | - |

V1714 081B047B:#X STA-AWAK/12M

Location: 480-481(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21260

Question Number(s): 1B047B

On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1714: 081B047B:#X STA-AWAK/12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2150 | 88.1 % | 93.7% |
| 2 | 1-2X:(2) | 87 | 3.6 % | 3.8% |
| 3 | 3-5X:(3) | 22 | 0.9 % | 1.0% |
| 4 | 6-9X:(4) | 12 | 0.5 % | 0.5% |
| 5 | 10-19X:(5) | 12 | 0.5 % | 0.5% |
| 6 | 20-39X:(6) | 2 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 9 | 0.4 % | 0.4% |
| -9 (M) | MISSING:(-9) | 147 | 6.0 % | - |

V1715 081B047C:#X STA-AWAK/30D

Location: 482-483(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 21270

Question Number(s): 1B047C

On how many occasions (if any) have you taken such
non-prescription stay-awake pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

| V1715: 081B047C:#X STA-AWAK/30D | | | | |
|---------------------------------|--------------|-------------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2243 | 91.9 % | 97.8% |
| 2 | 1-2X:(2) | 31 | 1.3 % | 1.4% |
| 3 | 3-5X:(3) | 9 | 0.4 % | 0.4% |
| 4 | 6-9X:(4) | 3 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 5 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 148 | 6.1 % | - |

V1716

081B048A:#X LOOKALIK/LFT

Location: 484-485(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21280

Question Number(s): 1B048A

In addition to non-prescription diet and stay-awake pills,
there are other stimulants and pep pills which can be sold
legally in most states without a prescription--usually by
mail. These are sometimes called "fake pep pills," "imitation
speed," or "look-alikes," because they look like prescription
amphetamines and sometimes have similar names. Other than the
diet pills and stay-awake pills you have already told us
about, on how many occasions (if any) have you taken other
non-prescription stimulants or pep pills . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

- Study 25382 -

More"

| V1716: 081B048A:#X LOOKALIK/LFT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2187 | 89.6 % | 95.4% |
| 2 | 1-2X:(2) | 52 | 2.1 % | 2.3% |
| 3 | 3-5X:(3) | 17 | 0.7 % | 0.7% |
| 4 | 6-9X:(4) | 10 | 0.4 % | 0.4% |
| 5 | 10-19X:(5) | 10 | 0.4 % | 0.4% |
| 6 | 20-39X:(6) | 7 | 0.3 % | 0.3% |
| 7 | 40+OCCAS:(7) | 10 | 0.4 % | 0.4% |
| -9 (M) | MISSING:(-9) | 148 | 6.1 % | - |

V1717 081B048B:#X LOOKALIK/12M

Location: 486-487(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21290

Question Number(s): 1B048B

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1717: 081B048B:#X LOOKALIK/12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2233 | 91.5 % | 97.4% |
| 2 | 1-2X:(2) | 32 | 1.3 % | 1.4% |
| 3 | 3-5X:(3) | 9 | 0.4 % | 0.4% |
| 4 | 6-9X:(4) | 7 | 0.3 % | 0.3% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 7 | 0.3 % | 0.3% |
| -9 (M) | MISSING:(-9) | 148 | 6.1 % | - |

V1718 081B048C:#X LOOKALIK/30D

- Study 25382 -

Location: 488-489(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 21300

Question Number(s): 1B048C

Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1718: 081B048C:#X LOOKALIK/30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2261 | 92.6 % | 98.6% |
| 2 | 1-2X:(2) | 15 | 0.6 % | 0.7% |
| 3 | 3-5X:(3) | 6 | 0.2 % | 0.3% |
| 4 | 6-9X:(4) | 4 | 0.2 % | 0.2% |
| 5 | 10-19X:(5) | 1 | 0.0 % | 0.0% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 5 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 149 | 6.1 % | - |

V1328

081B049:DR TOLD TK AMPH

Location: 490-491(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 02790

Question Number(s): 1B049

The next questions are about AMPHETAMINES, which doctors have prescribed to help people lose weight or to give people more energy. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines are sometimes called: Uppers, Ups, Speed, Bennies, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine. IN YOUR ANSWERS ABOUT AMPHETAMINES, DO NOT INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS. Have you ever taken amphetamines because a doctor told you to

- Study 25382 -

use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

| V1328: 081B049:DR TOLD TK AMPH | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 2113 | 86.6 % | 92.0% |
| 2 | YES BUT:(2) | 36 | 1.5 % | 1.6% |
| 3 | YES 1ST:(3) | 148 | 6.1 % | 6.4% |
| -9 (M) | MISSING:(-9) | 144 | 5.9 % | - |

V1127 081B050A:#X AMPH/LIFETIM

Location: 492-493(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00980

Question Number(s): 1B050A

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1127: 081B050A:#X AMPH/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2071 | 84.8 % | 91.2% |
| 2 | 1-2X:(2) | 59 | 2.4 % | 2.6% |
| 3 | 3-5X:(3) | 40 | 1.6 % | 1.8% |
| 4 | 6-9X:(4) | 32 | 1.3 % | 1.4% |
| 5 | 10-19X:(5) | 16 | 0.7 % | 0.7% |
| 6 | 20-39X:(6) | 17 | 0.7 % | 0.7% |
| 7 | 40+OCCAS:(7) | 36 | 1.5 % | 1.6% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1329 081B050A:#X AMPH/LIFETIM

- Study 25382 -

Location: 494-495(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00980

Question Number(s): 1B050A

On how many occasions (if any) have you taken amphetamines
 on your own--that is, without a doctor telling you to take
 them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

| V1329: 081B050A:#X AMPH/LIFETIM | | | | |
|---------------------------------|--------------|-------------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2071 | 84.8 % | 91.2% |
| 2 | 1-2X:(2) | 59 | 2.4 % | 2.6% |
| 3 | 3-5X:(3) | 40 | 1.6 % | 1.8% |
| 4 | 6-9X:(4) | 32 | 1.3 % | 1.4% |
| 5 | 10-19X:(5) | 16 | 0.7 % | 0.7% |
| 6 | 20-39X:(6) | 17 | 0.7 % | 0.7% |
| 7 | 40+OCCAS:(7) | 36 | 1.5 % | 1.6% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1128 081B050B:#X AMPH/LAST12M

Location: 496-497(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00990

Question Number(s): 1B050B

On how many occasions (if any) have you taken amphetamines
 on your own--that is, without a doctor telling you to take
 them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

[Data in the "core variable" have been recoded, if necessary,

- Study 25382 -

to be comparable to similar data in questionnaire forms 2 through 6.]

| V1128: 081B050B:#X AMPH/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2146 | 87.9 % | 94.5% |
| 2 | 1-2X:(2) | 49 | 2.0 % | 2.2% |
| 3 | 3-5X:(3) | 22 | 0.9 % | 1.0% |
| 4 | 6-9X:(4) | 20 | 0.8 % | 0.9% |
| 5 | 10-19X:(5) | 13 | 0.5 % | 0.6% |
| 6 | 20-39X:(6) | 9 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 12 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1330 081B050B:#X AMPH/LAST12M

Location: 498-499(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00990

Question Number(s): 1B050B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1330: 081B050B:#X AMPH/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2146 | 87.9 % | 94.5% |
| 2 | 1-2X:(2) | 49 | 2.0 % | 2.2% |
| 3 | 3-5X:(3) | 22 | 0.9 % | 1.0% |
| 4 | 6-9X:(4) | 20 | 0.8 % | 0.9% |
| 5 | 10-19X:(5) | 13 | 0.5 % | 0.6% |
| 6 | 20-39X:(6) | 9 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 12 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1129 081B050C:#X AMPH/LAST30D

- Study 25382 -

Location: 500-501(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question: Item Number: 01000

Question Number(s): 1B050C

On how many occasions (if any) have you taken amphetamines
 on your own--that is, without a doctor telling you to take
 them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

[Data in the "core variable" have been recoded, if necessary,
 to be comparable to similar data in questionnaire forms 2
 through 6.]

| V1129: 081B050C:#X AMPH/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2213 | 90.7 % | 97.4% |
| 2 | 1-2X:(2) | 22 | 0.9 % | 1.0% |
| 3 | 3-5X:(3) | 10 | 0.4 % | 0.4% |
| 4 | 6-9X:(4) | 13 | 0.5 % | 0.6% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 5 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 5 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1331 081B050C:#X AMPH/LAST30D

Location: 502-503(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question: Item Number: 01000

Question Number(s): 1B050C

On how many occasions (if any) have you taken amphetamines
 on your own--that is, without a doctor telling you to take
 them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9

- Study 25382 -

Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1331: 081B050C:#X AMPH/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2213 | 90.7 % | 97.4% |
| 2 | 1-2X:(2) | 22 | 0.9 % | 1.0% |
| 3 | 3-5X:(3) | 10 | 0.4 % | 0.4% |
| 4 | 6-9X:(4) | 13 | 0.5 % | 0.6% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 5 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 5 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1332 081B051A:#X/YR AMPH ALNE

Location: 504-505(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02800

Question Number(s): 1B051A

IF YOU HAVE NOT TAKEN AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.

When you used amphetamines during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1332: 081B051A:#X/YR AMPH ALNE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 54 | 2.2 % | 45.8% |
| 2 | FEW TIME:(2) | 24 | 1.0 % | 20.3% |
| 3 | SOM TIME:(3) | 9 | 0.4 % | 7.6% |
| 4 | MST TIME:(4) | 12 | 0.5 % | 10.2% |
| 5 | EVRYTIME:(5) | 19 | 0.8 % | 16.1% |
| -9 (M) | MISSING:(-9) | 2323 | 95.2 % | - |

V1333 081B051B:#X/YR AMPH-2PPL

- Study 25382 -

Location: 506-507(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 02810

Question Number(s): 1B051B

When you used amphetamines during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

| V1333: 081B051B:#X/YR AMPH-2PPL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 34 | 1.4 % | 29.1% |
| 2 | FEW TIME:(2) | 33 | 1.4 % | 28.2% |
| 3 | SOM TIME:(3) | 20 | 0.8 % | 17.1% |
| 4 | MST TIME:(4) | 12 | 0.5 % | 10.3% |
| 5 | EVRYTIME:(5) | 18 | 0.7 % | 15.4% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1334 **081B051C:#X/YR AMPH@PTY**

Location: 508-509(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 02820

Question Number(s): 1B051C

When you used amphetamines during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

| V1334: 081B051C:#X/YR AMPH@PTY | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 64 | 2.6 % | 55.7% |
| 2 | FEW TIME:(2) | 20 | 0.8 % | 17.4% |
| 3 | SOM TIME:(3) | 15 | 0.6 % | 13.0% |

- Study 25382 -

| V1334: 081B051C:#X/YR AMPH@PTY | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | MST TIME:(4) | 8 | 0.3 % | 7.0% |
| 5 | EVRYTIME:(5) | 8 | 0.3 % | 7.0% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1335 **081B051D:#X/YR AMPH-DT/S**

Location: 510-511(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02830

Question Number(s): 1B051D

When you used amphetamines during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1335: 081B051D:#X/YR AMPH-DT/S | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 84 | 3.4 % | 71.8% |
| 2 | FEW TIME:(2) | 16 | 0.7 % | 13.7% |
| 3 | SOM TIME:(3) | 9 | 0.4 % | 7.7% |
| 4 | MST TIME:(4) | 3 | 0.1 % | 2.6% |
| 5 | EVRYTIME:(5) | 5 | 0.2 % | 4.3% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1336 **081B051E:#X/YR AMPH-ADLT**

Location: 512-513(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02840

Question Number(s): 1B051E

When you used amphetamines during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

- Study 25382 -

4="Most of the times" 5="Every time"

| V1336: 081B051E:#X/YR AMPH-ADLT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 86 | 3.5 % | 74.8% |
| 2 | FEW TIME:(2) | 12 | 0.5 % | 10.4% |
| 3 | SOM TIME:(3) | 6 | 0.2 % | 5.2% |
| 4 | MST TIME:(4) | 6 | 0.2 % | 5.2% |
| 5 | EVRYTIME:(5) | 5 | 0.2 % | 4.3% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1337 **081B051F:#X/YR AMPH-DATM**

Location: 514-515(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02850

Question Number(s): 1B051F

When you used amphetamines during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1337: 081B051F:#X/YR AMPH-DATM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 50 | 2.0 % | 42.4% |
| 2 | FEW TIME:(2) | 20 | 0.8 % | 16.9% |
| 3 | SOM TIME:(3) | 14 | 0.6 % | 11.9% |
| 4 | MST TIME:(4) | 16 | 0.7 % | 13.6% |
| 5 | EVRYTIME:(5) | 18 | 0.7 % | 15.3% |
| -9 (M) | MISSING:(-9) | 2323 | 95.2 % | - |

V1338 **081B051G:#X/YR AMPH@HOME**

Location: 516-517(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02860

Question Number(s): 1B051G

- Study 25382 -

When you used amphetamines during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1338: 081B051G:#X/YR AMPH@HOME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 51 | 2.1 % | 43.2% |
| 2 | FEW TIME:(2) | 17 | 0.7 % | 14.4% |
| 3 | SOM TIME:(3) | 18 | 0.7 % | 15.3% |
| 4 | MST TIME:(4) | 9 | 0.4 % | 7.6% |
| 5 | EVRYTIME:(5) | 23 | 0.9 % | 19.5% |
| -9 (M) | MISSING:(-9) | 2323 | 95.2 % | - |

V1339 **081B051H:#X/YR AMPH@SCHL**

Location: 518-519(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02880

Question Number(s): 1B051H

When you used amphetamines during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1339: 081B051H:#X/YR AMPH@SCHL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 68 | 2.8 % | 58.6% |
| 2 | FEW TIME:(2) | 20 | 0.8 % | 17.2% |
| 3 | SOM TIME:(3) | 8 | 0.3 % | 6.9% |
| 4 | MST TIME:(4) | 5 | 0.2 % | 4.3% |
| 5 | EVRYTIME:(5) | 15 | 0.6 % | 12.9% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1340 **081B051I:#X/YR AMPH@CAR**

Location: 520-521(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02890

Question Number(s): 1B051I

When you used amphetamines during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1340: 081B051I:#X/YR AMPH@CAR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 69 | 2.8 % | 59.5% |
| 2 | FEW TIME:(2) | 21 | 0.9 % | 18.1% |
| 3 | SOM TIME:(3) | 13 | 0.5 % | 11.2% |
| 4 | MST TIME:(4) | 4 | 0.2 % | 3.4% |
| 5 | EVRYTIME:(5) | 9 | 0.4 % | 7.8% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1838 081B052A:AMPH SRC INTERNET

Location: 522-523(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31690

Question Number(s): 1B052A

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the Internet

0="UNMARKED" 1="MARKED"

| V1838: 081B052A:AMPH SRC INTERNET | | | | |
|-----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 108 | 4.4 % | 93.1% |
| 1 | MARKED:(1) | 8 | 0.3 % | 6.9% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1839 081B052B:AMPH SRC FR -ASK

- Study 25382 -

Location: 524-525(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 31700

Question Number(s): 1B052B

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from friend or relative without asking

0="UNMARKED" 1="MARKED"

| V1839: 081B052B:AMPH SRC FR -ASK | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 93 | 3.8 % | 80.2% |
| 1 | MARKED:(1) | 23 | 0.9 % | 19.8% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1840 081B052C:AMPH SRC FR FREE

Location: 526-527(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 31710

Question Number(s): 1B052C

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

C: Given for free by friend or relative

0="UNMARKED" 1="MARKED"

| V1840: 081B052C:AMPH SRC FR FREE | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 48 | 2.0 % | 41.4% |
| 1 | MARKED:(1) | 68 | 2.8 % | 58.6% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1841 081B052D:AMPH SRC FR BGHT

Location: 528-529(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 31720

Question Number(s): 1B052D

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

D: Bought from friend or relative

0="UNMARKED" 1="MARKED"

| V1841: 081B052D:AMPH SRC FR BGHT | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 67 | 2.7 % | 57.8% |
| 1 | MARKED:(1) | 49 | 2.0 % | 42.2% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1842 081B052E:AMPH SRC PRESCRIP

Location: 530-531(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31730

Question Number(s): 1B052E

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

E: From a prescription I had

0="UNMARKED" 1="MARKED"

| V1842: 081B052E:AMPH SRC PRESCRIP | | | | |
|-----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 101 | 4.1 % | 87.1% |
| 1 | MARKED:(1) | 15 | 0.6 % | 12.9% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1843 081B052F:AMPH SRC DEALER

Location: 532-533(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31740

- Study 25382 -

Question Number(s): 1B052F

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

| V1843: 081B052F:AMPH SRC DEALER | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 88 | 3.6 % | 75.9% |
| 1 | MARKED:(1) | 28 | 1.1 % | 24.1% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1844 **081B052G:AMPH SRC OTHER**

Location: 534-535(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31750

Question Number(s): 1B052G

Where did you get the amphetamines you used without a doctor's orders during the last year? (Mark all that apply.)

G: Other method

0="UNMARKED" 1="MARKED"

| V1844: 081B052G:AMPH SRC OTHER | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 95 | 3.9 % | 81.9% |
| 1 | MARKED:(1) | 21 | 0.9 % | 18.1% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1345 **081B053A:AMPH EXPERIMENT**

Location: 536-537(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02940

Question Number(s): 1B053A

What have been the most important reasons for your taking

- Study 25382 -

amphetamines without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

| V1345: 081B053A:AMPH EXPERIMENT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 54 | 2.2 % | 48.6% |
| 1 | MARKED:(1) | 57 | 2.3 % | 51.4% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1346 081B053B:AMPH RELAX

Location: 538-539(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02950

Question Number(s): 1B053B

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

| V1346: 081B053B:AMPH RELAX | | | | |
|----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 75 | 3.1 % | 67.6% |
| 1 | MARKED:(1) | 36 | 1.5 % | 32.4% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1347 081B053C:AMPH GET HIGH

Location: 540-541(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02960

Question Number(s): 1B053C

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

C. To feel good or get high

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1347: 081B053C:AMPH GET HIGH | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 60 | 2.5 % | 54.1% |
| 1 | MARKED:(1) | 51 | 2.1 % | 45.9% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1348 **081B053D:AMPH SK INSIGHT**

Location: 542-543(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02970

Question Number(s): 1B053D

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

| V1348: 081B053D:AMPH SK INSIGHT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 95 | 3.9 % | 85.6% |
| 1 | MARKED:(1) | 16 | 0.7 % | 14.4% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1349 **081B053E:AMPH GD TM FRND**

Location: 544-545(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02980

Question Number(s): 1B053E

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1349: 081B053E:AMPH GD TM FRND | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 84 | 3.4 % | 75.7% |
| 1 | MARKED:(1) | 27 | 1.1 % | 24.3% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1350 081B053F:AMPH FIT IN GRP

Location: 546-547(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 02990

Question Number(s): 1B053F

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

| V1350: 081B053F:AMPH FIT IN GRP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 110 | 4.5 % | 99.1% |
| 1 | MARKED:(1) | 1 | 0.0 % | 0.9% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1351 081B053G:AMPH GT AWY PRB

Location: 548-549(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03000

Question Number(s): 1B053G

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1351: 081B053G:AMPH GT AWY PRB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 93 | 3.8 % | 83.8% |
| 1 | MARKED:(1) | 18 | 0.7 % | 16.2% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1352

081B053H:AMPH BOREDOM

Location: 550-551(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03010

Question Number(s): 1B053H

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

| V1352: 081B053H:AMPH BOREDOM | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 89 | 3.6 % | 80.2% |
| 1 | MARKED:(1) | 22 | 0.9 % | 19.8% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1353

081B053I:AMPH ANGR&FRSTN

Location: 552-553(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03020

Question Number(s): 1B053I

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1353: 081B053I:AMPH ANGR&FRSTN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 98 | 4.0 % | 88.3% |
| 1 | MARKED:(1) | 13 | 0.5 % | 11.7% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1354 081B053J:AMPH GT THRU DA

Location: 554-555(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03030

Question Number(s): 1B053J

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

| V1354: 081B053J:AMPH GT THRU DA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 84 | 3.4 % | 75.7% |
| 1 | MARKED:(1) | 27 | 1.1 % | 24.3% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1355 081B053K:AMPH INCR EF DR

Location: 556-557(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03040

Question Number(s): 1B053K

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1355: 081B053K:AMPH INCR EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 95 | 3.9 % | 85.6% |
| 1 | MARKED:(1) | 16 | 0.7 % | 14.4% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1356 081B053L:AMPH DCRS EF DR

Location: 558-559(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03050

Question Number(s): 1B053L

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

| V1356: 081B053L:AMPH DCRS EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 110 | 4.5 % | 99.1% |
| 1 | MARKED:(1) | 1 | 0.0 % | 0.9% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1357 081B053M:AMPH STAY AWAKE

Location: 560-561(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03060

Question Number(s): 1B053M

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1357: 081B053M:AMPH STAY AWAKE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 71 | 2.9 % | 64.0% |
| 1 | MARKED:(1) | 40 | 1.6 % | 36.0% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1358 081B053N:AMPH GET>ENERGY

Location: 562-563(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03070

Question Number(s): 1B053N

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

| V1358: 081B053N:AMPH GET>ENERGY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 70 | 2.9 % | 63.1% |
| 1 | MARKED:(1) | 41 | 1.7 % | 36.9% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1359 081B053O:AMPH LOSE WGHT

Location: 564-565(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03080

Question Number(s): 1B053O

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

O. To help me lose weight

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1359: 081B053O:AMPH LOSE WGHT | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 79 | 3.2 % | 71.2% |
| 1 | MARKED:(1) | 32 | 1.3 % | 28.8% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1360 081B053P:AMPH I AM HOOKD

Location: 566-567(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03090

Question Number(s): 1B053P

What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.)

P. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

| V1360: 081B053P:AMPH I AM HOOKD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 104 | 4.3 % | 93.7% |
| 1 | MARKED:(1) | 7 | 0.3 % | 6.3% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1361 081B054:AMPH,GT VERY HI

Location: 568-569(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03100

Question Number(s): 1B054

When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"

4="Very high" 5="I don't take them to get high"

| V1361: 081B054:AMPH,GT VERY HI | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 20 | 0.8 % | 16.3% |

- Study 25382 -

| V1361: 081B054:AMPH,GT VERY HI | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | LIT HIGH:(2) | 27 | 1.1 % | 22.0% |
| 3 | MOD HIGH:(3) | 36 | 1.5 % | 29.3% |
| 4 | VRy HIGH:(4) | 18 | 0.7 % | 14.6% |
| 5 | N TK HI:(5) | 22 | 0.9 % | 17.9% |
| -9 (M) | MISSING:(-9) | 2318 | 95.0 % | - |

V1362 **081B055:AMPH,HI 24+ HRS**

Location: 570-571(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03110

Question Number(s): 1B055

When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

| V1362: 081B055:AMPH,HI 24+ HRS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 33 | 1.4 % | 27.3% |
| 2 | 1-2 HRS:(2) | 25 | 1.0 % | 20.7% |
| 3 | 3-6 HRS:(3) | 38 | 1.6 % | 31.4% |
| 4 | 7-24 HRS:(4) | 21 | 0.9 % | 17.4% |
| 5 | >24 HRS:(5) | 4 | 0.2 % | 3.3% |
| -9 (M) | MISSING:(-9) | 2320 | 95.0 % | - |

V1363 **081B056A:TKN YR,BENZDRIN**

Location: 572-573(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03120

Question Number(s): 1B056A

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Benzedrine

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1363: 081B056A:TKN YR,BENZDRIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 109 | 4.5 % | 93.2% |
| 1 | MARKED:(1) | 8 | 0.3 % | 6.8% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1364 **081B056B:TKN YR,DEXEDRIN**

Location: 574-575(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03130

Question Number(s): 1B056B

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Dexedrine

0="UNMARKED" 1="MARKED"

| V1364: 081B056B:TKN YR,DEXEDRIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 113 | 4.6 % | 96.6% |
| 1 | MARKED:(1) | 4 | 0.2 % | 3.4% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1365 **081B056C:TKN YR,METHDRIN**

Location: 576-577(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03140

Question Number(s): 1B056C

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Methedrine

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1365: 081B056C:TKN YR,METHDRIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 117 | 4.8 % | 100.0% |
| 1 | MARKED:(1) | 0 | 0.0 % | - |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1366 081B056D:TKN YR,RITALIN

Location: 578-579(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03150

Question Number(s): 1B056D

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Ritalin (Methylphenidate)

0="UNMARKED" 1="MARKED"

| V1366: 081B056D:TKN YR,RITALIN | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 86 | 3.5 % | 73.5% |
| 1 | MARKED:(1) | 31 | 1.3 % | 26.5% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1845 081B056E:TKN YR,ADDERALL

Location: 580-581(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31760

Question Number(s): 1B056E

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Adderall

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1845: 081B056E:TKN YR,ADDERALL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 48 | 2.0 % | 41.0% |
| 1 | MARKED:(1) | 69 | 2.8 % | 59.0% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1846 **081B056F:TKN YR,CONCERTA**

Location: 582-583(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31770

Question Number(s): 1B056F

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Concerta

0="UNMARKED" 1="MARKED"

| V1846: 081B056F:TKN YR,CONCERTA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 98 | 4.0 % | 83.8% |
| 1 | MARKED:(1) | 19 | 0.8 % | 16.2% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1369 **081B056G:TKN YR,METHAMPH**

Location: 584-585(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03180

Question Number(s): 1B056G

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Methamphetamine

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1369: 081B056G:TKN YR,METHAMPH | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 103 | 4.2 % | 88.0% |
| 1 | MARKED:(1) | 14 | 0.6 % | 12.0% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1764 081B056H:TKN YR,CRYSMETH

Location: 586-587(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03185

Question Number(s): 1B056H

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Crystal meth

0="UNMARKED" 1="MARKED"

| V1764: 081B056H:TKN YR,CRYSMETH | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 104 | 4.3 % | 88.9% |
| 1 | MARKED:(1) | 13 | 0.5 % | 11.1% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1370 081B056I:TKN YR,OTH AMPH

Location: 588-589(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03190

Question Number(s): 1B056I

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Other

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1370: 081B056I:TKN YR,OTH AMPH | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 79 | 3.2 % | 67.5% |
| 1 | MARKED:(1) | 38 | 1.6 % | 32.5% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1371 081B056J:TKN YR,DNT KN N

Location: 590-591(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03200

Question Number(s): 1B056J

What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Don't know the names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

| V1371: 081B056J:TKN YR,DNT KN N | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 91 | 3.7 % | 77.8% |
| 1 | MARKED:(1) | 26 | 1.1 % | 22.2% |
| -9 (M) | MISSING:(-9) | 2324 | 95.2 % | - |

V1372 081B057A:MTHD AMPH-MOUTH

Location: 592-593(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03210

Question Number(s): 1B057A

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

A. By mouth

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1372: 081B057A:MTHD AMPH-MOUTH | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 11 | 0.5 % | 9.1% |
| 1 | MARKED:(1) | 110 | 4.5 % | 90.9% |
| -9 (M) | MISSING:(-9) | 2320 | 95.0 % | - |

V1765 081B057B:MTHD AMPH-SMOKG

Location: 594-595(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03215

Question Number(s): 1B057B

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

| V1765: 081B057B:MTHD AMPH-SMOKG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 111 | 4.5 % | 91.7% |
| 1 | MARKED:(1) | 10 | 0.4 % | 8.3% |
| -9 (M) | MISSING:(-9) | 2320 | 95.0 % | - |

V1373 081B057C:MTHD AMPH-INJCT

Location: 596-597(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03220

Question Number(s): 1B057C

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1373: 081B057C:MTHD AMPH-INJCT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 115 | 4.7 % | 95.0% |
| 1 | MARKED:(1) | 6 | 0.2 % | 5.0% |
| -9 (M) | MISSING:(-9) | 2320 | 95.0 % | - |

V1374 081B057D:MTHD AMPH-OTHER

Location: 598-599(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03230

Question Number(s): 1B057D

What methods have you used for taking amphetamines during the last year? (Mark all that apply.)

D. Other

0="UNMARKED" 1="MARKED"

| V1374: 081B057D:MTHD AMPH-OTHER | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 84 | 3.4 % | 69.4% |
| 1 | MARKED:(1) | 37 | 1.5 % | 30.6% |
| -9 (M) | MISSING:(-9) | 2320 | 95.0 % | - |

V1375 081B058:*TRY STP AMP&FL

Location: 600-601(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03240

Question Number(s): 1B058

Have you ever tried to stop using amphetamines and found that you couldn't stop?

1="Yes" 2="No"

| V1375: 081B058:*TRY STP AMP&FL | | | | |
|--------------------------------|---------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 12 | 0.5 % | 10.1% |

- Study 25382 -

| V1375: 081B058:*TRY STP AMP&FL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | NO:(2) | 107 | 4.4 % | 89.9% |
| -9 (M) | MISSING:(-9) | 2322 | 95.1 % | - |

V1376 **081B059:NO AMPH IN 5YR**

Location: 602-603(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03250

Question Number(s): 1B059

Do you think you will be using amphetamines without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| V1376: 081B059:NO AMPH IN 5YR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 25 | 1.0 % | 1.1% |
| 2 | PRB WILL:(2) | 49 | 2.0 % | 2.2% |
| 3 | PRB WONT:(3) | 315 | 12.9 % | 14.3% |
| 4 | DEF WONT:(4) | 1813 | 74.3 % | 82.3% |
| -9 (M) | MISSING:(-9) | 239 | 9.8 % | - |

V1130 **081B060A:#X QUAD/LIFETIM**

Location: 604-605(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01010

Question Number(s): 1B060A

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes.
On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

- Study 25382 -

More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1130: 081B060A:#X QUAD/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2256 | 92.4 % | 99.4% |
| 2 | 1-2X:(2) | 6 | 0.2 % | 0.3% |
| 3 | 3-5X:(3) | 2 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 171 | 7.0 % | - |

V1377

081B060A:#X QUAD/LIFETIM

Location: 606-607(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01010

Question Number(s): 1B060A

The next questions are about QUAALUDES (Methaqualone).
Quaaludes are sometimes called: Soapers, Quads, Ludes.
On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

| V1377: 081B060A:#X QUAD/LIFETIM | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2256 | 92.4 % | 99.4% |
| 2 | 1-2X:(2) | 6 | 0.2 % | 0.3% |
| 3 | 3-5X:(3) | 2 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |

- Study 25382 -

| V1377: 081B060A:#X QUAD/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 171 | 7.0 % | - |

V1131 081B060B:#X QUAD/LAST12M

Location: 608-609(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01020

Question Number(s): 1B060B

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1131: 081B060B:#X QUAD/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2260 | 92.6 % | 99.5% |
| 2 | 1-2X:(2) | 7 | 0.3 % | 0.3% |
| 3 | 3-5X:(3) | 2 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 1 | 0.0 % | 0.0% |
| 5 | 10-19X:(5) | 0 | 0.0 % | - |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1378 081B060B:#X QUAD/LAST12M

Location: 610-611(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01020

- Study 25382 -

Question Number(s): 1B060B

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

| V1378: 081B060B:#X QUAD/LAST12M | | | | |
|---------------------------------|--------------|-------------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2260 | 92.6 % | 99.5% |
| 2 | 1-2X:(2) | 7 | 0.3 % | 0.3% |
| 3 | 3-5X:(3) | 2 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 1 | 0.0 % | 0.0% |
| 5 | 10-19X:(5) | 0 | 0.0 % | - |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 170 | 7.0 % | - |

V1132

081B060C:#X QUAD/LAST30D

Location: 612-613(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01030

Question Number(s): 1B060C

On how many occasions (if any) have you taken quaaludes
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

- Study 25382 -

| V1132: 081B060C:#X QUAD/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2265 | 92.8 % | 99.8% |
| 2 | 1-2X:(2) | 4 | 0.2 % | 0.2% |
| 3 | 3-5X:(3) | 0 | 0.0 % | - |
| 4 | 6-9X:(4) | 0 | 0.0 % | - |
| 5 | 10-19X:(5) | 0 | 0.0 % | - |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 171 | 7.0 % | - |

V1379 081B060C:#X QUAD/LAST30D

Location: 614-615(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01030

Question Number(s): 1B060C

On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1379: 081B060C:#X QUAD/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2265 | 92.8 % | 99.8% |
| 2 | 1-2X:(2) | 4 | 0.2 % | 0.2% |
| 3 | 3-5X:(3) | 0 | 0.0 % | - |
| 4 | 6-9X:(4) | 0 | 0.0 % | - |
| 5 | 10-19X:(5) | 0 | 0.0 % | - |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 171 | 7.0 % | - |

V1827 081B061:DR TOLD TK SED

Location: 616-617(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 03282

Question Number(s): 1B061

The next questions are about SEDATIVES, including BARBITURATES, which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription. Sedatives are sometimes called: Downs, Downers. They include the following drugs: Phenobarbital, Seconal, Tuinal, Ambien, Lunesta, Sonata. Have you ever taken sedatives because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

| V1827: 081B061:DR TOLD TK SED | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 2147 | 88.0 % | 95.0% |
| 2 | YES BUT:(2) | 33 | 1.4 % | 1.5% |
| 3 | YES 1ST:(3) | 81 | 3.3 % | 3.6% |
| -9 (M) | MISSING:(-9) | 180 | 7.4 % | - |

V1133

081B062A:#X SED/BARB/LIFE

Location: 618-619(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01042

Question Number(s): 1B062A

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

- Study 25382 -

| V1133: 081B062A:#X SED/BARB/LIFE | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2122 | 86.9 % | 93.9% |
| 2 | 1-2X:(2) | 49 | 2.0 % | 2.2% |
| 3 | 3-5X:(3) | 25 | 1.0 % | 1.1% |
| 4 | 6-9X:(4) | 27 | 1.1 % | 1.2% |
| 5 | 10-19X:(5) | 16 | 0.7 % | 0.7% |
| 6 | 20-39X:(6) | 11 | 0.5 % | 0.5% |
| 7 | 40+OCCAS:(7) | 11 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 180 | 7.4 % | - |

V1383 081B062A:#X SED/BARB/LIFE

Location: 620-621(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01042

Question Number(s): 1B062A

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1383: 081B062A:#X SED/BARB/LIFE | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2122 | 86.9 % | 93.9% |
| 2 | 1-2X:(2) | 49 | 2.0 % | 2.2% |
| 3 | 3-5X:(3) | 25 | 1.0 % | 1.1% |
| 4 | 6-9X:(4) | 27 | 1.1 % | 1.2% |
| 5 | 10-19X:(5) | 16 | 0.7 % | 0.7% |
| 6 | 20-39X:(6) | 11 | 0.5 % | 0.5% |
| 7 | 40+OCCAS:(7) | 11 | 0.5 % | 0.5% |
| -9 (M) | MISSING:(-9) | 180 | 7.4 % | - |

V1134 081B062B:#X SED/BARB/12MO

Location: 622-623(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01052

Question Number(s): 1B062B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

| V1134: 081B062B:#X SED/BARB/12MO | | | | |
|----------------------------------|--------------|-------------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2169 | 88.9 % | 95.8% |
| 2 | 1-2X:(2) | 38 | 1.6 % | 1.7% |
| 3 | 3-5X:(3) | 27 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 16 | 0.7 % | 0.7% |
| 5 | 10-19X:(5) | 7 | 0.3 % | 0.3% |
| 6 | 20-39X:(6) | 4 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 3 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 177 | 7.3 % | - |

V1384

081B062B:#X SED/BARB/12MO

Location: 624-625(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01052

Question Number(s): 1B062B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

- Study 25382 -

| V1384: 081B062B:#X SED/BARB/12MO | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2169 | 88.9 % | 95.8% |
| 2 | 1-2X:(2) | 38 | 1.6 % | 1.7% |
| 3 | 3-5X:(3) | 27 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 16 | 0.7 % | 0.7% |
| 5 | 10-19X:(5) | 7 | 0.3 % | 0.3% |
| 6 | 20-39X:(6) | 4 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 3 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 177 | 7.3 % | - |

V1135 081B062C:#X SED/BARB/30DA

Location: 626-627(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01062

Question Number(s): 1B062C

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1135: 081B062C:#X SED/BARB/30DA | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2207 | 90.4 % | 97.6% |
| 2 | 1-2X:(2) | 31 | 1.3 % | 1.4% |
| 3 | 3-5X:(3) | 15 | 0.6 % | 0.7% |
| 4 | 6-9X:(4) | 4 | 0.2 % | 0.2% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 2 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1385 081B062C:#X SED/BARB/30DA

- Study 25382 -

Location: 628-629(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01062

Question Number(s): 1B062C

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1385: 081B062C:#X SED/BARB/30DA | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2207 | 90.4 % | 97.6% |
| 2 | 1-2X:(2) | 31 | 1.3 % | 1.4% |
| 3 | 3-5X:(3) | 15 | 0.6 % | 0.7% |
| 4 | 6-9X:(4) | 4 | 0.2 % | 0.2% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 2 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1847 081B063A:TKN YR,!PHNOBRB

Location: 630-631(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03611

Question Number(s): 1B063A

THE FOLLOWING QUESTION REFERS ONLY TO TAKING SEDATIVES WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 64.

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

A: Phenobarbital

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1847: 081B063A:TKN YR,!PHNOBRB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 82 | 3.4 % | 96.5% |
| 1 | MARKED:(1) | 3 | 0.1 % | 3.5% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1848 081B063B:TKN YR,!SECONAL

Location: 632-633(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03621

Question Number(s): 1B063B

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

B: Seconal

0="UNMARKED" 1="MARKED"

| V1848: 081B063B:TKN YR,!SECONAL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 83 | 3.4 % | 97.6% |
| 1 | MARKED:(1) | 2 | 0.1 % | 2.4% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1849 081B063C:TKN YR,!TUINAL

Location: 634-635(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03631

Question Number(s): 1B063C

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

C: Tuinal

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1849: 081B063C:TKN YR,!TUINAL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 84 | 3.4 % | 98.8% |
| 1 | MARKED:(1) | 1 | 0.0 % | 1.2% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1850 081B063D:TKN YR,AMBIEN

Location: 636-637(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31780

Question Number(s): 1B063D

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

D: Ambien

0="UNMARKED" 1="MARKED"

| V1850: 081B063D:TKN YR,AMBIEN | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 57 | 2.3 % | 67.1% |
| 1 | MARKED:(1) | 28 | 1.1 % | 32.9% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1851 081B063E:TKN YR,LUNESTA

Location: 638-639(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31790

Question Number(s): 1B063E

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

E: Lunesta

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1851: 081B063E:TKN YR,LUNESTA | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 66 | 2.7 % | 77.6% |
| 1 | MARKED:(1) | 19 | 0.8 % | 22.4% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1852 081B063F:TKN YR,SONATA

Location: 640-641(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31800

Question Number(s): 1B063F

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

F: Sonata

0="UNMARKED" 1="MARKED"

| V1852: 081B063F:TKN YR,SONATA | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 81 | 3.3 % | 95.3% |
| 1 | MARKED:(1) | 4 | 0.2 % | 4.7% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1853 081B063G:TKN YR,OTHR SED

Location: 642-643(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03691

Question Number(s): 1B063G

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

G: Other

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1853: 081B063G:TKN YR,OTHR SED | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 43 | 1.8 % | 50.6% |
| 1 | MARKED:(1) | 42 | 1.7 % | 49.4% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1854 081B063H:TKN YR,!DNT KNW

Location: 644-645(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03701

Question Number(s): 1B063H

What sedatives have you taken during the last year without a doctor's orders? (Mark all that apply.)

H: Don't know the names of some sedatives I have used

0="UNMARKED" 1="MARKED"

| V1854: 081B063H:TKN YR,!DNT KNW | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 64 | 2.6 % | 75.3% |
| 1 | MARKED:(1) | 21 | 0.9 % | 24.7% |
| -9 (M) | MISSING:(-9) | 2356 | 96.5 % | - |

V1828 081B064:NO SED IN 5YR

Location: 646-647(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03722

Question Number(s): 1B064

Do you think you will be using sedatives without a doctor's prescription five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

- Study 25382 -

| V1828: 081B064:NO SED IN 5YR | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 20 | 0.8 % | 0.9% |
| 2 | PRB WILL:(2) | 54 | 2.2 % | 2.5% |
| 3 | PRB WONT:(3) | 372 | 15.2 % | 16.9% |
| 4 | DEF WONT:(4) | 1758 | 72.0 % | 79.8% |
| -9 (M) | MISSING:(-9) | 237 | 9.7 % | - |

V1429

081B065:DR TOLD TK TRNQ

Location: 648-649(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03730

Question Number(s): 1B065

The next questions are about TRANQUILIZERS, which doctors sometimes prescribe to calm people down, quiet their nerves, or relax their muscles. They include the following drugs: Librium, Valium, Xanax, Soma, Serax, Ativan, Klonopin. Have you ever taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

| V1429: 081B065:DR TOLD TK TRNQ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 2134 | 87.4 % | 94.3% |
| 2 | YES BUT:(2) | 38 | 1.6 % | 1.7% |
| 3 | YES 1ST:(3) | 90 | 3.7 % | 4.0% |
| -9 (M) | MISSING:(-9) | 179 | 7.3 % | - |

V1136

081B065A:#X TRQL/LIFETIM

Location: 650-651(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 1B066A

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

- Study 25382 -

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1136: 081B065A:#X TRQL/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2060 | 84.4 % | 92.0% |
| 2 | 1-2X:(2) | 72 | 2.9 % | 3.2% |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 28 | 1.1 % | 1.2% |
| 5 | 10-19X:(5) | 19 | 0.8 % | 0.8% |
| 6 | 20-39X:(6) | 16 | 0.7 % | 0.7% |
| 7 | 40+OCCAS:(7) | 17 | 0.7 % | 0.8% |
| -9 (M) | MISSING:(-9) | 201 | 8.2 % | - |

V1430

081B066A:#X TRQL/LIFETIM

Location: 652-653(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 1B066A

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1430: 081B066A:#X TRQL/LIFETIM | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2060 | 84.4 % | 92.0% |
| 2 | 1-2X:(2) | 72 | 2.9 % | 3.2% |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 28 | 1.1 % | 1.2% |
| 5 | 10-19X:(5) | 19 | 0.8 % | 0.8% |

- Study 25382 -

| V1430: 081B066A:#X TRQL/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 6 | 20-39X:(6) | 16 | 0.7 % | 0.7% |
| 7 | 40+OCCAS:(7) | 17 | 0.7 % | 0.8% |
| -9 (M) | MISSING:(-9) | 201 | 8.2 % | - |

V1137 081B065B:#X TRQL/LAST12M

Location: 654-655(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01080

Question Number(s): 1B066B

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1137: 081B065B:#X TRQL/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2117 | 86.7 % | 94.5% |
| 2 | 1-2X:(2) | 54 | 2.2 % | 2.4% |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 19 | 0.8 % | 0.8% |
| 5 | 10-19X:(5) | 11 | 0.5 % | 0.5% |
| 6 | 20-39X:(6) | 3 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 201 | 8.2 % | - |

V1431 081B066B:#X TRQL/LAST12M

Location: 656-657(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01080

- Study 25382 -

Question Number(s): 1B066B

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

| V1431: 081B066B:#X TRQL/LAST12M | | | | |
|---------------------------------|--------------|-------------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2117 | 86.7 % | 94.5% |
| 2 | 1-2X:(2) | 54 | 2.2 % | 2.4% |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.2% |
| 4 | 6-9X:(4) | 19 | 0.8 % | 0.8% |
| 5 | 10-19X:(5) | 11 | 0.5 % | 0.5% |
| 6 | 20-39X:(6) | 3 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 201 | 8.2 % | - |

V1138

081B065C:#X TRQL/LAST30D

Location: 658-659(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01090

Question Number(s): 1B066C

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

[Data in the "core variable" have been recoded, if necessary,
to be comparable to similar data in questionnaire forms 2
through 6.]

- Study 25382 -

| V1138: 081B065C:#X TRQL/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2188 | 89.6 % | 97.6% |
| 2 | 1-2X:(2) | 34 | 1.4 % | 1.5% |
| 3 | 3-5X:(3) | 12 | 0.5 % | 0.5% |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 199 | 8.2 % | - |

V1432 081B066C:#X TRQL/LAST30D

Location: 660-661(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01090

Question Number(s): 1B066C

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1432: 081B066C:#X TRQL/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2188 | 89.6 % | 97.6% |
| 2 | 1-2X:(2) | 34 | 1.4 % | 1.5% |
| 3 | 3-5X:(3) | 12 | 0.5 % | 0.5% |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 1 | 0.0 % | 0.0% |
| -9 (M) | MISSING:(-9) | 199 | 8.2 % | - |

V1433 081B067A:#X/YR TRQL ALNE

Location: 662-663(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 03740

Question Number(s): 1B067A

IF YOU HAVE NOT TAKEN TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 74.

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1433: 081B067A:#X/YR TRQL ALNE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 53 | 2.2 % | 46.1% |
| 2 | FEW TIME:(2) | 29 | 1.2 % | 25.2% |
| 3 | SOM TIME:(3) | 13 | 0.5 % | 11.3% |
| 4 | MST TIME:(4) | 10 | 0.4 % | 8.7% |
| 5 | EVRYTIME:(5) | 10 | 0.4 % | 8.7% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1434 **081B067B:#X/YR TRQL-2PPL**

Location: 664-665(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03750

Question Number(s): 1B067B

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1434: 081B067B:#X/YR TRQL-2PPL | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 27 | 1.1 % | 23.5% |
| 2 | FEW TIME:(2) | 35 | 1.4 % | 30.4% |

- Study 25382 -

| V1434: 081B067B:#X/YR TRQL-2PPL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | SOM TIME:(3) | 32 | 1.3 % | 27.8% |
| 4 | MST TIME:(4) | 12 | 0.5 % | 10.4% |
| 5 | EVRYTIME:(5) | 9 | 0.4 % | 7.8% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1435 **081B067C:#X/YR TRQL@PRTY**

Location: 666-667(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03760

Question Number(s): 1B067C

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1435: 081B067C:#X/YR TRQL@PRTY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 57 | 2.3 % | 49.6% |
| 2 | FEW TIME:(2) | 22 | 0.9 % | 19.1% |
| 3 | SOM TIME:(3) | 13 | 0.5 % | 11.3% |
| 4 | MST TIME:(4) | 13 | 0.5 % | 11.3% |
| 5 | EVRYTIME:(5) | 10 | 0.4 % | 8.7% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1436 **081B067D:#X/YR TRQL-DT/S**

Location: 668-669(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03770

Question Number(s): 1B067D

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

- Study 25382 -

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1436: 081B067D:#X/YR TRQL-DT/S | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 79 | 3.2 % | 68.1% |
| 2 | FEW TIME:(2) | 12 | 0.5 % | 10.3% |
| 3 | SOM TIME:(3) | 8 | 0.3 % | 6.9% |
| 4 | MST TIME:(4) | 6 | 0.2 % | 5.2% |
| 5 | EVRYTIME:(5) | 11 | 0.5 % | 9.5% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1437 **081B067E:#X/YR TRQL-ADLT**

Location: 670-671(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03780

Question Number(s): 1B067E

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1437: 081B067E:#X/YR TRQL-ADLT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 76 | 3.1 % | 65.5% |
| 2 | FEW TIME:(2) | 11 | 0.5 % | 9.5% |
| 3 | SOM TIME:(3) | 13 | 0.5 % | 11.2% |
| 4 | MST TIME:(4) | 6 | 0.2 % | 5.2% |
| 5 | EVRYTIME:(5) | 10 | 0.4 % | 8.6% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1438 **081B067F:#X/YR TRQL-DATM**

Location: 672-673(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03790

- Study 25382 -

Question Number(s): 1B067F

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1438: 081B067F:#X/YR TRQL-DATM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 49 | 2.0 % | 42.2% |
| 2 | FEW TIME:(2) | 29 | 1.2 % | 25.0% |
| 3 | SOM TIME:(3) | 26 | 1.1 % | 22.4% |
| 4 | MST TIME:(4) | 6 | 0.2 % | 5.2% |
| 5 | EVRYTIME:(5) | 6 | 0.2 % | 5.2% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1439 **081B067G:#X/YR TRQL@HOME**

Location: 674-675(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03800

Question Number(s): 1B067G

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1439: 081B067G:#X/YR TRQL@HOME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 43 | 1.8 % | 37.1% |
| 2 | FEW TIME:(2) | 18 | 0.7 % | 15.5% |
| 3 | SOM TIME:(3) | 21 | 0.9 % | 18.1% |
| 4 | MST TIME:(4) | 15 | 0.6 % | 12.9% |
| 5 | EVRYTIME:(5) | 19 | 0.8 % | 16.4% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1440 **081B067H:#X/YR TRQL@SCHL**

- Study 25382 -

Location: 676-677(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 03810

Question Number(s): 1B067H

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

| V1440: 081B067H:#X/YR TRQL@SCHL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 74 | 3.0 % | 63.8% |
| 2 | FEW TIME:(2) | 21 | 0.9 % | 18.1% |
| 3 | SOM TIME:(3) | 10 | 0.4 % | 8.6% |
| 4 | MST TIME:(4) | 5 | 0.2 % | 4.3% |
| 5 | EVRYTIME:(5) | 6 | 0.2 % | 5.2% |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1441 **081B067I:#X/YR TRQL@CAR**

Location: 678-679(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 03830

Question Number(s): 1B067I

When you used tranquilizers during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
 4="Most of the times" 5="Every time"

| V1441: 081B067I:#X/YR TRQL@CAR | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 82 | 3.4 % | 71.3% |
| 2 | FEW TIME:(2) | 15 | 0.6 % | 13.0% |
| 3 | SOM TIME:(3) | 10 | 0.4 % | 8.7% |

- Study 25382 -

| V1441: 081B067I:#X/YR TRQL@CAR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | MST TIME:(4) | 2 | 0.1 % | 1.7% |
| 5 | EVRYTIME:(5) | 6 | 0.2 % | 5.2% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1855 081B068A:TRQ SRC INTERNET

Location: 680-681(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31810

Question Number(s): 1B068A

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

0="UNMARKED" 1="MARKED"

| V1855: 081B068A:TRQ SRC INTERNET | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 110 | 4.5 % | 96.5% |
| 1 | MARKED:(1) | 4 | 0.2 % | 3.5% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1856 081B068B:TRQ SRC F/R -ASK

Location: 682-683(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31820

Question Number(s): 1B068B

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from a friend or relative without asking

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1856: 081B068B:TRQ SRC F/R -ASK | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 93 | 3.8 % | 81.6% |
| 1 | MARKED:(1) | 21 | 0.9 % | 18.4% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1857 081B068C:TRQ SRC F/R FREE

Location: 684-685(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31830

Question Number(s): 1B068C

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

C: Given for free by friend or relative

0="UNMARKED" 1="MARKED"

| V1857: 081B068C:TRQ SRC F/R FREE | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 49 | 2.0 % | 43.0% |
| 1 | MARKED:(1) | 65 | 2.7 % | 57.0% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1858 081B068D:TRQ SRC F/R BGHT

Location: 686-687(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31840

Question Number(s): 1B068D

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

D: Bought from friend or relative

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1858: 081B068D:TRQ SRC F/R BGHT | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 63 | 2.6 % | 55.3% |
| 1 | MARKED:(1) | 51 | 2.1 % | 44.7% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1859 081B068E:TRQ SRC PRESCRIPT

Location: 688-689(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31850

Question Number(s): 1B068E

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

E: From a prescription I had

0="UNMARKED" 1="MARKED"

| V1859: 081B068E:TRQ SRC PRESCRIPT | | | | |
|-----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 96 | 3.9 % | 84.2% |
| 1 | MARKED:(1) | 18 | 0.7 % | 15.8% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1860 081B068F:TRQ SRC DEALER

Location: 690-691(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31860

Question Number(s): 1B068F

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1860: 081B068F:TRQ SRC DEALER | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 82 | 3.4 % | 71.9% |
| 1 | MARKED:(1) | 32 | 1.3 % | 28.1% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1861 081B068G:TRQ SRC OTHER

Location: 692-693(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31870

Question Number(s): 1B068G

Where did you get the tranquilizers you used without a doctor's orders during the last year? (Mark all that apply.)

G: Other method

0="UNMARKED" 1="MARKED"

| V1861: 081B068G:TRQ SRC OTHER | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 108 | 4.4 % | 94.7% |
| 1 | MARKED:(1) | 6 | 0.2 % | 5.3% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1449 081B069A:TRNQ EXPERIMENT

Location: 694-695(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03910

Question Number(s): 1B069A

What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1449: 081B069A:TRNQ EXPERIMENT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 63 | 2.6 % | 56.2% |
| 1 | MARKED:(1) | 49 | 2.0 % | 43.8% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1450 081B069B:TRNQ RELAX

Location: 696-697(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03920

Question Number(s): 1B069B

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

| V1450: 081B069B:TRNQ RELAX | | | | |
|----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 35 | 1.4 % | 31.2% |
| 1 | MARKED:(1) | 77 | 3.2 % | 68.8% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1451 081B069C:TRNQ GET HIGH

Location: 698-699(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03930

Question Number(s): 1B069C

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1451: 081B069C:TRNQ GET HIGH | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 54 | 2.2 % | 48.2% |
| 1 | MARKED:(1) | 58 | 2.4 % | 51.8% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1452 081B069D:TRNQ SK INSIGHT

Location: 700-701(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03940

Question Number(s): 1B069D

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

| V1452: 081B069D:TRNQ SK INSIGHT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 104 | 4.3 % | 92.9% |
| 1 | MARKED:(1) | 8 | 0.3 % | 7.1% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1453 081B069E:TRNQ GD TM FRND

Location: 702-703(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03950

Question Number(s): 1B069E

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1453: 081B069E:TRNQ GD TM FRND | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 75 | 3.1 % | 67.0% |
| 1 | MARKED:(1) | 37 | 1.5 % | 33.0% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1454 081B069F:TRNQ FIT IN GRP

Location: 704-705(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03960

Question Number(s): 1B069F

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

| V1454: 081B069F:TRNQ FIT IN GRP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 110 | 4.5 % | 98.2% |
| 1 | MARKED:(1) | 2 | 0.1 % | 1.8% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1455 081B069G:TRNQ GT AWY PRB

Location: 706-707(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03970

Question Number(s): 1B069G

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1455: 081B069G:TRNQ GT AWY PRB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 82 | 3.4 % | 73.2% |
| 1 | MARKED:(1) | 30 | 1.2 % | 26.8% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1456 081B069H:TRNQ BOREDOM

Location: 708-709(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03980

Question Number(s): 1B069H

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

| V1456: 081B069H:TRNQ BOREDOM | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 86 | 3.5 % | 76.8% |
| 1 | MARKED:(1) | 26 | 1.1 % | 23.2% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1457 081B069I:TRNQ ANGR&FRSTN

Location: 710-711(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 03990

Question Number(s): 1B069I

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1457: 081B069I:TRNQ ANGR&FRSTN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 95 | 3.9 % | 84.8% |
| 1 | MARKED:(1) | 17 | 0.7 % | 15.2% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1458 081B069J:TRNQ GT THRU DA

Location: 712-713(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04000

Question Number(s): 1B069J

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

| V1458: 081B069J:TRNQ GT THRU DA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 92 | 3.8 % | 82.1% |
| 1 | MARKED:(1) | 20 | 0.8 % | 17.9% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1459 081B069K:TRNQ INCR EF DR

Location: 714-715(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04010

Question Number(s): 1B069K

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1459: 081B069K:TRNQ INCR EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 100 | 4.1 % | 89.3% |
| 1 | MARKED:(1) | 12 | 0.5 % | 10.7% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1460 081B069L:TRNQ DCRS EF DR

Location: 716-717(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04020

Question Number(s): 1B069L

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

| V1460: 081B069L:TRNQ DCRS EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 108 | 4.4 % | 96.4% |
| 1 | MARKED:(1) | 4 | 0.2 % | 3.6% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1461 081B069M:TRNQ GET SLEEP

Location: 718-719(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04030

Question Number(s): 1B069M

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1461: 081B069M:TRNQ GET SLEEP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 73 | 3.0 % | 65.2% |
| 1 | MARKED:(1) | 39 | 1.6 % | 34.8% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1696 081B069N:TRNQ RLV PHYS P

Location: 720-721(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04035

Question Number(s): 1B069N

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

N. To relieve physical pain

0="UNMARKED" 1="MARKED"

| V1696: 081B069N:TRNQ RLV PHYS P | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 72 | 2.9 % | 64.3% |
| 1 | MARKED:(1) | 40 | 1.6 % | 35.7% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1462 081B069O:TRNQ I AM HOOKD

Location: 722-723(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04040

Question Number(s): 1B069O

What have been the most important reasons for your taking tranquilizers without a doctor's orders?
(Mark all that apply.)

O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1462: 081B069O:TRNQ I AM HOOKD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 111 | 4.5 % | 99.1% |
| 1 | MARKED:(1) | 1 | 0.0 % | 0.9% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1463 **081B070:TRNQ,GT VERY HI**

Location: 724-725(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04050

Question Number(s): 1B070

When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

| V1463: 081B070:TRNQ,GT VERY HI | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 9 | 0.4 % | 7.6% |
| 2 | LIT HIGH:(2) | 24 | 1.0 % | 20.3% |
| 3 | MOD HIGH:(3) | 45 | 1.8 % | 38.1% |
| 4 | VRY HIGH:(4) | 25 | 1.0 % | 21.2% |
| 5 | N TK HI:(5) | 15 | 0.6 % | 12.7% |
| -9 (M) | MISSING:(-9) | 2323 | 95.2 % | - |

V1464 **081B071:TRNQ,HI 24+ HRS**

Location: 726-727(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04060

Question Number(s): 1B071

When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

- Study 25382 -

| V1464: 081B071:TRNQ,HI 24+ HRS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 18 | 0.7 % | 15.5% |
| 2 | 1-2 HRS:(2) | 30 | 1.2 % | 25.9% |
| 3 | 3-6 HRS:(3) | 49 | 2.0 % | 42.2% |
| 4 | 7-24 HRS:(4) | 19 | 0.8 % | 16.4% |
| 5 | >24 HRS:(5) | 0 | 0.0 % | - |
| -9 (M) | MISSING:(-9) | 2325 | 95.2 % | - |

V1465 081B072A:TKN YR,LIBRIUM

Location: 728-729(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04070

Question Number(s): 1B072A

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Librium

0="UNMARKED" 1="MARKED"

| V1465: 081B072A:TKN YR,LIBRIUM | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 108 | 4.4 % | 96.4% |
| 1 | MARKED:(1) | 4 | 0.2 % | 3.6% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1466 081B072B:TKN YR,VALIUM

Location: 730-731(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04080

Question Number(s): 1B072B

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Valium

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1466: 081B072B:TKN YR, VALIUM | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 65 | 2.7 % | 58.0% |
| 1 | MARKED:(1) | 47 | 1.9 % | 42.0% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1814 081B072C:TKN YR, XANAX

Location: 732-733(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04095

Question Number(s): 1B072C

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Xanax

0="UNMARKED" 1="MARKED"

| V1814: 081B072C:TKN YR, XANAX | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 36 | 1.5 % | 32.1% |
| 1 | MARKED:(1) | 76 | 3.1 % | 67.9% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1862 081B072D:TKN YR,SOMA

Location: 734-735(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31880

Question Number(s): 1B072D

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Soma

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1862: 081B072D:TKN YR,SOMA | | | | |
|-----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 83 | 3.4 % | 74.1% |
| 1 | MARKED:(1) | 29 | 1.2 % | 25.9% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1470 081B072E:TKN YR,SERAX

Location: 736-737(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04120

Question Number(s): 1B072E

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Serax

0="UNMARKED" 1="MARKED"

| V1470: 081B072E:TKN YR,SERAX | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 111 | 4.5 % | 99.1% |
| 1 | MARKED:(1) | 1 | 0.0 % | 0.9% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1863 081B072F:TKN YR,ATIVAN

Location: 738-739(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31890

Question Number(s): 1B072F

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Ativan

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1863: 081B072F:TKN YR,ATIVAN | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 104 | 4.3 % | 92.9% |
| 1 | MARKED:(1) | 8 | 0.3 % | 7.1% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1864 081B072G:TKN YR,KLONOPIN

Location: 740-741(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31900

Question Number(s): 1B072G

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. Klonopin

0="UNMARKED" 1="MARKED"

| V1864: 081B072G:TKN YR,KLONOPIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 82 | 3.4 % | 73.2% |
| 1 | MARKED:(1) | 30 | 1.2 % | 26.8% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1815 081B072H:TKN YR,OTH TRNQ

Location: 742-743(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04155

Question Number(s): 1B072H

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Other

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1815: 081B072H:TKN YR,OTH TRNQ | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 78 | 3.2 % | 69.6% |
| 1 | MARKED:(1) | 34 | 1.4 % | 30.4% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1474 081B072I:TKN YR,DNT KNW

Location: 744-745(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04160

Question Number(s): 1B072I

What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

| V1474: 081B072I:TKN YR,DNT KNW | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 94 | 3.9 % | 83.9% |
| 1 | MARKED:(1) | 18 | 0.7 % | 16.1% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1475 081B073:*TRY STP TRQ&FL

Location: 746-747(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04170

Question Number(s): 1B073

Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

| V1475: 081B073:*TRY STP TRQ&FL | | | | |
|--------------------------------|---------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 1 | 0.0 % | 0.9% |

- Study 25382 -

| V1475: 081B073:*TRY STP TRQ&FL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | NO:(2) | 114 | 4.7 % | 99.1% |
| -9 (M) | MISSING:(-9) | 2326 | 95.3 % | - |

V1476 081B074:NO TRNQ IN 5YR

Location: 748-749(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04180

Question Number(s): 1B074

Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| V1476: 081B074:NO TRNQ IN 5YR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 16 | 0.7 % | 0.7% |
| 2 | PRB WILL:(2) | 40 | 1.6 % | 1.8% |
| 3 | PRB WONT:(3) | 303 | 12.4 % | 13.7% |
| 4 | DEF WONT:(4) | 1851 | 75.8 % | 83.8% |
| -9 (M) | MISSING:(-9) | 231 | 9.5 % | - |

V1755 081B075:EVR TK CRACK/FB

Location: 750-751(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22250

Question Number(s): 1B075

The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 77" 2="Yes"

- Study 25382 -

| V1755: 081B075:EVR TK CRACK/FB | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 2201 | 90.2 % | 97.6% |
| 2 | YES:(2) | 55 | 2.3 % | 2.4% |
| -9 (M) | MISSING:(-9) | 185 | 7.6 % | - |

V1756 081B076A:#X CRACK/LIFTIM

Location: 752-753(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22260

Question Number(s): 1B076A

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions [Includes respondents who reported nonuse on
preceding question]" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

| V1756: 081B076A:#X CRACK/LIFTIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2212 | 90.6 % | 98.0% |
| 2 | 1-2X:(2) | 18 | 0.7 % | 0.8% |
| 3 | 3-5X:(3) | 6 | 0.2 % | 0.3% |
| 4 | 6-9X:(4) | 7 | 0.3 % | 0.3% |
| 5 | 10-19X:(5) | 1 | 0.0 % | 0.0% |
| 6 | 20-39X:(6) | 4 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 9 | 0.4 % | 0.4% |
| -9 (M) | MISSING:(-9) | 184 | 7.5 % | - |

V1757 081B076B:#X CRACK/LST12M

Location: 754-755(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22270

Question Number(s): 1B076B

On how many occasions (if any) have you taken "crack"

- Study 25382 -

(cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1757: 081B076B:#X CRACK/LST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2229 | 91.3 % | 98.8% |
| 2 | 1-2X:(2) | 13 | 0.5 % | 0.6% |
| 3 | 3-5X:(3) | 5 | 0.2 % | 0.2% |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 2 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 184 | 7.5 % | - |

V1758 081B076C:#X CRACK/LST30D

Location: 756-757(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22280

Question Number(s): 1B076C

On how many occasions (if any) have you taken "crack"
(cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1758: 081B076C:#X CRACK/LST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2239 | 91.7 % | 99.2% |
| 2 | 1-2X:(2) | 11 | 0.5 % | 0.5% |
| 3 | 3-5X:(3) | 1 | 0.0 % | 0.0% |
| 4 | 6-9X:(4) | 0 | 0.0 % | - |
| 5 | 10-19X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 2 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 2 | 0.1 % | 0.1% |

- Study 25382 -

| V1758: 081B076C:#X CRACK/LST30D | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 184 | 7.5 % | - |

V1759 **081B077A:#XOTH COKE/LIFE**

Location: 758-759(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22320

Question Number(s): 1B077A

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1759: 081B077A:#XOTH COKE/LIFE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2086 | 85.5 % | 93.5% |
| 2 | 1-2X:(2) | 50 | 2.0 % | 2.2% |
| 3 | 3-5X:(3) | 23 | 0.9 % | 1.0% |
| 4 | 6-9X:(4) | 21 | 0.9 % | 0.9% |
| 5 | 10-19X:(5) | 8 | 0.3 % | 0.4% |
| 6 | 20-39X:(6) | 15 | 0.6 % | 0.7% |
| 7 | 40+OCCAS:(7) | 27 | 1.1 % | 1.2% |
| -9 (M) | MISSING:(-9) | 211 | 8.6 % | - |

V1760 **081B077B:#XOTH COKE/12MO**

Location: 760-761(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22330

Question Number(s): 1B077B

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

- Study 25382 -

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1760: 081B077B:#XOTH COKE/12MO | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2137 | 87.5 % | 95.8% |
| 2 | 1-2X:(2) | 33 | 1.4 % | 1.5% |
| 3 | 3-5X:(3) | 21 | 0.9 % | 0.9% |
| 4 | 6-9X:(4) | 10 | 0.4 % | 0.4% |
| 5 | 10-19X:(5) | 9 | 0.4 % | 0.4% |
| 6 | 20-39X:(6) | 10 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 10 | 0.4 % | 0.4% |
| -9 (M) | MISSING:(-9) | 211 | 8.6 % | - |

V1761 081B077C:#XOTH COKE/30DA

Location: 762-763(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22340

Question Number(s): 1B077C

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1761: 081B077C:#XOTH COKE/30DA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2187 | 89.6 % | 98.0% |
| 2 | 1-2X:(2) | 24 | 1.0 % | 1.1% |
| 3 | 3-5X:(3) | 3 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 8 | 0.3 % | 0.4% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 1 | 0.0 % | 0.0% |
| 7 | 40+OCCAS:(7) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 210 | 8.6 % | - |

V1124 081R :#X COKE/LIFETIME

- Study 25382 -

Location: 764-765(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00950

Question Number(s): 1B077X

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" (item 22260)

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? (item 22320)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1124: 081R :#X COKE/LIFETIME | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2054 | 84.1 % | 93.2% |
| 2 | 1-2X:(2) | 47 | 1.9 % | 2.1% |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.3% |
| 4 | 6-9X:(4) | 19 | 0.8 % | 0.9% |
| 5 | 10-19X:(5) | 10 | 0.4 % | 0.5% |
| 6 | 20-39X:(6) | 16 | 0.7 % | 0.7% |
| 7 | 40+OCCAS:(7) | 30 | 1.2 % | 1.4% |
| -9 (M) | MISSING:(-9) | 237 | 9.7 % | - |

V1125

081R :#X COKE/LAST12MO

Location: 766-767(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00960

Question Number(s): 1B077Y

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

- Study 25382 -

B. . . . During the last 12 months?" (item 22270)

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? (item 22330)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1125: 081R :#X COKE/LAST12MO | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2109 | 86.4 % | 95.7% |
| 2 | 1-2X:(2) | 27 | 1.1 % | 1.2% |
| 3 | 3-5X:(3) | 28 | 1.1 % | 1.3% |
| 4 | 6-9X:(4) | 10 | 0.4 % | 0.5% |
| 5 | 10-19X:(5) | 7 | 0.3 % | 0.3% |
| 6 | 20-39X:(6) | 9 | 0.4 % | 0.4% |
| 7 | 40+OCCAS:(7) | 14 | 0.6 % | 0.6% |
| -9 (M) | MISSING:(-9) | 237 | 9.7 % | - |

V1126

081R :#X COKE/LAST30DA

Location: 768-769(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00970

Question Number(s): 1B077Z

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" (item 22280)

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? (item 22340)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary,

- Study 25382 -

to be comparable to similar data in questionnaire forms 2 through 6.]

| V1126: 081R :#X COKE/LAST30DA | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2158 | 88.4 % | 97.9% |
| 2 | 1-2X:(2) | 20 | 0.8 % | 0.9% |
| 3 | 3-5X:(3) | 8 | 0.3 % | 0.4% |
| 4 | 6-9X:(4) | 6 | 0.2 % | 0.3% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 3 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 6 | 0.2 % | 0.3% |
| -9 (M) | MISSING:(-9) | 237 | 9.7 % | - |

V1480 081B078A:#X/YR COKE ALNE

Location: 770-771(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04190

Question Number(s): 1B078A

IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 86.

When you used cocaine during the last year, how often did you use it in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1480: 081B078A:#X/YR COKE ALNE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 73 | 3.0 % | 65.8% |
| 2 | FEW TIME:(2) | 16 | 0.7 % | 14.4% |
| 3 | SOM TIME:(3) | 15 | 0.6 % | 13.5% |
| 4 | MST TIME:(4) | 2 | 0.1 % | 1.8% |
| 5 | EVRYTIME:(5) | 5 | 0.2 % | 4.5% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1481 081B078B:#X/YR COKE-2PPL

Location: 772-773(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04200

Question Number(s): 1B078B

When you used cocaine during the last year, how often did you use it in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1481: 081B078B:#X/YR COKE-2PPL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 26 | 1.1 % | 23.0% |
| 2 | FEW TIME:(2) | 25 | 1.0 % | 22.1% |
| 3 | SOM TIME:(3) | 14 | 0.6 % | 12.4% |
| 4 | MST TIME:(4) | 29 | 1.2 % | 25.7% |
| 5 | EVRYTIME:(5) | 19 | 0.8 % | 16.8% |
| -9 (M) | MISSING:(-9) | 2328 | 95.4 % | - |

V1482 081B078C:#X/YR COKE@PTY

Location: 774-775(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04210

Question Number(s): 1B078C

When you used cocaine during the last year, how often did you use it in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1482: 081B078C:#X/YR COKE@PTY | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 48 | 2.0 % | 43.2% |
| 2 | FEW TIME:(2) | 16 | 0.7 % | 14.4% |
| 3 | SOM TIME:(3) | 17 | 0.7 % | 15.3% |
| 4 | MST TIME:(4) | 16 | 0.7 % | 14.4% |

- Study 25382 -

| V1482: 081B078C:#X/YR COKE@PRTY | | | | |
|---------------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | EVERYTIME:(5) | 14 | 0.6 % | 12.6% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1483 **081B078D:#X/YR COKE-DT/S**

Location: 776-777(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04220

Question Number(s): 1B078D

When you used cocaine during the last year, how often did you use it in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"

4="Most of the times" 5="Every time"

| V1483: 081B078D:#X/YR COKE-DT/S | | | | |
|---------------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 82 | 3.4 % | 72.6% |
| 2 | FEW TIME:(2) | 11 | 0.5 % | 9.7% |
| 3 | SOM TIME:(3) | 6 | 0.2 % | 5.3% |
| 4 | MST TIME:(4) | 8 | 0.3 % | 7.1% |
| 5 | EVERYTIME:(5) | 6 | 0.2 % | 5.3% |
| -9 (M) | MISSING:(-9) | 2328 | 95.4 % | - |

V1484 **081B078E:#X/YR COKE-ADLT**

Location: 778-779(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04230

Question Number(s): 1B078E

When you used cocaine during the last year, how often did you use it in each of the following situations?

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"

- Study 25382 -

4="Most of the times" 5="Every time"

| V1484: 081B078E:#X/YR COKE-ADLT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 89 | 3.6 % | 78.1% |
| 2 | FEW TIME:(2) | 15 | 0.6 % | 13.2% |
| 3 | SOM TIME:(3) | 2 | 0.1 % | 1.8% |
| 4 | MST TIME:(4) | 4 | 0.2 % | 3.5% |
| 5 | EVRYTIME:(5) | 4 | 0.2 % | 3.5% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1485 081B078F:#X/YR COKE-DATM

Location: 780-781(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04240

Question Number(s): 1B078F

When you used cocaine during the last year, how often did you use it in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1485: 081B078F:#X/YR COKE-DATM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 64 | 2.6 % | 56.1% |
| 2 | FEW TIME:(2) | 27 | 1.1 % | 23.7% |
| 3 | SOM TIME:(3) | 16 | 0.7 % | 14.0% |
| 4 | MST TIME:(4) | 4 | 0.2 % | 3.5% |
| 5 | EVRYTIME:(5) | 3 | 0.1 % | 2.6% |
| -9 (M) | MISSING:(-9) | 2327 | 95.3 % | - |

V1486 081B078G:#X/YR COKE@HOME

Location: 782-783(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04250

Question Number(s): 1B078G

- Study 25382 -

When you used cocaine during the last year, how often did you use it in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1486: 081B078G:#X/YR COKE@HOME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 66 | 2.7 % | 58.4% |
| 2 | FEW TIME:(2) | 16 | 0.7 % | 14.2% |
| 3 | SOM TIME:(3) | 17 | 0.7 % | 15.0% |
| 4 | MST TIME:(4) | 7 | 0.3 % | 6.2% |
| 5 | EVRYTIME:(5) | 7 | 0.3 % | 6.2% |
| -9 (M) | MISSING:(-9) | 2328 | 95.4 % | - |

V1487 **081B078H:#X/YR COKE@SCHL**

Location: 784-785(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04260

Question Number(s): 1B078H

When you used cocaine during the last year, how often did you use it in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1487: 081B078H:#X/YR COKE@SCHL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 93 | 3.8 % | 83.8% |
| 2 | FEW TIME:(2) | 8 | 0.3 % | 7.2% |
| 3 | SOM TIME:(3) | 4 | 0.2 % | 3.6% |
| 4 | MST TIME:(4) | 1 | 0.0 % | 0.9% |
| 5 | EVRYTIME:(5) | 5 | 0.2 % | 4.5% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1488 **081B078I:#X/YR COKE@CAR**

Location: 786-787(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04280

Question Number(s): 1B078I

When you used cocaine during the last year, how often did you use it in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1488: 081B078I:#X/YR COKE@CAR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 64 | 2.6 % | 57.7% |
| 2 | FEW TIME:(2) | 21 | 0.9 % | 18.9% |
| 3 | SOM TIME:(3) | 15 | 0.6 % | 13.5% |
| 4 | MST TIME:(4) | 6 | 0.2 % | 5.4% |
| 5 | EVRYTIME:(5) | 5 | 0.2 % | 4.5% |
| -9 (M) | MISSING:(-9) | 2330 | 95.5 % | - |

V1489 081B079A:#X OVL COKE+ALC

Location: 788-789(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04290

Question Number(s): 1B079A

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1489: 081B079A:#X OVL COKE+ALC | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 41 | 1.7 % | 38.3% |
| 2 | FEW TIME:(2) | 20 | 0.8 % | 18.7% |
| 3 | SOM TIME:(3) | 13 | 0.5 % | 12.1% |

- Study 25382 -

| V1489: 081B079A:#X OVL COKE+ALC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | MST TIME:(4) | 17 | 0.7 % | 15.9% |
| 5 | EVRYTIME:(5) | 16 | 0.7 % | 15.0% |
| -9 (M) | MISSING:(-9) | 2334 | 95.6 % | - |

V1490 081B079B:#X OVL COKE+MJ

Location: 790-791(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04300

Question Number(s): 1B079B

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1490: 081B079B:#X OVL COKE+MJ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 40 | 1.6 % | 37.0% |
| 2 | FEW TIME:(2) | 18 | 0.7 % | 16.7% |
| 3 | SOM TIME:(3) | 17 | 0.7 % | 15.7% |
| 4 | MST TIME:(4) | 13 | 0.5 % | 12.0% |
| 5 | EVRYTIME:(5) | 20 | 0.8 % | 18.5% |
| -9 (M) | MISSING:(-9) | 2333 | 95.6 % | - |

V1491 081B079C:#X OVL COKE+LSD

Location: 792-793(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04310

Question Number(s): 1B079C

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

C: With LSD

- Study 25382 -

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1491: 081B079C:#X OVL COKE+LSD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 95 | 3.9 % | 92.2% |
| 2 | FEW TIME:(2) | 1 | 0.0 % | 1.0% |
| 3 | SOM TIME:(3) | 1 | 0.0 % | 1.0% |
| 4 | MST TIME:(4) | 1 | 0.0 % | 1.0% |
| 5 | EVRYTIME:(5) | 5 | 0.2 % | 4.9% |
| -9 (M) | MISSING:(-9) | 2338 | 95.8 % | - |

V1492 **081B079D:#X OVL COKE+PSY**

Location: 794-795(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04320

Question Number(s): 1B079D

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1492: 081B079D:#X OVL COKE+PSY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 92 | 3.8 % | 91.1% |
| 2 | FEW TIME:(2) | 2 | 0.1 % | 2.0% |
| 3 | SOM TIME:(3) | 2 | 0.1 % | 2.0% |
| 4 | MST TIME:(4) | 1 | 0.0 % | 1.0% |
| 5 | EVRYTIME:(5) | 4 | 0.2 % | 4.0% |
| -9 (M) | MISSING:(-9) | 2340 | 95.9 % | - |

V1493 **081B079E:#X OVL COKE+AMP**

Location: 796-797(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 04330

Question Number(s): 1B079E

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1493: 081B079E:#X OVL COKE+AMP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 88 | 3.6 % | 88.9% |
| 2 | FEW TIME:(2) | 4 | 0.2 % | 4.0% |
| 3 | SOM TIME:(3) | 4 | 0.2 % | 4.0% |
| 4 | MST TIME:(4) | 1 | 0.0 % | 1.0% |
| 5 | EVRYTIME:(5) | 2 | 0.1 % | 2.0% |
| -9 (M) | MISSING:(-9) | 2342 | 95.9 % | - |

V1494 **081B079F:#X OVL COKE+QUA**

Location: 798-799(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04340

Question Number(s): 1B079F

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1494: 081B079F:#X OVL COKE+QUA | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 98 | 4.0 % | 98.0% |
| 2 | FEW TIME:(2) | 2 | 0.1 % | 2.0% |
| 3 | SOM TIME:(3) | 0 | 0.0 % | - |
| 4 | MST TIME:(4) | 0 | 0.0 % | - |

- Study 25382 -

| V1494: 081B079F:#X OVL COKE+QUA | | | | |
|---------------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | EVERYTIME:(5) | 0 | 0.0 % | - |
| -9 (M) | MISSING:(-9) | 2341 | 95.9 % | - |

V1495 **081B079G:#X OVL COKE+BRB**

Location: 800-801(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04350

Question Number(s): 1B079G

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1495: 081B079G:#X OVL COKE+BRB | | | | |
|---------------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 97 | 4.0 % | 96.0% |
| 2 | FEW TIME:(2) | 2 | 0.1 % | 2.0% |
| 3 | SOM TIME:(3) | 0 | 0.0 % | - |
| 4 | MST TIME:(4) | 0 | 0.0 % | - |
| 5 | EVERYTIME:(5) | 2 | 0.1 % | 2.0% |
| -9 (M) | MISSING:(-9) | 2340 | 95.9 % | - |

V1496 **081B079H:#X OVL COKE+TRN**

Location: 802-803(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04360

Question Number(s): 1B079H

How many of the times when you used cocaine during the last year did you use it along with each of the following drugs-- that is, so that their effects overlapped?

H: With tranquilizers

- Study 25382 -

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1496: 081B079H:#X OVL COKE+TRN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 94 | 3.9 % | 92.2% |
| 2 | FEW TIME:(2) | 2 | 0.1 % | 2.0% |
| 3 | SOM TIME:(3) | 2 | 0.1 % | 2.0% |
| 4 | MST TIME:(4) | 2 | 0.1 % | 2.0% |
| 5 | EVRYTIME:(5) | 2 | 0.1 % | 2.0% |
| -9 (M) | MISSING:(-9) | 2339 | 95.8 % | - |

V1497 081B080A:COKE EXPERIMENT

Location: 804-805(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04370

Question Number(s): 1B080A

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

| V1497: 081B080A:COKE EXPERIMENT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 35 | 1.4 % | 35.7% |
| 1 | MARKED:(1) | 63 | 2.6 % | 64.3% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1498 081B080B:COKE RELAX

Location: 806-807(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04380

Question Number(s): 1B080B

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

- Study 25382 -

B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

| V1498: 081B080B:COKE RELAX | | | | |
|----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 77 | 3.2 % | 78.6% |
| 1 | MARKED:(1) | 21 | 0.9 % | 21.4% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1499 081B080C:COKE GET HIGH

Location: 808-809(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04390

Question Number(s): 1B080C

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

| V1499: 081B080C:COKE GET HIGH | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 40 | 1.6 % | 40.8% |
| 1 | MARKED:(1) | 58 | 2.4 % | 59.2% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1500 081B080D:COKE SK INSIGHT

Location: 810-811(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04400

Question Number(s): 1B080D

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

D. To seek deeper insights and understanding

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1500: 081B080D:COKE SK INSIGHT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 91 | 3.7 % | 92.9% |
| 1 | MARKED:(1) | 7 | 0.3 % | 7.1% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1501 081B080E:COKE GD TM FRND

Location: 812-813(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04410

Question Number(s): 1B080E

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

| V1501: 081B080E:COKE GD TM FRND | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 54 | 2.2 % | 55.1% |
| 1 | MARKED:(1) | 44 | 1.8 % | 44.9% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1502 081B080F:COKE FIT IN GRP

Location: 814-815(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04420

Question Number(s): 1B080F

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1502: 081B080F:COKE FIT IN GRP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 92 | 3.8 % | 93.9% |
| 1 | MARKED:(1) | 6 | 0.2 % | 6.1% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1503 081B080G:COKE GT AWY PRB

Location: 816-817(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04430

Question Number(s): 1B080G

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

| V1503: 081B080G:COKE GT AWY PRB | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 85 | 3.5 % | 86.7% |
| 1 | MARKED:(1) | 13 | 0.5 % | 13.3% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1504 081B080H:COKE BOREDOM

Location: 818-819(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04440

Question Number(s): 1B080H

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1504: 081B080H:COKE BOREDOM | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 74 | 3.0 % | 75.5% |
| 1 | MARKED:(1) | 24 | 1.0 % | 24.5% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1505 081B080I:COKE ANGR&FRSTN

Location: 820-821(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04450

Question Number(s): 1B080I

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

| V1505: 081B080I:COKE ANGR&FRSTN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 86 | 3.5 % | 87.8% |
| 1 | MARKED:(1) | 12 | 0.5 % | 12.2% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1506 081B080J:COKE GT THRU DA

Location: 822-823(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04460

Question Number(s): 1B080J

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

J. To get through the day

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1506: 081B080J:COKE GT THRU DA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 88 | 3.6 % | 89.8% |
| 1 | MARKED:(1) | 10 | 0.4 % | 10.2% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1507 081B080K:COKE INCR EF DR

Location: 824-825(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04470

Question Number(s): 1B080K

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

| V1507: 081B080K:COKE INCR EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 84 | 3.4 % | 85.7% |
| 1 | MARKED:(1) | 14 | 0.6 % | 14.3% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1508 081B080L:COKE DCRS EF DR

Location: 826-827(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04480

Question Number(s): 1B080L

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1508: 081B080L:COKE DCRS EF DR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 88 | 3.6 % | 89.8% |
| 1 | MARKED:(1) | 10 | 0.4 % | 10.2% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1509 081B080M:COKE STAY AWAKE

Location: 828-829(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04490

Question Number(s): 1B080M

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

M. To stay awake

0="UNMARKED" 1="MARKED"

| V1509: 081B080M:COKE STAY AWAKE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 71 | 2.9 % | 72.4% |
| 1 | MARKED:(1) | 27 | 1.1 % | 27.6% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1510 081B080N:COKE GET>ENERGY

Location: 830-831(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04500

Question Number(s): 1B080N

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

N. To get more energy

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1510: 081B080N:COKE GET>ENERGY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 64 | 2.6 % | 65.3% |
| 1 | MARKED:(1) | 34 | 1.4 % | 34.7% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1511 081B080O:COKE I AM HOOKD

Location: 832-833(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04510

Question Number(s): 1B080O

What have been the most important reasons for your taking cocaine? (Mark all that apply.)

O. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

| V1511: 081B080O:COKE I AM HOOKD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 90 | 3.7 % | 91.8% |
| 1 | MARKED:(1) | 8 | 0.3 % | 8.2% |
| -9 (M) | MISSING:(-9) | 2343 | 96.0 % | - |

V1512 081B081:COK,GET VERY HI

Location: 834-835(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04520

Question Number(s): 1B081

When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take it to get high"

| V1512: 081B081:COK,GET VERY HI | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 13 | 0.5 % | 11.6% |

- Study 25382 -

| V1512: 081B081:COK,GET VERY HI | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | LIT HIGH:(2) | 17 | 0.7 % | 15.2% |
| 3 | MOD HIGH:(3) | 41 | 1.7 % | 36.6% |
| 4 | VRV HIGH:(4) | 33 | 1.4 % | 29.5% |
| 5 | N TK HI:(5) | 8 | 0.3 % | 7.1% |
| -9 (M) | MISSING:(-9) | 2329 | 95.4 % | - |

V1513 **081B082:COK,HIGH 24+ HR**

Location: 836-837(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04530

Question Number(s): 1B082

When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

| V1513: 081B082:COK,HIGH 24+ HR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 17 | 0.7 % | 15.9% |
| 2 | 1-2 HRS:(2) | 57 | 2.3 % | 53.3% |
| 3 | 3-6 HRS:(3) | 23 | 0.9 % | 21.5% |
| 4 | 7-24 HRS:(4) | 7 | 0.3 % | 6.5% |
| 5 | >24 HRS:(5) | 3 | 0.1 % | 2.8% |
| -9 (M) | MISSING:(-9) | 2334 | 95.6 % | - |

V1514 **081B083:*TRY STP COK&FL**

Location: 838-839(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04540

Question Number(s): 1B083

Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

- Study 25382 -

| V1514: 081B083:*TRY STP COK&FL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 12 | 0.5 % | 11.0% |
| 2 | NO:(2) | 97 | 4.0 % | 89.0% |
| -9 (M) | MISSING:(-9) | 2332 | 95.5 % | - |

V1743 081B084A:FRM COKE-POWDER

Location: 840-841(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04531

Question Number(s): 1B084A

What forms of cocaine have you used? (Mark all that apply.)

A. Cocaine powder

0="UNMARKED" 1="MARKED"

| V1743: 081B084A:FRM COKE-POWDER | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MRKD:(0) | 5 | 0.2 % | 4.9% |
| 1 | MARKED:(1) | 98 | 4.0 % | 95.1% |
| -9 (M) | MISSING:(-9) | 2338 | 95.8 % | - |

V1746 081B084B:FRM COKE-CRACK

Location: 842-843(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04534

Question Number(s): 1B084B

What forms of cocaine have you used? (Mark all that apply.)

B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

| V1746: 081B084B:FRM COKE-CRACK | | | | |
|--------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MRKD:(0) | 82 | 3.4 % | 79.6% |

- Study 25382 -

| V1746: 081B084B:FRM COKE-CRACK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MARKED:(1) | 21 | 0.9 % | 20.4% |
| -9 (M) | MISSING:(-9) | 2338 | 95.8 % | - |

V1744 081B084C:FRM COKE-FRBASE

Location: 844-845(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04532

Question Number(s): 1B084C

What forms of cocaine have you used? (Mark all that apply.)

C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

| V1744: 081B084C:FRM COKE-FRBASE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MRKD:(0) | 85 | 3.5 % | 82.5% |
| 1 | MARKED:(1) | 18 | 0.7 % | 17.5% |
| -9 (M) | MISSING:(-9) | 2338 | 95.8 % | - |

V1745 081B084D:FRM COKE-PASTE

Location: 846-847(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04533

Question Number(s): 1B084D

What forms of cocaine have you used? (Mark all that apply.)

D. Coca paste

0="UNMARKED" 1="MARKED"

| V1745: 081B084D:FRM COKE-PASTE | | | | |
|--------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MRKD:(0) | 98 | 4.0 % | 95.1% |
| 1 | MARKED:(1) | 5 | 0.2 % | 4.9% |

- Study 25382 -

| V1745: 081B084D:FRM COKE-PASTE | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 2338 | 95.8 % | - |

V1515 081B085A:MTHD COKE SNORT

Location: 848-849(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04550

Question Number(s): 1B085A

What methods have you used for taking cocaine?
(Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

| V1515: 081B085A:MTHD COKE SNORT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 8 | 0.3 % | 7.7% |
| 1 | MARKED:(1) | 96 | 3.9 % | 92.3% |
| -9 (M) | MISSING:(-9) | 2337 | 95.7 % | - |

V1516 081B085B:MTHD COKE-SMOKE

Location: 850-851(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04560

Question Number(s): 1B085B

What methods have you used for taking cocaine?
(Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

| V1516: 081B085B:MTHD COKE-SMOKE | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 68 | 2.8 % | 65.4% |
| 1 | MARKED:(1) | 36 | 1.5 % | 34.6% |

- Study 25382 -

| V1516: 081B085B:MTHD COKE-SMOKE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 2337 | 95.7 % | - |

V1517 081B085C:MTHD COKE-INJCT

Location: 852-853(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04570

Question Number(s): 1B085C

What methods have you used for taking cocaine?
(Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

| V1517: 081B085C:MTHD COKE-INJCT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 96 | 3.9 % | 92.3% |
| 1 | MARKED:(1) | 8 | 0.3 % | 7.7% |
| -9 (M) | MISSING:(-9) | 2337 | 95.7 % | - |

V1747 081B085D:MTHD COKE-INHAL

Location: 854-855(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04575

Question Number(s): 1B085D

What methods have you used for taking cocaine?
(Mark all that apply.)

D. Inhaling fumes

0="UNMARKED" 1="MARKED"

| V1747: 081B085D:MTHD COKE-INHAL | | | | |
|---------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MRKD:(0) | 93 | 3.8 % | 89.4% |
| 1 | MARKED:(1) | 11 | 0.5 % | 10.6% |

- Study 25382 -

| V1747: 081B085D:MTHD COKE-INHAL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 2337 | 95.7 % | - |

V1518 081B085E:MTHD COKE-MOUTH

Location: 856-857(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04580

Question Number(s): 1B085E

What methods have you used for taking cocaine?
(Mark all that apply.)

E. By mouth

0="UNMARKED" 1="MARKED"

| V1518: 081B085E:MTHD COKE-MOUTH | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 80 | 3.3 % | 76.9% |
| 1 | MARKED:(1) | 24 | 1.0 % | 23.1% |
| -9 (M) | MISSING:(-9) | 2337 | 95.7 % | - |

V1519 081B085F:MTHD COKE-OTHER

Location: 858-859(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04590

Question Number(s): 1B085F

What methods have you used for taking cocaine?
(Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

| V1519: 081B085F:MTHD COKE-OTHER | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 99 | 4.1 % | 95.2% |
| 1 | MARKED:(1) | 5 | 0.2 % | 4.8% |

- Study 25382 -

| V1519: 081B085F:MTHD COKE-OTHER | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 2337 | 95.7 % | - |

V1520 081B086:NO COKE IN 5YR

Location: 860-861(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 04600

Question Number(s): 1B086

Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| V1520: 081B086:NO COKE IN 5YR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 24 | 1.0 % | 1.1% |
| 2 | PRB WILL:(2) | 23 | 0.9 % | 1.0% |
| 3 | PRB WONT:(3) | 165 | 6.8 % | 7.4% |
| 4 | DEF WONT:(4) | 2027 | 83.0 % | 90.5% |
| -9 (M) | MISSING:(-9) | 202 | 8.3 % | - |

V1139 081B086A:#X "H"/LIFETIME

Location: 862-863(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01100

Question Number(s): 1B087A

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

- Study 25382 -

| V1139: 081B086A:#X "H"/LIFETIME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2188 | 89.6 % | 98.6% |
| 2 | 1-2X:(2) | 13 | 0.5 % | 0.6% |
| 3 | 3-5X:(3) | 3 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 3 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 2 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 7 | 0.3 % | 0.3% |
| -9 (M) | MISSING:(-9) | 222 | 9.1 % | - |

V1521 **081B087A:#X "H"/LIFETIME**

Location: 864-865(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01100

Question Number(s): 1B087A

The next questions are about HEROIN. On how many occasions (if any) have you taken heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1521: 081B087A:#X "H"/LIFETIME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2188 | 89.6 % | 98.6% |
| 2 | 1-2X:(2) | 13 | 0.5 % | 0.6% |
| 3 | 3-5X:(3) | 3 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 3 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 2 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 7 | 0.3 % | 0.3% |
| -9 (M) | MISSING:(-9) | 222 | 9.1 % | - |

V1140 **081B086B:#X "H"/LAST 12M**

Location: 866-867(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01110

Question Number(s): 1B087B

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1140: 081B086B:#X "H"/LAST 12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2197 | 90.0 % | 99.0% |
| 2 | 1-2X:(2) | 9 | 0.4 % | 0.4% |
| 3 | 3-5X:(3) | 3 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 1 | 0.0 % | 0.0% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 4 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 3 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 221 | 9.1 % | - |

V1522

081B087B:#X "H"/LAST 12M

Location: 868-869(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01110

Question Number(s): 1B087B

On how many occasions (if any) have you taken heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1522: 081B087B:#X "H"/LAST 12M | | | | |
|---------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2197 | 90.0 % | 99.0% |

- Study 25382 -

| V1522: 081B087B:#X "H"/LAST 12M | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | 1-2X:(2) | 9 | 0.4 % | 0.4% |
| 3 | 3-5X:(3) | 3 | 0.1 % | 0.1% |
| 4 | 6-9X:(4) | 1 | 0.0 % | 0.0% |
| 5 | 10-19X:(5) | 3 | 0.1 % | 0.1% |
| 6 | 20-39X:(6) | 4 | 0.2 % | 0.2% |
| 7 | 40+OCCAS:(7) | 3 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 221 | 9.1 % | - |

V1141 081B086C:#X "H"/LAST 30D

Location: 870-871(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01120

Question Number(s): 1B087C

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1141: 081B086C:#X "H"/LAST 30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2206 | 90.4 % | 99.4% |
| 2 | 1-2X:(2) | 5 | 0.2 % | 0.2% |
| 3 | 3-5X:(3) | 0 | 0.0 % | - |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 3 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 221 | 9.1 % | - |

V1523 081B087C:#X "H"/LAST 30D

Location: 872-873(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 01120

Question Number(s): 1B087C

On how many occasions (if any) have you taken heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1523: 081B087C:#X "H"/LAST 30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2206 | 90.4 % | 99.4% |
| 2 | 1-2X:(2) | 5 | 0.2 % | 0.2% |
| 3 | 3-5X:(3) | 0 | 0.0 % | - |
| 4 | 6-9X:(4) | 2 | 0.1 % | 0.1% |
| 5 | 10-19X:(5) | 4 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 0 | 0.0 % | - |
| 7 | 40+OCCAS:(7) | 3 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 221 | 9.1 % | - |

V1564

081B088:DR TOLD TK NARC

Location: 874-875(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05020

Question Number(s): 1B088

The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription. These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Ultram, Morphine, Vicodin. Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."
3="Yes, and it was the first time I took any."

| V1564: 081B088:DR TOLD TK NARC | | | | |
|--------------------------------|--------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 1840 | 75.4 % | 82.7% |

- Study 25382 -

| V1564: 081B088:DR TOLD TK NARC | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | YES BUT:(2) | 81 | 3.3 % | 3.6% |
| 3 | YES 1ST:(3) | 304 | 12.5 % | 13.7% |
| -9 (M) | MISSING:(-9) | 216 | 8.8 % | - |

V1142

081B088A:#X NARC/LIFETIM

Location: 876-877(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01130

Question Number(s): 1B089A

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1142: 081B088A:#X NARC/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1939 | 79.4 % | 87.5% |
| 2 | 1-2X:(2) | 106 | 4.3 % | 4.8% |
| 3 | 3-5X:(3) | 51 | 2.1 % | 2.3% |
| 4 | 6-9X:(4) | 34 | 1.4 % | 1.5% |
| 5 | 10-19X:(5) | 39 | 1.6 % | 1.8% |
| 6 | 20-39X:(6) | 19 | 0.8 % | 0.9% |
| 7 | 40+OCCAS:(7) | 29 | 1.2 % | 1.3% |
| -9 (M) | MISSING:(-9) | 224 | 9.2 % | - |

V1565

081B089A:#X NARC/LIFETIM

Location: 878-879(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01130

- Study 25382 -

Question Number(s): 1B089A

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1565: 081B089A:#X NARC/LIFETIM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 1939 | 79.4 % | 87.5% |
| 2 | 1-2X:(2) | 106 | 4.3 % | 4.8% |
| 3 | 3-5X:(3) | 51 | 2.1 % | 2.3% |
| 4 | 6-9X:(4) | 34 | 1.4 % | 1.5% |
| 5 | 10-19X:(5) | 39 | 1.6 % | 1.8% |
| 6 | 20-39X:(6) | 19 | 0.8 % | 0.9% |
| 7 | 40+OCCAS:(7) | 29 | 1.2 % | 1.3% |
| -9 (M) | MISSING:(-9) | 224 | 9.2 % | - |

V1143 081B088B:#X NARC/LAST12M

Location: 880-881(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01140

Question Number(s): 1B089B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

- Study 25382 -

| V1143: 081B088B:#X NARC/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2021 | 82.8 % | 91.1% |
| 2 | 1-2X:(2) | 82 | 3.4 % | 3.7% |
| 3 | 3-5X:(3) | 46 | 1.9 % | 2.1% |
| 4 | 6-9X:(4) | 28 | 1.1 % | 1.3% |
| 5 | 10-19X:(5) | 22 | 0.9 % | 1.0% |
| 6 | 20-39X:(6) | 6 | 0.2 % | 0.3% |
| 7 | 40+OCCAS:(7) | 13 | 0.5 % | 0.6% |
| -9 (M) | MISSING:(-9) | 223 | 9.1 % | - |

V1566 081B089B:#X NARC/LAST12M

Location: 882-883(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01140

Question Number(s): 1B089B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| V1566: 081B089B:#X NARC/LAST12M | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2021 | 82.8 % | 91.1% |
| 2 | 1-2X:(2) | 82 | 3.4 % | 3.7% |
| 3 | 3-5X:(3) | 46 | 1.9 % | 2.1% |
| 4 | 6-9X:(4) | 28 | 1.1 % | 1.3% |
| 5 | 10-19X:(5) | 22 | 0.9 % | 1.0% |
| 6 | 20-39X:(6) | 6 | 0.2 % | 0.3% |
| 7 | 40+OCCAS:(7) | 13 | 0.5 % | 0.6% |
| -9 (M) | MISSING:(-9) | 223 | 9.1 % | - |

V1144 081B088C:#X NARC/LAST30D

Location: 884-885(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 01150

Question Number(s): 1B089C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

[Data in the "core variable" have been recoded, if necessary, to be comparable to similar data in questionnaire forms 2 through 6.]

| V1144: 081B088C:#X NARC/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2119 | 86.8 % | 95.7% |
| 2 | 1-2X:(2) | 61 | 2.5 % | 2.8% |
| 3 | 3-5X:(3) | 14 | 0.6 % | 0.6% |
| 4 | 6-9X:(4) | 10 | 0.4 % | 0.5% |
| 5 | 10-19X:(5) | 5 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 3 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 2 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 227 | 9.3 % | - |

V1567

081B089C:#X NARC/LAST30D

Location: 886-887(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01150

Question Number(s): 1B089C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

| V1567: 081B089C:#X NARC/LAST30D | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | 0 OCCAS:(1) | 2119 | 86.8 % | 95.7% |
| 2 | 1-2X:(2) | 61 | 2.5 % | 2.8% |
| 3 | 3-5X:(3) | 14 | 0.6 % | 0.6% |
| 4 | 6-9X:(4) | 10 | 0.4 % | 0.5% |
| 5 | 10-19X:(5) | 5 | 0.2 % | 0.2% |
| 6 | 20-39X:(6) | 3 | 0.1 % | 0.1% |
| 7 | 40+OCCAS:(7) | 2 | 0.1 % | 0.1% |
| -9 (M) | MISSING:(-9) | 227 | 9.3 % | - |

V1568 **081B090A:#X/YR NARC ALNE**

Location: 888-889(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05030

Question Number(s): 1B090A

IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 98. THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 98.

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1568: 081B090A:#X/YR NARC ALNE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 64 | 2.6 % | 35.6% |
| 2 | FEW TIME:(2) | 52 | 2.1 % | 28.9% |
| 3 | SOM TIME:(3) | 23 | 0.9 % | 12.8% |
| 4 | MST TIME:(4) | 17 | 0.7 % | 9.4% |
| 5 | EVRYTIME:(5) | 24 | 1.0 % | 13.3% |
| -9 (M) | MISSING:(-9) | 2261 | 92.6 % | - |

V1569 **081B090B:#X/YR NARC-2PPL**

Location: 890-891(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05040

Question Number(s): 1B090B

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1569: 081B090B:#X/YR NARC-2PPL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 52 | 2.1 % | 28.9% |
| 2 | FEW TIME:(2) | 58 | 2.4 % | 32.2% |
| 3 | SOM TIME:(3) | 32 | 1.3 % | 17.8% |
| 4 | MST TIME:(4) | 21 | 0.9 % | 11.7% |
| 5 | EVRYTIME:(5) | 17 | 0.7 % | 9.4% |
| -9 (M) | MISSING:(-9) | 2261 | 92.6 % | - |

V1570 081B090C:#X/YR NARC@PTY

Location: 892-893(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05050

Question Number(s): 1B090C

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1570: 081B090C:#X/YR NARC@PTY | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 115 | 4.7 % | 64.6% |
| 2 | FEW TIME:(2) | 23 | 0.9 % | 12.9% |

- Study 25382 -

| V1570: 081B090C:#X/YR NARC@PTY | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | SOM TIME:(3) | 13 | 0.5 % | 7.3% |
| 4 | MST TIME:(4) | 15 | 0.6 % | 8.4% |
| 5 | EVRYTIME:(5) | 12 | 0.5 % | 6.7% |
| -9 (M) | MISSING:(-9) | 2263 | 92.7 % | - |

V1571 081B090D:#X/YR NARC-DT/S

Location: 894-895(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05060

Question Number(s): 1B090D

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1571: 081B090D:#X/YR NARC-DT/S | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 118 | 4.8 % | 65.9% |
| 2 | FEW TIME:(2) | 31 | 1.3 % | 17.3% |
| 3 | SOM TIME:(3) | 11 | 0.5 % | 6.1% |
| 4 | MST TIME:(4) | 7 | 0.3 % | 3.9% |
| 5 | EVRYTIME:(5) | 12 | 0.5 % | 6.7% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1572 081B090E:#X/YR NARC-ADLT

Location: 896-897(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05070

Question Number(s): 1B090E

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

- Study 25382 -

E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1572: 081B090E:#X/YR NARC-ADLT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 118 | 4.8 % | 63.8% |
| 2 | FEW TIME:(2) | 26 | 1.1 % | 14.1% |
| 3 | SOM TIME:(3) | 20 | 0.8 % | 10.8% |
| 4 | MST TIME:(4) | 5 | 0.2 % | 2.7% |
| 5 | EVRYTIME:(5) | 16 | 0.7 % | 8.6% |
| -9 (M) | MISSING:(-9) | 2256 | 92.4 % | - |

V1573 **081B090F:#X/YR NARC-DATM**

Location: 898-899(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05080

Question Number(s): 1B090F

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1573: 081B090F:#X/YR NARC-DATM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 71 | 2.9 % | 39.0% |
| 2 | FEW TIME:(2) | 50 | 2.0 % | 27.5% |
| 3 | SOM TIME:(3) | 31 | 1.3 % | 17.0% |
| 4 | MST TIME:(4) | 20 | 0.8 % | 11.0% |
| 5 | EVRYTIME:(5) | 10 | 0.4 % | 5.5% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1574 **081B090G:#X/YR NARC@HOME**

Location: 900-901(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 05090

Question Number(s): 1B090G

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1574: 081B090G:#X/YR NARC@HOME | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 53 | 2.2 % | 29.0% |
| 2 | FEW TIME:(2) | 35 | 1.4 % | 19.1% |
| 3 | SOM TIME:(3) | 23 | 0.9 % | 12.6% |
| 4 | MST TIME:(4) | 28 | 1.1 % | 15.3% |
| 5 | EVRYTIME:(5) | 44 | 1.8 % | 24.0% |
| -9 (M) | MISSING:(-9) | 2258 | 92.5 % | - |

V1575 **081B090H:#X/YR NARC@SCHL**

Location: 902-903(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05100

Question Number(s): 1B090H

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1575: 081B090H:#X/YR NARC@SCHL | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 110 | 4.5 % | 61.1% |
| 2 | FEW TIME:(2) | 37 | 1.5 % | 20.6% |
| 3 | SOM TIME:(3) | 19 | 0.8 % | 10.6% |
| 4 | MST TIME:(4) | 8 | 0.3 % | 4.4% |

- Study 25382 -

| V1575: 081B090H:#X/YR NARC@SCHL | | | | |
|---------------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | EVERYTIME:(5) | 6 | 0.2 % | 3.3% |
| -9 (M) | MISSING:(-9) | 2261 | 92.6 % | - |

V1576 **081B090I:#X/YR NARC @CAR**

Location: 904-905(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05120

Question Number(s): 1B090I

When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"
4="Most of the times" 5="Every time"

| V1576: 081B090I:#X/YR NARC @CAR | | | | |
|---------------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 126 | 5.2 % | 70.4% |
| 2 | FEW TIME:(2) | 19 | 0.8 % | 10.6% |
| 3 | SOM TIME:(3) | 20 | 0.8 % | 11.2% |
| 4 | MST TIME:(4) | 7 | 0.3 % | 3.9% |
| 5 | EVERYTIME:(5) | 7 | 0.3 % | 3.9% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1865 **081B091A:NARC SRC INTERNET**

Location: 906-907(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31910

Question Number(s): 1B091A

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

A: Bought on the internet

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1865: 081B091A:NARC SRC INTERNT | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 177 | 7.3 % | 97.3% |
| 1 | MARKED:(1) | 5 | 0.2 % | 2.7% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1866 081B091B:NARC SRC FR -ASK

Location: 908-909(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31920

Question Number(s): 1B091B

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

B: Took from friend or relative without asking

0="UNMARKED" 1="MARKED"

| V1866: 081B091B:NARC SRC FR -ASK | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 143 | 5.9 % | 78.6% |
| 1 | MARKED:(1) | 39 | 1.6 % | 21.4% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1867 081B091C:NARC SRC FR FREE

Location: 910-911(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31930

Question Number(s): 1B091C

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

C: Given for free by friend or relative

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1867: 081B091C:NARC SRC FR FREE | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 97 | 4.0 % | 53.3% |
| 1 | MARKED:(1) | 85 | 3.5 % | 46.7% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1868 081B091D:NARC SRC FR BGHT

Location: 912-913(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31940

Question Number(s): 1B091D

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

D: Bought from friend or relative

0="UNMARKED" 1="MARKED"

| V1868: 081B091D:NARC SRC FR BGHT | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 127 | 5.2 % | 69.8% |
| 1 | MARKED:(1) | 55 | 2.3 % | 30.2% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1869 081B091E:NARC SRC PRESCR

Location: 914-915(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31950

Question Number(s): 1B091E

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

E: From a prescription I had

- Study 25382 -

0="UNMARKED" 1="MARKED"

| <i>V1869: 081B091E:NARC SRC PRESCRIP</i> | | | | |
|--|--------------|-----------------------------|----------|----------------|
| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
| 0 | NT MARKD:(0) | 109 | 4.5 % | 59.9% |
| 1 | MARKED:(1) | 73 | 3.0 % | 40.1% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1870 081B091F:NARC SRC DEALER

Location: 916-917(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31960

Question Number(s): 1B091F

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

F: Bought from drug dealer/stranger

0="UNMARKED" 1="MARKED"

| <i>V1870: 081B091F:NARC SRC DEALER</i> | | | | |
|--|--------------|-----------------------------|----------|----------------|
| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
| 0 | NT MARKD:(0) | 147 | 6.0 % | 80.8% |
| 1 | MARKED:(1) | 35 | 1.4 % | 19.2% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1871 081B091G:NARC SRC OTHER

Location: 918-919(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31970

Question Number(s): 1B091G

Where did you get the prescription-type narcotics other than heroin you used without a doctor's orders during the last year? (Mark all that apply.)

G: Other method

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1871: 081B091G:NARC SRC OTHER | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 165 | 6.8 % | 90.7% |
| 1 | MARKED:(1) | 17 | 0.7 % | 9.3% |
| -9 (M) | MISSING:(-9) | 2259 | 92.5 % | - |

V1587 081B092A:NARC EXPERIMENT

Location: 920-921(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05230

Question Number(s): 1B092A

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

| V1587: 081B092A:NARC EXPERIMENT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 105 | 4.3 % | 60.3% |
| 1 | MARKED:(1) | 69 | 2.8 % | 39.7% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1588 081B092B:NARC RELAX

Location: 922-923(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05240

Question Number(s): 1B092B

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

B. To relax or relieve tension

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1588: 081B092B:NARC RELAX | | | | |
|----------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 60 | 2.5 % | 34.5% |
| 1 | MARKED:(1) | 114 | 4.7 % | 65.5% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1589 **081B092C:NARC GET HIGH**

Location: 924-925(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05250

Question Number(s): 1B092C

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

C. To feel good or get high

0="UNMARKED" 1="MARKED"

| V1589: 081B092C:NARC GET HIGH | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 87 | 3.6 % | 50.0% |
| 1 | MARKED:(1) | 87 | 3.6 % | 50.0% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1590 **081B092D:NARC SK INSIGTS**

Location: 926-927(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05260

Question Number(s): 1B092D

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

D. To seek deeper insights and understanding

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1590: 081B092D:NARC SK INSIGTS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 160 | 6.6 % | 92.0% |
| 1 | MARKED:(1) | 14 | 0.6 % | 8.0% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1591 **081B092E:NARC GD TM FRND**

Location: 928-929(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05270

Question Number(s): 1B092E

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

| V1591: 081B092E:NARC GD TM FRND | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 134 | 5.5 % | 77.0% |
| 1 | MARKED:(1) | 40 | 1.6 % | 23.0% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1592 **081B092F:NARC FIT IN GRP**

Location: 930-931(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05280

Question Number(s): 1B092F

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

F. To fit in with a group I like

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1592: 081B092F:NARC FIT IN GRP | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 168 | 6.9 % | 96.6% |
| 1 | MARKED:(1) | 6 | 0.2 % | 3.4% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1593 **081B092G:NARC GT AWY PBM**

Location: 932-933(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05290

Question Number(s): 1B092G

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

| V1593: 081B092G:NARC GT AWY PBM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 138 | 5.7 % | 79.3% |
| 1 | MARKED:(1) | 36 | 1.5 % | 20.7% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1594 **081B092H:NARC BOREDOM**

Location: 934-935(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05300

Question Number(s): 1B092H

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

H. Because of boredom, nothing else to do

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1594: 081B092H:NARC BOREDOME | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 153 | 6.3 % | 87.9% |
| 1 | MARKED:(1) | 21 | 0.9 % | 12.1% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1595 081B092I:NARC ANGR&FRSTN

Location: 936-937(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05310

Question Number(s): 1B092I

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

| V1595: 081B092I:NARC ANGR&FRSTN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 151 | 6.2 % | 86.8% |
| 1 | MARKED:(1) | 23 | 0.9 % | 13.2% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1596 081B092J:NARC GT THRU DA

Location: 938-939(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05320

Question Number(s): 1B092J

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

J. To get through the day

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1596: 081B092J:NARC GT THRU DA | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 152 | 6.2 % | 87.4% |
| 1 | MARKED:(1) | 22 | 0.9 % | 12.6% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1597 081B092K:NARC INC EF DG

Location: 940-941(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05330

Question Number(s): 1B092K

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

| V1597: 081B092K:NARC INC EF DG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 161 | 6.6 % | 92.5% |
| 1 | MARKED:(1) | 13 | 0.5 % | 7.5% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1598 081B092L:NARC DEC EF DG

Location: 942-943(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05340

Question Number(s): 1B092L

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

L. To decrease (offset) the effects of some other drug(s)

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1598: 081B092L:NARC DEC EF DG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 172 | 7.0 % | 98.9% |
| 1 | MARKED:(1) | 2 | 0.1 % | 1.1% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1599 **081B092M:NARC GET SLEEP**

Location: 944-945(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05350

Question Number(s): 1B092M

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

M. To get to sleep

0="UNMARKED" 1="MARKED"

| V1599: 081B092M:NARC GET SLEEP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 125 | 5.1 % | 71.8% |
| 1 | MARKED:(1) | 49 | 2.0 % | 28.2% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1600 **081B092N:NARC SBST HERIN**

Location: 946-947(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05360

Question Number(s): 1B092N

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

N. As a substitute for heroin

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1600: 081B092N:NARC SBST HERIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 172 | 7.0 % | 98.9% |
| 1 | MARKED:(1) | 2 | 0.1 % | 1.1% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1697 081B092O:NARC RLV PHYS P

Location: 948-949(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05363

Question Number(s): 1B092O

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

O. To relieve physical pain

0="UNMARKED" 1="MARKED"

| V1697: 081B092O:NARC RLV PHYS P | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 76 | 3.1 % | 43.7% |
| 1 | MARKED:(1) | 98 | 4.0 % | 56.3% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1698 081B092P:NARC RLV COUGHN

Location: 950-951(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05366

Question Number(s): 1B092P

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

P. To control coughing

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1698: 081B092P:NARC RLV COUGHN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 160 | 6.6 % | 92.0% |
| 1 | MARKED:(1) | 14 | 0.6 % | 8.0% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1601 081B092Q:NARC I AM HOOKD

Location: 952-953(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05370

Question Number(s): 1B092Q

What have been the most important reasons for your using narcotics other than heroin without a doctor's orders?
(Mark all that apply.)

Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

| V1601: 081B092Q:NARC I AM HOOKD | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 171 | 7.0 % | 98.3% |
| 1 | MARKED:(1) | 3 | 0.1 % | 1.7% |
| -9 (M) | MISSING:(-9) | 2267 | 92.9 % | - |

V1602 081B093:NARC,GT VERY HI

Location: 954-955(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05380

Question Number(s): 1B093

When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"
4="Very high" 5="I don't take them to get high"

- Study 25382 -

| V1602: 081B093:NARC,GT VERY HI | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT HIGH:(1) | 19 | 0.8 % | 10.5% |
| 2 | LIT HIGH:(2) | 44 | 1.8 % | 24.3% |
| 3 | MOD HIGH:(3) | 63 | 2.6 % | 34.8% |
| 4 | VRy HIGH:(4) | 27 | 1.1 % | 14.9% |
| 5 | N TK HI:(5) | 28 | 1.1 % | 15.5% |
| -9 (M) | MISSING:(-9) | 2260 | 92.6 % | - |

V1603 **081B094:NARC,HI 24+ HRS**

Location: 956-957(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05390

Question Number(s): 1B094

When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

| V1603: 081B094:NARC,HI 24+ HRS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | N GET HI:(1) | 38 | 1.6 % | 21.2% |
| 2 | 1-2 HRS:(2) | 59 | 2.4 % | 33.0% |
| 3 | 3-6 HRS:(3) | 63 | 2.6 % | 35.2% |
| 4 | 7-24 HRS:(4) | 15 | 0.6 % | 8.4% |
| 5 | >24 HRS:(5) | 4 | 0.2 % | 2.2% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1604 **081B095A:NARC TKN MTHDNE**

Location: 958-959(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05400

Question Number(s): 1B095A

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

A. Methadone

- Study 25382 -

0="UNMARKED" 1="MARKED"

| V1604: 081B095A:NARC TKN MTHDNE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 161 | 6.6 % | 89.9% |
| 1 | MARKED:(1) | 18 | 0.7 % | 10.1% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1605 **081B095B:NARC TKN OPIUM**

Location: 960-961(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05410

Question Number(s): 1B095B

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

B. Opium

0="UNMARKED" 1="MARKED"

| V1605: 081B095B:NARC TKN OPIUM | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 160 | 6.6 % | 89.4% |
| 1 | MARKED:(1) | 19 | 0.8 % | 10.6% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1606 **081B095C:NARC TKN MRPHNE**

Location: 962-963(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05420

Question Number(s): 1B095C

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

C. Morphine

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1606: 081B095C:NARC TKN MRPHNE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 134 | 5.5 % | 74.9% |
| 1 | MARKED:(1) | 45 | 1.8 % | 25.1% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1607 081B095D:NARC TKN CODEIN

Location: 964-965(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05430

Question Number(s): 1B095D

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

D. Codeine

0="UNMARKED" 1="MARKED"

| V1607: 081B095D:NARC TKN CODEIN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 101 | 4.1 % | 56.4% |
| 1 | MARKED:(1) | 78 | 3.2 % | 43.6% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1608 081B095E:NARC TKN DEMROL

Location: 966-967(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05440

Question Number(s): 1B095E

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

E. Demerol

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1608: 081B095E:NARC TKN DEMROL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 162 | 6.6 % | 90.5% |
| 1 | MARKED:(1) | 17 | 0.7 % | 9.5% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1816 081B095F:NARC TKN VICODN

Location: 968-969(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05445

Question Number(s): 1B095F

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

F. Vicodin

0="UNMARKED" 1="MARKED"

| V1816: 081B095F:NARC TKN VICODN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 58 | 2.4 % | 32.4% |
| 1 | MARKED:(1) | 121 | 5.0 % | 67.6% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1817 081B095G:NARC TKN OXYCON

Location: 970-971(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05455

Question Number(s): 1B095G

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

G. OxyContin

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1817: 081B095G:NARC TKN OXYCON | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 99 | 4.1 % | 55.3% |
| 1 | MARKED:(1) | 80 | 3.3 % | 44.7% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1818 081B095H:NARC TKN PERCET

Location: 972-973(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05465

Question Number(s): 1B095H

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

H. Percocet

0="UNMARKED" 1="MARKED"

| V1818: 081B095H:NARC TKN PERCET | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 114 | 4.7 % | 63.7% |
| 1 | MARKED:(1) | 65 | 2.7 % | 36.3% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1819 081B095I:NARC TKN PERDAN

Location: 974-975(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05475

Question Number(s): 1B095I

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

I. Percodan

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1819: 081B095I:NARC TKN PERDAN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 175 | 7.2 % | 97.8% |
| 1 | MARKED:(1) | 4 | 0.2 % | 2.2% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1872 081B095J:NARC TKN ULTRAM

Location: 976-977(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31980

Question Number(s): 1B095J

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

J. Ultram

0="UNMARKED" 1="MARKED"

| V1872: 081B095J:NARC TKN ULTRAM | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 172 | 7.0 % | 96.1% |
| 1 | MARKED:(1) | 7 | 0.3 % | 3.9% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1612 081B095K:NARC TKN OTHER

Location: 978-979(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05480

Question Number(s): 1B095K

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

K. Other

0="UNMARKED" 1="MARKED"

- Study 25382 -

| V1612: 081B095K:NARC TKN OTHER | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 148 | 6.1 % | 82.7% |
| 1 | MARKED:(1) | 31 | 1.3 % | 17.3% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1613 081B095L:NARC TKN DNT KN

Location: 980-981(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05490

Question Number(s): 1B095L

What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.)

L. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

| V1613: 081B095L:NARC TKN DNT KN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 161 | 6.6 % | 89.9% |
| 1 | MARKED:(1) | 18 | 0.7 % | 10.1% |
| -9 (M) | MISSING:(-9) | 2262 | 92.7 % | - |

V1614 081B096:TRY STP NARC&FL

Location: 982-983(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05500

Question Number(s): 1B096

Have you ever tried to stop using narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

| V1614: 081B096:TRY STP NARC&FL | | | | |
|--------------------------------|---------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | YES:(1) | 10 | 0.4 % | 5.6% |

- Study 25382 -

| V1614: 081B096:TRY STP NARC&FL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | NO:(2) | 168 | 6.9 % | 94.4% |
| -9 (M) | MISSING:(-9) | 2263 | 92.7 % | - |

V1615 081B097A:METH NARC SNORT

Location: 984-985(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question: Item Number: 05510

Question Number(s): 1B097A

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

| V1615: 081B097A:METH NARC SNORT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 112 | 4.6 % | 64.0% |
| 1 | MARKED:(1) | 63 | 2.6 % | 36.0% |
| -9 (M) | MISSING:(-9) | 2266 | 92.8 % | - |

V1616 081B097B:METH NARC SMOKE

Location: 986-987(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question: Item Number: 05520

Question Number(s): 1B097B

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

B. Smoking

0="UNMARKED" 1="MARKED"

| V1616: 081B097B:METH NARC SMOKE | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 166 | 6.8 % | 94.9% |

- Study 25382 -

| V1616: 081B097B:METH NARC SMOKE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MARKED:(1) | 9 | 0.4 % | 5.1% |
| -9 (M) | MISSING:(-9) | 2266 | 92.8 % | - |

V1617 081B097C:METH NARC INJCT

Location: 988-989(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05530

Question Number(s): 1B097C

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

C. Injection

0="UNMARKED" 1="MARKED"

| V1617: 081B097C:METH NARC INJCT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 168 | 6.9 % | 96.0% |
| 1 | MARKED:(1) | 7 | 0.3 % | 4.0% |
| -9 (M) | MISSING:(-9) | 2266 | 92.8 % | - |

V1618 081B097D:METH NARC MOUTH

Location: 990-991(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05540

Question Number(s): 1B097D

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

D. By mouth

0="UNMARKED" 1="MARKED"

| V1618: 081B097D:METH NARC MOUTH | | | | |
|---------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 14 | 0.6 % | 8.0% |

- Study 25382 -

| V1618: 081B097D:METH NARC MOUTH | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MARKED:(1) | 161 | 6.6 % | 92.0% |
| -9 (M) | MISSING:(-9) | 2266 | 92.8 % | - |

V1619 081B097E:METH NARC OTHER

Location: 992-993(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05550

Question Number(s): 1B097E

What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.)

E. Other

0="UNMARKED" 1="MARKED"

| V1619: 081B097E:METH NARC OTHER | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 171 | 7.0 % | 97.7% |
| 1 | MARKED:(1) | 4 | 0.2 % | 2.3% |
| -9 (M) | MISSING:(-9) | 2266 | 92.8 % | - |

V1620 081B098:NO NARC IN 5YR

Location: 994-995(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05560

Question Number(s): 1B098

Do you think you will be using any narcotics other than heroin without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| V1620: 081B098:NO NARC IN 5YR | | | | |
|-------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WILL:(1) | 12 | 0.5 % | 0.5% |

- Study 25382 -

| V1620: 081B098:NO NARC IN 5YR | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | PRB WILL:(2) | 62 | 2.5 % | 2.8% |
| 3 | PRB WONT:(3) | 254 | 10.4 % | 11.4% |
| 4 | DEF WONT:(4) | 1902 | 77.9 % | 85.3% |
| -9 (M) | MISSING:(-9) | 211 | 8.6 % | - |

V1762 081B099:ATTND DRG TRTMN

Location: 996-997(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22360

Question Number(s): 1B099

Have you ever attended a treatment program for alcohol or drug abuse where you stayed overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

| V1762: 081B099:ATTND DRG TRTMN | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO/NVR:(1) | 2216 | 90.8 % | 99.0% |
| 2 | Y/-PSTYR:(2) | 15 | 0.6 % | 0.7% |
| 3 | Y/PST YR:(3) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 202 | 8.3 % | - |

V1763 081B100:RCV DRG COUNSEL

Location: 998-999(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22370

Question Number(s): 1B100

Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

- Study 25382 -

| V1763: 081B100:RCV DRG COUNSEL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO/NVR:(1) | 2169 | 88.9 % | 97.0% |
| 2 | Y/-PSTYR:(2) | 41 | 1.7 % | 1.8% |
| 3 | Y/PST YR:(3) | 27 | 1.1 % | 1.2% |
| -9 (M) | MISSING:(-9) | 204 | 8.4 % | - |

V1621 081B101A:GR 1ST SMOK DLY

Location: 1000-1001(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05570

Question Number(s): 1B101A

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1621: 081B101A:GR 1ST SMOK DLY | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 34 | 1.4 % | 1.6% |
| 2 | GRADE 7:(2) | 18 | 0.7 % | 0.8% |
| 3 | GRADE 8:(3) | 53 | 2.2 % | 2.4% |
| 4 | GRADE 9:(4) | 84 | 3.4 % | 3.8% |
| 5 | GRADE 10:(5) | 69 | 2.8 % | 3.2% |
| 6 | GRADE 11:(6) | 87 | 3.6 % | 4.0% |
| 7 | GRADE 12:(7) | 72 | 2.9 % | 3.3% |
| 8 | NEVER:(8) | 1767 | 72.4 % | 80.9% |
| -9 (M) | MISSING:(-9) | 257 | 10.5 % | - |

V1622 081B101B:GR 1ST TRY ALC

Location: 1002-1003(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05580

Question Number(s): 1B101B

- Study 25382 -

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1622: 081B101B:GR 1ST TRY ALC | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 120 | 4.9 % | 5.8% |
| 2 | GRADE 7:(2) | 146 | 6.0 % | 7.0% |
| 3 | GRADE 8:(3) | 239 | 9.8 % | 11.5% |
| 4 | GRADE 9:(4) | 351 | 14.4 % | 16.9% |
| 5 | GRADE 10:(5) | 324 | 13.3 % | 15.6% |
| 6 | GRADE 11:(6) | 260 | 10.7 % | 12.5% |
| 7 | GRADE 12:(7) | 166 | 6.8 % | 8.0% |
| 8 | NEVER:(8) | 466 | 19.1 % | 22.5% |
| -9 (M) | MISSING:(-9) | 369 | 15.1 % | - |

V1623

081B101C:GR 1ST TRY MJ

Location: 1004-1005(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05590

Question Number(s): 1B101C

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1623: 081B101C:GR 1ST TRY MJ | | | | |
|-------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 52 | 2.1 % | 2.4% |
| 2 | GRADE 7:(2) | 65 | 2.7 % | 2.9% |
| 3 | GRADE 8:(3) | 119 | 4.9 % | 5.4% |
| 4 | GRADE 9:(4) | 205 | 8.4 % | 9.3% |

- Study 25382 -

| V1623: 081B101C:GR 1ST TRY MJ | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | GRADE 10:(5) | 198 | 8.1 % | 9.0% |
| 6 | GRADE 11:(6) | 161 | 6.6 % | 7.3% |
| 7 | GRADE 12:(7) | 106 | 4.3 % | 4.8% |
| 8 | NEVER:(8) | 1298 | 53.2 % | 58.9% |
| -9 (M) | MISSING:(-9) | 237 | 9.7 % | - |

V1624 **081B101D:GR 1ST TRY LSD**

Location: 1006-1007(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05600

Question Number(s): 1B101D

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1624: 081B101D:GR 1ST TRY LSD | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 4 | 0.2 % | 0.2% |
| 2 | GRADE 7:(2) | 2 | 0.1 % | 0.1% |
| 3 | GRADE 8:(3) | 11 | 0.5 % | 0.5% |
| 4 | GRADE 9:(4) | 9 | 0.4 % | 0.4% |
| 5 | GRADE 10:(5) | 14 | 0.6 % | 0.6% |
| 6 | GRADE 11:(6) | 20 | 0.8 % | 0.9% |
| 7 | GRADE 12:(7) | 15 | 0.6 % | 0.7% |
| 8 | NEVER:(8) | 2149 | 88.0 % | 96.6% |
| -9 (M) | MISSING:(-9) | 217 | 8.9 % | - |

V1625 **081B101E:GR 1ST TRY PSY**

Location: 1008-1009(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05610

- Study 25382 -

Question Number(s): 1B101E

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1625: 081B101E:GR 1ST TRY PSY | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 4 | 0.2 % | 0.2% |
| 2 | GRADE 7:(2) | 2 | 0.1 % | 0.1% |
| 3 | GRADE 8:(3) | 10 | 0.4 % | 0.5% |
| 4 | GRADE 9:(4) | 13 | 0.5 % | 0.6% |
| 5 | GRADE 10:(5) | 28 | 1.1 % | 1.3% |
| 6 | GRADE 11:(6) | 35 | 1.4 % | 1.6% |
| 7 | GRADE 12:(7) | 33 | 1.4 % | 1.5% |
| 8 | NEVER:(8) | 2076 | 85.0 % | 94.3% |
| -9 (M) | MISSING:(-9) | 240 | 9.8 % | - |

V1626

081B101F:GR 1ST TRY AMP

Location: 1010-1011(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05620

Question Number(s): 1B101F

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1626: 081B101F:GR 1ST TRY AMP | | | | |
|--------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 7 | 0.3 % | 0.3% |
| 2 | GRADE 7:(2) | 5 | 0.2 % | 0.2% |
| 3 | GRADE 8:(3) | 7 | 0.3 % | 0.3% |
| 4 | GRADE 9:(4) | 25 | 1.0 % | 1.2% |

- Study 25382 -

| V1626: 081B101F:GR 1ST TRY AMP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | GRADE 10:(5) | 24 | 1.0 % | 1.1% |
| 6 | GRADE 11:(6) | 29 | 1.2 % | 1.3% |
| 7 | GRADE 12:(7) | 19 | 0.8 % | 0.9% |
| 8 | NEVER:(8) | 2044 | 83.7 % | 94.6% |
| -9 (M) | MISSING:(-9) | 281 | 11.5 % | - |

V1627 081B101G:GR 1ST TRY QUA

Location: 1012-1013(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05630

Question Number(s): 1B101G

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1627: 081B101G:GR 1ST TRY QUA | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 2 | 0.1 % | 0.1% |
| 2 | GRADE 7:(2) | 1 | 0.0 % | 0.0% |
| 3 | GRADE 8:(3) | 1 | 0.0 % | 0.0% |
| 4 | GRADE 9:(4) | 1 | 0.0 % | 0.0% |
| 5 | GRADE 10:(5) | 2 | 0.1 % | 0.1% |
| 6 | GRADE 11:(6) | 2 | 0.1 % | 0.1% |
| 7 | GRADE 12:(7) | 1 | 0.0 % | 0.0% |
| 8 | NEVER:(8) | 2206 | 90.4 % | 99.5% |
| -9 (M) | MISSING:(-9) | 225 | 9.2 % | - |

V1628 081B101H:GR 1ST TRY BRB

Location: 1014-1015(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05640

- Study 25382 -

Question Number(s): 1B101H

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

H: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1628: 081B101H:GR 1ST TRY BRB | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 2 | 0.1 % | 0.1% |
| 2 | GRADE 7:(2) | 0 | 0.0 % | - |
| 3 | GRADE 8:(3) | 6 | 0.2 % | 0.3% |
| 4 | GRADE 9:(4) | 3 | 0.1 % | 0.1% |
| 5 | GRADE 10:(5) | 6 | 0.2 % | 0.3% |
| 6 | GRADE 11:(6) | 8 | 0.3 % | 0.4% |
| 7 | GRADE 12:(7) | 6 | 0.2 % | 0.3% |
| 8 | NEVER:(8) | 2194 | 89.9 % | 98.6% |
| -9 (M) | MISSING:(-9) | 216 | 8.8 % | - |

V1629

081B101I:GR 1ST TRY TRN

Location: 1016-1017(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05650

Question Number(s): 1B101I

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1629: 081B101I:GR 1ST TRY TRN | | | | |
|--------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 6 | 0.2 % | 0.3% |
| 2 | GRADE 7:(2) | 4 | 0.2 % | 0.2% |
| 3 | GRADE 8:(3) | 11 | 0.5 % | 0.5% |
| 4 | GRADE 9:(4) | 19 | 0.8 % | 0.9% |

- Study 25382 -

| V1629: 081B101I:GR 1ST TRY TRN | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | GRADE 10:(5) | 27 | 1.1 % | 1.2% |
| 6 | GRADE 11:(6) | 32 | 1.3 % | 1.5% |
| 7 | GRADE 12:(7) | 20 | 0.8 % | 0.9% |
| 8 | NEVER:(8) | 2050 | 84.0 % | 94.5% |
| -9 (M) | MISSING:(-9) | 272 | 11.1 % | - |

V1630

081B101J:GR 1ST TRY COK

Location: 1018-1019(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05660

Question Number(s): 1B101J

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1630: 081B101J:GR 1ST TRY COK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 7 | 0.3 % | 0.3% |
| 2 | GRADE 7:(2) | 5 | 0.2 % | 0.2% |
| 3 | GRADE 8:(3) | 13 | 0.5 % | 0.6% |
| 4 | GRADE 9:(4) | 19 | 0.8 % | 0.9% |
| 5 | GRADE 10:(5) | 32 | 1.3 % | 1.4% |
| 6 | GRADE 11:(6) | 36 | 1.5 % | 1.6% |
| 7 | GRADE 12:(7) | 34 | 1.4 % | 1.5% |
| 8 | NEVER:(8) | 2078 | 85.1 % | 93.4% |
| -9 (M) | MISSING:(-9) | 217 | 8.9 % | - |

V1631

081B101K:GR 1ST TRY HER

Location: 1020-1021(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05670

- Study 25382 -

Question Number(s): 1B101K

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1631: 081B101K:GR 1ST TRY HER | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 6 | 0.2 % | 0.3% |
| 2 | GRADE 7:(2) | 1 | 0.0 % | 0.0% |
| 3 | GRADE 8:(3) | 0 | 0.0 % | - |
| 4 | GRADE 9:(4) | 2 | 0.1 % | 0.1% |
| 5 | GRADE 10:(5) | 5 | 0.2 % | 0.2% |
| 6 | GRADE 11:(6) | 6 | 0.2 % | 0.3% |
| 7 | GRADE 12:(7) | 5 | 0.2 % | 0.2% |
| 8 | NEVER:(8) | 2200 | 90.1 % | 98.9% |
| -9 (M) | MISSING:(-9) | 216 | 8.8 % | - |

V1632

081B101L:GR 1ST TRY NRC

Location: 1022-1023(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05680

Question Number(s): 1B101L

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1632: 081B101L:GR 1ST TRY NRC | | | | |
|--------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 11 | 0.5 % | 0.5% |
| 2 | GRADE 7:(2) | 6 | 0.2 % | 0.3% |
| 3 | GRADE 8:(3) | 10 | 0.4 % | 0.5% |
| 4 | GRADE 9:(4) | 40 | 1.6 % | 1.9% |

- Study 25382 -

| V1632: 081B101L:GR 1ST TRY NRC | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | GRADE 10:(5) | 42 | 1.7 % | 1.9% |
| 6 | GRADE 11:(6) | 65 | 2.7 % | 3.0% |
| 7 | GRADE 12:(7) | 33 | 1.4 % | 1.5% |
| 8 | NEVER:(8) | 1947 | 79.8 % | 90.4% |
| -9 (M) | MISSING:(-9) | 287 | 11.8 % | - |

V1748 081B101M:GR 1ST SMOK EVR

Location: 1024-1025(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05575

Question Number(s): 1B101M

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1748: 081B101M:GR 1ST SMOK EVR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 160 | 6.6 % | 7.6% |
| 2 | GRADE 7:(2) | 107 | 4.4 % | 5.1% |
| 3 | GRADE 8:(3) | 131 | 5.4 % | 6.2% |
| 4 | GRADE 9:(4) | 159 | 6.5 % | 7.5% |
| 5 | GRADE 10:(5) | 138 | 5.7 % | 6.5% |
| 6 | GRADE 11:(6) | 105 | 4.3 % | 5.0% |
| 7 | GRADE 12:(7) | 74 | 3.0 % | 3.5% |
| 8 | NEVER:(8) | 1239 | 50.8 % | 58.6% |
| -9 (M) | MISSING:(-9) | 328 | 13.4 % | - |

V1749 081B101N:GR 1ST DRUNK

Location: 1026-1027(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05585

- Study 25382 -

Question Number(s): 1B101N

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1749: 081B101N:GR 1ST DRUNK | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 43 | 1.8 % | 2.1% |
| 2 | GRADE 7:(2) | 65 | 2.7 % | 3.2% |
| 3 | GRADE 8:(3) | 154 | 6.3 % | 7.5% |
| 4 | GRADE 9:(4) | 260 | 10.7 % | 12.6% |
| 5 | GRADE 10:(5) | 256 | 10.5 % | 12.4% |
| 6 | GRADE 11:(6) | 224 | 9.2 % | 10.9% |
| 7 | GRADE 12:(7) | 127 | 5.2 % | 6.2% |
| 8 | NEVER:(8) | 933 | 38.2 % | 45.2% |
| -9 (M) | MISSING:(-9) | 379 | 15.5 % | - |

V1783

081B101O:GR 1ST TRY CRAC

Location: 1028-1029(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05661

Question Number(s): 1B101O

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1783: 081B101O:GR 1ST TRY CRAC | | | | |
|---------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 6 | 0.2 % | 0.3% |
| 2 | GRADE 7:(2) | 0 | 0.0 % | - |
| 3 | GRADE 8:(3) | 3 | 0.1 % | 0.1% |
| 4 | GRADE 9:(4) | 7 | 0.3 % | 0.3% |

- Study 25382 -

| V1783: 081B101O:GR 1ST TRY CRAC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | GRADE 10:(5) | 9 | 0.4 % | 0.4% |
| 6 | GRADE 11:(6) | 4 | 0.2 % | 0.2% |
| 7 | GRADE 12:(7) | 6 | 0.2 % | 0.3% |
| 8 | NEVER:(8) | 2181 | 89.3 % | 98.4% |
| -9 (M) | MISSING:(-9) | 225 | 9.2 % | - |

V1784 **081B101P:GR 1ST TRY ICE**

Location: 1030-1031(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24430

Question Number(s): 1B101P

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

| V1784: 081B101P:GR 1ST TRY ICE | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRADE 6:(1) | 14 | 0.6 % | 0.6% |
| 2 | GRADE 7:(2) | 3 | 0.1 % | 0.1% |
| 3 | GRADE 8:(3) | 0 | 0.0 % | - |
| 4 | GRADE 9:(4) | 7 | 0.3 % | 0.3% |
| 5 | GRADE 10:(5) | 8 | 0.3 % | 0.4% |
| 6 | GRADE 11:(6) | 6 | 0.2 % | 0.3% |
| 7 | GRADE 12:(7) | 2 | 0.1 % | 0.1% |
| 8 | NEVER:(8) | 2208 | 90.5 % | 98.2% |
| -9 (M) | MISSING:(-9) | 193 | 7.9 % | - |

V1785 **081B102A:ALL FRD SMK CIG**

Location: 1032-1033(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07070

- Study 25382 -

Question Number(s): 1B102A

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| V1785: 081B102A:ALL FRD SMK CIG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 413 | 16.9 % | 18.3% |
| 2 | A FEW:(2) | 861 | 35.3 % | 38.1% |
| 3 | SOME:(3) | 637 | 26.1 % | 28.2% |
| 4 | MOST:(4) | 318 | 13.0 % | 14.1% |
| 5 | ALL:(5) | 32 | 1.3 % | 1.4% |
| -9 (M) | MISSING:(-9) | 180 | 7.4 % | - |

V1786 081B102B:ALL FRD SMK MAR

Location: 1034-1035(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07080

Question Number(s): 1B102B

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| V1786: 081B102B:ALL FRD SMK MAR | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 439 | 18.0 % | 19.4% |
| 2 | A FEW:(2) | 683 | 28.0 % | 30.2% |
| 3 | SOME:(3) | 651 | 26.7 % | 28.8% |
| 4 | MOST:(4) | 419 | 17.2 % | 18.5% |
| 5 | ALL:(5) | 69 | 2.8 % | 3.1% |
| -9 (M) | MISSING:(-9) | 180 | 7.4 % | - |

V1787 081B102C:# FRNDS TK CRAC

Location: 1036-1037(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 07151

Question Number(s): 1B102C

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| V1787: 081B102C:# FRNDS TK CRAC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1794 | 73.5 % | 79.6% |
| 2 | A FEW:(2) | 379 | 15.5 % | 16.8% |
| 3 | SOME:(3) | 57 | 2.3 % | 2.5% |
| 4 | MOST:(4) | 19 | 0.8 % | 0.8% |
| 5 | ALL:(5) | 5 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 187 | 7.7 % | - |

V1788

081B102D:# FRNDS TK C PW

Location: 1038-1039(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23990

Question Number(s): 1B102D

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| V1788: 081B102D:# FRNDS TK C PW | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1676 | 68.7 % | 74.9% |
| 2 | A FEW:(2) | 449 | 18.4 % | 20.1% |
| 3 | SOME:(3) | 85 | 3.5 % | 3.8% |
| 4 | MOST:(4) | 18 | 0.7 % | 0.8% |
| 5 | ALL:(5) | 9 | 0.4 % | 0.4% |
| -9 (M) | MISSING:(-9) | 204 | 8.4 % | - |

V1789

081B102E:ALL FRD DRK ALC

Location: 1040-1041(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07190

Question Number(s): 1B102E

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| V1789: 081B102E:ALL FRD DRK ALC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 181 | 7.4 % | 8.1% |
| 2 | A FEW:(2) | 254 | 10.4 % | 11.3% |
| 3 | SOME:(3) | 464 | 19.0 % | 20.7% |
| 4 | MOST:(4) | 904 | 37.0 % | 40.2% |
| 5 | ALL:(5) | 443 | 18.1 % | 19.7% |
| -9 (M) | MISSING:(-9) | 195 | 8.0 % | - |

V1790 081B102F:ALL FRD GT DRUN

Location: 1042-1043(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07200

Question Number(s): 1B102F

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

| V1790: 081B102F:ALL FRD GT DRUN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 535 | 21.9 % | 23.7% |
| 2 | A FEW:(2) | 669 | 27.4 % | 29.6% |
| 3 | SOME:(3) | 551 | 22.6 % | 24.4% |
| 4 | MOST:(4) | 384 | 15.7 % | 17.0% |
| 5 | ALL:(5) | 118 | 4.8 % | 5.2% |
| -9 (M) | MISSING:(-9) | 184 | 7.5 % | - |

- Study 25382 -

V1148 081C01(R):AGE <>18 DICHOTOMY

Location: 1044-1045(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 1C001-2

Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

| V1148: 081C01(R):AGE <>18 DICHOTOMY | | | | |
|-------------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | < 18:(1) | 980 | 40.1 % | 43.0% |
| 2 | 18+:(2) | 1301 | 53.3 % | 57.0% |
| -9 (M) | MISSING:(-9) | 160 | 6.6 % | - |

V1150 081C003:R'S SEX

Location: 1046-1047(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00030

Question Number(s): 1C003

What is your sex?

1="Male" 2="Female"

| V1150: 081C003:R'S SEX | | | | |
|------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MALE:(1) | 1083 | 44.4 % | 48.7% |
| 2 | FEMALE:(2) | 1143 | 46.8 % | 51.3% |
| -9 (M) | MISSING:(-9) | 215 | 8.8 % | - |

V1151 081C04(R):R'S RACE B/W/H

Location: 1048-1049(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number:

Question Number(s): 1C004A-I

How do you describe yourself? (Select one or more responses.)
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
 3="Hispanic" [see above]

| V1151: 081C04(R):R'S RACE B/W/H | | | | |
|---------------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | BLACK: (1) | 288 | 11.8 % | 14.5% |
| 2 | WHITE: (2) | 1357 | 55.6 % | 68.2% |
| 3 | HISPANIC: (3) | 345 | 14.1 % | 17.3% |
| -9 (M) | MISSING:(-9) | 451 | 18.5 % | - |

V1152

081C005:R SPD >TIM R-UR

Location: 1050-1051(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00050

Question Number(s): 1C005

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

| V1152: 081C005:R SPD >TIM R-UR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | DK/MIXED:(0) | 348 | 14.3 % | 14.3% |

- Study 25382 -

| V1152: 081C005:R SPD >TIM R-UR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | FARM:(1) | 79 | 3.2 % | 3.2% |
| 2 | COUNTRY:(2) | 208 | 8.5 % | 8.5% |
| 3 | SML TOWN:(3) | 551 | 22.6 % | 22.6% |
| 4 | MED CITY:(4) | 296 | 12.1 % | 12.1% |
| 5 | SUBURB 4:(5) | 218 | 8.9 % | 8.9% |
| 6 | LRG CITY:(6) | 274 | 11.2 % | 11.2% |
| 7 | SUBURB 6:(7) | 187 | 7.7 % | 7.7% |
| 8 | VRYLG CY:(8) | 162 | 6.6 % | 6.6% |
| 9 | SUBURB 8:(9) | 118 | 4.8 % | 4.8% |
| -9 (M) | MISSING:(-9) | 0 | 0.0 % | - |

V1153 081C006:R NOT MARRIED

Location: 1052-1053(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00060

Question Number(s): 1C006

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

| V1153: 081C006:R NOT MARRIED | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MARRIED:(1) | 71 | 2.9 % | 3.1% |
| 2 | ENGAGED:(2) | 113 | 4.6 % | 5.0% |
| 3 | SEP/DIV:(3) | 35 | 1.4 % | 1.5% |
| 4 | SINGLE:(4) | 2042 | 83.7 % | 90.3% |
| -9 (M) | MISSING:(-9) | 180 | 7.4 % | - |

V49 081C07(R):# SIBLINGS

Location: 1054-1055(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 1C007A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers

- Study 25382 -

and sisters) a) Older brothers and sisters" (item 00075);
"b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six
or more"

For this dataset, responses to the two questions are added
and bracketed so that 3 is the highest category, meaning
"Three or more younger or older brothers or sisters".

| V49: 081C07(R):# SIBLINGS | | | | |
|---------------------------|---------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NONE:(0) | 154 | 6.3 % | 6.8% |
| 1 | ONE:(1) | 672 | 27.5 % | 29.7% |
| 2 | TWO:(2) | 601 | 24.6 % | 26.6% |
| 3 | 3 OR MORE:(3) | 836 | 34.2 % | 36.9% |
| -9 (M) | MISSING:(-9) | 178 | 7.3 % | - |

V1155 081C07Cb(R):R'S HSHLD FATHER

Location: 1056-1057(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00090

Question Number(s): 1C007Cb

Which of the following people live in the same household with
you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

| V1155: 081C07Cb(R):R'S HSHLD FATHER | | | | |
|-------------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 688 | 28.2 % | 30.5% |
| 1 | MARKED:(1) | 1565 | 64.1 % | 69.5% |
| -9 (M) | MISSING:(-9) | 188 | 7.7 % | - |

V1156 081C07Cc(R):R'S HSHLD MOTHER

Location: 1058-1059(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00100

- Study 25382 -

Question Number(s): 1C007Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

| V1156: 081C07Cc(R):R'S HSHLD MOTHER | | | | |
|-------------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 255 | 10.4 % | 11.3% |
| 1 | MARKED:(1) | 1998 | 81.9 % | 88.7% |
| -9 (M) | MISSING:(-9) | 188 | 7.7 % | - |

V1157 081C07Cd(R):R'S HSHLD BR/SR

Location: 1060-1061(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00110

Question Number(s): 1C007Cd

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

| V1157: 081C07Cd(R):R'S HSHLD BR/SR | | | | |
|------------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 787 | 32.2 % | 34.9% |
| 1 | MARKED:(1) | 1466 | 60.1 % | 65.1% |
| -9 (M) | MISSING:(-9) | 188 | 7.7 % | - |

V1163 081C008:FATHR EDUC LEVE

Location: 1062-1063(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00310

Question Number(s): 1C008

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

| V1163: 081C008:FATHR EDUC LEVE | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRDE SCH:(1) | 79 | 3.2 % | 3.5% |
| 2 | SOME HS:(2) | 255 | 10.4 % | 11.4% |
| 3 | HS GRAD:(3) | 543 | 22.2 % | 24.2% |
| 4 | SOME CLG:(4) | 380 | 15.6 % | 16.9% |
| 5 | CLG GRAD:(5) | 495 | 20.3 % | 22.1% |
| 6 | GRAD SCH:(6) | 304 | 12.5 % | 13.5% |
| 7 | DK:(7) | 188 | 7.7 % | 8.4% |
| -9 (M) | MISSING:(-9) | 197 | 8.1 % | - |

V1164

081C009:MOTHR EDUC LEVE

Location: 1064-1065(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00320

Question Number(s): 1C009

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

| V1164: 081C009:MOTHR EDUC LEVE | | | | |
|--------------------------------|--------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | GRDE SCH:(1) | 84 | 3.4 % | 3.8% |
| 2 | SOME HS:(2) | 190 | 7.8 % | 8.5% |

- Study 25382 -

| V1164: 081C009:MOTHR EDUC LEVE | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | HS GRAD:(3) | 506 | 20.7 % | 22.6% |
| 4 | SOME CLG:(4) | 460 | 18.8 % | 20.5% |
| 5 | CLG GRAD:(5) | 632 | 25.9 % | 28.2% |
| 6 | GRAD SCH:(6) | 274 | 11.2 % | 12.2% |
| 7 | DK:(7) | 93 | 3.8 % | 4.2% |
| -9 (M) | MISSING:(-9) | 202 | 8.3 % | - |

V1165 081C010:MOTH PD JB R YN

Location: 1066-1067(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00330

Question Number(s): 1C010

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

| V1165: 081C010:MOTH PD JB R YN | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 331 | 13.6 % | 14.9% |
| 2 | SOMETIME:(2) | 397 | 16.3 % | 17.8% |
| 3 | MOSTTIME:(3) | 386 | 15.8 % | 17.3% |
| 4 | ALL TIME:(4) | 1111 | 45.5 % | 49.9% |
| -9 (M) | MISSING:(-9) | 216 | 8.8 % | - |

V1166 081C011:R'S POLTL PRFNC

Location: 1068-1069(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00340

Question Number(s): 1C011

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No"

- Study 25382 -

preference" 7="Other" 8="Don't know, haven't decided"

| V1166: 081C011:R'S POLTL PRFNC | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | STRG GOP:(1) | 168 | 6.9 % | 7.9% |
| 2 | MILD GOP:(2) | 316 | 12.9 % | 14.9% |
| 3 | MILD DEM:(3) | 316 | 12.9 % | 14.9% |
| 4 | STRG DEM:(4) | 316 | 12.9 % | 14.9% |
| 5 | INDEPNDT:(5) | 221 | 9.1 % | 10.5% |
| 6 | NO PREF:(6) | 277 | 11.3 % | 13.1% |
| 7 | OTHER:(7) | 28 | 1.1 % | 1.3% |
| 8 | DK:(8) | 472 | 19.3 % | 22.3% |
| -9 (M) | MISSING:(-9) | 327 | 13.4 % | - |

V1167 **081C012:R'POL BLF RADCL**

Location: 1070-1071(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00350

Question Number(s): 1C012

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very liberal" 6="Radical" 8="None of
the above, or don't know"

| V1167: 081C012:R'POL BLF RADCL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | VRV CONS:(1) | 109 | 4.5 % | 4.9% |
| 2 | CONSERV:(2) | 246 | 10.1 % | 11.1% |
| 3 | MODERATE:(3) | 526 | 21.5 % | 23.8% |
| 4 | LIBERAL:(4) | 361 | 14.8 % | 16.3% |
| 5 | VRV LIB:(5) | 130 | 5.3 % | 5.9% |
| 6 | RADICAL:(6) | 41 | 1.7 % | 1.9% |
| 8 | NONE/DK:(8) | 801 | 32.8 % | 36.2% |
| -9 (M) | MISSING:(-9) | 227 | 9.3 % | - |

V1169 **081C013B:R'ATTND REL SVC**

Location: 1072-1073(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00370

Question Number(s): 1C013B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

| V1169: 081C013B:R'ATTND REL SVC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NEVER:(1) | 342 | 14.0 % | 20.6% |
| 2 | RARELY:(2) | 566 | 23.2 % | 34.2% |
| 3 | 1-2X/MO:(3) | 267 | 10.9 % | 16.1% |
| 4 | 1/WK OR+:(4) | 482 | 19.7 % | 29.1% |
| -9 (M) | MISSING:(-9) | 784 | 32.1 % | - |

V1170

081C013C:RLGN IMP R'S LF

Location: 1074-1075(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00380

Question Number(s): 1C013C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

| V1170: 081C013C:RLGN IMP R'S LF | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 343 | 14.1 % | 20.7% |
| 2 | LITL IMP:(2) | 424 | 17.4 % | 25.6% |
| 3 | PRTY IMP:(3) | 482 | 19.7 % | 29.1% |
| 4 | VERY IMP:(4) | 410 | 16.8 % | 24.7% |
| -9 (M) | MISSING:(-9) | 782 | 32.0 % | - |

V1171

081C014:WHEN R XPCT GRA

Location: 1076-1077(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 1C014

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

| V1171: 081C014:WHEN R XPCT GRA | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | BY JUNE:(1) | 2172 | 89.0 % | 98.0% |
| 2 | JULY-JAN:(2) | 28 | 1.1 % | 1.3% |
| 3 | AFT JAN:(3) | 0 | 0.0 % | - |
| 6 | WONT:(6) | 17 | 0.7 % | 0.8% |
| -9 (M) | MISSING:(-9) | 224 | 9.2 % | - |

V1172 081C015:R'S HS PROGRAM

Location: 1078-1079(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00400

Question Number(s): 1C015

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

| V1172: 081C015:R'S HS PROGRAM | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | CLG PREP:(1) | 1182 | 48.4 % | 53.8% |
| 2 | GENERAL:(2) | 734 | 30.1 % | 33.4% |
| 3 | VOC-TECH:(3) | 94 | 3.9 % | 4.3% |
| 4 | OTH/DK:(4) | 189 | 7.7 % | 8.6% |
| -9 (M) | MISSING:(-9) | 242 | 9.9 % | - |

V1173 081C016:RT SF SCH AB>AV

Location: 1080-1081(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00410

Question Number(s): 1C016

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

| V1173: 081C016:RT SF SCH AB>AV | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | FAR BLOW:(1) | 32 | 1.3 % | 1.5% |
| 2 | BELOW AV:(2) | 42 | 1.7 % | 1.9% |
| 3 | SL BELOW:(3) | 82 | 3.4 % | 3.7% |
| 4 | AVERAGE:(4) | 675 | 27.7 % | 30.8% |
| 5 | SL ABOVE:(5) | 540 | 22.1 % | 24.6% |
| 6 | ABOVE AV:(6) | 657 | 26.9 % | 30.0% |
| 7 | FAR ABOV:(7) | 163 | 6.7 % | 7.4% |
| -9 (M) | MISSING:(-9) | 250 | 10.2 % | - |

V1174

081C017:RT SF INTELL>AV

Location: 1082-1083(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00420

Question Number(s): 1C017

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

| V1174: 081C017:RT SF INTELL>AV | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | FAR BLOW:(1) | 24 | 1.0 % | 1.1% |
| 2 | BELOW AV:(2) | 36 | 1.5 % | 1.6% |
| 3 | SL BELOW:(3) | 70 | 2.9 % | 3.2% |
| 4 | AVERAGE:(4) | 611 | 25.0 % | 27.8% |
| 5 | SL ABOVE:(5) | 577 | 23.6 % | 26.3% |

- Study 25382 -

| V1174: 081C017:RT SF INTELL>AV | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 6 | ABOVE AV:(6) | 673 | 27.6 % | 30.6% |
| 7 | FAR ABOV:(7) | 207 | 8.5 % | 9.4% |
| -9 (M) | MISSING:(-9) | 243 | 10.0 % | - |

V1175 081C018A:#DA/4W SC MS IL

Location: 1084-1085(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00430

Question Number(s): 1C018A

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| V1175: 081C018A:#DA/4W SC MS IL | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1217 | 49.9 % | 56.2% |
| 2 | 1 DAY:(2) | 394 | 16.1 % | 18.2% |
| 3 | 2 DAYS:(3) | 256 | 10.5 % | 11.8% |
| 4 | 3 DAYS:(4) | 133 | 5.4 % | 6.1% |
| 5 | 4-5 DAYS:(5) | 108 | 4.4 % | 5.0% |
| 6 | 6-10 DA:(6) | 34 | 1.4 % | 1.6% |
| 7 | 11+ DAYS:(7) | 22 | 0.9 % | 1.0% |
| -9 (M) | MISSING:(-9) | 277 | 11.3 % | - |

V1176 081C018B:#DA/4W SC MS CU

Location: 1086-1087(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00440

Question Number(s): 1C018B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

- Study 25382 -

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| V1176: 081C018B:#DA/4W SC MS CU | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1421 | 58.2 % | 66.4% |
| 2 | 1 DAY:(2) | 280 | 11.5 % | 13.1% |
| 3 | 2 DAYS:(3) | 174 | 7.1 % | 8.1% |
| 4 | 3 DAYS:(4) | 108 | 4.4 % | 5.0% |
| 5 | 4-5 DAYS:(5) | 80 | 3.3 % | 3.7% |
| 6 | 6-10 DA:(6) | 34 | 1.4 % | 1.6% |
| 7 | 11+ DAYS:(7) | 44 | 1.8 % | 2.1% |
| -9 (M) | MISSING:(-9) | 300 | 12.3 % | - |

V1177 081C018C:#DA/4W SC MS OT

Location: 1088-1089(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 1C018C

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| V1177: 081C018C:#DA/4W SC MS OT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1143 | 46.8 % | 52.7% |
| 2 | 1 DAY:(2) | 421 | 17.2 % | 19.4% |
| 3 | 2 DAYS:(3) | 279 | 11.4 % | 12.9% |
| 4 | 3 DAYS:(4) | 156 | 6.4 % | 7.2% |
| 5 | 4-5 DAYS:(5) | 99 | 4.1 % | 4.6% |
| 6 | 6-10 DA:(6) | 34 | 1.4 % | 1.6% |
| 7 | 11+ DAYS:(7) | 38 | 1.6 % | 1.8% |
| -9 (M) | MISSING:(-9) | 271 | 11.1 % | - |

V1178 081C019:#DA/4W SKP CLAS

- Study 25382 -

Location: 1090-1091(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00460

Question Number(s): 1C019

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
 5="11-20 times" 6="More than 20 times"

| V1178: 081C019:#DA/4W SKP CLAS | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT@ALL:(1) | 1416 | 58.0 % | 64.7% |
| 2 | 1-2:(2) | 443 | 18.1 % | 20.2% |
| 3 | 3-5:(3) | 197 | 8.1 % | 9.0% |
| 4 | 6-10:(4) | 84 | 3.4 % | 3.8% |
| 5 | 11-20:(5) | 25 | 1.0 % | 1.1% |
| 6 | 21+:(6) | 23 | 0.9 % | 1.1% |
| -9 (M) | MISSING:(-9) | 253 | 10.4 % | - |

V1179 081C020:R HS GRADE/D = 1

Location: 1092-1093(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00470

Question Number(s): 1C020

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
 1="D (69 or below)"

| V1179: 081C020:R HS GRADE/D = 1 | | | | |
|---------------------------------|--------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | D:(1) | 17 | 0.7 % | 0.8% |
| 2 | C-:(2) | 64 | 2.6 % | 2.9% |
| 3 | C:(3) | 90 | 3.7 % | 4.1% |
| 4 | C+:(4) | 207 | 8.5 % | 9.5% |

- Study 25382 -

| V1179: 081C020:R HS GRADE/D = 1 | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | B-:(5) | 262 | 10.7 % | 12.0% |
| 6 | B:(6) | 381 | 15.6 % | 17.4% |
| 7 | B+:(7) | 401 | 16.4 % | 18.3% |
| 8 | A-:(8) | 393 | 16.1 % | 18.0% |
| 9 | A:(9) | 371 | 15.2 % | 17.0% |
| -9 (M) | MISSING:(-9) | 255 | 10.4 % | - |

V1180 **081C021A:R WL DO VOC/TEC**

Location: 1094-1095(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00480

Question Number(s): 1C021A

How likely is it that you will do each of the following things after high school?

A. Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

| V1180: 081C021A:R WL DO VOC/TEC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WONT:(1) | 1205 | 49.4 % | 57.7% |
| 2 | PRB WONT:(2) | 491 | 20.1 % | 23.5% |
| 3 | PRB WILL:(3) | 256 | 10.5 % | 12.2% |
| 4 | DEF WILL:(4) | 138 | 5.7 % | 6.6% |
| -9 (M) | MISSING:(-9) | 351 | 14.4 % | - |

V1181 **081C021B:R WL DO ARMD FC**

Location: 1096-1097(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00490

Question Number(s): 1C021B

How likely is it that you will do each of the following things after high school?

- Study 25382 -

B. Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

| V1181: 081C021B:R WL DO ARMD FC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WONT:(1) | 1503 | 61.6 % | 75.1% |
| 2 | PRB WONT:(2) | 318 | 13.0 % | 15.9% |
| 3 | PRB WILL:(3) | 115 | 4.7 % | 5.8% |
| 4 | DEF WILL:(4) | 64 | 2.6 % | 3.2% |
| -9 (M) | MISSING:(-9) | 441 | 18.1 % | - |

V1182 081C021C:R WL DO 2YR CLG

Location: 1098-1099(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00500

Question Number(s): 1C021C

How likely is it that you will do each of the following things after high school?

C. Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

| V1182: 081C021C:R WL DO 2YR CLG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WONT:(1) | 869 | 35.6 % | 41.6% |
| 2 | PRB WONT:(2) | 339 | 13.9 % | 16.2% |
| 3 | PRB WILL:(3) | 465 | 19.0 % | 22.3% |
| 4 | DEF WILL:(4) | 415 | 17.0 % | 19.9% |
| -9 (M) | MISSING:(-9) | 353 | 14.5 % | - |

V1183 081C021D:R WL DO 4YR CLG

Location: 1100-1101(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00510

Question Number(s): 1C021D

- Study 25382 -

How likely is it that you will do each of the following things after high school?

D. Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

| V1183: 081C021D:R WL DO 4YR CLG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WONT:(1) | 167 | 6.8 % | 7.8% |
| 2 | PRB WONT:(2) | 171 | 7.0 % | 7.9% |
| 3 | PRB WILL:(3) | 488 | 20.0 % | 22.7% |
| 4 | DEF WILL:(4) | 1328 | 54.4 % | 61.7% |
| -9 (M) | MISSING:(-9) | 287 | 11.8 % | - |

V1184 081C021E:R WL DO GRD/PRF

Location: 1102-1103(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00520

Question Number(s): 1C021E

How likely is it that you will do each of the following things after high school?

E. Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

| V1184: 081C021E:R WL DO GRD/PRF | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DEF WONT:(1) | 346 | 14.2 % | 16.4% |
| 2 | PRB WONT:(2) | 535 | 21.9 % | 25.3% |
| 3 | PRB WILL:(3) | 689 | 28.2 % | 32.6% |
| 4 | DEF WILL:(4) | 541 | 22.2 % | 25.6% |
| -9 (M) | MISSING:(-9) | 330 | 13.5 % | - |

V1185 081C022A:R WNTDO VOC/TEC

Location: 1104-1105(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00530

Question Number(s): 1C022A

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

| V1185: 081C022A:R WNTDO VOC/TEC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1868 | 76.5 % | 87.4% |
| 1 | MARKED:(1) | 270 | 11.1 % | 12.6% |
| -9 (M) | MISSING:(-9) | 303 | 12.4 % | - |

V1186 **081C022B:R WNTDO ARMD FC**

Location: 1106-1107(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00540

Question Number(s): 1C022B

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

| V1186: 081C022B:R WNTDO ARMD FC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1916 | 78.5 % | 89.6% |
| 1 | MARKED:(1) | 222 | 9.1 % | 10.4% |
| -9 (M) | MISSING:(-9) | 303 | 12.4 % | - |

V1187 **081C022C:R WNTDO 2YR CLG**

Location: 1108-1109(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00550

Question Number(s): 1C022C

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

| V1187: 081C022C:R WNTDO 2YR CLG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 1626 | 66.6 % | 76.1% |
| 1 | MARKED:(1) | 512 | 21.0 % | 23.9% |
| -9 (M) | MISSING:(-9) | 303 | 12.4 % | - |

V1188 **081C022D:R WNTDO 4YR CLG**

Location: 1110-1111(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00560

Question Number(s): 1C022D

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

| V1188: 081C022D:R WNTDO 4YR CLG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 417 | 17.1 % | 19.5% |
| 1 | MARKED:(1) | 1721 | 70.5 % | 80.5% |
| -9 (M) | MISSING:(-9) | 303 | 12.4 % | - |

V1189 **081C022E:R WNTDO GRD/PRF**

Location: 1112-1113(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00570

Question Number(s): 1C022E

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

| V1189: 081C022E:R WNTDO GRD/PRF | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 956 | 39.2 % | 44.7% |
| 1 | MARKED:(1) | 1182 | 48.4 % | 55.3% |
| -9 (M) | MISSING:(-9) | 303 | 12.4 % | - |

V1190

081C022F:R WNTDO NONE

Location: 1114-1115(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00580

Question Number(s): 1C022F

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

| V1190: 081C022F:R WNTDO NONE | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NT MARKD:(0) | 2015 | 82.5 % | 94.2% |
| 1 | MARKED:(1) | 123 | 5.0 % | 5.8% |
| -9 (M) | MISSING:(-9) | 303 | 12.4 % | - |

V1191

081C023:HRS/W WRK SCHYR

Location: 1116-1117(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00590

Question Number(s): 1C023

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

| V1191: 081C023:HRS/W WRK SCHYR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 684 | 28.0 % | 32.0% |
| 2 | 5 OR <:(2) | 203 | 8.3 % | 9.5% |
| 3 | 6-10 HRS:(3) | 242 | 9.9 % | 11.3% |
| 4 | 11-15 HR:(4) | 221 | 9.1 % | 10.3% |
| 5 | 16-20 HR:(5) | 278 | 11.4 % | 13.0% |
| 6 | 21-25 HR:(6) | 235 | 9.6 % | 11.0% |
| 7 | 26-30 HR:(7) | 131 | 5.4 % | 6.1% |
| 8 | 30+ HRS:(8) | 145 | 5.9 % | 6.8% |
| -9 (M) | MISSING:(-9) | 302 | 12.4 % | - |

V1192 081C024A:R\$/AVG WEEK JOB

Location: 1118-1119(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00600

Question Number(s): 1C024A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

| V1192: 081C024A:R\$/AVG WEEK JOB | | | | |
|----------------------------------|-------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 734 | 30.1 % | 35.0% |
| 2 | \$1-5:(2) | 16 | 0.7 % | 0.8% |
| 3 | \$6-10:(3) | 77 | 3.2 % | 3.7% |
| 4 | \$11-20:(4) | 57 | 2.3 % | 2.7% |

- Study 25382 -

| V1192: 081C024A:R\$/AVG WEEK JOB | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | \$21-35:(5) | 81 | 3.3 % | 3.9% |
| 6 | \$36-50:(6) | 113 | 4.6 % | 5.4% |
| 7 | \$51-75:(7) | 168 | 6.9 % | 8.0% |
| 8 | \$76-125:(8) | 352 | 14.4 % | 16.8% |
| 9 | \$126+:(9) | 499 | 20.4 % | 23.8% |
| -9 (M) | MISSING:(-9) | 344 | 14.1 % | - |

V1193 081C024B:R\$/AVG WEEK OTH

Location: 1120-1121(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00610

Question Number(s): 1C024B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126+"

| V1193: 081C024B:R\$/AVG WEEK OTH | | | | |
|----------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 879 | 36.0 % | 42.1% |
| 2 | \$1-5:(2) | 110 | 4.5 % | 5.3% |
| 3 | \$6-10:(3) | 164 | 6.7 % | 7.8% |
| 4 | \$11-20:(4) | 344 | 14.1 % | 16.5% |
| 5 | \$21-35:(5) | 240 | 9.8 % | 11.5% |
| 6 | \$36-50:(6) | 143 | 5.9 % | 6.8% |
| 7 | \$51-75:(7) | 72 | 2.9 % | 3.4% |
| 8 | \$76-125:(8) | 68 | 2.8 % | 3.3% |
| 9 | \$126+:(9) | 70 | 2.9 % | 3.3% |
| -9 (M) | MISSING:(-9) | 351 | 14.4 % | - |

V1194 081C025:#X/AV WK GO OUT

Location: 1122-1123(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00620

- Study 25382 -

Question Number(s): 1C025

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five"
6="Six or seven"

| V1194: 081C025:#X/AV WK GO OUT | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | < 1:(1) | 263 | 10.8 % | 12.3% |
| 2 | ONE:(2) | 308 | 12.6 % | 14.4% |
| 3 | TWO:(3) | 594 | 24.3 % | 27.8% |
| 4 | THREE:(4) | 489 | 20.0 % | 22.9% |
| 5 | 4-5:(5) | 315 | 12.9 % | 14.8% |
| 6 | 6-7:(6) | 164 | 6.7 % | 7.7% |
| -9 (M) | MISSING:(-9) | 308 | 12.6 % | - |

V1195

081C026:#X DATE 3+/WK

Location: 1124-1125(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00630

Question Number(s): 1C026

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

| V1195: 081C026:#X DATE 3+/WK | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NEVER:(1) | 695 | 28.5 % | 33.0% |
| 2 | 1/MO OR<:(2) | 341 | 14.0 % | 16.2% |
| 3 | 2-3/MO:(3) | 327 | 13.4 % | 15.5% |
| 4 | 1/WK:(4) | 298 | 12.2 % | 14.2% |
| 5 | 2-3/WK:(5) | 297 | 12.2 % | 14.1% |
| 6 | 3+/WK:(6) | 145 | 5.9 % | 6.9% |
| -9 (M) | MISSING:(-9) | 338 | 13.8 % | - |

V1196

081C027:DRIVE>200 MI/WK

- Study 25382 -

Location: 1126-1127(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00640

Question Number(s): 1C027

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

| V1196: 081C027:DRIVE>200 MI/WK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 478 | 19.6 % | 22.4% |
| 2 | 1-10 MI:(2) | 219 | 9.0 % | 10.3% |
| 3 | 11-50:(3) | 495 | 20.3 % | 23.2% |
| 4 | 51-100:(4) | 456 | 18.7 % | 21.4% |
| 5 | 101-200:(5) | 285 | 11.7 % | 13.3% |
| 6 | > 200:(6) | 202 | 8.3 % | 9.5% |
| -9 (M) | MISSING:(-9) | 306 | 12.5 % | - |

V1197 081C028:#X/12MO R TCKTD

Location: 1128-1129(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00650

Question Number(s): 1C028

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

| V1197: 081C028:#X/12MO R TCKTD | | | | |
|--------------------------------|----------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NONE:(0) | 1644 | 67.3 % | 79.4% |
| 1 | ONE:(1) | 279 | 11.4 % | 13.5% |
| 2 | TWO:(2) | 79 | 3.2 % | 3.8% |

- Study 25382 -

| V1197: 081C028:#X/12MO R TCKTD | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | THREE:(3) | 43 | 1.8 % | 2.1% |
| 4 | 4+:(4) | 26 | 1.1 % | 1.3% |
| -9 (M) | MISSING:(-9) | 370 | 15.2 % | - |

V1198 081C29AR:#TCKTS AFT DRNK

Location: 1130-1131(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00660

Question Number(s): 1C029A

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

| V1198: 081C29AR:#TCKTS AFT DRNK | | | | |
|---------------------------------|----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | None:(0) | 397 | 16.3 % | 93.9% |
| 1 | One:(1) | 22 | 0.9 % | 5.2% |
| 2 | Two:(2) | 2 | 0.1 % | 0.5% |
| 3 | 3-4 or +:(3-4) | 2 | 0.1 % | 0.5% |
| -9 (M) | MISSING:(-9) | 2018 | 82.7 % | - |

V1199 081C29BR:#TCKTS AFT MARJ

Location: 1132-1133(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00670

Question Number(s): 1C029B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

- Study 25382 -

Codes 3 and 4 are combined in this dataset.

| V1199: 081C29BR:#TCKTS AFT MARJ | | | | |
|---------------------------------|----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | None:(0) | 410 | 16.8 % | 96.0% |
| 1 | One:(1) | 13 | 0.5 % | 3.0% |
| 2 | Two:(2) | 3 | 0.1 % | 0.7% |
| 3 | 3-4 or +:(3-4) | 1 | 0.0 % | 0.2% |
| -9 (M) | MISSING:(-9) | 2014 | 82.5 % | - |

V1200 081C29CR:#TCKTS AFT OTDG

Location: 1134-1135(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00680

Question Number(s): 1C029C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

| V1200: 081C29CR:#TCKTS AFT OTDG | | | | |
|---------------------------------|----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | None:(0) | 415 | 17.0 % | 99.0% |
| 1 | One:(1) | 1 | 0.0 % | 0.2% |
| 2 | Two:(2) | 1 | 0.0 % | 0.2% |
| 3 | 3-4 or +:(3-4) | 2 | 0.1 % | 0.5% |
| -9 (M) | MISSING:(-9) | 2022 | 82.8 % | - |

V1201 081C030:#ACCIDNTS/12 MO

Location: 1136-1137(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00690

Question Number(s): 1C030

- Study 25382 -

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

| V1201: 081C030:#ACCIDNTS/12 MO | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | NONE:(0) | 1714 | 70.2 % | 83.2% |
| 1 | ONE:(1) | 268 | 11.0 % | 13.0% |
| 2 | TWO:(2) | 62 | 2.5 % | 3.0% |
| 3 | THREE:(3) | 13 | 0.5 % | 0.6% |
| 4 | 4+:(4) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 380 | 15.6 % | - |

V1202 081C31AR:#ACDTS AFT DRNK

Location: 1138-1139(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00700

Question Number(s): 1C031A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

| V1202: 081C31AR:#ACDTS AFT DRNK | | | | |
|---------------------------------|----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | None:(0) | 340 | 13.9 % | 97.1% |
| 1 | One:(1) | 7 | 0.3 % | 2.0% |
| 2 | Two:(2) | 3 | 0.1 % | 0.9% |
| 3 | 3-4 or +:(3-4) | 0 | 0.0 % | - |
| -9 (M) | MISSING:(-9) | 2091 | 85.7 % | - |

V1203 081C31BR:#ACDTS AFT MARJ

Location: 1140-1141(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00710

Question Number(s): 1C031B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

| V1203: 081C31BR:#ACDTS AFT MARJ | | | | |
|---------------------------------|----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | None:(0) | 342 | 14.0 % | 98.3% |
| 1 | One:(1) | 4 | 0.2 % | 1.1% |
| 2 | Two:(2) | 1 | 0.0 % | 0.3% |
| 3 | 3-4 or +:(3-4) | 1 | 0.0 % | 0.3% |
| -9 (M) | MISSING:(-9) | 2093 | 85.7 % | - |

V1204 081C31CR:#ACDTS AFT OTDG

Location: 1142-1143(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00720

Question Number(s): 1C031C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +"

Codes 3 and 4 are combined in this dataset.

| V1204: 081C31CR:#ACDTS AFT OTDG | | | | |
|---------------------------------|----------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 0 | None:(0) | 345 | 14.1 % | 99.1% |
| 1 | One:(1) | 2 | 0.1 % | 0.6% |
| 2 | Two:(2) | 1 | 0.0 % | 0.3% |
| 3 | 3-4 or +:(3-4) | 0 | 0.0 % | - |
| -9 (M) | MISSING:(-9) | 2093 | 85.7 % | - |

- Study 25382 -

V1205 081C032:R'S BRANCH SERV

Location: 1144-1145(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00730

Question Number(s): 1C032

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

| V1205: 081C032:R'S BRANCH SERV | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | ARMY:(1) | 38 | 1.6 % | 21.3% |
| 2 | NAVY:(2) | 29 | 1.2 % | 16.3% |
| 3 | MARINES:(3) | 31 | 1.3 % | 17.4% |
| 4 | AIRFORCE:(4) | 41 | 1.7 % | 23.0% |
| 5 | COAST GD:(5) | 13 | 0.5 % | 7.3% |
| 6 | UNCERTN:(6) | 26 | 1.1 % | 14.6% |
| -9 (M) | MISSING:(-9) | 2263 | 92.7 % | - |

V1206 081C033:R XPCTS B OFFCR

Location: 1146-1147(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00740

Question Number(s): 1C033

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

| V1206: 081C033:R XPCTS B OFFCR | | | | |
|--------------------------------|-------------|----------------------|-------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 37 | 1.5 % | 19.3% |
| 2 | UNCERTN:(2) | 68 | 2.8 % | 35.4% |
| 3 | YES:(3) | 87 | 3.6 % | 45.3% |

- Study 25382 -

| V1206: 081C033:R XPCTS B OFFCR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 2249 | 92.1 % | - |

V1207 081C034:R XPCTS MLTR CR

Location: 1148-1149(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00750

Question Number(s): 1C034

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

| V1207: 081C034:R XPCTS MLTR CR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO:(1) | 53 | 2.2 % | 27.6% |
| 2 | UNCERTN:(2) | 72 | 2.9 % | 37.5% |
| 3 | YES:(3) | 67 | 2.7 % | 34.9% |
| -9 (M) | MISSING:(-9) | 2249 | 92.1 % | - |

V1682 081D001:R LIKES SCHOOL

Location: 1150-1151(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07630

Question Number(s): 1D001

The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

| V1682: 081D001:R LIKES SCHOOL | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT@ALL:(1) | 150 | 6.1 % | 7.2% |
| 2 | NOT VMCH:(2) | 286 | 11.7 % | 13.7% |

- Study 25382 -

| V1682: 081D001:R LIKES SCHOOL | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 3 | SOME:(3) | 904 | 37.0 % | 43.4% |
| 4 | LIK ALOT:(4) | 535 | 21.9 % | 25.7% |
| 5 | LIK VMCH:(5) | 210 | 8.6 % | 10.1% |
| -9 (M) | MISSING:(-9) | 356 | 14.6 % | - |

V1683 **081D002:*SC WRK NVR MNG**

Location: 1152-1153(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05700

Question Number(s): 1D002

How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

| V1683: 081D002:*SC WRK NVR MNG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NEVER:(1) | 140 | 5.7 % | 6.8% |
| 2 | SELDOM:(2) | 465 | 19.0 % | 22.5% |
| 3 | SOMETIME:(3) | 828 | 33.9 % | 40.0% |
| 4 | OFTEN:(4) | 465 | 19.0 % | 22.5% |
| 5 | ALWAYS:(5) | 173 | 7.1 % | 8.4% |
| -9 (M) | MISSING:(-9) | 370 | 15.2 % | - |

V1684 **081D003:*MST COUR V DUL**

Location: 1154-1155(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05710

Question Number(s): 1D003

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

- Study 25382 -

| V1684: 081D003:*MST COUR V DUL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | VRD DUL:(1) | 158 | 6.5 % | 7.6% |
| 2 | SLTLY DU:(2) | 436 | 17.9 % | 21.1% |
| 3 | FRLY INT:(3) | 864 | 35.4 % | 41.8% |
| 4 | QUITE IN:(4) | 513 | 21.0 % | 24.8% |
| 5 | VRD EXCI:(5) | 95 | 3.9 % | 4.6% |
| -9 (M) | MISSING:(-9) | 375 | 15.4 % | - |

V1685 **081D004:*LRN SCH NT IMP**

Location: 1156-1157(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05720

Question Number(s): 1D004

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

| V1685: 081D004:*LRN SCH NT IMP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT IMPT:(1) | 126 | 5.2 % | 6.1% |
| 2 | SLTLY IM:(2) | 495 | 20.3 % | 24.0% |
| 3 | FRLY IMP:(3) | 603 | 24.7 % | 29.2% |
| 4 | QUITE IM:(4) | 492 | 20.2 % | 23.8% |
| 5 | VRD IMPT:(5) | 347 | 14.2 % | 16.8% |
| -9 (M) | MISSING:(-9) | 378 | 15.5 % | - |

V1686 **081D005:LOT CMPTN GRADE**

Location: 1158-1159(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05730

Question Number(s): 1D005

How much competition for grades is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great

- Study 25382 -

deal"

| V1686: 081D005:LOT CMPTN GRADE | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 237 | 9.7 % | 11.6% |
| 2 | A LITTLE:(2) | 473 | 19.4 % | 23.1% |
| 3 | SOME:(3) | 668 | 27.4 % | 32.6% |
| 4 | QUITEBIT:(4) | 454 | 18.6 % | 22.1% |
| 5 | GRT DEAL:(5) | 219 | 9.0 % | 10.7% |
| -9 (M) | MISSING:(-9) | 390 | 16.0 % | - |

V1687 **081D006:STDTS DSLK CHTG**

Location: 1160-1161(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05740

Question Number(s): 1D006

How do you think most of the students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

| V1687: 081D006:STDTS DSLK CHTG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | LIK VMCH:(1) | 72 | 2.9 % | 3.5% |
| 2 | LIKE IT:(2) | 65 | 2.7 % | 3.2% |
| 3 | NOT CARE:(3) | 1613 | 66.1 % | 78.8% |
| 4 | DISLIKE:(4) | 210 | 8.6 % | 10.3% |
| 5 | DLIK MCH:(5) | 88 | 3.6 % | 4.3% |
| -9 (M) | MISSING:(-9) | 393 | 16.1 % | - |

V1688 **081D007:ST -LK PROV TCH**

Location: 1162-1163(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05750

Question Number(s): 1D007

- Study 25382 -

How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

| V1688: 081D007:ST -LK PROV TCH | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | LIK VMCH:(1) | 119 | 4.9 % | 5.8% |
| 2 | LIKE IT:(2) | 271 | 11.1 % | 13.3% |
| 3 | NOT CARE:(3) | 974 | 39.9 % | 47.7% |
| 4 | DISLIKE:(4) | 531 | 21.8 % | 26.0% |
| 5 | DLIK MCH:(5) | 149 | 6.1 % | 7.3% |
| -9 (M) | MISSING:(-9) | 397 | 16.3 % | - |

V1689 **081D008:FRD NCG/TCH -LK**

Location: 1164-1165(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05760

Question Number(s): 1D008

How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

| V1689: 081D008:FRD NCG/TCH -LK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NEVER:(1) | 824 | 33.8 % | 40.3% |
| 2 | SELDOM:(2) | 627 | 25.7 % | 30.7% |
| 3 | SOMETIME:(3) | 388 | 15.9 % | 19.0% |
| 4 | OFTEN:(4) | 162 | 6.6 % | 7.9% |
| 5 | ALWAYS:(5) | 42 | 1.7 % | 2.1% |
| -9 (M) | MISSING:(-9) | 398 | 16.3 % | - |

V1690 **081D009:R IN WK-STDY PG**

Location: 1166-1167(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 05770

Question Number(s): 1D009

Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

| V1690: 081D009:R IN WK-STDY PG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT EVER:(1) | 1683 | 68.9 % | 83.4% |
| 2 | HALF YR:(2) | 135 | 5.5 % | 6.7% |
| 3 | ABT 1 YR:(3) | 156 | 6.4 % | 7.7% |
| 4 | ABT 2 YR:(4) | 32 | 1.3 % | 1.6% |
| 5 | >2 YRS:(5) | 12 | 0.5 % | 0.6% |
| -9 (M) | MISSING:(-9) | 423 | 17.3 % | - |

V1691

081D010:#X/YR COUNS IND

Location: 1168-1169(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05780

Question Number(s): 1D010

How many times this school year have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

| V1691: 081D010:#X/YR COUNS IND | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO TIMES:(1) | 451 | 18.5 % | 22.3% |
| 2 | 1 TIME:(2) | 236 | 9.7 % | 11.7% |
| 3 | 2 TIMES:(3) | 348 | 14.3 % | 17.2% |
| 4 | 3-4 TIME:(4) | 540 | 22.1 % | 26.7% |
| 5 | 5-7 TIME:(5) | 250 | 10.2 % | 12.4% |
| 6 | 8-10 TIM:(6) | 93 | 3.8 % | 4.6% |
| 7 | 11+ TIME:(7) | 106 | 4.3 % | 5.2% |
| -9 (M) | MISSING:(-9) | 417 | 17.1 % | - |

- Study 25382 -

V1692 081D011:#X/YR COUNS GRP

Location: 1170-1171(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05790

Question Number(s): 1D011

How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

| V1692: 081D011:#X/YR COUNS GRP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NO TIMES:(1) | 1237 | 50.7 % | 61.3% |
| 2 | 1 TIME:(2) | 261 | 10.7 % | 12.9% |
| 3 | 2 TIMES:(3) | 246 | 10.1 % | 12.2% |
| 4 | 3-4 TIME:(4) | 160 | 6.6 % | 7.9% |
| 5 | 5-7 TIME:(5) | 48 | 2.0 % | 2.4% |
| 6 | 8-10 TIM:(6) | 33 | 1.4 % | 1.6% |
| 7 | 11+ TIME:(7) | 34 | 1.4 % | 1.7% |
| -9 (M) | MISSING:(-9) | 422 | 17.3 % | - |

V1693 081D012:R LK C COUNS MR

Location: 1172-1173(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05800

Question Number(s): 1D012

Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often" 2="A little less often" 1="Much less often"

| V1693: 081D012:R LK C COUNS MR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 283 | 11.6 % | 14.3% |
| 2 | LIT LESS:(2) | 128 | 5.2 % | 6.5% |
| 3 | AS OFTEN:(3) | 954 | 39.1 % | 48.1% |

- Study 25382 -

| V1693: 081D012:R LK C COUNS MR | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 4 | MOR OFTN:(4) | 395 | 16.2 % | 19.9% |
| 5 | MCH MORE:(5) | 224 | 9.2 % | 11.3% |
| -9 (M) | MISSING:(-9) | 457 | 18.7 % | - |

V1694

081D013:CSLNG VRY HLPFL

Location: 1174-1175(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05810

Question Number(s): 1D013

How helpful have your sessions with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"
2="A little helpful" 1="Not at all helpful" 8="Did not see a
counselor this year."

| V1694: 081D013:CSLNG VRY HLPFL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NOT @ALL:(1) | 189 | 7.7 % | 9.5% |
| 2 | A LITTLE:(2) | 324 | 13.3 % | 16.2% |
| 3 | SOMEWHAT:(3) | 382 | 15.6 % | 19.1% |
| 4 | QUITE:(4) | 444 | 18.2 % | 22.2% |
| 5 | EXT HELP:(5) | 337 | 13.8 % | 16.9% |
| 8 | NO SEE:(8) | 323 | 13.2 % | 16.2% |
| -9 (M) | MISSING:(-9) | 442 | 18.1 % | - |

V1699

081D014A:CNSL COURSES

Location: 1176-1177(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05811

Question Number(s): 1D014A

Would you have preferred more or less of each of the
following types of counseling in the last year?

A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little

- Study 25382 -

less" 1="Much less"

| V1699: 081D014A:CNSL COURSES | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 101 | 4.1 % | 5.1% |
| 2 | LIT LESS:(2) | 34 | 1.4 % | 1.7% |
| 3 | ABT RITE:(3) | 860 | 35.2 % | 43.8% |
| 4 | LIT MORE:(4) | 497 | 20.4 % | 25.3% |
| 5 | MCH MORE:(5) | 470 | 19.3 % | 24.0% |
| -9 (M) | MISSING:(-9) | 479 | 19.6 % | - |

V1700 081D014B:CNSL CL PROB

Location: 1178-1179(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05812

Question Number(s): 1D014B

Would you have preferred more or less of each of the following types of counseling in the last year?

B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

| V1700: 081D014B:CNSL CL PROB | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 184 | 7.5 % | 9.5% |
| 2 | LIT LESS:(2) | 66 | 2.7 % | 3.4% |
| 3 | ABT RITE:(3) | 974 | 39.9 % | 50.1% |
| 4 | LIT MORE:(4) | 435 | 17.8 % | 22.4% |
| 5 | MCH MORE:(5) | 286 | 11.7 % | 14.7% |
| -9 (M) | MISSING:(-9) | 496 | 20.3 % | - |

V1701 081D014C:CNSL TRBL R IN

Location: 1180-1181(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05813

Question Number(s): 1D014C

- Study 25382 -

Would you have preferred more or less of each of the following types of counseling in the last year?

C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

| V1701: 081D014C:CNSL TRBL R IN | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 316 | 12.9 % | 16.4% |
| 2 | LIT LESS:(2) | 102 | 4.2 % | 5.3% |
| 3 | ABT RITE:(3) | 1108 | 45.4 % | 57.5% |
| 4 | LIT MORE:(4) | 200 | 8.2 % | 10.4% |
| 5 | MCH MORE:(5) | 202 | 8.3 % | 10.5% |
| -9 (M) | MISSING:(-9) | 513 | 21.0 % | - |

V1702 081D014D:CNSL MILTRY PLN

Location: 1182-1183(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05814

Question Number(s): 1D014D

Would you have preferred more or less of each of the following types of counseling in the last year?

D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

| V1702: 081D014D:CNSL MILTRY PLN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 722 | 29.6 % | 37.8% |
| 2 | LIT LESS:(2) | 106 | 4.3 % | 5.5% |
| 3 | ABT RITE:(3) | 874 | 35.8 % | 45.7% |
| 4 | LIT MORE:(4) | 90 | 3.7 % | 4.7% |
| 5 | MCH MORE:(5) | 119 | 4.9 % | 6.2% |
| -9 (M) | MISSING:(-9) | 530 | 21.7 % | - |

V1703 081D014E:CNSL EDUC PLANS

Location: 1184-1185(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05815

Question Number(s): 1D014E

Would you have preferred more or less of each of the following types of counseling in the last year?

E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

| V1703: 081D014E:CNSL EDUC PLANS | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 186 | 7.6 % | 9.6% |
| 2 | LIT LESS:(2) | 73 | 3.0 % | 3.8% |
| 3 | ABT RITE:(3) | 793 | 32.5 % | 40.9% |
| 4 | LIT MORE:(4) | 512 | 21.0 % | 26.4% |
| 5 | MCH MORE:(5) | 377 | 15.4 % | 19.4% |
| -9 (M) | MISSING:(-9) | 500 | 20.5 % | - |

V1704 081D014F:CNSL CAREER PLN

Location: 1186-1187(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05816

Question Number(s): 1D014F

Would you have preferred more or less of each of the following types of counseling in the last year?

F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

| V1704: 081D014F:CNSL CAREER PLN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 149 | 6.1 % | 7.7% |
| 2 | LIT LESS:(2) | 69 | 2.8 % | 3.6% |
| 3 | ABT RITE:(3) | 689 | 28.2 % | 35.5% |
| 4 | LIT MORE:(4) | 524 | 21.5 % | 27.0% |

- Study 25382 -

| V1704: 081D014F:CNSL CAREER PLN | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | MCH MORE:(5) | 508 | 20.8 % | 26.2% |
| -9 (M) | MISSING:(-9) | 502 | 20.6 % | - |

V1705 081D014G:CNSL PRNL PROB

Location: 1188-1189(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05817

Question Number(s): 1D014G

Would you have preferred more or less of each of the following types of counseling in the last year?

G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

| V1705: 081D014G:CNSL PRNL PROB | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH LESS:(1) | 386 | 15.8 % | 20.0% |
| 2 | LIT LESS:(2) | 117 | 4.8 % | 6.1% |
| 3 | ABT RITE:(3) | 995 | 40.8 % | 51.6% |
| 4 | LIT MORE:(4) | 206 | 8.4 % | 10.7% |
| 5 | MCH MORE:(5) | 226 | 9.3 % | 11.7% |
| -9 (M) | MISSING:(-9) | 511 | 20.9 % | - |

V1719 081D015A:#DA HEADACHE

Location: 1190-1191(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21310

Question Number(s): 1D015A

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9

- Study 25382 -

days" 6="10 to 19 days" 7="20+ days"

| V1719: 081D015A:#DA HEADACHE | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 413 | 16.9 % | 21.0% |
| 2 | 1 DAY:(2) | 338 | 13.8 % | 17.2% |
| 3 | 2 DAYS:(3) | 400 | 16.4 % | 20.4% |
| 4 | 3-5 DAYS:(4) | 429 | 17.6 % | 21.8% |
| 5 | 6-9 DAYS:(5) | 206 | 8.4 % | 10.5% |
| 6 | 10-19 DA:(6) | 110 | 4.5 % | 5.6% |
| 7 | 20+ DAYS:(7) | 69 | 2.8 % | 3.5% |
| -9 (M) | MISSING:(-9) | 476 | 19.5 % | - |

V1720 081D015B:#DA SORE THROAT

Location: 1192-1193(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21320

Question Number(s): 1D015B

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1720: 081D015B:#DA SORE THROAT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 782 | 32.0 % | 39.8% |
| 2 | 1 DAY:(2) | 319 | 13.1 % | 16.2% |
| 3 | 2 DAYS:(3) | 298 | 12.2 % | 15.2% |
| 4 | 3-5 DAYS:(4) | 370 | 15.2 % | 18.8% |
| 5 | 6-9 DAYS:(5) | 126 | 5.2 % | 6.4% |
| 6 | 10-19 DA:(6) | 57 | 2.3 % | 2.9% |
| 7 | 20+ DAYS:(7) | 13 | 0.5 % | 0.7% |
| -9 (M) | MISSING:(-9) | 476 | 19.5 % | - |

V1721 081D015C:#DA SINUS CONG

Location: 1194-1195(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 21330

Question Number(s): 1D015C

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1721: 081D015C:#DA SINUS CONG | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 500 | 20.5 % | 25.5% |
| 2 | 1 DAY:(2) | 223 | 9.1 % | 11.4% |
| 3 | 2 DAYS:(3) | 284 | 11.6 % | 14.5% |
| 4 | 3-5 DAYS:(4) | 416 | 17.0 % | 21.2% |
| 5 | 6-9 DAYS:(5) | 257 | 10.5 % | 13.1% |
| 6 | 10-19 DA:(6) | 161 | 6.6 % | 8.2% |
| 7 | 20+ DAYS:(7) | 119 | 4.9 % | 6.1% |
| -9 (M) | MISSING:(-9) | 481 | 19.7 % | - |

V1722 081D015D:#DA COUGHING

Location: 1196-1197(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21340

Question Number(s): 1D015D

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1722: 081D015D:#DA COUGHING | | | | |
|------------------------------|----------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1072 | 43.9 % | 54.8% |

- Study 25382 -

| V1722: 081D015D:#DA COUGHING | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | 1 DAY:(2) | 268 | 11.0 % | 13.7% |
| 3 | 2 DAYS:(3) | 209 | 8.6 % | 10.7% |
| 4 | 3-5 DAYS:(4) | 227 | 9.3 % | 11.6% |
| 5 | 6-9 DAYS:(5) | 96 | 3.9 % | 4.9% |
| 6 | 10-19 DA:(6) | 56 | 2.3 % | 2.9% |
| 7 | 20+ DAYS:(7) | 28 | 1.1 % | 1.4% |
| -9 (M) | MISSING:(-9) | 485 | 19.9 % | - |

V1723 081D015E:#DA CHEST COLD

Location: 1198-1199(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21350

Question Number(s): 1D015E

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1723: 081D015E:#DA CHEST COLD | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1438 | 58.9 % | 73.6% |
| 2 | 1 DAY:(2) | 188 | 7.7 % | 9.6% |
| 3 | 2 DAYS:(3) | 129 | 5.3 % | 6.6% |
| 4 | 3-5 DAYS:(4) | 112 | 4.6 % | 5.7% |
| 5 | 6-9 DAYS:(5) | 50 | 2.0 % | 2.6% |
| 6 | 10-19 DA:(6) | 27 | 1.1 % | 1.4% |
| 7 | 20+ DAYS:(7) | 10 | 0.4 % | 0.5% |
| -9 (M) | MISSING:(-9) | 487 | 20.0 % | - |

V1724 081D015F:#DA COUGH PHLM

Location: 1200-1201(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21360

- Study 25382 -

Question Number(s): 1D015F

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1724: 081D015F:#DA COUGH PHLM | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1570 | 64.3 % | 80.8% |
| 2 | 1 DAY:(2) | 85 | 3.5 % | 4.4% |
| 3 | 2 DAYS:(3) | 90 | 3.7 % | 4.6% |
| 4 | 3-5 DAYS:(4) | 84 | 3.4 % | 4.3% |
| 5 | 6-9 DAYS:(5) | 51 | 2.1 % | 2.6% |
| 6 | 10-19 DA:(6) | 39 | 1.6 % | 2.0% |
| 7 | 20+ DAYS:(7) | 24 | 1.0 % | 1.2% |
| -9 (M) | MISSING:(-9) | 498 | 20.4 % | - |

V1725 081D015G:#DA SHORT BRTH

Location: 1202-1203(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21370

Question Number(s): 1D015G

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1725: 081D015G:#DA SHORT BRTH | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1552 | 63.6 % | 79.5% |
| 2 | 1 DAY:(2) | 123 | 5.0 % | 6.3% |
| 3 | 2 DAYS:(3) | 109 | 4.5 % | 5.6% |
| 4 | 3-5 DAYS:(4) | 73 | 3.0 % | 3.7% |

- Study 25382 -

| V1725: 081D015G:#DA SHORT BRTH | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 5 | 6-9 DAYS:(5) | 42 | 1.7 % | 2.2% |
| 6 | 10-19 DA:(6) | 31 | 1.3 % | 1.6% |
| 7 | 20+ DAYS:(7) | 21 | 0.9 % | 1.1% |
| -9 (M) | MISSING:(-9) | 490 | 20.1 % | - |

V1726 081D015H:#DA WHEEZING

Location: 1204-1205(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21380

Question Number(s): 1D015H

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1726: 081D015H:#DA WHEEZING | | | | |
|------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1662 | 68.1 % | 85.4% |
| 2 | 1 DAY:(2) | 110 | 4.5 % | 5.6% |
| 3 | 2 DAYS:(3) | 67 | 2.7 % | 3.4% |
| 4 | 3-5 DAYS:(4) | 47 | 1.9 % | 2.4% |
| 5 | 6-9 DAYS:(5) | 26 | 1.1 % | 1.3% |
| 6 | 10-19 DA:(6) | 22 | 0.9 % | 1.1% |
| 7 | 20+ DAYS:(7) | 13 | 0.5 % | 0.7% |
| -9 (M) | MISSING:(-9) | 494 | 20.2 % | - |

V1727 081D015I:#DA TRBL REMEM

Location: 1206-1207(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21390

Question Number(s): 1D015I

These next questions concern your health. During the LAST 30

- Study 25382 -

DAYS, on how many days (if any) did you have the following problems or symptoms?

I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1727: 081D015I:#DA TRBL REMEM | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1166 | 47.8 % | 59.9% |
| 2 | 1 DAY:(2) | 217 | 8.9 % | 11.1% |
| 3 | 2 DAYS:(3) | 182 | 7.5 % | 9.3% |
| 4 | 3-5 DAYS:(4) | 133 | 5.4 % | 6.8% |
| 5 | 6-9 DAYS:(5) | 102 | 4.2 % | 5.2% |
| 6 | 10-19 DA:(6) | 46 | 1.9 % | 2.4% |
| 7 | 20+ DAYS:(7) | 101 | 4.1 % | 5.2% |
| -9 (M) | MISSING:(-9) | 494 | 20.2 % | - |

V1728

081D015J:#DA DFCT THINK

Location: 1208-1209(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21400

Question Number(s): 1D015J

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1728: 081D015J:#DA DFCT THINK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 918 | 37.6 % | 47.1% |
| 2 | 1 DAY:(2) | 233 | 9.5 % | 12.0% |
| 3 | 2 DAYS:(3) | 226 | 9.3 % | 11.6% |
| 4 | 3-5 DAYS:(4) | 227 | 9.3 % | 11.6% |
| 5 | 6-9 DAYS:(5) | 147 | 6.0 % | 7.5% |
| 6 | 10-19 DA:(6) | 91 | 3.7 % | 4.7% |
| 7 | 20+ DAYS:(7) | 107 | 4.4 % | 5.5% |

- Study 25382 -

| V1728: 081D015J:#DA DFCT THINK | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| -9 (M) | MISSING:(-9) | 492 | 20.2 % | - |

V1729 **081D015K:#DA TRBL LEARN**

Location: 1210-1211(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21410

Question Number(s): 1D015K

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1729: 081D015K:#DA TRBL LEARN | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1319 | 54.0 % | 68.0% |
| 2 | 1 DAY:(2) | 197 | 8.1 % | 10.1% |
| 3 | 2 DAYS:(3) | 183 | 7.5 % | 9.4% |
| 4 | 3-5 DAYS:(4) | 117 | 4.8 % | 6.0% |
| 5 | 6-9 DAYS:(5) | 65 | 2.7 % | 3.3% |
| 6 | 10-19 DA:(6) | 26 | 1.1 % | 1.3% |
| 7 | 20+ DAYS:(7) | 34 | 1.4 % | 1.8% |
| -9 (M) | MISSING:(-9) | 500 | 20.5 % | - |

V1730 **081D015L:#DA TRBL SLEEP**

Location: 1212-1213(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21420

Question Number(s): 1D015L

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

L: Trouble sleeping

- Study 25382 -

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1730: 081D015L:#DA TRBL SLEEP | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 815 | 33.4 % | 41.9% |
| 2 | 1 DAY:(2) | 218 | 8.9 % | 11.2% |
| 3 | 2 DAYS:(3) | 243 | 10.0 % | 12.5% |
| 4 | 3-5 DAYS:(4) | 237 | 9.7 % | 12.2% |
| 5 | 6-9 DAYS:(5) | 169 | 6.9 % | 8.7% |
| 6 | 10-19 DA:(6) | 121 | 5.0 % | 6.2% |
| 7 | 20+ DAYS:(7) | 143 | 5.9 % | 7.3% |
| -9 (M) | MISSING:(-9) | 495 | 20.3 % | - |

V1731 081D015M:#DA TRBL START

Location: 1214-1215(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21430

Question Number(s): 1D015M

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1731: 081D015M:#DA TRBL START | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 685 | 28.1 % | 35.2% |
| 2 | 1 DAY:(2) | 168 | 6.9 % | 8.6% |
| 3 | 2 DAYS:(3) | 191 | 7.8 % | 9.8% |
| 4 | 3-5 DAYS:(4) | 229 | 9.4 % | 11.8% |
| 5 | 6-9 DAYS:(5) | 176 | 7.2 % | 9.1% |
| 6 | 10-19 DA:(6) | 156 | 6.4 % | 8.0% |
| 7 | 20+ DAYS:(7) | 339 | 13.9 % | 17.4% |
| -9 (M) | MISSING:(-9) | 497 | 20.4 % | - |

V1732 081D015N:#DA STAY HOME

- Study 25382 -

Location: 1216-1217(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 21440

Question Number(s): 1D015N

These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms?

N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20+ days"

| V1732: 081D015N:#DA STAY HOME | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1154 | 47.3 % | 59.2% |
| 2 | 1 DAY:(2) | 353 | 14.5 % | 18.1% |
| 3 | 2 DAYS:(3) | 248 | 10.2 % | 12.7% |
| 4 | 3-5 DAYS:(4) | 131 | 5.4 % | 6.7% |
| 5 | 6-9 DAYS:(5) | 40 | 1.6 % | 2.1% |
| 6 | 10-19 DA:(6) | 10 | 0.4 % | 0.5% |
| 7 | 20+ DAYS:(7) | 14 | 0.6 % | 0.7% |
| -9 (M) | MISSING:(-9) | 491 | 20.1 % | - |

V1733 081D016A:#X/12M DOC-CHEK

Location: 1218-1219(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 21450

Question Number(s): 1D016A

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

A: For a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10+ times"

- Study 25382 -

| V1733: 081D016A:#X/12M DOC-CHEK | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 777 | 31.8 % | 38.9% |
| 2 | ONCE:(2) | 795 | 32.6 % | 39.8% |
| 3 | TWICE:(3) | 294 | 12.0 % | 14.7% |
| 4 | 3-5X:(4) | 94 | 3.9 % | 4.7% |
| 5 | 6-9X:(5) | 20 | 0.8 % | 1.0% |
| 6 | 10+ TIME:(6) | 16 | 0.7 % | 0.8% |
| -9 (M) | MISSING:(-9) | 445 | 18.2 % | - |

V1734 **081D016B:#X/12M DOC-FGHT**

Location: 1220-1221(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21460

Question Number(s): 1D016B

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

B: For an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

| V1734: 081D016B:#X/12M DOC-FGHT | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1837 | 75.3 % | 92.2% |
| 2 | ONCE:(2) | 89 | 3.6 % | 4.5% |
| 3 | TWICE:(3) | 36 | 1.5 % | 1.8% |
| 4 | 3-5X:(4) | 18 | 0.7 % | 0.9% |
| 5 | 6-9X:(5) | 5 | 0.2 % | 0.3% |
| 6 | 10+ TIME:(6) | 8 | 0.3 % | 0.4% |
| -9 (M) | MISSING:(-9) | 448 | 18.4 % | - |

V1735 **081D016C:#X/12M DOC-INJ**

Location: 1222-1223(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21470

- Study 25382 -

Question Number(s): 1D016C

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

C: For any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

| V1735: 081D016C:#X/12M DOC-INJ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1643 | 67.3 % | 82.6% |
| 2 | ONCE:(2) | 181 | 7.4 % | 9.1% |
| 3 | TWICE:(3) | 83 | 3.4 % | 4.2% |
| 4 | 3-5X:(4) | 55 | 2.3 % | 2.8% |
| 5 | 6-9X:(5) | 13 | 0.5 % | 0.7% |
| 6 | 10+ TIME:(6) | 13 | 0.5 % | 0.7% |
| -9 (M) | MISSING:(-9) | 453 | 18.6 % | - |

V1736

081D016D:#X/12M DOC-ILL

Location: 1224-1225(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21480

Question Number(s): 1D016D

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

D: For some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

| V1736: 081D016D:#X/12M DOC-ILL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1171 | 48.0 % | 59.1% |
| 2 | ONCE:(2) | 377 | 15.4 % | 19.0% |
| 3 | TWICE:(3) | 229 | 9.4 % | 11.5% |
| 4 | 3-5X:(4) | 148 | 6.1 % | 7.5% |
| 5 | 6-9X:(5) | 32 | 1.3 % | 1.6% |
| 6 | 10+ TIME:(6) | 26 | 1.1 % | 1.3% |
| -9 (M) | MISSING:(-9) | 458 | 18.8 % | - |

- Study 25382 -

V1737 081D016E:#X/12M DOC-PSY

Location: 1226-1227(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21490

Question Number(s): 1D016E

In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following?

E: For some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

| V1737: 081D016E:#X/12M DOC-PSY | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1802 | 73.8 % | 91.1% |
| 2 | ONCE:(2) | 71 | 2.9 % | 3.6% |
| 3 | TWICE:(3) | 34 | 1.4 % | 1.7% |
| 4 | 3-5X:(4) | 30 | 1.2 % | 1.5% |
| 5 | 6-9X:(5) | 16 | 0.7 % | 0.8% |
| 6 | 10+ TIME:(6) | 26 | 1.1 % | 1.3% |
| -9 (M) | MISSING:(-9) | 462 | 18.9 % | - |

V1738 081D017A:#X/12M HSP-INJ

Location: 1228-1229(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21500

Question Number(s): 1D017A

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

A: . . . because of an injury?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

| V1738: 081D017A:#X/12M HSP-INJ | | | | |
|--------------------------------|----------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1856 | 76.0 % | 94.5% |

- Study 25382 -

| V1738: 081D017A:#X/12M HSP-INJ | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 2 | ONCE:(2) | 71 | 2.9 % | 3.6% |
| 3 | TWICE:(3) | 22 | 0.9 % | 1.1% |
| 4 | 3-5X:(4) | 8 | 0.3 % | 0.4% |
| 5 | 6-9X:(5) | 2 | 0.1 % | 0.1% |
| 6 | 10+ TIME:(6) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 478 | 19.6 % | - |

V1739 081D017B:#X/12M HSP-ILL

Location: 1230-1231(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21510

Question Number(s): 1D017B

In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . .

B: . . . because of some physical illness?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10+ times"

| V1739: 081D017B:#X/12M HSP-ILL | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | NONE:(1) | 1845 | 75.6 % | 94.4% |
| 2 | ONCE:(2) | 74 | 3.0 % | 3.8% |
| 3 | TWICE:(3) | 19 | 0.8 % | 1.0% |
| 4 | 3-5X:(4) | 6 | 0.2 % | 0.3% |
| 5 | 6-9X:(5) | 6 | 0.2 % | 0.3% |
| 6 | 10+ TIME:(6) | 4 | 0.2 % | 0.2% |
| -9 (M) | MISSING:(-9) | 487 | 20.0 % | - |

V1740 081D018:RLTV PHY HEALTH

Location: 1232-1233(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 21520

Question Number(s): 1D018

- Study 25382 -

Overall, relative to other people your age, do you think your physical health over the past year has been . . . ?

1="Much poorer than average" 2="Somewhat poorer" 3="About average" 4="Somewhat better" 5="Much better than average"

| V1740: 081D018:RLTV PHY HEALTH | | | | |
|--------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | MCH <AVG:(1) | 108 | 4.4 % | 5.5% |
| 2 | SOM <AVG:(2) | 262 | 10.7 % | 13.3% |
| 3 | ABT AVR:(3) | 824 | 33.8 % | 41.7% |
| 4 | SOM >AVG:(4) | 450 | 18.4 % | 22.8% |
| 5 | MCH >AVG:(5) | 331 | 13.6 % | 16.8% |
| -9 (M) | MISSING:(-9) | 466 | 19.1 % | - |

V1791 081D021A:DAP SMK 1PCK CI

Location: 1234-1235(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08560

Question Number(s): 1D021A

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1791: 081D021A:DAP SMK 1PCK CI | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 536 | 22.0 % | 27.2% |
| 2 | DISAPPRV:(2) | 690 | 28.3 % | 35.0% |
| 3 | STRG DIS:(3) | 744 | 30.5 % | 37.8% |
| -9 (M) | MISSING:(-9) | 471 | 19.3 % | - |

V1792 081D021B:DAP TRY MRJ 1-2

Location: 1236-1237(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08570

- Study 25382 -

Question Number(s): 1D021B

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1792: 081D021B:DAP TRY MRJ 1-2 | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 910 | 37.3 % | 46.4% |
| 2 | DISAPPRV:(2) | 494 | 20.2 % | 25.2% |
| 3 | STRG DIS:(3) | 559 | 22.9 % | 28.5% |
| -9 (M) | MISSING:(-9) | 478 | 19.6 % | - |

V1793 081D021C:DAP SMK MRJ OCC

Location: 1238-1239(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08580

Question Number(s): 1D021C

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1793: 081D021C:DAP SMK MRJ OCC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 723 | 29.6 % | 36.8% |
| 2 | DISAPPRV:(2) | 510 | 20.9 % | 26.0% |
| 3 | STRG DIS:(3) | 731 | 29.9 % | 37.2% |
| -9 (M) | MISSING:(-9) | 477 | 19.5 % | - |

V1794 081D021D:DAP SMK MRJ REG

Location: 1240-1241(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08590

- Study 25382 -

Question Number(s): 1D021D

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1794: 081D021D:DAP SMK MRJ REG | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 465 | 19.0 % | 23.7% |
| 2 | DISAPPRV:(2) | 547 | 22.4 % | 27.9% |
| 3 | STRG DIS:(3) | 951 | 39.0 % | 48.4% |
| -9 (M) | MISSING:(-9) | 478 | 19.6 % | - |

V1795 **081D021E:DAP COK PWD 1-2**

Location: 1242-1243(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23630

Question Number(s): 1D021E

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1795: 081D021E:DAP COK PWD 1-2 | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 271 | 11.1 % | 13.8% |
| 2 | DISAPPRV:(2) | 505 | 20.7 % | 25.8% |
| 3 | STRG DIS:(3) | 1183 | 48.5 % | 60.4% |
| -9 (M) | MISSING:(-9) | 482 | 19.7 % | - |

V1796 **081D021F:DAP COK PWDR OC**

Location: 1244-1245(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 23640

Question Number(s): 1D021F

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1796: 081D021F:DAP COK PWDR OC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 199 | 8.2 % | 10.1% |
| 2 | DISAPPRV:(2) | 416 | 17.0 % | 21.2% |
| 3 | STRG DIS:(3) | 1346 | 55.1 % | 68.6% |
| -9 (M) | MISSING:(-9) | 480 | 19.7 % | - |

V1797

081D021G:DAP COK PWDR RE

Location: 1246-1247(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23650

Question Number(s): 1D021G

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1797: 081D021G:DAP COK PWDR RE | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 167 | 6.8 % | 8.5% |
| 2 | DISAPPRV:(2) | 332 | 13.6 % | 17.0% |
| 3 | STRG DIS:(3) | 1459 | 59.8 % | 74.5% |
| -9 (M) | MISSING:(-9) | 483 | 19.8 % | - |

V1798

081D021H:DAP TRY CRK 1-2

Location: 1248-1249(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 23660

Question Number(s): 1D021H

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1798: 081D021H:DAP TRY CRK 1-2 | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 225 | 9.2 % | 11.5% |
| 2 | DISAPPRV:(2) | 421 | 17.2 % | 21.5% |
| 3 | STRG DIS:(3) | 1310 | 53.7 % | 67.0% |
| -9 (M) | MISSING:(-9) | 485 | 19.9 % | - |

V1799 081D021I:DAP CRACK OCC

Location: 1250-1251(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23670

Question Number(s): 1D021I

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1799: 081D021I:DAP CRACK OCC | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 167 | 6.8 % | 8.5% |
| 2 | DISAPPRV:(2) | 379 | 15.5 % | 19.4% |
| 3 | STRG DIS:(3) | 1412 | 57.8 % | 72.1% |
| -9 (M) | MISSING:(-9) | 483 | 19.8 % | - |

V1800 081D021J:DAP CRACK REG

Location: 1252-1253(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23680

Question Number(s): 1D021J

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1800: 081D021J:DAP CRACK REG | | | | |
|-------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 154 | 6.3 % | 7.9% |
| 2 | DISAPPRV:(2) | 315 | 12.9 % | 16.1% |
| 3 | STRG DIS:(3) | 1487 | 60.9 % | 76.0% |
| -9 (M) | MISSING:(-9) | 485 | 19.9 % | - |

V1801 081D021K:DAP TRY DRK ALC

Location: 1254-1255(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08710

Question Number(s): 1D021K

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1801: 081D021K:DAP TRY DRK ALC | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 1344 | 55.1 % | 68.7% |
| 2 | DISAPPRV:(2) | 319 | 13.1 % | 16.3% |
| 3 | STRG DIS:(3) | 292 | 12.0 % | 14.9% |
| -9 (M) | MISSING:(-9) | 486 | 19.9 % | - |

V1802 081D021L:DAP 1-2 DRK/DAY

- Study 25382 -

Location: 1256-1257(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08720

Question Number(s): 1D021L

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>V1802: 081D021L:DAP 1-2 DRK/DAY</i> | | | | |
|--|--------------|-----------------------------|----------|----------------|
| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
| 1 | DONT DIS:(1) | 661 | 27.1 % | 33.7% |
| 2 | DISAPPRV:(2) | 733 | 30.0 % | 37.3% |
| 3 | STRG DIS:(3) | 569 | 23.3 % | 29.0% |
| -9 (M) | MISSING:(-9) | 478 | 19.6 % | - |

V1803 081D021M:DAP 4-5 DRK/DAY

Location: 1258-1259(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08730

Question Number(s): 1D021M

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| <i>V1803: 081D021M:DAP 4-5 DRK/DAY</i> | | | | |
|--|--------------|-----------------------------|----------|----------------|
| <i>Value</i> | <i>Label</i> | <i>Unweighted Frequency</i> | <i>%</i> | <i>Valid %</i> |
| 1 | DONT DIS:(1) | 309 | 12.7 % | 15.7% |
| 2 | DISAPPRV:(2) | 556 | 22.8 % | 28.3% |
| 3 | STRG DIS:(3) | 1099 | 45.0 % | 56.0% |
| -9 (M) | MISSING:(-9) | 477 | 19.5 % | - |

V1804 081D021N:DAP 5+ DRK WKND

Location: 1260-1261(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08740

Question Number(s): 1D021N

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| V1804: 081D021N:DAP 5+ DRK WKND | | | | |
|---------------------------------|--------------|----------------------|--------|---------|
| Value | Label | Unweighted Frequency | % | Valid % |
| 1 | DONT DIS:(1) | 600 | 24.6 % | 30.7% |
| 2 | DISAPPRV:(2) | 505 | 20.7 % | 25.8% |
| 3 | STRG DIS:(3) | 850 | 34.8 % | 43.5% |
| -9 (M) | MISSING:(-9) | 486 | 19.9 % | - |

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

| | <u>Number of Public Schools</u> | <u>Number of Private Schools</u> | <u>Total Number of Schools</u> | <u>Total Number of Students</u> | <u>Student Response Rate*</u> |
|------|-------------------------------------|--------------------------------------|------------------------------------|-------------------------------------|-----------------------------------|
| 1975 | 111 | 14 | 125 | 15,791 | 78% |
| 1976 | 108 | 15 | 123 | 16,678 | 77 |
| 1977 | 108 | 16 | 124 | 18,436 | 79 |
| 1978 | 111 | 20 | 131 | 18,924 | 83 |
| 1979 | 111 | 20 | 131 | 16,662 | 82 |
| 1980 | 107 | 20 | 127 | 16,524 | 82 |
| 1981 | 109 | 19 | 128 | 18,267 | 81 |
| 1982 | 116 | 21 | 137 | 18,348 | 83 |
| 1983 | 112 | 22 | 134 | 16,947 | 84 |
| 1984 | 117 | 17 | 134 | 16,499 | 83 |
| 1985 | 115 | 17 | 132 | 16,502 | 84 |
| 1986 | 113 | 16 | 129 | 15,713 | 83 |
| 1987 | 117 | 18 | 135 | 16,843 | 84 |
| 1988 | 113 | 19 | 132 | 16,795 | 83 |
| 1989 | 111 | 22 | 133 | 17,142 | 86 |
| 1990 | 114 | 23 | 137 | 15,676 | 86 |
| 1991 | 117 | 19 | 136 | 15,483 | 83 |
| 1992 | 120 | 18 | 138 | 16,251 | 84 |
| 1993 | 121 | 18 | 139 | 16,763 | 84 |
| 1994 | 119 | 20 | 139 | 15,929 | 84 |
| 1995 | 120 | 24 | 144 | 15,876 | 84 |
| 1996 | 118 | 21 | 139 | 14,824 | 83 |
| 1997 | 125 | 21 | 146 | 15,963 | 83 |
| 1998 | 124 | 20 | 144 | 15,780 | 82 |
| 1999 | 124 | 19 | 143 | 14,056 | 83 |
| 2000 | 116 | 18 | 134 | 13,286 | 83 |
| 2001 | 117 | 17 | 134 | 13,304 | 82 |
| 2002 | 102 | 18 | 120 | 13,544 | 83 |
| 2003 | 103 | 19 | 122 | 15,200 | 83 |
| 2004 | 109 | 19 | 128 | 15,222 | 82 |
| 2005 | 108 | 21 | 129 | 15,378 | 82 |
| 2006 | 116 | 20 | 136 | 14,814 | 83 |
| 2007 | 111 | 21 | 132 | 15,132 | 81 |
| 2008 | 103 | 17 | 120 | 14,577 | 79 |

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.