# **ICPSR 4264**

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2004

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social
Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Form 2 Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

# **Contents**

Contents	
INTRODUCTION	iii
DATA COLLECTION DESCRIPTION	iii
DATA COLLECTION PROCEDURES	iii
SAMPLING INFORMATION	iv
STAGE 1: GEOGRAPHIC AREASSTAGE 2: SCHOOLSSTAGE 3: STUDENTSSCHOOL RECRUITING PROCEDURESADVANCE CONTACT WITH TEACHERS AND STUDENTS	ivvv
QUESTIONNAIRE ADMINISTRATIONPROCEDURES FOR PROTECTING CONFIDENTIALITY	
CONTENT AREAS AND QUESTIONNAIRE DESIGN	
MEASUREMENT CONTENT AREAS	
REPRESENTATIVENESS AND VALIDITY	viii
SCHOOL PARTICIPATIONSTUDENT PARTICIPATION	
VALIDITY OF SELF-REPORT DATAACCURACY OF THE SAMPLECONSISTENCY AND THE MEASUREMENT OF TRENDS	ix
INTERPRETING RACIAL DIFFERENCES	
DIFFERENTIAL REPRESENTATION.	
DIFFERENTIAL RESPONSE TENDENCIESCOVARIANCE WITH OTHER FACTORS	
WEIGHTING INFORMATION	
FILE STRUCTURE	
CODEBOOK INFORMATION	xiv
ICPSR PROCESSING INFORMATION	
FREQUENCIES	
APPENDICES	
Appendix A: Publications	
Appendix B - Sample Size and Student Response Rates	

# **INTRODUCTION**

# DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2004, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

# DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

#### SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

# CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

# \_\_\_\_\_

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.	HEALTH.	Health habits,	somatic sy	mptoms.	medical	treatment.
1.		ricului muono,	bolliatic by	mptoms,	mouncai	ucumin


Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

# REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed

to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprises a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of

the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

# WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

# **FILE STRUCTURE**

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2004 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

part #	form	# of variables	Logical record length	unweighted n
1	Core	108	228	15,222
2	Form 1	618	1249	2,563
3	Form 2	332	675	2,521
4	Form 3	354	720	2,528
5	Form 4	280	574	2,532
6	Form 5	308	627	2,552
7	Form 6	332	676	2,526

The SAS, SPSS, and Stata data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

# **CODEBOOK INFORMATION**

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

# [1] **V1134**

#### [2] 991A13 KIND OF PAID JOB

- [3] Item Number: 25160
- [4] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
[10]	[11]	[ ]	12]	
100.0	100.0	5,745	cases	(Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

# **ICPSR PROCESSING INFORMATION**

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

# **FREQUENCIES**

Form 2 FILE

#### CASEID

#### CASE IDENTIFICATION NUMBER

2,520 cases (Wtd) (Range of valid codes: 1-2,521)

Data type: numeric

Columns: 1-4

#### v1

# YEAR OF ADMIN (4-DIGITS)

PCT PCT N VALUE LABEL

VALID ALL

100.0 100.0 2,520 2004

-----

100.0 100.0 2,520 cases (Wtd)

Data type: numeric

Columns: 5-8

#### V3

#### 042 :FORM ID

PCT PCT N VALUE LABEL

VALID ALL

100.0 100.0 2,520 2

-----

100.0 100.0 2,520 cases (Wtd)

Data type: numeric

Columns: 9-10

#### $\nabla 4$

#### 042 :R'S ID-SERIAL #

2,520 cases (Wtd) (Range of valid codes: 20,001-22,521)

Data type: numeric Columns: 11-15

# V5

# SAMPLING WEIGHT

2,520 cases (Wtd) (Range of valid codes: .1553-5.5288)

Data type: numeric

Decimals: 4
Columns: 16-21

V13 042 :SCHL RGN-4 CAT

Region of the country, based on Census categories, in which respondent's school is located. 1=Northeast, 2=North Central, 3=South, 4=West.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	21.3	537	1	NE
26.6	26.6	671	2	NC
33.7	33.7	851	3	S
18.3	18.3	462	4	W
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Columns: 22-23

V16 042 :SELF-REP/NOT=0

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.9	70.9	1,787	0	NO
29.1	29.1	733	1	YES
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Columns: 24-25

V17 042 :SMSA/NON-SMSA=0

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	24.1	607	0	NO
75.9	75.9	1,914	1	YES
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Columns: 26-27

#### V2208 042A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.3	310	1	NT HAPPY:(1)
64.8	60.8	1,532	2	PRTY HPY:(2)
22.1	20.8	524	3	VRY HPY:(3)
	6.1	154	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 28-29

#### V2209

#### 042A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do. How often do you do each of the following? A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	17	1	NEVER: (1)
1.0	1.0	25	2	FEW /YR:(2)
3.2	3.2	81	3	1-2 /MO:(3)
23.8	23.7	598	4	1 /WK:(4)
71.3	71.0	1,790	5	NR DAILY:(5)
	0.4	9	-9	MISSING
100 0	100 0	2 520	cageg (	W+d)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 30-31

#### V2210 042A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following? B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	71	1	NEVER: (1)
35.7	35.5	895	2	FEW /YR:(2)
52.5	52.2	1,317	3	1-2 / MO:(3)
8.0	7.9	200	4	1 /WK:(4)
0.9	0.9	23	5	NR DAILY: (5)
	0.6	14	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 32-33

#### V2432

#### 042A02C:DALY ROCK CONCRT

Item Number: 05845

How often do you do each of the following? B: Go to rock concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	55.9	1,408	1	NEVER: (1)
36.8	36.5	920	2	FEW /YR:(2)
5.2	5.1	130	3	1-2 / MO:(3)
1.1	1.1	29	4	1 /WK:(4)
0.6	0.6	15	5	NR DAILY: (5)
	0.8	19	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 34-35

#### V2212 042A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following? D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.9	249	1	NEVER: (1)
11.3	11.2	283	2	FEW /YR:(2)
15.3	15.3	385	3	1-2 /MO:(3)
28.7	28.6	721	4	1 /WK:(4)
34.7	34.6	872	5	NR DAILY:(5)
	0.4	10	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 36-37

#### V2213

#### 042A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following? E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	24.8	626	1	NEVER: (1)
42.1	41.8	1,054	2	FEW /YR:(2)
18.2	18.0	455	3	1-2 / MO: (3)
10.9	10.8	272	4	1 /WK:(4)
3.8	3.8	96	5	NR DAILY:(5)
	0.7	17	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 38-39

#### V2214 042A02F:DALY PLA MSC,SNG

Item Number: 05870

How often do you do each of the following? F: Play a musical instrument or  $\sin g$ 

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	43.6	1,100	1	NEVER: (1)
10.0	10.0	251	2	FEW /YR:(2)
4.8	4.7	119	3	1-2 / MO: (3)
10.0	10.0	251	4	1 /WK:(4)
31.3	31.1	785	5	NR DAILY:(5)
	0.6	14	-9	MISSING
100 0	100 0	2 520	cases (	W+d)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 40-41

#### V2215

#### 042A02G:DALY CREAT WRTNG

Item Number: 05880

How often do you do each of the following?  $G:\ Do\ creative$  writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	35.4	893	1	NEVER: (1)
25.2	25.0	630	2	FEW /YR:(2)
19.7	19.6	494	3	1-2 / MO: (3)
12.3	12.3	309	4	1 /WK:(4)
7.1	7.0	177	5	NR DAILY:(5)
	0.7	17	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 42-43

#### V2216 042A02H:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following? H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.8	221	1	NEVER: (1)
10.1	10.1	253	2	FEW /YR:(2)
13.5	13.4	339	3	1-2 / MO: (3)
25.7	25.4	641	4	1 /WK:(4)
41.8	41.5	1,045	5	NR DAILY:(5)
	0.8	21	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

100.0 100.0 2,520 cases (WC

Data type: numeric Missing-data code: -9

Columns: 44-45

#### V2217

#### 042A02I:DALY ART/CRAFTS

Item Number: 05900

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	27.4	689	1	NEVER: (1)
28.6	28.4	716	2	FEW /YR:(2)
19.5	19.3	486	3	1-2 / MO: (3)
11.4	11.3	284	4	1 /WK:(4)
12.9	12.8	323	5	NR DAILY:(5)
	0.9	21	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 46-47

#### V2218 042A02J:DALY WRK HSE,CAR

Item Number: 05910

How often do you do each of the following? J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	131	1	NEVER: (1)
11.5	11.5	289	2	FEW /YR:(2)
24.1	23.9	603	3	1-2 / MO: (3)
35.9	35.7	901	4	1 /WK:(4)
23.2	23.1	582	5	NR DAILY:(5)
	0.6	14	-9	MISSING
100 0	100 0	2 520	cageg (	W+4)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 48-49

#### V2219

#### 042A02K:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following? G: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	42	1	NEVER: (1)
3.2	3.2	81	2	FEW /YR:(2)
10.4	10.4	261	3	1-2 / MO:(3)
38.0	37.7	951	4	1 /WK:(4)
46.7	46.4	1,171	5	NR DAILY:(5)
	0.6	15	-9	MISSING
1000	1000	0 500	,	3\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 50-51

#### V2521 042A02L:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following? L: Go to a shopping mall  $% \left\{ 1,2,\ldots ,n\right\}$ 

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	99	1	NEVER: (1)
16.9	16.8	423	2	FEW /YR:(2)
50.6	50.4	1,270	3	1-2 / MO: (3)
25.3	25.2	636	4	1 /WK:(4)
3.2	3.2	80	5	NR DAILY:(5)
	0.5	12	-9	MISSING
100 0	100 0	2 520	cageg (	W+4)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 52-53

#### V2221

#### 042A02M:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?  $M: \ \$  Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	134	1	NEVER: (1)
6.7	6.6	167	2	FEW /YR:(2)
12.3	12.2	308	3	1-2 / MO: (3)
31.3	31.1	783	4	1 /WK:(4)
44.5	44.2	1,114	5	NR DAILY:(5)
	0.6	14	-9	MISSING
			,	7 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 54-55

#### V2222 042A02N:DALY READ BK,MAG

Item Number: 05950

How often do you do each of the following? N: Read books, magazines, or newspapers  $\,$ 

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	101	1	NEVER: (1)
7.5	7.4	187	2	FEW /YR:(2)
21.6	21.5	542	3	1-2 / MO:(3)
33.0	32.7	825	4	1 /WK:(4)
33.9	33.6	847	5	NR DAILY:(5)
	0.7	19	-9	MISSING
100 0	100 0	2 520	02000 /	W+4)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 56-57

#### V2223

#### 042A02O:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following? O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	49.4	1,244	1	NEVER: (1)
22.3	22.2	558	2	FEW /YR:(2)
16.6	16.5	417	3	1-2 / MO: (3)
8.6	8.5	215	4	1 /WK:(4)
2.9	2.8	72	5	NR DAILY:(5)
	0.6	15	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 58-59

#### V2224 042A02P:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following? P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.6	217	1	NEVER: (1)
21.0	20.9	526	2	FEW /YR:(2)
35.3	35.2	886	3	1-2 /MO:(3)
31.4	31.3	790	4	1 /WK:(4)
3.7	3.7	92	5	NR DAILY:(5)
	0.3	8	-9	MISSING
100 0	100 0	2 520	anana /	/ 5 +W

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 60-61

#### V2509

#### 042A02Q:DALY GO VID ARC

Item Number: 29620

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	56.3	1,418	1	NEVER: (1)
29.7	29.6	745	2	FEW /YR:(2)
9.7	9.7	244	3	1-2/MO:(3)
3.0	3.0	75	4	1 /WK:(4)
1.1	1.1	27	5	NR DAILY:(5)
	0.4	10	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 62-63

#### V2225 042A03A:US 2 MUCH PROFIT

Item Number: 05990

How much do you agree or disagree with each of the following statements? A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	104	1	DISAGREE: (1)
7.8	7.6	193	2	MOST DIS:(2)
22.3	22.0	555	3	NEITHER:(3)
43.1	42.5	1,071	4	MOST AGR: (4)
22.6	22.2	560	5	AGREE: (5)
	1.5	38	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 64-65

#### V2226

#### 042A03B:2MUCH CNCRN MTRL

Item Number: 06000

How much do you agree or disagree with each of the following statements? B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	57	1	DISAGREE: (1)
4.6	4.5	114	2	MOST DIS:(2)
10.3	10.2	258	3	NEITHER:(3)
38.7	38.3	966	4	MOST AGR: (4)
44.1	43.7	1,102	5	AGREE: (5)
	1.0	24	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 66-67

#### V2227 042A03C:ENCOURG PPL BUY>

Item Number: 06010

How much do you agree or disagree with each of the following statements? C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.6	217	1	DISAGREE:(1)
17.3	17.0	429	2	MOST DIS:(2)
40.8	40.2	1,013	3	NEITHER:(3)
23.8	23.5	592	4	MOST AGR: (4)
9.4	9.3	234	5	AGREE: (5)
	1.4	34	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 68-69

#### V2228

#### 042A03D:-WRNG ADVERTISNG

Item Number: 06020

How much do you agree or disagree with each of the following statements? D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	18.0	454	1	DISAGREE: (1)
22.0	21.7	547	2	MOST DIS:(2)
26.9	26.6	669	3	NEITHER: (3)
19.4	19.1	482	4	MOST AGR: (4)
13.5	13.3	335	5	AGREE: (5)
	1.3	33	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 70-71

#### V2229 042A03E:MOR SHORTGS FUTR

Item Number: 06030

How much do you agree or disagree with each of the following statements? E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.6	292	1	DISAGREE: (1)
13.9	13.7	345	2	MOST DIS:(2)
29.4	29.0	731	3	NEITHER:(3)
25.7	25.4	640	4	MOST AGR: (4)
19.3	19.1	481	5	AGREE: (5)
	1.2	31	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 72-73

#### V2468 042A04A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	64	1	NO RISK:(1)
4.1	4.1	103	2	SLIGHT:(2)
13.9	13.8	347	3	MOD RISK:(3)
77.1	76.3	1,923	4	GRT RISK:(4)
2.3	2.3	57	5	CANT SAY: (5)
	1.0	26	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric

Missing-data code: -9

Columns: 74-75

#### V2469

# 042A04B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves (physically or in other ways), if they . . . B: Try marijuana once or twice  ${}^{\circ}$ 

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.4	33.0	832	1	NO RISK:(1)
32.8	32.4	816	2	SLIGHT:(2)
16.8	16.6	419	3	MOD RISK:(3)
13.7	13.6	342	4	GRT RISK:(4)
3.2	3.2	80	5	CANT SAY: (5)
	1.2	31	-9	MISSING
100.0	100.0	2,520	cases (	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 76-77

#### V2470 042A04C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves (physically or in other ways), if they . . . C: Smoke marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	13.0	328	1	NO RISK:(1)
25.8	25.5	641	2	SLIGHT:(2)
33.4	33.0	831	3	MOD RISK:(3)
24.1	23.8	599	4	GRT RISK:(4)
3.5	3.4	87	5	CANT SAY: (5)
	1.3	34	-9	MISSING
100 0	100 0	2 520	aaaaa /	W+4 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 78-79

#### V2471

#### 042A04D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves (physically or in other ways), if they . . . D: Smoke marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	142	1	NO RISK:(1)
11.2	11.0	277	2	SLIGHT:(2)
21.8	21.4	540	3	MOD RISK:(3)
57.3	56.4	1,422	4	GRT RISK:(4)
4.1	4.0	101	5	CANT SAY: (5)
	1.5	38	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 80-81

### V2472 042A04E:RSK OF 1-2 DRINK

Item Number: 12510

How much do you think people risk harming themselves (physically or in other ways), if they . . . E: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	43.6	1,100	1	NO RISK:(1)
35.9	35.6	896	2	SLIGHT:(2)
11.2	11.0	278	3	MOD RISK:(3)
7.5	7.4	186	4	<pre>GRT RISK:(4)</pre>
1.3	1.3	33	5	CANT SAY: (5)
	1.0	26	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

100.0 100.0 2,520 Cases (We

Data type: numeric Missing-data code: -9

Columns: 82-83

### V2473

# 042A04F:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Take one or two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	227	1	NO RISK:(1)
23.0	22.8	575	2	SLIGHT:(2)
36.6	36.3	914	3	MOD RISK:(3)
29.0	28.7	724	4	<pre>GRT RISK:(4)</pre>
2.2	2.2	55	5	CANT SAY: (5)
	1.0	25	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 84-85

# V2474 042A04G:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take four or five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	89	1	NO RISK:(1)
5.4	5.3	135	2	SLIGHT:(2)
21.8	21.5	542	3	MOD RISK:(3)
66.7	66.0	1,664	4	GRT RISK:(4)
2.5	2.5	63	5	CANT SAY: (5)
	1.1	28	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 86-87

### V2475

# 042A04H:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves (physically or in other ways), if they. . . H: Have five or more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.8	198	1	NO RISK:(1)
14.6	14.4	364	2	SLIGHT:(2)
27.6	27.4	689	3	MOD RISK:(3)
47.6	47.1	1,187	4	GRT RISK:(4)
2.2	2.2	55	5	CANT SAY: (5)
	1.1	27	-9	MISSING
			,	

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 88-89

# V2238 042A05 :DFNTLY PRFR MATE

Item Number: 06120

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	25	1	DEF NOT: (1)
2.1	2.1	53	2	PROB NOT: (2)
10.4	10.2	258	3	NOT SURE: (3)
22.0	21.6	546	4	PROBABLY: (4)
64.5	63.5	1,600	5	DEFINTLY: (5)
	1.6	39	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 90-91

### V2239

### 042A06 :THINK WILL MARRY

Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married" 8="Am already married"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.4	87	1	NT MARRY: (1)
16.4	15.7	396	2	NO IDEA:(2)
79.6	76.2	1,920	3	MARRY: (3)
0.4	0.4	10	8	MARRIED: (8)
	4.3	107	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 92-93

### V2240 042A07A:LIKLY STAY MARRD

Item Number: 06140

If you did get married (or are married) . . . A: How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	33	1	V UNLKLY:(1)
1.7	1.6	41	2	FRLY UNL:(2)
14.1	13.0	328	3	UNCERTN: (3)
23.3	21.6	544	4	FRLY LIK:(4)
59.5	55.0	1,387	5	VY LIKLY:(5)
	7.4	187	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 94-95

### V2241

### 042A07B:LIKLY HAVE KIDS

Item Number: 06150

If you did get married (or are married) . . . B: How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

PCT	PCT	N	VALUE	LABEL
VALID	$\mathtt{ALL}$			
3.5	3.2	82	1	V UNLKLY: (1)
2.6	2.5	62	2	FRLY UNL:(2)
11.2	10.4	262	3	UNCERTN: (3)
19.0	17.7	445	4	FRLY LIK:(4)
62.0	57.8	1,456	5	VY LIKLY:(5)
1.8	1.6	41	8	HAVE KID: (8)
	6.8	172	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 96-97

# V2242 042A08A:-CHL, HB WK1., W=0

Item Number: 06160

Imagine you are married and have no children. How would you feel about each of the following working arrangements? A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	32.4	817	1	NT ACCEP:(1)
36.0	35.3	890	2	SM ACCEP:(2)
23.8	23.3	587	3	ACCEPTBL:(3)
7.1	7.0	176	4	DESIRABL:(4)
	2.0	50	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 98-99

#### V2243

# 042A08B:-CHL,HB WK1.,W.5

Item Number: 06170

Imagine you are married and have no children. How would you feel about each of the following working arrangements? B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.2	131	1	NT ACCEP:(1)
28.0	27.4	692	2	SM ACCEP: (2)
56.0	55.0	1,386	3	ACCEPTBL:(3)
10.7	10.5	265	4	DESIRABL:(4)
	1.9	47	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 100-101

# V2244 042A08C:-CHL, HB&WF WK 1.

Item Number: 06180

Imagine you are married and have no children. How would you feel about each of the following working arrangements? C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.6	193	1	NT ACCEP:(1)
14.7	14.3	361	2	SM ACCEP:(2)
50.8	49.5	1,247	3	ACCEPTBL:(3)
26.6	25.9	653	4	DESIRABL:(4)
	2.6	66	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 102-103

#### V2245

# 042A08D:-CHL, HB&WF WK .5

Item Number: 06190

Imagine you are married and have no children. How would you feel about each of the following working arrangements? D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	25.1	632	1	NT ACCEP:(1)
32.9	31.9	804	2	SM ACCEP:(2)
29.7	28.8	726	3	ACCEPTBL:(3)
11.5	11.1	281	4	DESIRABL:(4)
	3.0	76	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 104-105

# V2246 042A08E:-CHL,W WK 1.,H.5

Item Number: 06200

Imagine you are married and have no children. How would you feel about each of the following working arrangements? E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	35.6	898	1	NT ACCEP:(1)
34.3	33.4	843	2	SM ACCEP:(2)
26.0	25.3	638	3	ACCEPTBL:(3)
3.3	3.2	81	4	DESIRABL:(4)
	2.4	61	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 106-107

#### V2247

# 042A08F:-CHL,W WK 1.,H=0

Item Number: 06210

Imagine you are married and have no children. How would you feel about each of the following working arrangements? F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	69.9	1,761	1	NT ACCEP:(1)
16.2	15.8	399	2	SM ACCEP:(2)
8.7	8.5	215	3	ACCEPTBL:(3)
3.8	3.7	94	4	DESIRABL: (4)
	2.1	52	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 108-109

#### V2248 042A09A:PSCH,HB WK1.,W=0

Item Number: 06220

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.1	354	1	NT ACCEP:(1)
24.0	23.5	593	2	SM ACCEP:(2)
38.0	37.3	941	3	ACCEPTBL:(3)
23.6	23.2	585	4	DESIRABL: (4)
	1.9	47	-9	MISSING
100.0	100.0	2,520	cases (	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 110-111

### V2249

# 042A09B:PSCH,HB WK1.,W.5

Item Number: 06230

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.2	132	1	NT ACCEP:(1)
25.3	24.8	626	2	SM ACCEP: (2)
55.4	54.5	1,373	3	ACCEPTBL:(3)
13.9	13.7	345	4	DESIRABL:(4)
	1.8	44	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 112-113

# V2250 042A09C:PSCH,HB&WF WK 1.

Item Number: 06240

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	39.3	991	1	NT ACCEP:(1)
26.8	26.2	661	2	SM ACCEP:(2)
23.6	23.1	582	3	ACCEPTBL:(3)
9.3	9.1	229	4	DESIRABL:(4)
	2.2	57	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 114-115

#### V2251

# 042A09D:PSCH,HB&WF WK .5

Item Number: 06250

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	23.5	592	1	NT ACCEP:(1)
36.4	35.4	893	2	SM ACCEP:(2)
30.8	30.0	756	3	ACCEPTBL:(3)
8.7	8.4	212	4	DESIRABL:(4)
	2.7	67	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 116-117

#### V2252 042A09E:PSCH,WF WK1.,H.5

Item Number: 06260

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	37.6	948	1	NT ACCEP:(1)
32.3	31.7	799	2	SM ACCEP:(2)
25.5	25.0	631	3	ACCEPTBL:(3)
3.8	3.8	95	4	DESIRABL:(4)
	1.9	48	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 118-119

# V2253

# 042A09F:PSCH,WF WK1.,H=0

Item Number: 06270

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	56.7	1,428	1	NT ACCEP:(1)
19.5	19.1	482	2	SM ACCEP:(2)
17.6	17.3	436	3	ACCEPTBL:(3)
5.0	4.9	125	4	DESIRABL:(4)
	2.0	50	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 120-121

# V2254 042A10A:H WK,W -WK,W CCR

Item Number: 06280

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? A: Wife does all child care

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	29.5	744	1	NT ACCEP:(1)
28.5	27.9	703	2	SM ACCEP: (2)
29.8	29.2	736	3	ACCEPTBL:(3)
11.6	11.4	287	4	DESIRABL: (4)
	2.0	50	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 122-123

# V2255

# 042A10B:H WK,W -WK,W>CCR

Item Number: 06290

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? B: Wife does most of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.5	290	1	NT ACCEP:(1)
28.5	27.9	704	2	SM ACCEP:(2)
47.6	46.6	1,175	3	ACCEPTBL:(3)
12.2	11.9	300	4	DESIRABL: (4)
	2.0	50	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 124-125

# V2256 042A10C:H WK,W -WK,=CHCR

Item Number: 06300

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? C: Both do it equally

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	101	1	NT ACCEP:(1)
15.5	15.2	383	2	SM ACCEP:(2)
37.8	37.0	933	3	ACCEPTBL:(3)
42.5	41.6	1,048	4	DESIRABL:(4)
	2.2	55	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 126-127

# V2257

# 042A10D:H WK,W -WK,H>CCR

Item Number: 06310

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? D: Husband does most of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	36.5	919	1	NT ACCEP:(1)
42.3	41.3	1,040	2	SM ACCEP:(2)
18.3	17.8	449	3	ACCEPTBL:(3)
2.1	2.1	52	4	DESIRABL:(4)
	2.4	60	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 128-129

# V2258 042A10E:H WK,W -WK,H CCR

Item Number: 06320

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? E: Husband does all of it

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	70.3	1,773	1	NT ACCEP:(1)
17.6	17.2	434	2	SM ACCEP:(2)
7.9	7.7	194	3	ACCEPTBL:(3)
2.4	2.4	60	4	DESIRABL:(4)
	2.4	60	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 130-131

# V2259

# 042A11 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.2	208	1	NO INTRS:(1)
18.4	18.1	457	2	LIT INTR:(2)
45.7	45.0	1,133	3	SOM INTR:(3)
18.3	18.0	454	4	LOT INTR:(4)
9.2	9.0	227	5	VGRT INT: (5)
	1.7	42	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric

Columns: 132-133

Missing-data code: -9

# V2260 042A12 :GOVT PPL -DSHNST

Item Number: 06340

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are" 3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	18.9	478	1	MOST CRK:(1)
35.8	35.2	887	2	QT A FEW: (2)
40.4	39.7	1,001	3	SOME: (3)
4.1	4.0	101	4	HDLY ANY: (4)
0.4	0.4	10	5	NONE@ALL:(5)
	1.7	44	-9	MISSING
1000	1000	0 500	,	7\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 134-135

### V2261

# 042A13 :GOVT DSNT WASTE\$

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.2	258	1	NRLY ALL: (1)
45.0	44.1	1,111	2	A LOT:(2)
36.1	35.3	890	3	SOME: (3)
7.3	7.1	180	4	A LITTLE:(4)
1.1	1.1	28	5	NO WASTE: (5)
	2.1	54	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 136-137

# V2262 042A14 :NEVER TRUST GOVT

Item Number: 06360

How much of the time do you think you can trust the government in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.0	177	1	ALWYS TR:(1)
33.2	32.6	821	2	OFTEN: (2)
43.5	42.6	1,074	3	SOMETIME: (3)
12.6	12.3	311	4	SELDOM: (4)
3.6	3.5	88	5	NEVER: (5)
	1.9	49	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 138-139

#### V2263

### 042A15 :GVT PPL DK DOING

Item Number: 06370

Do you feel that the people running the government are smart people who usually know what they are doing?

1="They almost always know what they are doing" 2="They usually know what they are doing" 3="They sometimes know what they are doing" 4="They seldom know what they are doing" 5="They never know what they are doing"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.3	310	1	ALWYS KN:(1)
47.7	46.8	1,179	2	USUALLY:(2)
30.4	29.8	751	3	SOMETIME: (3)
7.7	7.6	191	4	SELDOM: (4)
1.7	1.6	41	5	NEVER: (5)
	2.0	49	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 140-141

### V2264 042A16 :GOVT RUN FOR PPL

Item Number: 06380

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.8	272	1	ALWS FEW: (1)
25.3	24.7	623	2	USLY FEW: (2)
47.3	46.1	1,162	3	SOME: (3)
13.7	13.4	338	4	USLY ALL:(4)
2.6	2.5	64	5	ALWS ALL:(5)
	2.4	61	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 142-143

# V2265

### 042A17A:DO OR PLN VOTE

Item Number: 06390

Have you ever done, or do you plan to do, the following things? A: Vote in a public election

1="I probably won't do this" 2="Don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	133	1	PRB WONT:(1)
9.7	9.5	239	2	DK: (2)
75.9	74.6	1,879	3	PRB WILL:(3)
9.1	8.9	225	4	HAV DONE: (4)
	1.8	45	-9	MISSING
100 0	100 0	2 520	/	T.T.LJ. \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 144-145

# V2266 042A17B:DO OR PLN WRITE

Item Number: 06400

Have you ever done, or do you plan to do, the following

things? B: Write to public officials

1="I probably won't do this" 2="Don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	31.9	804	1	PRB WONT:(1)
41.4	40.7	1,025	2	DK:(2)
13.8	13.6	342	3	PRB WILL:(3)
12.3	12.1	304	4	HAV DONE: (4)
	1.8	45	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 146-147

#### V2267

# 042A17C:DO OR PLN GIVE \$

Item Number: 06410

Have you ever done, or do you plan to do, the following things? C: Give money to a political candidate or cause

1="I probably won't do this" 2="Don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	43.3	1,092	1	PRB WONT:(1)
40.2	39.3	991	2	DK:(2)
12.6	12.3	310	3	PRB WILL:(3)
2.9	2.8	71	4	HAV DONE: (4)
	2.2	56	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 148-149

# V2268 042A17D:DO OR PLN WK CPG

Item Number: 06420

Have you ever done, or do you plan to do, the following

things? D: Work in a political campaign

1="I probably won't do this" 2="Don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	56.9	1,434	1	PRB WONT:(1)
32.3	31.6	797	2	DK:(2)
7.2	7.0	177	3	PRB WILL:(3)
2.5	2.4	61	4	HAV DONE: (4)
	2.0	52	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 150-151

#### V2269

### 042A17E:DO OR PLN DEMNST

Item Number: 06430

Have you ever done, or do you plan to do, the following things? E: Participate in a lawful demonstration

1="I probably won't do this" 2="Don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	40.0	1,009	1	PRB WONT:(1)
39.9	39.1	987	2	DK:(2)
15.1	14.8	373	3	PRB WILL:(3)
4.2	4.1	103	4	HAV DONE: (4)
	2.0	49	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 152-153

# V2270 042A17F:DO OR PLN BOYCOT

Item Number: 06440

Have you ever done, or do you plan to do, the following

things? F: Boycott certain products or stores

1="I probably won't do this" 2="Don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	38.9	980	1	PRB WONT:(1)
37.4	36.7	926	2	DK:(2)
14.5	14.2	359	3	PRB WILL:(3)
8.4	8.2	207	4	HAV DONE: (4)
	1.9	48	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 154-155

#### V2271

### 042A18A:US SHD DISARM

Item Number: 06450

How much do you agree or disagree with each of the following statements? A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	29.2	735	1	DISAGREE: (1)
16.4	16.0	402	2	MOST DIS:(2)
34.8	33.8	853	3	NEITHER: (3)
12.8	12.5	315	4	MOST AGR: (4)
6.0	5.9	148	5	AGREE: (5)
	2.7	68	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 156-157

# V2272 042A18B:US GO WAR FR OTH

Item Number: 05690

How much do you agree or disagree with each of the following statements? B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
		IA	VALUE	пчовп
VALID	$\mathtt{ALL}$			
11.0	10.7	270	1	DISAGREE:(1)
16.4	16.0	403	2	MOST DIS:(2)
21.1	20.6	519	3	NEITHER:(3)
32.5	31.8	801	4	MOST AGR: (4)
19.0	18.5	467	5	AGREE: (5)
	2.4	60	-9	MISSING
100.0	100.0	2,520	cases (	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 158-159

### V2273

# 042A18C:US WAR PRTCT ECN

Item Number: 06460

How much do you agree or disagree with each of the following statements? C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.1	205	1	DISAGREE: (1)
11.6	11.3	284	2	MOST DIS:(2)
25.1	24.3	614	3	NEITHER: (3)
31.5	30.6	771	4	MOST AGR: (4)
23.5	22.8	574	5	AGREE: (5)
	2.9	72	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 160-161

# V2274 042A18D:US ONLY WAR DFNS

Item Number: 06470

How much do you agree or disagree with each of the following statements? D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.0	228	1	DISAGREE:(1)
14.3	13.9	351	2	MOST DIS:(2)
16.4	16.0	404	3	NEITHER:(3)
30.1	29.4	741	4	MOST AGR: (4)
29.9	29.1	733	5	AGREE: (5)
	2.5	64	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 162-163

# V2275

### 042A18E:-US MIL PWR>USSR

Item Number: 06480

How much do you agree or disagree with each of the following statements? E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.0	731	1	DISAGREE: (1)
17.7	17.2	433	2	MOST DIS:(2)
33.8	32.8	827	3	NEITHER: (3)
10.5	10.2	258	4	MOST AGR: (4)
8.1	7.9	199	5	AGREE: (5)
	2.9	73	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 164-165

# V2276 042A18F:US NEED>PWR OTHS

Item Number: 06490

How much do you agree or disagree with each of the following statements? F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.3	258	1	DISAGREE:(1)
11.9	11.6	292	2	MOST DIS:(2)
32.1	31.3	789	3	NEITHER:(3)
20.7	20.1	507	4	MOST AGR: (4)
24.8	24.1	608	5	AGREE: (5)
	2.6	67	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 166-167

# V2277

### 042A18G:US FRN PLCY NRRW

Item Number: 06500

How much do you agree or disagree with each of the following statements? G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	123	1	DISAGREE: (1)
8.3	8.0	202	2	MOST DIS:(2)
49.6	47.9	1,208	3	NEITHER: (3)
23.5	22.7	572	4	MOST AGR: (4)
13.6	13.2	332	5	AGREE: (5)
	3.3	83	-9	MISSING
	4000		,	

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 168-169 V2279 042A19A:FRQ FIGHT PARNTS

Item Number: 06520

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . A. Argued or had a fight with either of your parents

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	9.6	241	1	NOT @ALL:(1)
10.6	8.5	214	2	ONCE: (2)
12.9	10.4	261	3	TWICE:(3)
24.6	19.8	499	4	3-4TIMES: (4)
40.0	32.2	812	5	5+ TIMES:(5)
	19.6	493	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 170-171

# V2280 042A19B:FRQ HIT SUPRVISR

Item Number: 06530

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	95.5	2,406	1	NOT @ALL:(1)
1.6	1.5	39	2	ONCE: (2)
0.9	0.9	23	3	TWICE:(3)
0.3	0.3	8	4	3-4TIMES: (4)
0.5	0.5	13	5	5+ TIMES:(5)
	1.2	31	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 172-173

### V2281

# 042A19C:FRQ FGT WRK/SCHL

Item Number: 06540

During the LAST 12 MONTHS, how often have you. . . C. Gotten into a serious fight in school or at work

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	84.3	2,126	1	NOT @ALL:(1)
8.2	8.1	205	2	ONCE: (2)
4.1	4.0	101	3	TWICE:(3)
1.4	1.4	36	4	3-4TIMES: (4)
0.7	0.7	18	5	5+ TIMES:(5)
	1.4	36	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 174-175

# V2282 042A19D:FRQ GANG FIGHT

Item Number: 06550

During the LAST 12 MONTHS, how often have you. . . D. Taken part in a fight where a group of your friends were against another group

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.7	79.7	2,008	1	NOT @ALL:(1)
11.0	10.9	275	2	ONCE: (2)
4.1	4.1	102	3	TWICE:(3)
2.7	2.6	66	4	3-4TIMES:(4)
1.5	1.5	38	5	5+ TIMES:(5)
	1.2	31	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

100.0 100.0 2,320 cases (w

Data type: numeric Missing-data code: -9 Columns: 176-177

### V2283

# 042A19E:FRQ HURT SM1 BAD

Item Number: 06560

During the LAST 12 MONTHS, how often have you. . . E. Hurt someone badly enough to need bandages or a doctor  $\,$ 

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	86.5	2,181	1	NOT @ALL:(1)
7.3	7.2	182	2	ONCE: (2)
2.7	2.7	67	3	TWICE:(3)
1.4	1.4	35	4	3-4TIMES: (4)
1.0	1.0	26	5	5+ TIMES:(5)
	1.2	30	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 178-179

# V2284 042A19F:FRQ THREAT WEAPN

Item Number: 06570

During the LAST 12 MONTHS, how often have you. . . F. Used a knife or gun or some other thing (like a club) to get something from a person

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	94.8	2,390	1	NOT @ALL:(1)
1.7	1.7	42	2	ONCE: (2)
0.8	0.8	19	3	TWICE:(3)
0.5	0.5	13	4	3-4TIMES:(4)
1.0	0.9	24	5	5+ TIMES:(5)
	1.3	32	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 180-181

### V2285

# 042A19G:FRQ STEAL <\$50

Item Number: 06580

During the LAST 12 MONTHS, how often have you. . . G. Taken something not belonging to you worth under \$50

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	68.9	1,737	1	NOT @ALL:(1)
14.0	13.7	346	2	ONCE: (2)
6.6	6.5	163	3	TWICE:(3)
3.8	3.7	93	4	3-4TIMES: (4)
5.6	5.5	139	5	5+ TIMES:(5)
	1.7	43	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 182-183

# V2286 042A19H:FRQ STEAL >\$50

Item Number: 06590

During the LAST 12 MONTHS, how often have you. . . H. Taken something not belonging to you worth over \$50

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	87.8	2,212	1	NOT @ALL:(1)
4.9	4.8	121	2	ONCE: (2)
2.5	2.5	63	3	TWICE:(3)
1.5	1.5	38	4	3-4TIMES: (4)
2.0	2.0	51	5	5+ TIMES:(5)
	1.4	35	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 184-185

### V2287

# 042A19I:FRQ SHOPLIFT

Item Number: 06600

During the LAST 12 MONTHS, how often have you. . . I. Taken something from a store without paying for it

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	71.1	1,793	1	NOT @ALL:(1)
12.7	12.5	314	2	ONCE: (2)
6.2	6.1	153	3	TWICE:(3)
3.7	3.7	92	4	3-4TIMES:(4)
5.2	5.1	128	5	5+ TIMES:(5)
	1.6	40	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 186-187

# V2288 042A19J:FRQ CAR THEFT

Item Number: 06610

During the LAST 12 MONTHS, how often have you. . . J. Taken a car that didn't belong to someone in your family without permission of the owner

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $^{\circ}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	93.0	2,344	1	NOT @ALL:(1)
2.8	2.8	70	2	ONCE: (2)
1.6	1.5	39	3	TWICE:(3)
0.6	0.6	15	4	3-4TIMES:(4)
0.9	0.9	22	5	5+ TIMES:(5)
	1.2	31	-9	MISSING
100 0	100 0	2 520	anaoa /	W+4)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 188-189

### V2289

# 042A19K:FRQ STEAL CAR PT

Item Number: 06620

During the LAST 12 MONTHS, how often have you. . . K. Taken part of a car without permission of the owner  $\,$ 

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	93.5	2,357	1	NOT @ALL:(1)
2.8	2.7	69	2	ONCE: (2)
0.9	0.8	21	3	TWICE:(3)
0.5	0.5	14	4	3-4TIMES: (4)
0.9	0.9	23	5	5+ TIMES:(5)
	1.4	36	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 190-191

# V2290 042A19L:FRQ TRESPAS BLDG

Item Number: 06630

During the LAST 12 MONTHS, how often have you. . . L. Gone into some house or building when you weren't supposed to be there

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $^{\circ}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	74.9	1,887	1	NOT @ALL:(1)
11.1	11.0	277	2	ONCE: (2)
6.4	6.3	159	3	TWICE:(3)
3.0	2.9	74	4	3-4TIMES:(4)
3.5	3.4	87	5	5+ TIMES:(5)
	1.5	37	-9	MISSING
100 0	100 0	2 520	andod	( M+ d )

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 192-193

### V2291

# 042A19M:FRQ ARSON

Item Number: 06640

During the LAST 12 MONTHS, how often have you. . . M. Set fire to someone's property on purpose  $\,$ 

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
NOT @ALL:(1)	1	2,405	95.4	96.6
ONCE: (2)	2	43	1.7	1.7
TWICE:(3)	3	18	0.7	0.7
3-4TIMES: (4)	4	8	0.3	0.3
5+ TIMES:(5)	5	15	0.6	0.6
MISSING	-9	31	1.2	

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 194-195

# V2292 042A19N:FRQ DMG SCH PPTY

Item Number: 06650

During the LAST 12 MONTHS, how often have you. . . N. Damaged school property on purpose  $\,$ 

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	85.6	2,158	1	NOT @ALL:(1)
6.3	6.2	157	2	ONCE: (2)
3.3	3.2	81	3	TWICE:(3)
1.1	1.1	28	4	3-4TIMES:(4)
2.3	2.3	58	5	5+ TIMES:(5)
	1.5	39	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 196-197

### V2293

# 042A19O:FRQ DMG WK PRPTY

Item Number: 06660

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	92.7	2,335	1	NOT @ALL:(1)
2.6	2.6	66	2	ONCE: (2)
1.6	1.6	39	3	TWICE:(3)
0.6	0.6	14	4	3-4TIMES: (4)
1.3	1.3	32	5	5+ TIMES:(5)
	1.4	35	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 198-199

# V2295 042A20A:SM1 ROB YRS <\$50

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . . A. Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $^{\circ}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	56.6	1,427	1	NOT @ALL:(1)
24.5	24.0	605	2	ONCE: (2)
11.0	10.8	271	3	TWICE:(3)
5.1	5.0	127	4	3-4TIMES:(4)
1.6	1.6	41	5	5+ TIMES:(5)
	1.9	49	-9	MISSING
100.0	100.0	2,520	cases (	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 200-201

### V2296

# 042A20B:SM1 ROB YRS >\$50

Item Number: 06690

During the LAST 12 MONTHS, how often . . . B. Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	73.8	1,859	1	NOT @ALL:(1)
16.9	16.6	418	2	ONCE: (2)
5.2	5.1	128	3	TWICE:(3)
2.0	1.9	49	4	3-4TIMES: (4)
0.7	0.7	18	5	5+ TIMES:(5)
	1.9	48	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 202-203

# V2297 042A20C:SM1 DMG YR PRPTY

Item Number: 06700

During the LAST 12 MONTHS, how often . . . C. Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $^{\circ}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	68.5	1,726	1	NOT @ALL:(1)
19.4	19.0	479	2	ONCE: (2)
6.3	6.1	155	3	TWICE:(3)
3.1	3.1	78	4	3-4TIMES: (4)
1.4	1.3	34	5	5+ TIMES:(5)
	1.9	49	-9	MISSING
100 0	100 0	2 520	aaaaa /	W+4 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 204-205

### V2298

# 042A20D:SM1 INJR U W/WPN

Item Number: 06710

During the LAST 12 MONTHS, how often . . . D. Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	92.5	2,332	1	NOT @ALL:(1)
4.0	4.0	100	2	ONCE: (2)
1.1	1.0	26	3	TWICE:(3)
0.2	0.2	6	4	3-4TIMES:(4)
0.4	0.4	10	5	5+ TIMES:(5)
	1.9	47	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 206-207

# V2299 042A20E:SM1 THRTN U W/WP

Item Number: 06720

During the LAST 12 MONTHS, how often . . . E. Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	82.1	2,068	1	NOT @ALL:(1)
8.8	8.6	216	2	ONCE: (2)
4.1	4.0	101	3	TWICE:(3)
1.5	1.4	36	4	3-4TIMES: (4)
2.0	2.0	51	5	5+ TIMES:(5)
	1.9	48	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 208-209

### V2300

# 042A20F:SM1 INJR YU -WPN

Item Number: 06730

During the LAST 12 MONTHS, how often . . . F. Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	82.0	2,067	1	NOT @ALL:(1)
9.2	9.0	226	2	ONCE: (2)
3.6	3.5	88	3	TWICE:(3)
1.9	1.9	47	4	3-4TIMES:(4)
1.7	1.7	42	5	5+ TIMES:(5)
	2.0	51	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 210-211

# V2301 042A20G:SM1 THRT U W/INJ

Item Number: 06740

During the LAST 12 MONTHS, how often . . . G. Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	72.8	1,836	1	NOT @ALL:(1)
10.9	10.7	270	2	ONCE: (2)
5.7	5.5	140	3	TWICE:(3)
3.8	3.7	93	4	3-4TIMES:(4)
5.3	5.2	132	5	5+ TIMES:(5)
	2.0	51	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 212-213

### V2302

# 042A21A: EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	140	1	PROB IMP:(1)
2.5	2.5	63	2	VRY DIFF:(2)
6.0	5.8	147	3	<pre>FRLY DIF:(3)</pre>
22.7	22.1	557	4	FRLY EAS: (4)
63.1	61.5	1,549	5	VRY EASY: (5)
	2.6	65	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 214-215

### V2303 042A21B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	16.6	419	1	PROB IMP:(1)
18.2	17.3	437	2	VRY DIFF:(2)
31.6	30.1	760	3	<pre>FRLY DIF:(3)</pre>
24.2	23.1	582	4	FRLY EAS: (4)
8.6	8.2	206	5	VRY EASY: (5)
	4.6	117	-9	MISSING
	4000		,	

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 216-217

#### V2304

### 042A21C:EASY GT PSYDELIC

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	14.7	371	1	PROB IMP:(1)
14.0	13.5	340	2	VRY DIFF:(2)
21.8	20.9	527	3	<pre>FRLY DIF:(3)</pre>
31.1	29.9	754	4	FRLY EAS: (4)
17.7	17.0	430	5	VRY EASY: (5)
	3.9	99	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 218-219

#### V2305 042A21D:EASY GT AMPHTMNS

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? D: Amphetamines (uppers, pep pills, bennies, speed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.1	304	1	PROB IMP:(1)
11.8	11.5	289	2	VRY DIFF:(2)
20.6	19.9	501	3	<pre>FRLY DIF:(3)</pre>
28.2	27.3	688	4	FRLY EAS: (4)
26.9	26.0	656	5	VRY EASY: (5)
	3.2	82	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 220-221

### V2522

# 042A21E:EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	14.4	362	1	PROB IMP:(1)
13.8	13.3	335	2	VRY DIFF: (2)
25.1	24.2	609	3	<pre>FRLY DIF:(3)</pre>
25.9	24.9	627	4	FRLY EAS: (4)
20.1	19.3	487	5	VRY EASY: (5)
	3.9	99	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 222-223

#### V2307 042A21F:EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? F:

Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	19.2	484	1	PROB IMP:(1)
22.4	21.4	540	2	VRY DIFF:(2)
27.6	26.5	667	3	<pre>FRLY DIF:(3)</pre>
17.4	16.7	420	4	FRLY EAS: (4)
12.6	12.1	304	5	VRY EASY: (5)
	4.2	105	-9	MISSING
100 0	100 0	2 520	aaaaa /	W+4 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 224-225

#### V2308

#### 042A21G:EASY GT COCAINE

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.0	404	1	PROB IMP:(1)
16.0	15.4	389	2	VRY DIFF:(2)
20.1	19.4	489	3	<pre>FRLY DIF:(3)</pre>
25.8	24.9	628	4	FRLY EAS: (4)
21.5	20.8	523	5	VRY EASY: (5)
	3.4	87	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 226-227

#### V2309 042A21H:EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	22.0	555	1	PROB IMP:(1)
23.6	22.8	574	2	VRY DIFF:(2)
24.3	23.3	588	3	<pre>FRLY DIF:(3)</pre>
17.1	16.4	414	4	FRLY EAS: (4)
12.1	11.7	294	5	VRY EASY: (5)
	3.8	95	-9	MISSING
4000				

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 228-229

#### V2310

#### 042A21I:EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? I: Some other narcotic (methadone, opium, codeine, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	18.3	462	1	PROB IMP:(1)
17.1	16.4	413	2	VRY DIFF:(2)
23.9	22.8	575	3	<pre>FRLY DIF:(3)</pre>
19.9	19.1	480	4	FRLY EAS: (4)
19.9	19.1	480	5	VRY EASY: (5)
	4.3	109	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 230-231

# V2101 042B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	45.3	1,142	1	NEVER: (1)
22.0	21.6	545	2	1-2X:(2)
12.8	12.6	318	3	OCCASNLY: (3)
6.2	6.1	153	4	REG PAST: (4)
12.9	12.7	320	5	REG NOW: (5)
	1.7	44	-9	MISSING
100 0	100 0	2 520	Cacac	( L+W)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 232-233

#### V2102 042B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	73.3	1,847	1	NONE: (1)
9.5	9.3	234	2	<1 CIG/D:(2)
7.7	7.6	191	3	1-5/DAY:(3)
5.2	5.1	128	4	1/2PK/D:(4)
2.1	2.1	52	5	1 PK/DA:(5)
0.4	0.4	11	6	1 1/2PK/:(6)
0.2	0.2	4	7	2+ PKS/D:(7)
	2.1	54	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 234-235

# V2103

#### 042B03!:EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips . . .

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	23.5	592	1	NO:(1)
75.6	72.7	1,832	2	YES:(2)
	3.8	96	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 236-237

# V2104 042B04A: #X ALC/LIF SIPS

Item Number: 00810

On how many occasions have you had alcohol to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	23.5	592	1	0 OCCAS:(1)
7.2	6.8	171	2	1-2X:(2)
10.3	9.8	247	3	3-5X:(3)
9.3	8.8	222	4	6-9X:(4)
11.8	11.2	282	5	10-19X:(5)
12.0	11.4	288	6	20-39X:(6)
24.7	23.5	593	7	40+OCCAS:(7)
	4.9	125	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 238-239

# V2105 042B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions have you had alcohol to drink--more than just a few sips . . . A: . . . During the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	28.8	725	1	0 OCCAS:(1)
15.0	14.2	358	2	1-2X:(2)
14.0	13.3	335	3	3-5X:(3)
9.8	9.3	234	4	6-9X:(4)
12.5	11.9	300	5	10-19X:(5)
7.8	7.4	186	6	20-39X:(6)
10.6	10.1	254	7	40+OCCAS:(7)
	5.1	128	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 240-241

#### V2106 042B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions have you had alcohol to drink--more than just a few sips . . . A: . . . During the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	48.7	1,228	1	0 OCCAS:(1)
20.3	19.2	483	2	1-2X:(2)
12.3	11.7	294	3	3-5X:(3)
7.4	7.0	176	4	6-9X:(4)
5.4	5.1	129	5	10-19X:(5)
1.4	1.4	34	6	20-39X:(6)
1.8	1.7	42	7	40+OCCAS:(7)
	5.3	133	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 242-243

#### V2107

# 042B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	14.5	365	1	NONE: (1)
25.5	18.6	469	2	FEW: (2)
14.2	10.4	261	3	HALF: (3)
22.1	16.2	407	4	MOST: (4)
18.2	13.3	335	5	NRLY ALL:(5)
	27.1	682	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 244-245

#### V2108 042B06!:5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.3	63.9	1,611	1	NONE: (1)
10.5	9.8	248	2	ONCE: (2)
8.9	8.3	209	3	TWICE:(3)
8.5	8.0	200	4	3-5X:(4)
2.6	2.4	60	5	6-9X:(5)
1.3	1.2	31	6	10+ TIME:(6)
	6.4	161	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 246-247

# V2115 042B07A: #XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	51.2	1,290	1	0 OCCAS:(1)
11.2	10.9	274	2	1-2X:(2)
5.9	5.7	144	3	3-5X:(3)
5.6	5.4	137	4	6-9X:(4)
5.0	4.9	122	5	10-19X:(5)
4.6	4.5	112	6	20-39X:(6)
14.7	14.3	360	7	40+OCCAS:(7)
	3.2	81	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 248-249

# V2116 042B07B: #XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish ( hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	63.2	1,594	1	0 OCCAS:(1)
9.9	9.5	240	2	1-2X:(2)
5.9	5.7	143	3	3-5X:(3)
4.3	4.1	104	4	6-9X:(4)
3.9	3.8	95	5	10-19X:(5)
2.7	2.6	66	6	20-39X:(6)
7.7	7.4	187	7	40+OCCAS:(7)
	3.6	91	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 250-251

\_\_\_\_\_

# V2117 042B07C: #XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish ( hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	78.4	1,975	1	0 OCCAS:(1)
7.3	7.0	176	2	1-2X:(2)
2.9	2.8	71	3	3-5X:(3)
1.9	1.8	45	4	6-9X:(4)
1.6	1.6	40	5	10-19X:(5)
1.9	1.9	47	6	20-39X:(6)
3.2	3.1	78	7	40+OCCAS:(7)
	3.4	87	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 252-253

#### V2118 042B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid"). . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	TABET
PCI	PCI	IN	VALUE	LADEL
VALID	${ t ALL}$			
94.9	92.8	2,338	1	0 OCCAS:(1)
2.9	2.8	71	2	1-2X:(2)
0.6	0.6	14	3	3-5X:(3)
0.9	0.9	23	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	2.2	55	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 254-255

# V2119 042B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	95.3	2,403	1	0 OCCAS:(1)
2.0	1.9	49	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.2	0.2	6	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.3	58	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 256-257

#### V2120 042B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid"). . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	97.2	2,449	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.4	59	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 258-259

# V2121 042B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	88.2	2,222	1	0 OCCAS:(1)
5.0	4.9	124	2	1-2X:(2)
2.4	2.3	59	3	3-5X:(3)
1.1	1.1	27	4	6-9X:(4)
0.7	0.6	16	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	2.2	54	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 260-261

# V2122 042B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	91.4	2,305	1	0 OCCAS:(1)
4.1	4.1	102	2	1-2X:(2)
1.4	1.4	35	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	2.2	55	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 262-263

# V2123 042B09C: #X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	96.4	2,429	1	0 OCCAS:(1)
1.0	0.9	24	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.2	56	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 264-265

# V2124 042B10A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	88.5	2,231	1	0 OCCAS:(1)
3.6	3.5	88	2	1-2X:(2)
1.6	1.6	40	3	3-5X:(3)
1.2	1.1	28	4	6-9X:(4)
0.9	0.9	22	5	10-19X:(5)
0.7	0.6	16	6	20-39X:(6)
1.4	1.3	33	7	40+OCCAS:(7)
	2.4	61	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 266-267

# V2125 042B10B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock"). . . B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	91.5	2,306	1	0 OCCAS:(1)
3.0	2.9	74	2	1-2X:(2)
0.9	0.9	22	3	3-5X:(3)
1.0	1.0	25	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.4	0.4	11	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	2.6	65	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 268-269

# V2126 042B10C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock"). . . C: . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.2	2,400	1	0 OCCAS:(1)
1.1	1.1	27	2	1-2X:(2)
0.6	0.6	14	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.5	64	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 270-271

#### V2127 042B11A: #X AMPH/LIFETIME

Item Number: 00980

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own-that is, without a doctor telling you to take them . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	80.9	2,039	1	0 OCCAS:(1)
6.3	6.1	153	2	1-2X:(2)
3.4	3.3	83	3	3-5X:(3)
2.3	2.2	56	4	6-9X:(4)
1.5	1.4	36	5	10-19X:(5)
1.5	1.4	37	6	20-39X:(6)
2.0	1.9	48	7	40+OCCAS: (7)
	2.7	68	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 272-273

# V2128 042B11B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	86.6	2,182	1	0 OCCAS:(1)
4.8	4.7	118	2	1-2X:(2)
2.1	2.0	51	3	3-5X:(3)
1.7	1.6	41	4	6-9X:(4)
0.9	0.9	22	5	10-19X:(5)
0.8	0.7	19	6	20-39X:(6)
0.7	0.7	17	7	40+OCCAS:(7)
	2.8	70	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 274-275

# V2129 042B11C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	92.2	2,324	1	0 OCCAS:(1)
2.7	2.6	65	2	1-2X:(2)
1.3	1.2	31	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.2	0.2	6	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.8	71	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 276-277

\_\_\_\_\_

# V2130 042B12A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	93.3	2,352	1	0 OCCAS:(1)
1.8	1.7	43	2	1-2X:(2)
0.6	0.6	15	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.5	0.4	11	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.7	0.7	17	7	40+OCCAS:(7)
	2.5	63	-9	MISSING

\_\_\_\_

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 278-279

# V2131 042B12B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.4	2,404	1	0 OCCAS:(1)
0.8	0.7	19	2	1-2X:(2)
0.6	0.6	14	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	4	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	2.4	61	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 280-281

# V2132 042B12C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	96.5	2,433	1	0 OCCAS:(1)
0.4	0.4	10	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	2.5	62	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 282-283

#### V2133 042B13A!#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	86.6	2,182	1	0 OCCAS:(1)
3.8	3.7	93	2	1-2X:(2)
2.5	2.5	62	3	3-5X:(3)
1.8	1.8	45	4	6-9X:(4)
1.2	1.2	30	5	10-19X:(5)
0.9	0.9	23	6	20-39X:(6)
0.8	0.8	21	7	40+OCCAS:(7)
	2.6	65	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 284-285

# V2134 042B13B!#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	89.6	2,258	1	0 OCCAS:(1)
3.5	3.4	85	2	1-2X:(2)
2.1	2.1	53	3	3-5X:(3)
1.2	1.1	29	4	6-9X:(4)
0.7	0.6	16	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	2.6	65	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 286-287

# V2135 042B13C!#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them.

. . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	94.0	2,368	1	0 OCCAS:(1)
2.3	2.2	57	2	1-2X:(2)
0.7	0.7	17	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	2.7	67	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 288-289

# V2136 042B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	86.6	2,181	1	0 OCCAS:(1)
4.1	4.0	102	2	1-2X:(2)
2.0	2.0	50	3	3-5X:(3)
1.6	1.6	40	4	6-9X:(4)
1.2	1.2	31	5	10-19X:(5)
0.9	0.9	22	6	20-39X:(6)
1.2	1.2	31	7	40+OCCAS:(7)
	2.5	64	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 290-291

# V2137 042B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	89.3	2,250	1	0 OCCAS:(1)
4.0	3.9	98	2	1-2X:(2)
1.5	1.4	36	3	3-5X:(3)
1.1	1.1	28	4	6-9X:(4)
0.8	0.8	19	5	10-19X:(5)
0.4	0.4	11	6	20-39X:(6)
0.5	0.5	13	7	40+OCCAS:(7)
	2.6	66	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 292-293

\_\_\_\_\_

# V2138 042B14C: #X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	93.8	2,364	1	0 OCCAS:(1)
2.1	2.1	52	2	1-2X:(2)
0.7	0.7	17	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.7	67	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 294-295

# V2510 042B15A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	96.4	2,430	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	2.8	70	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 296-297

# V2511 042B15B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.8	2,439	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	2.7	68	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 298-299

# V2512 042B15C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	97.0	2,444	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.8	70	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 300-301

# V2513 042B16A: #X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

ъ ст	ъ ст			
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.4	2,404	1	0 OCCAS:(1)
1.1	1.0	26	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	2.8	72	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 302-303

# V2514 042B16B: #X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	96.2	2,424	1	0 OCCAS:(1)
0.6	0.6	15	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	2.8	69	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 304-305

#### V2515 042B16C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	96.9	2,442	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	2.7	68	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 306-307

V2139 042R\* :#X "H"/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . In your lifetime?" (item 29630) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . In your lifetime?" (item 29660).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	95.6	2,410	1	0 OCCAS:(1)
1.0	1.0	26	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS:(7)
	2.3	58	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 308-309 V2140 042R\* :#X "H"/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 12 months?" (item 29640) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 12 months?" (item 29670).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	96.4	2,430	1	0 OCCAS:(1)
0.7	0.7	18	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	2.2	56	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 310-311

V2141 042R\* :#X "H"/LAST30DA

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 30 days?" (item 29650) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 30 days?" (item 29680).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	97.2	2,449	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	2.3	57	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 312-313

# V2142 042B17A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	83.0	2,091	1	0 OCCAS:(1)
5.0	4.9	122	2	1-2X:(2)
2.9	2.9	72	3	3-5X:(3)
2.3	2.3	57	4	6-9X:(4)
1.9	1.9	47	5	10-19X:(5)
1.1	1.1	28	6	20-39X:(6)
1.5	1.4	36	7	40+OCCAS: (7)
	2.7	67	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 314-315

# V2143 042B17B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	87.2	2,199	1	0 OCCAS:(1)
3.9	3.8	95	2	1-2X:(2)
2.2	2.1	54	3	3-5X:(3)
1.6	1.6	39	4	6-9X:(4)
1.0	0.9	23	5	10-19X:(5)
0.7	0.7	18	6	20-39X:(6)
0.8	0.7	19	7	40+OCCAS:(7)
	2.9	74	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 316-317

# V2144 042B17C: #X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	92.6	2,333	1	0 OCCAS:(1)
2.3	2.3	57	2	1-2X:(2)
1.3	1.3	32	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS:(7)
	2.9	74	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 318-319

# V2145 042B18A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	85.4	2,153	1	0 OCCAS:(1)
7.0	6.8	172	2	1-2X:(2)
2.4	2.3	58	3	3-5X:(3)
1.0	0.9	24	4	6-9X:(4)
0.6	0.6	15	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS: (7)
	3.1	79	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 320-321

#### V2146 042B18B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	92.1	2,320	1	0 OCCAS:(1)
2.8	2.7	69	2	1-2X:(2)
0.9	0.9	23	3	3-5X:(3)
0.6	0.6	14	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.3	83	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 322-323

#### V2147 042B18C: #X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	94.9	2,391	1	0 OCCAS:(1)
1.5	1.4	36	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.3	83	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 324-325

# V2148

# 042(R) :AGE <>18 DICHOTOMY

### Item Number:

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3)date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	43.0	1,085	1	. < 18:(1)
56.0	54.7	1,378	2	18+:(2)
	2.3	57	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 326-327 V2150 042C03 :R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

PCT PCT N VALUE LABEL
VALID ALL
48.8 46.9 1,181 1 MALE:(1)
51.2 49.2 1,241 2 FEMALE:(2)
3.9 99 -9 MISSING
---- ---- ---100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 328-329

#### V2151

#### 042C04(R)R'S RACE

Item Number: 00040

How do you describe yourself?

2="Black or African-American" 3="Mexican American or Chicano" 4="Cuban American" 8="Puerto Rican American" 9="Other Latin American" 5="Oriental or Asian American" 6="White (Caucasian)" 1="American Indian (Native American Indian)" 7="Other". Responses other than (2)"Black or African-American" and (6)"White (Caucasian)" are recoded to missing data in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	67.0	1,688	0	WHITE
14.0	10.9	275	1	BLACK
	22.1	557	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 330-331

# V2152 042C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	10.1	254	0	DK/MIXED:(0)
4.6	4.6	117	1	FARM:(1)
11.6	11.6	292	2	COUNTRY: (2)
26.5	26.5	669	3	SML TOWN: (3)
11.5	11.5	290	4	MED CITY: (4)
10.2	10.2	256	5	SUBURB 4:(5)
8.3	8.3	210	6	LRG CITY:(6)
7.7	7.7	194	7	SUBURB 6:(7)
4.9	4.9	122	8	VRYLG CY:(8)
4.5	4.5	114	9	SUBURB 8:(9)
1000	1000	0 500	,	7\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 332-333

V2153

# 042C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	73	1	MARRIED:(1)
5.1	5.0	125	2	ENGAGED: (2)
1.1	1.0	26	3	SEP/DIV:(3)
90.9	88.5	2,230	4	SINGLE:(4)
	2.6	66	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 334-335 V49 04C07R:# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more" For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.7	145	C	1
28.4	27.6	696	1	
29.2	28.4	716	2	
36.5	35.5	894	3	}
	2.8	71	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 336-337

# V2155

# 042C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.) B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	26.4	666	0	NT MARKD:(0)
72.7	70.5	1,778	1	MARKED: (1)
	3.0	76	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 338-339

# V2156 042C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.) C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.7	244	0	NT MARKD:(0)
90.0	87.3	2,200	1	MARKED: (1)
	3.0	76	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 340-341

### V2157

# 042C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.) D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	32.1	808	0	NT MARKD:(0)
66.9	64.9	1,636	1	MARKED: (1)
	3.0	76	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 342-343

# V2163 042C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	83	1	GRDE SCH:(1)
10.9	10.5	266	2	SOME HS:(2)
26.6	25.7	648	3	HS GRAD:(3)
16.1	15.6	392	4	SOME CLG:(4)
22.7	21.9	553	5	CLG GRAD: (5)
14.2	13.8	347	6	GRAD SCH:(6)
6.2	6.0	150	7	DK:(7)
	3.2	81	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 344-345

#### V2164 042C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"

7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	82	1	GRDE SCH:(1)
7.0	6.8	170	2	SOME HS:(2)
29.1	28.3	712	3	HS GRAD: (3)
18.7	18.2	458	4	SOME CLG:(4)
26.5	25.7	648	5	CLG GRAD: (5)
11.8	11.4	288	6	GRAD SCH: (6)
3.6	3.5	89	7	DK:(7)
	2.8	72	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 346-347

# V2165

# 042C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.8	349	1	NO:(1)
21.7	21.0	529	2	SOMETIME: (2)
18.8	18.1	457	3	MOSTTIME: (3)
45.2	43.6	1,099	4	ALL TIME: (4)
	3.4	87	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 348-349

#### V2166 042C11 :R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	10.4	262	1	STRG GOP:(1)
13.3	12.3	310	2	MILD GOP:(2)
13.1	12.1	305	3	MILD DEM:(3)
11.1	10.2	257	4	STRG DEM: (4)
9.5	8.8	221	5	<pre>INDEPNDT:(5)</pre>
14.7	13.6	343	6	NO PREF: (6)
1.7	1.6	40	7	OTHER: (7)
25.3	23.4	590	8	DK:(8)
	7.6	191	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 350-351

### V2167 042C12 :R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.3	109	1	VRY CONS:(1)
13.2	12.6	317	2	CONSERV: (2)
25.3	24.1	607	3	MODERATE: (3)
15.8	15.0	379	4	LIBERAL: (4)
4.3	4.1	104	5	VRY LIB:(5)
2.2	2.1	53	6	RADICAL:(6)
34.6	32.9	829	8	NONE/DK:(8)
	4.9	122	-9	MISSING
	4000		,	: 3.

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 352-353

# V2169

# 042C13B:R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion. B: How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	13.5	339	1	NEVER: (1)
34.3	27.0	681	2	RARELY:(2)
15.9	12.5	315	3	1-2X/MO:(3)
32.7	25.8	649	4	1/WK OR+:(4)
	21.3	536	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 354-355

#### V2170 042C13C:RLGN IMP R'S LF

Item Number: 00380

C: How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4 = "Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	13.8	348	1	NOT IMPT:(1)
22.7	17.9	450	2	LITL IMP:(2)
27.0	21.2	534	3	PRTY IMP:(3)
32.7	25.7	647	4	VERY IMP:(4)
	21.5	541	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 356-357

#### V2171

#### 042C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	93.7	2,362	1	BY JUNE: (1)
1.8	1.7	43	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.5	0.5	13	6	WONT: (6)
	4.1	103	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 358-359

# V2172 042C15 :R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	52.7	1,328	1	CLG PREP:(1)
31.7	30.3	763	2	GENERAL: (2)
5.2	5.0	126	3	VOC-TECH: (3)
7.7	7.4	186	4	OTH/DK:(4)
	4.7	118	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 360-361

#### V2173

## 042C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	21	1	FAR BLOW: (1)
2.1	2.0	50	2	BELOW AV: (2)
4.4	4.2	105	3	SL BELOW: (3)
33.8	32.4	816	4	AVERAGE: (4)
23.5	22.5	568	5	SL ABOVE: (5)
28.2	27.0	681	6	ABOVE AV: (6)
7.1	6.8	170	7	FAR ABOV: (7)
	4.3	109	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 362-363

#### V2174 042C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	23	1	FAR BLOW: (1)
1.3	1.2	30	2	BELOW AV: (2)
4.4	4.2	105	3	SL BELOW: (3)
33.6	32.1	809	4	AVERAGE: (4)
23.0	21.9	553	5	SL ABOVE: (5)
28.2	27.0	679	6	ABOVE AV: (6)
8.6	8.2	207	7	FAR ABOV: (7)
	4.5	114	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 364-365

# V2175 042C18A: #DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness  $\,$ 

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	56.0	1,410	1	NONE: (1)
18.5	17.5	441	2	1 DAY:(2)
9.7	9.2	233	3	2 DAYS:(3)
6.3	5.9	150	4	3 DAYS:(4)
4.0	3.8	96	5	4-5 DAYS:(5)
1.0	0.9	23	6	6-10 DA:(6)
1.4	1.4	34	7	11+ DAYS:(7)
	5.3	134	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 366-367

# V2176

# 042C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed... B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	62.8	1,583	1	NONE: (1)
12.9	12.0	303	2	1 DAY:(2)
8.1	7.5	190	3	2 DAYS:(3)
4.5	4.2	106	4	3 DAYS:(4)
4.0	3.7	94	5	4-5 DAYS:(5)
1.7	1.6	40	6	6-10 DA:(6)
1.6	1.5	37	7	11+ DAYS:(7)
	6.6	166	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 368-369

# V2177 042C18C: #DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	53.4	1,345	1	NONE: (1)
18.1	17.0	428	2	1 DAY:(2)
11.4	10.6	268	3	2 DAYS:(3)
6.0	5.6	142	4	3 DAYS:(4)
4.0	3.8	95	5	4-5 DAYS:(5)
1.8	1.7	43	6	6-10 DA:(6)
1.7	1.6	40	7	11+ DAYS:(7)
	6.3	160	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 370-371

# V2178

# 042C19 :#DA/4W SKP CLASS

Item Number: 00460

During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.1	60.1	1,515	1	NONE: (1)
20.7	19.8	498	2	1-2:(2)
8.9	8.4	213	3	3-5:(3)
4.3	4.1	103	4	6-10:(4)
1.9	1.8	46	5	11-20:(5)
1.1	1.1	27	6	21+:(6)
	4.7	119	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 372-373

# V2179 042C20 :R HS GRADE/D=1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92) 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	37	1	D:(1)
2.8	2.7	68	2	C-:(2)
5.6	5.3	134	3	C:(3)
8.9	8.5	213	4	C+:(4)
12.1	11.5	290	5	B-:(5)
17.7	16.9	427	6	B:(6)
17.0	16.2	409	7	B+:(7)
17.5	16.7	421	8	A-:(8)
16.9	16.1	406	9	A:(9)
	4.6	116	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 374-375

# V2180 042C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school? A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	49.2	1,241	1	DEF WONT: (1)
23.5	21.6	544	2	PRB WONT: (2)
14.1	13.0	327	3	PRB WILL:(3)
8.7	7.9	200	4	DEF WILL: (4)
	8.2	208	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 376-377

#### V2181

## 042C21B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school? B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	63.8	1,608	1	DEF WONT: (1)
20.7	19.0	479	2	PRB WONT: (2)
6.2	5.7	144	3	PRB WILL:(3)
3.4	3.2	80	4	DEF WILL: (4)
	8.3	209	-9	MISSING
1000	1000	0 500	,	7\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 378-379

# V2182 042C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school? C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
39.1	35.7	901	1	DEF WONT: (1)	)
21.6	19.8	498	2	PRB WONT: (2)	)
22.5	20.6	518	3	PRB WILL:(3)	)
16.8	15.4	387	4	DEF WILL: (4)	)
	8.5	215	-9	MISSING	
100.0	100.0	2,520	cases (	Wtd)	

Data type: numeric Missing-data code: -9 Columns: 380-381

#### V2183

## 042C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"  $\tt$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.7	219	1	DEF WONT: (1)
11.8	11.0	278	2	PRB WONT: (2)
21.1	19.8	498	3	PRB WILL:(3)
57.9	54.2	1,367	4	DEF WILL:(4)
	6.3	158	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 382-383

# V2184 042C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	16.9	425	1	DEF WONT: (1)
27.2	25.1	633	2	PRB WONT: (2)
32.7	30.2	760	3	PRB WILL:(3)
21.8	20.1	507	4	DEF WILL: (4)
	7.7	195	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 384-385

#### V2185

## 042C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	77.5	1,952	0	NT MARKD:(0)
17.9	16.9	425	1	MARKED: (1)
	5.7	143	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 386-387

# V2186 042C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	83.0	2,092	0	NT MARKD:(0)
12.0	11.3	285	1	MARKED: (1)
	5.7	143	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 388-389

#### V2187

### 042C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	71.5	1,802	0	NT MARKD:(0)
24.2	22.8	575	1	MARKED: (1)
	5.7	143	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 390-391

# V2188 042C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	21.2	535	0	NT MARKD:(0)
77.5	73.1	1,843	1	MARKED: (1)
	5.7	143	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 392-393

## V2189

#### 042C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
ALID	ALL			
44.7	42.2	1,063	0	NT MARKD: (0)
55.3	52.2	1,315	1	MARKED: (1)
	5.7	143	-9	MISSING
00.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 394-395

# V2190 042C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	88.9	2,240	0	NT MARKD:(0)
5.8	5.5	137	1	MARKED: (1)
	5.7	143	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 396-397

# V2191

### 042C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	26.1	657	1	NONE: (1)
10.3	9.7	244	2	5 OR <:(2)
10.0	9.5	238	3	6-10 HRS:(3)
11.5	10.9	274	4	11-15 HR:(4)
14.0	13.2	332	5	16-20 HR:(5)
10.9	10.3	260	6	21-25 HR:(6)
7.7	7.2	182	7	26-30 HR:(7)
8.0	7.5	190	8	30+ HRS:(8)
	5.6	142	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 398-399

#### V2192 042C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from. . . A: A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	29.5	744	1	NONE: (1)
1.0	1.0	24	2	\$1-5:(2)
3.3	3.0	77	3	\$6-10:(3)
2.9	2.7	69	4	\$11-20:(4)
4.8	4.5	113	5	\$21-35:(5)
5.7	5.3	134	6	\$36-50:(6)
9.2	8.6	216	7	\$51-75:(7)
18.8	17.5	440	8	\$76-125:(8)
22.4	20.8	525	9	\$126+:(9)
	7.1	179	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 400-401

# V2193 042C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from. . . B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	33.5	845	1	NONE: (1)
5.1	4.6	117	2	\$1-5:(2)
10.2	9.4	236	3	\$6-10:(3)
19.6	18.0	453	4	\$11-20:(4)
12.1	11.1	280	5	\$21-35:(5)
6.9	6.3	159	6	\$36-50:(6)
3.1	2.9	72	7	\$51-75:(7)
2.5	2.3	58	8	\$76-125:(8)
4.0	3.7	92	9	\$126+:(9)
	8.3	208	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 402-403

# V2194 042C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.3	234	1	< 1:(1)
13.9	13.1	330	2	ONE: (2)
25.8	24.2	610	3	TWO:(3)
23.9	22.4	565	4	THREE: (4)
17.4	16.3	411	5	4-5:(5)
9.2	8.7	218	6	6-7:(6)
	6.1	153	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 404-405

### V2195

# 042C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"  $^{\circ}$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	23.8	600	1	NEVER: (1)
19.4	18.1	457	2	1/MO OR<:(2)
16.4	15.3	385	3	2-3/MO:(3)
13.9	12.9	326	4	1/WK:(4)
16.9	15.8	397	5	2-3/WK:(5)
8.0	7.5	188	6	3+/WK:(6)
	6.6	167	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 406-407

# V2196 042C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	13.8	347	1	NONE: (1)
8.0	7.5	189	2	1-10 MI:(2)
24.0	22.6	569	3	11-50:(3)
22.5	21.1	532	4	51-100:(4)
18.7	17.6	444	5	101-200:(5)
12.2	11.4	288	6	> 200:(6)
	6.0	151	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

100.0 100.0 2,320 cases (

Data type: numeric Missing-data code: -9 Columns: 408-409

### V2197

# 042C28 : #X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	64.4	1,624	0	NONE: (0)
17.6	16.4	413	1	ONE:(1)
7.6	7.1	179	2	TWO:(2)
3.3	3.1	78	3	THREE:(3)
2.1	2.0	49	4	4+:(4)
	7.0	177	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 410-411

# V2198 042C29AR#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	25.6	645	C	None:(0)
7.7	2.2	54	1	One:(1)
1.4	0.4	10	2	2 Two:(2)
0.3	0.1	2	3	3-4  or  +: (3-4)
	71.8	1,810	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 412-413

#### V2199

## 042C29BR#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	26.4	666	0	None:(0)
4.5	1.3	32	1	One:(1)
1.9	0.5	14	2	Two: (2)
0.3	0.1	2	3	3-4  or  +: (3-4)
	71.7	1,807	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 414-415

### V2200 042C29CR#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	27.3	689	C	None:(0)
1.2	0.3	9	1	One:(1)
1.1	0.3	7	2	Two: (2)
0.2	0.0	1	3	3-4  or  +: (3-4)
	72.0	1,814	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 416-417

V2201

#### 042C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" l="One" 2="Two" 3="Three" 4="Four or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	70.6	1,779	0	NONE: (0)
17.9	16.5	417	1	ONE:(1)
4.5	4.2	105	2	TWO:(2)
1.1	1.0	26	3	THREE: (3)
0.2	0.2	4	4	4+:(4)
	7.5	190	-9	MISSING
100 0	100 0	2 520	Cacac	(b+w)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 418-419

## V2202 042C31AR#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	21.2	534	C	None:(0)
3.0	0.7	17	1	One:(1)
0.2	0.1	1	2	Two: (2)
0.1	0.0	1	3	3-4  or  +: (3-4)
	78.1	1,968	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 420-421

#### V2203

### 042C31BR#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	21.2	534	C	None:(0)
3.0	0.7	17	1	One:(1)
0.1	0.0	1	2	? Two:(2)
0.1	0.0	1	3	3-4  or  +: (3-4)
	78.1	1,968	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 422-423

## V2204 042C31CR#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .  $\ensuremath{\text{C}}\xspace$  . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	21.7	547	C	None:(0)
0.5	0.1	3	1	One:(1)
0.1	0.0	1	2	2 Two: (2)
0.1	0.0	1	3	3-4  or  +: (3-4)
	78.1	1,969	<b>-</b> 9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 424-425

#### V2500

### 042D01A:4WKS ALC@SCHOOL

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . . A: Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	87.6	2,208	1	NONE: (1)
3.2	3.0	75	2	1 DAY:(2)
1.1	1.0	25	3	2 DAYS:(3)
1.0	1.0	24	4	3-5 DAYS:(4)
0.6	0.5	13	5	6-9 DAYS:(5)
0.5	0.4	11	6	10+ DAYS:(6)
	6.5	164	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 426-427

### V2501 042D01B:4WKS MJ/OTD@SCHL

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . . B: Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	84.3	2,125	1	NONE: (1)
2.7	2.5	64	2	1 DAY:(2)
1.8	1.7	42	3	2 DAYS:(3)
1.4	1.3	32	4	3-5 DAYS:(4)
1.1	1.0	26	5	6-9 DAYS:(5)
2.7	2.6	64	6	10+ DAYS:(6)
	6.6	167	-9	MISSING
			,	: 3.

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 428-429

# V2502

# 042D01C:4WKS TOBACCO@SCH

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . . C: Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	84.6	2,132	1	NONE: (1)
1.4	1.3	34	2	1 DAY:(2)
1.0	1.0	24	3	2 DAYS:(3)
1.5	1.4	35	4	3-5 DAYS:(4)
0.7	0.7	17	5	6-9 DAYS:(5)
4.8	4.5	112	6	10+ DAYS:(6)
	6.6	166	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 430-431

# V2503 042D01D:4WKS WEAPON@SCHL

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . . D: Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	89.0	2,242	1	NONE: (1)
1.2	1.1	29	2	1 DAY:(2)
0.4	0.4	10	3	2 DAYS:(3)
0.6	0.5	14	4	3-5 DAYS:(4)
0.4	0.4	9	5	6-9 DAYS:(5)
1.8	1.7	43	6	10+ DAYS:(6)
	6.9	173	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 432-433

# V2504 042D02A:#X TCHR INTRUPT

Item Number: 25730

During an average school week, about how many times . . . A: Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	15.0	379	1	NEVER: (1)
22.9	21.4	538	2	<1/WK:(2)
24.0	22.4	563	3	1-2X/WK:(3)
20.2	18.8	473	4	3-5X/WK:(4)
8.4	7.8	196	5	6-9X/WK:(5)
3.8	3.5	88	6	10-19X/W:(6)
4.6	4.3	108	7	20+X/WK:(7)
	6.9	173	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 434-435

# V2505 042D02B:#X MISBHVR INT U

Item Number: 25740

During an average school week, about how many times . . . B: Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	38.6	974	1	NEVER: (1)
21.4	19.9	500	2	<1/WK:(2)
17.3	16.1	405	3	1-2X/WK:(3)
11.2	10.4	262	4	3-5X/WK:(4)
4.4	4.1	103	5	6-9X/WK:(5)
1.8	1.7	42	6	10-19X/W:(6)
2.4	2.2	57	7	20+X/WK:(7)
	7.0	177	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 436-437

### V2506 042D02C:#X U UNEXCSD LAT

Item Number: 25750

During an average school week, about how many times . . . C: Do you come to class late (after class has begun) without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	43.1	1,087	1	NEVER: (1)
26.8	24.8	624	2	<1/WK:(2)
14.1	13.0	328	3	1-2X/WK:(3)
7.6	7.0	177	4	3-5X/WK:(4)
2.0	1.9	48	5	6-9X/WK:(5)
1.1	1.0	24	6	10-19X/W:(6)
1.8	1.6	41	7	20+X/WK:(7)
	7.6	191	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 438-439

# V2507

## 042D03 :SCHL RULES FAIR

Item Number: 25760

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	11.8	298	1	NO: (1)
15.8	14.7	370	2	NO MSTLY:(2)
11.9	11.1	279	3	DK:(3)
42.5	39.5	995	4	YESMSTLY: (4)
17.1	15.9	402	5	YES:(5)
	7.0	177	-9	MISSING
100 0	100 0	0 500		TT: 7\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 440-441

## V2311 042D04 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.3	84	1	COMP DIS:(1)
6.9	6.4	161	2	QUITE DS:(2)
8.2	7.6	191	3	SMWT DIS:(3)
10.9	10.1	255	4	NEITHER: (4)
22.1	20.5	517	5	SMWT SAT: (5)
36.8	34.3	863	6	QUITE ST:(6)
11.6	10.8	271	7	COMP SAT: (7)
	7.0	177	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 442-443

# V2312

# 042D05A:HOW GD AS SPOUSE

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . . A: As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	45	1	POOR: (1)
1.2	1.2	29	2	NOT GOOD: (2)
6.9	6.4	162	3	<pre>FRLY GD:(3)</pre>
32.1	29.8	751	4	GOOD: (4)
53.1	49.3	1,243	5	VRY GOOD: (5)
4.8	4.4	111	8	DK:(8)
	7.1	180	-9	MISSING
1000	1000	0 500	,	7 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 444-445

# V2313 042D05B:HOW GD AS PARENT

Item Number: 06860

How good do you think you would be . . . B: As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	42	1	POOR: (1)
3.1	2.9	73	2	NOT GOOD: (2)
8.4	7.8	196	3	FRLY GD:(3)
29.7	27.6	694	4	GOOD: (4)
51.8	48.1	1,213	5	VRY GOOD: (5)
5.1	4.8	120	8	DK:(8)
	7.2	181	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 446-447

### V2314

### 042D05C:HOW GD AS WORKER

Item Number: 06870

How good do you think you would be . . . C: As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	28	1	POOR: (1)
0.7	0.7	17	2	NOT GOOD: (2)
4.3	4.0	101	3	FRLY GD:(3)
27.7	25.7	648	4	GOOD: (4)
64.1	59.5	1,500	5	VRY GOOD: (5)
1.9	1.8	45	8	DK:(8)
	7.2	182	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 448-449

### V2328 042D06A: 2MCH COMPTN SCTY

Item Number: 07010

How much do you agree or disagree with each of the following statements? A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	7.7	194	1	DISAGREE: (1)
9.6	8.9	224	2	MOST DIS:(2)
24.7	22.9	577	3	NEITHER: (3)
36.1	33.5	843	4	MOST AGR: (4)
21.3	19.7	497	5	AGREE: (5)
	7.3	185	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 450-451

### V2329

### 042D06B:2MANY YNG SLOPPY

Item Number: 07020

How much do you agree or disagree with each of the following statements? B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	13.3	336	1	DISAGREE: (1)
23.2	21.5	542	2	MOST DIS:(2)
28.0	25.9	654	3	NEITHER:(3)
23.7	21.9	553	4	MOST AGR: (4)
10.6	9.8	248	5	AGREE: (5)
	7.5	188	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 452-453

### V2330 042D06C:2MUCH HARD ROCK

Item Number: 07030

How much do you agree or disagree with each of the following statements? C: There is too much hard rock music on the radio these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	36.6	922	1	DISAGREE:(1)
19.1	17.5	442	2	MOST DIS:(2)
29.6	27.2	686	3	NEITHER: (3)
6.6	6.1	153	4	MOST AGR: (4)
5.0	4.6	117	5	AGREE: (5)
	7.9	200	-9	MISSING
100 0	100 0	2 520	anana /	( b+w

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 454-455

### V2331

### 042D06D:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements? D: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.1	77	1	DISAGREE: (1)
3.3	3.1	77	2	MOST DIS:(2)
13.1	12.0	304	3	NEITHER:(3)
33.6	31.0	780	4	MOST AGR: (4)
46.7	43.0	1,083	5	AGREE: (5)
	7.9	200	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 456-457

### V2332 042D06E:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements? E: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	12.5	314	1	DISAGREE: (1)
12.8	11.8	297	2	MOST DIS:(2)
28.1	25.9	652	3	NEITHER: (3)
29.7	27.4	689	4	MOST AGR: (4)
15.9	14.6	369	5	AGREE: (5)
	7.9	199	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 458-459

### V2333

### 042D06F:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements? F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	11.9	299	1	DISAGREE: (1)
12.5	11.5	290	2	MOST DIS:(2)
23.8	21.9	552	3	NEITHER: (3)
34.3	31.6	796	4	MOST AGR: (4)
16.5	15.2	384	5	AGREE: (5)
	7.9	199	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 460-461

## V2433 042D06G:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements? G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.2	105	1	DISAGREE:(1)
6.4	5.9	149	2	MOST DIS:(2)
15.1	13.9	350	3	NEITHER: (3)
36.9	34.0	857	4	MOST AGR: (4)
37.1	34.2	861	5	AGREE: (5)
	7.9	198	-9	MISSING
100 0	100 0	2 520	Cacac	( M+ A )

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 462-463

### V2434

# 042D06H:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements? H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.9	74	1	DISAGREE: (1)
4.9	4.5	114	2	MOST DIS:(2)
15.2	14.1	354	3	NEITHER:(3)
34.4	31.7	799	4	MOST AGR: (4)
42.3	39.0	984	5	AGREE: (5)
	7.8	196	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 464-465

## V2435 042D06I:DO WELL AS OTHRS

Item Number: 12580

Do you agree or disagree with each of the following? I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	49	1	DISAGREE: (1)
3.1	2.8	71	2	MOST DIS:(2)
11.1	10.2	257	3	NEITHER:(3)
38.6	35.4	893	4	MOST AGR: (4)
45.0	41.3	1,040	5	AGREE: (5)
	8.3	210	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

100.0 100.0 2,320 cases (we

Data type: numeric Missing-data code: -9 Columns: 466-467

### V2436

### 042D06J:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements? J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	N	VALUE	LABEL
ALL			
3.3	82	1	DISAGREE: (1)
4.7	119	2	MOST DIS:(2)
11.5	291	3	NEITHER:(3)
31.6	796	4	MOST AGR: (4)
40.3	1,015	5	AGREE: (5)
8.6	217	-9	MISSING
	ALL 3.3 4.7 11.5 31.6 40.3	ALL 3.3 82 4.7 119 11.5 291 31.6 796 40.3 1,015	ALL 3.3 82 1 4.7 119 2 11.5 291 3 31.6 796 4 40.3 1,015 5

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 468-469

## V2437 042D06K:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements? K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	38.0	957	1	DISAGREE: (1)
26.7	24.3	613	2	MOST DIS:(2)
16.6	15.1	381	3	NEITHER: (3)
9.7	8.9	224	4	MOST AGR: (4)
5.4	4.9	124	5	AGREE: (5)
	8.8	222	-9	MISSING
100 0	1000	0 500	,	T.T. 7 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 470-471

### V2438

### 042D06L:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements? L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	38.6	973	1	DISAGREE: (1)
19.9	18.1	456	2	MOST DIS:(2)
17.9	16.3	410	3	NEITHER: (3)
13.7	12.5	315	4	MOST AGR: (4)
6.1	5.6	140	5	AGREE: (5)
	9.0	226	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 472-473

## V2439 042D06M:I DO WRONG THING

Item Number: 12720

How much do you agree or diagree with each of the following statements? M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	45.0	1,133	1	DISAGREE:(1)
22.3	20.4	514	2	MOST DIS:(2)
16.8	15.4	387	3	<pre>NEITHER:(3)</pre>
8.6	7.9	199	4	MOST AGR: (4)
3.1	2.8	70	5	AGREE: (5)
	8.6	217	-9	MISSING
100 0	100 0	2 520	/	T.T.L7 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 474-475

### V2440

### 042D06N:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or diagree with each of the following statements? N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	50.6	1,274	1	DISAGREE:(1)
19.1	17.4	437	2	MOST DIS:(2)
15.8	14.4	363	3	NEITHER: (3)
5.7	5.2	130	4	MOST AGR: (4)
3.9	3.6	91	5	AGREE: (5)
	8.9	225	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 476-477

# V2334 042D07A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	14.8	374	1	NONE: (1)
36.8	33.7	849	2	A FEW: (2)
26.7	24.4	615	3	SOME: (3)
18.5	17.0	428	4	MOST:(4)
1.8	1.7	42	5	ALL:(5)
	8.4	212	-9	MISSING
100 0	100 0	2 520		/ T.T.L. all \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 478-479

#### V2335

### 042D07B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . . B: Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	18.8	473	1	NONE: (1)
32.1	29.4	741	2	A FEW: (2)
26.3	24.1	607	3	SOME: (3)
17.5	16.0	403	4	MOST:(4)
3.6	3.3	84	5	ALL:(5)
	8.5	213	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 480-481

## V2336 042D07C:ALL FRD TAKE LSD

Item Number: 07090

How many of your friends would you estimate . . . C: Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	69.2	1,743	1	NONE: (1)
16.9	15.4	387	2	A FEW:(2)
5.3	4.8	121	3	SOME: (3)
1.0	0.9	23	4	MOST: (4)
0.5	0.4	11	5	ALL:(5)
	9.4	236	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

100.0 100.0 2,320 cases (

Data type: numeric Missing-data code: -9 Columns: 482-483

#### V2337

### 042D07D:ALL FRD TK PSYDL

Item Number: 07100

How many of your friends would you estimate . . . D: Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	61.9	1,561	1	NONE: (1)
21.9	20.0	504	2	A FEW: (2)
7.7	7.0	177	3	SOME: (3)
1.7	1.6	40	4	MOST: (4)
0.8	0.7	17	5	ALL:(5)
	8.8	222	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 484-485

## V2338 042D07E:ALL FRD TK AMPH

Item Number: 07110

How many of your friends would you estimate . . . E: Take amphetamines (uppers, pep pills, bennies, speed)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	62.4	1,572	1	NONE: (1)
20.0	18.2	460	2	A FEW: (2)
8.7	7.9	199	3	SOME: (3)
1.9	1.8	44	4	MOST: (4)
0.8	0.8	19	5	ALL:(5)
	8.9	225	-9	MISSING
1000	100 0	0 500	,	7\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 486-487

#### V2339

## 042D07F:ALL FRD TK QUALD

Item Number: 07120

How many of your friends would you estimate . . . F: Take quaaludes (quads, methaqualone)?

)

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	75.6	1,905	1	NONE: (1)
11.2	10.1	256	2	A FEW: (2
4.0	3.6	91	3	SOME: (3)
0.7	0.7	17	4	MOST: (4)
0.7	0.7	17	5	ALL:(5)
	9.3	235	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 488-489

# V2523 042D07G:ALL FRD TK SED/B

Item Number: 07135

How many of your friends would you estimate . . . G: Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	67.8	1,708	1	NONE: (1)
16.5	14.9	377	2	A FEW: (2)
6.5	5.9	148	3	SOME:(3)
1.3	1.2	30	4	MOST:(4)
0.6	0.5	13	5	ALL:(5)
	9.7	244	-9	MISSING
				3.

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 490-491

#### V2341

## 042D07H:ALL FRD TK TRNQL

Item Number: 07140

How many of your friends would you estimate . . .  $\mbox{H: Take tranquilizers?}$ 

)

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	74.0	1,865	1	NONE: (1)
11.5	10.4	262	2	A FEW: (2
5.2	4.7	118	3	SOME: (3)
0.9	0.8	21	4	MOST: (4)
0.6	0.6	14	5	ALL:(5)
	9.5	240	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 492-493

# V2342 042D07I:ALL FRD TK COKE

Item Number: 07150

How many of your friends would you estimate . . . I: Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	64.0	1,612	1	NONE: (1)
19.5	17.7	445	2	A FEW: (2)
7.6	6.9	173	3	SOME:(3)
1.6	1.4	36	4	MOST: (4)
0.6	0.6	14	5	ALL:(5)
	9.5	240	-9	MISSING
100 0	100 0	0 500		T.T.L7 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 494-495

#### V2343

### 042D07J:ALL FRD TK HERON

Item Number: 07160

How many of your friends would you estimate. . . J: Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	78.5	1,979	1	NONE: (1)
9.6	8.7	219	2	A FEW: (2)
2.2	2.0	50	3	SOME: (3)
0.5	0.4	11	4	MOST: (4)
0.5	0.4	11	5	ALL:(5)
	9.9	251	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 496-497

# V2344 042D07K:ALL FRD TK NARC

Item Number: 07170

How many of your friends would you estimate . . . K: Take other narcotics (methadone, opium, codeine, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	68.0	1,714	1	NONE: (1)
16.8	15.1	381	2	A FEW: (2)
5.5	5.0	126	3	SOME: (3)
1.7	1.6	40	4	MOST: (4)
0.6	0.5	13	5	ALL:(5)
	9.8	246	-9	MISSING
100 0	100 0	2 520	anana /	w+4)

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 498-499

#### V2345

### 042D07L:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . . L: Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	73.7	1,858	1	NONE: (1)
13.1	11.8	297	2	A FEW: (2)
3.7	3.3	84	3	SOME: (3)
0.7	0.7	17	4	MOST: (4)
0.4	0.4	10	5	ALL:(5)
	10.1	255	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 500-501

## V2346 042D07M:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . . M: Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	10.9	275	1	NONE: (1)
14.2	12.8	324	2	A FEW: (2)
20.0	18.1	456	3	SOME: (3)
34.3	31.1	784	4	MOST:(4)
19.4	17.6	444	5	ALL:(5)
	9.4	237	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 502-503

#### V2347

### 042D07N:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . . N: Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	18.9	477	1	NONE: (1)
26.3	23.8	600	2	A FEW: (2)
25.3	22.9	578	3	SOME: (3)
20.3	18.4	463	4	MOST: (4)
7.2	6.6	165	5	ALL:(5)
	9.4	237	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 504-505

## V2451 042E01A:# FRNDS TK CRACK

Item Number: 07151

Lately there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). How many of your friends would you estimate . . . A: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
77.4	70.0	1,765	1	NONE: (1)	
17.0	15.4	388	2	A FEW:(2)	
4.0	3.6	91	3	SOME: (3)	
1.0	0.9	23	4	MOST: (4)	
0.6	0.5	13	5	ALL:(5)	
	9.5	240	-9	MISSING	
100 0	100 0	2 520	anana	( K+W)	

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 506-507

### V2401

## 042E01B!# FRNDS TAKE PCP

Item Number: 07201

How many of your friends would you estimate . . . B: Take PCP (angel dust)?

)

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
		IN	VALUE	ПЧОГП
VALID	$\mathtt{ALL}$			
88.2	79.1	1,994	1	NONE: (1)
9.0	8.0	203	2	A FEW: (2
1.8	1.6	40	3	SOME: (3)
0.5	0.4	11	4	MOST:(4)
0.5	0.5	12	5	ALL:(5)
	10.4	261	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 508-509

## V2402 042E01C:# FRNDS TK PPRS

Item Number: 07202

How many of your friends would you estimate . . . C: Take amyl or butyl nitrites (poppers, snappers, Locker Room, Vaporole, Rush, Kick, Bullet)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	81.3	2,048	1	NONE:(1)
6.7	6.0	152	2	A FEW:(2)
1.6	1.4	35	3	SOME: (3)
0.5	0.5	12	4	MOST:(4)
0.5	0.5	12	5	ALL:(5)
	10.3	260	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 510-511

### V2452

### 042E02A:RSK COK PWDR 1-2

Item Number: 12501

How much do you think people risk harming themselves (physically or in other ways) if they . . . A: Try cocaine in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	9.0	227	1	NO RISK:(1)
18.4	16.5	417	2	SLIGHT:(2)
22.3	20.0	504	3	MOD RISK:(3)
45.3	40.6	1,024	4	GRT RISK:(4)
3.9	3.5	87	5	CANT SAY: (5)
	10.4	262	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 512-513

## V2453 042E02B:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves (physically or in other ways) if they . . . B: Take cocaine powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.8	121	1	NO RISK:(1)
7.1	6.4	161	2	SLIGHT:(2)
21.6	19.4	489	3	MOD RISK:(3)
61.7	55.3	1,394	4	GRT RISK:(4)
4.1	3.7	94	5	CANT SAY: (5)
	10.4	263	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 514-515

### V2454

### 042E02C:RSK COK PWDR REG

Item Number: 12503

How much do you think people risk harming themselves (physically or in other ways) if they . . . C: Take cocaine powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.5	114	1	NO RISK:(1)
1.5	1.3	34	2	SLIGHT:(2)
7.5	6.7	168	3	MOD RISK:(3)
81.7	73.0	1,839	4	GRT RISK:(4)
4.3	3.8	96	5	CANT SAY: (5)
	10.7	270	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 516-517

# V2455 042E02D:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves (physically or in other ways) if they . . . D: Try "crack" cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	7.7	193	1	NO RISK:(1)
17.2	15.3	385	2	SLIGHT:(2)
21.5	19.1	482	3	MOD RISK:(3)
47.9	42.6	1,074	4	GRT RISK:(4)
4.9	4.4	110	5	CANT SAY: (5)
	11.0	277	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 518-519

### V2456

## 042E02E:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves (physically or in other ways) if they. . . E: Take "crack" cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.3	108	1	NO RISK:(1)
4.6	4.1	103	2	SLIGHT:(2)
20.8	18.5	466	3	MOD RISK:(3)
64.6	57.3	1,444	4	GRT RISK:(4)
5.1	4.6	115	5	CANT SAY: (5)
	11.3	284	-9	MISSING
1000	100 0	0 500	,	7\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 520-521

### V2457 042E02F:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves (physically or in other ways) if they . . . F: Take "crack" cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.3	108	1	NO RISK:(1)
1.2	1.0	26	2	SLIGHT:(2)
5.5	4.9	123	3	MOD RISK:(3)
83.4	74.0	1,865	4	GRT RISK:(4)
5.1	4.5	115	5	CANT SAY: (5)
	11.3	284	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 522-523

### V2458

## 042E02G:RSK PCP 1-2X

Item Number: 12415

How much do you think people risk harming themselves (physically or in other ways) if they . . . G: Try PCP once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.1	153	1	NO RISK:(1)
15.7	13.8	349	2	SLIGHT:(2)
19.8	17.5	441	3	MOD RISK:(3)
47.0	41.6	1,048	4	GRT RISK:(4)
10.6	9.4	237	5	CANT SAY: (5)
	11.6	293	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 524-525

### V2476 042E02H:RSK ICE 1-2X

Item Number: 24420

How much do you think people risk harming themselves (physically or in other ways) if they . . . H: Try crystal meth ("ice")

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.0	152	1	NO RISK:(1)
12.5	11.0	277	2	SLIGHT:(2)
18.7	16.5	415	3	MOD RISK:(3)
52.3	46.0	1,160	4	GRT RISK:(4)
9.7	8.5	215	5	CANT SAY: (5)
	12.0	302	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 526-527

### V2459

## 042E03A: #X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" cocaine . . . A. . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	85.7	2,159	1	0 OCCAS:(1)
2.1	1.9	48	2	1-2X:(2)
0.7	0.7	17	3	3-5X:(3)
0.5	0.5	11	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS:(7)
	10.5	264	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 528-529

# V2460 042E03B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" cocaine . . . B. . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	87.6	2,207	1	0 OCCAS:(1)
1.0	0.9	23	2	1-2X:(2)
0.7	0.6	15	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.2	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	10.4	261	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 530-531

# V2461 042E03C: #X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" cocaine . . . C. . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	88.6	2,233	1	0 OCCAS:(1)
0.6	0.5	14	2	1-2X:(2)
0.3	0.2	6	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	10.4	263	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 532-533

# V2403 042E04A:#X PCP/LIFETIME

Item Number: 01181

On how many occasions (if any) have you used PCP? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	87.8	2,212	1	0 OCCAS:(1)
1.0	0.9	23	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	10.8	272	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 534-535

#### V2404 042E04B:#X PCP/LAST12MO

Item Number: 01182

On how many occasions (if any) have you used PCP? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	88.8	2,238	1	0 OCCAS:(1)
0.2	0.2	4	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	10.6	268	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 536-537

# V2405 042E04C: #X PCP/LAST30DA

Item Number: 01183

On how many occasions (if any) have you used PCP? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	88.9	2,241	1	0 OCCAS:(1)
0.1	0.1	2	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	10.7	271	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 538-539

#### V2406 042E05A:#X PPRS/LIFETIME

Item Number: 01184

On how many occasions (if any) have you used amyl or butyl

nitrites? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	87.5	2,206	1	0 OCCAS:(1)
0.4	0.4	9	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	11.4	288	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 540-541

# V2407 042E05B:#X PPRS/LAST12MO

Item Number: 01185

On how many occasions (if any) have you used amyl or butyl

nitrites? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	88.3	2,225	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	11.1	280	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 542-543

#### V2408 042E05C: #X PPRS/LAST30DA

Item Number: 01186

On how many occasions (if any) have you used amyl or butyl nitrites? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	88.2	2,223	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS: (7)
	11.2	283	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 544-545

## V2493 042E06A:#X STRD/LIFETIME

Item Number: 22690

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	86.1	2,169	1	0 OCCAS:(1)
2.0	1.8	45	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.2	0.1	4	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.4	0.3	8	7	40+OCCAS:(7)
	10.9	275	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 546-547

# V2494 042E06B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	87.1	2,196	1	0 OCCAS:(1)
1.1	1.0	25	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	10.9	275	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 548-549

## V2495 042E06C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	88.1	2,220	1	0 OCCAS:(1)
0.7	0.6	15	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	10.8	273	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 550-551

# V2496

### 042E07A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own? (Mark all that apply.) A. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	2.1	52	0	NT MRKED:(0)
9.3	0.2	5	1	MARKED: (1)
	97.7	2,463	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 552-553

#### V2497 042E07B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own? (Mark all that apply.) B. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	0.3	9	0	NT MRKED:(0)
85.1	1.9	49	1	MARKED: (1)
	97.7	2,463	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 554-555

### V2516

# 042E07C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own? (Mark all that apply.) C. Haven't used steroids

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.1	54	0	NOT MARKED: (0)
97.6	86.2	2,173	1	MARKED: (1)
	11.6	294	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 556-557

## V2462 042E08A:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things? A: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	8	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.2	0.2	5	3	GRADE 8:(3)
0.4	0.4	9	4	GRADE 9:(4)
1.2	1.1	27	5	GRADE 10:(5)
1.0	0.9	22	6	GRADE 11:(6)
0.8	0.7	17	7	GRADE 12:(7)
95.9	83.6	2,108	8	NEVER: (8)
	12.8	322	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 558-559

#### V2463 042E08B:GR 1ST TR OT COK

Item Number: 05662

When (if ever) did you FIRST do each of the following things? B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.3	0.2	6	2	GRADE 7:(2)
0.3	0.3	7	3	GRADE 8:(3)
1.3	1.2	30	4	GRADE 9:(4)
1.7	1.5	38	5	GRADE 10:(5)
2.3	2.0	51	6	GRADE 11:(6)
1.5	1.3	32	7	GRADE 12:(7)
92.5	80.6	2,032	8	NEVER: (8)
	12.8	324	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 560-561

# V2420 042E08C:GR 1ST TRY PCP

Item Number: 05686

When (if ever) did you FIRST do each of the following things?  $C: \ Try \ PCP$ 

8="Never" l="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.2	0.2	5	4	GRADE 9:(4)
0.6	0.5	13	5	GRADE 10:(5)
0.3	0.3	8	6	GRADE 11:(6)
0.1	0.1	3	7	GRADE 12:(7)
98.3	86.6	2,183	8	NEVER: (8)
	11.9	300	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 562-563

#### V2421 042E08D:GR 1ST TRY PPRS

Item Number: 05687

When (if ever) did you FIRST do each of the following things? D: Try amyl or butyl nitrites

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	1	GRADE 6:(1)
0.1	0.1	1	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.2	0.2	5	4	GRADE 9:(4)
0.2	0.2	4	5	GRADE 10:(5)
0.2	0.2	4	6	GRADE 11:(6)
0.0	0.0	1	7	GRADE 12:(7)
99.0	86.8	2,188	8	NEVER: (8)
	12.3	311	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 564-565

# V2477 042E08E:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things? E: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	GRADE 6:(1)
0.0	0.0	0	2	GRADE 7:(2)
0.3	0.2	6	3	GRADE 8:(3)
0.4	0.4	9	4	GRADE 9:(4)
0.9	0.8	19	5	GRADE 10:(5)
0.9	0.8	19	6	GRADE 11:(6)
0.4	0.3	8	7	GRADE 12:(7)
97.1	84.3	2,125	8	NEVER: (8)
	13.2	333	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 566-567

### V2498 042E08F:GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things? F: Try steroids (anabolic steroids)

8="Never" l="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.4	0.3	8	4	GRADE 9:(4)
0.5	0.5	12	5	GRADE 10:(5)
0.5	0.5	11	6	GRADE 11:(6)
0.6	0.5	13	7	GRADE 12:(7)
97.7	85.1	2,145	8	NEVER: (8)
	12.9	325	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 568-569

# V2464

### 042E09A:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following, if you wanted some? A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	17.5	442	1	PROB IMP:(1)
17.6	15.3	384	2	VRY DIFF:(2)
23.3	20.2	510	3	<pre>FRLY DIF:(3)</pre>
23.8	20.7	521	4	FRLY EAS: (4)
15.0	13.0	328	5	VRY EASY: (5)
	13.3	335	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 570-571

## V2465 042E09B:EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some? B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	17.3	437	1	PROB IMP:(1)
17.7	15.3	387	2	VRY DIFF:(2)
20.9	18.1	455	3	<pre>FRLY DIF:(3)</pre>
24.7	21.4	540	4	FRLY EAS: (4)
16.7	14.5	364	5	VRY EASY: (5)
	13.3	336	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 572-573

#### V2466

## 042E09C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following, if you wanted some? C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	22.9	578	1	PROB IMP:(1)
21.8	18.8	474	2	VRY DIFF:(2)
27.5	23.7	599	3	<pre>FRLY DIF:(3)</pre>
16.0	13.8	347	4	FRLY EAS: (4)
8.1	7.0	175	5	VRY EASY: (5)
	13.8	347	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 574-575

## V2467 042E09D:EASY GT NITRITES

Item Number: 22350

How difficult do you think it would be for you to get each of the following, if you wanted some? D: Amyl or butyl nitrites

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	24.9	628	1	PROB IMP:(1)
24.8	21.3	538	2	VRY DIFF:(2)
26.5	22.8	576	3	<pre>FRLY DIF:(3)</pre>
12.8	11.0	277	4	FRLY EAS: (4)
6.9	6.0	150	5	VRY EASY: (5)
	13.9	351	-9	MISSING
100 0	100 0	2 520	aaaaa /	W+4 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 576-577

#### V2478

## 042E09E:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some? E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	22.6	569	1	PROB IMP:(1)
22.8	19.7	497	2	VRY DIFF:(2)
24.5	21.2	534	3	<pre>FRLY DIF:(3)</pre>
16.3	14.1	355	4	FRLY EAS: (4)
10.2	8.8	222	5	VRY EASY: (5)
	13.6	343	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 578-579

## V2499 042E09F:EASY GT STEROIDS

Item Number: 23060

How diffucult do you think it would be for you to get each of the following, if you wanted some? F: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	16.8	422	1	PROB IMP:(1)
16.5	14.3	359	2	VRY DIFF:(2)
21.6	18.7	471	3	<pre>FRLY DIF:(3)</pre>
27.0	23.3	587	4	FRLY EAS: (4)
15.6	13.4	339	5	VRY EASY: (5)
	13.6	342	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 580-581

# V2479

## 042E10A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	25.0	630	1	DONT DIS:(1)
41.7	36.5	919	2	DISAPPRV:(2)
29.7	26.0	655	3	STRG DIS:(3)
	12.5	316	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 582-583

#### V2480 042E10B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each

of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	44.7	1,126	1	DONT DIS:(1)
27.3	24.0	605	2	DISAPPRV:(2)
21.8	19.1	482	3	STRG DIS:(3)
	12.2	307	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 584-585

### V2481

### 042E10C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	33.4	842	1	DONT DIS:(1)
30.9	27.1	683	2	DISAPPRV:(2)
31.0	27.1	684	3	STRG DIS:(3)
	12.4	312	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 586-587

## V2482 042E10D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are  $18\ \mathrm{or}\ \mathrm{older})$  doing each

of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	20.5	517	1	DONT DIS:(1)
32.0	27.9	704	2	DISAPPRV:(2)
44.6	39.0	982	3	STRG DIS:(3)
	12.6	318	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 588-589

### V2483

## 042E10E:DAP COK PWD 1-2T

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	15.5	391	1	DONT DIS:(1)
30.5	26.6	669	2	DISAPPRV:(2)
51.8	45.1	1,137	3	STRG DIS:(3)
	12.8	323	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 590-591

## V2484 042E10F:DAP COK PWDR OCC

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	8.7	219	1	DONT DIS:(1)
28.6	24.9	627	2	DISAPPRV:(2)
61.5	53.6	1,350	3	STRG DIS:(3)
	12.9	324	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 592-593

### V2485

## 042E10G:DAP COK PWDR REG

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.4	162	1	DONT DIS:(1)
20.6	18.0	453	2	DISAPPRV:(2)
72.1	62.9	1,585	3	STRG DIS:(3)
	12.7	320	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 594-595

## V2486 042E10H:DAP TRY CRK 1-2T

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	11.3	285	1	DONT DIS:(1)
29.0	25.3	637	2	DISAPPRV:(2)
58.0	50.4	1,271	3	STRG DIS:(3)
	13.0	327	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 596-597

### V2487

## 042E10I:DAP CRACK OCC

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.9	173	1	DONT DIS:(1)
25.0	21.9	551	2	DISAPPRV:(2)
67.1	58.6	1,478	3	STRG DIS:(3)
	12.7	319	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 598-599

## V2488 042E10J:DAP CRACK REG

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.0	152	1	DONT DIS:(1)
18.7	16.2	408	2	DISAPPRV:(2)
74.4	64.5	1,626	3	STRG DIS:(3)
	13.3	335	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 600-601

### V2489

## 042E10K:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	63.0	1,587	1	DONT DIS:(1)
16.7	14.5	366	2	DISAPPRV:(2)
10.8	9.4	237	3	STRG DIS:(3)
	13.1	330	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 602-603

## V2490 042E10L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	29.5	743	1	DONT DIS:(1)
42.3	36.8	928	2	DISAPPRV:(2)
23.9	20.8	524	3	STRG DIS:(3)
	12.9	325	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 604-605

## V2491

#### 042E10M:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following? M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	12.8	321	1	DONT DIS:(1)
34.1	29.7	749	2	DISAPPRV:(2)
51.2	44.6	1,124	3	STRG DIS:(3)
	12.9	326	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 606-607

## V2492 042E10N:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following: N: Having five or more drinks  $\,$  once or  $\,$ 

twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	29.9	753	1	DONT DIS:(1)
26.1	22.5	567	2	DISAPPRV:(2)
39.3	33.8	853	3	STRG DIS:(3)
	13.8	348	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 608-609

## V2428

#### 042E11A:FAVOR MLTY DRAFT

Item Number: 21060

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed" 2="Mostly oppose" 1="Strongly oppose"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	30.7	773	1	STRG OPP:(1)
19.3	16.6	419	2	MOST OPP:(2)
34.9	30.2	760	3	DK/MIXED:(3)
7.0	6.0	152	4	MOST FAV: (4)
3.4	2.9	73	5	STRG FAV: (5)
	13.6	343	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 610-611

## V2429 042E11B:DRAFT INCL WOMEN

Item Number: 21070

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	28.4	715	1	NO:(1)
33.6	29.9	754	2	UNCERTN: (2)
34.5	30.7	775	3	YES:(3)
	11.0	277	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 612-613

### V2371

### 042E12 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit" 3="I like school some" 2="I don't like school very much" 1="I don't like school at all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	9.2	231	1	DLIK@ALL:(1)
18.5	16.5	415	2	DNT LIKE: (2)
43.5	38.7	975	3	LIK SOME:(3)
17.7	15.8	398	4	LIK ALOT:(4)
9.9	8.8	222	5	LIK VMCH:(5)
	11.1	279	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 614-615

### V2372 042E13 :HRS/WK SPND HMWK

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	12.0	302	1	0 HOURS:(1)
48.2	42.8	1,078	2	1-4 HRS:(2)
19.9	17.6	445	3	5-9 HRS:(3)
8.7	7.7	194	4	10-14 HR:(4)
4.1	3.7	92	5	15-19 HR:(5)
2.9	2.6	64	6	20-24 HR:(6)
2.7	2.4	59	7	25+ HRS:(7)
	11.3	285	-9	MISSING
100 0	100 0	2 520	/	T.T.L7 \

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 616-617

# V2445

# 042E14A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year? A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	65.5	1,651	1	NOT @ALL:(1)
10.6	9.3	234	2	SLIGHT:(2)
4.6	4.0	101	3	MODERATE: (3)
2.3	2.0	51	4	CONSDBLE: (4)
7.8	6.9	173	5	GREAT: (5)
	12.3	310	-9	MISSING
	1000			

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 618-619

## V2446 042E14B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year? B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	54.3	1,369	1	NOT @ALL:(1)
9.5	8.4	211	2	SLIGHT:(2)
6.0	5.3	133	3	MODERATE: (3)
6.0	5.3	133	4	CONSDBLE: (4)
16.4	14.3	361	5	GREAT: (5)
	12.4	313	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric

Missing-data code: -9 Columns: 620-621

### V2447

## 042E14C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year? C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	40.3	1,016	1	NOT @ALL:(1)
8.2	7.2	181	2	SLIGHT:(2)
9.4	8.3	208	3	MODERATE: (3)
9.7	8.5	214	4	CONSDBLE: (4)
26.8	23.5	592	5	GREAT: (5)
	12.3	309	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 622-623

## V2448 042E14D:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year? D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	30.3	763	1	NOT @ALL:(1)
15.7	13.8	348	2	SLIGHT:(2)
17.2	15.1	381	3	MODERATE: (3)
13.0	11.4	286	4	CONSDBLE: (4)
19.6	17.2	433	5	GREAT:(5)
	12.3	309	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 624-625

# V2373

## 042E15A:PRCL INFL SCL RN

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN? A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	13.8	349	1	NO INFLC:(1)
11.1	9.7	244	2	SOME: (2)
16.9	14.7	371	3	MODERATE: (3)
24.2	21.1	532	4	CNSIDRBL: (4)
31.8	27.7	697	5	<pre>GRT DEAL:(5)</pre>
	13.0	328	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 626-627

## V2374 042E15B:TCHR INFL SCL RN

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN? B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.9	224	1	NO INFLC:(1)
18.5	16.2	407	2	SOME: (2)
29.7	25.8	651	3	MODERATE: (3)
27.5	23.9	603	4	CNSIDRBL: (4)
14.1	12.3	310	5	<pre>GRT DEAL:(5)</pre>
	12.9	324	-9	MISSING
100.0	100.0	2,520	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 628-629

### V2375

## 042E15C:STDS INFL SCL RN

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN? C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	24.9	628	1	NO INFLC:(1)
21.9	19.1	481	2	SOME: (2)
18.4	16.0	403	3	MODERATE: (3)
14.9	12.9	326	4	CNSIDRBL: (4)
16.2	14.1	356	5	<pre>GRT DEAL:(5)</pre>
	13.0	327	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 630-631

## V2376 042E15D:PRTS INFL SCL RN

Item Number: 07680

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN? D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	19.6	494	1	NO INFLC:(1)
28.3	24.6	620	2	SOME: (2)
23.7	20.6	519	3	MODERATE: (3)
13.3	11.5	291	4	CNSIDRBL: (4)
12.1	10.5	265	5	GRT DEAL: (5)
	13.2	332	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 632-633

# V2377

# 042E16 :HAD DRUG EDUCATN

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"  $\,$ 

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	18.7	472	1	NO:(1)
2.5	2.1	52	2	WISH HAD: (2)
75.1	62.8	1,583	3	YES:(3)
	16.4	413	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 634-635

# V2378 042E17 :DG ED,>DG INTRST

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . .

1="Made you less interested in trying drugs." 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	30.6	770	1	<interst:(1)< td=""></interst:(1)<>
46.2	29.0	731	2	NO CHNGE: (2)
5.1	3.2	81	3	>INTERST:(3)
	37.2	938	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 636-637

## V2379

## 042E18A:DG ED,SPC COURSE

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.) A. A special course about drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	40.6	1,024	0	NT MRKED: (0)
33.5	20.4	515	1	MARKED: (1)
	38.9	982	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 638-639

# V2380 042E18B:DG ED,IN REG CRS

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.) B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	20.7	521	0	NT MRKED: (0)
66.2	40.4	1,018	1	MARKED: (1)
	38.9	982	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 640-641

### V2381

## 042E18C:DG ED,NT REG CRS

Item Number: 07870

How many of the following drug education experiences have you had in high school? (Mark all that apply.) C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	41.9	1,055	0	NT MRKED: (0)
31.4	19.2	484	1	MARKED: (1)
	38.9	982	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 642-643

## V2382 042E18D:DG ED,SPC DISCUS

Item Number: 07880

How many of the following drug education experiences have you had in high school? (Mark all that apply.) D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	49.8	1,256	0	NT MRKED: (0)
18.4	11.2	283	1	MARKED: (1)
	38.9	982	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 644-645

### V2383

## 042E19 :DG ED,GRT VALUE

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value" 4="Great value"

PCT	PCT	N	VALUE	LABEL
VALID	$\mathtt{ALL}$			
28.4	17.6	444	1	NO VALUE: (1)
39.0	24.2	609	2	SOME: (2)
20.6	12.8	322	3	CNSIDRBL:(3)
12.0	7.4	187	4	GT VALUE: (4)
	38.0	958	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9 Columns: 646-647

## V2441 042E20A: #X/2W DRIVE+ALCL

Item Number: 01811

During the LAST TWO WEEKS, how many times (if any) have you driven a car, truck, or motorcycle after . . . A: Drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	75.6	1,905	1	0 TIMES:(1)
6.3	5.5	139	2	1 TIME:(2)
3.5	3.0	76	3	2 TIMES:(3)
1.7	1.5	38	4	3-5 X: (4)
0.5	0.4	11	5	6-9 X:(5)
0.9	0.8	20	6	=>10 X:(6)
	13.2	332	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 648-649

# V2442

# 042E20B:#X/2W DRIVE+5DRK

Item Number: 01812

During the LAST TWO WEEKS, how many times (if any) have you driven a car, truck, or motorcycle after . . . B: Having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
0 TIMES:(1)	1	1,993	79.1	91.2
1 TIME:(2)	2	89	3.5	4.1
2 TIMES:(3)	3	42	1.7	1.9
3-5 X: (4)	4	32	1.3	1.4
6-9 X:(5)	5	11	0.5	0.5
=>10 X:(6)	6	20	0.8	0.9
MISSING	-9	334	13.3	
Wtd)	cases	2,520	100.0	100.0

Data type: numeric

Missing-data code: -9 Columns: 650-651

## V2517 042E20C:#X/2W DRIVE+MJ

Item Number: 01813

During the LAST TWO WEEKS, how many times (if any) have you driven a car, truck, or motorcycle after . . . C. smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	75.5	1,902	1	0 TIMES:(1)
4.2	3.6	90	2	1 TIME:(2)
2.5	2.2	55	3	2 TIMES:(3)
2.1	1.8	46	4	3-5 X: (4)
0.7	0.6	15	5	6-9 X:(5)
3.2	2.8	69	6	=>10 X:(6)
	13.6	343	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 652-653

# V2518

# 042E20D: #X/2W DRIVE+OTDG

Item Number: 01814

During the LAST TWO WEEKS, how many times (if any) have you driven a car, truck, or motorcycle after . . . D. using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	83.7	2,108	1	0 TIMES:(1)
1.1	1.0	24	2	1 TIME:(2)
0.6	0.5	14	3	2 TIMES:(3)
0.5	0.5	12	4	3-5 X: (4)
0.3	0.3	8	5	6-9 X:(5)
0.5	0.5	12	6	=>10 X:(6)
	13.6	343	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 654-655

### V2443 042E21A: #X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . A: When the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	70.9	1,787	1	0 TIMES:(1)
9.7	8.4	211	2	1 TIME:(2)
3.8	3.3	83	3	2 TIMES:(3)
3.1	2.7	67	4	3-5 X: (4)
0.6	0.5	14	5	6-9 X:(5)
1.1	1.0	25	6	=>10 X:(6)
	13.2	333	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 656-657

# V2444

# 042E21B:#X/2W RIDE+5DRK

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . B: When you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	77.5	1,954	1	0 TIMES:(1)
4.7	4.1	103	2	1 TIME:(2)
2.5	2.2	55	3	2 TIMES:(3)
1.6	1.4	36	4	3-5 X: (4)
0.5	0.4	11	5	6-9 X:(5)
0.9	0.8	21	6	=>10 X:(6)
	13.5	341	-9	MISSING
100 0	100 0	0 500	,	TT: 3\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 658-659

### V2519 042E21C: #X/2W RIDE+MJ

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . C. When the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	71.1	1,791	1	0 TIMES:(1)
6.6	5.7	144	2	1 TIME:(2)
3.8	3.3	83	3	2 TIMES:(3)
3.1	2.7	68	4	3-5 X: (4)
1.3	1.1	29	5	6-9 X:(5)
2.9	2.5	62	6	=>10 X:(6)
	13.6	343	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 660-661

# V2520

# 042E21D: #X/2W RIDE+OTDG

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . C. When the driver had been using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

ъ оп	D 0 III		T T D T T T T	
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	82.4	2,078	1	0 TIMES:(1)
1.7	1.4	36	2	1 TIME:(2)
0.7	0.6	15	3	2 TIMES:(3)
0.5	0.4	11	4	3-5 X: (4)
0.3	0.2	6	5	6-9 X:(5)
0.8	0.7	18	6	=>10 X:(6)
	14.2	358	-9	MISSING
1000	1000	0 500	,	3\

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 662-663

#### V2414 042E22A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . . A: Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT PCT N VALUE LABEL VALID ALL238 540 46 1 NEVER: (1) 10.8 9.4 24.6 2 SELDOM: (2) 21.4 3 SOMETIME: (3) 21.0 18.3 10.4 11.9 4 MST DAYS: (4) 261 9.0 226 10.3 5 NR EV DA: (5) 21.4 18.6 470 6 EVERYDAY: (6) 12.8 324 -9 MISSING \_\_\_\_\_

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 664-665

#### V2415

# 042E22B:OFTN EAT GN VEG

Item Number: 20750

How often do you. . . B: Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	4.7	119	1	NEVER: (1)
12.3	10.7	269	2	SELDOM: (2)
25.2	21.8	550	3	SOMETIME: (3)
24.4	21.1	533	4	MST DAYS: (4)
16.3	14.1	356	5	NR EV DA:(5)
16.3	14.1	355	6	EVERYDAY: (6)
	13.4	338	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 666-667

#### V2416 042E22C:OFTN EAT FRUIT

Item Number: 20760

How often do you. . . C: Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
PCI	PCI	IN	VALUE	LADEL
VALID	$\mathtt{ALL}$			
3.7	3.2	79	1	NEVER: (1)
9.4	8.1	205	2	SELDOM: (2)
26.9	23.2	585	3	SOMETIME: (3)
24.9	21.5	542	4	MST DAYS:(4)
16.9	14.6	368	5	NR EV DA:(5)
18.2	15.7	396	6	EVERYDAY: (6)
	13.7	344	-9	MISSING
100 0	100 0	2 520	02000 l	( b+w

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 668-669

#### V2417

#### 042E22D:OFTN EXERCISE

Item Number: 20770

How often do you. . . D: Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.0	150	1	NEVER: (1)
18.7	16.0	402	2	SELDOM: (2)
24.4	20.8	524	3	SOMETIME: (3)
17.3	14.7	371	4	MST DAYS:(4)
14.6	12.4	314	5	NR EV DA:(5)
18.1	15.4	388	6	EVERYDAY: (6)
	14.8	372	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 670-671

#### V2418 042E22E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you. . . E: Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly

Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.0	151	1	NEVER: (1)
19.8	17.1	432	2	SELDOM: (2)
23.2	20.1	506	3	SOMETIME: (3)
23.4	20.2	510	4	MST DAYS:(4)
15.7	13.6	344	5	NR EV DA:(5)
11.0	9.6	241	6	EVERYDAY: (6)
	13.3	336	-9	MISSING
100.0	100.0	2,520	cases (	Wtd)

Data type: numeric Missing-data code: -9

Columns: 672-673

#### V2419

#### 042E22F:OFTN SLEEP <SHLD

Item Number: 20790

How often do you. . . F: Get less sleep than you think you

should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most Days" 5="Nearly Every Day" 6="Every Day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	6.6	166	1	NEVER: (1)
13.1	11.4	287	2	SELDOM: (2)
23.4	20.3	512	3	SOMETIME: (3)
16.4	14.3	360	4	MST DAYS: (4)
17.5	15.2	384	5	NR EV DA:(5)
22.0	19.1	482	6	EVERYDAY: (6)
	13.1	330	-9	MISSING

100.0 100.0 2,520 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 674-675

# **APPENDICES**

# **Appendix A: Publications**

# ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2005). *Monitoring the Future: Questionnaire responses from the nation's high school seniors*, 2002. Ann Arbor, MI: Institute for Social Research, 384 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (2003). *Monitoring the Future: Questionnaire responses from the nation's high school seniors*, 2001. Ann Arbor, MI: Institute for Social Research, 380 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2000.* Ann Arbor, MI: Institute for Social Research, 380 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1999.* Ann Arbor, MI: Institute for Social Research, 378 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998.* Ann Arbor, MI: Institute for Social Research, 378 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997*. Ann Arbor, MI: Institute for Social Research, 378 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (2001). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996.* Ann Arbor, MI: Institute for Social Research, 376 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1997). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995*. Ann Arbor, MI: Institute for Social Research, 341 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1997). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994*. Ann Arbor, MI: Institute for Social Research, 339 pp.

- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1995). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993*. Ann Arbor, MI: Institute for Social Research, 339 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1993). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992.* Ann Arbor, MI: Institute for Social Research, 339 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1993). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991*. Ann Arbor, MI: Institute for Social Research, 339 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1993). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990.* Ann Arbor, MI: Institute for Social Research, 339 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1992). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989.* Ann Arbor, MI: Institute for Social Research, 327 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988.* Ann Arbor, MI: Institute for Social Research, 283 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1991). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987.* Ann Arbor, MI: Institute for Social Research, 283 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1987). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986.* Ann Arbor, MI: Institute for Social Research, 288 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1986). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985.* Ann Arbor, MI: Institute for Social Research, 284 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1985). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984.* Ann Arbor, MI: Institute for Social Research, 284 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1984). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983.* Ann Arbor, MI: Institute for Social Research, 282 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1984). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982.* Ann Arbor, MI: Institute for Social Research, 280 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1982). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981.* Ann Arbor, MI: Institute for Social Research, 286 pp.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977.* Ann Arbor, MI: Institute for Social Research, 266 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976.* Ann Arbor, MI: Institute for Social Research, 264 pp.
- Johnston, L. D., & Bachman, J. G. (1980). *Monitoring the Future: Questionnaire responses from the nation's high school seniors*, 1975. Ann Arbor, MI: Institute for Social Research, 188 pp.

# ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20847-2345 (Tel. 1-800-729-6686). There is no charge for single copies.

- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2005). *Monitoring the Future national survey results on drug use*, 1975-2004. *Volume I: Secondary school students* (NIH Publication No. 05-5727). Bethesda, MD: National Institute on Drug Abuse, 680 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2005). *Monitoring the Future national results on adolescent drug use: Overview of key findings, 2004* (NIH Publication No. 05-5726). Bethesda, MD: National Institute on Drug Abuse, 66 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Monitoring the Future national survey results on drug use, 1975-2003. Volume I: Secondary school students* (NIH Publication No. 04-5507). Bethesda, MD: National Institute on Drug Abuse, 545 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Monitoring the Future national survey results on drug use, 1975-2003. Volume II: College students and adults ages 19-45* (NIH Publication No. 04-5508). Bethesda, MD: National Institute on Drug Abuse, 267 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Monitoring the Future national results on adolescent drug use: Overview of key findings, 2003* (NIH Publication No. 04-5506). Bethesda, MD: National Institute on Drug Abuse, 59 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 2002* (NIH Publication No. 03-5374). Bethesda, MD: National Institute on Drug Abuse, 56 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the Future national survey results on drug use, 1975-2002. Volume I: Secondary school students* (NIH Publication No. 03-5375). Bethesda, MD: National Institute on Drug Abuse, 520 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Monitoring the Future national survey results on drug use, 1975-2002. Volume II: College students and adults ages 19-40* (NIH Publication No. 03-5376). Bethesda, MD: National Institute on Drug Abuse, 253 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 2001* (NIH Publication No. 02-5105). Bethesda, MD: National Institute on Drug Abuse, 56 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Monitoring the Future national survey results on drug use*, 1975-2001. *Volume I: Secondary school students* (NIH Publication No. 02-5106). Bethesda, MD: National Institute on Drug Abuse, 503 pp.

- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Monitoring the Future national survey results on drug use*, 1975-2001. *Volume II: College students and adults ages 19-40* (NIH Publication No. 02-5107). Bethesda, MD: National Institute on Drug Abuse, 242 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 2000* (NIH Publication No. 01-4923). Bethesda, MD: National Institute on Drug Abuse, 54 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Monitoring the Future national survey results on drug use*, *1975-2000*. *Volume I: Secondary school students* (NIH Publication No. 01-4924). Bethesda, MD: National Institute on Drug Abuse, 492 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Monitoring the Future national survey results on drug use*, 1975-2000. *Volume II: College students and adults ages 19-40* (NIH Publication No. 01-4925). Bethesda, MD: National Institute on Drug Abuse, 238 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2000). *Monitoring the Future national survey results on adolescent drug use: Overview of key findings, 1999* (NIH Publication No. 00-4690). Bethesda, MD: National Institute on Drug Abuse, 48 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2000). *Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students* (NIH Publication No. 00-4802). Bethesda, MD: National Institute on Drug Abuse, 480 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2000). *Monitoring the Future national survey results on drug use, 1975-1999. Volume II: College students and adults ages 19-40* (NIH Publication No. 00-4803). Bethesda, MD: National Institute on Drug Abuse, 240 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1999). *National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students* (NIH Publication No. 99-4660). Bethesda, MD: National Institute on Drug Abuse, 420 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1999). *National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume II: College students and young adults* (NIH Publication No. 99-4661). Bethesda, MD: National Institute on Drug Abuse, 218 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1998). *National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students.* (NIH Publication No. 98-4345). Rockville, MD: National Institute on Drug Abuse, 433 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1998). *National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume II: College students and young adults.* (NIH Publication No. 98-4346). Rockville, MD: National Institute on Drug Abuse, 206 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1996). *National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students.* (NIH Publication No. 96-4139). Rockville, MD: National Institute on Drug Abuse, 381 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1997). *National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume II: College students and young adults.* (NIH Publication No. 98-4140). Rockville, MD: National Institute on Drug Abuse, 188 pp.

- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1995). *National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students.* (NIH Publication No. 95-4026). Rockville, MD: National Institute on Drug Abuse, 316 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1996). *National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume II: College students and young adults.* (NIH Publication No. 96-4027). Rockville, MD: National Institute on Drug Abuse, 183 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1994). *National survey results on drug use from the Monitoring the Future study, 1975-1993. Volume I: Secondary school students.* (NIH Publication No. 94-3809). Rockville, MD: National Institute on Drug Abuse, 281 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1994). *National survey results on drug use from the Monitoring the Future study, 1975-1993. Volume II: College students and young adults.* (NIH Publication No. 94-3810). Rockville, MD: National Institute on Drug Abuse, 182 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1993). *National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students.* (NIH Publication No. 93-3597). Rockville, MD: National Institute on Drug Abuse, 250 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1993). *National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume II: College students and young adults.* (NIH Publication No. 93-3598). Rockville, MD: National Institute on Drug Abuse, 185 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). *Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students.* (NIH Publication No. 93-3480). Rockville, MD: National Institute on Drug Abuse, 231 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1993). *Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume II: College students and young adults.* (NIH Publication No. 93-3481). Rockville, MD: National Institute on Drug Abuse, 176 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1991). *Drug use among American high school seniors, college students and young adults, 1975-1990. Volume I: High school seniors.* (DHHS Publication No. [ADM] 91-1813). Rockville, MD: National Institute on Drug Abuse, 199 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1991). *Drug use among American high school seniors, college students and young adults, 1975-1990. Volume II: College students and young adults.* (DHHS Publication No. [ADM] 91-1835). Rockville, MD: National Institute on Drug Abuse, 168 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1991). *Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989* (Institute for Social Research: Ann Arbor, MI). 331 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1989). *Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988.* (DHHS Publication No. [ADM] 89-1638). Rockville, MD: National Institute on Drug Abuse, 339 pp.

- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). *Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987*. (DHHS Publication No. [ADM] 89-1602). Rockville, MD: National Institute on Drug Abuse, 307 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). *National trends in drug use and related factors among American high school students and young adults, 1975-1986.* (DHHS Publication No. [ADM] 87-1535). Rockville, MD: National Institute on Drug Abuse, 265 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1986). *Drug use among American high school students, college students, and other young adults: National trends through 1985.* (DHHS Publication No. [ADM] 86-1450). Rockville, MD: National Institute on Drug Abuse, 237 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1985). *Use of licit and illicit drugs by America's high school students: 1975-1984*. (DHHS Publication No. [ADM] 85-1394). Rockville, MD: National Institute on Drug Abuse, 167 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1984). *Drugs and American high school students:* 1975-1983. (DHHS Publication No. [ADM] 85-1374). Rockville, MD: National Institute on Drug Abuse, 492 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1984). *Highlights from drugs and American high school students: 1975-1983.* (DHHS Publication No. [ADM] 84-1317). Rockville, MD: National Institute on Drug Abuse, 135 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1982). *Student drug use, attitudes, and beliefs: National trends*, 1975-1982. (DHHS Publication No. [ADM] 83-1260). Rockville, MD: National Institute on Drug Abuse, 134 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1982). *Student drug use in America, 1975-1981*. (DHHS Publication No. [ADM] 82-1221). Rockville, MD: National Institute on Drug Abuse, 450 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1981). *Highlights from student drug use in America*, 1975-1981. (DHHS Publication No. [ADM] 82-1208). Rockville, MD: National Institute on Drug Abuse, 130 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). *Highlights from student drug use in America*, 1975-1980. (DHHS Publication No. [ADM] 81-1066). Rockville, MD: National Institute on Drug Abuse, 120 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1979). 1979 Highlights: Drugs and the nation's high school students, five-year national trends. (DHEW Publication No. [ADM] 80-930). Rockville, MD: National Institute on Drug Abuse, 85 pp.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1979). *Drugs and the class of 1978: Behaviors, attitudes, and recent national trends*. (DHEW Publication No. [ADM] 79-877). Rockville, MD: National Institute on Drug Abuse, 376 pp.

Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1979). *Highlights from drugs and the class of '78: Behaviors, attitudes and recent national trends*. (DHEW Publication No. [ADM] 79-878). Rockville, MD: National Institute on Drug Abuse, 62 pp.

Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1977). *Drug use among American high school students*, 1975-1977. (DHEW Publication No. [ADM] 78-619). Rockville, MD: National Institute on Drug Abuse, 256 pp.

Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1978). *Highlights from drug use among American high school students*, *1975-1977*. (DHEW Publication No. [ADM] 78-621). Rockville, MD: National Institute on Drug Abuse, 43 pp.

# JOURNAL ARTICLES

- Schulenberg, J. E., Merline, A. C., Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Laetz, V. B. (2005). Trajectories of marijuana use during the transition to adulthood: The big picture based on national panel data. *Journal of Drug Issues*, *35*, 255-279.
- Delva, J., Wallace, J. M. Jr., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. E. (2005). The epidemiology of alcohol, marijuana, and cocaine use among Mexican American, Puerto Rican, Cuban American, and other Latin American eighth-grade students in the United States: 1991-2002. *American Journal of Public Health*, 95, 696-702.
- McCabe, S. E., Schulenberg, J. E., Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Kloska, D. D. (2005). Selection and socialization effects of fraternities and sororities on US college student substance use: A multi-cohort national longitudinal study. *Addiction*, 100, 512-524.
- Johnston, L. D., Terry-McElrath, Y. M., O'Malley, P. M., & Wakefield, M. (2005). Trends in recall and appraisal of anti-smoking advertising among American youth: National survey results, 1997-2001. *Prevention Science*, 6, 1-19.
- Tauras, J. A., Chaloupka, F. J., Farrelly, M. C., Giovino, G. A., Wakefield, M., Johnston, L. D., O'Malley, P. M., Kloska, D. D., & Pechacek, T. F. (2005). State tobacco control spending and youth smoking. *American Journal of Public Health*, *95*, 338-344.
- Yamaguchi, R., O'Malley, P. M., & Johnston, L. D. (2004). Relationships between school drug searches and student substance use in U.S. schools. *Educational Evaluation and Policy Analysis*, 26, 329-341.
- Schulenberg, J. E., Bryant, A. L., & O'Malley, P. M. (2004). Taking hold of some kind of life: How developmental tasks relate to trajectories of well-being during the transition to adulthood. *Development and Psychopathology, 16*, 1119-1140.
- Schulenberg, J. E., Sameroff, A. J., & Cicchetti, D. (2004). Editorial: The transition to adulthood as a critical juncture in the course of psychopathology and mental health. *Development and Psychopathology*, *16*, 799-806.
- Johnston, L. D., O'Malley, P. M., & Terry-McElrath, Y. M. (2004). Methods, locations, and ease of cigarette access for American youth, 1997-2002. *American Journal of Preventive Medicine*, 27, 267-276.
- Wakefield, M., Kloska, D. D., O'Malley, P. M., Johnston, L. D., Chaloupka, F., Pierce, J., Giovino, G., Ruel, E., & Flay, B. R. (2004). The role of smoking intentions in predicting future smoking among youth: Findings from Monitoring the Future data. *Addiction*, *99*, 914-922.
- O'Malley, P. M., & Wagenaar, A. C. (2004). Effects of safety belt laws on safety belt use by American high school seniors, 1986-2000. *Journal of Safety Research*, 35, 125-130.
- Merline, A. C., O'Malley, P. M., Schulenberg, J. E., Bachman, J. G., & Johnston, L. D. (2004). Substance use among adults 35 years of age: Prevalence, adulthood predictors, and impact of adolescent substance use. *American Journal of Public Health*, 94, 96-102.

- Wallace, J. M., Jr., Brown, T. N., Bachman J. G., & LaVeist, T. A. (2003). The influence of race and religion on abstinence from alcohol, cigarettes and marijuana among adolescents. *Journal of Studies on Alcohol*, 64, 843-848.
- Wallace, J. M., Jr., Forman, T. A., Caldwell, C. H., & Willis, D. S. (2003). Religion and U.S. secondary school students: Current patterns, recent trends, and sociodemographic correlates. *Youth & Society*, *35*, 98-125.
- Bryant, A. L., Schulenberg, J. E., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2003). How academic achievement, attitudes, and behaviors relate to the course of substance use during adolescence: A 6-year, multiwave national longitudinal study. *Journal of Research on Adolescence*, *13*(3), 361-397.
- Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2003). Wishing to work: New perspectives on how adolescents' part-time work intensity is linked to educational disengagement, substance use, and other problem behaviours. *International Journal of Behavioral Development*, 27(4), 301-315.
- O'Malley, P. M., & Johnston, L. D. (2003). Unsafe driving by high school seniors: National trends from 1976 to 2001 in tickets and accidents after use of alcohol, marijuana, and other illegal drugs. *Journal of Studies on Alcohol*, 64, 305-312.
- Yamaguchi, R., Johnston, L. D., & O'Malley, P. M. (2003). The relationship between student illicit drug use and school drug-testing policies. *Journal of School Health*, 73(4), 159-164.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Schulenberg, J. E., Cooper, S. M., & Johnston, L. D. (2003). Gender and ethnic differences in smoking, drinking, and illicit drug use among American 8th, 10th and 12th grade students, 1976-2000. *Addiction*, 98, 225-234.
- Wallace, J. M., Jr., Bachman J. G., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Cooper, S. M. (2002). Tobacco, alcohol, and illicit drug use: Racial and ethnic differences among U.S. high school seniors, 1976-2000. *Public Health Reports*, *117*(Supplement 1), S67-S75.
- Kumar, R., O'Malley, P. M., Johnston, L. D., Schulenberg, J. E., & Bachman, J. G. (2002). Effects of school-level norms on student substance use. *Prevention Science*, *3*(2), 105-124.
- O'Malley, P. M., & Johnston, L. D. (2002). Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement 14*, 23-39.
- Schulenberg, J. E., & Maggs, J. L. (2002). A developmental perspective on alcohol use and heavy drinking during adolescence and the transition to adulthood. *Journal of Studies on Alcohol, Supplement 14*, 54-70.
- Wallace, J. M., Jr., & Muroff, J. R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention*, 22(3), 235-261.
- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science*, 2(1), 29-43.

- Maggs, J. L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science*, *5*(4), 196-200.
- Safron, D. J., Schulenberg, J. E., & Bachman, J. G. (2001). Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior*, 42, 425-449.
- Schulenberg, J., Maggs, J. L., Long, S. W., Sher, K. J., Gotham, H. J., Baer, J. S., Kivlahan, D. R., Marlatt, G. A., & Zucker, R. A. (2001). The problem of college drinking: Insights from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, 25, 473-477.
- Schuster, C., O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse*, 36(8), 997-1014.
- Wagenaar, A. C., O'Malley, P. M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.
- Brown, T. N., Wallace, J. M., Jr., Williams, D. R. (2001). Race-related correlates of young adults' subjective well-being. *Social Indicators Research*, 53, 97-116.
- Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, *1*(2), 71-87.
- O'Malley, P. M., Johnston, L. D., Bachman, J. G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P. M., & Johnston, L. D. (1999). Drinking and driving among U.S. high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.
- An, L. C., O'Malley, P. M., Schulenberg, J. E., Bachman, J. G., & Johnston, L. D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). Changing patterns of drug use among U.S. military recruits before and after enlistment. *American Journal of Public Health*, 89, 672-677.
- Schulenberg, J., Maggs, J. L., Dielman, T. E., Leech, S. L., Kloska, D. D., Shope, J. T., & Laetz, V. B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J. M., Jr. (1999). The social ecology of addiction: Race, risk and resilience. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J. M., Jr., Forman, T. A., Guthrie, B. J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.

- Bachman, J. G., Segal, D. R., Freedman-Doan, P., & O'Malley, P. M. (1998). Does enlistment propensity predict accession? High school seniors' plans and subsequent behavior. *Armed Forces & Society*, 25, 59-80.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1998). Explaining the recent increases in students' marijuana use: Impacts of perceived risks and disapproval, 1976 through 1996. *American Journal of Public Health*, 88, 887-892.
- Maggs, J. L., & Schulenberg, J. (1998). Reasons to drink and not to drink: Altering trajectories of drinking through an alcohol misuse prevention program. *Applied Developmental Science*, 2, 48-60.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- Segal, M. W., Segal, D. R., Bachman, J. G., Freedman-Doan, P., & O'Malley, P. M. (1998). Gender and the propensity to enlist in the U.S. military. *Gender Issues*, 16, 65-87.
- Wallace, J. M., & Forman, T. A. (1998). Religion's role in promoting health and reducing risk among American youth. *Health Education & Behavior*, 25(6), 721-741.
- Astor, R. A., Behre, W. J., Fravil, K. A., & Wallace, J. M., Jr. (1997). Perceptions of school violence as a problem and reports of violent events: A national survey of school social workers. *Social Work*, 42(1), 55-68.
- Bell, R., Wechsler, H., & Johnston, L. D. (1997). Correlates of college student marijuana use: Results of a U.S. national survey. *Addiction*, *92*, 571-582.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal *Substance Use & Misuse* entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993," Vol 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-43). (NIDA Research Monograph 110.) Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use & Misuse*, 32(12 & 13), 1637-1638. (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J. M., Jr., & Bachman, J. G. (1997). Issues and concerns on the validity of self-reports in student-based studies on minority populations. A chapter summarized and abstracted in *Substance Use & Misuse*, 32(12 & 13), 1949-1950. The chapter originally appeared in 1993 in M. R. De La Rasa & J.-L. Recio Adrados (Eds.), *Drug Abuse Among Minority Youth: Advances in Research and Methodology* as Validity of self-reports in student-based studies on minority populations: Issues and concerns (pp. 167-200). (NIDA Research Monograph 130). Rockville, MD: National Institute on Drug Abuse.
- Osgood, D. W., Wilson, J. K., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.

- Schulenberg, J., O'Malley, P. M., Bachman, J. G., Wadsworth, K. N., & Johnston, L. D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, *57*, 289-304.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable-and pattern-centered approaches to change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1995). Adolescent substance use: Epidemiology and implications for public policy. *Substance Abuse*, *42*, 241-260.
- Schulenberg, J., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, *35*, 45-62.
- Wallace, J. M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, *1*(1), 31-35.
- Bachman, J. G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? *Developmental Psychology*, 29, 220-235.
- Johnston, L. D. (1993). The "war" on drugs and the role of the media. *Nieman Reports*, 47(4), 29-31.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, *4*, 227-248.
- Bachman, J. G., & Wallace, J. M. Jr. (1991). The "drug problem" among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, *1*, 315-319.
- Bachman, J. G., Wallace, J. M. Jr., O'Malley, P. M., Johnston, L. D., Kurth, C. L., & Neighbors, H. W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P. M., & Wagenaar, A. C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.
- Wallace, J. M., Jr., & Bachman, J. G. (1991). Explaining racial/ethnic differences in adolescent drug use: The impact of background and lifestyle. *Social Problems*, 38(3), 333-357.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.
- Johnston, L. D. (1989). The survey technique in drug abuse assessment. *Bulletin on Narcotics*, 41, 29-40.
- Osgood, D. W., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.

- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.
- Humphrey, R. H., O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, *51*, 329-345.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.
- Osgood, D. W., Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, *53*, 81-93.
- Bachman, J. G. (1987). Adolescence: An eye on the future. *Psychology Today*, 21(7), 6-8.
- Bachman, J. G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces & Society*, *13*(2), 169-187.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.
- Bachman, J. G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.
- Bachman, J. G., & O'Malley, P. M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, *50*, 35-46.
- Diamond, G., & Bachman, J. G. (1986). High school seniors and the nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.
- Johnston, L. D., & O'Malley, P. M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *The Journal of Drug Issues*, *16*, 29-66.
- Johnston, L. D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in *Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in *The Drinking and Drug Practices Surveyor*, March 1985, 20, 11-13.)
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1984). Drug use among young adults: The impacts of role status and social environment. *Journal of Personality and Social Psychology*, 47, 629-645.
- Bachman, J. G., & O'Malley, P. M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, *90*, 624-639.
- Bachman, J. G., & O'Malley, P. M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles. *Public Opinion Quarterly*, 48, 491-509.

- O'Malley, P. M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, *13*, 421-426.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). Period, age, and cohort effects on substance use among American youth, 1976-82. *American Journal of Public Health*, 74, 682-688.
- Bachman, J. G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, 10(1), 86-104.
- Bachman, J. G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook USA*, 10(3), 64-67.
- Bachman, J. G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, *32*, 347-360.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, *9*(1), 109-135. (Work funded by NIE.)
- Johnston, L. D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, 7, 7.
- O'Malley, P. M., & Bachman, J. G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, 19, 257-268.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1983). Reliability and consistency in self-reports of drug use. *The International Journal of the Addictions, 18*, 805-824.
- Bachman, J. G. (1981). Youth views about the military: Recent trends. *Economic Outlook USA*, 8(3), 61-65.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, 71, 59-69.
- Bachman, J. G., & O'Malley, P. M. (1981). When four months equal a year: Inconsistencies in student reports of drug use. *Public Opinion Quarterly*, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, *Survey research methods*. Chicago: Univ. of Chicago Press.)
- Bynner, J. M., O'Malley, P. M., & Bachman, J. G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, 10, 407-441.
- Herzog, A. R., & Bachman, J. G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, 45(4), 549-559.
- Johnston, L. D. (1981). American youth in the 1980s: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, *I*(4), 11-14.
- Johnston, L. D. (1981). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, *10*, 463-480.

- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook USA*, 7(2), 39-42.
- Bachman, J. G., & Johnston, L. D. (1979). The freshmen, 1979. Psychology Today, 13(4), 79-87.
- O'Malley, P. M., & Bachman, J. G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology, 37*, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, *Social psychology of the self-concept.* Arlington Heights, IL: AHM Press.)
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1978). The drug scene: A student survey. *The Science Teacher*, 45(6), 26-31.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1978). Drug use and military plans of high school seniors. *Youth & Society*, *10*, 65-77.
- Segal, D. R., & Bachman, J. G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth & Society*, 10, 47-64.
- Segal, D. R., Bachman, J. G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth & Society*, 10, 127-134.
- Bachman, J. G., & Johnston, L. D. (1976). Drug use among American youth. *Economic Outlook USA*, *3*, 32-33.

# **CHAPTERS**

- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2005). Early adult transitions and their relation to well-being and substance use. In R. A. Settersten, Jr., F. F. Furstenberg, Jr., & R. G. Rumbaut (Eds.), *On the frontier of adulthood: Theory, research, and public policy* (MacArthur network edited volume, pp. 417-453). University of Chicago Press.
- O'Malley, P. M., Bachman, J. G., Johnston, L. D., & Schulenberg, J. (2004). Studying the transition from youth to adulthood: Impacts on substance use and abuse. In J. S. House, F. T. Juster, R. L. Kahn, H. Schuman, and E. Singer (Eds.), *Telescope on society: Survey research and social science at the University of Michigan and beyond* (pp. 305-329). Ann Arbor: University of Michigan Press.
- Schulenberg, J. E., Maggs, J. M., & O'Malley, P. M. (2003). How and why the understanding of developmental continuity and discontinuity is important: The sample case of long-term consequences of adolescent substance use. In J. T. Mortimer, & M. J. Shanahan (Eds.), *Handbook of the life course* (pp. 413-436). New York: Plenum Publishers.
- Johnston, L. D. (2003). Alcohol and illicit drugs: The role of risk perceptions. In Dan Romer (Ed.), *Reducing adolescent risk: Toward an integrated approach* (pp. 56-74). Thousand Oaks, CA: Sage.
- Johnston, L. D., & O'Malley, P. M. (2003). Tobacco, alcohol, and other drug use in adolescence: Modern-day epidemics. In R. P. Weissberg, H. J. Wahlberg, M. U. O'Brien, & C. B. Kuster (Eds.), *Long-term trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Burns, D. M., & Johnston L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking behavior: Where it is and why.* (Smoking and Tobacco Control Monograph No. 14, pp. 1-8). Bethesda, MD: National Cancer Institute.
- Johnston L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future study. In National Cancer Institute, *Changing adolescent smoking behavior: Where it is and why.* (Smoking and Tobacco Control Monograph No. 14, pp. 9-33). Bethesda, MD: National Cancer Institute.
- Johnston L. D., & O'Malley, P. M. (2001). Article 97: Drug use and abuse: Psychosocial aspects. In N. J. Smelser and P. B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.
- Pacula, R. L., Grossman, M., Chaloupka, F. J., O'Malley, P. M., Johnston, L. D., & Farrelly, M. C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).

- Schulenberg, J., Maggs, J. L., Steinman, K., & Zucker, R. A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P. M. Monti, S. M. Colby, & T. A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.
- Schulenberg, J., & O'Malley, P. M. (2001). Trends in alcohol use. In R. M. Lerner & J. V. Lerner (Eds.), *Adolescence in America: An encyclopedia* (pp. 41-44). Santa Barbara, CA: ABC-Clio.
- Bachman, J. G., & Wallace, J. M., Jr. (2001). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior* (2nd ed.) (pp. 911-916). New York: Macmillan Publishing.
- Johnston, L. D. (2000). The epidemiology of drug use. In W. B. Hansen, S. M. Giles, & M. D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- O'Malley, P. M. (2000). Drug use, socialization factors. In C. E. Faupel & P. M. Roman (Eds.), *Encyclopedia of criminology and deviant behavior, Volume 4, Self-destructive behavior and disvalued identity* (pp. 309-312). London: Brunner-Routledge, Taylor & Francis Group.
- O'Malley, P. M. (2000). The Monitoring the Future survey. In *Encyclopedia of drugs, alcohol, and addictive behavior* (2nd ed.). Macmillan Reference USA.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change* (pp. 224-255). New York: Cambridge University Press.
- Johnston, L. D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.
- Johnston, L. D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.
- Hall, W., Johnston, L. D., & Donnelly, N. (1999). Epidemiological evidence on patterns of cannabis use and their health consequences. In *The health implications of cannabis* (pp. 69-126). Geneva: World Health Organization.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1999). Epidemiology of substance abuse in adolescence. In P. J. Ott, R. E. Tarter, & R. T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, methodology, and intervention* (pp. 14-31). Boston: Allyn & Bacon.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable-and pattern-centered approaches to change. In G. A. Marlatt and G. R. VandenBos (Eds.), *Addictive behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association. [Originally appeared in *Developmental Psychology* (1996), *32*, 659-674.]
- (Johnston, L. D., O'Malley, P. M., & Bachman, J. G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).

- Schulenberg, J., Maggs, J. L., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 1-19). New York: Cambridge University Press.
- Johnston, L. D., & O'Malley, P. M. (1997). The recanting of earlier reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), *The validity of self-reported drug use: Improving the accuracy of survey estimates* (pp. 59-80). (NIDA Research Monograph 167.) Rockville, MD: National Institute on Drug Abuse.
- Wallace, J. M., Jr., & Williams, D. R. (1997). Religion and adolescent health-compromising behaviors. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 444-468). New York: Cambridge University Press.
- Maggs, J. L., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 522-546). New York: Cambridge University Press.
- Bachman, J. G., Wadsworth, K. N., O'Malley, P. M., Schulenberg, J., & Johnston, L. D. (1997). Marriage, divorce, and parenthood during the transition to young adulthood: Impacts on drug use and abuse. In J. Schulenberg, J. L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence* (pp. 246-279). New York: Cambridge University Press.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Schulenberg, J. (1996). Transitions in drug use during late adolescence and young adulthood. In J. A. Graber, J. Brooks-Gunn, & A. C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W. B., & O'Malley, P. M. (1996). Drug use. In R. J. DiClemente, W. B. Hansen, & L. E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W. R., & Wallace, J. M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Bachman, J. G., & Wallace, J. M., Jr. (1995). Religion and drug use. In J. H. Jaffe et al. (Eds.), *Encyclopedia of drugs and alcohol* (pp. 911-916). New York: Macmillan Publishing.
- O'Malley, P. M. (1995). The Monitoring the Future study. In J. H. Jaffe et al. (Eds.), *Encyclopedia of drugs and alcohol*. New York: Macmillan Publishing.
- Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments* (pp. 37-64). Berlin: Walter de Gruyter.

- Wallace, J. M., Jr., Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. J. Botwin, S. Schinke, & M. A. Orlandi (Eds.), *Drug abuse prevention with multiethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P. M. et al., 1995, uncredited). Epidemiology of injection drug use. In J. Normand, D. Vlahov, & L. E. Moses, (Eds). *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P. M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Rockville, MD: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J. G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. M. Collins & L. A. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Press.
- Wallace, J. M., Jr., & Bachman, J. G. (1993). Validity of self-reports in student-based studies on minority populations: Issues and concerns. In M. R. De La Rosa & J.-L. R. Andrados (Eds.) *Drug abuse among minority youth: Advances in research and methodology* (pp. 167-200). NIDA Research Monograph No. 130. Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In M. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L. D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life.* Vatican City: The Vatican.
- Johnston, L. D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In C. G. Leukefeld & W. J. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues*. (NIDA Research Monograph No. 107, pp. 57-80). Rockville, MD: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse*. (NIDA Research Monograph No. 110, pp. 19-43). Rockville, MD: National Institute on Drug Abuse.
- Bachman, J. G. (1991). School dropouts. In R. M. Lerner, A. C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York: Garland.

- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In L. Donohew, H. E. Sypher, & W. J. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1991). Toward a theory of drug epidemics. In L. Donohew, H. E. Sypher, & W. J. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-131). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L. D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes Leadership Conference on Substance Abuse Prevention*. Keynote address, Conference Proceedings (pp. 85-104). Ann Arbor, MI: University of Michigan School of Public Health.
- Johnston, L. D. (1989). America's drug problem in the media: Is it real or is it Memorex? In P. J. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F. M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L. D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C. L. Jones & R. J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L. D., & Harrison, L. D. (1985). An international perspective on alcohol use among youth. In U. Rydberg et al. (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L. D., & O'Malley, P. M. (1985). Issues of validity and population coverage in student surveys of drug use. In B. A. Rouse, N. J. Kozel, & L. G. Richards (Eds.), *Self-report methods of estimating drug use: Meeting current challenges to validity.* (NIDA Research Monograph No. 57, pp. 31-54). Rockville, MD: National Institute on Drug Abuse.
- O'Malley, P. M., Johnston, L. D., & Bachman, J. G. (1985). Cocaine use among American adolescents and young adults. In N. J. Kozel & E. H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives*. (NIDA Research Monograph No. 61, pp. 50-75). Rockville, MD: National Institute on Drug Abuse.
- Bachman, J. G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. B. Kaplan (Eds.), *Social psychology of the self-concept.* (pp. 356-364). Arlington Heights, IL: Harlan Davidson, Inc.

- Johnston, L. D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L. D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L. D., Bachman, J. G., & O'Malley, P. M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press.
- Brooke, E., & Johnston, L. D. (1979). The assessment of drug abuse. In *Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L. D., O'Malley, P. M., & Eveland, L. K. (1978). Drugs and delinquency: A search for causal connections. In D. G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L. D. (1977). Introduction to the use of follow-up studies. In L. D. Johnston, D. N. Nurco, & L. N. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Problems of data acquisition in longitudinal studies. In L. G. Richards & L. B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues*. (NIDA Research Monograph No. 10, pp. 60-65). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J. D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics*. (NIDA Research Monograph No. 16, pp. 103-108). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., Nurco, D. N., & Robins, L. N. (1977). Reporting and utilizing the results of a follow-up study. In L. D. Johnston, D. N. Nurco, & L. N. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L. D., & Bachman, J. G. (1976). Educational institutions and adolescent development. In J. F. Adams (Ed.), *Understanding adolescence: Current developments in adolescent psychology* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L. D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research*. (NIDA Research Monograph No. 2, pp. 36-39). Rockville, MD: National Institute on Drug Abuse.

### **TESTIMONY**

Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in *The Congressional Record*.

Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in *The Congressional Record*.

Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in *The Congressional Record*.

Johnston, L. D. (2000, September 19). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on Drug Use Trends in America. Published in *The Congressional Record*.

Johnston, L. D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resourses in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in *The Congressional Record*.

Johnston, L. D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on "Recent trends in youthful drug use." Published in *The Congressional Record*.

Johnston, L. D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in *The Congressional Record*.

Johnston, L. D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in *The Congressional Record*.

Johnston, L. D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In *The Congressional Record*.

Johnston, L. D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in *The Congressional Record*, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.

- Johnston, L. D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in *The Congressional Record*, 134:89, D774.
- Johnston, L. D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in *The Congressional Record*, 134:87, D756.
- O'Malley, P. M., & Johnston, L. D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commisssion Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)
- Johnston, L. D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in *Advertising of tobacco products* (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L. D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in *Beer and wine advertising: Impact of electronic media* (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in *Alcohol Advertising* (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L. D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In *Health consequences of marijuana use* (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).

### MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2005). *Demographic subgroup trends for various licit and illicit drugs*, 1975-2004. (Monitoring the Future Occasional Paper No. 61). Ann Arbor, MI: Institute for Social Research. 411 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (2004). *Demographic subgroup trends for various licit and illicit drugs, 1975-2003.* (Monitoring the Future Occasional Paper No. 60). Ann Arbor, MI: Institute for Social Research. 334 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2003). *Demographic subgroup trends for various licit and illicit drugs*, 1975-2002. (Monitoring the Future Occasional Paper No. 59). Ann Arbor, MI: Institute for Social Research. 264 pp.
- Wallace, J. M, Jr., Brown T. N., Bachman, J. G., & LaViest, T. A. (2003). *Religion, race and abstinence from drug use among American adolescents*. (Monitoring the Future Occasional Paper No. 58). Ann Arbor, MI: Institute for Social Research. 25 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2002). *Demographic subgroup trends for various licit and illicit drugs*, 1975-2001. (Monitoring the Future Occasional Paper No. 57). Ann Arbor, MI: Institute for Social Research. 226 pp.
- Schulenberg, J. E., O'Malley, P. M., Bachman, J. G., Johnston, L. D., and Laetz, V. B. (2004). *How social role transitions from adolescence to adulthood relate to trajectories of well-being and substance use.* (Monitoring the Future Occasional Paper No. 56). Ann Arbor, MI: Institute for Social Research. 44 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M. (2001). *The Monitoring the Future project after 27 years: Design and procedures*. (Monitoring the Future Occasional Paper No. 54). Ann Arbor, MI: Institute for Social Research. 90 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (2001). *Demographic subgroup trends for various licit and illicit drugs*, 1975-2000. (Monitoring the Future Occasional Paper No. 53). Ann Arbor, MI: Institute for Social Research. 226 pp.
- Johnston, L. D., O'Malley, P. M., Schulenberg, J. E., & Bachman, J. G. (2001). *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them as of 2001*. (Monitoring the Future Occasional Paper No. 52). Ann Arbor, MI: Institute for Social Research. 139 pp.
- Schulenberg, J., & Maggs, J. L. (2001). A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood. (Monitoring the Future Occasional Paper No. 51). Ann Arbor, MI: Institute for Social Research. 70 pp.
- Bachman, J. G., O'Malley, P. M., Schulenberg, J. E., Johnston, L. D., Bryant, A. L., Merline, A. C., Freedman-Doan, P., Ridenour, N. J., & Hart, T. C. (2001). *Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use.* (Monitoring the Future Occasional Paper No. 50). Ann Arbor, MI: Institute for Social Research. [Supplement to *The Decline of Substance Use in Young Adulthood* by Bachman et al.]

- Brown, T. N., Schulenberg, J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (2001). *Consistency and change in correlates of youth substance use, 1976-1997.* (Monitoring the Future Occasional Paper No. 49). Ann Arbor, MI: Institute for Social Research. 34 pp.
- Bachman, J. G., Safron, D. J., Sy, S. R., & Schulenberg, J. E. (2001). *Preferred work intensity of secondary school students: New findings and insights on why part-time work intensity correlates with drug use and problem behavior*. (Monitoring the Future Occasional Paper No. 48). Ann Arbor, MI: Institute for Social Research. 105 pp.
- Pilgrim, C., Schulenberg, J., O'Malley, P. M., Bachman, J. G., Johnston, L. D. (2000). *Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons* (1994-1996). (Monitoring the Future Occasional Paper No. 47). Ann Arbor, MI: Institute for Social Research. 48 pp.
- Bryant, A. L., Schulenberg, J., Bachman, J. G., O'Malley, P. M., Johnston, L. D. (2000). *Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use.* (Monitoring the Future Occasional Paper No. 46). Ann Arbor, MI: Institute for Social Research. 29 pp.
- Johnston, L. D., O'Malley, P. M., Bachman, J. G., & Schulenberg, J. E. (1999). *Cigarette brand preferences among adolescents*. (Monitoring the Future Occasional Paper No. 45.) Ann Arbor, MI: Institute for Social Research. 36 pp.
- Johnston, L. D. (1998). *Reasons for use, abstention, and quitting illicit drug use by American adolescents*. (Monitoring the Future Occasional Paper No. 44). A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. Ann Arbor, MI: Institute for Social Research. 27 pp.
- Schulenberg, J., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1998). *Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons*. (Monitoring the Future Occasional Paper No. 43). Ann Arbor, MI: Institute for Social Research. 61 pp.
- Bachman, J. G., Freedman-Doan, P., O'Malley, P. M., Johnston, L. D., & Segal, D. R. (1999). *Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment.* (Monitoring the Future Occasional Paper No. 42.) Ann Arbor, MI: Institute for Social Research. 33 pp.
- Bachman, J. G., Segal, D. R., Freedman-Doan, P., & O'Malley, P. M. (1998). *Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors*. (Monitoring the Future Occasional Paper No. 41). Ann Arbor, MI: The Institute for Social Research. 163 pp.
- Bachman, J. G., Freedman-Doan, P., Segal, D. R., & O'Malley, P. M. (1997). *Trends in military propensity and the propensity-enlistment relationship*. (Monitoring the Future Occasional Paper No. 40). Ann Arbor, MI: The Institute for Social Research. 68 pp.
- Bachman, J. G., O'Malley, P. M., Johnston, L. D., Rodgers, W. L., Schulenberg, J. E., Lim, J., & Wadsworth, K. N. (1996). *Changes in drug use during ages 18-32*. (Monitoring the Future Occasional Paper No. 39.) Ann Arbor, MI: Institute for Social Research. 91 pp.
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1996). *The Monitoring the Future project after twenty-two years: Design and procedures.* (Monitoring the Future Occasional Paper No.

- 38.) Ann Arbor, MI: Institute for Social Research. 89 pp. [See Occasional Paper No. 54 for the most updated version.]
- Schulenberg, J., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1994). *Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976 through 1992*. (Monitoring the Future Occasional Paper No. 37.) Ann Arbor, MI: Institute for Social Research. 62 pp.
- Bachman, J. G., O'Malley, P. M., Johnston, L. D., Rodgers, W. L., & Schulenberg, J. E. (1992). *Changes in drug use during the post-high school years*. (Monitoring the Future Occasional Paper No. 35.) Ann Arbor, MI: Institute for Social Research. 168 pp.
- Johnston, L. D., O'Malley, P. M., Schulenberg, J., & Bachman, J. G. (1996). *The aims and objectives of the Monitoring the Future study and progress toward fulfilling them* (2nd ed.). (Monitoring the Future Occasional Paper No. 34.) Ann Arbor, MI: Institute for Social Research. 122 pp. [See Occasional Paper No. 52 for the most updated version.]
- Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1991). *The Monitoring the Future project after seventeen years: Design and procedures.* (Monitoring the Future Occasional Paper No. 33.) Ann Arbor, MI: Institute for Social Research. 86 pp. [See Occasional Paper No. 54 for the most updated version.]
- Bachman, J. G., & Schulenberg, J. (1992). *Part-time work by high school seniors: Sorting out correlates and possible consequences* (rev. ed.). (Monitoring the Future Occasional Paper No. 32.) Ann Arbor, MI: Institute for Social Research. 140 pp.
- Johnston, L. D., O'Malley, P. M., & Harrison, L. D. (1989). *The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987*. (Monitoring the Future Occasional Paper No. 31.) Ann Arbor, MI: Institute for Social Research. 104 pp.
- Bachman, J. G., Wallace, J. M. Jr., Kurth, C. L., Johnston, L. D., O'Malley, P. M. (1991). *Drug use among black, white, Hispanic, Native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates* (rev. ed.). (Monitoring the Future Occasional Paper No. 30.) Ann Arbor, MI: Institute for Social Research. 63 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M. (1990). *Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988.* (Monitoring the Future Occasional Paper No. 29.) Ann Arbor, MI: Institute for Social Research. 42 pp.
- O'Malley, P. M., & Wagenaar, A. C. (1990). *Minimum drinking age laws effects on American youth 1976-1987*. (Monitoring the Future Occasional Paper No. 28.) Ann Arbor, MI: Institute for Social Research. 94 pp.
- Johnston, L. D. (1988). *Reducing drug use in America: A perspective, a strategy, and some promising approaches.* (Monitoring the Future Occasional Paper No. 26.) Ann Arbor, MI: Institute for Social Research. 57 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1988). *Drug use among American college students and their noncollege age peers*. (Monitoring the Future Occasional Paper No. 25.) Ann Arbor, MI: Institute for Social Research. 40 pp.

- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1988). *Student drug use in America: Differences among high schools 1986-1987*. (Monitoring the Future Occasional Paper No. 24.) Ann Arbor, MI: Institute for Social Research. 37 pp.
- Herzog, A. R., Bachman, J. G., Johnston, L. D., & O'Malley, P. M. (1987). *Sex differences in adolescents' health-threatening behaviors: What accounts for them?* (Monitoring the Future Occasional Paper No. 23.) Ann Arbor, MI: Institute for Social Research. 36 pp.
- O'Malley, P. M., Bachman, J. G. & Johnston, L. D. (1988). *Differentiation of period, age, and cohort effects on drug use 1976-1986*. (Monitoring the Future Occasional Paper No. 22.) Ann Arbor, MI: Institute for Social Research. 62 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1986). *Change and consistency in the correlates of drug use among high school seniors: 1975-1986.* (Monitoring the Future Occasional Paper No. 21.) Ann Arbor, MI: Institute for Social Research. 21 pp.
- Bachman, J. G., Bare, D. E., & Frankie, E. I. (1986). *Correlates of employment among high school seniors*. (Monitoring the Future Occasional Paper No. 20.) Ann Arbor, MI: Institute for Social Research. 105 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Humphrey, R. H. (1986). *Changes in marijuana use linked to changes in perceived risks and disapproval.* (Monitoring the Future Occasional Paper No. 19.) Ann Arbor, MI: Institute for Social Research. 28 pp.
- Bachman, J. G., Johnston, L. D., O'Malley, P. M., & Bare, D. E. (1985). *The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school.* (Monitoring the Future Occasional Paper No. 18.) Ann Arbor, MI: Institute for Social Research. 135 pp.
- Bachman, J. G., & O'Malley, P. M. (1983). *The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth.* (Monitoring the Future Occasional Paper No. 16.) Ann Arbor, MI: Institute for Social Research. 30 pp.
- Johnston, L. D., O'Malley, P. M., & Davis-Sacks, M. L. (1983). A worldwide survey of seniors in the Department of Defense Dependent Schools: Drug use and related factors, 1982. (Monitoring the Future Occasional Paper No. 15.) Ann Arbor, MI: Institute for Social Research. 72 pp.
- O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1984). *Period, age, and cohort effects on substance use among American youth 1976-1982*. (Monitoring the Future Occasional Paper No. 14.) Ann Arbor, MI: Institute for Social Research. 64 pp.
- Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1981). *Marijuana decriminalization: The impact on youth 1975-1980*. (Monitoring the Future Occasional Paper No. 13.) Ann Arbor, MI: Institute for Social Research. 87 pp.
- Bachman, J. G. (1981). *Trends in high school seniors' views of the military*. (Monitoring the Future Occasional Paper No. 12.) Ann Arbor, MI: Institute for Social Research. 28 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1981). *Changes in drug use after high school as a function of role status and social environment*. (Monitoring the Future Occasional Paper No. 11.) Ann Arbor, MI: Institute for Social Research. 91 pp.

- Herzog, A. R. (1980). *High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980.* (Available in reprint from *Sociology of Education*, 1982.) (Monitoring the Future Occasional Paper No. 10.) Ann Arbor, MI: Institute for Social Research. 22 pp.
- Bachman, J. G., & O'Malley, P. M., (1980). When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. (Monitoring the Future Occasional Paper No. 9.) Ann Arbor, MI: Institute for Social Research. 12 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1980). *Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations.* (Monitoring the Future Occasional Paper No. 8.) Ann Arbor, MI: Institute for Social Research. 134 pp.
- Miller, J. D., & Bachman, J. G. (1980). *Ecological concerns among high school seniors: 1976-1979*. (Monitoring the Future Occasional Paper No. 7.) Ann Arbor, MI: Institute for Social Research. 28 pp.
- Herzog, A. R., & Bachman, J. G. (1979). *Description of a special survey using a single combined form of the Monitoring the Future questionnaires*. (Monitoring the Future Occasional Paper No. 6.) Ann Arbor, MI: Institute for Social Research. 35 pp.
- Bachman, J. G., O'Malley, P. M., & Johnston, L. D. (1979). *Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs.* (Monitoring the Future Occasional Paper No. 5.) Ann Arbor, MI: Institute for Social Research. 64 pp.
- Bachman, J. G., & Johnston, L. D. (1979). Fewer rebels, fewer causes: A profile of today's college freshmen. (Monitoring the Future Occasional Paper No. 4.) Ann Arbor, MI: Institute for Social Research. 27 pp.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1979). *High school seniors' preferences for sharing work and family responsibilities between husband and wife*. (Monitoring the Future Occasional Paper No. 3.) Ann Arbor, MI: Institute for Social Research. 58 pp.
- Herzog, A. R., Bachman, J. G., & Johnston, L. D. (1978). *Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control.* (Monitoring the Future Occasional Paper No. 2.) Ann Arbor, MI: Institute for Social Research. 42 pp.
- Bachman, J. G., & Johnston, L. D. (1978). *The Monitoring the Future project: Design and procedures*. (Monitoring the Future Occasional Paper No. 1.) Ann Arbor, MI: Institute for Social Research. 67 pp.

### **BOOKS**

Bachman, J. G., O'Malley, P. M., Schulenberg, J. E., Johnston, L. D., Bryant, A. L., & Merline, A. C. (2002). *The decline of substance use in young adulthood: Changes in social activities, roles, and beliefs.* Mahwah, NJ: Lawrence Erlbaum Associates.

Andrews, F. M., Klem, L., O'Malley, P. M., Rodgers, W. L., Welch, K. B., & Davidson, T. N. (1998). *Selecting statistical techniques for social science data: A guide for SAS Users*. Cary, NC: SAS Institute Inc.

Bachman, J. G., Wadsworth, K. N., O'Malley, P. M., Johnston, L. D., & Schulenberg, J. E. (1997). *Smoking, drinking, and drug use in young adulthood: The impacts of new freedoms and new responsibilities*. Mahwah, NJ: Lawrence Erlbaum Associates.

Schulenberg, J., Maggs, J. L., & Hurrelmann, K. (Eds.) (1997). *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.

Bachman, J. G., O'Malley, P. M., & Johnston, J. (1987). *Youth in transition: Vol. 6, Adolscence to adulthood: A study of change and stability in the lives of young men.* Ann Arbor, MI: Institute for Social Research. (ERIC Document No. ED 168 927).

**Appendix B - Sample Size and Student Response Rates** 

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

1975	1976	1977	1978	1979	1980
111	108	108	111	111	107
14	15	16	20	20	20
125	123	124	131	131	127
15,791	16,678	18,436	18,924	16,662	16,524
700/	770/	700/	920/	920/	82%
/8%	7 7%	79%	83%	82%	82%
	111 14 125	111 108 14 15 125 123 15,791 16,678	111 108 108 14 15 16 125 123 124 15,791 16,678 18,436	111     108     108     111       14     15     16     20       125     123     124     131       15,791     16,678     18,436     18,924	111     108     108     111     111       14     15     16     20     20       125     123     124     131     131       15,791     16,678     18,436     18,924     16,662

	1981	1982	1983	1984	1985	1986
# Public Schools	109	116	112	117	115	113
# Private Schools	19	21	22	17	17	16
Total # Schools	128	137	134	134	132	129
Total # Students	18,267	18,348	16,947	16,499	16,502	15,713
Student Response	81%	83%	84%	83%	84%	83%
Rate (%) *	8170	6570	0470	0370	04 /0	0.5 /0

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students	16,843	16,795	17,142	15,676	15,483	16,251
Student Response	84%	83%	86%	86%	83%	84%
Rate (%) *	04%	03%	80%	00%	03%	04%

SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

	1993	1994	1995	1996	1997	1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students	16,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

	1999	2000	2001	2002	2003	2004
# Public Schools	124	116	117	102	103	109
# Private Schools	19	18	17	18	19	19
Total # Schools	143	134	134	120	122	128
Total # Students	14,056	13,286	13,304	13,544	15,200	15,222
Student Response Rate (%) *	83%	83%	82%	83%	83%	82%

<sup>\*</sup> The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.