ICPSR 4536

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2005

Lloyd D. Johnston *University of Michigan. Institute for Social Research. Survey Research Center*

Jerald G. Bachman

University of Michigan. Institute for Social
Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg University of Michigan. Institute for Social Research. Survey Research Center

Codebook for Form 3 Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

TABLE OF CONTENTS

INTRODUCTION	3
DATA COLLECTION DESCRIPTION	3
DATA COLLECTION PROCEDURES	
SAMPLING INFORMATION	4
STAGE 1: GEOGRAPHIC AREAS	4
STAGE 2: SCHOOLS	4
STAGE 3: STUDENTS	4
SCHOOL RECRUITING PROCEDURES	5
ADVANCE CONTACT WITH TEACHERS AND STUDENTS	5
QUESTIONNAIRE ADMINISTRATION	5
PROCEDURES FOR PROTECTING CONFIDENTIALITY	5
CONTENT AREAS AND QUESTIONNAIRE DESIGN	7
MEASUREMENT CONTENT AREAS	7
REPRESENTATIVENESS AND VALIDITY	
SCHOOL PARTICIPATION	9
STUDENT PARTICIPATION	
VALIDITY OF SELF-REPORT DATA	
ACCURACY OF THE SAMPLE	
CONSISTENCY AND THE MEASUREMENT OF TRENDS	
INTERPRETING RACIAL DIFFERENCES	
DIFFERENTIAL REPRESENTATION	
DIFFERENTIAL RESPONSE TENDENCIES	
COVARIANCE WITH OTHER FACTORS	
WEIGHTING INFORMATION	
FILE STRUCTURE	
CODEBOOK INFORMATION	
ICPSR PROCESSING INFORMATION	17
FREQUENCIES	21
APPENDICES	265
Appendix A: Publications	266
Appendix B - Sample Size and Student Response Rates	

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2005, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort - between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC

representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be

described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

т

- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and S. accidents (including those under the influence of drugs), victimization experiences.

T.	HEALTH.	Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could

reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. An average of about 61% of the original schools invited to participate have agreed to do so; for each school that declined, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school that has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey—in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of

those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 8-12 percent of each year's sample -- are represented by only 200 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white

sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2005 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

part #	form	# of variables	Logical record length	unweighted n
1	Core	184	380	15,378
2	Form 1	618	1249	2,581
3	Form 2	332	675	2,579
4	Form 3	354	720	2,533
5	Form 4	270	554	2,535
6	Form 5	304	619	2,587
7	Form 6	332	676	2,563

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134 [2] 991A13 KIND OF PAID JOB

- [3] Item Number: 25160
- [4] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
[10]	[11]	[1	2]	
100.0	100.0	5,745	cases	(Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99
- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
- [2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01.	R'S BIRTH	YEAR
--------------	------	-----------	------

C02. R'S BIRTH MONTH

C07A-B. # OLDER BR/SR, # YOUNGER BR/SR

C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)

C13A. R'S RELGS PRFNC

Form 1 D19. CURRENT HEIGHT

D20. CURRENT WEIGHT

Form 2 2A19P. ARRSTD&TKN 2 POL Form 5 5A21. CURRENT HEIGHT

5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

- 1=younger than 18 years old,
- 2=18 years old or more
- -9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

For 2005, half of the questionnaire forms have a new version of the race question. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected more than one response option, the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK 1=No, 2=Yes

A11. NEED SUMMER SCHL 1=No, 2=Yes

A12. EVER SUSPENDED 1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from Schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

FREQUENCIES

FILE

```
CASEID
                   CASE IDENTIFICATION NUMBER
```

2,536 cases (Range of valid codes: 1-2533)

Data type: numeric

Columns: 1-4

V1 YEAR OF ADMIN (4-DIGITS)

Item Number:

Question Number(s):

PCT N VALUE LABEL ALL PCT VALID

100.0 100.0 2,536 2005

100.0 100.0 2,536 cases

Data type: numeric

Columns: 5-8

V3 053 :FORM ID

Item Number:

Question Number(s):

PCT PCT N VALUE LABEL VALID ALL100.0 100.0 2,536 3 -----100.0 100.0 2,536 cases

Data type: numeric Columns: 9-10

$\nabla 4$ 053 :R'S ID-SERIAL

Item Number:

Question Number(s):

2,536 cases (Range of valid codes: 30001-32533)

Data type: numeric Columns: 11-15

V5 SAMPLING WEIGHT

Item Number:

Question Number(s):

2,536 cases (Range of valid codes: 0.1741-4.5825)

Data type: numeric

Decimals: 4 Columns: 16-21

V13 053 :SCHL RGN-4 CAT

Item Number:

Question Number(s): Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	20.3	514	1	NE:(1)
24.4	24.4	619	2	NC:(2)
35.3	35.3	896	3	S:(3)
20.0	20.0	508	4	W:(4)
100.0	100.0	2,536	cases	

Data type: numeric Columns: 22-23

V16 053 :SELF-REP/NOT = 0

Item Number:

Question Number(s): Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census. 0=Not Self-Representing MSA 1=Self-Representing MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	69.9	1,772	0	NON SR:(0)
30.1	30.1	763	1	SELF REP: (1)
100.0	100.0	2,536	cases	

Data type: numeric Columns: 24-25

V17 053 :SMSA/NON-SMSA = 0

Item Number:

Question Number(s): SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.) 0=Not MSA 1=MSA

PCT PCT N VALUE LABEL VALID ALL22.9 22.9 581 0 NON MSA:(0) 77.1 77.1 1,955 1 MSA:(1) ____ ____ 100.0 100.0 2,536 cases

Data type: numeric Columns: 26-27

V3208

053A01 :VRY HPY THS DAYS

Item Number: 01190

Question Number(s): 3A01 Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.3	336	1	NT HAPPY:(1)
62.7	61.7	1,565	2	PRTY HPY:(2)
23.9	23.5	596	3	VRY HPY:(3)
	1.5	38	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 28-29

V3209 053A02 :THK ABT SOC ISSU

Item Number: 06880

Question Number(s): 3A02 Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	107	1	NEVER: (1)
18.0	17.7	450	2	SELDOM: (2)
52.2	51.4	1,303	3	SOMETIME: (3)
21.1	20.8	526	4	OFTEN: (4)
4.4	4.4	111	5	<pre>GRT DEAL:(5)</pre>
	1.5	38	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 30-31

V3210 053A03A:MEN&WOMN/=\$,=WRK

Item Number: 07930

Question Number(s): 3A03A The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below? A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	67	1	DISAGREE: (1)
2.2	2.2	55	2	MOST DIS:(2)
2.7	2.7	69	3	NEITHER:(3)
12.5	12.4	316	4	MOST AGR: (4)
79.9	79.4	2,013	5	AGREE: (5)
	0.6	16	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 32-33

V3211 053A03B:CNSDR WMN/HI JOB

Item Number: 07940

Question Number(s): 3A03B How much do you agree or disagree with each statement below? B: Women should be considered as seriously as men for jobs as executives or politicians

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	73	1	DISAGREE:(1)
3.3	3.3	84	2	MOST DIS:(2)
5.8	5.8	147	3	NEITHER: (3)
16.2	16.1	408	4	MOST AGR: (4)
71.7	71.2	1,804	5	AGREE: (5)
	0.8	20	-9	MISSING
100.0	100.0	2,536	cases	

·

Data type: numeric Missing-data code: -9

Columns: 34-35

V3212 053A03C:WMN SHD =JOB OPP

Item Number: 07950

Question Number(s): 3A03C How much do you agree or disagree with each statement below? C: A woman should have exactly the same job opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	84	1	DISAGREE: (1)
4.3	4.2	107	2	MOST DIS:(2)
5.4	5.3	134	3	NEITHER: (3)
21.8	21.4	542	4	MOST AGR: (4)
65.2	64.1	1,625	5	AGREE: (5)
	1.7	43	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 36-37

V3213 053A03D:WMN SHD =ED OPP

Item Number: 07960

Question Number(s): 3A03D How much do you agree or disagree with each statement below? D: A woman should have exactly the same educational opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	30	1	DISAGREE: (1)
0.7	0.7	19	2	MOST DIS:(2)
1.3	1.3	32	3	NEITHER:(3)
8.6	8.4	213	4	MOST AGR: (4)
88.2	86.7	2,199	5	AGREE: (5)
	1.7	43	-9	MISSING
1000				

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 38-39

V3214 053A03E:MN=ACHV/WMN=HOME

Item Number: 07970

Question Number(s): 3A03E How much do you agree or disagree with each statement below? E: It is usually better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	28.2	714	1	DISAGREE:(1)
19.3	19.1	484	2	MOST DIS:(2)
22.6	22.3	565	3	NEITHER: (3)
18.3	18.1	459	4	MOST AGR: (4)
11.3	11.1	282	5	AGREE: (5)
	1.2	32	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 40-41

V3215 053A03F:CHL SUFF W WK MO

Item Number: 07980

Question Number(s): 3A03F How much do you agree or disagree with each statement below? F: A preschool child is likely to suffer if the mother works

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	27.5	698	1	DISAGREE: (1)
20.8	20.5	519	2	MOST DIS:(2)
24.2	23.8	603	3	NEITHER:(3)
17.7	17.4	440	4	MOST AGR: (4)
9.3	9.2	233	5	AGREE: (5)
	1.7	43	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 42-43

V3216 053A03G:WK MO AS WRM REL

Item Number: 07990

Question Number(s): 3A03G How much do you agree or disagree with each statement below? G: A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.4	187	1	DISAGREE: (1)
14.2	14.1	356	2	MOST DIS:(2)
11.7	11.6	293	3	NEITHER: (3)
28.6	28.3	717	4	MOST AGR: (4)
38.1	37.7	955	5	AGREE: (5)
	1.0	26	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 44-45

V3217 053A04A:POLLUT INCREASED

Item Number: 08000

Question Number(s): 3A04A The next questions are about pollution and the environment. How much do you agree or disagree with each statement below? A: Pollution of most types has increased in the U.S. in the last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	61	1	DISAGREE: (1)
3.8	3.8	96	2	MOST DIS:(2)
14.3	14.1	358	3	NEITHER:(3)
31.3	31.0	785	4	MOST AGR: (4)
48.1	47.6	1,206	5	AGREE: (5)
	1.2	30	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 46-47

V3218 053A04B:GOVT DEAL ENV PR

Item Number: 08010

Question Number(s): 3A04B How much do you agree or disagree with each statement below? B: Government should take steps to deal with our environmental problems, even if it means that most of us pay higher prices or taxes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	228	1	DISAGREE:(1)
12.2	12.1	307	2	MOST DIS:(2)
23.9	23.6	599	3	NEITHER: (3)
34.1	33.7	855	4	MOST AGR: (4)
20.7	20.4	518	5	AGREE: (5)
	1.1	29	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 48-49

V3219 053A04C:MR\$ FR LASTG THG

Item Number: 08020

Question Number(s): 3A04C How much do you agree or disagree with each statement below? C: I would prefer to pay more money for things that will last a long time, rather than have them cost less and break sooner

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	N	VALUE	LABEL
ALL			
1.7	43	1	DISAGREE: (1)
2.2	57	2	MOST DIS:(2)
9.2	232	3	NEITHER:(3)
29.5	748	4	MOST AGR: (4)
56.0	1,420	5	AGREE:(5)
1.4	35	-9	MISSING
	ALL 1.7 2.2 9.2 29.5 56.0	ALL 1.7 43 2.2 57 9.2 232 29.5 748 56.0 1,420	ALL 1.7 43 1 2.2 57 2 9.2 232 3 29.5 748 4 56.0 1,420 5

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 50-51

V3220 053A04D:USE BYC/MAS TRAN

Item Number: 08030

Question Number(s): 3A04D How much do you agree or disagree with each statement below? D: I would probably be willing to use a bicycle or mass transit (if available) rather than a car to get to work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	35.7	905	1	DISAGREE:(1)
22.5	22.2	562	2	MOST DIS:(2)
14.1	13.9	352	3	<pre>NEITHER:(3)</pre>
15.5	15.3	388	4	MOST AGR: (4)
11.7	11.5	292	5	AGREE: (5)
	1.4	36	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 52-53

V3221 053A04E:EAT DIF->FD STRV

Item Number: 08040

Question Number(s): 3A04E How much do you agree or disagree with each statement below? E: I would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	12.5	317	1	DISAGREE: (1)
10.9	10.7	270	2	MOST DIS:(2)
17.9	17.5	445	3	NEITHER:(3)
27.9	27.4	695	4	MOST AGR: (4)
30.6	30.0	762	5	AGREE: (5)
	1.8	46	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 54-55

V3222 053A05A:LIK WRK CAN FRGT

Item Number: 08050

Question Number(s): 3A05A In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement. A: I like the kind of work you can forget about after the work day is over

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.7	297	1	DISAGREE: (1)
14.6	14.4	365	2	MOST DIS:(2)
20.8	20.4	518	3	NEITHER: (3)
24.7	24.3	615	4	MOST AGR: (4)
28.0	27.6	699	5	AGREE: (5)
	1.6	41	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 56-57

V3223 053A05B:WRK=ONLY MK LVNG

Item Number: 08060

Question Number(s): 3A05B Please show whether you agree or disagree with each statement. B: To me, work is nothing more than making a living

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	24.1	611	1	DISAGREE: (1)
26.4	26.1	662	2	MOST DIS:(2)
16.3	16.1	408	3	NEITHER:(3)
19.4	19.1	485	4	MOST AGR: (4)
13.5	13.4	340	5	AGREE: (5)
	1.2	29	-9	MISSING
1000	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 58-59

V3224

053A05C:WRK CNTRL PRT LF

Item Number: 08070

Question Number(s): 3A05C Please show whether you agree or disagree with each statement. C: I expect my work to be a very central part of my life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	106	1	DISAGREE: (1)
11.7	11.5	291	2	MOST DIS:(2)
21.2	20.8	528	3	NEITHER:(3)
41.0	40.3	1,021	4	MOST AGR: (4)
21.9	21.5	545	5	AGREE: (5)
	1.7	44	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 60-61

V3225 053A05D:OVTM 2DO BST JOB

Item Number: 08080

Question Number(s): 3A05D Please show whether you agree or disagree with each statement. D: I want to do my best in my job, even if this sometimes means working overtime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	48	1	DISAGREE: (1)
3.8	3.8	96	2	MOST DIS:(2)
11.1	10.9	277	3	NEITHER: (3)
37.6	37.1	942	4	MOST AGR: (4)
45.5	44.9	1,140	5	AGREE: (5)
	1.3	33	-9	MISSING
100 0	100 0	2 526	anana	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 62-63

V3226 053A05E:SAME JOB MST LIF

Item Number: 08090

Question Number(s): 3A05E Please show whether you agree or disagree with each statement. E: I would like to stay in the same job for most of my adult life $\frac{1}{2}$

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.5	266	1	DISAGREE:(1)
10.3	10.2	259	2	MOST DIS:(2)
17.2	16.9	429	3	NEITHER:(3)
31.4	31.0	785	4	MOST AGR: (4)
30.4	30.0	759	5	AGREE: (5)
	1.5	37	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 64-65

V3227 053A06 :ENUF\$,NT WNT WRK

Item Number: 08100

Question Number(s): 3A06 If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	66.5	1,686	1	WORK: (1)
30.0	28.5	722	2	NOT WORK: (2)
	5.0	127	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 66-67

V3228 053A07A:DES FRND OTH RC

Item Number: 08110

Question Number(s): 3A07A The next questions are about living or working with people of different races. Please rate each of the statements below using the following terms: Not at all acceptable: I'd avoid this if I possibly could. Somewhat acceptable: I could live with this, but not be happy about it. Acceptable: This would be O.K., or I'd be neutral about this. Desirable: I'd really like this. How would you feel about . . A: Having close personal friends of another race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	N	VALUE	LABEL
ALL			
1.4	36	1	NT ACCEP:(1)
4.1	105	2	SM ACCEP:(2)
48.7	1,235	3	ACCEPTBL:(3)
44.1	1,118	4	DESIRABL:(4)
1.6	41	-9	MISSING
100.0	2,536	cases	
	ALL 1.4 4.1 48.7 44.1 1.6	ALL 1.4 36 4.1 105 48.7 1,235 44.1 1,118 1.6 41	ALL 1.4 36 1 4.1 105 2 48.7 1,235 3 44.1 1,118 4 1.6 41 -9

Data type: numeric Missing-data code: -9

Columns: 68-69

V3229 053A07B:DES SUPVR DIF RC

Item Number: 08120

Question Number(s): 3A07B How would you feel about . . . B: Having a job with a supervisor of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	43	1	NT ACCEP:(1)
4.7	4.6	117	2	SM ACCEP:(2)
68.1	66.9	1,696	3	ACCEPTBL:(3)
25.5	25.1	636	4	DESIRABL: (4)
	1.7	43	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 70-71

V3230

053A07C:DES FAM NX DF RC

Item Number: 08130

Question Number(s): 3A07C How would you feel about . . . C: Having a family of a different race (but same level of education and income) move next door to you?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	63	1	NT ACCEP:(1)
5.3	5.2	132	2	SM ACCEP:(2)
55.6	54.6	1,384	3	ACCEPTBL:(3)
36.6	35.9	910	4	DESIRABL: (4)
	1.8	46	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 72-73

V3231 053A07D:DES CHL FD SM RC

Item Number: 08140

Question Number(s): 3A07D How would you feel about . . . D: Having your (future) children's friends be all of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	17.7	450	1	NT ACCEP:(1)
20.8	20.3	516	2	SM ACCEP:(2)
45.7	44.7	1,132	3	ACCEPTBL:(3)
15.3	15.0	380	4	DESIRABL: (4)
	2.3	58	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 74-75

V3232

053A07E:DES CHL FD OT RC

Item Number: 08150

Question Number(s): 3A07E How would you feel about . . . E: Having some of your (future) children's friends be of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	73	1	NT ACCEP:(1)
6.2	6.0	153	2	SM ACCEP:(2)
49.7	48.7	1,236	3	ACCEPTBL:(3)
41.2	40.4	1,025	4	DESIRABL: (4)
	2.0	50	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 76-77

V3233 053A08A:DES AL WKS SM RC

Item Number: 08160

Question Number(s): 3A08A How would you feel about having a job where . . . A: . . . all the employees are of your race?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.8	249	1	NT ACCEP:(1)
20.6	20.2	513	2	SM ACCEP:(2)
54.3	53.3	1,352	3	ACCEPTBL:(3)
15.2	14.9	378	4	DESIRABL:(4)
	1.7	44	-9	MISSING

----- ----- -----100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 78-79

V3234

053A08B:DES SO WKS DF RC

Item Number: 08170

Question Number(s): 3A08B How would you feel about having a job where . . . B: . . . some employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	31	1	NT ACCEP:(1)
4.1	4.1	103	2	SM ACCEP:(2)
65.2	63.9	1,620	3	ACCEPTBL:(3)
29.5	28.9	733	4	DESIRABL: (4)
	1.9	49	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 80-81

V3235 053A08C:DES MS WKS DF RC

Item Number: 08180

Question Number(s): 3A08C How would you feel about having a job where . . . C: . . . most employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	174	1	NT ACCEP:(1)
20.5	20.1	510	2	SM ACCEP:(2)
57.7	56.6	1,436	3	ACCEPTBL:(3)
14.8	14.5	368	4	DESIRABL:(4)
	1.9	47	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 82-83

V3236

053A09A:DES AL NGB SM RC

Item Number: 08190

Question Number(s): 3A09A How would you feel about living in an area where . . . A: . . . all the neighbors are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.4	187	1	NT ACCEP:(1)
15.6	15.3	388	2	SM ACCEP:(2)
57.6	56.4	1,430	3	ACCEPTBL:(3)
19.2	18.8	477	4	DESIRABL: (4)
	2.1	53	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric

Missing-data code: -9

Columns: 84-85

V3237 053A09B:DES SO NGB OT RC

Item Number: 08200

Question Number(s): 3A09B How would you feel about living in an area where . . . B: . . . some of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	44	1	NT ACCEP:(1)
5.4	5.3	134	2	SM ACCEP:(2)
66.6	65.2	1,652	3	ACCEPTBL:(3)
26.3	25.7	652	4	DESIRABL:(4)
	2.1	53	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 86-87

V3238

053A09C:DES MS NGB OT RC

Item Number: 08210

Question Number(s): 3A09C How would you feel about living in an area where . . . C: . . . most of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.0	278	1	NT ACCEP:(1)
21.7	21.2	538	2	SM ACCEP:(2)
54.1	53.0	1,343	3	ACCEPTBL:(3)
13.1	12.8	324	4	DESIRABL:(4)
	2.1	53	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 88-89

V3239 053A10A:DES AL CHL SM RC

Item Number: 08220

Question Number(s): 3A10A How would you feel about having your (future) children go to schools where . . . A: . . all the children are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.5	368	1	NT ACCEP:(1)
17.2	16.8	426	2	SM ACCEP:(2)
50.2	49.1	1,245	3	ACCEPTBL:(3)
17.8	17.5	443	4	DESIRABL: (4)
	2.1	53	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 90-91

V3240

053A10B:DES SM CHL OT RC

Item Number: 08230

Question Number(s): 3A10B How would you feel about having your (future) children go to schools where . . . B: . . . some of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	47	1	NT ACCEP:(1)
5.9	5.7	145	2	SM ACCEP:(2)
62.0	60.7	1,539	3	ACCEPTBL:(3)
30.2	29.5	749	4	DESIRABL: (4)
	2.2	55	-9	MISSING
1000	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 92-93

V3241 053A10C:DES MS CHL OT RC

Item Number: 08240

Question Number(s): 3A10C How would you feel about having your (future) children go to schools where . . . C: . . . most of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.6	319	1	NT ACCEP:(1)
24.4	23.8	604	2	SM ACCEP:(2)
49.7	48.5	1,230	3	ACCEPTBL:(3)
13.1	12.8	324	4	DESIRABL: (4)
	2.3	58	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 94-95

V3242 053A11 :FRNDS AL OT RC

Item Number: 08250

Question Number(s): 3All What race are your close friends?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.8	527	1	ALL MINE: (1)
27.3	26.6	675	2	ALMST AL:(2)
26.6	25.9	658	3	MST MINE:(3)
13.8	13.5	342	4	1/2 MINE:(4)
5.8	5.7	144	5	MST OTH:(5)
5.2	5.0	128	6	ALMS OTH: (6)
	2.5	62	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 96-97

V3243 053A12 :NGBHD AL OT RC

Item Number: 08260

Question Number(s): 3A12 What race are the people in your

neighborhood?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	26.5	671	1	ALL MINE: (1)
29.0	28.3	717	2	ALMST AL:(2)
18.1	17.6	447	3	MST MINE:(3)
10.0	9.8	248	4	1/2 MINE:(4)
9.6	9.3	237	5	MST OTH:(5)
6.1	5.9	150	6	ALMS OTH: (6)
	2.6	67	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 98-99

V3244 053A13 :ELEMSCH AL OT RC

Item Number: 08270

Question Number(s): 3A13 What race were the students in the elementary school where you spent the most time?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.6	523	1	ALL MINE:(1)
31.1	30.2	766	2	ALMST AL:(2)
18.5	18.0	455	3	MST MINE:(3)
14.3	13.9	352	4	1/2 MINE:(4)
8.2	8.0	203	5	MST OTH:(5)
6.6	6.4	161	6	ALMS OTH: (6)
	2.9	74	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 100-101

V3245 053A14 :HISCH AL OT RC

Item Number: 08280

Question Number(s): 3A14 What race are the students in your present school (if you are in school)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.5	191	1	ALL MINE:(1)
25.9	25.1	636	2	ALMST AL:(2)
26.0	25.3	640	3	MST MINE:(3)
20.4	19.8	502	4	1/2 MINE:(4)
12.8	12.5	316	5	MST OTH:(5)
7.1	6.9	174	6	ALMS OTH: (6)
	3.0	76	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 102-103

V3246 053A15 :WRKRS AL OT RC

Item Number: 08290

Question Number(s): 3A15 What race are the people that you work with on your job (if you have a job)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	20.7	524	1	ALL MINE: (1)
25.6	20.9	529	2	ALMST AL:(2)
17.1	14.0	354	3	MST MINE:(3)
14.5	11.8	300	4	1/2 MINE:(4)
10.3	8.4	212	5	MST OTH:(5)
7.2	5.9	149	6	ALMS OTH: (6)
	18.4	467	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 104-105

V3247 053A16 :DO LOT THG OT RC

Item Number: 08300

Question Number(s): 3A16 How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

1="Not at all" 2="A little" 3="Some" 4="A lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.9	151	1	NOT @ALL:(1)
21.9	21.4	542	2	A LITTLE:(2)
36.8	35.8	909	3	SOME: (3)
35.2	34.3	870	4	A LOT:(4)
	2.5	64	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 106-107

V3248 053A17 :VRY GD EXP OT RC

Item Number: 08310

Question Number(s): 3A17 Generally, how do you feel about the experiences you have had with people of other races?

5="Very good" 4="Mostly good" 3="Mixed" 2="Mostly bad" 1="Very bad"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	36	1	VERY BAD: (1)
2.1	2.0	52	2	MST BAD:(2)
24.9	24.2	613	3	MIXED:(3)
42.3	41.1	1,043	4	MST GOOD:(4)
29.3	28.5	723	5	VRY GOOD: (5)
	2.7	67	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 108-109

V3249

053A18 :MARRD OR ENGAGED

Item Number: 08320

Question Number(s): 3A18 The next questions are about some of your own plans. Are you married or engaged?

1="Married--SKIP TO QUESTION 20" 2="Engaged" 3="Neither"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	12	1	MARRIED:(1)
4.8	4.5	115	2	ENGAGED: (2)
94.7	88.5	2,245	3	NEITHER: (3)
	6.5	164	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 110-111

V3250 053A19 :WHN WANT GT MARR

Item Number: 08330

Question Number(s): 3A19 If it were just up to you, what would be the ideal time for you to get married?

1="Within the next year or so" 2="Two or three years from now" 3="Four or five years from now" 4="Over five years from now" 5="I don't want to marry"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.1	78	1	NEXT YR:(1)
11.4	10.6	268	2	2-3 YRS:(2)
33.5	31.1	790	3	4-5 YRS:(3)
46.8	43.4	1,101	4	OVER 5:(4)
5.0	4.6	118	5	DNT WANT: (5)
	7.1	180	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 112-113

V3251 053A20 :THGT LOT HAV CHL

Item Number: 08340

Question Number(s): 3A20 Have you thought at all about whether you'd like to have children or how many you'd like to have?

3="I've thought about it a lot" 2="I've thought about it a little" 1="I haven't thought about it at all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.3	262	1	NOT @ALL:(1)
55.7	53.8	1,365	2	A LITTLE:(2)
33.6	32.4	822	3	THOT LOT:(3)
	3.5	88	-9	MISSING
100 0	100.0	2.536	cases	

Data type: numeric Missing-data code: -9 Columns: 114-115

V3252 053A21 :# CHLDN WANT(6+)

Item Number: 08350

Question Number(s): 3A21 All things considered, if you could have exactly the number of children you want, what number would you choose to have?

1="None" 2="One" 3="Two" 4="Three" 5="Four" 6="Five" 7="Six or
more" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	96	1	NONE: (1)
5.7	5.5	140	2	ONE:(2)
45.9	44.5	1,129	3	TWO:(3)
21.8	21.2	536	4	THREE: (4)
8.9	8.6	218	5	FOUR: (5)
2.1	2.1	52	6	FIVE:(6)
2.4	2.3	59	7	6 OR MOR: (7)
9.4	9.1	232	8	DK:(8)
	2.9	73	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 116-117

V3253 053A22 :IF -POP, MR CHLD

Item Number: 08360

Question Number(s): 3A22 If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

4="Yes, I'm sure I would want more" 3="I probably would want more" 2="I probably would not want more" 1="I'm sure I would not want more" 8="Don't know, no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	33.4	848	1	SURE NO:(1)
32.8	32.1	813	2	PROB NO:(2)
8.4	8.2	209	3	PRB YES:(3)
4.2	4.2	105	4	SURE YES: (4)
20.3	19.9	504	8	DK:(8)
	2.2	57	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 118-119

V3254 053A23 :WHN 1ST CHL(5+Y)

Item Number: 08370

Question Number(s): 3A23 If it were just up to you, how soon after getting married would you want to have your first child?

1="I don't want to have children (or get married)" 2="I wouldn't wait at all" 3="I would wait one year" 4="I would wait two years" 5="I would wait three years" 6="I would wait four or five years" 7="I would wait more than five years" 8="Don't know, or already have a child"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.2	108	1	DNT WANT: (1)
6.9	6.7	170	2	NO WAIT: (2)
27.2	26.4	668	3	WAIT 1YR:(3)
29.2	28.3	718	4	WAIT 2YR:(4)
12.6	12.2	309	5	WAIT 3YR:(5)
6.9	6.7	169	6	WAIT 4-5:(6)
1.7	1.7	43	7	WAIT 5+:(7)
11.2	10.9	276	8	DK/HAVKD:(8)
	3.0	75	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 120-121

V3255 053A24A:GD JB LARG CORPS

Item Number: 08380

Question Number(s): 3A24A Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . . A: Large corporations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	101	1	VRY POOR: (1)
9.8	9.5	241	2	POOR: (2)
29.7	28.9	732	3	FAIR:(3)
26.8	26.0	659	4	GOOD: (4)
8.2	8.0	202	5	VRY GOOD: (5)
21.5	20.9	529	8	NO OPIN:(8)
	2.8	71	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 122-123

V3256 053A24B:GD JB LBR UNIONS

Item Number: 08390

Question Number(s): 3A24B How good or bad a job is being done for the country as a whole by . . . B: Major labor unions?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.8	72	1	VRY POOR: (1)
9.3	9.1	230	2	POOR: (2)
32.8	31.8	807	3	FAIR:(3)
21.2	20.5	521	4	GOOD: (4)
5.3	5.1	130	5	VRY GOOD: (5)
28.4	27.6	699	8	NO OPIN:(8)
	3.1	78	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 124-125

V3257 053A24C:GD JB COLLG&UNIV

Item Number: 08400

Question Number(s): 3A24C How good or bad a job is being done for the country as a whole by . . . C: The nation's $% \left(1\right) =\left(1\right) \left(1\right) \left$ colleges and universities?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	46	1	VRY POOR: (1)
3.9	3.8	97	2	POOR: (2)
17.1	16.7	423	3	FAIR:(3)
39.9	38.8	984	4	GOOD: (4)
27.0	26.3	667	5	VRY GOOD: (5)
10.1	9.8	249	8	NO OPIN:(8)
	2.7	70	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 126-127

V3258 053A24D:GD JB PBLC SCHOL

Item Number: 08410

Question Number(s): 3A24D How good or bad a job is being done for the country as a whole by . . . D: The nation's public schools?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.9	150	1	VRY POOR: (1)
14.7	14.3	362	2	POOR: (2)
34.6	33.7	854	3	FAIR:(3)
27.7	26.9	682	4	GOOD: (4)
8.3	8.1	205	5	VRY GOOD: (5)
8.6	8.4	213	8	NO OPIN:(8)
	2.8	71	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 128-129

V3259 053A24E:GD JB CHURCHES

Item Number: 08420

Question Number(s): 3A24E How good or bad a job is being done for the country as a whole by . . . $\ensuremath{\mathtt{E}}\xspace$. Churches and religious organizations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.6	143	1	VRY POOR: (1)
7.5	7.2	184	2	POOR: (2)
21.6	21.0	533	3	FAIR:(3)
30.6	29.8	755	4	GOOD: (4)
16.1	15.7	397	5	VRY GOOD: (5)
18.4	17.9	454	8	NO OPIN:(8)
	2.8	70	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 130-131

V3260 053A24F:GD JB NEWS MEDIA

Item Number: 08430

Question Number(s): 3A24F How good or bad a job is being done for the country as a whole by . . . F: The national news media (TV, magazines, news services)?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.1	256	1	VRY POOR:(1)
15.8	15.4	389	2	POOR: (2)
26.2	25.6	648	3	FAIR:(3)
23.3	22.6	574	4	GOOD: (4)
13.7	13.3	338	5	VRY GOOD: (5)
10.7	10.4	263	8	NO OPIN:(8)
	2.7	67	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 132-133

V3261 053A24G:GD JB PRES&ADMIN

Item Number: 08440

Question Number(s): 3A24G How good or bad a job is being done for the country as a whole by . . . $\mbox{\em G:} \mbox{\em The President}$ and his administration?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.8	478	1	VRY POOR:(1)
15.0	14.6	371	2	POOR: (2)
22.4	21.8	552	3	FAIR:(3)
21.9	21.3	540	4	GOOD: (4)
10.4	10.1	257	5	VRY GOOD: (5)
10.9	10.6	269	8	NO OPIN:(8)
	2.7	69	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 134-135

V3262 053A24H:GD JB CONGRESS

Item Number: 08450

Question Number(s): 3A24H How good or bad a job is being done for the country as a whole by . . . H: Congress--that is, the U.S. Senate and House of Representatives?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.2	156	1	VRY POOR: (1)
13.3	12.9	328	2	POOR: (2)
30.1	29.2	740	3	FAIR:(3)
23.9	23.2	587	4	GOOD: (4)
5.5	5.4	136	5	VRY GOOD: (5)
20.9	20.3	515	8	NO OPIN:(8)
	2.9	73	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 136-137

V3263 053A24I:GD JB SUPRM CRT

Item Number: 08460

Question Number(s): 3A24I How good or bad a job is being done for the country as a whole by . . . I: The U.S. Supreme $\,$ Court?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	103	1	VRY POOR: (1)
8.7	8.4	213	2	POOR: (2)
30.0	29.0	735	3	FAIR:(3)
26.5	25.6	650	4	GOOD: (4)
7.5	7.2	184	5	VRY GOOD: (5)
23.1	22.4	567	8	NO OPIN:(8)
	3.3	84	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 138-139

V3264 053A24J:GD JB JUSTC SYST

Item Number: 08470

Question Number(s): 3A24J How good or bad a job is being done for the country as a whole by . . . J: All the courts and the justice system in general?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.6	117	1	VRY POOR: (1)
11.4	11.1	281	2	POOR: (2)
33.5	32.5	825	3	FAIR:(3)
24.0	23.3	591	4	GOOD: (4)
4.9	4.8	121	5	VRY GOOD: (5)
21.4	20.8	526	8	NO OPIN:(8)
	2.9	75	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 140-141

V3265 053A24K:GD JB POLICE

Item Number: 08480

Question Number(s): 3A24K How good or bad a job is being done for the country as a whole by . . . K: The police and other law enforcement agencies?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.8	173	1	VRY POOR: (1)
10.9	10.6	269	2	POOR: (2)
31.9	31.0	787	3	FAIR:(3)
29.9	29.1	738	4	GOOD: (4)
8.6	8.4	213	5	VRY GOOD: (5)
11.6	11.3	287	8	NO OPIN:(8)
	2.7	69	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 142-143

V3266 053A24L:GD JB MILITARY

Item Number: 08490

Question Number(s): 3A24L How good or bad a job is being done for the country as a whole by . . . L: The U.S. military?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	87	1	VRY POOR: (1)
3.6	3.5	88	2	POOR: (2)
14.6	14.3	361	3	FAIR:(3)
27.2	26.5	671	4	GOOD: (4)
39.0	38.0	964	5	VRY GOOD: (5)
12.1	11.8	299	8	NO OPIN:(8)
	2.6	65	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 144-145

V3267

053A25 :MIL TOO MCH INFL

Item Number: 08500

Question Number(s): 3A25 All things considered, do you think the armed services presently have too much or too little influence on the way this country is run?

1="Far too little" 2="Too little" 3="About right" 4="Too much" 5="Far too much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.8	71	1	F TOO LT:(1)
11.2	10.7	272	2	TOO LITL:(2)
62.4	59.6	1,510	3	ABT RITE:(3)
18.7	17.8	452	4	TOO MUCH: (4)
4.7	4.5	114	5	F TOO MH:(5)
	4.6	116	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 146-147

V3268 053A26 :US TOO MCH\$ MILT

Item Number: 08510

Question Number(s): 3A26 Do you think the U.S. spends too much or too little on the armed services?

1="Far too little" 2="Too little" 3="About right" 4="Too much" 5="Far too much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.2	81	1	F TOO LT:(1)
14.8	14.1	358	2	TOO LITL:(2)
44.7	42.7	1,083	3	ABT RITE:(3)
24.9	23.8	603	4	TOO MUCH: (4)
12.2	11.7	296	5	F TOO MH:(5)
	4.5	114	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 148-149

V3273

053A27A:DAP SMK 1PCK CIG

Item Number: 08560

Question Number(s): 3A27A Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.4	493	1	DNT DISP:(1)
30.6	29.8	755	2	DISAPPRV:(2)
49.5	48.2	1,223	3	STRG DIS:(3)
	2.5	64	-9	MISSING
100 0	100.0	2.536	cases	

Data type: numeric Missing-data code: -9 Columns: 150-151

V3274 053A27B:DAP TRY MRJ 1-2T

Item Number: 08570

Question Number(s): 3A27B Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	43.6	1,106	1	DNT DISP:(1)
24.0	23.4	594	2	DISAPPRV:(2)
31.2	30.4	772	3	STRG DIS:(3)
	2.5	64	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric

Missing-data code: -9 Columns: 152-153

V3275

053A27C:DAP SMK MRJ OCCS

Item Number: 08580

Question Number(s): 3A27C Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	31.3	793	1	DNT DISP:(1)
24.1	23.5	595	2	DISAPPRV:(2)
43.8	42.6	1,080	3	STRG DIS:(3)
	2.7	68	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 154-155

V3276 053A27D:DAP SMK MRJ REGL

Item Number: 08590

Question Number(s): 3A27D Do YOU disapprove of people (who are 18 or older) doing each of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	17.3	438	1	DNT DISP:(1)
23.9	23.3	590	2	DISAPPRV:(2)
58.3	56.7	1,436	3	STRG DIS:(3)
	2.8	70	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 156-157

V3277 053A27E:DAP TRY LSD 1-2T

Item Number: 08600

Question Number(s): 3A27E Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	11.9	301	1	DNT DISP:(1)
19.9	19.3	490	2	DISAPPRV:(2)
67.8	65.7	1,666	3	STRG DIS:(3)
	3.1	78	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 158-159

V3278 053A27F:DAP TKG LSD REGL

Item Number: 08610

Question Number(s): 3A27F Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	111	1	DNT DISP:(1)
14.9	14.5	368	2	DISAPPRV:(2)
80.6	78.6	1,993	3	STRG DIS:(3)
	2.5	64	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 160-161

V3279

053A27G:DAP TRY HRN 1-2T

Item Number: 08620

Question Number(s): 3A27G Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Trying heroin once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	144	1	DNT DISP:(1)
14.3	14.0	354	2	DISAPPRV:(2)
79.9	78.1	1,980	3	STRG DIS:(3)
	2.3	58	-9	MISSING
100 0	100 0	2 526	~~~~	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 162-163

V3280 053A27H:DAP TKG HRN OCCS

Item Number: 08630

Question Number(s): 3A27H Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Taking heroin occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	93	1	DNT DISP:(1)
9.8	9.5	242	2	DISAPPRV:(2)
86.5	84.4	2,141	3	STRG DIS:(3)
	2.4	60	-9	MISSING
100 0	100 0	2 526		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 164-165

V3281

053A27I:DAP TKG HRN REGL

Item Number: 08640

Question Number(s): 3A27I Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking heroin regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	82	1	DNT DISP:(1)
7.7	7.4	189	2	DISAPPRV:(2)
89.0	86.4	2,191	3	STRG DIS:(3)
	2.9	74	-9	MISSING
1000	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 166-167

V3507 053A27J:DAP TRY SED/B1-2

Item Number: 08655

Question Number(s): 3A27J Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Taking a sedative/barbiturate (downer) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.2	360	1	DNT DISP:(1)
24.6	23.8	605	2	DISAPPRV:(2)
60.8	59.0	1,495	3	STRG DIS:(3)
	3.0	76	-9	MISSING
1000	100 0	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 168-169

V3508

053A27K:DAP USE SED/BREG

Item Number: 08665

Question Number(s): 3A27K Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Taking a sedative/barbiturate (downer) regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	121	1	DNT DISP:(1)
17.4	16.8	427	2	DISAPPRV:(2)
77.7	75.3	1,910	3	STRG DIS:(3)
	3.1	78	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 170-171

V3284 053A27L:DAP TRY AMP 1-2T

Item Number: 08670

Question Number(s): 3A27L Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Trying an amphetamine (upper, pep pill, bennie, speed) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	13.6	345	1	DNT DISP:(1)
22.0	21.4	543	2	DISAPPRV:(2)
64.0	62.3	1,579	3	STRG DIS:(3)
	2.7	69	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 172-173

V3285

053A27M:DAP TKG AMP REGL

Item Number: 08680

Question Number(s): 3A27M Do YOU disapprove of people (who are 18 or older) doing each of the following? M: Taking amphetamines regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.0	128	1	DNT DISP:(1)
14.4	14.1	358	2	DISAPPRV:(2)
80.4	78.4	1,989	3	STRG DIS:(3)
	2.4	61	-9	MISSING
100 0	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 174-175

V3286 053A27N:DAP TRY COC 1-2T

Item Number: 08690

Question Number(s): 3A27N Do YOU disapprove of people (who are 18 or older) doing each of the following? N: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.0	280	1	DNT DISP:(1)
14.8	14.4	365	2	DISAPPRV:(2)
73.9	72.1	1,829	3	STRG DIS:(3)
	2.4	62	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric

Missing-data code: -9 Columns: 176-177

V3287

053A27O:DAP TKG COC REGL

Item Number: 08700

Question Number(s): 3A270 Do YOU disapprove of people (who are 18 or older) doing each of the following? O: Taking cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.9	100	1	DNT DISP:(1)
10.7	10.4	264	2	DISAPPRV:(2)
85.2	82.5	2,093	3	STRG DIS:(3)
	3.1	80	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 178-179

V3288 053A27P:DAP TRY DRK ALCL

Item Number: 08710

Question Number(s): 3A27P Do YOU disapprove of people (who are 18 or older) doing each of the following? P: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	71.7	1,819	1	DNT DISP:(1)
14.6	14.2	361	2	DISAPPRV:(2)
11.9	11.7	296	3	STRG DIS:(3)
	2.4	61	-9	MISSING
100 0	100 0	2 526	~~~~	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 180-181

V3289

053A27Q:DAP 1-2 DRK/DAY

Item Number: 08720

Question Number(s): 3A27Q Do YOU disapprove of people (who are 18 or older) doing each of the following? Q: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	28.4	719	1	DNT DISP:(1)
36.5	35.7	904	2	DISAPPRV:(2)
34.4	33.6	851	3	STRG DIS:(3)
	2.4	62	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 182-183

V3290 053A27R:DAP 4-5 DRK/DAY

Item Number: 08730

Question Number(s): 3A27R Do YOU disapprove of people (who are 18 or older) doing each of the following? R: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.2	259	1	DNT DISP:(1)
24.4	23.8	604	2	DISAPPRV:(2)
65.1	63.5	1,611	3	STRG DIS:(3)
	2.4	62	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 184-185

V3291

053A27S:DAP 5+ DRK WKNDS

Item Number: 08740

Question Number(s): 3A27S Do YOU disapprove of people (who are 18 or older) doing each of the following? S: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	32.4	821	1	DNT DISP:(1)
25.8	25.2	638	2	DISAPPRV:(2)
41.0	40.0	1,013	3	STRG DIS:(3)
	2.5	63	-9	MISSING
100 0	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 186-187

V3292 053A28A:12MO NR OTH MARJ

Item Number: 20590

Question Number(s): 3A28A During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? A: Marijuana (pot, weed) or hashish

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	28.8	731	1	NOT @ALL:(1)
20.6	20.1	511	2	1-2X:(2)
23.1	22.6	573	3	OCCASNLY: (3)
26.9	26.3	666	4	OFTEN: (4)
	2.1	54	-9	MISSING
1000	100 0	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 188-189

V3293

053A28B:12MO NR OTH LSD

Item Number: 20600

Question Number(s): 3A28B During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? B: LSD

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	86.8	2,200	1	NOT @ALL:(1)
6.4	6.2	157	2	1-2X:(2)
2.9	2.8	72	3	OCCASNLY: (3)
1.5	1.4	36	4	OFTEN: (4)
	2.8	71	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 190-191

V3294 053A28C:12MO NR OTH PSYC

Item Number: 20610

Question Number(s): 3A28C During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? C: Other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	74.0	1,875	1	NOT @ALL:(1)
14.7	14.4	364	2	1-2X:(2)
6.8	6.6	167	3	OCCASNLY: (3)
2.6	2.5	64	4	OFTEN: (4)
	2.5	64	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 192-193

V3295

053A28D:12MO NR OTH AMPH

Item Number: 20620

Question Number(s): 3A28D During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? D: Amphetamines (uppers, pep pills, bennies, speed)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	71.9	1,824	1	NOT @ALL:(1)
13.7	13.3	338	2	1-2X:(2)
8.5	8.3	210	3	OCCASNLY: (3)
4.1	4.0	101	4	OFTEN: (4)
	2.5	63	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 194-195

V3509 053A28E:12MO NR SED/BARB

Item Number: 20635

Question Number(s): 3A28E During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? E: Sedatives/barbiturates (downers)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	77.7	1,970	1	NOT @ALL:(1)
10.7	10.4	264	2	1-2X:(2)
5.8	5.7	144	3	OCCASNLY: (3)
3.7	3.6	91	4	OFTEN: (4)
	2.6	66	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 196-197

V3297

053A28F:12MO NR OTH TRQL

Item Number: 20640

Question Number(s): 3A28F During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? F: Tranquilizers (Librium, Valium, Xanax)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	77.2	1,957	1	NOT @ALL:(1)
10.4	10.1	256	2	1-2X:(2)
5.8	5.7	144	3	OCCASNLY: (3)
4.6	4.5	114	4	OFTEN: (4)
	2.5	64	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 198-199

V3298 053A28G:12MO NR OTH COKE

Item Number: 20650

Question Number(s): 3A28G During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? G: Cocaine ("coke")

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	72.6	1,840	1	NOT @ALL:(1)
14.2	13.8	350	2	1-2X:(2)
7.3	7.1	181	3	OCCASNLY: (3)
4.2	4.1	103	4	OFTEN: (4)
	2.5	62	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 200-201

V3299

053A28H:12MO NR OTH HRN

Item Number: 20660

Question Number(s): 3A28H During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? H: Heroin

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		******	
VALID	АПП			
92.7	90.1	2,285	1	NOT @ALL:(1)
5.1	5.0	126	2	1-2X:(2)
1.5	1.4	36	3	OCCASNLY: (3)
0.8	0.8	19	4	OFTEN: (4)
	2.7	69	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 202-203

V3300 053A28I:12MO NR OTH NARC

Item Number: 20670

Question Number(s): 3A28I During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? I: Other narcotics (methadone, opium, codeine, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	78.9	1,999	1	NOT @ALL:(1)
11.4	11.0	280	2	1-2X:(2)
5.0	4.8	123	3	OCCASNLY: (3)
2.6	2.5	64	4	OFTEN: (4)
	2.7	70	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 204-205

V3301

053A28J:12MO NR OTH ALCL

Item Number: 20680

Question Number(s): 3A28J During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"? J: Alcoholic beverages (beer, wine, liquor)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.5	317	1	NOT @ALL:(1)
13.7	13.3	338	2	1-2X:(2)
24.6	23.9	607	3	OCCASNLY: (3)
48.8	47.4	1,203	4	OFTEN: (4)
	2.8	70	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 206-207

V3460 053A29A:RSK OF CIG1+PK/D

Item Number: 12360

Question Number(s): 3A29A The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	58	1	NO RISK:(1)
4.9	4.8	121	2	SLIGHT:(2)
22.0	21.3	541	3	MOD RISK:(3)
69.1	67.2	1,703	4	GRT RISK:(4)
1.6	1.6	40	5	CANT SAY: (5)
	2.8	72	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 208-209

V3461 053A29B:RSK OF MJ 1-2 X

Item Number: 12370

Question Number(s): 3A29B How much do you think people risk harming themselves (physically or in other ways), if they . . . B: Try marijuana once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	30.7	779	1	NO RISK:(1)
32.1	31.2	791	2	SLIGHT:(2)
16.3	15.8	402	3	MOD RISK:(3)
17.6	17.0	432	4	GRT RISK:(4)
2.3	2.3	57	5	CANT SAY: (5)
	2.9	75	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 210-211

V3462

053A29C:RSK OF MJ OCSNLY

Item Number: 12380

Question Number(s): 3A29C How much do you think people risk harming themselves (physically or in other ways), if they . . . C: Smoke marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.0	329	1	NO RISK:(1)
25.1	24.4	618	2	SLIGHT:(2)
29.0	28.1	713	3	MOD RISK:(3)
30.3	29.4	746	4	GRT RISK:(4)
2.3	2.2	55	5	CANT SAY: (5)
	2.9	74	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 212-213

V3463 053A29D:RSK OF MJ REGLY

Item Number: 12390

Question Number(s): 3A29D How much do you think people risk harming themselves (physically or in other ways), if they . . . D: Smoke marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.1	155	1	NO RISK:(1)
12.5	12.1	307	2	SLIGHT:(2)
22.5	21.8	553	3	MOD RISK:(3)
56.5	54.9	1,392	4	GRT RISK:(4)
2.2	2.1	54	5	CANT SAY: (5)
	2.9	74	-9	MISSING
100.0	100.0	2,536	cases	

100.0 100.0 2,550 cap.

Data type: numeric Missing-data code: -9 Columns: 214-215

V3464

053A29E:RSK COK PWDR 1-2

Item Number: 12501

Question Number(s): 3A29E How much do you think people risk harming themselves (physically or in other ways), if they . . E: Try cocaine in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.0	127	1	NO RISK:(1)
15.0	14.5	368	2	SLIGHT:(2)
22.7	22.0	558	3	MOD RISK:(3)
51.1	49.5	1,255	4	<pre>GRT RISK:(4)</pre>
6.1	5.9	150	5	CANT SAY: (5)
	3.1	78	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 216-217

V3465 053A29F:RSK COK PWDR OCC

Item Number: 12502

Question Number(s): 3A29F How much do you think people risk harming themselves (physically or in other ways), if they . . F: Take cocaine powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.2	56	1	NO RISK:(1)
3.6	3.5	90	2	SLIGHT:(2)
17.2	16.7	423	3	MOD RISK:(3)
70.9	68.7	1,741	4	GRT RISK:(4)
5.9	5.7	145	5	CANT SAY: (5)
	3.2	81	-9	MISSING
100 0	100 0	2 536	anaoa	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 218-219

V3466

053A29G:RSK COK PWDR REG

Item Number: 12503

Question Number(s): 3A29G How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take cocaine powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	44	1	NO RISK:(1)
1.2	1.1	29	2	SLIGHT:(2)
4.8	4.7	119	3	MOD RISK:(3)
86.4	83.7	2,122	4	GRT RISK:(4)
5.7	5.6	141	5	CANT SAY: (5)
	3.2	80	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 220-221

V3467 053A29H:RSK CRACK 1-2X

Item Number: 12504

Question Number(s): 3A29H How much do you think people risk harming themselves (physically or in other ways), if they . . . H: Try "crack" cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	83	1	NO RISK:(1)
11.1	10.8	273	2	SLIGHT:(2)
18.5	17.9	455	3	MOD RISK:(3)
60.1	58.2	1,475	4	<pre>GRT RISK:(4)</pre>
6.9	6.7	170	5	CANT SAY: (5)
	3.1	79	-9	MISSING
1000	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 222-223

V3468

053A29I:RSK CRACK OCC

Item Number: 12505

Question Number(s): 3A29I How much do you think people risk harming themselves (physically or in other ways), if they. . . I: Take "crack" cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	45	1	NO RISK:(1)
1.9	1.8	45	2	SLIGHT:(2)
13.8	13.4	339	3	MOD RISK:(3)
75.6	73.3	1,857	4	GRT RISK:(4)
6.9	6.6	168	5	CANT SAY: (5)
	3.2	80	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 224-225

V3469 053A29J:RSK CRACK REG

Item Number: 12506

Question Number(s): 3A29J How much do you think people risk harming themselves (physically or in other ways), if they . . . J: Take "crack" cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	42	1	NO RISK:(1)
1.0	0.9	24	2	SLIGHT:(2)
4.0	3.9	99	3	MOD RISK:(3)
86.6	83.7	2,121	4	<pre>GRT RISK:(4)</pre>
6.6	6.4	163	5	CANT SAY: (5)
	3.4	87	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 226-227

V3470 053A29K:RSK OF 1-2 DRINK

Item Number: 12510

Question Number(s): 3A29K How much do you think people risk harming themselves (physically or in other ways), if they . . . K: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	47.4	1,202	1	NO RISK:(1)
32.6	31.6	801	2	SLIGHT:(2)
7.8	7.5	191	3	MOD RISK:(3)
9.0	8.7	221	4	GRT RISK:(4)
1.6	1.6	40	5	CANT SAY: (5)
	3.2	81	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 228-229

V3471 053A29L:RSK OF 1-2 DR/DA

Item Number: 12520

Question Number(s): 3A29L How much do you think people risk harming themselves (physically or in other ways), if they . . L: Take one or two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
13.5	13.0	331	1	NO RISK:(1)
30.3	29.3	743	2	SLIGHT:(2)
32.4	31.3	794	3	MOD RISK:(3)
22.2	21.5	545	4	<pre>GRT RISK:(4)</pre>
1.6	1.6	40	5	CANT SAY: (5)
	3.3	83	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 230-231

V3472

053A29M:RSK OF 4-5 DR/DA

Item Number: 12530

Question Number(s): 3A29M How much do you think people risk harming themselves (physically or in other ways), if they . . . M: Take four or five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
4.6	4.4	113	1	NO RISK:(1)
8.8	8.6	217	2	SLIGHT:(2)
25.4	24.5	622	3	MOD RISK:(3)
59.6	57.7	1,463	4	GRT RISK:(4)
1.6	1.6	40	5	CANT SAY: (5)
	3.2	81	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 232-233

V3473 053A29N:RSK OF 5+DR/WKND

Item Number: 12540

Question Number(s): 3A29N How much do you think people risk harming themselves (physically or in other ways), if they. .

N: Have five or more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.7	246	1	NO RISK:(1)
16.2	15.7	398	2	SLIGHT:(2)
24.3	23.5	595	3	MOD RISK:(3)
47.8	46.3	1,173	4	<pre>GRT RISK:(4)</pre>
1.6	1.6	40	5	CANT SAY: (5)
	3.3	83	-9	MISSING
1000	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 234-235

V3474

053A30A:EASY GT MARIJUAN

Item Number: 06750

Question Number(s): 3A30A How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	120	1	PROB IMP:(1)
3.0	2.9	73	2	VRY DIFF:(2)
6.8	6.5	165	3	<pre>FRLY DIF:(3)</pre>
24.4	23.4	594	4	FRLY EAS: (4)
60.9	58.6	1,485	5	VRY EASY: (5)
	3.8	97	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 236-237

V3475 053A30B:EASY GT CRACK

Item Number: 06811

Question Number(s): 3A30B How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.2	284	1	PROB IMP:(1)
18.7	17.9	454	2	<pre>VRY DIFF:(2)</pre>
31.2	29.9	758	3	<pre>FRLY DIF:(3)</pre>
23.3	22.3	566	4	FRLY EAS: (4)
15.2	14.6	370	5	VRY EASY: (5)
	4.0	102	-9	MISSING
100 0	100 0	2 536	Cageg	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 238-239

V3476

053A30C:EASY GT COK PWDR

Item Number: 06812

Question Number(s): 3A30C How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
12.6	12.1	307	1	PROB IMP:(1)
18.9	18.2	460	2	VRY DIFF:(2)
27.5	26.4	670	3	<pre>FRLY DIF:(3)</pre>
24.3	23.3	592	4	FRLY EAS: (4)
16.6	15.9	404	5	VRY EASY: (5)
	4.1	103	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 240-241

V3101 053B01 :EVR SMK CIG,REGL

Item Number: 00760

Question Number(s): 3B01 The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	46.6	1,180	1	NEVER: (1)
23.5	22.8	577	2	1-2X:(2)
13.5	13.0	330	3	OCCASNLY: (3)
5.4	5.2	132	4	REG PAST:(4)
9.5	9.2	232	5	REG NOW: (5)
	3.3	83	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 242-243

V3102 053B02 :#CIGS SMKD/30DAY

Item Number: 00780

Question Number(s): 3B02 How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	74.6	1,893	1	NONE: (1)
9.6	9.3	235	2	<1 CIG/D:(2)
6.9	6.7	169	3	1-5/DAY:(3)
3.8	3.7	93	4	1/2PK/D:(4)
1.9	1.8	47	5	1 PK/DA:(5)
0.4	0.4	9	6	1 1/2PK/D
0.2	0.2	6	7	2+ PKS/D:(7)
	3.3	85	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 244-245

V3103 053B03 !EVER DRINK

Item Number: 00790

Question Number(s): 3B03 Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol.. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF THE NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	24.0	609	1	NO:(1)
74.6	70.5	1,788	2	YES:(2)
	5.5	139	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 246-247

V3104 053B04A: #X ALC/LIF SIPS

Item Number: 00810

Question Number(s): 3B04A On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . A: . . in your lifetime?

1 = 0 Occasions" [includes respondents who said No to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	24.0	610	1	0 OCCAS:(1)
8.4	7.8	197	2	1-2X:(2)
11.6	10.7	272	3	3-5X:(3)
10.3	9.6	243	4	6-9X:(4)
10.4	9.6	244	5	10-19X:(5)
10.4	9.7	246	6	20-39X:(6)
23.1	21.5	544	7	40+OCCAS: (7)
	7.1	181	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 248-249

V3105 053B04B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 3B04B On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	29.4	745	1	0 OCCAS:(1)
16.6	15.4	390	2	1-2X:(2)
13.1	12.1	308	3	3-5X:(3)
10.1	9.4	237	4	6-9X:(4)
11.2	10.4	265	5	10-19X:(5)
8.4	7.8	197	6	20-39X:(6)
9.0	8.4	212	7	40+OCCAS: (7)
	7.1	181	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 250-251

V3106 053B04C: #X ALC/30D SIPS

Item Number: 00830

Question Number(s): 3B04C On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	49.6	1,257	1	0 OCCAS:(1)
19.6	18.1	459	2	1-2X:(2)
12.9	12.0	304	3	3-5X:(3)
6.7	6.2	157	4	6-9X:(4)
4.4	4.1	104	5	10-19X:(5)
1.4	1.3	33	6	20-39X:(6)
1.4	1.3	32	7	40+OCCAS:(7)
	7.5	190	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 252-253

V3107 053B05 :#X DRK ENF FL HI

Item Number: 00840

Question Number(s): 3B05 On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	17.0	431	1	NONE: (1)
26.4	18.7	474	2	FEW: (2)
14.0	9.9	250	3	HALF:(3)
20.3	14.4	365	4	MOST: (4)
15.2	10.8	273	5	NRLY ALL:(5)
	29.3	742	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 254-255

V3108 053B06 !5+DRK ROW/LST 2W

Item Number: 00850

Question Number(s): 3B06 Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	66.0	1,674	1	NONE: (1)
10.4	9.6	243	2	ONCE: (2)
7.6	7.0	178	3	TWICE:(3)
7.1	6.5	165	4	3-5X:(4)
1.6	1.5	37	5	6-9X:(5)
1.4	1.3	33	6	10+ TIME:(6)
	8.1	206	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 256-257

V3115 053B07A: #XMJ+HS/LIFETIME

Item Number: 00860

Question Number(s): 3B07A On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	51.9	1,316	1	0 OCCAS:(1)
11.2	10.7	271	2	1-2X:(2)
7.0	6.7	170	3	3-5X:(3)
3.8	3.6	91	4	6-9X:(4)
6.2	5.9	150	5	10-19X:(5)
3.8	3.7	93	6	20-39X:(6)
13.4	12.7	323	7	40+OCCAS:(7)
	4.8	121	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 258-259

V3116 053B07B: #XMJ+HS/LAST12MO

Item Number: 00870

Question Number(s): 3B07B On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.6	63.5	1,610	1	0 OCCAS:(1)
10.0	9.5	242	2	1-2X:(2)
5.8	5.5	139	3	3-5X:(3)
4.1	3.9	98	4	6-9X:(4)
3.7	3.6	91	5	10-19X:(5)
2.7	2.5	64	6	20-39X:(6)
7.1	6.8	173	7	40+OCCAS:(7)
	4.7	118	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 260-261

V3117 053B07C: #XMJ+HS/LAST30DA

Item Number: 00880

Question Number(s): 3B07C On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	76.6	1,943	1	0 OCCAS:(1)
7.4	7.1	179	2	1-2X:(2)
3.3	3.1	79	3	3-5X:(3)
2.2	2.1	54	4	6-9X:(4)
1.8	1.7	44	5	10-19X:(5)
1.8	1.7	43	6	20-39X:(6)
3.0	2.9	73	7	40+OCCAS:(7)
	4.7	119	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 262-263

V3118 053B08A:#X LSD/LIFETIME

Item Number: 00890

Question Number(s): 3B08A On how many occasions (if any) have you used LSD ("acid"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	93.5	2,371	1	0 OCCAS:(1)
1.9	1.8	46	2	1-2X:(2)
0.6	0.6	15	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.6	92	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 264-265

V3119 053B08B:#X LSD/LAST 12MO

Item Number: 00900

Question Number(s): 3B08B On how many occasions (if any) have you used LSD ("acid"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.0	2,409	1	0 OCCAS:(1)
1.2	1.1	29	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.5	88	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 266-267

V3120 053B08C: #X LSD/LAST 30DA

Item Number: 00910

Question Number(s): 3B08C On how many occasions (if any) have you used LSD ("acid"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	95.7	2,426	1	0 OCCAS:(1)
0.6	0.5	14	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.6	90	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 268-269

V3121 053B09A:#X PSYD/LIFETIME

Item Number: 00920

Question Number(s): 3B09A On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	89.2	2,262	1	0 OCCAS:(1)
3.8	3.7	93	2	1-2X:(2)
2.1	2.0	52	3	3-5X:(3)
0.6	0.5	14	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	3.7	94	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 270-271

V3122 053B09B:#X PSYD/LAST12MO

Item Number: 00930

Question Number(s): 3B09B On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	92.2	2,338	1	0 OCCAS:(1)
2.7	2.6	66	2	1-2X:(2)
0.9	0.9	22	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	3.8	95	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 272-273

V3123 053B09C:#X PSYD/LAST30DA

Item Number: 00940

Question Number(s): 3B09C On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	94.9	2,406	1	0 OCCAS:(1)
1.0	1.0	25	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.7	94	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 274-275 V3124 053R :#X COKE/LIFETIME

Item Number: 00950

Question Number(s): 3B09X Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" [item 22260] and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime? [item 22320].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	88.4	2,241	1	0 OCCAS:(1)
3.2	3.0	77	2	1-2X:(2)
2.1	2.0	50	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.4	0.4	11	5	10-19X:(5)
0.4	0.4	11	6	20-39X:(6)
1.2	1.1	29	7	40+OCCAS:(7)
	4.1	103	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 276-277

V3125 053R :#X COKE/LAST12MO

Item Number: 00960

Question Number(s): 3B09Y Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" [item 22270] and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months? [item 22330].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	91.6	2,322	1	0 OCCAS:(1)
1.8	1.8	44	2	1-2X:(2)
1.0	1.0	25	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS:(7)
	4.2	106	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 278-279 V3126 053R :#X COKE/LAST30DA

Item Number: 00970

Question Number(s): 3B09Z Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" [item 22280] and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days? [item 22340].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	94.0	2,384	1	0 OCCAS:(1)
0.7	0.7	17	2	1-2X:(2)
0.5	0.5	12	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	4.1	105	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 280-281

V3127 053B10A:#X AMPH/LIFETIME

Item Number: 00980

Question Number(s): 3B10A Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	83.2	2,109	1	0 OCCAS:(1)
4.6	4.4	112	2	1-2X:(2)
3.4	3.3	82	3	3-5X:(3)
1.4	1.4	35	4	6-9X:(4)
1.2	1.1	28	5	10-19X:(5)
1.1	1.0	26	6	20-39X:(6)
1.5	1.4	36	7	40+OCCAS:(7)
	4.2	107	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 282-283

V3128 053B10B:#X AMPH/LAST12MO

Item Number: 00990

Question Number(s): 3B10B On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	87.0	2,207	1	0 OCCAS:(1)
4.2	4.1	103	2	1-2X:(2)
2.0	1.9	49	3	3-5X:(3)
1.1	1.0	26	4	6-9X:(4)
0.9	0.8	21	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	4.2	107	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 284-285

V3129 053B10C:#X AMPH/LAST30DA

Item Number: 01000

Question Number(s): 3B10C On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	92.5	2,345	1	0 OCCAS:(1)
1.9	1.8	46	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	4.3	109	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 286-287

V3487 053B11A:#X CRACK/LIFETIM

Item Number: 22260

Question Number(s): 3B11A On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	93.6	2,373	1	0 OCCAS (1)
1.6	1.5	39	2	1-2X (2)
0.2	0.2	6	3	3-5X(3)
0.2	0.2	5	4	6-9X (4)
0.3	0.2	6	5	10-19X(5)
0.1	0.1	3	6	20-39X (6)
0.3	0.3	6	7	40+X (7)
	3.9	98	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 288-289

V3488 053B11B:#X CRACK/LAST12M

Item Number: 22270

Question Number(s): 3B11B On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	95.0	2,408	1	0 OCCAS (1)
0.4	0.4	11	2	1-2X(2)
0.4	0.3	9	3	3-5X(3)
0.1	0.1	2	4	6-9X (4)
0.2	0.2	4	5	10-19X (5)
0.1	0.1	2	6	20-39X (6)
0.1	0.1	1	7	40+X(7)
	3.8	98	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 290-291

V3489 053B11C:#X CRACK/LAST30D

Item Number: 22280

Question Number(s): 3B11C On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	95.6	2,424	1	0 OCCAS (1)
0.2	0.2	4	2	1-2X (2)
0.2	0.2	4	3	3-5X(3)
0.0	0.0	1	4	6-9X (4)
0.1	0.1	2	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.1	0.1	3	7	40+X(7)
	3.8	97	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 292-293

V3490 053B12A:#XOTH COKE/LIFE

Item Number: 22320

Question Number(s): 3B12A On how many occasions (if any) have you used cocaine in any other form. . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	89.1	2,260	1	0 OCCAS (1)
3.0	2.9	73	2	1-2X(2)
1.9	1.8	46	3	3-5X(3)
0.5	0.5	12	4	6-9X (4)
0.4	0.4	9	5	10-19X (5)
0.4	0.4	10	6	20-39X (6)
1.1	1.1	27	7	40+X(7)
	3.9	99	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 294-295

V3491 053B12B:#XOTH COKE/12MO

Item Number: 22330

Question Number(s): 3B12B On how many occasions (if any) have you used cocaine in any other form. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	91.9	2,330	1	0 OCCAS (1)
2.1	2.0	50	2	1-2X (2)
0.8	0.8	19	3	3-5X(3)
0.4	0.3	9	4	6-9X (4)
0.3	0.3	7	5	10-19X (5)
0.3	0.3	7	6	20-39X (6)
0.6	0.5	14	7	40+X (7)
	3.9	100	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 296-297

V3492 053B12C: #XOTH COKE/30DA

Item Number: 22340

Question Number(s): 3B12C On how many occasions (if any) have you used cocaine in any other form. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	94.3	2,391	1	0 OCCAS (1)
0.8	0.8	20	2	1-2X (2)
0.5	0.4	11	3	3-5X(3)
0.2	0.1	4	4	6-9X (4)
0.2	0.2	6	5	10-19X(5)
0.1	0.1	3	6	20-39X (6)
0.1	0.1	1	7	40+X (7)
	3.9	99	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 298-299

V3133 053B13A:#X SED/BARB/LIFE

Item Number: 01042

Question Number(s): 3B13A Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	84.1	2,133	1	0 OCCAS:(1)
4.5	4.4	111	2	1-2X:(2)
2.8	2.7	68	3	3-5X:(3)
2.1	2.0	51	4	6-9X:(4)
1.3	1.3	33	5	10-19X:(5)
0.8	0.8	20	6	20-39X:(6)
0.9	0.8	21	7	40+OCCAS:(7)
	3.9	100	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 300-301

V3134 053B13B:#X SED/BARB/12MO

Item Number: 01052

Question Number(s): 3B13B On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	88.0	2,230	1	0 OCCAS:(1)
4.5	4.3	110	2	1-2X:(2)
1.9	1.9	47	3	3-5X:(3)
1.1	1.1	27	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.2	0.2	6	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.9	100	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 302-303

V3135 053B13C:#X SED/BARB/30DA

Item Number: 01062

Question Number(s): 3B13C On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	93.0	2,358	1	0 OCCAS:(1)
2.2	2.1	53	2	1-2X:(2)
0.6	0.5	14	3	3-5X:(3)
0.2	0.1	4	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	4.0	100	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 304-305

V3136 053B14A:#X TRQL/LIFETIME

Item Number: 01070

Question Number(s): 3B14A Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	86.0	2,179	1	0 OCCAS:(1)
4.5	4.3	109	2	1-2X:(2)
2.1	2.1	52	3	3-5X:(3)
1.3	1.3	33	4	6-9X:(4)
0.8	0.8	21	5	10-19X:(5)
0.5	0.4	11	6	20-39X:(6)
1.4	1.3	33	7	40+OCCAS:(7)
	3.8	97	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 306-307

053B14B:#X TRQL/LAST12MO V3137

Item Number: 01080

Question Number(s): 3B14B On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	89.3	2,265	1	0 OCCAS:(1)
3.4	3.2	82	2	1-2X:(2)
1.6	1.6	40	3	3-5X:(3)
0.9	0.8	21	4	6-9X:(4)
0.6	0.6	16	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	3.9	99	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 308-309

V3138 053B14C:#X TRQL/LAST30DA

Item Number: 01090

Question Number(s): 3B14C On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	93.4	2,368	1	0 OCCAS:(1)
1.6	1.5	38	2	1-2X:(2)
0.7	0.7	17	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.9	99	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 310-311

V3139 053B15A:#X "H"/LIFETIME

Item Number: 01100

Question Number(s): 3B15A On how many occasions (if any) have

you used heroin . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	94.7	2,400	1	0 OCCAS:(1)
0.4	0.4	11	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	4.3	108	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 312-313

V3140 053B15B:#X "H"/LAST 12MO

Item Number: 01110

Question Number(s): 3B15B On how many occasions (if any) have you used heroin . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	95.1	2,411	1	0 OCCAS:(1)
0.4	0.4	9	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.1	4	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	4.2	107	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 314-315

V3141 053B15C:#X "H"/LAST 30DA

Item Number: 01120

Question Number(s): 3B15C On how many occasions (if any) have you used heroin . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	95.5	2,421	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.1	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	4.2	107	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 316-317

V3142 053B16A:#X NARC/LIFETIME

Item Number: 01130

Question Number(s): 3B16A There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own-that is, without a doctor telling you to take them . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	84.1	2,131	1	0 OCCAS:(1)
4.7	4.5	113	2	1-2X:(2)
2.5	2.4	60	3	3-5X:(3)
1.9	1.8	46	4	6-9X:(4)
1.1	1.1	28	5	10-19X:(5)
0.7	0.7	18	6	20-39X:(6)
1.2	1.2	30	7	40+OCCAS:(7)
	4.3	110	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 318-319

V3143 053B16B:#X NARC/LAST12MO

Item Number: 01140

Question Number(s): 3B16B On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	87.7	2,223	1	0 OCCAS:(1)
4.3	4.1	105	2	1-2X:(2)
1.5	1.4	36	3	3-5X:(3)
1.2	1.1	29	4	6-9X:(4)
0.6	0.6	16	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	4.4	112	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 320-321

V3144 053B16C:#X NARC/LAST30DA

Item Number: 01150

Question Number(s): 3B16C On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	92.7	2,350	1	0 OCCAS:(1)
1.9	1.8	45	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.4	0.4	11	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	4.4	113	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 322-323

V3145 053B17A:#X INHL/LIFETIME

Item Number: 01160

Question Number(s): 3B17A On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	85.9	2,179	1	0 OCCAS:(1)
6.0	5.7	145	2	1-2X:(2)
1.8	1.7	43	3	3-5X:(3)
0.8	0.7	19	4	6-9X:(4)
1.0	1.0	24	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	4.3	109	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 324-325

V3146 053B17B:#X INHL/LAST12MO

Item Number: 01170

Question Number(s): 3B17B On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	91.5	2,319	1	0 OCCAS:(1)
2.8	2.7	67	2	1-2X:(2)
1.0	0.9	23	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	4.2	106	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 326-327

V3147 053B17C:#X INHL/LAST30DA

Item Number: 01180

Question Number(s): 3B17C On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	94.1	2,387	1	0 OCCAS:(1)
1.2	1.2	30	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	4.3	108	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 328-329

V3493 053B18A:#X MDMA/LIFETIME

Item Number: 22660

Question Number(s): 3B18A On how many occasions (if any) have you used MDMA ("ecstasy"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	90.9	2,304	1	0 OCCAS (1)
2.6	2.5	64	2	1-2X (2)
0.7	0.7	18	3	3-5X(3)
0.3	0.3	8	4	6-9X (4)
0.6	0.6	15	5	10-19X (5)
0.2	0.2	4	6	20-39X (6)
0.4	0.4	10	7	40+X(7)
	4.4	112	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 330-331

V3494 053B18B:#X MDMA/LAST12MO

Item Number: 22670

Question Number(s): 3B18B On how many occasions (if any) have you used MDMA ("ecstasy"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	92.8	2,353	1	0 OCCAS (1)
1.7	1.6	42	2	1-2X (2)
0.5	0.4	11	3	3-5X(3)
0.4	0.3	9	4	6-9X (4)
0.1	0.1	3	5	10-19X (5)
0.1	0.1	3	6	20-39X (6)
0.1	0.1	4	7	40+X (7)
	4.4	111	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 332-333

V3495 053B18C:#X MDMA/LAST30DA

Item Number: 22680

Question Number(s): 3B18C On how many occasions (if any) have you used MDMA ("ecstasy"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	94.7	2,400	1	0 OCCAS (1)
0.7	0.6	16	2	1-2X (2)
0.1	0.1	3	3	3-5X(3)
0.0	0.0	1	4	6-9X (4)
0.0	0.0	0	5	10-19X(5)
0.0	0.0	1	6	20-39X (6)
0.1	0.1	2	7	40+X(7)
	4.5	113	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 334-335

V3148

053(R) :AGE <>18 DICHOTOMY

Item Number:

Question Number(s): 3C01-2 Component variables: 1) Q. C01 "In what year were you born?" [item 00010], 2) Q. C02 "In what month were you born?" [item 00020], and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	43.4	1,101	1	< 18:(1)
54.9	52.8	1,340	2	18+:(2)
	3.7	95	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 336-337

V3150 053C03 :R'S SEX

Item Number: 00030

Question Number(s): 3C03 What is your sex?

1="Male" 2="Female"

PCT PCT N VALUE LABEL VALID ALL50.2 46.8 1,188 1 MALE:(1) 49.8 46.5 1,180 2 FEMALE: (2) 6.6 168 -9 MISSING _____ 100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 338-339

V3151

053C04(R):R'S RACE B/W/H

Item Number: 00041

Question Number(s): 3C04A-I How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latin; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander

1="Black or African American" 2="White (Caucasian)" 3=Hispanic ("Mexican American or Chicano" or "Cuban American" or "Puerto Rican" or "Other Hispanic or Latin"). [Recoded in this dataset so that all other responses, including respondents who chose more than 1 alternative, were deleted.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	10.1	255	1	BLACK: (1)
74.6	64.5	1,636	2	WHITE: (2)
13.7	11.9	301	3	HISPANIC: (3)
	13.5	343	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 340-341

V3152 053C05 :R SPD >TIM R-URB

Item Number: 00050

Question Number(s): 3C05 Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small
city or town (under 50,000 people)" 4="In a medium-sized city
(50,000-100,000)" 5="In a suburb of a medium-sized city"
6="In a large city (100,000-500,000)" 7="In a suburb of a
large city" 8="In a very large city (over 500,000)" 9="In a
suburb of a very large city" 0="Can't say; mixed" and
nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.7	272	0	DK/MIXED:(0)
5.3	5.3	133	1	FARM:(1)
12.6	12.6	318	2	COUNTRY: (2)
19.9	19.9	505	3	SML TOWN: (3)
12.8	12.8	324	4	MED CITY: (4)
10.1	10.1	255	5	SUBURB 4:(5)
9.2	9.2	234	6	LRG CITY:(6)
8.0	8.0	204	7	SUBURB 6:(7)
5.8	5.8	146	8	VRYLG CY:(8)
5.7	5.7	145	9	SUBURB 8:(9)

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 342-343

V3153 053C06 :R NOT MARRIED

Item Number: 00060

Question Number(s): 3C06 What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	17	1	MARRIED:(1)
4.7	4.4	112	2	ENGAGED: (2)
0.3	0.3	8	3	SEP/DIV:(3)
94.3	88.6	2,246	4	SINGLE:(4)
	6.0	153	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 344-345

V49 053C07R:# SIBLINGS

Item Number: 00076

Question Number(s): 3C07A-B Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more" For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.4	138	0	
32.1	30.8	782	1	
29.1	27.9	709	2	
33.1	31.8	806	3	3 OR MORE
	4.0	102	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 346-347

V3155 053C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Question Number(s): 3C07Cb Which of the following people live in the same household with you? (Mark all that apply.) B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 348-349

V3156

053C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Question Number(s): 3CO7Cc Which of the following people live in the same household with you? (Mark all that apply.) C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 350-351

V3157 053C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Question Number(s): 3C07Cd Which of the following people live in the same household with you? (Mark all that apply.) Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	30.6	775	0	NT MARKD:(0)
68.1	65.3	1,656	1	MARKED: (1)
	4.1	105	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 352-353

V3163 053C08 :FATHR EDUC LEVEL

Item Number: 00310

Question Number(s): 3C08 The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	88	1	GRDE SCH:(1)
9.6	9.2	232	2	SOME HS:(2)
27.6	26.4	668	3	HS GRAD:(3)
14.7	14.1	356	4	SOME CLG:(4)
23.3	22.2	563	5	CLG GRAD: (5)
14.6	14.0	354	6	GRAD SCH:(6)
6.5	6.2	158	7	DK:(7)
	4.5	115	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 354-355

V3164 053C09 :MOTHR EDUC LEVEL

Item Number: 00320

Question Number(s): 3C09 What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.9	100	1	GRDE SCH:(1)
6.8	6.6	166	2	SOME HS:(2)
27.8	26.6	675	3	HS GRAD: (3)
19.4	18.6	471	4	SOME CLG:(4)
25.1	24.0	610	5	CLG GRAD: (5)
12.6	12.1	306	6	GRAD SCH:(6)
4.2	4.0	102	7	DK:(7)
	4.2	106	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 356-357

V3165 053C10 :MOTH PD JB R YNG

Item Number: 00330

Question Number(s): 3C10 Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	15.8	402	1	NO:(1)
22.6	21.6	547	2	SOMETIME: (2)
18.5	17.6	447	3	MOSTTIME: (3)
42.3	40.4	1,025	4	ALL TIME: (4)
	4.6	116	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 358-359

V3166 053C11 :R'S POLTL PRFNC

Item Number: 00340

Question Number(s): 3C11 How would you describe your political

preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	12.2	308	1	STRG GOP:(1)
16.1	14.8	375	2	MILD GOP:(2)
15.6	14.4	364	3	MILD DEM:(3)
13.8	12.7	322	4	STRG DEM:(4)
8.5	7.8	198	5	<pre>INDEPNDT:(5)</pre>
12.1	11.1	282	6	NO PREF: (6)
1.1	1.1	27	7	OTHER: (7)
19.7	18.2	461	8	DK:(8)
	7.8	198	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 360-361

V3167 053C12 :R'POL BLF RADCL

Item Number: 00350

Question Number(s): 3C12 How would you describe your political

beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.7	120	1	VRY CONS:(1)
15.2	14.4	365	2	CONSERV: (2)
25.1	23.8	603	3	MODERATE: (3)
17.2	16.3	413	4	LIBERAL: (4)
5.7	5.4	137	5	VRY LIB:(5)
2.1	2.0	51	6	<pre>RADICAL:(6)</pre>
29.7	28.1	713	8	NONE/DK:(8)
	5.3	134	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 362-363

V3169 053C13B:R'ATTND REL SVC

Item Number: 00370

Question Number(s): 3C13B How often do you attend religious

services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" [Responses from the western region

intentionally obliterated.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	14.7	372	1	NEVER: (1)
32.6	24.7	626	2	RARELY: (2)
15.3	11.5	293	3	1-2X/MO:(3)
32.8	24.8	629	4	1/WK OR+:(4)
	24.3	616	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 364-365

V3170

053C13C:RLGN IMP R'S LF

Item Number: 00380

Question Number(s): 3C13C How important is religion in your

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" [Responses from the western region intentionally obliterated.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	13.4	341	1	NOT IMPT:(1)
23.5	17.8	452	2	LITL IMP:(2)
27.9	21.1	535	3	PRTY IMP:(3)
30.8	23.3	591	4	VERY IMP:(4)
	24.3	617	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 366-367

V3171 053C14 :WHEN R XPCT GRAD

Item Number: 00390

Question Number(s): 3C14 When are you most likely to graduate

from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	92.8	2,353	1	BY JUNE: (1)
1.6	1.5	38	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.4	0.4	10	6	WONT: (6)
	5.3	134	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 368-369

V3172

053C15 :R'S HS PROGRAM

Item Number: 00400

Question Number(s): 3C15 Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	51.3	1,301	1	CLG PREP:(1)
32.2	30.4	770	2	GENERAL: (2)
5.6	5.3	134	3	VOC-TECH: (3)
7.8	7.4	187	4	OTH/DK:(4)
	5.6	143	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 370-371

V3173 053C16 :RT SF SCH AB>AVG

Item Number: 00410

Question Number(s): 3C16 Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	34	1	FAR BLOW: (1)
1.7	1.6	41	2	BELOW AV: (2)
4.5	4.2	107	3	SL BELOW:(3)
31.8	29.8	757	4	AVERAGE: (4)
24.4	22.9	581	5	SL ABOVE: (5)
28.9	27.1	688	6	ABOVE AV: (6)
7.4	6.9	175	7	FAR ABOV: (7)
	6.1	154	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 372-373

V3174 053C17 :RT SF INTELL>AVG

Item Number: 00420

Question Number(s): 3C17 How intelligent do you think you are

compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	26	1	FAR BLOW: (1)
1.8	1.7	42	2	BELOW AV: (2)
3.8	3.6	90	3	SL BELOW: (3)
31.4	29.5	749	4	AVERAGE: (4)
24.8	23.4	593	5	SL ABOVE: (5)
28.7	27.0	684	6	ABOVE AV: (6)
8.5	8.0	202	7	FAR ABOV: (7)
	5.9	149	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 374-375

V3175 053C18A:#DA/4W SC MS ILL

Item Number: 00430

Question Number(s): 3C18A During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	52.7	1,337	1	NONE: (1)
18.6	17.3	439	2	1 DAY:(2)
11.4	10.6	268	3	2 DAYS:(3)
6.5	6.1	154	4	3 DAYS:(4)
4.0	3.7	94	5	4-5 DAYS:(5)
1.5	1.4	36	6	6-10 DA:(6)
1.2	1.1	27	7	11+ DAYS:(7)
	7.2	182	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 376-377

V3176 053C18B:#DA/4W SC MS CUT

Item Number: 00440

Question Number(s): 3C18B During the LAST FOUR WEEKS, how many whole days of school have you missed. . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
67.4	61.7	1,565	1	NONE: (1)
13.8	12.6	320	2	1 DAY:(2)
7.1	6.5	165	3	2 DAYS:(3)
5.7	5.2	133	4	3 DAYS:(4)
2.6	2.4	61	5	4-5 DAYS:(5)
1.8	1.6	41	6	6-10 DA:(6)
1.7	1.6	40	7	11+ DAYS:(7)
	8.3	211	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 378-379

V3177 053C18C:#DA/4W SC MS OTH

Item Number: 00450

Question Number(s): 3C18C During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	50.1	1,271	1	NONE: (1)
20.0	18.4	466	2	1 DAY:(2)
11.5	10.5	267	3	2 DAYS:(3)
6.4	5.8	148	4	3 DAYS:(4)
4.1	3.8	95	5	4-5 DAYS:(5)
2.3	2.1	54	6	6-10 DA:(6)
1.2	1.1	28	7	11+ DAYS:(7)
	8.1	206	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 380-381

V3178 053C19 :#DA/4W SKP CLASS

Item Number: 00460

Question Number(s): 3C19 During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	60.5	1,534	1	NONE: (1)
21.2	19.9	505	2	1-2:(2)
9.4	8.9	225	3	3-5:(3)
3.1	2.9	74	4	6-10:(4)
0.9	0.9	22	5	11-20:(5)
1.1	1.0	25	6	21+:(6)
	5.9	150	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 382-383

V3179 053C20 :R HS GRADE/D=1

Item Number: 00470

Question Number(s): 3C20 Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92) 7="B+ (87-89)" 6="B (83-86)" 5="B-(80-82)" 4="C+(77-79)" 3="C(73-76)" 2="C-(70-72)"1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	27	1	D:(1)
3.1	2.9	74	2	C-:(2)
5.7	5.4	136	3	C:(3)
10.4	9.8	248	4	C+:(4)
12.3	11.6	293	5	B-:(5)
16.4	15.4	391	6	B:(6)
16.5	15.6	394	7	B+:(7)
16.7	15.7	398	8	A-:(8)
17.7	16.6	421	9	A:(9)
	6.0	152	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 384-385

V3180 053C21A:R WL DO VOC/TEC

Item Number: 00480

Question Number(s): 3C21A How likely is it that you will do each of the following things after high school? A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	50.6	1,284	1	DEF WONT: (1)
22.8	20.6	522	2	PRB WONT:(2)
12.8	11.5	293	3	PRB WILL:(3)
8.4	7.6	192	4	DEF WILL: (4)
	9.7	245	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 386-387

V3181

053C21B:R WL DO ARMD FC

Item Number: 00490

Question Number(s): 3C21B How likely is it that you will do each of the following things after high school? B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	${ t ALL}$			
73.0	66.2	1,679	1	DEF WONT: (1)
19.0	17.2	436	2	PRB WONT: (2)
4.8	4.4	111	3	PRB WILL:(3)
3.2	2.9	74	4	DEF WILL: (4)
	9.3	236	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 388-389

V3182 053C21C:R WL DO 2YR CLG

Item Number: 00500

Question Number(s): 3C21C How likely is it that you will do each of the following things after high school? C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	37.8	959	1	DEF WONT: (1)
19.2	17.3	439	2	PRB WONT:(2)
21.9	19.8	501	3	PRB WILL:(3)
17.1	15.4	390	4	DEF WILL: (4)
	9.7	246	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 390-391

V3183

053C21D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 3C21D How likely is it that you will do each of the following things after high school? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	9.3	236	1	DEF WONT: (1)
9.6	8.9	225	2	PRB WONT: (2)
21.1	19.4	492	3	PRB WILL:(3)
59.1	54.3	1,377	4	DEF WILL: (4)
	8.1	205	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 392-393

V3184 053C21E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 3C21E How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	16.4	417	1	DEF WONT: (1)
28.3	25.7	651	2	PRB WONT:(2)
33.5	30.3	769	3	PRB WILL:(3)
20.1	18.2	461	4	DEF WILL: (4)
	9.4	237	-9	MISSING
100 0	100 0	2 526		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 394-395

V3185

053C22A:R WNTDO VOC/TEC

Item Number: 00530

Question Number(s): 3C22A Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	76.2	1,933	0	NT MARKD:(0)
17.2	15.8	401	1	MARKED: (1)
	8.0	202	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 396-397

V3186 053C22B:R WNTDO ARMD FC

Item Number: 00540

Question Number(s): 3C22B Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL88.8 81.8 2,073 0 NT MARKD:(0) 11.2 10.3 261 1 MARKED: (1) 8.0 202 -9 MISSING ----- -----100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 398-399

V3187

053C22C:R WNTDO 2YR CLG

Item Number: 00550

Question Number(s): 3C22C Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL74.4 68.4 1,735 0 NT MARKD:(0) 25.6 23.6 598 1 MARKED:(1) 8.0 202 -9 MISSING _____ 100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 400-401

V3188 053C22D:R WNTDO 4YR CLG

Item Number: 00560

Question Number(s): 3C22D Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 402-403

V3189

053C22E:R WNTDO GRD/PRF

Item Number: 00570

Question Number(s): 3C22E Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 404-405

V3190 053C22F:R WNTDO NONE

Item Number: 00580

Question Number(s): 3C22F Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	87.5	2,218	0	NT MARKD:(0)
5.0	4.6	116	1	MARKED: (1)
	8.0	202	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 406-407

V3191 053C23 :HRS/W WRK SCHYR

Item Number: 00590

Question Number(s): 3C23 On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	25.6	649	1	NONE: (1)
9.7	8.9	226	2	5 OR <:(2)
10.9	10.0	254	3	6-10 HRS:(3)
11.2	10.3	261	4	11-15 HR:(4)
13.2	12.2	308	5	16-20 HR:(5)
11.0	10.1	256	6	21-25 HR:(6)
8.7	8.0	202	7	26-30 HR:(7)
7.5	6.9	175	8	30+ HRS:(8)
	8.1	205	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 408-409

V3192 053C24A:R\$/AVG WEEK JOB

Item Number: 00600

Question Number(s): 3C24A During an average week, how much money did you get from. . . A: A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	28.3	717	1	NONE: (1)
1.0	0.9	22	2	\$1-5:(2)
3.7	3.4	86	3	\$6-10:(3)
3.3	3.0	76	4	\$11-20:(4)
4.7	4.3	109	5	\$21-35:(5)
5.9	5.3	134	6	\$36-50:(6)
9.0	8.1	205	7	\$51-75:(7)
20.7	18.7	474	8	\$76-125:(8)
20.4	18.5	468	9	\$126+:(9)
	9.6	244	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 410-411

V3193 053C24B:R\$/AVG WEEK OTH

Item Number: 00610

Question Number(s): 3C24B During an average week, how much money did you get from. . . B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	33.5	849	1	NONE: (1)
5.6	5.0	126	2	\$1-5:(2)
9.7	8.7	220	3	\$6-10:(3)
16.7	14.9	378	4	\$11-20:(4)
12.1	10.8	274	5	\$21-35:(5)
8.2	7.3	186	6	\$36-50:(6)
3.8	3.4	86	7	\$51-75:(7)
2.5	2.2	56	8	\$76-125:(8)
3.8	3.4	86	9	\$126+:(9)
	10.9	276	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 412-413

V3194 053C25 :#X/AV WK GO OUT

Item Number: 00620

Question Number(s): 3C25 During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	9.9	251	1	< 1:(1)
13.6	12.5	317	2	ONE: (2)
26.0	23.9	605	3	TWO:(3)
24.2	22.2	564	4	THREE: (4)
16.9	15.5	393	5	4-5:(5)
8.6	7.9	200	6	6-7:(6)
	8.1	206	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 414-415

V3195 053C26 :#X DATE 3+/WK

Item Number: 00630

Question Number(s): 3C26 On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times aweek"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	26.1	661	1	NEVER: (1)
17.4	16.0	406	2	1/MO OR<:(2)
13.9	12.8	324	3	2-3/MO:(3)
13.8	12.7	321	4	1/WK:(4)
15.7	14.5	366	5	2-3/WK:(5)
11.0	10.1	257	6	3+/WK:(6)
	7.9	200	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 416-417

V3196 053C27 :DRIVE>200 MI/WK

Item Number: 00640

Question Number(s): 3C27 During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	14.7	374	1	NONE: (1)
7.6	7.0	178	2	1-10 MI:(2)
21.3	19.7	499	3	11-50:(3)
22.3	20.6	523	4	51-100:(4)
19.1	17.7	448	5	101-200:(5)
13.9	12.8	325	6	> 200:(6)
	7.4	188	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 418-419

V3197 053C28 :#X/12MO R TCKTD

Item Number: 00650

Question Number(s): 3C28 Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	66.8	1,694	0	NONE: (0)
16.8	15.3	388	1	ONE:(1)
6.2	5.7	144	2	TWO:(2)
2.4	2.2	55	3	THREE: (3)
1.3	1.2	31	4	4+:(4)
	8.8	224	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 420-421

V3198

053C29AR#TCKTS AFT DRNK

Item Number: 00660

Question Number(s): 3C29A How many of these tickets or warnings occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	23.2	588	0	None:(0)
3.2	0.8	20	1	One:(1)
0.7	0.2	5	2	Two: (2)
0.3	0.1	2	3	3-4 or +: (3-4)
	75.8	1,921	-9	MISSING
100 0	100 0	2 536	Cageg	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 422-423

V3199 053C29BR#TCKTS AFT MARJ

Item Number: 00670

Question Number(s): 3C29B How many of these tickets or warnings occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	23.2	588	0	None:(0)
2.9	0.7	17	1	One:(1)
1.0	0.3	6	2	Two: (2)
0.3	0.1	2	3	3-4 or +: (3-4)
	75.8	1,922	-9	MISSING
100 0	100 0	2 526	~~~~	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 424-425

V3200

053C29CR#TCKTS AFT OTDG

Item Number: 00680

Question Number(s): 3C29C How many of these tickets or warnings occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	23.8	603	0	None:(0)
1.2	0.3	8	1	One:(1)
0.2	0.0	1	2	Two: (2)
0.1	0.0	0	3	3-4 or +: (3-4)
	75.8	1,923	-9	MISSING
100 0	100 0	2.536	cases	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 426-427

V3201 053C30 :#ACCIDNTS/12 MO

Item Number: 00690

Question Number(s): 3C30 We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO TOP OF NEXT COLUMN " 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	69.2	1,754	0	NONE: (0)
17.5	15.8	402	1	ONE:(1)
4.9	4.5	113	2	TWO:(2)
0.9	0.8	21	3	THREE: (3)
0.4	0.4	9	4	4+:(4)
	9.3	237	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 428-429

V3202 053C31AR#ACDTS AFT DRNK

Item Number: 00700

Question Number(s): 3C31A How many of these accidents occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	20.7	524	0	None:(0)
3.4	0.7	18	1	One:(1)
0.4	0.1	2	2	Two: (2)
0.0	0.0	0	3	3-4 or +: (3-4)
	78.5	1,992	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 430-431

V3203

053C31BR#ACDTS AFT MARJ

Item Number: 00710

Question Number(s): 3C31B How many of these accidents occurred after you were . . . B: Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	20.9	530	0	None:(0)
2.2	0.5	12	1	One:(1)
0.1	0.0	1	2	Two:(2)
0.0	0.0	0	3	3-4 or +: (3-4)
	78.6	1,993	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 432-433

V3204 053C31CR#ACDTS AFT OTDG

Item Number: 00720

Question Number(s): 3C31C How many of these accidents occurred

after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more" Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	21.2	538	0	None:(0)
0.2	0.0	1	1	One:(1)
0.1	0.0	1	2	Two: (2)
0.0	0.0	0	3	3-4 or +: (3-4)
	78.7	1,995	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 434-435

V3302 053D01 :CMP SATFD W/LIFE

Item Number: 06840

Question Number(s): 3D01 How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.9	74	1	COMP DIS:(1)
6.4	5.9	150	2	QUITE DS:(2)
8.8	8.1	205	3	SMWT DIS:(3)
12.7	11.7	297	4	NEITHER: (4)
22.5	20.7	524	5	SMWT SAT:(5)
35.3	32.4	822	6	QUITE ST:(6)
11.1	10.2	259	7	COMP SAT: (7)
	8.0	204	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 436-437

V3484 053D02 :FEEL UNSAFE@SCHL

Item Number: 25770

Question Number(s): 3D02 The next questions are about feeling unsafe--that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	48.6	1,231	1	NEVER: (1)
33.2	30.6	777	2	RARELY:(2)
8.7	8.0	204	3	SOMEDAYS: (3)
2.4	2.2	56	4	MOSTDAYS: (4)
3.0	2.8	70	5	EVERYDAY: (5)
	7.8	198	-9	MISSING

Data type: numeric Missing-data code: -9 Columns: 438-439

100.0 100.0 2,536 cases

V3485 053D03 :UNSAF TO/FRM SCH

Item Number: 25780

Question Number(s): 3D03 How often do you feel unsafe going to

or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	52.5	1,332	1	NEVER: (1)
30.7	28.3	717	2	RARELY: (2)
7.8	7.1	181	3	SOMEDAYS: (3)
2.3	2.2	55	4	MOSTDAYS: (4)
2.1	1.9	49	5	EVERYDAY: (5)
	7.9	201	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 440-441

V3486 053D04 :4WK/UNSAF AVDSCH

Item Number: 25790

Question Number(s): 3D04 During the LAST FOUR WEEKS, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	89.2	2,262	1	0 DAYS:(1)
1.2	1.1	29	2	1 DAY:(2)
0.9	0.8	21	3	2-3 DAYS:(3)
0.7	0.6	16	4	4+ DAYS:(4)
	8.2	207	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 442-443

V3501 053D05A:#X KETAMINE/12M

Item Number: 31060

Question Number(s): 3D05A Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you... A. taken ketamine ("special K," "super K")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	90.0	2,283	1	0(1)
0.6	0.6	15	2	1-2(2)
0.6	0.5	14	3	3-5(3)
0.1	0.1	2	4	6-9(4)
0.2	0.2	4	5	10-19(5)
0.0	0.0	0	6	20-39(6)
0.0	0.0	1	7	40+(7)
	8.6	217	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 444-445

V3503 053D05B: #X ANDRO/12MO

Item Number: 31160

Question Number(s): 3D05B During the last 12 months, on how many occasions (if any) have you... B. taken "andro" (androstenedione, non-prescription steroid)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	89.7	2,275	1	0(1)
0.5	0.5	12	2	1-2(2)
0.3	0.3	7	3	3-5(3)
0.5	0.4	11	4	6-9(4)
0.1	0.1	2	5	10-19(5)
0.2	0.1	3	6	20-39(6)
0.1	0.1	2	7	40+(7)
	8.8	224	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 446-447

V3504 053D05C:#X CREATINE/12MO

Item Number: 31170

Question Number(s): 3D05C During the last 12 months, on how many occasions (if any) have you... C. taken creatine (amino acid used to build muscles)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	83.7	2,122	1	0(1)
1.5	1.4	36	2	1-2(2)
1.4	1.3	33	3	3-5(3)
1.0	0.9	22	4	6-9(4)
1.4	1.3	32	5	10-19(5)
0.7	0.7	17	6	20-39(6)
2.1	1.9	48	7	40+(7)
	8.9	225	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 448-449

V3505 053D05D:#X RITALIN/12MO

Item Number: 31180

Question Number(s): 3D05D During the last 12 months, on how many occasions (if any) have you... D. taken Ritalin (without a doctor's orders)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	87.9	2,227	1	0(1)
1.5	1.4	36	2	1-2(2)
0.9	0.8	21	3	3-5(3)
0.4	0.4	10	4	6-9(4)
0.4	0.4	10	5	10-19(5)
0.2	0.2	4	6	20-39(6)
0.4	0.3	9	7	40+(7)
	8.6	219	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 450-451

V3506 053D05E:#X ROHYPNL/12MO

Item Number: 29785

Question Number(s): 3D05E During the last 12 months, on how many occasions (if any) have you... E. taken Rohypnol ("rophies," "roofies")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	90.3	2,290	1	0(1)
0.5	0.4	11	2	1-2(2)
0.2	0.2	6	3	3-5(3)
0.1	0.1	2	4	6-9(4)
0.0	0.0	1	5	10-19(5)
0.0	0.0	0	6	20-39(6)
0.1	0.1	3	7	40+(7)
	8.8	223	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 452-453

V3309

053D06A:12MO REDUCE ALCL

Item Number: 08910

Question Number(s): 3D06A At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . A: Alcohol?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	38.7	982	0	NO:(0)
21.2	16.9	429	1	YES:(1)
30.4	24.3	616	8	HVNT USD:(8)
	20.1	509	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 454-455

V3310 053D06B:12MO REDUCE CIG

Item Number: 08920

Question Number(s): 3D06B At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . B: Cigarettes?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	15.5	393	0	NO:(0)
19.3	17.3	439	1	YES:(1)
63.5	57.1	1,447	8	HVNT USD: (8)
	10.1	257	-9	MISSING
100 0	100 0	2 526	~~~~	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 456-457

V3311 053D06C:12MO REDUCE MARJ

Item Number: 08930

Question Number(s): 3D06C At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . C: Marijuana?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	13.2	334	0	NO:(0)
16.7	13.4	339	1	YES:(1)
66.8	53.4	1,353	8	HVNT USD:(8)
	20.1	509	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 458-459

V3312 053D06D:12MO REDUCE PSYC

Item Number: 08940

Question Number(s): 3D06D At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . D: Hallucinogens (LSD, etc.)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.1	52	0	NO:(0)
1.0	0.8	20	1	YES:(1)
96.4	76.8	1,948	8	HVNT USD: (8)
	20.3	515	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 460-461

V3313 053D06E:12MO REDUCE AMPH

Item Number: 08950

Question Number(s): 3D06E At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . E: Amphetamines (uppers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.4	62	0	NO:(0)
1.9	1.5	38	1	YES:(1)
94.9	73.0	1,851	8	HVNT USD: (8)
	23.1	585	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 462-463

V3443 053D06F:12MO REDUCE TRQL

Item Number: 09005

Question Number(s): 3D06F At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . F: Tranquilizers?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.3	58	0	NO: (0)
1.8	1.4	35	1	YES:(1)
95.3	74.6	1,892	8	HVNT USD:(8)
	21.7	551	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 464-465

V3510 053D06G:12MO REDUCE SD/B

Item Number: 08975

Question Number(s): 3D06G At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . G: Sedatives/barbiturates (downers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	9.6	243	0	NO:(0)
3.2	2.7	69	1	YES:(1)
85.6	73.3	1,860	8	HVNT USD:(8)
	14.3	363	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 466-467

V3316 053D06H:12MO REDUCE COKE

Item Number: 08980

Question Number(s): 3D06H At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . H: Cocaine?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.7	42	0	NO:(0)
2.3	1.8	46	1	YES:(1)
95.7	77.4	1,961	8	HVNT USD: (8)
	19.2	486	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 468-469

V3317 053D06I:12MO REDUCE HRN

Item Number: 08990

Question Number(s): 3D06I At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . I: Heroin?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	12	0	NO:(0)
0.3	0.2	5	1	YES:(1)
99.2	79.7	2,020	8	HVNT USD: (8)
	19.6	498	-9	MISSING
100 0	100 0	2 526	a2a2a	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 470-471

V3318 053D06J:12MO REDUCE NARC

Item Number: 09000

Question Number(s): 3D06J At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . . J: Other narcotics?

1="Yes" 0="No" 8="Haven't used in last 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.2	56	0	NO:(0)
1.8	1.4	35	1	YES:(1)
95.4	73.3	1,858	8	HVNT USD: (8)
	23.2	587	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 472-473

V3319 053D07 :NXT 12MOS USE MJ

Item Number: 09010

Question Number(s): 3D07 How likely is it that you will use marijuana in the next 12 months?

1="Definitely will--GO TO QUESTION 9" 2="Probably will--GO TO QUESTION 9" 3="Probably will not" 4="Definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	9.9	251	1	DEF WILL:(1)
11.0	9.5	240	2	PRB WILL:(2)
17.4	15.0	380	3	PRB WONT:(3)
60.1	51.8	1,315	4	DEF WONT: (4)
	13.8	349	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 474-475

V3320 053D08A:CNCRN PSYCH DAMG

Item Number: 09020

Question Number(s): 3D08A Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) A. Concerned about possible psychological damage

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	26.9	682	0	NT MRKD:(0)
58.0	37.1	941	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 476-477

V3321

053D08B:CNCRN PHYSCL DMG

Item Number: 09030

Question Number(s): 3D08B Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) B. Concerned about possible physical damage

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	28.6	726	0	NT MRKD:(0)
55.2	35.4	897	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 478-479

V3322 053D08C:CNCRN GT ARRESTD

Item Number: 09040

Question Number(s): 3D08C Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) C. Concerned about getting arrested

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	30.5	774	0	NT MRKD:(0)
52.3	33.5	849	1	MARKED:(1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 480-481

V3323

053D08D:CNCRN BECOM ADCT

Item Number: 09050

Question Number(s): 3D08D Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) D. Concerned about becoming addicted to marijuana

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	33.5	849	0	NT MRKD:(0)
47.7	30.6	775	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 482-483

V3324 053D08E:AGST MY BELIEFS

Item Number: 09060

Question Number(s): 3D08E Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) E. It's against my beliefs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	35.7	906	0	NT MRKD:(0)
44.2	28.3	717	1	MARKED:(1)
	36.0	912	-9	MISSING
100.0	100.0	2.536	cases	

Data type: numeric Missing-data code: -9 Columns: 484-485

V3325

053D08F:CNCRN LEGY&AMBTN

Item Number: 09070

Question Number(s): 3D08F Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) F. Concerned about loss of energy or ambition

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	41.0	1,039	0	NT MRKD:(0)
36.0	23.0	584	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 486-487

V3326 053D08G:CNCRN LOSS CNTRL

Item Number: 09080

Question Number(s): 3D08G Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) Concerned about possible loss of control of myself

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	33.9	858	0	NT MRKD:(0)
47.1	30.2	765	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 488-489

V3327

053D08H:MJ ->STRNGR DRGS

Item Number: 09090

Question Number(s): 3D08H Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) H. It might lead to stronger drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	32.6	825	0	NT MRKD:(0)
49.2	31.5	798	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 490-491

V3328 053D08I:MJ NOT ENJOYABLE

Item Number: 09100

Question Number(s): 3D08I Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) I. Not enjoyable, I didn't like it

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 492-493

V3329

053D08J:PRNTS DISAPPROVE

Item Number: 09110

Question Number(s): 3D08J Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) J. My parents would disapprove

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 494-495

V3330 053D08K:HS/WF DISAPPROVE

Item Number: 09120

Question Number(s): 3D08K Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) K. My husband/wife (or boyfriend/girlfriend) would disapprove

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	43.1	1,092	0	NT MRKD:(0)
32.7	20.9	531	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 496-497

V3331

053D08L:DONT LIKE USERS

Item Number: 09130

Question Number(s): 3D08L Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) L. I don't like being with the people who use it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	37.1	939	0	NT MRKD:(0)
42.1	27.0	684	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 498-499

V3332 053D08M:FRNDS DNT USE IT

Item Number: 09140

Question Number(s): 3D08M Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) M. My friends don't use it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	42.0	1,065	0	NT MRKD:(0)
34.4	22.0	558	1	MARKED:(1)
	36.0	912	-9	MISSING
100.0	100.0	2.536	cases	

Data type: numeric Missing-data code: -9 Columns: 500-501

V3333

053D08N:PSSBLY BAD TRIP

Item Number: 09150

Question Number(s): 3D08N Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) N. I might have a bad trip

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	50.1	1,270	0	NT MRKD:(0)
21.8	13.9	353	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 502-503

V3334 053D080:TOO EXPENSIVE

Item Number: 09160

Question Number(s): 3D080 Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) 0. Too expensive

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	49.1	1,244	0	NT MRKD:(0)
23.3	14.9	379	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 504-505

V3335

053D08P:NOT AVAILABLE

Item Number: 09170

Question Number(s): 3D08P Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) P. Not available

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	59.7	1,514	0	NT MRKD:(0)
6.7	4.3	109	1	MARKED: (1)
	36.0	912	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 506-507

V3336 053D08Q:NOT WNT GET HIGH

Item Number: 09180

Question Number(s): 3D08Q Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.) Q. Don't feel like getting high

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 508-509

V3337

053D09AA:AL CS BEHV REGRT

Item Number: 09190

Question Number(s): 3D09AA Has your use of alcohol ever caused any of the following problems for you? A. Caused you to behave in ways that you later regretted $\frac{1}{2}$

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 510-511

V3338 053D09AB:AL HURT REL PRNT

Item Number: 09200

Question Number(s): 3D09AB Has your use of alcohol ever caused any of the following problems for you? B. Hurt your relationship with your parents $\frac{1}{2}$

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	87.8	2,226	0	NT MRKED:(0)
7.7	7.3	186	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 512-513

V3339 053D09AC:AL HURT REL SPSE

Item Number: 09210

Question Number(s): 3D09AC Has your use of alcohol ever caused any of the following problems for you? C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	85.8	2,176	0	NT MRKED:(0)
9.8	9.3	235	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 514-515

V3340 053D09AD:AL HURT REL FRND

Item Number: 09220

Question Number(s): 3D09AD Has your use of alcohol ever caused any of the following problems for you? D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	87.8	2,226	0	NT MRKED:(0)
7.7	7.3	185	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 516-517

V3341

053D09AE:AL HURT REL TCHR

Item Number: 09230

Question Number(s): 3D09AE Has your use of alcohol ever caused any of the following problems for you? E. Hurt your relationships with teachers or supervisors $\frac{1}{2}$

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	94.1	2,386	0	NT MRKED:(0)
1.1	1.0	25	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 518-519

V3342 053D09AF:AL INV PL BD INF

Item Number: 09240

Question Number(s): 3D09AF Has your use of alcohol ever caused any of the following problems for you? F. Involved you with people you think are

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	87.3	2,213	0	NT MRKED:(0)
8.2	7.8	199	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 520-521

V3343 053D09AG:AL HURT PERF JOB

Item Number: 09250

Question Number(s): 3D09AG Has your use of alcohol ever caused any of the following problems for you? G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	90.7	2,300	0	NT MRKED:(0)
4.6	4.4	112	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 522-523

V3344 053D09AH:AL CAUS<INTERSTD

Item Number: 09260

Question Number(s): 3D09AH Has your use of alcohol ever caused any of the following problems for you? H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	91.6	2,321	0	NT MRKED: (0)
3.7	3.5	90	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 524-525

V3345

053D09AI:AL CS<STABL EMTN

Item Number: 09270

Question Number(s): 3D09AI Has your use of alcohol ever caused any of the following problems for you? I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	88.4	2,243	0	NT MRKED:(0)
7.0	6.7	169	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 526-527

V3346 053D09AJ:AL CS HAV<ENERGY

Item Number: 09280

Question Number(s): 3D09AJ Has your use of alcohol ever caused any of the following problems for you? J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	88.8	2,252	0	NT MRKED: (0)
6.6	6.3	160	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 528-529

V3347 053D09AK:AL INTF THNK CLR

Item Number: 09290

Question Number(s): 3D09AK Has your use of alcohol ever caused any of the following problems for you? K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	78.8	1,998	0	NT MRKED:(0)
17.1	16.3	413	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 530-531

V3348 053D09AL:AL BD PSYCH EFCT

Item Number: 09300

Question Number(s): 3D09AL Has your use of alcohol ever caused any of the following problems for you? L. Had other bad psychological effects ${\tt Number 1}$

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	93.3	2,365	0	NT MRKED:(0)
1.9	1.8	47	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 532-533

V3349

053D09AM:AL CS HEALTH BAD

Item Number: 09310

Question Number(s): 3D09AM Has your use of alcohol ever caused any of the following problems for you? M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	92.4	2,342	0	NT MRKED:(0)
2.9	2.7	69	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 534-535

V3350 053D09AN:AL CS DRIV UNSAF

Item Number: 09320

Question Number(s): 3D09AN Has your use of alcohol ever caused any of the following problems for you? N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	88.1	2,234	0	NT MRKED:(0)
7.4	7.0	178	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 536-537

V3351

053D09AO:AL GT TRBL W POL

Item Number: 09330

Question Number(s): 3D09AO Has your use of alcohol ever caused any of the following problems for you? O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	91.9	2,330	0	NT MRKED:(0)
3.4	3.2	81	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 538-539

V3352 053D09AP:AL CS NO PROBLEM

Item Number: 09340

Question Number(s): 3D09AP Has your use of alcohol ever caused any of the following problems for you? P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	79.2	2,008	0	NT MRKED: (0)
16.7	15.9	404	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 540-541

V3353

053D09AQ:AL NEVER USED DG

Item Number: 09350

Question Number(s): 3D09AQ Has your use of alcohol ever caused any of the following problems for you? Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	88.1	2,234	0	NT MRKED:(0)
7.3	7.0	177	1	MARKED: (1)
	4.9	124	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 542-543

V3354 053D09MA:MJ CS BEHV REGRT

Item Number: 09360

Question Number(s): 3D09MA Has your use of marijuana ever caused any of the following problems for you? A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	90.7	2,300	0	NT MRKED:(0)
6.6	6.4	163	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 544-545

V3355

053D09MB:MJ HURT REL PRNT

Item Number: 09370

Question Number(s): 3D09MB Has your use of marijuana ever caused any of the following problems for you? B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	91.4	2,317	0	NT MRKED:(0)
5.9	5.7	145	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 546-547

V3356 053D09MC:MJ HURT REL SPSE

Item Number: 09380

Question Number(s): 3D09MC Has your use of marijuana ever caused any of the following problems for you? C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	93.0	2,358	0	NT MRKED: (0)
4.2	4.1	104	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2.536	cases	

Data type: numeric Missing-data code: -9 Columns: 548-549

V3357

053D09MD:MJ HURT REL FRND

Item Number: 09390

Question Number(s): 3D09MD Has your use of marijuana ever caused any of the following problems for you? D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	93.9	2,381	0	NT MRKED: (0)
3.3	3.2	81	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 550-551

V3358 053D09ME:MJ HURT REL TCHR

Item Number: 09400

Question Number(s): 3D09ME Has your use of marijuana ever caused any of the following problems for you? E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	95.7	2,427	0	NT MRKED: (0)
1.4	1.4	36	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 552-553

V3359 053D09MF:MJ INV PL BD INF

Item Number: 09410

Question Number(s): 3D09MF Has your use of marijuana ever caused any of the following problems for you? F. Involved you with people you think are

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	88.6	2,247	0	NT MRKED:(0)
8.7	8.5	215	1	MARKED:(1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 554-555

V3360 053D09MG:MJ HURT PERF JOB

Item Number: 09420

Question Number(s): 3D09MG Has your use of marijuana ever caused any of the following problems for you? G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	92.6	2,348	0	NT MRKED:(0)
4.7	4.5	115	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 556-557

V3361 053D09MH:MJ CAUS<INTERSTD

Item Number: 09430

Question Number(s): 3D09MH Has your use of marijuana ever caused any of the following problems for you? H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	91.4	2,318	0	NT MRKED:(0)
5.9	5.7	145	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 558-559

V3362 053D09MI:MJ CS<STABL EMTN

Item Number: 09440

Question Number(s): 3D09MI Has your use of marijuana ever caused any of the following problems for you? I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	93.9	2,381	0	NT MRKED:(0)
3.3	3.2	81	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 560-561

V3363

053D09MJ:MJ CS HAV<ENERGY

Item Number: 09450

Question Number(s): 3D09MJ Has your use of marijuana ever caused any of the following problems for you? J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	88.4	2,242	0	NT MRKED:(0)
9.0	8.7	221	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 562-563

V3364 053D09MK:MJ INTF THNK CLR

Item Number: 09460

Question Number(s): 3D09MK Has your use of marijuana ever caused any of the following problems for you? K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	87.8	2,225	0	NT MRKED:(0)
9.6	9.4	237	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 564-565

V3365 053D09ML:MJ BD PSYCH EFCT

Item Number: 09470

Question Number(s): 3D09ML Has your use of marijuana ever caused any of the following problems for you? L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	95.0	2,408	0	NT MRKED: (0)
2.2	2.2	55	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 566-567

V3366 053D09MM:MJ CS HEALTH BAD

Item Number: 09480

Question Number(s): 3D09MM Has your use of marijuana ever caused any of the following problems for you? M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.6	2,399	0	NT MRKED: (0)
2.6	2.5	64	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 568-569

V3367

053D09MN:MJ CS DRIV UNSAF

Item Number: 09490

Question Number(s): 3D09MN Has your use of marijuana ever caused any of the following problems for you? N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	94.5	2,395	0	NT MRKED:(0)
2.7	2.7	68	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 570-571

V3368 053D09MO:MJ GT TRBL W POL

Item Number: 09500

Question Number(s): 3D09MO Has your use of marijuana ever caused any of the following problems for you? O. Gotten you into trouble with the police $\frac{1}{2}$

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.4	2,418	0	NT MRKED: (0)
1.8	1.8	45	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 572-573

V3369

053D09MP:MJ CS NO PROBLEM

Item Number: 09510

Question Number(s): 3D09MP Has your use of marijuana ever caused any of the following problems for you? P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	70.7	1,791	0	NT MRKED:(0)
27.2	26.5	671	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 574-575

V3370 053D09MQ:MJ NEVER USED DG

Item Number: 09520

Question Number(s): 3D09MQ Has your use of marijuana ever caused any of the following problems for you? Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	76.2	1,932	0	NT MRKED: (0)
21.6	20.9	531	1	MARKED: (1)
	2.9	73	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 576-577

V3371 053D09OA:OT CS BEHV REGRT

Item Number: 09530

Question Number(s): 3D090A Has your use of other illegal drugs ever caused any of the following problems for you? A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	88.9	2,255	0	NT MRKED:(0)
2.4	2.2	57	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 578-579

V3372 053D09OB:OT HURT REL PRNT

Item Number: 09540

Question Number(s): 3D090B Has your use of other illegal drugs ever caused any of the following problems for you? B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	89.9	2,279	0	NT MRKED:(0)
1.4	1.3	33	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 580-581

V3373 053D09OC:OT HURT REL SPSE

Item Number: 09550

Question Number(s): 3D090C Has your use of other illegal drugs ever caused any of the following problems for you? C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	89.4	2,268	0	NT MRKED: (0)
1.9	1.7	44	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 582-583

V3374 053D09OD:OT HURT REL FRND

Item Number: 09560

Question Number(s): 3D090D Has your use of other illegal drugs ever caused any of the following problems for you? D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	89.6	2,271	0	NT MRKED:(0)
1.7	1.6	40	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 584-585

V3375 053D09OE:OT HURT REL TCHR

Item Number: 09570

Question Number(s): 3D090E Has your use of other illegal drugs ever caused any of the following problems for you? E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	90.5	2,295	0	NT MRKED:(0)
0.7	0.6	16	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 586-587

V3376 053D09OF:OT INV PL BD INF

Item Number: 09580

Question Number(s): 3D090F Has your use of other illegal drugs ever caused any of the following problems for you? F. Involved you with people you think are

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	89.0	2,257	0	NT MRKED: (0)
2.3	2.1	54	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 588-589

V3377 053D09OG:OT HURT PERF JOB

Item Number: 09590

Question Number(s): 3D090G Has your use of other illegal drugs ever caused any of the following problems for you? G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	89.8	2,276	0	NT MRKED:(0)
1.5	1.4	36	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 590-591

V3378 053D09OH:OT CAUS<INTERSTD

Item Number: 09600

Question Number(s): 3D090H Has your use of other illegal drugs ever caused any of the following problems for you? H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	89.7	2,275	0	NT MRKED:(0)
1.6	1.5	37	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 592-593

V3379

053D09OI:OT CS<STABL EMTN

Item Number: 09610

Question Number(s): 3D090I Has your use of other illegal drugs ever caused any of the following problems for you? I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	89.6	2,271	0	NT MRKED:(0)
1.8	1.6	41	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 594-595

V3380 053D09OJ:OT CS HAV<ENERGY

Item Number: 09620

Question Number(s): 3D090J Has your use of other illegal drugs ever caused any of the following problems for you? J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	89.9	2,280	0	NT MRKED:(0)
1.4	1.3	32	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 596-597

V3381 053D09OK:OT INTF THNK CLR

Item Number: 09630

Question Number(s): 3D090K Has your use of other illegal drugs ever caused any of the following problems for you? K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	88.9	2,254	0	NT MRKED:(0)
2.5	2.3	57	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 598-599

V3382 053D09OL:OT BD PSYCH EFCT

Item Number: 09640

Question Number(s): 3D090L Has your use of other illegal drugs ever caused any of the following problems for you? L. Had other bad psychological effects $\frac{1}{2}$

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	90.2	2,288	0	NT MRKED:(0)
1.0	0.9	24	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 600-601

V3383

053D09OM:OT CS HEALTH BAD

Item Number: 09650

Question Number(s): 3D090M Has your use of other illegal drugs ever caused any of the following problems for you? M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	90.4	2,291	0	NT MRKED:(0)
0.9	0.8	21	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 602-603

V3384 053D09ON:OT CS DRIV UNSAF

Item Number: 09660

Question Number(s): 3D09ON Has your use of other illegal drugs ever caused any of the following problems for you? N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	90.6	2,297	0	NT MRKED: (0)
0.6	0.6	15	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 604-605

V3385

053D09OO:OT GT TRBL W POL

Item Number: 09670

Question Number(s): 3D0900 Has your use of other illegal drugs ever caused any of the following problems for you? O. Gotten you into trouble with the police $\frac{1}{2}$

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	90.9	2,305	0	NT MRKED:(0)
0.3	0.3	7	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 606-607

V3386 053D09OP:OT CS NO PROBLEM

Item Number: 09680

Question Number(s): 3D090P Has your use of other illegal drugs ever caused any of the following problems for you? P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	65.4	1,658	0	NT MRKED: (0)
28.3	25.8	653	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 608-609

V3387

053D09OQ:OT NEVER USED DG

Item Number: 09690

Question Number(s): 3D090Q Has your use of other illegal drugs ever caused any of the following problems for you? Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	67.4	1,710	0	NT MRKED:(0)
26.0	23.7	602	1	MARKED: (1)
	8.8	224	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 610-611

V3477 053E01A:ALL FRD SMK CIGS

Item Number: 07070

Question Number(s): 3E01A How many of your friends would you

estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	15.8	401	1	NONE: (1)
38.7	34.3	869	2	A FEW: (2)
27.5	24.4	619	3	SOME: (3)
13.7	12.1	307	4	MOST: (4)
2.3	2.0	51	5	ALL:(5)
	11.4	289	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 612-613

V3478

053E01B:ALL FRD SMK MARJ

Item Number: 07080

Question Number(s): 3E01B How many of your friends would you estimate . . . B: Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	20.3	516	1	NONE: (1)
33.3	29.5	749	2	A FEW: (2)
26.2	23.3	590	3	SOME: (3)
15.0	13.3	337	4	MOST: (4)
2.6	2.3	58	5	ALL:(5)
	11.3	286	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 614-615

V3479 053E01C:# FRNDS TK CRACK

Item Number: 07151

Question Number(s): 3E01C How many of your friends would you

estimate . . . C: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	74.1	1,879	1	NONE: (1)
12.6	11.1	282	2	A FEW:(2)
2.8	2.5	63	3	SOME: (3)
0.7	0.6	15	4	MOST:(4)
0.4	0.3	9	5	ALL:(5)
	11.4	288	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 616-617

V3480

053E01D:# FRNDS TK C PWD

Item Number: 23990

Question Number(s): 3E01D How many of your friends would you

estimate. . . D: Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	67.1	1,702	1	NONE: (1)
18.1	15.9	403	2	A FEW: (2)
4.4	3.9	98	3	SOME: (3)
0.8	0.7	18	4	MOST:(4)
0.4	0.4	10	5	ALL:(5)
	12.0	304	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 618-619

V3481 053E01E:ALL FRD DRK ALCL

Item Number: 07190

Question Number(s): 3E01E How many of your friends would you estimate . . . E: Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.2	209	1	NONE: (1)
13.7	12.1	308	2	A FEW: (2)
21.0	18.6	471	3	SOME: (3)
36.6	32.4	821	4	MOST: (4)
19.4	17.2	436	5	ALL:(5)
	11.5	291	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 620-621

V3482

053E01F:ALL FRD GT DRUNK

Item Number: 07200

Question Number(s): 3E01F How many of your friends would you estimate . . . F: Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	19.7	501	1	NONE: (1)
24.6	21.8	552	2	A FEW: (2)
25.3	22.4	569	3	SOME: (3)
21.6	19.1	484	4	MOST:(4)
6.2	5.5	139	5	ALL:(5)
	11.4	290	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 622-623

V3499 053E02:USUAL CIG BRAND

Item Number: 30065

Question Number(s): 3E02 If you have smoked one or more cigarettes in the last 30 days, please answer this question. (If not, skip to Question 3.) What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4		2	1	/
0.0	0.0	0	2	, ,
0.1		0	3	B & W:(3)
0.0	0.0	0	4	CAMBRIDGE: (4)
17.2	2.9	73	5	CAMEL: (5)
0.5	0.1	2	6	- ' '
0.0	0.0	0	7	CARLTON: (7)
0.1	0.0	1	8	- (- /
0.0	0.0	0	9	GPC:(9)
0.2	0.0	1	10	KENT: (10)
1.5	0.2	6	11	KOOL: (11)
50.7	8.4	214	12	MARLBORO: (12)
0.2	0.0	1	13	MERIT: (13)
0.2	0.0	1	14	MISTY: (14)
0.1	0.0	1	15	MONARCH: (15)
0.0	0.0	0	16	MORE: (16)
13.9	2.3	59	17	NEWPORT: (17)
0.1	0.0	1	18	PALLMALL: (18)
2.7	0.4	11	19	PARLIAMENT: (19)
0.4	0.1	2	20	SALEM: (20)
0.0	0.0	0	21	VANTAGE: (21)
0.8	0.1	3	22	VA SLIMS: (22)
0.2	0.0	1	23	WINSTON: (23)
4.4	0.7	18	24	OTHER: (24)
6.3	1.1	27	25	NO USUAL: (25)
		2,113	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 624-626

V3394 053E03 :FUTR, HAV2 CNSUM<

Item Number: 09750

Question Number(s): 3E03 There has been talk about shortages of energy, food, and raw materials in this country. Do you think that in the coming years we will have plenty to meet our needs, a sufficient amount, or will we have to consume less?

1="Plenty to meet our needs" 2="A sufficient amount" 3="Will have to consume less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	16.1	408	1	PLENTY: (1)
50.0	42.3	1,072	2	SUFF AMT: (2)
31.0	26.2	663	3	CNSUM LS:(3)
	15.5	392	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 627-628

V3395 053E04A:GOV HP PRB POPL

Item Number: 09760

Question Number(s): 3E04A The questions in this section deal with population problems. How much do you agree or disagree with each statement? A: Our government should help other countries to control their population

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	23.9	605	1	DISAGREE: (1)
17.5	15.1	384	2	MOST DIS:(2)
32.7	28.2	716	3	NEITHER:(3)
14.5	12.6	318	4	MOST AGR: (4)
7.6	6.5	166	5	AGREE: (5)
	13.7	346	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 629-630

V3396 053E04B:GOV NO POP PLCY

Item Number: 09770

Question Number(s): 3E04B How much do you agree or disagree with each statement? B: Governments should avoid making policy about population and let the individual decide

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.0	229	1	DISAGREE: (1)
15.9	13.7	347	2	MOST DIS:(2)
39.1	33.6	853	3	NEITHER: (3)
22.0	18.9	479	4	MOST AGR: (4)
12.5	10.7	271	5	AGREE: (5)
	14.1	357	-9	MISSING
100 0	100 0	2 526	~~~~	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 631-632

V3397 053E04C:STR OVPOP,LMT FM

Item Number: 09780

Question Number(s): 3E04C How much do you agree or disagree with each statement? C: I feel strongly enough about preventing overpopulation that I'd be willing to limit my family to two children

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	20.8	528	1	DISAGREE: (1)
13.7	11.7	298	2	MOST DIS:(2)
35.7	30.6	776	3	<pre>NEITHER:(3)</pre>
13.5	11.5	292	4	MOST AGR: (4)
12.8	11.0	278	5	AGREE: (5)
	14.3	362	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 633-634

V3445 053E05A:STS SCH RT FAMLY

Item Number: 13580

Question Number(s): 3E05A How important is each of the following for being looked up to or having high status in your school? A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	17.9	453	1	NO IMPRT:(1)
20.1	17.1	434	2	LITL IMP:(2)
29.8	25.3	642	3	MOD IMPT:(3)
15.3	13.0	330	4	GRT IMPT:(4)
13.7	11.7	296	5	VGRT IMP:(5)
	15.0	379	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 635-636

V3446

053E05B:STS SCH LDS STU

Item Number: 13590

Question Number(s): 3E05B How important is each of the following for being looked up to or having high status in your school? B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	9.9	252	1	NO IMPRT:(1)
20.0	17.0	431	2	LITL IMP:(2)
33.6	28.5	723	3	MOD IMPT:(3)
22.3	18.9	480	4	GRT IMPT:(4)
12.4	10.6	268	5	VGRT IMP:(5)
	15.0	381	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 637-638

V3447 053E05C:STS SCH NIC CAR

Item Number: 13600

Question Number(s): 3E05C How important is each of the following for being looked up to or having high status in your school? C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	16.1	409	1	NO IMPRT:(1)
24.5	20.9	529	2	LITL IMP:(2)
29.6	25.1	638	3	MOD IMPT:(3)
16.1	13.7	348	4	GRT IMPT:(4)
10.8	9.2	233	5	VGRT IMP:(5)
	14.9	379	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 639-640

V3448

053E05D:STS SCH HI GRDE

Item Number: 13610

Question Number(s): 3E05D How important is each of the following for being looked up to or having high status in your school? D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	8.1	205	1	NO IMPRT:(1)
17.5	14.9	377	2	LITL IMP:(2)
29.6	25.1	637	3	MOD IMPT:(3)
24.4	20.7	526	4	GRT IMPT:(4)
18.9	16.0	407	5	VGRT IMP:(5)
	15.1	383	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 641-642

V3449 053E05E:STS SCH GD ATHLT

Item Number: 13620

Question Number(s): 3E05E How important is each of the following for being looked up to or having high status in your school? E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	8.8	223	1	NO IMPRT:(1)
10.0	8.5	216	2	LITL IMP:(2)
26.5	22.6	572	3	MOD IMPT:(3)
31.2	26.5	672	4	GRT IMPT:(4)
21.9	18.6	472	5	VGRT IMP:(5)
	15.0	380	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 643-644

V3450

053E05F:STS SCH INTLCTL

Item Number: 13630

Question Number(s): 3E05F How important is each of the following for being looked up to or having high status in your school? F: Knowing a lot about intellectual matters

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	11.7	296	1	NO IMPRT:(1)
26.4	22.5	571	2	LITL IMP:(2)
31.7	27.0	686	3	MOD IMPT:(3)
18.4	15.7	398	4	GRT IMPT:(4)
9.8	8.3	211	5	VGRT IMP:(5)
	14.8	374	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 645-646

V3451 053E05G:STS SCH PLN CLG

Item Number: 13640

Question Number(s): 3E05G How important is each of the following for being looked up to or having high status in your school? G: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	8.9	226	1	NO IMPRT:(1)
14.7	12.5	317	2	LITL IMP:(2)
26.4	22.5	571	3	MOD IMPT:(3)
23.3	19.8	503	4	GRT IMPT:(4)
25.2	21.5	544	5	VGRT IMP:(5)
	14.8	374	-9	MISSING
100 0	100 0	2 536	Cacac	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 647-648

V3452 053E06A:DRG USE+,MAJ STD

Item Number: 13650

Question Number(s): 3E06A How about using drugs (other than marijuana or alcohol)--does that cause a student to be looked up to or looked down on? A: Among the majority of students in my school, such drug use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither, mixed" 4="Looked up to some" 5="Looked up to a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	15.3	387	1	DOWN LOT: (1)
19.8	16.8	425	2	DOWN SOM: (2)
51.6	43.6	1,107	3	NEITHER: (3)
8.7	7.3	186	4	UP SOME: (4)
1.9	1.6	41	5	UP A LOT: (5)
	15.4	390	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 649-650

V3453 053E06B:DRG USE+,MY FRND

Item Number: 13660

Question Number(s): 3E06B How about using drugs (other than marijuana or alcohol)--does that cause a student to be looked up to or looked down on? B: Among my own group of friends, such drug use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither, mixed" 4="Looked up to some" 5="Looked up to a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	32.2	816	1	DOWN LOT: (1)
18.1	15.3	387	2	DOWN SOM: (2)
36.3	30.6	775	3	NEITHER:(3)
5.5	4.6	117	4	UP SOME: (4)
2.0	1.7	43	5	UP A LOT: (5)
	15.7	397	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 651-652

V3454 053E06C:DRG USE+,MY FLGS

Item Number: 13670

Question Number(s): 3E06C How about using drugs (other than marijuana or alcohol)--does that cause a student to be looked up to or looked down on? C: My own feeling about such drug use is that . . .

1="I look down on it a lot" 2="I Look down on it some" 3="Neither, or mixed" 4="I Look up to it some" 5="I Look up to it a lot"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	44.3	1,123	1	DOWN LOT: (1)
15.0	12.6	320	2	DOWN SOM: (2)
29.0	24.4	619	3	NEITHER:(3)
2.5	2.1	53	4	UP SOME: (4)
0.9	0.8	20	5	UP A LOT: (5)
	15.8	400	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 653-654

V3496 053E07A:#HR/W CMPUTR SCH

Item Number: 29930

Question Number(s): 3E07A About how many hours a week do you spend using a computer . . . A: . . . doing school work?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours" 5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	9.7	245	1	NONE: (1)
26.4	22.6	572	2	< 1 HR:(2)
32.6	27.8	705	3	1-2 HRS:(3)
19.2	16.4	416	4	3-5 HRS:(4)
6.1	5.2	132	5	6-9 HRS:(5)
2.0	1.7	44	6	10-19 HRS:(6)
2.3	1.9	49	7	20 OR +: (7)
	14.7	373	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 655-656

V3497 053E07B:#HR/W CMPUTR JOB

Item Number: 29940

Question Number(s): 3E07B About how many hours a week do you spend using a computer . . . B: . . . at your job, if you have one?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours" 5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	60.0	1,522	1	NONE: (1)
8.6	6.9	175	2	< 1 HR:(2)
3.8	3.1	78	3	1-2 HRS:(3)
3.9	3.1	80	4	3-5 HRS:(4)
2.8	2.2	56	5	6-9 HRS:(5)
2.2	1.8	46	6	10-19 HRS:(6)
3.6	2.9	74	7	20 OR +: (7)
	19.9	506	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 657-658

V3498 053E07C:#HR/W CMPUTR OTH

Item Number: 29950

Question Number(s): 3E07C About how many hours a week do you spend using a computer . . . C: . . . doing other things?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours" 5="6-9 hours" 6="10-19 hours" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	8.1	205	1	NONE: (1)
13.7	11.6	295	2	< 1 HR:(2)
21.3	18.1	459	3	1-2 HRS:(3)
20.6	17.5	444	4	3-5 HRS:(4)
14.9	12.7	321	5	6-9 HRS:(5)
9.6	8.1	206	6	10-19 HRS:(6)
10.3	8.8	223	7	20 OR +: (7)
	15.1	383	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 659-660

V3407 053E08A:SM1 SCL ROB <\$50

Item Number: 09871

Question Number(s): 3E08A The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .A: Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	61.9	1,568	1	NOT @ALL:(1)
18.8	16.2	412	2	ONCE: (2)
6.5	5.6	142	3	TWICE:(3)
1.8	1.5	39	4	3-4x:(4)
1.2	1.0	26	5	5+ TIMES:(5)
	13.8	349	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 661-662

V3408 053E08B:SM1 SCL ROB >\$50

Item Number: 09872

Question Number(s): 3E08B During the LAST 12 MONTHS, how often . . . B: Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	71.7	1,818	1	NOT @ALL:(1)
12.4	10.7	272	2	ONCE: (2)
3.1	2.7	67	3	TWICE:(3)
0.7	0.6	15	4	3-4x:(4)
0.7	0.6	16	5	5+ TIMES:(5)
	13.7	347	-9	MISSING
100 0	100 0	2 536	Cageg	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 663-664

V3409

053E08C:SM1 SCL DMG PRTY

Item Number: 09873

Question Number(s): 3E08C During the LAST 12 MONTHS, how often . . .C: Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	66.3	1,682	1	NOT @ALL:(1)
16.2	13.9	353	2	ONCE: (2)
4.5	3.9	99	3	TWICE:(3)
1.5	1.3	32	4	3-4x:(4)
0.8	0.7	17	5	5+ TIMES:(5)
	13.9	352	-9	MISSING
100 0	100 0	2 526		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 665-666

V3410 053E08D:SM1 SCL IN U W/W

Item Number: 09874

Question Number(s): 3E08D During the LAST 12 MONTHS, how often . . . D: Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	82.8	2,100	1	NOT @ALL:(1)
2.5	2.2	55	2	ONCE: (2)
0.7	0.6	16	3	TWICE:(3)
0.3	0.2	6	4	3-4x:(4)
0.2	0.2	4	5	5+ TIMES:(5)
	14.0	354	-9	MISSING
100.0	100.0	2,536	cases	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 667-668

V3411

053E08E:SM1 SCL TH U W/W

Item Number: 09875

Question Number(s): 3E08E During the LAST 12 MONTHS, how often . . . E: Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	76.0	1,926	1	NOT @ALL:(1)
6.9	6.0	151	2	ONCE: (2)
2.3	2.0	50	3	TWICE:(3)
1.0	0.9	22	4	3-4X:(4)
1.5	1.3	32	5	5+ TIMES:(5)
	14.0	354	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 669-670

V3412 053E08F:SM1 SCL IN U -WP

Item Number: 09876

Question Number(s): 3E08F During the LAST 12 MONTHS, how often . . . F: Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	76.6	1,942	1	NOT @ALL:(1)
6.3	5.4	137	2	ONCE: (2)
2.1	1.8	46	3	TWICE:(3)
1.5	1.3	32	4	3-4x:(4)
0.9	0.8	20	5	5+ TIMES:(5)
	14.1	357	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 671-672

053E08G:SM1 SCL TH U W/I V3413

Item Number: 09877

Question Number(s): 3E08G During the LAST 12 MONTHS, how often . . .G: Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	69.2	1,756	1	NOT @ALL:(1)
9.1	7.9	199	2	ONCE: (2)
4.0	3.4	87	3	TWICE:(3)
2.7	2.3	59	4	3-4x:(4)
3.6	3.1	78	5	5+ TIMES:(5)
	14.0	356	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 673-674

V3434 053E09A:IMP HAV NW CR OF

Item Number: 13860

Question Number(s): 3E09A Looking toward the future, how important would it be for you to have each of the following things? A: A new car every two or three years

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	45.4	1,151	1	NOT IMPT:(1)
31.1	26.7	676	2	SMWT IMP:(2)
10.4	8.9	226	3	QUITE IM:(3)
5.5	4.7	119	4	EXTR IMP:(4)
	14.3	363	-9	MISSING
1000	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 675-676

V3435

053E09B:IMP HAV NW CLTHS

Item Number: 13870

Question Number(s): 3E09B Looking toward the future, how important would it be for you to have each of the following things? B: Clothes in the latest style

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	23.1	585	1	NOT IMPT:(1)
39.1	33.4	846	2	SMWT IMP:(2)
23.2	19.8	503	3	QUITE IM:(3)
10.7	9.1	232	4	EXTR IMP:(4)
	14.6	370	-9	MISSING
100 0	1000	0 506		

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 677-678

V3436 053E09C:IMP HAV OWN HSE

Item Number: 13880

Question Number(s): 3E09C Looking toward the future, how important would it be for you to have each of the following things? C: A house of my own (instead of an apartment or condominium)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	10.3	262	1	NOT IMPT:(1)
18.6	15.9	403	2	SMWT IMP:(2)
32.1	27.4	695	3	QUITE IM:(3)
37.2	31.8	807	4	EXTR IMP:(4)
	14.5	369	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 679-680

V3437

053E09D:IMP HAV BIG YARD

Item Number: 13890

Question Number(s): 3E09D Looking toward the future, how important would it be for you to have each of the following things? D: Lots of space around my house, a big yard

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
15.5	13.2	335	1	NOT IMPT:(1)
28.9	24.7	627	2	SMWT IMP:(2)
31.4	26.9	681	3	QUITE IM:(3)
24.2	20.6	524	4	EXTR IMP:(4)
	14.5	368	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 681-682

V3441 053E09E:IMP HAV VAC HSE

Item Number: 13930

Question Number(s): 3E09E Looking toward the future, how important would it be for you to have each of the following things? E: A vacation house

1="Not Important" 2="Somewhat Important" 3="Quite Important" 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	46.2	1,171	1	NOT IMPT:(1)
25.9	22.1	560	2	SMWT IMP:(2)
11.1	9.5	240	3	QUITE IM:(3)
8.7	7.4	188	4	EXTR IMP:(4)
	14.8	376	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 683-684

V3442

053E09F:IMP HAV REC VEH

Item Number: 13940

Question Number(s): 3E09F Looking toward the future, how important would it be for you to have each of the following things? F: A motor-powered, recreational vehicle (powerboat, snowmobile, etc.)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	45.7	1,158	1	NOT IMPT:(1)
25.8	22.0	558	2	SMWT IMP:(2)
11.3	9.6	244	3	QUITE IM:(3)
9.4	8.0	204	4	EXTR IMP:(4)
	14.6	371	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9 Columns: 685-686

V3418 053E10A:GR 1ST SMOK DLY

Item Number: 05570

Question Number(s): 3E10A When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
1.2	1.0	25	1	GRADE 6:	(1)
1.3	1.0	26	2	GRADE 7:	(2)
1.8	1.4	36	3	GRADE 8:	(3)
3.6	2.9	73	4	GRADE 9:	(4)
4.2	3.4	85	5	GRADE 10	:(5)
5.2	4.2	106	6	GRADE 11	:(6)
3.1	2.5	64	7	GRADE 12	:(7)
79.7	64.1	1,626	8	NEVER: (8)
	19.5	494	-9	MISSING	
100.0	100.0	2,536	cases		

Data type: numeric

Missing-data code: -9 Columns: 687-688

V3419 053E10B:GR 1ST TRY ALC

Item Number: 05580

Question Number(s): 3E10B When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. B: Try an alcoholic beverage-more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	4.3	109	1	GRADE 6:(1)
5.9	4.5	114	2	GRADE 7:(2)
11.8	9.1	230	3	GRADE 8:(3)
19.7	15.2	384	4	GRADE 9:(4)
14.6	11.2	285	5	GRADE 10:(5)
11.6	8.9	226	6	GRADE 11:(6)
5.7	4.4	111	7	GRADE 12:(7)
25.1	19.2	488	8	NEVER: (8)
	23.2	589	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 689-690

V3420 053E10C:GR 1ST TRY MJ

Item Number: 05590

Question Number(s): 3E10C When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

	LABEL	VALUE	N	PCT	PCT
				ALL	VALID
6:(1)	GRADE	1	38	1.5	1.9
7:(2)	GRADE	2	77	3.0	3.8
8:(3)	GRADE	3	128	5.0	6.3
9:(4)	GRADE	4	239	9.4	11.8
10:(5)	GRADE	5	171	6.7	8.4
11:(6)	GRADE	6	152	6.0	7.5
12:(7)	GRADE	7	77	3.0	3.8
(8)	NEVER:	8	1,147	45.2	56.5
IG	MISSIN	-9	507	20.0	

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 691-692

V3421 053E10D:GR 1ST TRY LSD

Item Number: 05600

Question Number(s): 3E10D When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.2	0.1	3	2	GRADE 7:(2)
0.2	0.2	5	3	GRADE 8:(3)
0.7	0.6	14	4	GRADE 9:(4)
0.3	0.3	7	5	GRADE 10:(5)
0.6	0.5	12	6	GRADE 11:(6)
0.5	0.4	11	7	GRADE 12:(7)
97.4	80.2	2,033	8	NEVER: (8)
	17.7	449	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 693-694

V3422 053E10E:GR 1ST TRY PSY

Item Number: 05610

Question Number(s): 3E10E When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. E: Try any hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.3	0.3	7	2	GRADE 7:(2)
0.4	0.4	9	3	GRADE 8:(3)
0.8	0.6	16	4	GRADE 9:(4)
0.9	0.8	19	5	GRADE 10:(5)
2.1	1.7	43	6	GRADE 11:(6)
0.7	0.6	14	7	GRADE 12:(7)
94.7	76.8	1,947	8	NEVER: (8)
	18.9	480	-9	MISSING

Data type: numeric

100.0 100.0 2,536 cases

Missing-data code: -9 Columns: 695-696

V3423 053E10F:GR 1ST TRY AMP

Item Number: 05620

Question Number(s): 3E10F When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.1	0.1	2	1	GRADE	6:(1)
0.2	0.2	5	2	GRADE	7:(2)
0.5	0.4	9	3	GRADE	8:(3)
0.8	0.6	15	4	GRADE	9:(4)
1.7	1.2	32	5	GRADE	10:(5)
1.4	1.1	28	6	GRADE	11:(6)
0.9	0.7	18	7	GRADE	12:(7)
94.4	71.3	1,808	8	NEVER:	:(8)
	24.4	620	-9	MISSI	1G

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 697-698

V3424 053E10G:GR 1ST TRY QUA

Item Number: 05630

Question Number(s): 3E10G When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	7	1	GRADE 6:(1)
0.2	0.2	4	2	GRADE 7:(2)
0.1	0.1	3	3	GRADE 8:(3)
0.2	0.2	5	4	GRADE 9:(4)
0.4	0.4	10	5	GRADE 10:(5)
0.4	0.3	9	6	GRADE 11:(6)
0.3	0.2	5	7	GRADE 12:(7)
98.0	82.1	2,081	8	NEVER: (8)
	16.2	412	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 699-700

V3511 053E10H:GR 1ST TRY SED/B

Item Number: 05645

Question Number(s): 3E10H When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. H: Try sedatives/barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	6	1	GRADE 6:(1)
0.3	0.2	6	2	GRADE 7:(2)
0.6	0.4	11	3	GRADE 8:(3)
1.7	1.3	33	4	GRADE 9:(4)
2.2	1.7	44	5	GRADE 10:(5)
1.4	1.1	27	6	GRADE 11:(6)
0.5	0.4	10	7	GRADE 12:(7)
93.1	72.0	1,824	8	NEVER: (8)
	22.7	575	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 701-702

V3426 053E10I:GR 1ST TRY TRN

Item Number: 05650

Question Number(s): 3E10I When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		V1111011	
0.2	0.2	5	1	GRADE 6:(1)
0.2	0.1	3	2	GRADE 7:(2)
0.5	0.4	10	3	GRADE 8:(3)
0.9	0.7	18	4	GRADE 9:(4)
1.5	1.1	29	5	GRADE 10:(5)
1.7	1.3	33	6	GRADE 11:(6)
0.5	0.4	10	7	GRADE 12:(7)
94.6	73.7	1,868	8	NEVER: (8)
	22.1	561	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 703-704

V3427 053E10J:GR 1ST TRY COK

Item Number: 05660

Question Number(s): 3E10J When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.2	0.2	4	2	GRADE 7:(2)
0.5	0.4	11	3	GRADE 8:(3)
0.8	0.6	16	4	GRADE 9:(4)
1.1	0.9	24	5	GRADE 10:(5)
1.9	1.5	39	6	GRADE 11:(6)
1.8	1.5	38	7	GRADE 12:(7)
93.6	76.5	1,939	8	NEVER: (8)
	18.3	465	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 705-706

V3428 053E10K:GR 1ST TRY HER

Item Number: 05670

Question Number(s): 3E10K When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.0	0.0	0	1	GRADE	6:(1)
0.1	0.1	2	2	GRADE	7:(2)
0.2	0.1	4	3	GRADE	8:(3)
0.1	0.1	2	4	GRADE	9:(4)
0.1	0.1	3	5	GRADE	10:(5)
0.2	0.2	5	6	GRADE	11:(6)
0.1	0.1	2	7	GRADE	12:(7)
99.1	81.8	2,075	8	NEVER	:(8)
	17.5	442	-9	MISSI	1G

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 707-708

V3429 053E10L:GR 1ST TRY NRC

Item Number: 05680

Question Number(s): 3E10L When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.1	0.1	2	1	GRADE	6:(1)
0.2	0.2	5	2	GRADE	7:(2)
0.4	0.3	7	3	GRADE	8:(3)
1.4	1.0	26	4	GRADE	9:(4)
0.9	0.7	17	5	GRADE	10:(5)
1.6	1.2	31	6	GRADE	11:(6)
0.6	0.5	12	7	GRADE	12:(7)
94.9	72.5	1,839	8	NEVER:	:(8)
	23.5	597	-9	MISSI	1G

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 709-710

V3430 053E10M:GR 1ST TRY INHAL

Item Number: 05685

Question Number(s): 3E10M When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. M: Try inhalants

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.7	0.5	14	1	GRADE	6:(1)
0.7	0.5	13	2	GRADE	7:(2)
0.9	0.7	17	3	GRADE	8:(3)
0.7	0.6	14	4	GRADE	9:(4)
0.7	0.5	13	5	GRADE	10:(5)
0.8	0.6	15	6	GRADE	11:(6)
0.5	0.4	10	7	GRADE	12:(7)
95.1	73.9	1,873	8	NEVER:	(8)
	22.4	567	-9	MISSIN	īG

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 711-712

V3457 053E10N:GR 1ST SMOKE EVR

Item Number: 05575

Question Number(s): 3E10N When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. N: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
8.9	6.8	173	1	GRADE	6:(1)
6.3	4.8	123	2	GRADE	7:(2)
7.9	6.0	153	3	GRADE	8:(3)
7.9	6.0	152	4	GRADE	9:(4)
7.2	5.5	138	5	GRADE	10:(5)
5.9	4.5	114	6	GRADE	11:(6)
3.8	2.9	74	7	GRADE	12:(7)
52.1	39.7	1,007	8	NEVER:	(8)
	23.8	602	-9	MISSIN	1G

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 713-714

V3458 053E100:GR 1ST SMOKELESS

Item Number: 05576

Question Number(s): 3E100 When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. O: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.9	48	1	GRADE 6:(1)
1.5	1.2	31	2	GRADE 7:(2)
1.5	1.2	31	3	GRADE 8:(3)
4.0	3.3	84	4	GRADE 9:(4)
2.8	2.3	59	5	GRADE 10:(5)
2.3	1.9	49	6	GRADE 11:(6)
2.1	1.8	45	7	GRADE 12:(7)
83.7	69.8	1,770	8	NEVER: (8)
	16.6	420	-9	MISSING
100.0	100.0	2,536	cases	

Data type: numeric Missing-data code: -9

Columns: 715-716

V3459 053E10P:GR 1ST DRUNK

Item Number: 05585

Question Number(s): 3E10P When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. P: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.4	35	1	GRADE 6:(1)
4.0	3.3	83	2	GRADE 7:(2)
5.7	4.7	120	3	GRADE 8:(3)
14.6	12.1	307	4	GRADE 9:(4)
11.4	9.4	238	5	GRADE 10:(5)
10.9	9.0	229	6	GRADE 11:(6)
5.7	4.7	119	7	GRADE 12:(7)
46.0	38.0	963	8	NEVER: (8)
	17.4	440	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9

Columns: 717-718

V3483 053E10Q:GR 1ST TRY CRACK

Item Number: 05661

Question Number(s): 3E10Q When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. Q: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.1	0.1	1	3	GRADE 8:(3)
0.4	0.4	9	4	GRADE 9:(4)
0.2	0.2	4	5	GRADE 10:(5)
0.4	0.4	9	6	GRADE 11:(6)
0.3	0.2	5	7	GRADE 12:(7)
98.5	80.5	2,042	8	NEVER: (8)
	18.2	461	-9	MISSING

100.0 100.0 2,536 cases

Data type: numeric Missing-data code: -9 Columns: 719-720

APPENDICES

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at http://www.monitoringthefuture.org/pubs.html.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82

^{*} The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.