ICPSR 3425

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2001

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social
Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Form 3 Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

CONTENTS

Introduction Data Collection Description Data Collection Procedures Sampling Information Stage 1: Geographic Areas Stage 2: Schools Stage 3: Students Stage 3: Students School Recruiting Procedure Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Weasurement Content Areas Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information Frequencies APPENDICES Appendix A - Publications Appendix A - Publications Appendix B - Sample Size and Student Response Rates	item	page
Data Collection Procedures Sampling Information Stage 1: Geographic Areas Stage 2: Schools Stage 3: Students School Recruiting Procedure Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Measurement Content Areas Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information APPENDICES Appendix A - Publications 233	Introduction	ii
Data Collection Procedures Sampling Information Stage 1: Geographic Areas Stage 2: Schools Stage 3: Students School Recruiting Procedure Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Measurement Content Areas Representativeness and Validity School Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information Frequencies APPENDICES Appendix A - Publications 233	Data Collection Description	ii
Stage 1: Geographic Areas Stage 2: Schools Stage 3: Students School Recruiting Procedure Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Weasurement Content Areas Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information Frequencies APPENDICES Appendix A - Publications 233		ii
Stage 2: Schools Stage 3: Students School Recruiting Procedure Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Measurement Content Areas Representativeness and Validity School Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information Frequencies APPENDICES Appendix A - Publications 233	Sampling Information	iii
Stage 2: Schools Stage 3: Students School Recruiting Procedure Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Measurement Content Areas Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information Frequencies APPENDICES Appendix A - Publications 233	Stage 1: Geographic Areas	iii
School Recruiting Procedure Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Weasurement Content Areas Representativeness and Validity School Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information APPENDICES Appendix A - Publications 233		iii
Advance Contact with Teachers and Students Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Measurement Content Areas Note that the series and Validity Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information Frequencies APPENDICES Appendix A - Publications 233	Stage 3: Students	iii
Questionnaire Administration Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Measurement Content Areas Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information ICPSR Processing Information APPENDICES Appendix A - Publications Vi Validity Voii Voii Voii Voii Voii Voii Voii Voi	School Recruiting Procedure	iv
Procedures for Protecting Confidentiality Content Areas and Questionnaire Design Measurement Content Areas Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information APPENDICES Appendix A - Publications 233	Advance Contact with Teachers and Students	iv
Content Areas and Questionnaire Design Measurement Content Areas Representativeness and Validity School Participation Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information Frequencies APPENDICES Appendix A - Publications 233	Questionnaire Administration	V
Measurement Content Areas vi Representativeness and Validity viii School Participation viii Student Participation ix Validity of Self-Report Data ix Accuracy of Sample x Consistency and the Measurement of Trends x Interpreting Racial Differences x Differential Representation xi Differential Response Tendencies xii Covariance with Other Factors xii Weighting Information xiii File Structure xiv Codebook Information xvi ICPSR Processing Information xvi Frequencies 1 APPENDICES Appendix A - Publications 233	Procedures for Protecting Confidentiality	V
Representativeness and Validity School Participation Viii Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information Frequencies APPENDICES APPENDICES Appendix A - Publications	Content Areas and Questionnaire Design	vi
School Participation viii Student Participation ix Validity of Self-Report Data ix Accuracy of Sample	Measurement Content Areas	vi
Student Participation Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information Frequencies APPENDICES Appendix A - Publications 233	Representativeness and Validity	viii
Validity of Self-Report Data Accuracy of Sample Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information XV XPPENDICES Appendix A - Publications ix x ix x APPENDICES ix x APPENDICES Appendix A - Publications ix x ix x APPENDICES 233	School Participation	viii
Accuracy of Sample x Consistency and the Measurement of Trends x Interpreting Racial Differences x Differential Representation xi Differential Response Tendencies xii Covariance with Other Factors xii Weighting Information xiii File Structure xiv Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES Appendix A - Publications 233	Student Participation	ix
Consistency and the Measurement of Trends Interpreting Racial Differences Differential Representation Differential Response Tendencies Covariance with Other Factors Weighting Information File Structure Codebook Information ICPSR Processing Information **XV** **APPENDICES** Appendix A - Publications **233** **Publications** **X** **X**	Validity of Self-Report Data	ix
Interpreting Racial Differences x Differential Representation xi Differential Response Tendencies xii Covariance with Other Factors xii Weighting Information xiii File Structure xiv Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES Appendix A - Publications 233	Accuracy of Sample	X
Differential Representation xi Differential Response Tendencies xii Covariance with Other Factors xii Weighting Information xiii File Structure xiv Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES 233	Consistency and the Measurement of Trends	X
Differential Response Tendencies xii Covariance with Other Factors xii Weighting Information xiii File Structure xiv Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES Appendix A - Publications 233	Interpreting Racial Differences	X
Covariance with Other Factors xii Weighting Information xiii File Structure xiv Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES 233	<u>-</u>	
Weighting Information xiii File Structure xiv Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES Appendix A - Publications 233	<u>.</u>	
File Structure xiv Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES Appendix A - Publications 233		
Codebook Information xv ICPSR Processing Information xvii Frequencies 1 APPENDICES Appendix A - Publications 233		xiii
ICPSR Processing Information xvii Frequencies 1 APPENDICES Appendix A - Publications 233		xiv
Frequencies 1 APPENDICES Appendix A - Publications 233		== :
APPENDICES Appendix A - Publications 233	ICPSR Processing Information	xvii
Appendix A - Publications 233	Frequencies	1
	APPENDICES	
	Appendix A - Publications	233
	<u> </u>	

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2001, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a twoyear period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the

students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the

tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments.
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources.

 Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.

- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings

in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans — who constitute approximately 12 percent of each year's sample — are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is

associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables — variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level

or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2001 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part	#	form		#variables	logical record length	unweighted N
Part	1	Core		108	224	13304
Part	2	Form	1	615	1237	2227
Part	3	Form	2	332	671	2214
Part	4	Form	3	354	715	2206
Part	5	Form	4	280	567	2208
Part	6	Form	5	311	629	2215
Part	7	Form	6	345	697	2234

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] **V1134**

[2] 991A13 KIND OF PAID JOB

[3] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[4] PCT	[5] PCT	[6] N	[7] VALUE	[8] LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	
[9]	[10]	[]	L1]	
100.0	100.0	5 , 745	cases	(Wtd)

- [12] Data type: numeric
- [13] Decimals: 0
- [14] Missing-data codes: 0,99
- [15] Columns: 98-99

^[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

^[2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [4] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [5] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [6] Indicates the weighted frequency of occurrence of each code value for this variable.
- [7] Indicates the code values occurring in the data for this variable.
- [8] Indicates the textual definitions of the codes for this variable.
- [9] Indicates the total of the valid case percentages (100%).
- [10] Indicates the total of all case percentages (100%).
- [11] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [12] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores $(_)$, pound signs (#), and ampersands (&).
- [13] Indicates the number of decimal places in the variable.
- [14] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [15] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE OUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

FREQUENCIES FORM 3 DATA FILE

CASEID

CASE IDENTIFICATION NUMBER

2,201 cases (Wtd) (Range of valid codes: 1-2,206)

Data type: numeric Missing-data code: -9 Columns: 712-715

V1

YEAR OF ADMIN (4-DIGITS)

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,201 2001 ---- 100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 4-7

V3

013 : FORM ID

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,201 3 ---- 100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Column: 8

V4

013 :R'S ID-SERIAL

2,201 cases (Wtd) (Range of valid codes: 30,001-32,206)

Data type: numeric Missing-data code: -9

Columns: 9-13

V5 SAMPLING WEIGHT

2,201 cases (Wtd) (Range of valid codes: .1660-5.1255)

Data type: numeric

Decimals: 4

Missing-data code: -9.0000

Columns: 706-711

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	19.4	427	1	NE: (1)
28.5	28.5	626	2	NC: (2)
32.1	32.1	707	3	S:(3)
20.0	20.0	441	4	W: (4)
1000	1000	0 001		/EZI 1)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Column: 1

V16 013 :SELF-REP/NOT=0

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	70.7	1,556	0	
29.3	29.3	645	1	
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Column: 2

V17 013 : SMSA/NON-SMSA=0

Data type: numeric Missing-data code: -9

Column: 3

V3208 013A01 :VRY HPY THS DAYS

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.4	273	1	NT HAPPY: (1)
65.4	64.8	1,426	2	PRTY HPY: (2)
22.0	21.8	480	3	VRY HPY: (3)
	1.0	22	- 9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9

Columns: 202-203

V3209 013A02 :THK ABT SOC ISSU

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.1	90	1	NEVER: (1)
20.9	20.8	457	2	SELDOM: (2)
51.5	51.2	1,128	3	SOMETIME: (3)
19.3	19.2	422	4	OFTEN: (4)
4.2	4.2	93	5	GRT DEAL: (5)
	0.5	12	- 9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 204-205

V3210

013A03A:MEN&WOMN/=\$,=WRK

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

Men and women should be paid the same money if they do the same work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	58	1	DISAGREE: (1)
1.2	1.1	25	2	MOST DIS: (2)
2.1	2.1	46	3	NEITHER: (3)
12.2	12.2	268	4	MOST AGR: (4)
81.9	81.7	1,797	5	AGREE: (5)
	0.3	7	-9	MISSING
100 0	100 0	2 201	C2868	(M+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 206-207

V3211 013A03B:CNSDR WMN/HI JOB

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

Women should be considered as seriously as men for jobs as executives or politicians $% \left(1\right) =\left(1\right) +\left(1\right$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	48	1	DISAGREE: (1)
2.7	2.7	59	2	MOST DIS: (2)
4.4	4.4	96	3	NEITHER: (3)
15.6	15.5	341	4	MOST AGR: (4)
75.2	74.9	1,648	5	AGREE: (5)
	0.4	9	- 9	MISSING
100 0	100 0	2 201	02000 /	W+4)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 208-209

V3212 013A03C:WMN SHD =JOB OPP

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

 $\ensuremath{\mathtt{A}}$ woman should have exactly the same job opportunities as a man

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	83	1	DISAGREE: (1)
3.4	3.3	74	2	MOST DIS: (2)
5.0	5.0	110	3	NEITHER: (3)
20.9	20.6	454	4	MOST AGR: (4)
66.9	66.2	1,456	5	AGREE: (5)
	1.1	25	-9	MISSING
100 0	1000	0 001	/	T-T + -1 \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 210-211

V3213 013A03D:WMN SHD =ED OPP

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

 $\ensuremath{\mathtt{A}}$ woman should have exactly the same educational opportunities as a man

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	22	1	DISAGREE: (1)
0.5	0.5	12	2	MOST DIS: (2)
1.8	1.7	38	3	NEITHER: (3)
7.4	7.4	162	4	MOST AGR: (4)
89.3	88.5	1,948	5	AGREE: (5)
	0.9	20	- 9	MISSING
100 0	100 0	2 201	C2606	(M+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 212-213

V3214 013A03E:MN=ACHV/WMN=HOME

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	32.1	706	1	DISAGREE: (1)
17.2	17.1	376	2	MOST DIS: (2)
20.6	20.4	450	3	NEITHER: (3)
16.7	16.6	365	4	MOST AGR: (4)
13.3	13.2	291	5	AGREE: (5)
	0.6	13	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 214-215

V3215 013A03F:CHL SUFF W WK MO

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A preschool child is likely to suffer if the mother works

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	25.7	565	1	DISAGREE: (1)
20.6	20.3	447	2	MOST DIS: (2)
21.3	21.0	461	3	NEITHER: (3)
19.0	18.7	413	4	MOST AGR: (4)
13.0	12.9	283	5	AGREE: (5)
	1.5	32	-9	MISSING
100 0	100 0	2 201	02000	(M+4M)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 216-217

V3216 013A03G:WK MO AS WRM REL

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.4	207	1	DISAGREE: (1)
13.0	13.0	286	2	MOST DIS: (2)
10.2	10.2	224	3	NEITHER: (3)
30.2	30.1	661	4	MOST AGR: (4)
37.1	36.9	813	5	AGREE: (5)
	0.4	10	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 218-219

V3217 013A04A:POLLUT INCREASED

The next questions are about pollution and the environment. How much do you agree or disagree with each statement below?

Pollution of most types has increased in the U.S. in the last ten years

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	56	1	DISAGREE: (1)
4.3	4.3	95	2	MOST DIS: (2)
11.8	11.8	259	3	NEITHER: (3)
32.7	32.4	714	4	MOST AGR: (4)
48.6	48.3	1,063	5	AGREE: (5)
	0.7	15	-9	MISSING
100 0	100 0	2 201	02000 /	W+4)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 220-221

V3218 013A04B:GOVT DEAL ENV PR

The next questions are about pollution and the environment. How much do you agree or disagree with each statement below?

Government should take steps to deal with our environmental problems, even if it means that most of us pay higher prices or taxes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	10.0	220	1	DISAGREE: (1)
11.7	11.6	255	2	MOST DIS: (2)
25.6	25.4	559	3	NEITHER: (3)
34.4	34.2	752	4	MOST AGR: (4)
18.2	18.1	398	5	AGREE: (5)
	0.8	17	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 222-223

V3219 013A04C:MR\$ FR LASTG THG

The next questions are about pollution and the environment. How much do you agree or disagree with each statement below?

I would prefer to pay more money for things that will last $% \left(1\right) =\left(1\right) +\left(1\right)$ a long time, rather than have them cost less and break sooner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	26	1	DISAGREE: (1)
1.7	1.7	38	2	MOST DIS: (2)
8.4	8.4	184	3	NEITHER: (3)
26.0	25.7	566	4	MOST AGR: (4)
62.6	62.0	1,365	5	AGREE: (5)
	1.0	22	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 224-225

V3220 013A04D:USE BYC/MAS TRAN

The next questions are about pollution and the environment. How much do you agree or disagree with each statement below?

I would probably be willing to use a bicycle or mass transit (if available) rather than a car to get to work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	36.9	812	1	DISAGREE: (1)
21.4	21.2	466	2	MOST DIS: (2)
16.0	15.9	349	3	NEITHER: (3)
13.9	13.8	304	4	MOST AGR: (4)
11.4	11.3	250	5	AGREE: (5)
	0.9	20	-9	MISSING
4000	4000	0 001		11

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 226-227

V3221 013A04E:EAT DIF->FD STRV

The next questions are about pollution and the environment. How much do you agree or disagree with each statement below?

I would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.5	298	1	DISAGREE: (1)
9.1	9.0	197	2	MOST DIS: (2)
15.6	15.4	339	3	NEITHER: (3)
28.8	28.4	625	4	MOST AGR: (4)
32.9	32.4	714	5	AGREE: (5)
	1.3	29	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 228-229

V3222 013A05A:LIK WRK CAN FRGT

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I like the kind of work you can forget about after the work day is over $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.5	232	1	DISAGREE: (1)
13.7	13.6	300	2	MOST DIS: (2)
18.2	18.1	399	3	NEITHER: (3)
25.7	25.5	561	4	MOST AGR: (4)
31.8	31.6	694	5	AGREE: (5)
	0.7	15	-9	MISSING
100 0	100 0	2 201	~~~~	/M+ d \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 230-231

V3223 013A05B:WRK=ONLY MK LVNG

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

To me, work is nothing more than making a living

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	24.0	528	1	DISAGREE: (1)
26.9	26.7	588	2	MOST DIS: (2)
14.0	13.9	307	3	NEITHER: (3)
19.5	19.4	428	4	MOST AGR: (4)
15.5	15.4	338	5	AGREE: (5)
	0.6	12	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (week

Data type: numeric Missing-data code: -9 Columns: 232-233

V3224

013A05C:WRK CNTRL PRT LF

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I expect my work to be a very central part of my life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.9	151	1	DISAGREE: (1)
13.8	13.6	300	2	MOST DIS: (2)
21.8	21.6	476	3	NEITHER: (3)
36.7	36.4	801	4	MOST AGR: (4)
20.8	20.6	453	5	AGREE: (5)
	0.9	20	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 234-235

V3225 013A05D:OVTM 2DO BST JOB

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I want to do my best in my job, even if this sometimes means working overtime $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	63	1	DISAGREE: (1)
5.0	5.0	109	2	MOST DIS: (2)
9.6	9.5	210	3	NEITHER: (3)
39.6	39.2	863	4	MOST AGR: (4)
42.9	42.5	934	5	AGREE: (5)
	1.0	21	-9	MISSING
100 0	100 0	2 201	00000 /	' tal + al \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 236-237

V3226 013A05E:SAME JOB MST LIF

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I would like to stay in the same job for most of $my\ adult$ life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.1	244	1	DISAGREE: (1)
10.2	10.1	223	2	MOST DIS: (2)
19.4	19.2	424	3	NEITHER: (3)
29.2	29.0	638	4	MOST AGR: (4)
30.0	29.8	656	5	AGREE: (5)
	0.8	17	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 238-239

V3227 013A06 :ENUF\$,NT WNT WRK

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

Data type: numeric Missing-data code: -9 Columns: 240-241

V3228 013A07A:DES FRND OTH RC

How would you feel about . . .

Having close personal friends of another race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	27	1	NT ACCEP: (1)
3.5	3.5	76	2	SM ACCEP: (2)
49.3	49.2	1,082	3	ACCEPTBL: (3)
46.0	45.8	1,009	4	DESIRABL: (4)
	0.3	8	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 242-243

V3229 013A07B:DES SUPVR DIF RC

How would you feel about . . .

Having a job with a supervisor of a different race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	34	1	NT ACCEP: (1)
4.7	4.7	103	2	SM ACCEP: (2)
66.7	66.5	1,463	3	ACCEPTBL: (3)
27.0	26.9	593	4	DESIRABL: (4)
	0.4	9	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 244-245

V3230 013A07C:DES FAM NX DF RC

How would you feel about . . .

Having a family of a different race (but same level of education and income) move next door to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	50	1	NT ACCEP: (1)
4.6	4.6	101	2	SM ACCEP: (2)
55.2	54.8	1,207	3	ACCEPTBL: (3)
37.9	37.7	829	4	DESIRABL: (4)
	0.6	13	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 246-247

V3231

013A07D:DES CHL FD SM RC

How would you feel about . . .

Having your (future) children's friends be all of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	18.8	414	1	NT ACCEP: (1)
20.8	20.7	455	2	SM ACCEP: (2)
46.0	45.6	1,004	3	ACCEPTBL: (3)
14.1	14.0	309	4	DESIRABL: (4)
	0.9	20	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 248-249

V3232 013A07E:DES CHL FD OT RC

How would you feel about . . .

Having some of your (future) children's friends be of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	38	1	NT ACCEP: (1)
4.6	4.5	100	2	SM ACCEP: (2)
49.1	48.8	1,074	3	ACCEPTBL: (3)
44.6	44.4	977	4	DESIRABL: (4)
	0.5	11	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 250-251

V3233

013A08A:DES AL WKS SM RC

How would you feel about having a job where . . .

. . . all the employees are of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	11.0	241	1	NT ACCEP: (1)
20.3	20.2	444	2	SM ACCEP: (2)
55.2	54.9	1,209	3	ACCEPTBL: (3)
13.5	13.4	296	4	DESIRABL: (4)
	0.5	11	-9	MISSING
1000	1000	0 001	,	r.T.(1)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 252-253

V3234 013A08B:DES SO WKS DF RC

How would you feel about having a job where . . .

. . . some employees are of a different race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	20	1	NT ACCEP: (1)
4.3	4.2	93	2	SM ACCEP: (2)
64.1	63.8	1,404	3	ACCEPTBL: (3)
30.8	30.6	674	4	DESIRABL: (4)
	0.4	10	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 254-255

V3235 013A08C:DES MS WKS DF RC

How would you feel about having a job where . . .

. . . most employees are of a different race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	116	1	NT ACCEP: (1)
20.5	20.3	448	2	SM ACCEP: (2)
59.2	58.8	1,295	3	ACCEPTBL: (3)
15.0	15.0	329	4	DESIRABL: (4)
	0.6	13	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 256-257

V3236 013A09A:DES AL NGB SM RC

How would you feel about living in an area where . . .

. . . all the neighbors are of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.6	167	1	NT ACCEP: (1)
16.3	16.2	356	2	SM ACCEP: (2)
57.4	57.2	1,258	3	ACCEPTBL: (3)
18.7	18.6	410	4	DESIRABL: (4)
	0.4	9	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 258-259

V3237 013A09B:DES SO NGB OT RC

How would you feel about living in an area where $\ensuremath{\boldsymbol{.}}$. .

. . . some of the neighbors are of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	20	1	NT ACCEP: (1)
5.2	5.2	114	2	SM ACCEP: (2)
67.2	66.9	1,473	3	ACCEPTBL: (3)
26.7	26.5	584	4	DESIRABL: (4)
	0.4	10	- 9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 260-261

V3238 013A09C:DES MS NGB OT RC

How would you feel about living in an area where . . .

. . . most of the neighbors are of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	186	1	NT ACCEP: (1)
24.0	23.9	525	2	SM ACCEP: (2)
55.1	54.7	1,204	3	ACCEPTBL: (3)
12.3	12.2	268	4	DESIRABL: (4)
	0.8	17	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 262-263

V3239 013A10A:DES AL CHL SM RC

How would you feel about having your (future) children go to schools where . . . $\;$

. . . all the children are of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.7	346	1	NT ACCEP: (1)
16.8	16.7	368	2	SM ACCEP: (2)
50.4	50.1	1,102	3	ACCEPTBL: (3)
16.9	16.7	368	4	DESIRABL: (4)
	0.8	17	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric
Missing-data code: -9

Columns: 264-265

V3240 013A10B:DES SM CHL OT RC

How would you feel about having your (future) children go to schools where \hdots .

. . . some of the children are of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	17	1	NT ACCEP: (1)
4.6	4.5	100	2	SM ACCEP: (2)
64.4	63.8	1,403	3	ACCEPTBL: (3)
30.3	30.0	660	4	DESIRABL: (4)
	1.0	21	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 266-267

V3241 013A10C:DES MS CHL OT RC

How would you feel about having your (future) children go to schools where . . . $\;$

. . . most of the children are of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.5	230	1	NT ACCEP: (1)
26.4	26.2	576	2	SM ACCEP: (2)
50.3	49.8	1,096	3	ACCEPTBL: (3)
12.7	12.6	278	4	DESIRABL: (4)
	0.9	21	-9	MISSING
1000	100 0	2 201		/ T-T + -1 \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 268-269

V3242 013A11 :FRNDS AL OT RC

What race are your close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.8	479	1	ALL MINE: (1)
26.5	26.4	580	2	ALMST AL: (2)
24.3	24.1	531	3	MST MINE: (3)
14.4	14.3	314	4	1/2 MINE: (4)
7.3	7.2	159	5	MST OTH: (5)
5.6	5.6	123	6	ALMS OTH: (6)
	0.7	15	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 270-271

V3243 013A12 :NGBHD AL OT RC

What race are the people in your neighborhood?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	29.8	656	1	ALL MINE: (1)
26.9	26.7	588	2	ALMST AL: (2)
14.4	14.3	314	3	MST MINE: (3)
9.9	9.8	217	4	1/2 MINE: (4)
11.6	11.5	252	5	MST OTH: (5)
7.2	7.1	156	6	ALMS OTH: (6)
	0.8	19	-9	MISSING
100.0	100.0	2.201	cases (Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 272-273

V3244 013A13 :ELEMSCH AL OT RC

What race were the students in the elementary school where you spent the most time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.5	561	1	ALL MINE: (1)
23.0	22.8	502	2	ALMST AL: (2)
15.5	15.4	338	3	MST MINE: (3)
16.1	15.9	351	4	1/2 MINE: (4)
11.7	11.6	255	5	MST OTH: (5)
7.9	7.8	172	6	ALMS OTH: (6)
	1.0	22	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 274-275

V3245 013A14 :HISCH AL OT RC

What race are the students in your present school (if you are in school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.6	167	1	ALL MINE: (1)
26.6	26.3	578	2	ALMST AL: (2)
19.9	19.7	433	3	MST MINE: (3)
21.5	21.2	467	4	1/2 MINE: (4)
14.2	14.0	309	5	MST OTH: (5)
10.2	10.1	222	6	ALMS OTH: (6)
	1.2	25	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 276-277

V3246 013A15 :WRKRS AL OT RC

What race are the people that you work with on your job (if you have a job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	24.0	528	1	ALL MINE: (1)
20.4	17.3	381	2	ALMST AL: (2)
17.0	14.5	318	3	MST MINE: (3)
14.9	12.7	279	4	1/2 MINE: (4)
11.4	9.7	213	5	MST OTH: (5)
8.1	6.9	151	6	ALMS OTH: (6)
	15.0	331	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 278-279

V3247

013A16 :DO LOT THG OT RC

How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	124	1	NOT @ALL: (1)
20.1	20.0	440	2	A LITTLE: (2)
35.4	35.1	773	3	SOME: (3)
38.8	38.5	846	4	A LOT: (4)
	0.8	18	-9	MISSING
100 0	100 0	2 201	0000	/ TAT + A \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 280-281

V3248 013A17 :VRY GD EXP OT RC

Generally, how do you feel about the experiences you have had with people of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	23	1	VERY BAD: (1)
1.5	1.5	33	2	MST BAD: (2)
24.0	23.8	525	3	MIXED: (3)
44.4	44.0	968	4	MST GOOD: (4)
29.0	28.8	633	5	VRY GOOD: (5)
	0.9	20	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 282-283

V3249 013A18 :MARRD OR ENGAGED

The next questions are about some of your own plans. Are you married or engaged?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	8	1	MARRIED: (1)
6.7	6.3	139	2	ENGAGED: (2)
93.0	88.1	1,939	3	NEITHER: (3)
	5.2	115	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 284-285

V3250 013A19 :WHN WANT GT MARR

If it were just up to you, what would be the ideal time for you to get married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.8	62	1	NEXT YR: (1)
12.7	12.0	264	2	2-3 YRS: (2)
32.5	30.8	678	3	4-5 YRS: (3)
45.9	43.5	958	4	OVER 5: (4)
5.9	5.6	124	5	DNT WANT: (5)
	5.2	115	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 286-287

V3251 013A20 :THGT LOT HAV CHL

Have you thought at all about whether you'd like to have children or how many you'd like to have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.3	226	1	NOT @ALL: (1)
57.3	56.0	1,233	2	A LITTLE: (2)
32.3	31.6	695	3	THOT LOT: (3)
	2.1	47	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 288-289

V3252 013A21 :# CHLDN WANT(6+)

All things considered, if you could have exactly the number of children you want, what number would you choose to have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.1	90	1	NONE: (1)
6.5	5.9	129	2	ONE: (2)
49.8	44.7	984	3	TWO: (3)
24.0	21.6	475	4	THREE: (4)
10.3	9.3	204	5	FOUR: (5)
1.9	1.7	37	6	FIVE: (6)
2.9	2.6	58	7	6 OR MOR: (7)
	10.2	224	-9	MISSING
1000	1000	0 001	/	T-7 + -1 \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 290-291

V3253 013A22 :IF -POP, MR CHLD

If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	35.4	780	1	SURE NO: (1)
38.8	29.4	648	2	PROB NO: (2)
10.1	7.7	169	3	PRB YES: (3)
4.3	3.3	73	4	SURE YES: (4)
	24.1	531	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 292-293

V3254 013A23 :WHN 1ST CHL(5+Y)

If it were just up to you, how soon after getting married would you want to have your first child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.0	111	1	DNT WANT: (1)
7.7	6.7	147	2	NO WAIT: (2)
31.8	27.4	602	3	WAIT 1YR: (3)
30.1	25.9	570	4	WAIT 2YR: (4)
15.6	13.4	295	5	WAIT 3YR: (5)
6.5	5.6	124	6	WAIT $4-5:(6)$
2.4	2.1	46	7	WAIT 5+:(7)
	13.9	307	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 294-295

V3255 013A24A:GD JB LARG CORPS

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

Large corporations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	2.9	65	1	VRY POOR: (1)
7.4	5.4	119	2	POOR: (2)
36.4	26.9	592	3	FAIR: (3)
40.1	29.6	652	4	GOOD: (4)
12.1	8.9	196	5	VRY GOOD: (5)
	26.2	577	-9	MISSING
100.0	100.0	2.201	cases (Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 296-297

V3256 013A24B:GD JB LBR UNIONS

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

Major labor unions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	2.3	50	1	VRY POOR: (1)
8.2	5.6	124	2	POOR: (2)
41.5	28.5	628	3	FAIR: (3)
37.1	25.5	561	4	GOOD: (4)
9.9	6.8	150	5	VRY GOOD: (5)
	31.3	690	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 298-299

V3257 013A24C:GD JB COLLG&UNIV

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

The nation's colleges and universities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.6	35	1	VRY POOR: (1)
2.5	2.2	49	2	POOR: (2)
18.1	16.3	359	3	FAIR: (3)
43.2	38.9	856	4	GOOD: (4)
34.4	30.9	681	5	VRY GOOD: (5)
	10.1	222	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 300-301

V3258 013A24D:GD JB PBLC SCHOL

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The nation's public schools?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.4	119	1	VRY POOR: (1)
18.0	16.4	361	2	POOR: (2)
38.7	35.2	775	3	FAIR: (3)
29.5	26.9	591	4	GOOD: (4)
7.8	7.1	156	5	VRY GOOD: (5)
	9.0	199	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 302-303

V3259 013A24E:GD JB CHURCHES

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

Churches and religious organizations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	4.9	109	1	VRY POOR: (1)
6.0	5.0	109	2	POOR: (2)
26.3	21.8	479	3	FAIR: (3)
39.0	32.3	711	4	GOOD: (4)
22.8	18.9	416	5	VRY GOOD: (5)
	17.1	376	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 304-305

V3260 013A24F:GD JB NEWS MEDIA

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The national news media (TV, magazines, news services)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	7.9	174	1	VRY POOR: (1)
17.5	15.4	338	2	POOR: (2)
30.1	26.4	581	3	FAIR: (3)
28.2	24.7	543	4	GOOD: (4)
15.1	13.3	292	5	VRY GOOD: (5)
	12.4	273	-9	MISSING
100 0	100 0	2 201	cases (W+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 306-307

V3261 013A24G:GD JB PRES&ADMIN

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The President and his administration?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	7.5	165	1	VRY POOR: (1)
14.4	11.4	251	2	POOR: (2)
35.3	28.0	616	3	FAIR: (3)
32.2	25.6	563	4	GOOD: (4)
8.7	6.9	152	5	VRY GOOD: (5)
	20.7	455	-9	MISSING
100.0	100.0	2.201	cases	(Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 308-309

V3262 013A24H:GD JB CONGRESS

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

Congress--that is, the U.S. Senate and House of Representatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	3.2	71	1	VRY POOR: (1)
10.4	7.4	162	2	POOR: (2)
39.0	27.5	606	3	FAIR: (3)
39.8	28.1	619	4	GOOD: (4)
6.3	4.4	97	5	VRY GOOD: (5)
	29.4	646	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 310-311

V3263 013A24I:GD JB SUPRM CRT

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The U.S. Supreme Court?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	2.8	62	1	VRY POOR: (1)
8.7	6.1	134	2	POOR: (2)
35.2	24.7	543	3	FAIR: (3)
41.3	29.0	638	4	GOOD: (4)
10.8	7.6	166	5	VRY GOOD: (5)
	29.9	657	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 312-313

V3264 013A24J:GD JB JUSTC SYST

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

All the courts and the justice system in general?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	3.9	85	1	VRY POOR: (1)
13.0	9.8	216	2	POOR: (2)
41.7	31.5	694	3	FAIR: (3)
33.2	25.1	552	4	GOOD: (4)
6.9	5.2	115	5	VRY GOOD: (5)
	24.5	539	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 314-315

V3265 013A24K:GD JB POLICE

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

The police and other law enforcement agencies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	7.6	167	1	VRY POOR: (1)
15.7	13.7	301	2	POOR: (2)
37.7	32.9	725	3	FAIR: (3)
29.5	25.8	567	4	GOOD: (4)
8.3	7.3	160	5	VRY GOOD: (5)
	12.8	282	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 316-317

V3266 013A24L:GD JB MILITARY

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

The U.S. military?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.1	47	1	VRY POOR: (1)
2.6	2.0	45	2	POOR: (2)
24.5	19.1	421	3	FAIR: (3)
41.8	32.6	718	4	GOOD: (4)
28.4	22.2	488	5	VRY GOOD: (5)
	21.9	481	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 318-319

V3267 013A25 :MIL TOO MCH INFL

All things considered, do you think the armed services presently have too much or too little influence on the way this country is run?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	79	1	F TOO LT: (1)
11.9	11.4	251	2	TOO LITL: (2)
70.7	68.0	1,497	3	ABT RITE: (3)
9.9	9.6	211	4	TOO MUCH: (4)
3.8	3.6	80	5	F TOO MH: (5)
	3.8	83	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 320-321

V3268 013A26 :US TOO MCH\$ MILT

Do you think the U.S. spends too much or too little on the armed services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.8	105	1	F TOO LT: (1)
17.2	16.6	364	2	TOO LITL: (2)
54.2	52.1	1,147	3	ABT RITE: (3)
18.7	18.0	396	4	TOO MUCH: (4)
4.9	4.7	103	5	F TOO MH: (5)
	4.0	87	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 322-323

V3273

013A27A:DAP SMK 1PCK CIG

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	27.8	612	1	DNT DISP: (1)
29.9	29.4	647	2	DISAPPRV: (2)
41.8	41.1	904	3	STRG DIS: (3)
	1.7	38	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 324-325

V3274 013A27B:DAP TRY MRJ 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying marijuana (pot, grass) once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	50.2	1,105	1	DNT DISP: (1)
22.2	21.9	481	2	DISAPPRV: (2)
26.9	26.5	582	3	STRG DIS: (3)
	1.5	33	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 326-327

V3275 013A27C:DAP SMK MRJ OCCS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	36.5	803	1	DNT DISP: (1)
25.0	24.6	541	2	DISAPPRV: (2)
37.9	37.2	819	3	STRG DIS: (3)
	1.8	39	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 328-329

V3276 013A27D:DAP SMK MRJ REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	20.5	450	1	DNT DISP: (1)
24.1	23.7	521	2	DISAPPRV: (2)
55.1	54.2	1,193	3	STRG DIS: (3)
	1.7	36	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 330-331

V3277

013A27E:DAP TRY LSD 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying LSD once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	18.0	397	1	DNT DISP: (1)
20.3	19.8	437	2	DISAPPRV: (2)
61.3	60.1	1,323	3	STRG DIS: (3)
	2.0	44	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 332-333

V3278 013A27F:DAP TKG LSD REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking LSD regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	131	1	DNT DISP: (1)
17.2	16.9	372	2	DISAPPRV: (2)
76.7	75.3	1,658	3	STRG DIS: (3)
	1.8	40	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 334-335

V3279

013A27G:DAP TRY HRN 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying heroin once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	149	1	DNT DISP: (1)
16.6	16.3	359	2	DISAPPRV: (2)
76.5	75.2	1,656	3	STRG DIS: (3)
	1.6	36	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 336-337

V3280 013A27H:DAP TKG HRN OCCS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking heroin occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	98	1	DNT DISP: (1)
12.1	11.9	261	2	DISAPPRV: (2)
83.4	81.9	1,803	3	STRG DIS: (3)
	1.8	39	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 338-339

V3281

013A27I:DAP TKG HRN REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking heroin regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	81	1	DNT DISP: (1)
9.4	9.2	203	2	DISAPPRV: (2)
86.8	84.7	1,864	3	STRG DIS: (3)
	2.5	54	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 340-341

V3282 013A27J:DAP TRY BRB 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying a barbiturate (downer, goofball, red, yellow, etc.) once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	13.8	304	1	DNT DISP: (1)
22.2	21.8	479	2	DISAPPRV: (2)
63.7	62.3	1,372	3	STRG DIS: (3)
	2.1	46	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 342-343

V3283

013A27K:DAP TKG BRB REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking barbiturates regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	118	1	DNT DISP: (1)
17.0	16.6	365	2	DISAPPRV: (2)
77.6	75.7	1,667	3	STRG DIS: (3)
	2.3	52	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 344-345

V3284 013A27L:DAP TRY AMP 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying an amphetamine (upper, pep pill, bennie, speed) once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	17.5	385	1	DNT DISP: (1)
22.0	21.6	476	2	DISAPPRV: (2)
60.2	59.1	1,301	3	STRG DIS: (3)
	1.8	39	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 346-347

V3285

013A27M:DAP TKG AMP REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking amphetamines regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.5	142	1	DNT DISP: (1)
16.7	16.4	362	2	DISAPPRV: (2)
76.7	75.2	1,656	3	STRG DIS: (3)
	1.9	41	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 348-349

V3286 013A27N:DAP TRY COC 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.7	258	1	DNT DISP: (1)
15.3	15.0	330	2	DISAPPRV: (2)
72.8	71.6	1,576	3	STRG DIS: (3)
	1.7	37	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 350-351

V3287

013A27O:DAP TKG COC REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	109	1	DNT DISP: (1)
11.8	11.6	254	2	DISAPPRV: (2)
83.2	81.6	1,797	3	STRG DIS: (3)
	1.9	42	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 352-353

V3288 013A27P:DAP TRY DRK ALCL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	72.0	1,584	1	DNT DISP: (1)
15.1	14.8	326	2	DISAPPRV: (2)
11.7	11.5	253	3	STRG DIS: (3)
	1.7	38	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 354-355

V3289 013A27Q:DAP 1-2 DRK/DAY

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	30.4	670	1	DNT DISP: (1)
36.2	35.5	781	2	DISAPPRV: (2)
32.8	32.1	707	3	STRG DIS: (3)
	1.9	42	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 356-357

V3290 013A27R:DAP 4-5 DRK/DAY

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.5	297	1	DNT DISP: (1)
23.3	22.8	503	2	DISAPPRV: (2)
63.0	61.8	1,360	3	STRG DIS: (3)
	1.9	41	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 358-359

V3291 013A27S:DAP 5+ DRK WKNDS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Having five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	36.5	803	1	DNT DISP: (1)
24.6	24.2	532	2	DISAPPRV: (2)
38.1	37.4	823	3	STRG DIS: (3)
	2.0	44	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 360-361

V3292 013A28A:12MO NR OTH MARJ

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Marijuana (pot, grass) or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	24.6	541	1	NOT @ALL: (1)
20.9	20.5	452	2	1-2X:(2)
22.8	22.5	494	3	OCCASNLY: (3)
31.3	30.8	678	4	OFTEN: (4)
	1.6	35	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 362-363

V3293 013A28B:12MO NR OTH LSD

> During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	76.5	1,684	1	NOT @ALL: (1)
12.3	12.0	264	2	1-2X:(2)
6.4	6.2	137	3	OCCASNLY: (3)
2.9	2.8	63	4	OFTEN: (4)
	2.4	53	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 364-365

V3294 013A28C:12MO NR OTH PSYC

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Other hallucinogens (mescaline, peyote, shrooms or psilocybin, PCB, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	70.5	1,552	1	NOT @ALL: (1)
16.2	15.9	350	2	1-2X:(2)
8.3	8.2	180	3	OCCASNLY: (3)
3.7	3.7	80	4	OFTEN: (4)
	1.7	38	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 366-367

V3295 013A28D:12MO NR OTH AMPH

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Amphetamines (uppers, pep pills, bennies, speed)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	67.2	1,479	1	NOT @ALL: (1)
15.8	15.5	340	2	1-2X:(2)
9.7	9.5	210	3	OCCASNLY: (3)
6.0	5.9	130	4	OFTEN: (4)
	1.9	42	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric
Missing-data code: -9

Columns: 368-369

V3296 013A28E:12MO NR OTH BARB

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Barbiturates (downers, goofballs, reds, yellows, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	80.9	1,780	1	NOT @ALL: (1)
9.1	8.9	196	2	1-2X:(2)
5.3	5.2	115	3	OCCASNLY: (3)
2.7	2.6	58	4	OFTEN: (4)
	2.4	52	-9	MISSING
100 0	100 0	2 201	cases ((M+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 370-371

V3297 013A28F:12MO NR OTH TRQL

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Tranquilizers (Librium, Valium, Xanax)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	74.5	1,641	1	NOT @ALL: (1)
11.6	11.3	250	2	1-2X:(2)
7.4	7.2	159	3	OCCASNLY: (3)
5.0	4.9	108	4	OFTEN: (4)
	2.0	43	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 372-373

V3298 013A28G:12MO NR OTH COKE

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Cocaine ("coke")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	74.0	1,629	1	NOT @ALL: (1)
13.9	13.7	301	2	1-2X:(2)
6.1	6.0	133	3	OCCASNLY: (3)
4.6	4.5	99	4	OFTEN: (4)
	1.8	40	-9	MISSING
100 0	100 0	2 201	cases I	(M+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 374-375

V3299 013A28H:12MO NR OTH HRN

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	89.4	1,967	1	NOT @ALL: (1)
5.9	5.7	126	2	1-2X: (2)
2.2	2.2	47	3	OCCASNLY: (3)
0.7	0.7	15	4	OFTEN: (4)
	2.1	46	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric

Missing-data code: -9 Columns: 376-377

V3300 013A28I:12MO NR OTH NARC

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Other narcotics (methadone, opium, codeine, paregoric, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	76.4	1,682	1	NOT @ALL: (1)
12.4	12.1	266	2	1-2X:(2)
6.4	6.2	137	3	OCCASNLY: (3)
3.1	3.0	66	4	OFTEN: (4)
	2.3	51	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 378-379

V3301

013A28J:12MO NR OTH ALCL

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Alcoholic beverages (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.0	198	1	NOT @ALL: (1)
13.2	12.9	285	2	1-2X:(2)
24.6	24.1	531	3	OCCASNLY: (3)
53.1	52.0	1,145	4	OFTEN: (4)
	1.9	42	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric
Missing-data code: -9

Columns: 380-381

V3460 013A29A:RSK OF CIG1+PK/D

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	41	1	NO RISK: (1)
6.8	6.5	144	2	SLIGHT: (2)
23.4	22.7	499	3	MOD RISK: (3)
67.9	65.6	1,445	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.3	72	- 9	MISSING
4000	1000	0 0 0 1		11

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 628-629

V3461 013A29B:RSK OF MJ 1-2 X

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try marijuana once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	34.7	765	1	NO RISK: (1)
32.1	30.8	678	2	SLIGHT: (2)
15.8	15.1	333	3	MOD RISK: (3)
15.9	15.3	337	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.1	89	- 9	MISSING
4000	1000	0 001	,	1)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 630-631

V3462 013A29C:RSK OF MJ OCSNLY

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	15.9	350	1	NO RISK: (1)
25.8	24.8	545	2	SLIGHT: (2)
28.7	27.5	605	3	MOD RISK: (3)
29.0	27.8	612	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.0	89	- 9	MISSING
1000	100 0	2 201	/	T-T + -1 \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 632-633

V3463 013A29D:RSK OF MJ REGLY

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.5	143	1	NO RISK: (1)
13.8	13.2	290	2	SLIGHT: (2)
22.1	21.2	466	3	MOD RISK: (3)
57.3	54.9	1,209	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.2	93	- 9	MISSING
100 0	100 0	2 201	02000 /	M+4)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 634-635

V3464 013A29E:RSK COK PWDR 1-2

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try cocaine in powder form once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.5	98	1	NO RISK: (1)
13.9	12.7	279	2	SLIGHT: (2)
22.1	20.1	443	3	MOD RISK: (3)
59.0	53.7	1,181	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	9.1	200	- 9	MISSING
100 0	100 0	2 201	/	T-7 ± ~1 \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 636-637

V3465 013A29F:RSK COK PWDR OCC

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take cocaine powder occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	37	1	NO RISK: (1)
4.2	3.8	83	2	SLIGHT: (2)
15.5	14.1	309	3	MOD RISK: (3)
78.5	71.4	1,572	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	9.1	200	-9	MISSING
100 0	100 0	2 201	cases (W+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 638-639

V3466 013A29G:RSK COK PWDR REG

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take cocaine powder regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	32	1	NO RISK: (1)
1.2	1.1	24	2	SLIGHT: (2)
4.1	3.8	83	3	MOD RISK: (3)
93.1	85.0	1,871	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	8.7	191	- 9	MISSING
100 0	100 0	2 201	02000 /	M+4)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 640-641

V3467 013A29H:RSK CRACK 1-2X

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try "crack" cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.7	60	1	NO RISK: (1)
9.5	8.5	188	2	SLIGHT: (2)
18.5	16.6	365	3	MOD RISK: (3)
69.0	61.9	1,362	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	10.3	226	- 9	MISSING
100 0	100 0	2 201	cases (W+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 642-643

V3468 013A29I:RSK CRACK OCC

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take "crack" cocaine occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.5	33	1	NO RISK: (1)
2.3	2.1	46	2	SLIGHT: (2)
11.5	10.4	228	3	MOD RISK: (3)
84.5	75.9	1,671	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	10.1	223	- 9	MISSING
100 0	100 0	2 201	cases (W+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 644-645

V3469 013A29J:RSK CRACK REG

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take "crack" cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.5	33	1	NO RISK: (1)
0.5	0.5	10	2	SLIGHT: (2)
3.5	3.2	69	3	MOD RISK: (3)
94.3	84.8	1,867	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	10.1	222	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 646-647

V3470 013A29K:RSK OF 1-2 DRINK

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	47.8	1,052	1	NO RISK: (1)
32.8	31.6	695	2	SLIGHT: (2)
8.3	8.0	176	3	MOD RISK: (3)
9.3	8.9	197	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.7	82	-9	MISSING
1000	1000	0 001	/	T-T + -1 \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 648-649

V3471 013A29L:RSK OF 1-2 DR/DA

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.8	304	1	NO RISK: (1)
31.1	30.0	660	2	SLIGHT: (2)
32.5	31.3	689	3	MOD RISK: (3)
22.1	21.2	468	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.7	81	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 650-651

V3472 013A29M:RSK OF 4-5 DR/DA

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.4	98	1	NO RISK: (1)
10.2	9.8	215	2	SLIGHT: (2)
24.4	23.5	517	3	MOD RISK: (3)
60.9	58.6	1,291	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 652-653

V3473 013A29N:RSK OF 5+DR/WKND

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Have five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.5	254	1	NO RISK: (1)
16.7	16.0	353	2	SLIGHT: (2)
23.0	22.1	487	3	MOD RISK: (3)
48.3	46.5	1,023	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.9	86	- 9	MISSING
100 0	100 0	2 201	02000 /	M+4)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 654-655

V3474

013A30A:EASY GT MARIJUAN

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	96	1	PROB IMP: (1)
3.1	3.0	67	2	VRY DIFF: (2)
5.5	5.3	118	3	FRLY DIF: (3)
23.6	22.9	504	4	FRLY EAS: (4)
63.3	61.4	1,351	5	VRY EASY: (5)
	3.0	65	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 656-657

V3475 013A30B:EASY GT CRACK

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

"Crack" cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	11.8	259	1	PROB IMP: (1)
17.6	17.0	375	2	VRY DIFF: (2)
28.1	27.1	597	3	FRLY DIF: (3)
26.2	25.3	556	4	FRLY EAS: (4)
15.9	15.4	338	5	VRY EASY: (5)
	3.4	75	-9	MISSING
1000	1000	0 001	,	T.T. 1\

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 658-659

V3476 013A30C:EASY GT COK PWDR

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	11.8	260	1	PROB IMP: (1)
18.4	17.8	391	2	VRY DIFF: (2)
27.3	26.4	580	3	FRLY DIF: (3)
25.6	24.8	545	4	FRLY EAS: (4)
16.5	15.9	350	5	VRY EASY: (5)
	3.4	75	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 660-661

V3101 013B01 :EVR SMK CIG, REGL

Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	36.7	808	1	NEVER: (1)
26.1	25.5	561	2	1-2X:(2)
12.6	12.3	270	3	OCCASNLY: (3)
8.5	8.3	182	4	REG PAST: (4)
15.1	14.7	324	5	REG NOW: (5)
	2.6	56	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (Wtd

Data type: numeric Missing-data code: -9

Columns: 28-29

V3102 013B02 :#CIGS SMKD/30DAY

How frequently have you smoked cigarettes during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	69.0	1,520	1	NONE: (1)
9.6	9.3	205	2	<1 CIG/D:(2)
8.4	8.1	179	3	1-5/DAY:(3)
5.9	5.7	125	4	1/2PK/D:(4)
3.9	3.8	84	5	1 PK/DA:(5)
0.7	0.7	15	6	1.5 PK/D:(6)
0.5	0.5	12	7	2+ PKS/D:(7)
	2.8	62	- 9	MISSING
				- · ·

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 30-31

V3103 013B03 :EVER DRINK

Next we want to ask you about drinking alcoholic beverages, including beer, wine, wine coolers, and liquor. Have you ever had any beer, wine, wine coolers, or liquor to drink - more than just a few sips?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.3	447	1	NO: (1)
78.7	75.0	1,652	2	YES: (2)
	4.6	102	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 32-33

V3104 013B04A: #X ALC/LIF SIPS

On how many occasions have you had alcoholic beverages to drink- more than just a few $\operatorname{sips}\dots$

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	20.3	447	1	0 OCCAS: (1)
7.0	6.6	145	2	1-2X: (2)
9.1	8.5	188	3	3-5X:(3)
9.0	8.4	185	4	6-9X:(4)
14.4	13.5	298	5	10-19X:(5)
13.9	13.0	287	6	20-39X:(6)
24.9	23.4	514	7	40+OCCAS: (7)
	6.3	138	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 34-35

V3105 013B04B: #X ALC/ANN SIPS

On how many occasions have you had alcoholic beverages to drink- more than just a few sips...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	26.1	574	1	0 OCCAS: (1)
14.4	13.5	298	2	1-2X:(2)
13.0	12.2	269	3	3-5X:(3)
12.7	12.0	263	4	6-9X:(4)
13.1	12.3	272	5	10-19X:(5)
8.6	8.1	179	6	20-39X:(6)
10.5	9.9	217	7	40+OCCAS: (7)
	5.9	130	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 36-37

V3106 013B04C: #X ALC/30D SIPS

On how many occasions have you had alcoholic beverages to drink- more than just a few sips...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	47.1	1,036	1	0 OCCAS: (1)
20.9	19.6	430	2	1-2X:(2)
11.6	10.8	239	3	3-5X:(3)
8.4	7.9	173	4	6-9X:(4)
5.5	5.2	114	5	10-19X:(5)
1.9	1.8	40	6	20-39X:(6)
1.3	1.2	27	7	40+OCCAS: (7)
	6.5	142	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 38-39

V3107 013B05 :#X DRK ENF FL HI

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	16.5	363	1	NONE: (1)
26.6	19.8	437	2	FEW: (2)
14.7	11.0	242	3	HALF: (3)
21.7	16.2	356	4	MOST: (4)
15.0	11.2	246	5	NRLY ALL: (5)
	25.3	557	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 40-41

V3108 013B06 :5+DRK ROW/LST 2W

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, or a mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	65.3	1,438	1	NONE: (1)
10.2	9.5	209	2	ONCE: (2)
7.7	7.2	158	3	TWICE: (3)
7.0	6.5	144	4	3-5X:(4)
3.0	2.8	62	5	6-9X:(5)
1.8	1.7	37	6	10+ TIME: (6)
	7.0	153	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 42-43

V3115 013B07A: #XMJ+HS/LIFETIME

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	48.6	1,069	1	0 OCCAS: (1)
10.5	10.1	222	2	1-2X:(2)
7.1	6.8	149	3	3-5X:(3)
4.5	4.3	95	4	6-9X:(4)
5.1	4.9	108	5	10-19X:(5)
5.5	5.3	117	6	20-39X:(6)
16.8	16.2	357	7	40+OCCAS: (7)
	3.8	83	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 44-45

V3116 013B07B: #XMJ+HS/LAST12MO

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	60.3	1,328	1	0 OCCAS: (1)
11.1	10.6	234	2	1-2X:(2)
5.2	5.0	110	3	3-5X:(3)
3.8	3.7	81	4	6-9X:(4)
4.5	4.3	95	5	10-19X:(5)
3.4	3.3	73	6	20-39X:(6)
8.9	8.5	187	7	40+OCCAS: (7)
	4.3	94	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 46-47

V3117 013B07C: #XMJ+HS/LAST30DA

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	74.3	1,636	1	0 OCCAS: (1)
7.6	7.2	159	2	1-2X:(2)
3.8	3.6	79	3	3-5X:(3)
2.3	2.2	49	4	6-9X:(4)
2.9	2.8	61	5	10-19X:(5)
2.4	2.2	49	6	20-39X:(6)
3.4	3.3	72	7	40+OCCAS: (7)
	4.3	95	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 48-49

V3118 013B08A: #X LSD/LIFETIME

On how many occasions (if any) have you used LSD ("acid")...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	86.6	1,906	1	0 OCCAS: (1)
4.6	4.5	99	2	1-2X:(2)
1.9	1.9	41	3	3-5X:(3)
1.2	1.2	26	4	6-9X:(4)
1.2	1.2	27	5	10-19X:(5)
0.8	0.8	17	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS: (7)
	2.8	61	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 50-51

V3119 013B08B:#X LSD/LAST 12MO

On how many occasions (if any) have you used LSD ("acid")...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	90.6	1,995	1	0 OCCAS: (1)
3.2	3.1	68	2	1-2X:(2)
1.4	1.4	31	3	3-5X:(3)
1.0	1.0	22	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	2.8	63	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 52-53

V3120 013B08C: #X LSD/LAST 30DA

On how many occasions (if any) have you used LSD ("acid")...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	95.3	2,097	1	0 OCCAS: (1)
1.1	1.1	25	2	1-2X:(2)
0.3	0.3	6	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.8	62	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 54-55

V3121 013B09A: #X PSYD/LIFETIME

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" psilocybin, PCP)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	86.8	1,910	1	0 OCCAS: (1)
5.5	5.4	118	2	1-2X:(2)
2.5	2.4	54	3	3-5X:(3)
0.9	0.9	19	4	6-9X:(4)
0.8	0.8	17	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.8	0.8	17	7	40+OCCAS: (7)
	2.9	63	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 56-57

V3122 013B09B: #X PSYD/LAST12MO

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" psilocybin, PCP)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	91.0	2,003	1	0 OCCAS: (1)
3.9	3.8	83	2	1-2X:(2)
1.2	1.1	25	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.6	0.6	13	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.0	65	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 58-59

V3123 013B09C: #X PSYD/LAST30DA

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" psilocybin, PCP)...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	95.5	2,102	1	0 OCCAS: (1)
0.9	0.9	19	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	2.8	61	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 60-61

V3127 013B10A: #X AMPH/LIFETIME

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	79.1	1,741	1	0 OCCAS: (1)
7.0	6.7	148	2	1-2X:(2)
2.8	2.7	60	3	3-5X:(3)
3.0	2.9	64	4	6-9X:(4)
1.7	1.6	36	5	10-19X:(5)
1.1	1.1	24	6	20-39X:(6)
2.5	2.4	53	7	40+OCCAS: (7)
	3.4	75	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 68-69

V3128 013B10B:#X AMPH/LAST12MO

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	84.4	1,858	1	0 OCCAS: (1)
5.2	5.0	111	2	1-2X:(2)
2.5	2.4	52	3	3-5X:(3)
1.8	1.7	38	4	6-9X:(4)
1.4	1.3	29	5	10-19X:(5)
0.7	0.7	14	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS: (7)
	3.4	76	-9	MISSING
100 0	100 0	2 201	02000 /	M+4)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 70-71

V3129 013B10C:#X AMPH/LAST30DA

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	91.1	2,006	1	0 OCCAS: (1)
2.7	2.6	57	2	1-2X:(2)
1.2	1.2	26	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.5	0.4	10	7	40+OCCAS: (7)
	3.5	77	- 9	MISSING
100 0	100 0	2 201	cases (W+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 72-73

V3487 013B11A: #X CRACK/LIFETIM

B11: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	94.2	2,074	1	0 OCCAS (1)
1.1	1.1	24	2	1-2X (2)
0.5	0.5	11	3	3-5X (3)
0.3	0.3	6	4	6-9X (4)
0.3	0.3	6	5	10-19X (5)
0.4	0.4	9	6	20-39X (6)
0.2	0.2	5	7	40+X (7)
	3.0	66	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 14-15

V3488 013B11B:#X CRACK/LAST12M

B11: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
FCI	FCI	IN	VALUE	пипп
VALID	ALL			
97.9	95.0	2,091	1	0 OCCAS (1)
0.8	0.8	17	2	1-2X (2)
0.4	0.4	9	3	3-5X(3)
0.3	0.3	7	4	6-9X (4)
0.3	0.3	6	5	10-19X (5)
0.2	0.2	4	6	20-39X (6)
0.0	0.0	1	7	40+X (7)
	3.0	66	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 16-17

V3489 013B11C:#X CRACK/LAST30D

B11: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)...

...during the last 30 days?

	3.0	66	-9	MISSING
0.0	0.0	0	7	40+X (7)
0.0	0.0	1	6	20-39X (6)
0.1	0.0	1	5	10-19X (5)
0.2	0.2	4	4	6-9X (4)
0.3	0.3	6	3	3-5X (3)
0.7	0.7	15	2	1-2X (2)
98.8	95.8	2,109	1	0 OCCAS (1)
VALID	ALL			
PCT	PCT	N	VALUE	LABEL

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 18-19

V3490 013B12A: #XOTH COKE/LIFE

B12: On how many occasions (if any) have you used cocaine in any other form...

...in your lifetime?

	3.0	66	-9	MISSING
0.8	0.8	18	7	40+X (7)
0.4	0.4	9	6	20-39X (6)
1.0	0.9	21	5	10-19X (5)
0.6	0.6	13	4	6-9X (4)
1.2	1.2	27	3	3-5X(3)
3.8	3.7	82	2	1-2X (2)
92.1	89.4	1,967	1	0 OCCAS (1)
VALID	ALL			
PCT	PCT	N	VALUE	LABEL

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 20-21

V3491 013B12B: #XOTH COKE/12MO

B12: On how many occasions (if any) have you used cocaine in any other form...

...during the last 12 months?

	3.0	67	-9	MISSING
0.2	0.2	4	7	40+X (7)
0.1	0.1	3	6	20-39X (6)
0.4	0.4	9	5	10-19X (5)
0.6	0.5	12	4	6-9X (4)
0.7	0.7	16	3	3-5X (3)
2.6	2.5	55	2	1-2X (2)
95.4	92.5	2,036	1	0 OCCAS (1)
VALID	ALL			
PCT	PCT	N	VALUE	LABEL

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 22-23

V3492 013B12C: #XOTH COKE/30DA

B12: On how many occasions (if any) have you used cocaine in any other form...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.6	2,105	1	0 OCCAS (1)
1.1	1.1	24	2	1-2X (2)
0.2	0.2	3	3	3-5X(3)
0.1	0.1	3	4	6-9X (4)
0.0	0.0	1	5	10-19X (5)
0.1	0.1	2	6	20-39X (6)
0.0	0.0	1	7	40+X (7)
	2.8	62	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 24-25

E

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	88.8	1,955	1	0 OCCAS: (1)
3.4	3.3	72	2	1-2X:(2)
1.9	1.8	41	3	3-5X:(3)
0.6	0.6	13	4	6-9X:(4)
0.9	0.9	20	5	10-19X:(5)
0.6	0.6	12	6	20-39X:(6)
0.9	0.9	20	7	40+OCCAS: (7)
	3.1	68	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 62-63

V3125		013R	:#X C	OKE/LAST12MO	
PCT VALID	PCT ALL	N	VALUE	LABEL	
94.8		2,020	1	0 OCCAS:(1)	
2.5	2.4	53	2	1-2X:(2)	
1.2	1.2	27	3	3-5X:(3)	
0.4	0.4	8	4	6-9X:(4)	
0.7	0.6	14	5	10-19X:(5)	
0.2	0.2	3	6	20-39X:(6)	
0.3	0.3	7	7	40+OCCAS: (7)	
	3.2	69	-9	MISSING	
100.0	100.0	2,201	cases	(Wtd)	

Data type: numeric Missing-data code: -9

Columns: 64-65

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	95.0	2,091	1	0 OCCAS: (1)
0.9	0.8	19	2	1-2X:(2)
0.7	0.7	15	3	3-5X:(3)
0.0	0.0	1	4	6-9X: (4)
0.2	0.2	4	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.1	69	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9

Columns: 66-67

V3133 013B13A:#X BRBT/LIFETIME

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	87.0	1,916	1	0 OCCAS: (1)
4.6	4.5	98	2	1-2X:(2)
1.6	1.5	33	3	3-5X:(3)
1.3	1.2	27	4	6-9X:(4)
0.9	0.9	19	5	10-19X:(5)
0.7	0.7	14	6	20-39X:(6)
1.1	1.1	24	7	40+OCCAS: (7)
	3.1	69	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 74-75

V3134 013B13B: #X BRBT/LAST12MO

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	90.5	1,993	1	0 OCCAS: (1)
3.1	3.0	67	2	1-2X:(2)
1.3	1.3	28	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.6	0.5	12	5	10-19X:(5)
0.5	0.4	10	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	3.2	70	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 76-77

V3135 013B13C: #X BRBT/LAST30DA

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	93.7	2,063	1	0 OCCAS: (1)
1.8	1.8	39	2	1-2X:(2)
0.7	0.7	14	3	3-5X:(3)
0.4	0.4	8	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.2	71	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 78-79

V3136 013B14A: #X TRQL/LIFETIME

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	84.1	1,851	1	0 OCCAS: (1)
6.1	5.9	131	2	1-2X:(2)
2.4	2.3	51	3	3-5X:(3)
1.4	1.4	31	4	6-9X:(4)
1.4	1.4	30	5	10-19X:(5)
0.6	0.6	14	6	20-39X:(6)
1.2	1.1	25	7	40+OCCAS: (7)
	3.2	70	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 80-81

V3137 013B14B: #X TRQL/LAST12MO

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	88.6	1,950	1	0 OCCAS: (1)
4.1	4.0	88	2	1-2X:(2)
1.8	1.8	39	3	3-5X:(3)
0.8	0.8	17	4	6-9X:(4)
1.0	0.9	21	5	10-19X:(5)
0.4	0.3	8	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	3.4	74	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 82-83

V3138 013B14C:#X TRQL/LAST30DA

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	93.7	2,062	1	0 OCCAS: (1)
1.8	1.7	38	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.6	0.6	14	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.4	74	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 84-85

V3139 013B15A: #X "H"/LIFETIME

On how many occasions (if any) have you used heroin...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	94.6	2,082	1	0 OCCAS: (1)
0.7	0.7	15	2	1-2X:(2)
0.7	0.7	16	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.2	0.2	3	7	40+OCCAS: (7)
	3.3	72	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 86-87

V3140 013B15B:#X "H"/LAST 12MO

On how many occasions (if any) have you used heroin...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	95.5	2,102	1	0 OCCAS: (1)
0.6	0.6	13	2	1-2X:(2)
0.4	0.4	8	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.3	73	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 88-89

V3141 013B15C:#X "H"/LAST 30DA

On how many occasions (if any) have you used heroin...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	96.2	2,118	1	0 OCCAS: (1)
0.3	0.3	6	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.4	74	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 90-91

V3142 013B16A: #X NARC/LIFETIME

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	85.1	1,872	1	0 OCCAS: (1)
4.5	4.4	96	2	1-2X:(2)
2.7	2.6	56	3	3-5X:(3)
1.9	1.8	40	4	6-9X:(4)
1.3	1.3	28	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.9	0.9	19	7	40+OCCAS: (7)
	3.6	79	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 92-93

V3143 013B16B: #X NARC/LAST12MO

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	89.5	1,970	1	0 OCCAS: (1)
3.4	3.3	72	2	1-2X:(2)
1.3	1.3	28	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
1.0	1.0	21	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	3.8	83	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 94-95

V3144 013B16C: #X NARC/LAST30DA

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	93.6	2,059	1	0 OCCAS: (1)
1.4	1.3	30	2	1-2X:(2)
0.8	0.8	17	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS: (7)
	3.6	79	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 96-97

V3145 013B17A: #X INHL/LIFETIME

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	83.0	1,826	1	0 OCCAS: (1)
7.4	7.2	158	2	1-2X:(2)
2.3	2.3	50	3	3-5X:(3)
1.0	1.0	22	4	6-9X:(4)
1.6	1.5	33	5	10-19X:(5)
0.5	0.5	11	6	20-39X:(6)
1.0	1.0	21	7	40+OCCAS: (7)
	3.6	80	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 98-99

V3146 013B17B:#X INHL/LAST12MO

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	91.6	2,015	1	0 OCCAS: (1)
2.2	2.2	47	2	1-2X:(2)
1.1	1.0	23	3	3-5X:(3)
0.7	0.6	14	4	6-9X:(4)
0.6	0.6	13	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	3.6	80	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 100-101

V3147 013B17C: #X INHL/LAST30DA

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	94.2	2,074	1	0 OCCAS: (1)
1.0	1.0	21	2	1-2X:(2)
0.8	0.7	16	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	3.7	82	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 102-103

V3493 013B18A: #X MDMA/LIFETIME

On how many occasions (if any) have you used MDMA ("ecstasy")...

...in your lifetime?

	3.6	80	- 9	MISSING
1.1	1.1	24	7	40+X (7)
0.7	0.7	15	6	20-39X (6)
1.2	1.2	26	5	10-19X (5)
1.0	1.0	21	4	6-9X (4)
2.7	2.6	57	3	3-5X(3)
5.1	4.9	107	2	1-2X (2)
88.2	85.0	1,870	1	0 OCCAS (1)
VALID	ALL			
PCT	PCT	N	VALUE	LABEL

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 682-683

V3494 013B18B:#X MDMA/LAST12MO

On how many occasions (if any) have you used MDMA ("ecstasy")...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	87.3	1,921	1	0 OCCAS (1)
4.7	4.5	100	2	1-2X (2)
1.8	1.8	39	3	3-5X (3)
0.9	0.8	19	4	6-9X (4)
0.8	0.8	17	5	10-19X (5)
0.2	0.2	5	6	20-39X (6)
0.9	0.8	19	7	40+X (7)
	3.8	83	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 684-685

V3495 013B18C:#X MDMA/LAST30DA

On how many occasions (if any) have you used MDMA ("ecstasy")...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	93.5	2,059	1	0 OCCAS (1)
1.5	1.4	32	2	1-2X (2)
0.6	0.6	13	3	3-5X(3)
0.4	0.4	9	4	6-9X (4)
0.1	0.1	1	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.2	0.2	5	7	40+X (7)
	3.8	83	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 686-687

V3148	013(R)	:AGE <>18	DICHOTOMY
-------	--------	-----------	-----------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	43.4	955	1	< 18:(1)
55.1	53.3	1,173	2	18+:(2)
	3.3	72	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 104-105

V3150 013C03 :R'S SEX

What is your sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	45.8	1,009	1	MALE: (1)
51.6	48.8	1,075	2	FEMALE: (2)
	5.3	117	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 106-107

V3151

013C04(R)R'S RACE

How do you describe yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	63.1	1,389	0	WHITE
15.4	11.5	253	1	BLACK
	25.4	560	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 108-109

V3152 013C05 :R SPD >TIM R-URB

Where did you grow up mostly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	DK/MIXED: (0)
6.5	5.8	127	1	FARM: (1)
12.4	11.0	242	2	COUNTRY: (2)
28.7	25.6	563	3	SML TOWN: (3)
13.6	12.1	267	4	MED CITY: (4)
9.1	8.1	179	5	SUBURB 4: (5)
10.1	9.0	197	6	LRG CITY: (6)
7.0	6.2	138	7	SUBURB 6:(7)
7.6	6.7	148	8	VRYLG CY: (8)
5.1	4.5	99	9	SUBURB 8:(9)
	10.9	241	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 110-111

V3153 013C06 :R NOT MARRIED

What is your marital status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	MARRIED: (1)
6.0	5.7	125	2	ENGAGED: (2)
0.8	0.7	16	3	SEP/DIV: (3)
92.8	87.9	1,934	4	SINGLE: (4)
	5.3	117	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 112-113

V49 013C07R:# SIBLINGS

How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters)

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
5.5	5.3	117	0		
29.8	28.7	632	1		
29.0	27.9	615	2		
35.7	34.4	758	3	3 OR MORE	
	3.6	79	-9	MISSING	
100.0	100.0	2,201	cases	(Wtd)	

Data type: numeric Missing-data code: -9

Columns: 26-27

V3155

013C07Cb(R):R'S HSHLD FATHER

Which of the following people live in the same household with you?

Father (or male guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	26.0	573	0	NT MARKD: (0)
73.1	70.6	1,553	1	MARKED: (1)
	3.4	75	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 114-115

V3156 013C07Cc(R):R'S HSHLD MOTHER

Which of the following people live in the same household with you?

Mother (of female guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	11.0	243	0	NT MARKD: (0)
88.6	85.6	1,883	1	MARKED: (1)
	3.4	75	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 116-117

V3157

013C07Cd(R):R'S HSHLD BR/SR

Which of the following people live in the same household with you?

Brother(s) and/or sister(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	33.3	733	0	NT MARKD: (0)
65.5	63.3	1,393	1	MARKED: (1)
	3.4	75	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 118-119

V3163 013C08 :FATHR EDUC LEVEL

What is the highest level of schooling your father completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.4	76	1	GRDE SCH: (1)
10.4	9.3	205	2	SOME HS: (2)
30.0	26.8	589	3	HS GRAD: (3)
17.0	15.2	335	4	SOME CLG: (4)
24.2	21.7	477	5	CLG GRAD: (5)
14.5	12.9	285	6	GRAD SCH: (6)
0.0	0.0	0	7	DK: (7)
	10.7	235	-9	MISSING
100 0	100 0	2 201	0000	(M+A)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 120-121

V3164 013C09 :MOTHR EDUC LEVEL

What is the highest level of schooling your mother completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.0	65	1	GRDE SCH: (1)
9.9	9.1	201	2	SOME HS: (2)
28.8	26.5	584	3	HS GRAD: (3)
21.1	19.4	427	4	SOME CLG: (4)
25.2	23.2	511	5	CLG GRAD: (5)
11.8	10.9	239	6	GRAD SCH: (6)
0.0	0.0	0	7	DK: (7)
	7.9	174	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 122-123

V3165 013C10 : MOTH PD JB R YNG

Did you mother have a paid job (half-time or more) during the time you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	15.7	345	1	NO: (1)
20.7	19.9	437	2	SOMETIME: (2)
18.2	17.4	383	3	MOSTTIME: (3)
44.7	42.8	943	4	ALL TIME: (4)
	4.2	93	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 124-125

V3166 013C11 :R'S POLTL PRFNC

How would you describe your political preference?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	9.2	202	1	STRG GOP: (1)
20.0	14.3	315	2	MILD GOP: (2)
15.3	11.0	242	3	MILD DEM: (3)
17.8	12.8	281	4	STRG DEM: (4)
11.0	7.9	173	5	<pre>INDEPNDT: (5)</pre>
20.9	15.0	329	6	NO PREF: (6)
2.2	1.6	35	7	OTHER: (7)
	28.3	624	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 126-127

V3167 013C12 :R'POL BLF RADCL

How would you describe your political beliefs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	3.4	75	1	VRY CONS: (1)
18.4	11.3	250	2	CONSERV: (2)
41.3	25.5	562	3	MODERATE: (3)
23.3	14.4	317	4	LIBERAL: (4)
7.6	4.7	103	5	VRY LIB: (5)
3.8	2.3	51	6	RADICAL: (6)
	38.3	843	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 128-129

V3169

013C13B:R'ATTND REL SVC

The next three questions are about religion.

How often do you attend religious services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	12.9	284	1	NEVER: (1)
34.7	26.2	578	2	RARELY: (2)
16.1	12.2	268	3	1-2X/MO:(3)
32.1	24.3	534	4	1/WK OR+: (4)
	24.4	537	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 130-131

V3170 013C13C:RLGN IMP R'S LF

The next three questions are about religion.

How important is religion in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	11.8	259	1	NOT IMPT: (1)
26.6	20.1	441	2	LITL IMP: (2)
26.6	20.0	441	3	PRTY IMP: (3)
31.2	23.6	518	4	VERY IMP: (4)
	24.6	542	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 132-133

V3171 013C14 :WHEN R XPCT GRAD

When are you most likely to graduate from high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	93.4	2,056	1	BY JUNE: (1)
1.8	1.7	37	2	JULY-JAN: (2)
0.0	0.0	0	3	AFT JAN: (3)
0.5	0.5	10	6	WONT: (6)
	4.4	98	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 134-135

V3172 013C15 :R'S HS PROGRAM

Which of the following best describes your present high school program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	49.6	1,091	1	CLG PREP: (1)
31.7	30.2	664	2	GENERAL: (2)
8.3	7.9	173	3	VOC-TECH: (3)
7.8	7.4	164	4	OTH/DK: (4)
	5.0	109	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 136-137

V3173 013C16 :RT SF SCH AB>AVG

Compared with others your age throughout the country, how do you rate yourself on school ability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	25	1	FAR BLOW: (1)
1.8	1.7	37	2	BELOW AV: (2)
4.4	4.2	92	3	SL BELOW: (3)
35.9	33.9	747	4	AVERAGE: (4)
25.1	23.8	523	5	SL ABOVE: (5)
25.6	24.2	532	6	ABOVE AV: (6)
6.0	5.7	125	7	FAR ABOV: (7)
	5.5	121	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 138-139

V3174 013C17 :RT SF INTELL>AVG

How intelligent do you think you are compared with others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	16	1	FAR BLOW: (1)
1.0	0.9	21	2	BELOW AV: (2)
4.2	4.0	88	3	SL BELOW: (3)
33.5	31.8	701	4	AVERAGE: (4)
25.5	24.2	533	5	SL ABOVE: (5)
26.9	25.6	563	6	ABOVE AV: (6)
8.0	7.6	167	7	FAR ABOV: (7)
	5.1	112	-9	MISSING
100 0	100 0	2 201	C3 CAC	(W+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 140-141

V3175

013C18A: #DA/4W SC MS ILL

During the LAST FOUR WEEKS, how many whole days of school have you missed...

Because of illness...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	52.4	1,154	1	NONE: (1)
20.4	19.1	421	2	1 DAY: (2)
11.3	10.6	233	3	2 DAYS: (3)
5.0	4.7	104	4	3 DAYS: (4)
4.0	3.7	82	5	4-5 DAYS: (5)
2.2	2.1	45	6	6-10 DA: (6)
0.9	0.8	18	7	11+ DAYS: (7)
	6.5	144	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 142-143

V3176 013C18B: #DA/4W SC MS CUT

During the LAST FOUR WEEKS, how many whole days of school have you missed...

Because you skipped or "cut"...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	62.3	1,372	1	NONE: (1)
14.9	13.7	301	2	1 DAY: (2)
7.4	6.8	149	3	2 DAYS: (3)
4.4	4.1	90	4	3 DAYS: (4)
2.9	2.7	59	5	4-5 DAYS: (5)
1.3	1.2	25	6	6-10 DA: (6)
1.4	1.3	28	7	11+ DAYS: (7)
	8.0	176	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 144-145

V3177 013C18C: #DA/4W SC MS OTH

During the LAST FOUR WEEKS, how many whole days of school have you missed...

For other reasons...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	50.7	1,117	1	NONE: (1)
19.0	17.7	389	2	1 DAY: (2)
11.2	10.4	228	3	2 DAYS: (3)
6.0	5.5	122	4	3 DAYS: (4)
4.9	4.6	100	5	4-5 DAYS: (5)
2.4	2.2	49	6	6-10 DA: (6)
1.8	1.7	37	7	11+ DAYS: (7)
	7.2	159	-9	MISSING
4000	4000	0 001		11

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 146-147

V3178 013C19 :#DA/4W SKP CLASS

During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	61.0	1,343	1	NONE: (1)
20.3	19.2	422	2	1-2:(2)
9.8	9.3	204	3	3-5:(3)
2.9	2.8	61	4	6-10:(4)
1.1	1.0	22	5	11-20:(5)
1.4	1.3	29	6	21+:(6)
	5.4	120	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 148-149

V3179 013C20 :R HS GRADE/D=1

Which of the following best describes your average grade so far in high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	30	1	D: (1)
2.2	2.0	45	2	C-:(2)
6.9	6.5	143	3	C:(3)
9.7	9.1	200	4	C+: (4)
10.5	9.9	217	5	B-:(5)
17.9	16.8	371	6	B:(6)
19.0	17.8	393	7	B+: (7)
16.7	15.7	346	8	A-: (8)
15.6	14.6	322	9	A: (9)
	6.2	135	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 150-151

V3180

013C21A:R WL DO VOC/TEC

How likely is it that you will do each of the following things after high school?

Attend a technical or vocational school...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	48.5	1,067	1	DEF WONT: (1)
25.2	23.1	508	2	PRB WONT: (2)
14.7	13.4	296	3	PRB WILL: (3)
7.3	6.7	148	4	DEF WILL: (4)
	8.3	183	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 152-153

V3181 013C21B:R WL DO ARMD FC

How likely is it that you will do each of the following things after high school?

Serve in the armed forces...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	64.7	1,423	1	DEF WONT: (1)
19.2	17.6	387	2	PRB WONT: (2)
5.5	5.1	111	3	PRB WILL: (3)
4.8	4.4	97	4	DEF WILL: (4)
	8.3	183	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 154-155

V3182 013C21C:R WL DO 2YR CLG

How likely is it that you will do each of the following things after high school?

C21C: Graduate from a two-year college program...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	35.0	770	1	DEF WONT: (1)
22.6	20.6	453	2	PRB WONT: (2)
23.4	21.3	469	3	PRB WILL: (3)
15.7	14.3	314	4	DEF WILL: (4)
	8.8	195	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 156-157

V3183 013C21D:R WL DO 4YR CLG

How likely is it that you will do each of the following things after high school?

Graduate from college (four-year program)...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.3	183	1	DEF WONT: (1)
11.0	10.1	223	2	PRB WONT: (2)
23.9	22.1	487	3	PRB WILL: (3)
56.2	52.0	1,145	4	DEF WILL: (4)
	7.4	164	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 158-159

V3184

013C21E:R WL DO GRD/PRF

How likely is it that you will do each of the following things after high school?

Attend graduate or professional school after college...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	16.8	370	1	DEF WONT: (1)
28.8	26.5	583	2	PRB WONT: (2)
33.2	30.5	672	3	PRB WILL: (3)
19.9	18.3	403	4	DEF WILL: (4)
	7.9	173	-9	MISSING
1000	1000	0 001	,	T.T. 1\

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 160-161

V3185 013C22A:R WNTDO VOC/TEC

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	77.2	1,699	0	NT MARKD: (0)
17.4	16.3	359	1	MARKED: (1)
	6.5	143	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 162-163

V3186

013C22B:R WNTDO ARMD FC

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Serve in the armed forces

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	82.1	1,806	0	NT MARKD: (0)
12.2	11.4	251	1	MARKED: (1)
	6.5	143	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 164-165

V3187 013C22C:R WNTDO 2YR CLG

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	69.7	1,535	0	NT MARKD: (0)
25.4	23.7	523	1	MARKED: (1)
	6.5	143	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 166-167

V3188

013C22D:R WNTDO 4YR CLG

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	20.5	450	0	NT MARKD: (0)
78.1	73.0	1,607	1	MARKED: (1)
	6.5	143	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 168-169

V3189 013C22E:R WNTDO GRD/PRF

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	41.6	915	0	NT MARKD: (0)
55.6	51.9	1,143	1	MARKED: (1)
	6.5	143	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 170-171

V3190 013C22F:R WNTDO NONE

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

None of the above

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	87.6	1,928	0	NT MARKD: (0)
6.3	5.9	130	1	MARKED: (1)
	6.5	143	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 172-173

V3191 013C23 :HRS/W WRK SCHYR

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	20.4	450	1	NONE: (1)
8.2	7.7	169	2	5 OR <: (2)
9.6	8.9	196	3	6-10 HRS:(3)
11.4	10.7	235	4	11-15 HR: (4)
17.9	16.7	367	5	16-20 HR: (5)
12.4	11.6	254	6	21-25 HR: (6)
8.6	8.0	176	7	26-30 HR: (7)
10.0	9.3	205	8	30+ HRS: (8)
	6.8	149	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 174-175

V3192 013C24A:R\$/AVG WEEK JOB

During an average week, how much money do you get from...

A job or other work...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	23.2	510	1	NONE: (1)
0.4	0.3	8	2	\$1-5:(2)
3.0	2.8	61	3	\$6-10:(3)
2.5	2.3	51	4	\$11-20:(4)
4.3	4.0	87	5	\$21-35:(5)
6.8	6.2	136	6	\$36-50:(6)
11.5	10.5	231	7	\$51-75:(7)
21.6	19.7	434	8	\$76-125:(8)
24.4	22.3	490	9	\$126+:(9)
	8.7	192	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 176-177

V3193 013C24B:R\$/AVG WEEK OTH

During an average week, how much money do you get from...

Other sources (allowances, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	31.9	702	1	NONE: (1)
6.0	5.3	117	2	\$1-5:(2)
9.9	8.7	192	3	\$6-10:(3)
19.4	17.2	378	4	\$11-20:(4)
12.9	11.4	252	5	\$21-35:(5)
7.1	6.3	138	6	\$36-50:(6)
3.6	3.2	70	7	\$51-75:(7)
1.8	1.6	35	8	\$76-125:(8)
3.4	3.0	67	9	\$126+:(9)
	11.3	250	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 178-179

V3194 013C25 : #X/AV WK GO OUT

During a typical week, on how many evenings do you go out for fun and recreation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	7.8	171	1	< 1:(1)
13.1	12.2	268	2	ONE: (2)
27.8	25.8	569	3	TWO: (3)
24.0	22.3	490	4	THREE: (4)
16.8	15.7	345	5	4-5:(5)
9.9	9.2	203	6	6-7:(6)
	7.0	155	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 180-181

V3195 013C26 : #X DATE 3+/WK

On the average, how often do you go out with a date (or your spouse, if you are married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	20.3	448	1	NEVER: (1)
16.9	15.5	342	2	1/MO OR<: (2)
14.1	13.0	285	3	2-3/MO:(3)
15.0	13.8	304	4	1/WK:(4)
21.7	20.0	440	5	2-3/WK: (5)
10.3	9.5	208	6	3+/WK:(6)
	7.9	173	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 182-183

V3196 013C27 :DRIVE>200 MI/WK

During an average week, how much do you usually drive a car, truck, or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	14.9	328	1	NONE: (1)
6.5	6.1	133	2	1-10 MI: (2)
20.0	18.6	409	3	11-50:(3)
22.9	21.3	468	4	51-100:(4)
20.2	18.8	413	5	101-200:(5)
14.4	13.3	294	6	> 200:(6)
	7.1	156	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 184-185

V3197 013C28 : #X/12MO R TCKTD

Within the LAST 12 MONTHS how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	63.5	1,399	0	NONE:(0)
18.4	16.9	373	1	ONE: (1)
6.6	6.0	133	2	TWO: (2)
3.1	2.8	63	3	THREE: (3)
2.8	2.6	57	4	4+: (4)
	8.0	177	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 186-187

V3198

013C29AR#TCKTS AFT DRNK

How many of these tickets or warnings occurred after you were...

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	25.3	557	0	None: (0)
7.0	1.9	43	1	One: (1)
1.2	0.3	7	2	Two: (2)
1.0	0.3	6	3	3-4 or +: (3-4)
	72.1	1,587	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 188-189

V3199

013C29BR#TCKTS AFT MARJ

How many of these tickets or warnings occurred after you were... $\,$

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	25.8	569	0	None: (0)
4.0	1.1	24	1	One: (1)
1.4	0.4	9	2	Two: (2)
1.0	0.3	6	3	3-4 or +: (3-4)
	72.4	1,593	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 190-191

V3200

013C29CR#TCKTS AFT OTDG

How many of these tickets or warnings occurred after you were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	26.6	585	0	None: (0)
2.5	0.7	15	1	One: (1)
0.3	0.1	2	2	Two: (2)
0.5	0.1	3	3	3-4 or +: (3-4)
	72.5	1,596	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 192-193 V3201 013C30 :#ACCIDNTS/12 MO

> We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	68.8	1,514	0	NONE:(0)
17.8	16.2	357	1	ONE: (1)
4.8	4.4	96	2	TWO: (2)
1.2	1.1	23	3	THREE: (3)
0.6	0.5	11	4	4+: (4)
	9.0	199	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 194-195

V3202

013C31AR#ACDTS AFT DRNK

How many of these accidents occurred after you were...

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	20.5	452	0	None: (0)
5.1	1.1	25	1	One: (1)
0.8	0.2	4	2	Two: (2)
1.7	0.4	8	3	3-4 or +: (3-4)
	77.8	1,712	-9	MISSING
100 0	100 0	2 201	~~~~	/M+ d)

100.0 100.0 2,201 cases (Wtd) Data type: numeric

Missing-data code: -9 Columns: 196-197

V3203

013C31BR#ACDTS AFT MARJ

How many of these accidents occurred after you were...

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	21.1	464	0	None: (0)
2.4	0.5	12	1	One: (1)
0.8	0.2	4	2	Two: (2)
1.7	0.4	8	3	3-4 or +: (3-4)
	77.8	1,714	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 198-199

V3204

013C31CR#ACDTS AFT OTDG

How many of these accidents occurred after you were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	21.3	468	0	None: (0)
2.5	0.6	12	1	One: (1)
0.6	0.1	3	2	Two: (2)
0.6	0.1	3	3	3-4 or +: (3-4)
	77.9	1,715	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 200-201

V3302 013D01 :CMP SATFD W/LIFE

How satisfied are you with your life as a whole these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.1	69	1	COMP DIS: (1)
6.8	6.3	138	2	QUITE DS: (2)
8.8	8.2	180	3	SMWT DIS: (3)
11.1	10.3	227	4	NEITHER: (4)
23.6	21.9	481	5	SMWT SAT: (5)
35.4	32.7	720	6	QUITE ST: (6)
10.9	10.1	223	7	COMP SAT: (7)
	7.5	164	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 382-383

V3484 013D02 :FEEL UNSAFE@SCHL

How often do you feel unsafe when you are at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	45.4	999	1	NEVER: (1)
36.5	33.9	745	2	RARELY: (2)
9.7	9.0	198	3	SOMEDAYS: (3)
2.5	2.4	52	4	MOSTDAYS: (4)
2.5	2.3	50	5	EVERYDAY: (5)
	7.1	157	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 676-677

V3485 013D03 :UNSAF TO/FRM SCH

How often do you feel unsafe going to or from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	51.5	1,133	1	NEVER: (1)
31.9	29.6	651	2	RARELY: (2)
8.0	7.4	162	3	SOMEDAYS: (3)
2.6	2.4	52	4	MOSTDAYS: (4)
2.0	1.9	41	5	EVERYDAY: (5)
	7.3	161	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 678-679

V3486 013D04 :4WK/UNSAF AVDSCH

During the LAST FOUR WEEKS, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	86.6	1,906	1	0 DAYS: (1)
4.0	3.7	82	2	1 DAY: (2)
1.2	1.1	24	3	2-3 DAYS: (3)
1.3	1.2	27	4	4+ DAYS: (4)
	7.3	162	-9	MISSING
100 0	100 0	2.201	cases	(W+d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 680-681

V3309 013D06A:12MO REDUCE ALCL

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	39.3	865	0	NO: (0)
33.6	19.9	438	1	YES: (1)
	40.8	898	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 384-385

V3310 013D06B:12MO REDUCE CIG

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	14.8	325	0	NO: (0)
60.8	22.9	505	1	YES: (1)
	62.3	1,371	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 386-387

V3311 013D06C:12MO REDUCE MARJ

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Marijuana?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	16.3	358	0	NO: (0)
45.7	13.7	302	1	YES: (1)
	70.0	1,541	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 388-389

V3312 013D06D:12MO REDUCE PSYC

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Hallucinogens (LSD, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	2.6	58	0	NO: (0)
58.6	3.7	82	1	YES: (1)
	93.7	2,062	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 390-391

V3313 013D06E:12MO REDUCE AMPH

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Amphetamines (uppers)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	3.3	72	0	NO: (0)
42.1	2.4	52	1	YES: (1)
	94.4	2,077	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 392-393

V3443 013D06F:12MO REDUCE TRQL

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	3.0	65	0	NO: (0)
37.5	1.8	39	1	YES: (1)
	95.2	2,096	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 598-599

V3444 013D03G:12MO REDUCE B+Q

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Barbiturates/quaaludes (downers)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	8.4	185	0	NO: (0)
27.1	3.1	69	1	YES: (1)
	88.5	1,947	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 600-601

V3316 013D06H:12MO REDUCE COKE

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	2.1	46	0	NO: (0)
48.3	1.9	42	1	YES: (1)
	96.0	2,113	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 394-395

V3317 013D06I:12MO REDUCE HRN

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	0.5	11	0	NO: (0)
56.4	0.6	14	1	YES: (1)
	98.9	2,176	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 396-397

V3318 013D06J:12MO REDUCE NARC

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Other narcotics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	2.2	48	0	NO: (0)
41.2	1.5	34	1	YES: (1)
	96.3	2,120	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 398-399

V3319 013D07 :NXT 12MOS USE MJ

How likely is it that you will use marijuana in the next 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	11.4	252	1	DEF WILL: (1)
13.8	12.0	263	2	PRB WILL: (2)
17.2	14.9	327	3	PRB WONT: (3)
55.7	48.2	1,060	4	DEF WONT: (4)
	13.6	299	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 400-401

V3320 013D08A:CNCRN PSYCH DAMG

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08A: Concerned about possible psychological damage

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	24.0	528	0	NT MRKD: (0)
60.2	36.3	798	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 402-403

V3321 013D08B:CNCRN PHYSCL DMG

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08B: Concerned about possible physical damage

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	26.6	586	0	NT MRKD: (0)
55.8	33.6	740	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 404-405

V3322 013D08C:CNCRN GT ARRESTD

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08C: Concerned about getting arrested

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	29.0	639	0	NT MRKD: (0)
51.8	31.2	687	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 406-407

V3323 013D08D:CNCRN BECOM ADCT

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08D: Concerned about becoming addicted to marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	29.3	645	0	NT MRKD: (0)
51.4	31.0	682	1	MARKED: (1)
	39.7	875	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 408-409

V3324 013D08E:AGST MY BELIEFS

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

It's against my beliefs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	32.6	718	0	NT MRKD: (0)
45.9	27.6	608	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 410-411

V3325 013D08F:CNCRN LEGY&AMBTN

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Concerned about loss of energy or ambition

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	36.6	806	0	NT MRKD: (0)
39.2	23.6	521	1	MARKED: (1)
	39.7	875	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 412-413

V3326

013D08G:CNCRN LOSS CNTRL

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08G: Concerned about possible loss of control of myself

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	30.5	672	0	NT MRKD: (0)
49.3	29.7	654	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 414-415

V3327 013D08H:MJ ->STRNGR DRGS

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

It might lead to stronger drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	30.2	665	0	NT MRKD: (0)
49.9	30.1	662	1	MARKED: (1)
	39.7	875	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 416-417

V3328

013D08I:MJ NOT ENJOYABLE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Not enjoyable, I didn't like it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	43.5	957	0	NT MRKD: (0)
27.8	16.8	369	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 418-419

V3329 013D08J:PRNTS DISAPPROVE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

My parents would disapprove

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	24.7	543	0	NT MRKD: (0)
59.1	35.6	783	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 420-421

V3330 013D08K:HS/WF DISAPPROVE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

My husband/wife (or boyfriend/girlfriend) would disapprove

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	41.7	917	0	NT MRKD: (0)
30.9	18.6	410	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 422-423

V3331 013D08L:DONT LIKE USERS

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

I don't like being with the people who use it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	36.3	800	0	NT MRKD: (0)
39.7	23.9	526	1	MARKED: (1)
	39.7	875	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 424-425

V3332 013D08M:FRNDS DNT USE IT

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

My friends don't use it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	39.5	870	0	NT MRKD: (0)
34.4	20.7	457	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 426-427

V3333 013D08N:PSSBLY BAD TRIP

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

I might have a bad trip

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	45.7	1,007	0	NT MRKD: (0)
24.1	14.5	320	1	MARKED: (1)
	39.7	875	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 428-429

V3334

013D080:TOO EXPENSIVE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Too expensive

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	45.7	1,005	0	NT MRKD: (0)
24.2	14.6	322	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 430-431

V3335 013D08P:NOT AVAILABLE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Not available

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	55.9	1,230	0	NT MRKD: (0)
7.3	4.4	97	1	MARKED: (1)
	39.7	875	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 432-433

V3336

013D08Q:NOT WNT GET HIGH

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Don't feel like getting high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	20.5	452	0	NT MRKD: (0)
65.9	39.7	874	1	MARKED: (1)
	39.7	875	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 434-435

V3337

013D09AAAL CS BEHV REGRT

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AAAL: Caused you to behave in ways that you later regretted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	65.3	1,438	0	NT MRKED: (0)
30.5	28.6	630	1	MARKED: (1)
	6.0	133	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 436-437

V3354

013D09MAMJ CS BEHV REGRT

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MAMJ: Caused you to behave in ways that you later regretted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	90.1	1,983	0	NT MRKED: (0)
6.5	6.3	139	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 470-471

V3371 013D09OAOT CS BEHV REGRT

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090AOT: Caused you to behave in ways that you later regretted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	87.6	1,927	0	NT MRKED: (0)
2.9	2.6	57	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 504-505

V3338

013D09ABAL HURT REL PRNT

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09ABAL: Hurt your relationship with your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	86.8	1,910	0	NT MRKED: (0)
7.6	7.2	158	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 438-439

013D09MBMJ HURT REL PRNT

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MBMJ: Hurt your relationship with your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	90.9	2,002	0	NT MRKED: (0)
5.6	5.4	120	1	MARKED: (1)
	3.6	80	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 472-473

V3372

013D09OBOT HURT REL PRNT

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090BOT: Hurt your relationship with your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	87.8	1,932	0	NT MRKED: (0)
2.6	2.4	53	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 506-507

V3339 013D09ACAL HURT REL SPSE

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09ACAL: Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	84.8	1,866	0	NT MRKED: (0)
9.8	9.2	202	1	MARKED: (1)
	6.0	133	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 440-441

V3356

013D09MCMJ HURT REL SPSE

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MCMJ: Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	91.6	2,015	0	NT MRKED: (0)
5.0	4.8	106	1	MARKED: (1)
	3.6	80	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 474-475

013D09OCOT HURT REL SPSE

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

 ${\tt D090COT:}$ Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	88.2	1,942	0	NT MRKED: (0)
2.2	2.0	43	1	MARKED: (1)
	9.8	217	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 508-509

V3340

013D09ADAL HURT REL FRND

D09A: Has your use of alcohol ever caused any of the following problems for you?

Hurt your relationships with your friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	87.2	1,919	0	NT MRKED: (0)
7.2	6.8	149	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 442-443

V3357 013D09MDMJ HURT REL FRND

D09M: Has your use of marijuana ever caused any of the following problems for you?

Hurt your relationships with your friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	92.9	2,046	0	NT MRKED: (0)
3.6	3.4	76	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 476-477

V3374

013D09ODOT HURT REL FRND

 ${\tt D090:}\ {\tt Has}\ {\tt your}\ {\tt use}\ {\tt of}\ {\tt other}\ {\tt illegal}\ {\tt drugs}\ {\tt ever}\ {\tt caused}\ {\tt any}\ {\tt of}\ {\tt the}\ {\tt following}\ {\tt problems}\ {\tt for}\ {\tt you?}$

Hurt your relationships with your friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	88.2	1,942	0	NT MRKED: (0)
2.2	2.0	43	1	MARKED: (1)
	9.8	217	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 510-511

013D09AEAL HURT REL TCHR

D09A: Has your use of alcohol ever caused any of the following problems for you?

Hurt your relationships with teachers or supervisors

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	92.4	2,034	0	NT MRKED: (0)
1.6	1.5	34	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 444-445

V3358

013D09MEMJ HURT REL TCHR

D09M: Has your use of marijuana ever caused any of the following problems for you?

Hurt your relationships with teachers or supervisors

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	94.6	2,082	0	NT MRKED: (0)
1.9	1.8	40	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 478-479

013D09OEOT HURT REL TCHR

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Hurt your relationships with teachers or supervisors

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	89.4	1,968	0	NT MRKED: (0)
0.9	0.8	17	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 512-513

V3342

013D09AFAL INV PL BD INF

D09A: Has your use of alcohol ever caused any of the following problems for you?

Involved you with people you think are a bad influence on you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	85.7	1,887	0	NT MRKED: (0)
8.7	8.2	181	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 446-447

013D09MFMJ INV PL BD INF

D09M: Has your use of marijuana ever caused any of the following problems for you?

Involved you with people you think are a bad influence on you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	88.2	1,942	0	NT MRKED: (0)
8.5	8.1	179	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 480-481

V3376

013D09OFOT INV PL BD INF

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Involved you with people you think are a bad influence on you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	87.1	1,918	0	NT MRKED: (0)
3.4	3.0	67	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 514-515

V3343 013D09AGAL HURT PERF JOB

D09A: Has your use of alcohol ever caused any of the following problems for you?

 ${\tt D09AGAL:}$ Hurt your performance in school and/or on the job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	89.6	1,973	0	NT MRKED: (0)
4.6	4.3	95	1	MARKED: (1)
	6.0	133	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 448-449

V3360

013D09MGMJ HURT PERF JOB

D09M: Has your use of marijuana ever caused any of the following problems for you?

 ${\tt D09MGMJ:}$ Hurt your performance in school and/or on the job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	90.9	2,000	0	NT MRKED: (0)
5.7	5.5	121	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 482-483

013D09OGOT HURT PERF JOB

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090GOT: Hurt your performance in school and/or on the job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	88.4	1,945	0	NT MRKED: (0)
2.0	1.8	40	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 516-517

V3344

013D09AHAL CAUS<INTERSTD

D09A: Has your use of alcohol ever caused any of the following problems for you?

 ${\tt D09AHAL:}$ Caused you to be less interested in other activities than you were before

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	89.8	1,977	0	NT MRKED: (0)
4.4	4.1	91	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 450-451

013D09MHMJ CAUS<INTERSTD

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MHMJ: Caused you to be less interested in other activities than you were before

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	90.1	1,983	0	NT MRKED: (0)
6.5	6.3	139	1	MARKED: (1)
	3.6	80	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 484-485

V3378

013D09OHOT CAUS<INTERSTD

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

 ${\tt D09OHOT:}$ Caused you to be less interested in other activities than you were before

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	88.2	1,942	0	NT MRKED: (0)
2.2	2.0	43	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 518-519

013D09AIAL CS<STABL EMTN

D09A: Has your use of alcohol ever caused any of the following problems for you?

Caused you to be less stable emotionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	87.9	1,935	0	NT MRKED: (0)
6.4	6.0	133	1	MARKED: (1)
	6.0	133	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 452-453

V3362

013D09MIMJ CS<STABL EMTN

D09M: Has your use of marijuana ever caused any of the following problems for you?

Caused you to be less stable emotionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	92.9	2,044	0	NT MRKED: (0)
3.6	3.5	77	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 486-487

013D09OIOT CS<STABL EMTN

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Caused you to be less stable emotionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	87.7	1,929	0	NT MRKED: (0)
2.8	2.5	55	1	MARKED: (1)
	9.8	217	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 520-521

V3346

013D09AJAL CS HAV<ENERGY

D09A: Has your use of alcohol ever caused any of the following problems for you?

Caused you to have less energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	87.1	1,918	0	NT MRKED: (0)
7.3	6.8	150	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 454-455

013D09MJMJ CS HAV<ENERGY

D09M: Has your use of marijuana ever caused any of the following problems for you?

Caused you to have less energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	86.2	1,897	0	NT MRKED: (0)
10.6	10.2	224	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 488-489

V3380

013D09OJOT CS HAV<ENERGY

 ${\tt D090:}\ {\tt Has}\ {\tt your}\ {\tt use}\ {\tt of}\ {\tt other}\ {\tt illegal}\ {\tt drugs}\ {\tt ever}\ {\tt caused}\ {\tt any}\ {\tt of}\ {\tt the}\ {\tt following}\ {\tt problems}\ {\tt for}\ {\tt you?}$

Caused you to have less energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	87.9	1,935	0	NT MRKED: (0)
2.5	2.2	49	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 522-523

013D09AKAL INTF THNK CLR

D09A: Has your use of alcohol ever caused any of the following problems for you?

Interfered with your ability to think clearly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.7	75.9	1,670	0	NT MRKED: (0)
19.3	18.1	398	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 456-457

V3364

013D09MKMJ INTF THNK CLR

D09M: Has your use of marijuana ever caused any of the following problems for you?

Interfered with your ability to think clearly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	84.3	1,855	0	NT MRKED: (0)
12.6	12.1	267	1	MARKED: (1)
	3.6	80	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 490-491

013D09OKOT INTF THNK CLR

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Interfered with your ability to think clearly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	86.3	1,899	0	NT MRKED: (0)
4.3	3.9	86	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 524-525

V3348

013D09ALAL BD PSYCH EFCT

D09A: Has your use of alcohol ever caused any of the following problems for you?

Had other bad psychological effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	91.4	2,013	0	NT MRKED: (0)
2.7	2.5	55	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 458-459

013D09MLMJ BD PSYCH EFCT

D09M: Has your use of marijuana ever caused any of the following problems for you?

Had other bad psychological effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	94.5	2,081	0	NT MRKED: (0)
1.9	1.9	41	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 492-493

V3382

013D09OLOT BD PSYCH EFCT

 ${\tt D090:}\ {\tt Has}\ {\tt your}\ {\tt use}\ {\tt of}\ {\tt other}\ {\tt illegal}\ {\tt drugs}\ {\tt ever}\ {\tt caused}\ {\tt any}\ {\tt of}\ {\tt the}\ {\tt following}\ {\tt problems}\ {\tt for}\ {\tt you?}$

Had other bad psychological effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	88.2	1,942	0	NT MRKED: (0)
2.2	1.9	43	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 526-527

013D09AMAL CS HEALTH BAD

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AMAL: Caused your physical health to be bad

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	91.0	2,003	0	NT MRKED: (0)
3.1	2.9	65	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 460-461

V3366

013D09MMMJ CS HEALTH BAD

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MMMJ: Caused your physical health to be bad

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	94.3	2,077	0	NT MRKED: (0)
2.1	2.0	45	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 494-495

V3383 013D09OMOT CS HEALTH BAD

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090MOT: Caused your physical health to be bad

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	88.7	1,952	0	NT MRKED: (0)
1.6	1.5	33	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 528-529

V3350

013D09ANAL CS DRIV UNSAF

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09ANAL: Caused you to drive unsafely

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	83.9	1,846	0	NT MRKED: (0)
10.7	10.1	222	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 462-463

013D09MNMJ CS DRIV UNSAF

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MNMJ: Caused you to drive unsafely

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	92.5	2,036	0	NT MRKED: (0)
4.0	3.9	85	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 496-497

V3384

013D09ONOT CS DRIV UNSAF

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090NOT: Caused you to drive unsafely

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	89.1	1,962	0	NT MRKED: (0)
1.1	1.0	23	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 530-531

V3351 013D09AOAL GT TRBL W POL

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AOAL: Gotten you into trouble with the police

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	89.1	1,962	0	NT MRKED: (0)
5.1	4.8	106	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 464-465

V3368

013D09MOMJ GT TRBL W POL

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MOMJ: Gotten you into trouble with the police

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	94.3	2,075	0	NT MRKED: (0)
2.2	2.1	46	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 498-499

013D09OOOT GT TRBL W POL

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D09000T: Gotten you into trouble with the police

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	89.7	1,974	0	NT MRKED: (0)
0.5	0.5	11	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 532-533

V3352

013D09APAL CS NO PROBLEM

D09A: Has your use of alcohol ever caused any of the following problems for you?

Caused you none of the above problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	79.8	1,755	0	NT MRKED: (0)
15.1	14.2	313	1	MARKED: (1)
	6.0	133	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 466-467

013D09MPMJ CS NO PROBLEM

D09M: Has your use of marijuana ever caused any of the following problems for you?

Caused you none of the above problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	69.3	1,525	0	NT MRKED: (0)
28.1	27.1	597	1	MARKED: (1)
	3.6	80	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 500-501

V3386

013D09OPOT CS NO PROBLEM

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Caused you none of the above problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	63.8	1,405	0	NT MRKED: (0)
29.2	26.3	580	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 534-535

013D09AQAL NEVER USED DG

D09A: Has your use of alcohol ever caused any of the following problems for you?

Never used the drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	87.7	1,929	0	NT MRKED: (0)
6.7	6.3	139	1	MARKED: (1)
	6.0	133	- 9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 468-469

V3370

013D09MQMJ NEVER USED DG

D09M: Has your use of marijuana ever caused any of the following problems for you?

Never used the drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	74.3	1,636	0	NT MRKED: (0)
22.9	22.1	486	1	MARKED: (1)
	3.6	80	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 502-503

013D09OQOT NEVER USED DG

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Never used the drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	66.1	1,455	0	NT MRKED: (0)
26.7	24.1	530	1	MARKED: (1)
	9.8	217	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 536-537

V3477

013E01A:ALL FRD SMK CIGS

How many of your friends would you estimate . . .

Smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	10.8	239	1	NONE: (1)
30.9	27.4	603	2	A FEW: (2)
31.3	27.8	612	3	SOME: (3)
22.8	20.2	445	4	MOST: (4)
2.7	2.4	53	5	ALL: (5)
	11.3	249	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 662-663

V3478 013E01B:ALL FRD SMK MARJ

How many of your friends would you estimate . . .

Smoke marijuana (pot, grass) or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	16.9	371	1	NONE: (1)
30.6	27.0	593	2	A FEW: (2)
28.1	24.8	545	3	SOME: (3)
18.7	16.5	363	4	MOST: (4)
3.6	3.1	69	5	ALL: (5)
	11.8	259	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 664-665

V3479 013E01C:# FRNDS TK CRACK

How many of your friends would you estimate . . .

Take "crack" cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	69.1	1,522	1	NONE: (1)
16.3	14.2	314	2	A FEW: (2)
3.2	2.8	61	3	SOME: (3)
0.6	0.5	11	4	MOST: (4)
1.1	0.9	21	5	ALL: (5)
	12.4	272	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 666-667

V3480 013E01D:# FRNDS TK C PWD

How many of your friends would you estimate . . .

Take cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	67.1	1,478	1	NONE: (1)
17.2	15.0	331	2	A FEW: (2)
4.0	3.5	78	3	SOME: (3)
1.2	1.0	23	4	MOST: (4)
0.9	0.8	17	5	ALL: (5)
	12.5	275	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 668-669

V3481 013E01E:ALL FRD DRK ALCL

How many of your friends would you estimate . . .

Drink alcoholic beverages (liquor, wine, beer)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.9	153	1	NONE: (1)
12.1	10.6	234	2	A FEW: (2)
19.9	17.5	384	3	SOME: (3)
38.8	34.1	750	4	MOST: (4)
21.3	18.7	412	5	ALL: (5)
	12.2	268	- 9	MISSING
1000	1000	0 001	,	11

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 670-671

V3482 013E01F:ALL FRD GT DRUNK

How many of your friends would you estimate . . .

Get drunk at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	18.5	407	1	NONE: (1)
24.6	21.6	475	2	A FEW: (2)
26.9	23.6	519	3	SOME: (3)
20.4	17.9	395	4	MOST: (4)
7.1	6.2	136	5	ALL: (5)
	12.2	269	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 672-673

V3499 013E02:USUAL CIG BRAND

What brand of cigarettes do you usually smoke?

PCT	PCT	N	VALUE	LABEL
VALID	ALL	_	1	DAGTG: (1)
1.2		6	1	` ,
0.0	0.0	0	2	` '
1.2	0.3	6	3	, ,
0.0	0.0	0	4	CAMBRIDGE: (4)
	3.6		5	, ,
0.0	0.0	0	6	, ,
0.0	0.0	0	7	CARLTON: (7)
0.6	0.1	3	8	DORAL: (8)
0.0	0.0	0	9	GPC: (9)
0.0	0.0	0	10	KENT: (10)
0.7	0.2	3	11	KOOL: (11)
54.8	11.9	262	12	MARLBORO: (12)
0.0	0.0	0	13	MERIT: (13)
0.1	0.0	1	14	MISTY: (14)
0.0	0.0	0	15	MONARCH: (15)
0.0	0.0	0	16	MORE: (16)
13.6	3.0	65	17	NEWPORT: (17)
0.0	0.0	0	18	PALLMALL: (18)
2.1	0.5	10	19	PARLIAMENT: (19)
0.0		0		SALEM: (20)
0.0	0.0	0	21	` '
0.1	0.0	1	22	
0.2			23	· ·
3.3	0.7			OTHER: (24)
5.3		25	25	
J.J		1,722	- 9	` ,
				111001110

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 694-695

V3394 013E03 : FUTR, HAV2 CNSUM<

There has been talk about shortages of energy, food, and raw materials in this country. Do you think that in the coming years we will have plenty to meet our needs, a sufficient amount, or will we have to consume less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	13.7	301	1	PLENTY: (1)
56.1	47.3	1,042	2	SUFF AMT: (2)
27.7	23.4	515	3	CNSUM LS: (3)
	15.6	344	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 538-539

V3395

013E04A:GOV HP PRB POPL

The questions in this section deal with population problems. How much do you agree or disagree with each statement?

Our government should help other countries to control their population

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	21.0	461	1	DISAGREE: (1)
15.5	13.2	291	2	MOST DIS: (2)
33.1	28.2	621	3	NEITHER: (3)
17.5	15.0	329	4	MOST AGR: (4)
9.3	7.9	174	5	AGREE: (5)
	14.7	324	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 540-541

V3396 013E04B:GOV NO POP PLCY

The questions in this section deal with population problems. How much do you agree or disagree with each statement?

Governments should avoid making policy about population and let the individual decide

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	11.1	245	1	DISAGREE: (1)
16.8	14.3	314	2	MOST DIS: (2)
37.8	32.2	708	3	NEITHER: (3)
21.0	17.9	394	4	MOST AGR: (4)
11.4	9.7	213	5	AGREE: (5)
	14.9	328	-9	MISSING
100.0	100.0	2,201	cases	(Wt.d)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 542-543

V3397 013E04C:STR OVPOP,LMT FM

The questions in this section deal with population problems. How much do you agree or disagree with each statement?

I feel strongly enough about preventing overpopulation that I'd be willing to limit my family to two children

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	19.5	429	1	DISAGREE: (1)
13.2	11.1	245	2	MOST DIS: (2)
35.4	30.0	661	3	NEITHER: (3)
15.2	12.8	283	4	MOST AGR: (4)
13.2	11.2	246	5	AGREE: (5)
	15.3	337	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric
Missing-data code: -9

Columns: 544-545

V3445 013E05A:STS SCH RT FAMLY

How important is each of the following for being looked up to or having high status in your school?

Coming from the right family

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	15.7	346	1	NO IMPRT: (1)
19.6	16.5	363	2	LITL IMP: (2)
26.8	22.5	496	3	MOD IMPT: (3)
18.9	15.9	350	4	GRT IMPT: (4)
16.1	13.5	298	5	VGRT IMP: (5)
	15.8	348	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (wc

Data type: numeric Missing-data code: -9 Columns: 602-603

V3446 013E05B:STS SCH LDS STU

How important is each of the following for being looked up to or having high status in your school?

Being a leader in student activities

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.6	188	1	NO IMPRT: (1)
15.0	12.6	278	2	LITL IMP: (2)
32.5	27.4	602	3	MOD IMPT: (3)
26.9	22.7	499	4	GRT IMPT: (4)
15.5	13.0	287	5	VGRT IMP: (5)
	15.7	346	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 604-605

V3447 013E05C:STS SCH NIC CAR

How important is each of the following for being looked up to or having high status in your school?

Having a nice car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	14.3	314	1	NO IMPRT: (1)
22.6	19.0	418	2	LITL IMP: (2)
30.0	25.3	556	3	MOD IMPT: (3)
17.0	14.3	316	4	GRT IMPT: (4)
13.5	11.3	250	5	VGRT IMP: (5)
	15.8	347	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (wc

Data type: numeric Missing-data code: -9 Columns: 606-607

V3448 013E05D:STS SCH HI GRDE

How important is each of the following for being looked up to or having high status in your school?

Getting good grades

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	6.8	149	1	NO IMPRT: (1)
16.0	13.4	296	2	LITL IMP: (2)
31.5	26.5	584	3	MOD IMPT: (3)
25.5	21.5	473	4	GRT IMPT: (4)
19.0	16.0	352	5	VGRT IMP: (5)
	15.8	347	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 608-609

V3449 013E05E:STS SCH GD ATHLT

How important is each of the following for being looked up to or having high status in your school?

Being a good athlete

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	8.7	192	1	NO IMPRT: (1)
11.1	9.3	205	2	LITL IMP: (2)
24.8	20.8	457	3	MOD IMPT: (3)
29.7	24.9	548	4	GRT IMPT: (4)
24.0	20.1	443	5	VGRT IMP: (5)
	16.1	355	-9	MISSING
100.0	100.0	2.201	cases	(Wtd)

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 610-611

V3450 013E05F:STS SCH INTLCTL

How important is each of the following for being looked up to or having high status in your school?

Knowing a lot about intellectual matters

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	10.4	230	1	NO IMPRT: (1)
24.5	20.5	452	2	LITL IMP: (2)
34.3	28.8	633	3	MOD IMPT: (3)
19.2	16.1	354	4	GRT IMPT: (4)
9.5	8.0	175	5	VGRT IMP: (5)
	16.2	357	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 612-613

V3451 013E05G:STS SCH PLN CLG

How important is each of the following for being looked up to or having high status in your school?

Planning to go to college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	8.6	190	1	NO IMPRT: (1)
14.9	12.5	275	2	LITL IMP: (2)
27.6	23.1	508	3	MOD IMPT: (3)
22.8	19.1	419	4	GRT IMPT: (4)
24.4	20.5	450	5	VGRT IMP: (5)
	16.3	359	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

100.0 100.0 2,201 cases (W

Data type: numeric Missing-data code: -9 Columns: 614-615

V3452

013E06A:DRG USE+,MAJ STD

How about using drugs (other than marijuana or alcohol)—does that cause a student to be looked up to or looked down on?

Among the majority of students in my school, such drug use is . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	14.0	308	1	DOWN LOT: (1)
17.4	14.5	318	2	DOWN SOM: (2)
56.3	46.9	1,031	3	NEITHER: (3)
7.0	5.8	128	4	UP SOME: (4)
2.5	2.1	45	5	UP A LOT: (5)
	16.8	370	- 9	MISSING
100 0	100 0	2 201	00000 /	M+ A \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 616-617

V3453 013E06B:DRG USE+,MY FRND

How about using drugs (other than marijuana or alcohol)—does that cause a student to be looked up to or looked down on?

Among my own group of friends, such drug use is . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	26.5	584	1	DOWN LOT: (1)
17.1	14.2	312	2	DOWN SOM: (2)
41.4	34.3	756	3	NEITHER: (3)
6.1	5.0	111	4	UP SOME: (4)
3.3	2.8	61	5	UP A LOT: (5)
	17.1	377	-9	MISSING
100 0	100 0	2 201	02000	' M + A \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 618-619

V3454

013E06C:DRG USE+,MY FLGS

How about using drugs (other than marijuana or alcohol)—does that cause a student to be looked up to or looked down on?

My own feeling about such drug use is that . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	38.5	847	1	DOWN LOT: (1)
18.1	14.9	328	2	DOWN SOM: (2)
31.0	25.6	564	3	NEITHER: (3)
2.3	1.9	42	4	UP SOME: (4)
2.0	1.6	36	5	UP A LOT: (5)
	17.4	384	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 620-621

V3496 013E07A: #HR/W CMPUTR SCH

 ${\tt E06:}$ About how many hours a week do you spend using a computer . . .

. . . doing school work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	11.1	243	1	NONE: (1)
24.9	21.0	462	2	< 1 HR: (2)
31.3	26.3	580	3	1-2 HRS: (3)
20.7	17.4	384	4	3-5 HRS: (4)
5.4	4.5	99	5	6-9 HRS: (5)
2.4	2.0	45	6	10-19 HRS: (6)
2.2	1.8	40	7	20 OR +: (7)
	15.8	347	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 688-689

V3497 013E07B:#HR/W CMPUTR JOB

 ${\tt E06:}$ About how many hours a week do you spend using a computer . . .

. . . at your job, if you have one?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	56.0	1,232	1	NONE: (1)
9.3	7.3	161	2	< 1 HR: (2)
4.5	3.6	79	3	1-2 HRS: (3)
3.7	2.9	64	4	3-5 HRS: (4)
3.4	2.7	60	5	6-9 HRS: (5)
3.3	2.6	57	6	10-19 HRS: (6)
4.8	3.8	83	7	20 OR +: (7)
	21.2	466	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 690-691

V3498 013E07C:#HR/W CMPUTR OTH

 ${\tt E06:}$ About how many hours a week do you spend using a computer . . .

. . . doing other things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	9.5	210	1	NONE: (1)
12.4	10.4	228	2	< 1 HR: (2)
23.1	19.4	426	3	1-2 HRS: (3)
22.4	18.8	413	4	3-5 HRS: (4)
14.2	11.9	261	5	6-9 HRS: (5)
7.2	6.0	133	6	10-19 HRS: (6)
9.2	7.7	170	7	20 OR $+: (7)$
	16.4	360	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 692-693

V3407 013E08A:SM1 SCL ROB <\$50

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has something of yours (worth under \$50) been stolen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	54.2	1,193	1	NOT @ALL: (1)
23.8	20.1	442	2	ONCE: (2)
7.0	5.9	130	3	TWICE: (3)
2.9	2.4	53	4	3-4X: (4)
2.1	1.8	39	5	5+ TIMES: (5)
	15.7	345	-9	MISSING
100 0	100 0	2 201	/	T-7 L ~ 3 \

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 546-547

V3408 013E08B:SM1 SCL ROB >\$50

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has something of yours (worth over \$50) been stolen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	66.2	1,456	1	NOT @ALL: (1)
15.3	12.9	284	2	ONCE: (2)
3.6	3.0	67	3	TWICE: (3)
1.9	1.6	34	4	3-4X: (4)
0.7	0.6	13	5	5+ TIMES: (5)
	15.8	347	-9	MISSING
100.0	100.0	2,201	cases ((Wtd)

Data type: numeric Missing-data code: -9

Columns: 548-549

V3409 013E08C:SM1 SCL DMG PRTY

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has someone deliberately damaged your property (your car, clothing, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	63.9	1,407	1	NOT @ALL: (1)
16.8	14.1	311	2	ONCE: (2)
4.3	3.6	79	3	TWICE: (3)
2.0	1.7	37	4	3-4X:(4)
0.9	0.7	16	5	5+ TIMES: (5)
	16.0	351	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 550-551

V3410 013E08D:SM1 SCL IN U W/W

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has someone injured you with a weapon (like a knife, gun, or club)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	79.4	1,747	1	NOT @ALL: (1)
3.2	2.7	59	2	ONCE: (2)
0.5	0.4	10	3	TWICE: (3)
0.8	0.7	15	4	3-4X: (4)
0.7	0.6	14	5	5+ TIMES: (5)
	16.2	357	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 552-553

V3411 013E08E:SM1 SCL TH U W/W

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has someone threatened you with a weapon, but not actually injured you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	72.6	1,598	1	NOT @ALL: (1)
7.9	6.6	145	2	ONCE: (2)
2.5	2.1	46	3	TWICE: (3)
1.5	1.2	27	4	3-4X:(4)
1.2	1.0	22	5	5+ TIMES: (5)
	16.5	363	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 554-555

V3412 013E08F:SM1 SCL IN U -WP

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has someone injured you on purpose without using a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	73.0	1,606	1	NOT @ALL: (1)
7.8	6.5	143	2	ONCE: (2)
2.1	1.8	40	3	TWICE: (3)
1.3	1.1	24	4	3-4X: (4)
1.6	1.4	30	5	5+ TIMES: (5)
	16.2	358	-9	MISSING
4000	1000	0 001		11

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 556-557

V3413 013E08G:SM1 SCL TH U W/I

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has an unarmed person threatened you with injury, but not actually injured you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	65.5	1,443	1	NOT @ALL: (1)
11.8	9.8	216	2	ONCE: (2)
3.7	3.1	69	3	TWICE: (3)
2.5	2.1	47	4	3-4X:(4)
3.5	2.9	64	5	5+ TIMES: (5)
	16.5	363	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 558-559

V3434 013E09A: IMP HAV NW CR OF

Looking toward the future, how important would it be for you to have each of the following things?

A new car every two or three years

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	41.8	919	1	NOT IMPT: (1)
31.0	26.0	572	2	SMWT IMP: (2)
11.8	9.9	217	3	QUITE IM: (3)
7.3	6.1	135	4	EXTR IMP: (4)
	16.3	358	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 586-587

V3435 013E09B: IMP HAV NW CLTHS

Looking toward the future, how important would it be for you to have each of the following things?

Clothes in the latest style

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	18.2	401	1	NOT IMPT: (1)
39.0	32.6	717	2	SMWT IMP: (2)
25.9	21.7	477	3	QUITE IM: (3)
13.3	11.1	244	4	EXTR IMP: (4)
	16.5	362	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 588-589

V3436 013E09C:IMP HAV OWN HSE

Looking toward the future, how important would it be for you to have each of the following things?

A house of my own (instead of an apartment or condominium)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	9.5	208	1	NOT IMPT: (1)
19.8	16.4	362	2	SMWT IMP: (2)
34.6	28.8	633	3	QUITE IM: (3)
34.3	28.5	627	4	EXTR IMP: (4)
	16.9	371	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 590-591

V3437 013E09D:IMP HAV BIG YARD

Looking toward the future, how important would it be for you to have each of the following things?

Lots of space around my house, a big yard

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	12.7	280	1	NOT IMPT: (1)
30.5	25.5	561	2	SMWT IMP: (2)
30.1	25.1	552	3	QUITE IM: (3)
24.1	20.1	443	4	EXTR IMP: (4)
	16.6	366	- 9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 592-593

0014111110.032 030

V3441 013E09E:IMP HAV VAC HSE

Looking toward the future, how important would it be for you to have each of the following things?

A vacation house

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	43.9	967	1	NOT IMPT: (1)
26.4	22.0	484	2	SMWT IMP: (2)
11.9	9.9	218	3	QUITE IM: (3)
9.0	7.5	166	4	EXTR IMP: (4)
	16.7	367	-9	MISSING
100.0	100.0	2,201	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 594-595

V3442 013E09F:IMP HAV REC VEH

Looking toward the future, how important would it be for you to have each of the following things?

A motor-powered, recreational vehicle (powerboat, snowmobile, etc) $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) +\frac{1}{2}\left(\frac{1}{2}\right) +\frac{1}{2}\left$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	43.8	965	1	NOT IMPT: (1)
24.0	20.0	440	2	SMWT IMP: (2)
13.3	11.1	244	3	QUITE IM: (3)
10.1	8.4	185	4	EXTR IMP: (4)
	16.7	368	-9	MISSING
100.0	100.0	2,201	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 596-597

V3418 013E10A:GR 1ST SMOK DLY

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Smoke cigarettes on a daily basis

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
10.6	2.3	51	1	GRADE	6:(1)
9.1	2.0	44	2	GRADE	7:(2)
13.3	2.9	64	3	GRADE	8:(3)
20.2	4.4	97	4	GRADE	9:(4)
22.0	4.8	107	5	GRADE	10:(5)
16.9	3.7	82	6	GRADE	11:(6)
7.8	1.7	38	7	GRADE	12:(7)
	78.0	1,718	-9	MISSI	1G
1000	1000	0 001	/	T-T - 1 \	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 560-561

V3419 013E10B:GR 1ST TRY ALC

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try an alcoholic beverage--more than just a few sips

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
10.5	6.3	138	1	GRADE	6:(1)
10.3	6.2	136	2	GRADE	7:(2)
15.2	9.1	200	3	GRADE	8:(3)
24.0	14.4	317	4	GRADE	9:(4)
18.5	11.1	244	5	GRADE	10:(5)
13.4	8.0	177	6	GRADE	11:(6)
8.1	4.9	107	7	GRADE	12:(7)
	40.1	882	- 9	MISSI	1G
1000	1000	0 001	,	T.T. 1.	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 562-563

V3420 013E10C:GR 1ST TRY MJ

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try marijuana or hashish

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
5.5	2.1	47	1	GRADE	6:(1)
11.4	4.5	98	2	GRADE	7:(2)
14.9	5.8	128	3	GRADE	8:(3)
22.4	8.8	193	4	GRADE	9:(4)
19.5	7.6	168	5	GRADE	10:(5)
17.1	6.7	147	6	GRADE	11:(6)
9.2	3.6	79	7	GRADE	12:(7)
	60.9	1,342	-9	MISSI	1G
100 0	100 0	2 201	02000 /	M+M	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 564-565

V3421 013E10D:GR 1ST TRY LSD

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try LSD

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
2.4	0.2	5	1	GRADE	6:(1)
5.0	0.4	10	2	GRADE	7:(2)
10.2	0.9	20	3	GRADE	8:(3)
19.4	1.7	37	4	GRADE	9:(4)
27.1	2.4	52	5	GRADE	10:(5)
23.9	2.1	46	6	GRADE	11:(6)
12.1	1.1	23	7	GRADE	12:(7)
	91.2	2,008	-9	MISSIN	G

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 566-567

V3422 013E10E:GR 1ST TRY PSY

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try any hallucinogen other than LSD

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
4.8	0.3	7	1	GRADE	6:(1)
4.1	0.3	6	2	GRADE	7:(2)
9.5	0.7	15	3	GRADE	8:(3)
23.4	1.7	36	4	GRADE	9:(4)
25.7	1.8	40	5	GRADE	10:(5)
18.4	1.3	29	6	GRADE	11:(6)
14.2	1.0	22	7	GRADE	12:(7)
	92.9	2,045	-9	MISSI	1G
1000	1000	0 001	/	T-T - 1 \	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 568-569

V3423 013E10F:GR 1ST TRY AMP

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try amphetamines

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
8.6	0.5	12	1	GRADE	6:(1)
2.4	0.1	3	2	GRADE	7:(2)
4.0	0.2	5	3	GRADE	8:(3)
28.0	1.7	38	4	GRADE	9:(4)
18.3	1.1	25	5	GRADE	10:(5)
18.4	1.1	25	6	GRADE	11:(6)
20.3	1.3	28	7	GRADE	12:(7)
	93.8	2,065	- 9	MISSI	1G
100 0	100 0	2 201	00000 /	TAT+ ~ 1 \	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 570-571

V3424 013E10G:GR 1ST TRY QUA

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try quaaludes

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
16.2	0.5	10	1	GRADE	6:(1)
1.9	0.1	1	2	GRADE	7:(2)
5.2	0.2	3	3	GRADE	8:(3)
27.7	0.8	18	4	GRADE	9:(4)
29.8	0.9	19	5	GRADE	10:(5)
3.1	0.1	2	6	GRADE	11:(6)
16.2	0.5	10	7	GRADE	12:(7)
	97.1	2,137	-9	MISSI	1G
100 0	1000	2 201	/	TaT 44 all \	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 572-573

V3425 013E10H:GR 1ST TRY BRB

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try barbiturates

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
8.8	0.4	9	1	GRADE	6:(1)
6.1	0.3	6	2	GRADE	7:(2)
7.8	0.3	8	3	GRADE	8:(3)
25.2	1.1	24	4	GRADE	9:(4)
28.5	1.3	28	5	GRADE	10:(5)
10.9	0.5	11	6	GRADE	11:(6)
12.6	0.6	12	7	GRADE	12:(7)
	95.6	2,104	-9	MISSI	NG
100.0	100.0	2,201	cases	(Wtd)	

100.0 100.0 2,201 cases (we

Data type: numeric Missing-data code: -9 Columns: 574-575 V3426 013E10I:GR 1ST TRY TRN

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try tranquilizers

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
7.5	0.5	11	1	GRADE	6:(1)
5.4	0.4	8	2	GRADE	7:(2)
4.9	0.3	7	3	GRADE	8:(3)
19.7	1.3	28	4	GRADE	9:(4)
19.7	1.3	28	5	GRADE	10:(5)
25.6	1.7	37	6	GRADE	11:(6)
17.2	1.1	25	7	GRADE	12:(7)
	93.5	2,058	-9	MISSI	1G
100 0	100 0	2 201	cases (W+d)	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 576-577

V3427 013E10J:GR 1ST TRY COK

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try cocaine

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
6.6	0.4	9	1	GRADE	6:(1)
3.5	0.2	5	2	GRADE	7:(2)
10.6	0.7	14	3	GRADE	8:(3)
12.2	0.8	17	4	GRADE	9:(4)
19.5	1.2	27	5	GRADE	10:(5)
24.1	1.5	33	6	GRADE	11:(6)
23.5	1.5	32	7	GRADE	12:(7)
	93.8	2,065	- 9	MISSI	1G

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 578-579 V3428 013E10K:GR 1ST TRY HER

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try heroin

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
16.2	0.3	6	1	GRADE	6:(1)
2.7	0.0	1	2	GRADE	7:(2)
6.3	0.1	2	3	GRADE	8:(3)
24.3	0.4	9	4	GRADE	9:(4)
25.0	0.4	9	5	GRADE	10:(5)
13.3	0.2	5	6	GRADE	11:(6)
12.2	0.2	4	7	GRADE	12:(7)
	98.4	2,165	- 9	MISSI	1G

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 580-581

V3429 013E10L:GR 1ST TRY NRC

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try any narcotic other than heroin

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
3.0	0.1	3	1	GRADE	6:(1)
0.5	0.0	0	2	GRADE	7:(2)
10.3	0.5	10	3	GRADE	8:(3)
18.5	0.8	18	4	GRADE	9:(4)
20.5	0.9	20	5	GRADE	10:(5)
31.4	1.4	31	6	GRADE	11:(6)
15.9	0.7	16	7	GRADE	12:(7)
	95.5	2,102	-9	MISSI	1G
100 0	100 0	2 201	/	TaT 44 all \	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 582-583

V3430 013E10M:GR 1ST TRY INHAL

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try inhalants

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
15.6	1.0	23	1	GRADE	6:(1)
14.8	1.0	21	2	GRADE	7:(2)
16.9	1.1	24	3	GRADE	8:(3)
20.9	1.4	30	4	GRADE	9:(4)
12.3	0.8	18	5	GRADE	10:(5)
6.7	0.4	10	6	GRADE	11:(6)
12.8	0.8	19	7	GRADE	12:(7)
	93.4	2,056	- 9	MISSI	1G

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 584-585

V3457 013E10N:GR 1ST SMOKE EVR

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Smoke your first cigarette

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
25.6	11.5	252	1	GRADE	6:(1)
17.6	7.9	173	2	GRADE	7:(2)
17.6	7.9	174	3	GRADE	8:(3)
16.3	7.3	161	4	GRADE	9:(4)
12.0	5.4	119	5	GRADE	10:(5)
7.6	3.4	75	6	GRADE	11:(6)
3.4	1.5	33	7	GRADE	12:(7)
	55.1	1,214	-9	MISSI	1G
1000	1000	0 001	/	T-T 1 \	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 622-623

V3458 013E100:GR 1ST SMOKELESS

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try smokeless tobacco (snuff, plug or chewing tobacco)

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
16.7	2.8	63	1	GRADE	6:(1)
13.9	2.4	52	2	GRADE	7:(2)
18.0	3.1	67	3	GRADE	8:(3)
15.6	2.7	59	4	GRADE	9:(4)
16.8	2.9	63	5	GRADE	10:(5)
11.2	1.9	42	6	GRADE	11:(6)
7.8	1.3	29	7	GRADE	12:(7)
	83.0	1,827	- 9	MISSI	1G
1000	1000	0 001	,	T.T. 1.	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 624-625

V3459 013E10P:GR 1ST DRUNK

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Drink enough to feel drunk or very high

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
4.8	2.3	51	1	GRADE	6:(1)
8.5	4.0	89	2	GRADE	7:(2)
12.8	6.1	134	3	GRADE	8:(3)
27.1	12.9	284	4	GRADE	9:(4)
21.5	10.3	226	5	GRADE	10:(5)
16.8	8.0	176	6	GRADE	11:(6)
8.5	4.0	89	7	GRADE	12:(7)
	52.4	1,153	-9	MISSI	1G
100 0	100 0	2 201	C2666 /	M+4)	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 626-627

V3483 013E10Q:GR 1ST TRY CRACK

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try "crack" cocaine, specifically

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
13.6	0.3	7	1	GRADE	6:(1)
4.1	0.1	2	2	GRADE	7:(2)
3.7	0.1	2	3	GRADE	8:(3)
12.6	0.3	6	4	GRADE	9:(4)
33.4	0.8	17	5	GRADE	10:(5)
24.2	0.5	12	6	GRADE	11:(6)
8.3	0.2	4	7	GRADE	12:(7)
	97.7	2,151	-9	MISSI	1G
1000	1000	2 201	/	T-T 1 \	

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 674-675

V3500 013D05A: #X GHB/LAST12MO

Lately there has been some attention paid to certain drugs. During the last 12 months, on how many occasions (if any) have you

a. ...taken GHB ("liquid G," "grievous bodily harm")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	91.0	2,003	1	0(1)
0.6	0.5	12	2	1-2(2)
0.1	0.1	3	3	3-5(3)
0.2	0.2	4	4	6-9(4)
0.1	0.1	2	5	10-19(5)
0.0	0.0	0	6	20-39(6)
0.1	0.1	3	7	40+(7)
	7.9	173	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 696-697

V3501 013D05B: #X KETAMINE/12M

Lately there has been some attention paid to certain drugs. During the last 12 months, on how many occasions (if any) have you

b. ...taken ketamine ("special K," "super K")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	89.8	1,976	1	0(1)
1.1	1.0	22	2	1-2(2)
0.6	0.5	11	3	3-5(3)
0.3	0.3	6	4	6-9(4)
0.3	0.3	6	5	10-19(5)
0.0	0.0	0	6	20-39(6)
0.2	0.2	4	7	40+(7)
	8.0	176	- 9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 698-699

V3503 013D05C: #X ANDRO/12MO

Lately there has been some attention paid to certain drugs. During the last 12 months, on how many occasions (if any) have you

c. ...taken "andro" (androstenedione, non-prescription steroid) $\ensuremath{\text{a}}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	89.3	1,966	1	0(1)
0.9	0.8	19	2	1-2(2)
0.5	0.4	10	3	3-5(3)
0.4	0.4	9	4	6-9(4)
0.3	0.3	6	5	10-19(5)
0.3	0.3	7	6	20-39(6)
0.5	0.4	9	7	40+(7)
	8.0	175	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 700-701

V3504 013D05D: #X CREATINE/12MO

Lately there has been some attention paid to certain drugs. During the last 12 months, on how many occasions (if any) have you

d. ...taken creatine (amino acid used to build muscles)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	82.3	1,812	1	0(1)
2.2	2.0	44	2	1-2(2)
1.4	1.2	27	3	3-5(3)
1.3	1.2	26	4	6-9(4)
1.5	1.4	30	5	10-19(5)
1.9	1.7	38	6	20-39(6)
2.2	2.0	44	7	40+(7)
	8.2	180	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 702-703

V3505 013D05E: #X RITALIN/12MO

Lately there has been some attention paid to certain drugs. During the last 12 months, on how many occasions (if any) have you

e. ...taken ritalin (without a doctor's orders)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	87.8	1,933	1	0(1)
2.3	2.1	47	2	1-2(2)
0.7	0.7	15	3	3-5(3)
0.4	0.4	9	4	6-9(4)
0.2	0.2	5	5	10-19(5)
0.1	0.1	1	6	20-39(6)
0.7	0.7	15	7	40+(7)
	8.0	177	-9	MISSING

100.0 100.0 2,201 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 704-705

APPENDIX A

PUBLICATIONS

ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L.D. Johnston and J.G. Bachman, 1980, 188 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 264 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 268 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984, 280 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984, 282 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 288 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1992, 327 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1993, 335 pp.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1995, 339 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 376 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1999. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 2000. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 380 pp.

ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

- Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20847-2345 (Tel. 1-800-729-6686). There is no charge for single copies.
- Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.
- Highlights from drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.
- Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.
- Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.
- 1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.
- Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.
- Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.
- Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.
- Student drug use, attitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.
- Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.
- Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.
- *Use of licit and illicit drugs by America's high school students: 1975-1984* (DHHS Publication No. ADM 85-1394). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.
- Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-1450). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.
- National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.
- Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.
- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989 (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors (DHHS Publication No. (ADM) 91-1813) and Volume II: College students and young adults (DHHS Publication No. (ADM) 91-1835). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.

- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students (DHHS Pub. No. (NIH) 93-3481). Volume II: College students and young adults (DHHS Pub. No. (NIH) 93-3481). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1992, 231 pp. and 176 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students (NIH Pub. No. 93-3597). Volume II: College students and young adults (NIH Pub. No. 93-3598). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 1993, 269 pp. and 190 pp., respectively.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students (NIH Pub. No. 94-3809). Volume II: College students and young adults (NIH Pub. No. 94-3810). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1994, 281 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students (NIH Pub. No. 95-4026). Volume II: College students and young adults (1996). (NIH Pub. No. 96-4027). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1995, 327 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students (1996). (NIH Pub. No. 96-4139). Volume II: College students and young adults (1997). (NIH Pub. No. 98-4140). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 381 pp. and 188 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students (1998). (NIH Pub. No. 98-4345). Volume II: College students and young adults (1998). (NIH Pub. No. 98-4346). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 433 pp. and 206 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students (1999). (NIH Pub. No. 99-4660). Volume II: College students and young adults (NIH Pub. No. 99-4661). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 420 pp. and 218 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999 (2000). (NIH Pub. No. 00-4690). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 56 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students (2000). (NIH Pub. No. 00-4802). Volume II: College students and adults ages 19-40 (NIH Pub. No. 00-4803). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 480 pp. and 240 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000 (2001). (NIH Pub. No. 01-4923). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 54 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students (2001). (NIH Pub. No. 01-4924). Volume II: College students and adults ages 19-40 (NIH Pub. No. 01-4925). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 492 pp. and 238 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2001 (2001). (NIH Pub. No. 02-5105). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 57 pp.
- Monitoring the Future national survey results on drug use, 1975-2001. Volume I: Secondary school students (2002). (NIH Pub. No. 02-5106). Volume II: College students and adults ages 19-40 (NIH Pub. No. 02-5107). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 530 pp. and 242 pp., respectively.

JOURNAL ARTICLES

- Kumar, R., O'Malley, P.M., Johnston, L.D., Schulenberg, J.E., & Bachman, J.G. (2002). Effect of school-level norms on student substance use. *Prevention Science*, 3, 105-124.
- O'Malley, P.M., & Johnston, L.D. (2002). Epidemiology of alcohol and other drug use among college students. *Journal of Studies on Alcohol, Supplement* 14, 23-39.
- Schulenberg, J., & Maggs, J. (2002). A developmental perspective on alcohol use and heavy drinking during the transition to adulthood. *Journal of Studies on Alcohol*, Supplement 14, 54-70. [Concern is with substance use in general.]
- Wallace, J.M., Jr., & Muroff, J.R. (2002). Preventing substance abuse among African American children and youth: Race differences in risk factor exposure and vulnerability. *The Journal of Primary Prevention* 22(3), 235-261.
- Brown, T.N., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science*, 2(1), 29-43.
- Maggs, J.L., & Schulenberg, J. (2001). Editors' introduction: Prevention as altering the course of development and the complementary purposes of developmental and prevention sciences. *Applied Developmental Science*, 5(4), 196-200.
- Safron, D.J., Schulenberg, J.E., & Bachman, J.G. (2001). Part-time work and hurried adolescence: The links among work intensity, social activities, health behaviors, and substance use. *Journal of Health and Social Behavior* 42, 425-449.
- Schulenberg, J., Maggs, J.L., Long, S.W., Sher, K.J., Gotham, H.J., Baer, J.S., Kivlahan, D.R., Marlatt, G.A., & Zucker, R.A. (2001). The problem of college drinking: Insights from a developmental perspective. *Alcoholism: Clinical and Experimental Research*, 25, 473-477.
- Schuster, C., O'Malley, P.M., Bachman, J.G., Johnston, L.D., & Schulenberg, J. (2001). Adolescent marijuana use and adult occupational attainment: A longitudinal study from age 18 to 28. *Substance Use & Misuse*, 36(8), 997-1014.
- Wagenaar, A.C., O'Malley, P.M., & LaFond, C. (2001). Lowered legal blood alcohol limits for young drivers: Effects on drinking, driving, and driving-after-drinking behaviors in 30 states. *American Journal of Public Health*, 91, 801-804.
- Brown, T.N., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. *Prevention Science* 2(1), 29-43.
- Bryant, A.L., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 1(2), 71-87.
- O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. *Journal of Drug Issues*, 30(1), 35-54.
- O'Malley, P.M., & Johnston, L.D. (1999). Drinking and driving among American high school seniors: 1984-1997. *American Journal of Public Health*, 89, 678-684.
- An, L.C., O'Malley, P.M., Schulenberg, J., Bachman, J.G., & Johnston, L.D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. *American Journal of Public Health*, 89, 699-705.
- Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. *American Journal of Public Health*, 89, 672-677.

- Schulenberg, J., Maggs, J.L., Dielman, T.E., Leech, S.L., Kloska, D.D., Shope, J.T., & Laetz, V.B. (1999). On peer influences to get drunk: A panel study of young adolescents. *Merrill-Palmer Quarterly*, 45, 108-142.
- Wallace, J.M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. *Pediatrics*, 103(5), 1122-1127.
- Wallace, J.M., Jr., Forman, T.A., Guthrie, B.J., Bachman, J.G., O'Malley, P.M., Johnston, L.D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. *Journal of Studies on Alcohol*, 60(6), 800-809.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. *American Journal of Public Health* 88, 887-892.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Alcohol use among adolescents. *Alcohol Health & Research World*, 22, 85-93.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal Substance Use and Misuse entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), *The epidemiology of cocaine use and abuse* (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. *Substance Use and Misuse*, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J.M., Jr. & Bachman, J.G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. *Substance Use & Misuse*, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L.D. (1997). Correlates of college marijuana use: Results of a national survey. *Addiction*, 92, 571-582.
- Osgood, D.W., Wilson, J.K., Bachman, J.G., O'Malley, P.M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. *American Sociological Review*, 61, 635-655.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., Wadsworth, K.N., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. *Journal of Studies on Alcohol*, 57, 289-304.
- Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. *Developmental Psychology*, 32, 659-674.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. *Pediatrics Clinics of North America*, 42, 241-260.
- Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. *Journal of Health and Social Behavior*, 35, 45-62.
- Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. *African-American Research Perspectives*, 1(1), 31-35.
- Bachman, J.G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? Developmental Psychology, 29, 220-235.
- Johnston, L.D. (1993). The "war" on drugs and the role of the media. Nieman Reports, 47(7), 39-41.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. *Adolescent Medicine: State of the Art Reviews*, 4, 227-248.
- Bachman, J.G., & Wallace, J.M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. *Ethnicity & Disease*, 1(fall), 85-97.

- Bachman, J.G., Wallace, J.M., Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. *American Journal of Public Health*, 81, 372-377.
- O'Malley, P.M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. *Journal of Studies on Alcohol*, 52, 478-491.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. *Journal of Health and Social Behavior*, 31, 173-184.
- Johnston, L.D. (1989). The survey technique in drug abuse assessment. Bulletin on Narcotics, 41, 29-40.
- Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. *Criminology*, 27, 389-417.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. *Journal of Health and Social Behavior*, 29, 92-112.
- Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. *Social Psychology Quarterly*, 51, 329-345.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. *American Journal of Public Health*, 78, 1315-1321.
- Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. *American Sociological Review*, 53, 81-93.
- Bachman, J.G. (1987). An eye on the future. Psychology Today, 21(7), 6-8.
- Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. *Armed Forces and Society*, 13(2), 169-187.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. *Journal of Adolescent Health Care*, 8, 36-51.
- Bachman, J.G. (1986). Effects of early marriage on substance abuse. *Medical Aspects of Human Sexuality*, 20(10), 15.
- Bachman, J.G., & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). *Journal of Personality and Social Psychology*, 50, 35-46.
- Diamond, G., & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. *International Journal of Mental Health*, 15, 210-241.
- Johnston, L.D., & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. *Journal of Drug Issues*, 16, 29-66.
- Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in *Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence* (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in The Drinking and Drug Practices Surveyor, March 1985, 20, 11-14.)
- Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. *Journal of Personality and Social Psychology*, 47, 629-645.
- Bachman, J.G., & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? *American Journal of Sociology*, 90, 624-639.
- Bachman, J.G., & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? *Public Opinion Quarterly*, 48, 491-509.
- O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? *Preventive Medicine*, 13, 421-426.

- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. *American Journal of Public Health*, 74, 682-688.
- Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. *Armed Forces and Society*, 10(1), 86-104.
- Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? *Economic Outlook U.S.A.*, 10(3), 64-67.
- Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. *International Review of Applied Psychology*, 32, 347-360.
- Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. *Sex Roles*, 9(1), 109-135. (Work funded by NIE.)
- Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. *Contemporary Drug Problems*, 10, 463-480.
- Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? *The U.S. Journal of Drug and Alcohol Dependence*, 7, 7.
- O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. *Developmental Psychology*, 19, 257-268.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. *International Journal of the Addictions*, 18, 805-824.
- Bachman, J.G. (1981). Youth views about the military: Recent trends. Economic Outlook U.S.A., 8(3), 61-65.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. *American Journal of Public Health*, 71, 59-69.
- Bachman, J.G., & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. *Public Opinion Quarterly*, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, Survey research methods. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. *Youth and Adolescence*, 10, 407-441.
- Herzog, A.R., & Bachman, J.G. (1981). Effects of questionnaire length on response quality. *Public Opinion Quarterly*, 45(4), 549-559.
- Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in *Connections*, 1981, 1(4), 11-14.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. *Economic Outlook U.S.A.*, 7(2), 39-42.
- Bachman, J.G., & Johnston, L.D. (1979). The freshmen, 1979. Psychology Today, 13(4), 79-87.
- O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. *Journal of Personality and Social Psychology*, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, Social psychology of the self-concept. Arlington Heights, IL: AHM Press.)
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. *Science Teacher*, 45(6), 26-31.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. *Youth and Society*, 10, 65-77.
- Segal, D.R., & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. *Youth and Society*, 10, 47-64.
- Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. *Youth and Society*, 10, 127-134.
- Bachman, J.G., & Johnston, L.D. (1976). Drug use among American youth. Economic Outlook U.S.A., 3, 32-33.

CHAPTERS

- Johnston L.D., & O'Malley, P.M. (2002). Article 97: Drug use and abuse: Psychosocial aspects. In N.J. Smelser and P.B. Baltes (Eds.), *International encyclopedia of the social and behavioral sciences*, Vol. IV, Intersecting fields; Section 4.5, Health (J. House & R. Schwarzer, Section Eds.) Amsterdam: Pergamon.
- Burns, D., & Johnston, L. D. (2001). Overview of recent changes in adolescent smoking behavior. In National Cancer Institute, *Changing adolescent smoking prevalence: Where it is and why* (pp. 1-8). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L. D. (2001). Changing demographic patterns of adolescent smoking over the past 23 years: National trends from the Monitoring the Future Study. In National Cancer Institute, Changing adolescent smoking prevalence: Where it is and why (pp. 9-33). Smoking and Tobacco Control Monograph No. 14. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. (NIH Pub. No. 02-5086).
- Johnston, L.D., & O'Malley, P.M. (2001). Cigarette, alcohol, and other drug use in adolescence: A modern day epidemic. In R.P. Weissberg, et al. (Eds.), *Trends in the well-being of children and youth*. (Volume II: University of Illinois at Chicago Series on Children and Youth.) Washington, DC: Child Welfare League of America Press.
- Pacula, R.L., Grossman, M., Chaloupka, F.J., O'Malley, P.M., Johnston, L.D., & Farrelly, M.C. (2001). Marijuana and youth. In J. Gruber (Ed.), *Risky behavior among youths: An economic analysis* (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).
- Schulenberg, J., Maggs, J.L., Steinman, K., & Zucker, R.A. (2001). Development matters: Taking the long view on substance abuse etiology and intervention during adolescence. In P.M. Monti, S.M. Colby, & T.A. O'Leary (Eds.), *Adolescents, alcohol, and substance abuse: Reaching teens through brief intervention* (pp. 19-57). New York: Guilford Press.
- Bachman, J.G., & Wallace, J.M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*. (2nd ed.). Farmington Hills, MI: Macmillan Publishing.
- O'Malley, P.M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C.E. Faupel & P.M. Roman (eds.) *Encyclopedia of Criminology and Deviant Behavior*, Volume 4, Self-Destructive Behavior and Disvalued Identity. London: Brunner-Routledge, Taylor & Francis Group.
- O'Malley, P.M. (2000). The Monitoring the Future survey. In *Encyclopedia of Drugs, Alcohol, and Addictive Behavior*, Second Edition. Macmillan Reference USA.
- Johnston, L.D. (2000). General population surveys of drug abuse. In *Guide to drug abuse epidemiology* (pp. 125-170). Geneva: World Health Organization.
- Johnston, L.D. (2000). Selecting variables and measures for drug surveys. In *Guide to drug abuse epidemiology* (pp. 171-203). Geneva: World Health Organization.
- Bachman, J.G., & Wallace, J.M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), *Encyclopedia of drugs, alcohol, and addictive behavior*, second edition. Macmillan Publishing.
- Johnston, L.D. (2000). The epidemiology of drug use. In W.B. Hansen, S.M. Giles, & M.D. Fearnow-Kenney (Eds.), *Improving prevention effectiveness* (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- (Johnston, L.D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) *The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries*. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (2000). "Spread your wings and fly": The course of well-being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), *Negotiating adolescence in times of social change*. New York: Cambridge University Press.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Epidemiology of substance abuse in adolescence. In P.J. Ott, R.E. Tarter, & R.T. Ammerman (Eds.), *Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment.* Needham Heights, MA: Allyn & Bacon.
- Johnston, L.D., & O'Malley, P.M (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. ughes (Eds.), *The Validity of self-reported drug use: Improving the accuracy of survey estimates.* (NIDA Research Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to change. In G.A. Marlatt and G.R. VandenBos (Eds.), *Addictive Behaviors: Readings on etiology, prevention, and treatment* (pp. 129-165). Washington, DC: American Psychological Association and was reported in 1997's personal statement)]
- (Johnston, L.D., O'Malley, P.M., & Bachman, J.G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), *The ESPAD report: Alcohol and other drug use among students in 26 European countries*. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Wallace, J.M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J.L. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. Cambridge University Press
- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), *Health risks and developmental transitions during adolescence*. New York: Cambridge University Press.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J. Brooks-Gunn, & A.C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and contexts* (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W.B., & O'Malley, P.M. (1996). Drug use. In R.J. DiClemente, W.B. Hansen, & L.E. Ponton (Eds.), *Handbook of adolescent health risk behavior* (pp. 161-192). New York: Plenum Press.
- Allen, W.R., & Wallace, J.M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), *One-third of a nation: African American perspectives*. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), *Psychological responses to social change: Human development in changing environments*. Berlin: Walter de Gruyter.
- Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), *Drug abuse prevention with multi-ethnic youth* (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P.M. et al., 1995, uncredited). Epidemiology of injection drug use. In Normand, J., Vlahov, D., & Moses, L.E. (Eds). *Preventing HIV transmission: The role of sterile needles and bleach*. Washington, DC: National Academy Press.
- O'Malley, P.M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), *The development of alcohol problems: Exploring the biopsychosocial matrix of risk* (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J.G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), *Advances in data analysis for prevention intervention research*. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.

- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), *International handbook of adolescence* (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J.M., Jr., & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J.L. Andrados (Eds.), *Drug abuse among minority youth: Advances in research and methodology*. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975-1987: Overview of key findings. In R. L. Bloom (Ed.) *Changing lives: Studies in human development and professional helping*. Columbia, SC: University of South Carolina Press.
- Johnston, L.D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In *Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life*. Vatican City: The Vatican.
- Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) *Drug abuse prevention research: Methodological issues* (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), *The epidemiology of cocaine use*. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Gunn (Eds.) *Encyclopedia of adolescence*. New York, NY: Garland.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), *Persuasive communication and drug abuse prevention* (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. *Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention*. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it MemorexTM? In P. Shoemaker (Ed.), *Communication campaigns about drugs: Government, media, and the public* (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), *Research on the quality of life* (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), *Etiology of drug abuse: Implications for prevention*. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), *Studying drug abuse* (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L.D., & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), *Alcohol and the developing brain* (pp. 161-170). New York: Raven Press.
- Johnston, L.D., & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), *Self-report methods of estimating drug use: Meeting current challenges to validity*. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), *Cocaine use in America: Epidemiologic and clinical perspectives*. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), *The social psychology of the self-concept*. Arlington Heights, IL: AMH Press.
- Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In *Marijuana: The national impact on education* (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), *Treating the marijuana dependent person* (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), *The yearbook of substance use and abuse* (Vol. 2). New York: Human Sciences Press
- Brooke, E., & Johnston, L.D. (1979). *The assessment of drug abuse. In Resource book on measures to reduce illicit demand for drugs* (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations
- Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), *Longitudinal research on drug use: Empirical findings and methodological issues* (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), *Conducting follow-up research on drug treatment programs*. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), *The epidemiology of drug abuse: Current issues.* (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), *The epidemiology of heroin and other narcotics*. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L.
 Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs.
 (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), *Understanding adolescence* (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), *Operational definitions in socio-behavioral drug use research*. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

TESTIMONY

- Johnston, L. D. (2002, June 25). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Subcommittee for Criminal Justice, Drug Policy, and Human Resources, of the Committee on Government Reform, U. S. House of Representatives. Published in The Congressional Record.
- Johnston, L. D. (2002, June 20). Written testimony on the National Youth Media Anti-Drug Media Campaign for the Subcommittee on Treasury, Postal Service, and General Government of the House Appropriations Committee, U.S. House of Representatives. Published in The Congressional Record.
- Johnston, L. D. (2002, June 19). Written and oral testimony presented at hearings on the National Youth Anti-Drug Media Campaign, held by the Treasury and General Government Subcommittee on Appropriations of the U.S. Senate Appropriations Committee. Published in The Congressional Record.
- Johnston, L.D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the Congressional Record.
- Johnston, L.D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in The Congressional Record.
- Johnston, L.D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in The Congressional Record.
- Johnston, L.D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in The Congressional Record.
- Johnston, L.D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In The Congressional Record.
- Johnston, L.D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in The Congressional Record.
- Johnston, L.D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act of 1991. Published in The Congressional Record, Washington: GPO ISBN 0-16-039764-2, pp. 44-53.
- Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in The Congressional Record, 134:89, D774.
- Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in The Congressional Record, 134:87, D756.
- Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in Advertising of tobacco products (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in Beer and wine advertising: Impact of electronic media (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).

- Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in Alcohol Advertising (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In Health consequences of marijuana use (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P.M., & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

Paper Title No

- The Monitoring the Future project: Design and procedures. J.G. Bachman and L.D. Johnston, 1978, 67 pp.
- Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp.
- High school seniors' preferences for sharing work and family responsibilities between husband and wife. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp.
- Fewer rebels, fewer causes: A profile of today's college freshmen. J.G. Bachman and L.D. Johnston, 1979, 30 pp.
- Developing composite measures of drug use: Comparisons among lifetime, annual, and monthly prevalence reports for thirteen classes of drugs. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp.
- Description of a special survey using a single combined form of the Monitoring the Future questionnaires. A.R. Herzog and J.G. Bachman, 1979, 35 pp.
- 7 Ecological concerns among high school seniors: 1976-1979. J.D. Miller and J.G. Bachman, 1980, 28 pp.
- 8 Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp.
- When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. J.G. Bachman and P.M. O'Malley, 1980, 12 pp.
- High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980. A.R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
- 11 Changes in drug use after high school as a function of role status and social environment. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp.
- Trends in high school seniors' views of the military. J.G. Bachman, 1981, 28 pp.
- Marijuana decriminalization: The impact on youth 1975-1980. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp.
- Period, age, and cohort effects on substance use among American youth 1976-1982. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp.
- Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982. L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp.
- The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth. J.G. Bachman and P.M. O'Malley, 1983, 30 pp.
- The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and D.E. Bare, 1985, 135 pp.
- 19 Changes in marijuana use linked to changes in perceived risks and disapproval. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp.
- Correlates of employment among high school seniors. J.G. Bachman, D. E. Bare, and E.I. Frankie, 1986, 105 pp.
- Change and consistency in the correlates of drug use among high school seniors: 1975-1986. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1986, 21 pp.
- Differentiation of period, age, and cohort effects on drug use 1976-1986. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp.
- Sex differences in adolescents' health-threatening behaviors: What accounts for them? A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp.
- Student drug use in America: Differences among high schools 1986-1987. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp.
- Drug use among American college students and their noncollege age peers. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp.

- Reducing drug use in America: A perspective, a strategy, and some promising approaches. L.D. Johnston, 1988, 57 pp.
- Minimum drinking age laws effects on American youth 1976-1987. P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.
- Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.
- Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates. J.G. Bachman, J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and P.M. O'Malley, 1990, 63 pp.
- The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987. L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.
- Part-time work by high school seniors: Sorting out correlates and possible consequences. J.G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
- The Monitoring the Future project after seventeen years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.
- Aims and objectives of the Monitoring the Future study. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996, revised, 125pp.
- Changes in drug use during the post-high school years. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, and J. Schulenberg, 1992, 168 pp.
- Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992. J. Schulenberg, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1994, 62 pp.
- The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- Changes in drug use during ages 18-32. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, J. Schulenberg, J. Lim, and K.N. Wadsworth, 1996, 87 pp.
- Trends in military propensity and the propensity-enlistment relationship. J.G. Bachman, P. Freedman-Doan, D.R. Segal, and P.M. O'Malley, 1997, 68 pp.
- Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors. J.G. Bachman, D.R. Segal, P. Freedman-Doan, and P.M. O'Malley, 1998, 163 pp.
- Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment. J.G. Bachman, P. Freedman-Doan, L.D. Johnston, P.M. O'Malley, and D.R. Segal, 1999, 33 pp..
- Life-paths into young adulthood and the course of substance use and well-being: Inter- and intra-cohort comparisons. J. Schulenberg, P. M. O'Malley, J.G. Bachman, and L.D. Johnston, 1998, 64 pp.
- 44 Reasons for use, abstention, and quitting illicit drug use by American adolescents. A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L.D. Johnston, 1998, 27 pp.
- Cigarette brand preferences among adolescents. L.D. Johnston, P.M. O'Malley, J.G. Bachman, and J. Schulenberg, 1999, 37 pp.
- Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use. A.L. Bryant, J. Schulenberg, J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 2000, 29 pp.
- Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996). C. Pilgrim, J. Schulenberg, P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 2000, 48 pp.
- Consistency and change in correlates of youth substance use, 1976-1997. T.N. Brown, J. Schulenberg, J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 2001, 34 pp.
- Analyses showing how religiosity, social activities, and drug-related beliefs mediate relationships between post-high school experiences and substance use. J.G. Bachman, P.M. O'Malley, J.E. Schulenberg, L.D. Johnston, A.L. Bryant, A.C. Merline, P. Freedman-Doan, N.J. Ridenour, and T.C. Hart, 2001. [Supplement to The Decline of Substance Use in Young Adulthood by Bachman et al.]
- A developmental perspective on alcohol and other drug use during adolescence and the transition to young adulthood. J. Schulenberg and J.L. Maggs, 2001, 70 pp.
- The aims and objectives of the Monitoring the Future study and progress toward fulfilling them. 3rd ed. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 2001, 139 pp.

- Demographic subgroup trends for various licit and illicit drugs, 1975-2000. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 2001, 225 pp.
- The Monitoring the Future project after 27 years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 58 pp.
- Demographic subgroup trends for various licit and illicit drugs, 1975-2001. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 2002, available: http://monitoringthefuture.org/

APPENDIX B

SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

______ 1975 1976 1977 1978 1979 1980 # Public Schools 111 108 108 111 111 107 # Private Schools 14 15 16 20 20 20 Total # Schools 125 123 124 131 131 127 Total # Students 15,791 16,678 18,438 18,924 16,662 16,524 Student Response Rate (%) * 78% 77% 79% 83% 82% 82% ______ 1981 1982 1983 1984 1985 1986 ______ # Public Schools 109 116 112 117 115 113 # Private Schools 19 21 22 17 17 16 Total # Schools 128 137 134 134 132 129 Total # Students 18,267 18,348 16,947 16,499 16,502 15,713 Student Response Rate (%) * 81% 83% 84% 83% 84% 83%

SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students 1	6,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%
		1994				1998
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students 1	6 , 763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

	1999	2000	2001
# Public Schools	124	116	117
# Private Schools	19	18	17
Total # Schools	143	134	134
Total # Students 1	4,056	13,286	13,304
Student Response Rate (%) *	83%	83%	82%

^{*} The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.