ICPSR 3184

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2000

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman *University of Michigan. Institute for Social Research. Survey Research Center*

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Form 2 Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

CONTENTS

item	page
Introduction	ii
Data Collection Description	ii
Data Collection Procedures	ii
Sampling Information	iii
Stage 1: Geographic Areas	iii
Stage 2: Schools	iii
Stage 3: Students	iii
School Recruiting Procedure	iv
Advance Contact with Teachers and Students	iv
Questionnaire Administration	v
Procedures for Protecting Confidentiality	v
Content Areas and Questionnaire Design	vi
Measurement Content Areas	vi
Representativeness and Validity	viii
School Participation	viii
Student Participation	ix
Validity of Self-Report Data	ix
Accuracy of Sample	x
Consistency and the Measurement of Trends	x
Interpreting Racial Differences	х
Differential Representation	xi
Differential Response Tendencies	xii
Covariance with Other Factors	xii
Weighting Information	xiii
File Structure	xiv
Codebook Information	xv
ICPSR Processing Information	xvi
Frequencies	1
APPENDICES	
Appendix A - Publications	182
Appendix B - Sample Size and Student Response Rates	196

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2000, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling.

For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a twoyear period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing

the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name

and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments.
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources.

 Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.

- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are

included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that

their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for

some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2000 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part	#	form		#variables	logical record length	unweighted N
Part	1	Core		108	224	13286
Part	2	Form	1	615	1237	2242
Part	3	Form	2	330	667	2212
Part	4	Form	3	358	723	2220
Part	5	Form	4	281	569	2196
Part	6	Form	5	310	627	2197
Part	7	Form	6	338	683	2219

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134 [2] 991A13 KIND OF PAID JOB

[3] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[4]	[5]	[6]	[7]	[8]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	
[9]	[10]	[]	11]	
100.0	100.0	5,745	cases	(Wtd)

- [12] Data type: numeric
- [13] Decimals: 0
- [14] Missing-data codes: 0,99
- [15] Columns: 98-99

^[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

^[2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [4] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [5] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [6] Indicates the weighted frequency of occurrence of each code value for this variable.
- [7] Indicates the code values occurring in the data for this variable.
- [8] Indicates the textual definitions of the codes for this variable.
- [9] Indicates the total of the valid case percentages (100%).
- [10] Indicates the total of all case percentages (100%).
- [11] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [12] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (), pound signs (#), and ampersands (&).
- [13] Indicates the number of decimal places in the variable.
- [14] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [15] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

FREQUENCIES FORM 2 DATA FILE

CASEID CASE IDENTIFICATION NUMBER

2,205 cases (Wtd) (Range of valid codes: 1-2,212)

Data type: numeric Missing-data code: -9 Columns: 664-667

V13		002	:SCHL	RGN-4	CAT
PCT	PCT	N	VALUE	LABEL	
VALID	ALL	11	V1111011		
20.0	20.0	441	1	NE: (1)	
24.5	24.5	540	2	NC: (2)	
35.6	35.6	785	3	S:(3)	
19.9	19.9	440	4	W:(4)	
100.0	100.0	2,205	cases (Wtd)	

Data type: numeric Missing-data code: -9

Column: 1

V16	002	:SELF-REP/NOT=0	
-----	-----	-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	70.7	1,559	0	
29.3	29.3	646	1	
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Column: 2

V17 002 :SMSA/NON-SMSA=0

Data type: numeric Missing-data code: -9

Column: 3

V1 YEAR OF ADMIN (4-DIGITS)

PCT PCT N VALUE LABEL
VALID ALL
100.0 100.0 2,205 2000
---- ---- 100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 4-7

V3 002 :FORM ID

Data type: numeric Missing-data code: -9

Column: 8

V4 002 :R'S ID-SERIAL

2,205 cases (Wtd) (Range of valid codes: 20,001-22,212)

Data type: numeric Missing-data code: -9

Columns: 9-13

V45 002B12A:#X ICE/LIFETIME

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	93.2	2,054	1	
2.6	2.5	55	2	
0.7	0.7	15	3	
0.2	0.2	5	4	
0.2	0.2	5	5	
0.2	0.2	4	6	
0.3	0.3	6	7	
	2.7	60	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 14-15

V46 002B12B:#X ICE/LAST12MO

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	95.4	2,103	1	
1.3	1.3	28	2	
0.2	0.2	5	3	
0.2	0.2	4	4	
0.0	0.0	1	5	
0.1	0.1	1	6	
0.2	0.2	5	7	
	2.6	58	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 16-17

V47 002B12C:#X ICE/LAST30DA

B12: On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice")...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.5	2,127	1	
0.5	0.5	10	2	
0.2	0.2	4	3	
0.1	0.1	1	4	
	2.8	62	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 18-19

V49 00C07R:# SIBLINGS

How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.6	102	0	
29.6	28.7	632	1	
28.6	27.7	612	2	
37.0	35.8	789	3	3 OR MORE
	3.1	69	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 20-21

V2101 002B01 :EVR SMK CIG, REGL

Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.2	798	1	NEVER: (1)
23.0	22.6	498	2	1-2X:(2)
14.0	13.8	304	3	OCCASNLY: (3)
8.4	8.2	181	4	REG PAST: (4)
17.7	17.4	383	5	REG NOW: (5)
	1.9	42	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 22-23

V2102 002B02 :#CIGS SMKD/30DAY

How frequently have you smoked cigarettes during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	67.2	1,481	1	NONE: (1)
9.9	9.7	214	2	<1 CIG/D:(2)
9.7	9.5	208	3	1-5/DAY:(3)
7.1	7.0	154	4	2PK/D:(4)
3.7	3.6	80	5	1 PK/DA:(5)
0.8	0.8	17	6	1.5 PK/D:(6)
0.2	0.2	5	7	2 + PKS/D:(7)
0.0	0.0	0	8	INAP: (8)
	2.1	46	- 9	Missing
100 0	100 0	2 205	a a a a a	/ tu + tu /

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 24-25

V2103 002B03 :EVER DRINK

Next we want to ask you about drinking alcoholic beverages, including beer, wine, wine coolers, and liquor. Have you ever had any beer, wine, wine coolers, or liquor to drink - more than just a few sips?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.1	443	1	NO: (1)
79.3	76.7	1,692	2	YES: (2)
	3.2	70	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 26-27

V2104

002B04A: #X ALC/LIF SIPS

On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	20.1	443	1	0 OCCAS: (1)
7.0	6.7	147	2	1-2X:(2)
10.2	9.7	214	3	3-5X:(3)
9.2	8.7	193	4	6-9X:(4)
13.0	12.4	273	5	10-19X:(5)
12.0	11.4	252	6	20-39X:(6)
27.3	25.9	571	7	40+OCCAS: (7)
	5.1	113	- 9	Missing
100 0	100 0	2 205	/	7.7 ← ⊸7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 28-29

V2105 002B04B:#X ALC/ANN SIPS

On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	26.0	573	1	0 OCCAS: (1)
15.8	15.0	331	2	1-2X:(2)
12.3	11.6	256	3	3-5X:(3)
10.7	10.1	224	4	6-9X:(4)
13.4	12.7	280	5	10-19X:(5)
10.0	9.4	208	6	20-39X:(6)
10.3	9.8	216	7	40+OCCAS: (7)
	5.3	118	- 9	Missing
1000	1000	0 005	,	TT: 1\

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 30-31

V2106

002B04C: #X ALC/30D SIPS

On how many occasions have you had alcoholic beverages to drink - more than just a few sips...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	47.0	1,035	1	0 OCCAS: (1)
20.2	19.2	423	2	1-2X:(2)
14.1	13.3	294	3	3-5X:(3)
7.8	7.4	162	4	6-9X:(4)
6.0	5.7	126	5	10-19X:(5)
1.4	1.4	30	6	20-39X:(6)
0.9	0.8	19	7	40+OCCAS: (7)
	5.2	115	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 32-33

V2107 002B05 :#X DRK ENF FL HI

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	18.3	404	1	NONE: (1)
25.7	19.7	434	2	FEW: (2)
13.0	10.0	221	3	HALF: (3)
19.9	15.3	337	4	MOST: (4)
17.4	13.4	295	5	NRLY ALL: (5)
	23.3	514	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 34-35

V2108 002B06 :5+DRK ROW/LST 2W

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, or a mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	64.3	1,417	1	NONE: (1)
11.3	10.6	234	2	ONCE: (2)
6.9	6.5	142	3	TWICE: (3)
8.9	8.4	185	4	3-5X:(4)
3.2	3.0	67	5	6-9X:(5)
1.2	1.1	24	6	10+ TIME: (6)
	6.2	136	- 9	Missing
100 0	100 0	2 205	cageg ((h + W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 36-37

V2115 002B07A: #XMJ+HS/LIFETIME

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	49.1	1,082	1	0 OCCAS: (1)
10.3	9.9	219	2	1-2X:(2)
7.2	7.0	153	3	3-5X:(3)
4.0	3.8	85	4	6-9X:(4)
6.7	6.4	142	5	10-19X:(5)
4.8	4.6	102	6	20-39X:(6)
16.3	15.7	347	7	40+OCCAS: (7)
	3.5	76	- 9	Missing
100 0	1000	0 005	/	T.T.L7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 38-39

V2116

002B07B: #XMJ+HS/LAST12MO

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	60.5	1,334	1	0 OCCAS: (1)
9.8	9.4	208	2	1-2X:(2)
7.2	7.0	154	3	3-5X:(3)
3.3	3.1	69	4	6-9X:(4)
5.2	5.0	110	5	10-19X:(5)
2.8	2.7	60	6	20-39X:(6)
8.9	8.6	189	7	40+OCCAS: (7)
	3.7	81	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 40-41

V2117 002B07C: #XMJ+HS/LAST30DA

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	75.0	1,654	1	0 OCCAS: (1)
7.2	7.0	154	2	1-2X:(2)
3.9	3.8	84	3	3-5X:(3)
2.6	2.5	54	4	6-9X:(4)
3.2	3.1	67	5	10-19X:(5)
2.3	2.2	48	6	20-39X:(6)
3.1	2.9	65	7	40+OCCAS: (7)
	3.6	78	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 42-43

V2118

002B08A: #X LSD/LIFETIME

On how many occasions (if any) have you used LSD ("acid")...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	86.5	1,907	1	0 OCCAS: (1)
5.7	5.5	121	2	1-2X:(2)
1.6	1.6	34	3	3-5X:(3)
0.8	0.8	17	4	6-9X:(4)
1.1	1.1	23	5	10-19X:(5)
0.7	0.7	16	6	20-39X:(6)
0.9	0.9	19	7	40+OCCAS: (7)
	3.1	68	- 9	Missing

Data type: numeric Missing-data code: -9

100.0 100.0 2,205 cases (Wtd)

Columns: 44-45

V2119 002B08B:#X LSD/LAST 12MO

On how many occasions (if any) have you used LSD ("acid")...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	91.6	2,020	1	0 OCCAS: (1)
3.1	3.1	67	2	1-2X:(2)
1.3	1.2	27	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.6	0.6	13	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS: (7)
	2.8	61	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 46-47

V2120

002B08C:#X LSD/LAST 30DA

On how many occasions (if any) have you used LSD ("acid")...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	95.8	2,111	1	0 OCCAS: (1)
0.9	0.9	20	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.1	67	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 48-49

V2121 002B09A:#X PSYD/LIFETIME

On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	90.3	1,991	1	0 OCCAS: (1)
3.5	3.4	76	2	1-2X:(2)
1.5	1.5	32	3	3-5X:(3)
0.6	0.6	12	4	6-9X:(4)
0.6	0.6	13	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	3.0	66	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 50-51

V2122

002B09B: #X PSYD/LAST12MO

On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	93.2	2,055	1	0 OCCAS: (1)
2.1	2.1	46	2	1-2X:(2)
0.8	0.8	17	3	3-5X:(3)
0.7	0.6	14	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.0	1	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS: (7)
	2.9	64	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 52-53

V2123 002B09C:#X PSYD/LAST30DA

On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	95.6	2,108	1	0 OCCAS: (1)
1.0	0.9	20	2	1-2X:(2)
0.4	0.3	7	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.0	66	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 54-55

V2124

002B10A: #X COKE/LIFETIME

On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	89.1	1,963	1	0 OCCAS: (1)
3.6	3.5	77	2	1-2X:(2)
1.3	1.2	27	3	3-5X:(3)
0.9	0.8	18	4	6-9X:(4)
0.6	0.6	13	5	10-19X:(5)
0.9	0.9	20	6	20-39X:(6)
1.0	1.0	21	7	40+OCCAS: (7)
	3.0	65	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 56-57

V2125 002B10B:#X COKE/LAST12MO

On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	92.0	2,028	1	0 OCCAS: (1)
2.2	2.2	48	2	1-2X:(2)
1.0	1.0	22	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
1.1	1.0	23	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS: (7)
	3.0	67	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 58-59

V2126

002B10C:#X COKE/LAST30DA

On how many occasions (if any) have you used cocaine (sometimes called "coke", "crack", "rock")...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	94.9	2,093	1	0 OCCAS: (1)
1.1	1.0	23	2	1-2X:(2)
0.6	0.6	12	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.9	64	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 60-61

V2127 002B11A:#X AMPH/LIFETIME

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	80.4	1,773	1	0 OCCAS: (1)
7.2	7.0	154	2	1-2X:(2)
3.6	3.5	76	3	3-5X:(3)
1.8	1.7	38	4	6-9X:(4)
1.6	1.6	34	5	10-19X:(5)
1.5	1.5	32	6	20-39X:(6)
1.5	1.5	33	7	40+OCCAS: (7)
	2.9	64	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 62-63

V2128 002B11B:#X AMPH/LAST12MO

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	N	VALUE	LABEL
ALL			
85.4	1,883	1	0 OCCAS:(1)
6.1	135	2	1-2X:(2)
1.5	33	3	3-5X:(3)
1.0	21	4	6-9X:(4)
1.5	33	5	10-19X:(5)
0.8	18	6	20-39X:(6)
0.6	13	7	40+OCCAS: (7)
3.1	68	- 9	Missing
100.0	2,205	cases	(Wtd)
	ALL 85.4 6.1 1.5 1.0 1.5 0.8 0.6 3.1	ALL 85.4 1,883 6.1 135 1.5 33 1.0 21 1.5 33 0.8 18 0.6 13 3.1 68	ALL 85.4 1,883 1 6.1 135 2 1.5 33 3 1.0 21 4 1.5 33 5 0.8 18 6 0.6 13 7 3.1 68 -9

Data type: numeric Missing-data code: -9

Columns: 64-65

V2129 002B11C:#X AMPH/LAST30DA

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	91.6	2,019	1	0 OCCAS:(1)
2.7	2.6	58	2	1-2X:(2)
0.9	0.8	19	3	3-5X:(3)
0.7	0.6	14	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	3.3	72	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 66-67

V2133 002B13A:#X BRBT/LIFETIME

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	88.3	1,947	1	0 OCCAS: (1)
3.5	3.4	75	2	1-2X:(2)
2.2	2.2	48	3	3-5X:(3)
0.8	0.8	17	4	6-9X:(4)
1.0	1.0	22	5	10-19X:(5)
0.7	0.7	16	6	20-39X:(6)
1.0	1.0	21	7	40+OCCAS: (7)
	2.7	59	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 68-69

V2134 002B13B:#X BRBT/LAST12MO

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	90.8	2,001	1	0 OCCAS: (1)
3.1	3.0	66	2	1-2X:(2)
1.2	1.2	26	3	3-5X:(3)
0.8	0.7	16	4	6-9X:(4)
0.8	0.8	18	5	10-19X:(5)
0.5	0.5	10	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS: (7)
	2.7	60	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 70-71

V2135 002B13C:#X BRBT/LAST30DA

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	93.5	2,061	1	0 OCCAS: (1)
2.4	2.3	50	2	1-2X:(2)
0.9	0.9	20	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.3	0.2	5	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.8	63	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 72-73

V2136 002B14A:#X TRQL/LIFETIME

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...in your lifetime?

PCT	N	VALUE	LABEL
ALL			
89.1	1,966	1	0 OCCAS: (1)
3.3	72	2	1-2X:(2)
1.4	32	3	3-5X:(3)
1.2	27	4	6-9X:(4)
0.6	14	5	10-19X:(5)
0.6	14	6	20-39X:(6)
0.8	18	7	40+OCCAS: (7)
2.8	62	- 9	Missing
	ALL 89.1 3.3 1.4 1.2 0.6 0.6 0.8	ALL 89.1 1,966 3.3 72 1.4 32 1.2 27 0.6 14 0.6 14 0.8 18	ALL 89.1 1,966 1 3.3 72 2 1.4 32 3 1.2 27 4 0.6 14 5 0.6 14 6 0.8 18 7

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 74-75

V2137 002B14B:#X TRQL/LAST12MO

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	91.8	2,024	1	0 OCCAS: (1)
2.0	1.9	42	2	1-2X:(2)
1.2	1.2	26	3	3-5X:(3)
0.8	0.8	17	4	6-9X:(4)
0.7	0.6	14	5	10-19X:(5)
0.4	0.4	8	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS: (7)
	3.0	66	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 76-77

V2138 002B14C:#X TRQL/LAST30DA

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.6	2,085	1	0 OCCAS: (1)
0.6	0.6	14	2	1-2X:(2)
0.9	0.9	19	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.5	0.5	11	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.9	64	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 78-79

V2139 002R :#X H/LIFETIME

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.8	2,090	1	0 OCCAS: (1)
1.3	1.3	28	2	1-2X:(2)
0.7	0.6	14	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	2.7	59	- 9	Missing

Data type: numeric Missing-data code: -9

100.0 100.0 2,205 cases (Wtd)

Columns: 80-81

V2140		002R	:#X H/L	LAST12MO
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	95.7	2,111	1	0 OCCAS:(1)
0.7	0.7	15	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	2.7	59	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9

Columns: 82-83

V2141 002R :#X H/LAST30DAY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	96.5	2,127	1	0 OCCAS: (1)
0.4	0.4	9	2	1-2X:(2)
0.4	0.4	8	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	2.7	60	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 84-85

V2142 002B17A: #X NARC/LIFETIME

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	N	VALUE	LABEL
ALL			
86.4	1,904	1	0 OCCAS: (1)
4.7	104	2	1-2X:(2)
2.4	52	3	3-5X:(3)
1.2	26	4	6-9X:(4)
1.0	22	5	10-19X:(5)
0.5	10	6	20-39X:(6)
0.8	17	7	40+OCCAS: (7)
3.1	69	- 9	Missing
	ALL 86.4 4.7 2.4 1.2 1.0 0.5 0.8	ALL 86.4 1,904 4.7 104 2.4 52 1.2 26 1.0 22 0.5 10 0.8 17	ALL 86.4 1,904 1 4.7 104 2 2.4 52 3 1.2 26 4 1.0 22 5 0.5 10 6 0.8 17 7

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 86-87

V2143 002B17B:#X NARC/LAST12MO

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	89.4	1,971	1	0 OCCAS: (1)
4.0	3.9	86	2	1-2X:(2)
1.5	1.5	33	3	3-5X:(3)
0.9	0.9	19	4	6-9X:(4)
0.5	0.5	10	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	3.4	75	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 88-89

V2144 002B17C:#X NARC/LAST30DA

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.1	2,074	1	0 OCCAS: (1)
1.4	1.3	29	2	1-2X:(2)
0.8	0.8	17	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS: (7)
	3.4	75	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 90-91

V2145 002B18A:#X INHL/LIFETIME

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	84.3	1,858	1	0 OCCAS: (1)
6.6	6.4	141	2	1-2X:(2)
2.4	2.3	51	3	3-5X:(3)
1.6	1.6	35	4	6-9X:(4)
1.1	1.1	24	5	10-19X:(5)
0.4	0.3	8	6	20-39X:(6)
0.9	0.9	20	7	40+OCCAS: (7)
	3.1	69	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 92-93

V2146 002B18B:#X INHL/LAST12MO

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	90.8	2,001	1	0 OCCAS: (1)
3.6	3.5	76	2	1-2X:(2)
0.8	0.8	18	3	3-5X:(3)
1.0	1.0	22	4	6-9X:(4)
0.3	0.3	6	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS: (7)
	3.2	70	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 94-95

V2147 002B18C:#X INHL/LAST30DA

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	94.5	2,083	1	0 OCCAS: (1)
1.0	1.0	22	2	1-2X:(2)
0.6	0.5	12	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	3.3	74	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 96-97

V2148 002(R) :AGE <>18 DICHOTOMY

In what year were you born?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	44.0	971	1	< 18:(1)
54.7	53.0	1,170	2	18+:(2)
	2.9	65	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 98-99

V2150 002C03 :R'S SEX

What is your sex?

PCT PCT N VALUE LABEL
VALID ALL
47.7 45.4 1,002 1 MALE:(1)
52.3 49.8 1,098 2 FEMALE:(2)
4.8 105 -9 Missing
---- ---- ----100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 100-101

V2151

002C04(R)R'S RACE

How do you describe yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	64.8	1,429	0	WHITE
16.6	12.9	285	1	BLACK
	22.2	490	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 102-103

V2152 002C05 :R SPD >TIM R-URB

Where did you grow up mostly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	DK/MIXED: (0)
5.7	5.2	114	1	FARM: (1)
13.9	12.6	278	2	COUNTRY: (2)
30.7	27.8	613	3	SML TOWN: (3)
12.0	10.9	240	4	MED CITY: (4)
7.9	7.2	158	5	SUBURB 4:(5)
10.1	9.1	202	6	LRG CITY: (6)
7.5	6.8	150	7	SUBURB 6:(7)
7.5	6.8	151	8	VRYLG CY: (8)
4.6	4.2	93	9	SUBURB 8:(9)
	9.3	205	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 104-105

V2153

002C06 :R NOT MARRIED

What is your marital status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	65	1	MARRIED: (1)
6.3	6.1	135	2	ENGAGED: (2)
0.7	0.7	16	3	SEP/DIV: (3)
89.9	87.1	1,920	4	SINGLE: (4)
	3.1	69	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 106-107

V2155 002C07Cb(R):R'S HSHLD FATHER

Which of the following people live in the same household with you?

Father (or male guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	24.2	534	0	NT MARKD: (0)
74.8	72.0	1,586	1	MARKED: (1)
	3.8	84	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 108-109

V2156

002C07Cc(R):R'S HSHLD MOTHER

Which of the following people live in the same household with you?

Mother (of female guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.1	224	0	NT MARKD: (0)
89.5	86.1	1,897	1	MARKED: (1)
	3.8	84	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 110-111

V2157 002C07Cd(R):R'S HSHLD BR/SR

Which of the following people live in the same household with you?

Brother(s) and/or sister(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	29.9	659	0	NT MARKD: (0)
68.9	66.3	1,461	1	MARKED: (1)
	3.8	84	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 112-113

V2163

002C08 :FATHR EDUC LEVEL

What is the highest level of schooling your father completed?

PCT VALTD	PCT ALL	N	VALUE	LABEL
2.5	2.3	51	1	GRDE SCH: (1)
10.2	9.3	204	2	SOME HS: (2)
30.2	27.5	606	3	HS GRAD: (3)
18.5	16.8	371	4	SOME CLG: (4)
24.7	22.4	495	5	CLG GRAD: (5)
13.9	12.6	279	6	GRAD SCH: (6)
0.0	0.0	0	7	
	9.0	199	- 9	Missing
				3
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 114-115

V2164 002C09 :MOTHR EDUC LEVEL

What is the highest level of schooling your mother completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.9	43	1	GRDE SCH: (1)
8.1	7.5	166	2	SOME HS: (2)
31.2	29.1	641	3	HS GRAD: (3)
22.2	20.7	457	4	SOME CLG: (4)
25.0	23.3	513	5	CLG GRAD: (5)
11.5	10.7	236	6	GRAD SCH: (6)
0.0	0.0	0	7	DK: (7)
	6.7	148	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 116-117

V2165

002C10 :MOTH PD JB R YNG

Did you mother have a paid job (half-time or more) during the time you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	14.7	324	1	NO: (1)
20.7	19.7	434	2	SOMETIME: (2)
19.4	18.5	407	3	MOSTTIME: (3)
44.5	42.4	935	4	ALL TIME: (4)
	4.7	104	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 118-119

V2166 002C11 :R'S POLTL PRFNC

How would you describe your political preference?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	7.8	172	1	STRG GOP: (1)
19.6	12.9	285	2	MILD GOP: (2)
16.3	10.7	236	3	MILD DEM: (3)
12.9	8.5	187	4	STRG DEM: (4)
12.7	8.4	185	5	<pre>INDEPNDT:(5)</pre>
24.8	16.4	361	6	NO PREF: (6)
1.9	1.3	28	7	OTHER: (7)
0.0	0.0	0	8	DK: (8)
	34.1	751	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 120-121

V2167

002C12 :R'POL BLF RADCL

How would you describe your political beliefs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	3.9	87	1	VRY CONS: (1)
17.7	10.1	223	2	CONSERV: (2)
42.2	24.1	532	3	MODERATE: (3)
22.5	12.8	283	4	LIBERAL: (4)
6.1	3.5	77	5	VRY LIB: (5)
4.6	2.6	58	6	RADICAL: (6)
0.0	0.0	0	8	NONE/DK: (8)
	42.8	945	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 122-123

V2169 002C13B:R'ATTND REL SVC

The next three questions are about religion.

How often do you attend religious services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	10.3	227	1	NEVER: (1)
33.5	25.3	559	2	RARELY: (2)
18.1	13.7	301	3	1-2X/MO:(3)
34.8	26.3	580	4	WK OR+: (4)
	24.4	538	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 124-125

V2170 002C13C:RLGN IMP R'S LF

The next three questions are about religion.

How important is religion in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	9.3	206	1	NOT IMPT: (1)
25.3	19.1	421	2	LITL IMP: (2)
27.6	20.8	460	3	PRTY IMP: (3)
34.8	26.3	579	4	VERY IMP: (4)
	24.4	539	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 126-127

V2171 002C14 :WHEN R XPCT GRAD

When are you most likely to graduate from high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	93.3	2,057	1	BY JUNE: (1)
1.2	1.1	25	2	JULY-JAN: (2)
0.0	0.0	0	3	AFT JAN: (3)
0.3	0.3	6	6	WONT: (6)
	5.3	117	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 128-129

V2172

002C15 :R'S HS PROGRAM

Which of the following best describes your present high school program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	51.5	1,136	1	CLG PREP: (1)
28.3	26.6	588	2	GENERAL: (2)
9.8	9.2	203	3	VOC-TECH: (3)
7.3	6.9	152	4	OTH/DK:(4)
	5.7	126	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 130-131

V2173 002C16 :RT SF SCH AB>AVG

Compared with others your age throughout the country, how do you rate yourself on school ability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	21	1	FAR BLOW: (1)
2.2	2.0	45	2	BELOW AV: (2)
3.3	3.1	68	3	SL BELOW: (3)
34.4	32.4	715	4	AVERAGE: (4)
23.6	22.2	489	5	SL ABOVE: (5)
29.7	27.9	616	6	ABOVE AV: (6)
5.9	5.5	122	7	FAR ABOV: (7)
	5.9	129	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 132-133

V2174

002C17 :RT SF INTELL>AVG

How intelligent do you think you are compared with others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	15	1	FAR BLOW: (1)
1.4	1.4	30	2	BELOW AV: (2)
4.6	4.3	96	3	SL BELOW: (3)
32.3	30.4	670	4	AVERAGE: (4)
23.8	22.3	493	5	SL ABOVE: (5)
28.0	26.4	581	6	ABOVE AV: (6)
9.0	8.5	188	7	FAR ABOV: (7)
	6.0	132	- 9	Missing

Data type: numeric Missing-data code: -9

100.0 100.0 2,205 cases (Wtd)

Columns: 134-135

V2175 002C18A: #DA/4W SC MS ILL

During the LAST FOUR WEEKS, how many whole days of school have you missed...

Because of illness...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	55.2	1,217	1	NONE: (1)
18.7	17.5	386	2	1 DAY: (2)
10.2	9.6	211	3	2 DAYS: (3)
5.3	5.0	109	4	3 DAYS: (4)
4.2	3.9	87	5	4-5 DAYS: (5)
1.2	1.1	24	6	6-10 DA:(6)
1.2	1.2	26	7	11+ DAYS: (7)
	6.6	146	- 9	Missing
1000	1000	0 005	/	T.T.L7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 136-137

V2176

002C18B:#DA/4W SC MS CUT

During the LAST FOUR WEEKS, how many whole days of school have you missed...

Because you skipped or "cut"...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	61.2	1,349	1	NONE: (1)
15.3	14.0	308	2	1 DAY: (2)
7.5	6.9	152	3	2 DAYS: (3)
3.9	3.6	78	4	3 DAYS: (4)
3.7	3.4	75	5	4-5 DAYS: (5)
1.5	1.4	31	6	6-10 DA:(6)
1.2	1.1	23	7	11+ DAYS:(7)
	8.6	189	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 138-139

V2177 002C18C: #DA/4W SC MS OTH

During the LAST FOUR WEEKS, how many whole days of school have you missed...

For other reasons...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	49.1	1,083	1	NONE: (1)
20.0	18.3	403	2	1 DAY: (2)
11.4	10.4	230	3	2 DAYS: (3)
7.0	6.4	142	4	3 DAYS: (4)
5.0	4.6	101	5	4-5 DAYS: (5)
1.9	1.7	37	6	6-10 DA:(6)
0.9	0.9	19	7	11+ DAYS: (7)
	8.6	190	- 9	Missing
100 0	100 0	2 205	~~~~ /	T.T = ~ 1 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 140-141

V2178

002C19 :#DA/4W SKP CLASS

During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	60.0	1,322	1	NONE: (1)
20.9	19.6	431	2	1-2:(2)
8.2	7.7	170	3	3-5:(3)
3.8	3.6	78	4	6-10:(4)
1.4	1.3	28	5	11-20:(5)
1.8	1.7	38	6	21+:(6)
	6.2	138	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric

Columns: 142-143

Missing-data code: -9

V2179 002C20 :R HS GRADE/D=1

Which of the following best describes your average grade so far in high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	29	1	D:(1)
2.3	2.2	48	2	C-:(2)
6.8	6.4	140	3	C:(3)
10.0	9.3	206	4	C+: (4)
11.1	10.4	229	5	B-:(5)
18.7	17.5	385	6	B:(6)
18.2	17.1	376	7	B+:(7)
17.1	16.0	352	8	A-:(8)
14.4	13.5	297	9	A:(9)
	6.5	143	- 9	Missing
1000	100 0	2 205	~~~~	/ T.7 L ~ 1\

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 144-145

V2180

002C21A:R WL DO VOC/TEC

How likely is it that you will do each of the following things after high school?

Attend a technical or vocational school...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	49.2	1,085	1	DEF WONT: (1)
24.1	21.8	481	2	PRB WONT: (2)
14.8	13.4	296	3	PRB WILL: (3)
6.6	6.0	132	4	DEF WILL: (4)
	9.6	212	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 146-147

V2181 002C21B:R WL DO ARMD FC

How likely is it that you will do each of the following things after high school?

Serve in the armed forces...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	63.9	1,408	1	DEF WONT: (1)
17.4	15.7	347	2	PRB WONT: (2)
6.7	6.0	133	3	PRB WILL: (3)
5.3	4.8	105	4	DEF WILL: (4)
	9.6	212	- 9	Missing
100.0	100.0	2.205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 148-149

V2182

002C21C:R WL DO 2YR CLG

How likely is it that you will do each of the following things after high school?

C21C: Graduate from a two-year college program...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	33.4	736	1	DEF WONT: (1)
22.8	20.6	455	2	PRB WONT: (2)
23.2	20.9	462	3	PRB WILL: (3)
17.0	15.3	338	4	DEF WILL: (4)
	9.7	214	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 150-151

V2183 002C21D:R WL DO 4YR CLG

How likely is it that you will do each of the following things after high school?

Graduate from college (four-year program)...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	7.5	165	1	DEF WONT: (1)
10.1	9.2	203	2	PRB WONT: (2)
24.5	22.4	494	3	PRB WILL: (3)
57.2	52.3	1,153	4	DEF WILL: (4)
	8.6	189	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 152-153

V2184

002C21E:R WL DO GRD/PRF

How likely is it that you will do each of the following things after high school?

Attend graduate or professional school after college...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	16.0	352	1	DEF WONT: (1)
27.5	24.7	546	2	PRB WONT: (2)
34.5	31.1	686	3	PRB WILL: (3)
20.3	18.3	404	4	DEF WILL: (4)
	9.9	217	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 154-155

V2185 002C22A:R WNTDO VOC/TEC

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	76.3	1,681	0	NT MARKD: (0)
17.3	15.9	351	1	MARKED: (1)
	7.8	173	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 156-157

V2186

002C22B:R WNTDO ARMD FC

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Serve in the armed forces

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	80.0	1,763	0	NT MARKD: (0)
13.2	12.2	269	1	MARKED: (1)
	7.8	173	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 158-159

V2187 002C22C:R WNTDO 2YR CLG

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	68.6	1,512	0	NT MARKD: (0)
25.6	23.6	520	1	MARKED: (1)
	7.8	173	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 160-161

V2188

002C22D:R WNTDO 4YR CLG

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	18.4	406	0	NT MARKD: (0)
80.0	73.8	1,627	1	MARKED: (1)
	7.8	173	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 162-163

V2189 002C22E:R WNTDO GRD/PRF

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	39.7	874	0	NT MARKD: (0)
57.0	52.5	1,158	1	MARKED: (1)
	7.8	173	-9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 164-165

V2190

002C22F:R WNTDO NONE

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

None of the above

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	87.8	1,936	0	NT MARKD: (0)
4.7	4.3	96	1	MARKED: (1)
	7.8	173	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 166-167

V2191 002C23 :HRS/W WRK SCHYR

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	20.3	448	1	NONE: (1)
9.0	8.3	183	2	5 OR <: (2)
9.3	8.6	190	3	6-10 HRS:(3)
11.3	10.5	231	4	11-15 HR:(4)
15.8	14.6	323	5	16-20 HR:(5)
14.5	13.4	296	6	21-25 HR:(6)
8.7	8.1	178	7	26-30 HR: (7)
9.4	8.7	191	8	30+ HRS:(8)
	7.5	165	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 168-169

V2192

002C24A:R\$/AVG WEEK JOB

During an average week, how much money do you get from...

A job or other work...

PCT VALID	PCT ALL	N	VALUE	LABEL
25.3	23.1	508	1	NONE: (1)
1.6	1.5	33	2	\$1-5:(2)
2.7	2.5	54	3	\$6-10:(3)
2.9	2.7	59	4	\$11-20:(4)
4.6	4.2	93	5	\$21-35:(5)
6.6	6.0	132	6	\$36-50:(6)
9.6	8.7	193	7	\$51-75:(7)
24.2	22.0	485	8	\$76-125:(8)
22.5	20.5	452	9	\$126+:(9)
	8.9	195	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 170-171

V2193 002C24B:R\$/AVG WEEK OTH

During an average week, how much money do you get from...

Other sources (allowances, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	33.7	742	1	NONE: (1)
7.9	7.0	154	2	\$1-5:(2)
10.4	9.2	202	3	\$6-10:(3)
17.2	15.2	335	4	\$11-20:(4)
10.8	9.6	211	5	\$21-35:(5)
5.7	5.0	111	6	\$36-50:(6)
3.2	2.8	62	7	\$51-75:(7)
2.3	2.1	46	8	\$76-125:(8)
4.6	4.0	89	9	\$126+:(9)
	11.4	252	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 172-173

V2194

002C25 :#X/AV WK GO OUT

During a typical week, on how many evenings do you go out for fun and recreation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.0	198	1	< 1:(1)
14.4	13.2	291	2	ONE: (2)
29.7	27.3	601	3	TWO: (3)
21.8	20.0	441	4	THREE: (4)
15.8	14.5	319	5	4-5:(5)
8.5	7.8	172	6	6-7:(6)
	8.3	182	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 174-175

V2195 002C26 :#X DATE 3+/WK

On the average, how often do you go out with a date (or your spouse, if you are married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	20.0	441	1	NEVER: (1)
20.1	18.3	403	2	MO OR<: (2)
17.3	15.7	347	3	2-3/MO:(3)
16.1	14.6	322	4	WK: (4)
14.6	13.3	292	5	2-3/WK:(5)
9.9	9.0	197	6	3+/WK:(6)
	9.1	201	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 176-177

V2196 002C27 :DRIVE>200 MI/WK

During an average week, how much do you usually drive a car, truck, or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	13.0	286	1	NONE: (1)
8.4	7.7	169	2	1-10 MI:(2)
20.8	19.0	419	3	11-50:(3)
23.7	21.7	478	4	51-100:(4)
17.7	16.2	358	5	101-200:(5)
15.3	14.0	308	6	> 200:(6)
	8.5	187	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 178-179

V2197 002C28 :#X/12MO R TCKTD

Within the LAST 12 MONTHS how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	60.2	1,328	0	NONE: (0)
20.5	18.5	408	1	ONE: (1)
6.9	6.2	137	2	TWO: (2)
3.4	3.1	67	3	THREE: (3)
2.5	2.3	51	4	4+:(4)
	9.7	214	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 180-181

V2198

002C29AR#TCKTS AFT DRNK

How many of these tickets or warnings occurred after you were...

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	27.9	615	0	None: (0)
5.5	1.7	36	1	One:(1)
0.9	0.3	6	2	Two: (2)
0.7	0.2	4	3	3-4 or +: (3-4)
	70.0	1,544	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 182-183

V2199 002C29BR#TCKTS AFT MARJ

How many of these tickets or warnings occurred after you were...

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	28.0	617	0	None:(0)
4.7	1.4	31	1	One: (1)
1.5	0.5	10	2	Two: (2)
0.5	0.2	4	3	3-4 or +: (3-4)
	70.0	1,543	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 184-185

V2200

002C29CR#TCKTS AFT OTDG

How many of these tickets or warnings occurred after you were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	29.3	646	0	None:(0)
0.8	0.2	5	1	One: (1)
0.7	0.2	5	2	Two: (2)
0.1	0.0	1	3	3-4 or +: (3-4)
	70.2	1,548	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 186-187

V2201 002C30 :#ACCIDNTS/12 MO

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	66.5	1,467	0	NONE: (0)
20.3	18.2	401	1	ONE: (1)
4.2	3.8	83	2	TWO: (2)
1.2	1.0	23	3	THREE: (3)
0.2	0.2	5	4	4+:(4)
	10.2	226	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 188-189

V2202

002C31AR#ACDTS AFT DRNK

How many of these accidents occurred after you were...

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	21.9	482	0	None:(0)
3.1	0.7	16	1	One: (1)
0.2	0.0	1	2	Two: (2)
0.5	0.1	3	3	3-4 or +: (3-4)
	77.3	1,704	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 190-191

V2203 002C31BR#ACDTS AFT MARJ

How many of these accidents occurred after you were...

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	21.9	484	0	None:(0)
2.6	0.6	13	1	One: (1)
0.6	0.1	3	2	Two: (2)
0.5	0.1	3	3	3-4 or +: (3-4)
	77.2	1,703	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 192-193

V2204

002C31CR#ACDTS AFT OTDG

How many of these accidents occurred after you were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	22.4	494	0	None:(0)
0.4	0.1	2	1	One: (1)
0.1	0.0	0	2	Two: (2)
0.5	0.1	3	3	3-4 or +: (3-4)
	77.4	1,706	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 194-195

V2208 002A01 :VRY HPY THS DAYS

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
12.4	11.8	260	1	NT HAPPY: (1)	
65.7	62.3	1,373	2	PRTY HPY: (2)	
21.9	20.7	457	3	VRY HPY: (3)	
	5.2	115	- 9	Missing	
100.0	100.0	2,205	cases	(Wtd)	

Data type: numeric Missing-data code: -9 Columns: 196-197

V2209

002A02A:DALY WATCH TV

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Watch TV

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	13	1	NEVER: (1)
1.1	1.1	25	2	FEW /YR: (2)
3.3	3.3	74	3	1-2 / MO:(3)
23.8	23.8	524	4	1 /WK:(4)
71.1	71.0	1,564	5	NR DAILY: (5)
	0.2	5	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 198-199

V2210 002A02B:DALY GO TO MOVIE

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Go to movies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	66	1	NEVER: (1)
31.6	31.5	695	2	FEW /YR: (2)
57.2	57.0	1,258	3	1-2 / MO:(3)
7.7	7.6	168	4	1 /WK:(4)
0.4	0.4	10	5	NR DAILY: (5)
	0.3	7	- 9	Missing
100 0	100 0	2 205	cases ((b+W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 200-201

V2212

002A02D:DALY RIDE FORFUN

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Ride around in a car (or motorcycle) just for fun

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.8	216	1	NEVER: (1)
11.5	11.4	252	2	FEW /YR: (2)
12.9	12.8	282	3	1-2 / MO: (3)
28.9	28.7	633	4	1 /WK:(4)
36.9	36.7	808	5	NR DAILY: (5)
	0.6	13	- 9	Missing
100 0	100 0	2 205	anana /	/ L +M

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 202-203

V2213 002A02E:DALY CMNTY AFFRS

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Participate in community affairs or volunteer work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	23.7	523	1	NEVER: (1)
44.2	44.0	970	2	FEW /YR:(2)
18.3	18.2	402	3	1-2 / MO:(3)
10.2	10.1	223	4	1 /WK:(4)
3.4	3.4	75	5	NR DAILY: (5)
	0.5	11	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 204-205

V2214

002A02F:DALY PLA MSC,SNG

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Play a musical instrument or sing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	40.7	898	1	NEVER: (1)
10.6	10.6	233	2	FEW /YR: (2)
5.3	5.2	115	3	1-2 /MO:(3)
9.3	9.3	204	4	1 /WK:(4)
33.9	33.8	744	5	NR DAILY: (5)
	0.5	10	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 206-207

V2215 002A02G:DALY CREAT WRTNG

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Do creative writing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	28.2	622	1	NEVER: (1)
28.5	28.3	624	2	FEW /YR: (2)
22.4	22.3	491	3	1-2 / MO:(3)
13.4	13.4	295	4	1 /WK:(4)
7.3	7.2	159	5	NR DAILY: (5)
	0.7	15	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 208-209

V2216

002A02H:DALY ACTV SPORTS

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Actively participate in sports, athletics or exercising

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	8.0	177	1	NEVER: (1)
9.5	9.5	210	2	FEW /YR: (2)
14.0	14.0	308	3	1-2 / MO: (3)
26.2	26.1	576	4	1 /WK:(4)
42.2	42.1	927	5	NR DAILY: (5)
	0.3	7	- 9	Missing
100 0	100 0	2 205	aaaaa /	/ 5 +₩

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 210-211

V2217 002A02I:DALY ART/CRAFTS

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Do art or craft work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	26.5	584	1	NEVER: (1)
28.7	28.4	626	2	FEW /YR:(2)
18.2	18.0	397	3	1-2 / MO:(3)
11.8	11.7	258	4	1 /WK:(4)
14.5	14.3	316	5	NR DAILY: (5)
	1.1	23	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 212-213

V2218

002A02J:DALY WRK HSE,CAR

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Work around the house, yard, garden, car, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.8	106	1	NEVER: (1)
10.1	10.0	221	2	FEW /YR: (2)
22.9	22.8	503	3	1-2 / MO: (3)
37.0	36.8	811	4	1 /WK:(4)
25.1	25.0	550	5	NR DAILY: (5)
	0.6	14	- 9	Missing
100 0	100 0	2 205	cageg (W+4)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 214-215

V2219 002A02K:DALY VIST W/FRDS

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Get together with friends, informally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	29	1	NEVER: (1)
2.4	2.3	52	2	/ (-/
10.2	10.1	223	3	1-2 / MO:(3)
39.7	39.5	872	4	1 /WK:(4)
46.4	46.2	1,020	5	NR DAILY: (5)
	0.4	9	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 216-217

V2220

002A02L:DALY GO SHOPPING

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Go shopping or window-shopping

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	79	1	NEVER: (1)
12.1	12.0	265	2	FEW /YR: (2)
47.4	47.1	1,039	3	1-2 / MO: (3)
32.9	32.7	721	4	1 /WK:(4)
4.1	4.0	89	5	NR DAILY: (5)
	0.6	12	- 9	Missing
100 0	100 0	2 205	cageg ((h + W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 218-219

V2221 002A02M:DALY ALONE LEISR

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Spend at least an hour of leisure time alone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	129	1	NEVER: (1)
6.5	6.4	141	2	FEW /YR: (2)
14.5	14.4	317	3	1-2 / MO:(3)
31.0	30.8	678	4	1 /WK:(4)
42.2	41.9	924	5	NR DAILY: (5)
	0.7	15	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 220-221

V2222

002A02N:DALY READ BK, MAG

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Read books, magazines, or newspapers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	78	1	NEVER: (1)
6.8	6.8	150	2	FEW /YR: (2)
17.8	17.7	391	3	1-2 / MO: (3)
34.2	34.0	751	4	1 /WK:(4)
37.6	37.5	827	5	NR DAILY: (5)
	0.3	8	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric
Missing-data code: -9

Columns: 222-223

V2223 002A02O:DALY GO TO BARS

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Go to taverns, bars or nightclubs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	43.9	968	1	NEVER: (1)
23.6	23.4	516	2	FEW /YR: (2)
20.0	19.9	439	3	1-2 / MO:(3)
10.4	10.3	227	4	1 /WK:(4)
1.7	1.7	37	5	NR DAILY: (5)
	0.8	17	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 224-225

V2224

002A02P:DALY GO TO PARTY

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Go to parties or other social affairs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	124	1	NEVER: (1)
22.6	22.5	497	2	FEW /YR:(2)
34.4	34.2	753	3	1-2 / MO: (3)
33.6	33.4	737	4	1 /WK:(4)
3.7	3.7	82	5	NR DAILY: (5)
	0.6	12	- 9	Missing
100 0	100 0	2 205	cageg (W+4)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 226-227

V2225 002A03A:US 2 MUCH PROFIT

How much do you agree or disagree with each of the following statements?

In the United States, we put too much emphasis on making profits and not enough on human well-being

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	69	1	DISAGREE: (1)
6.9	6.8	151	2	MOST DIS: (2)
19.8	19.7	434	3	NEITHER: (3)
47.2	46.8	1,032	4	MOST AGR: (4)
23.0	22.8	503	5	AGREE: (5)
	0.8	17	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 228-229

V2226

002A03B:2MUCH CNCRN MTRL

How much do you agree or disagree with each of the following statements?

People are too much concerned with material things these days

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.9	41	1	DISAGREE: (1)
3.7	3.7	81	2	MOST DIS: (2)
7.6	7.5	166	3	NEITHER: (3)
37.6	37.4	825	4	MOST AGR: (4)
49.2	48.9	1,078	5	AGREE: (5)
	0.6	13	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 230-231

V2227 002A03C:ENCOURG PPL BUY>

How much do you agree or disagree with each of the following statements?

Since it helps the economy to grow, people should be encouraged to buy more

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.9	284	1	DISAGREE: (1)
22.5	22.2	489	2	MOST DIS: (2)
40.4	39.9	880	3	NEITHER: (3)
17.9	17.6	389	4	MOST AGR: (4)
6.2	6.1	134	5	AGREE: (5)
	1.3	28	- 9	Missing
100 0	100 0	2 205	cases (W+d)

Data type: numeric Missing-data code: -9 Columns: 232-233

V2228

002A03D:-WRNG ADVERTISNG

How much do you agree or disagree with each of the following statements?

There is nothing wrong with advertising that gets people to buy things they don't really need

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.3	426	1	DISAGREE: (1)
22.6	22.4	495	2	MOST DIS: (2)
24.5	24.3	536	3	NEITHER: (3)
19.2	19.1	421	4	MOST AGR: (4)
14.2	14.0	309	5	AGREE: (5)
	0.8	18	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 234-235

V2229 002A03E:MOR SHORTGS FUTR

How much do you agree or disagree with each of the following statements?

There will probably be more shortages in the future, so
Americans will have to learn how to be happy with fewer
"things"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.8	283	1	DISAGREE: (1)
13.0	12.9	283	2	MOST DIS: (2)
27.0	26.7	590	3	NEITHER: (3)
23.9	23.7	522	4	MOST AGR: (4)
23.1	22.9	505	5	AGREE: (5)
	1.0	22	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 236-237

V2238

002A05 :DFNTLY PRFR MATE

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	15	1	DEF NOT: (1)
2.3	2.3	50	2	PROB NOT: (2)
10.4	10.4	228	3	NOT SURE: (3)
22.3	22.2	489	4	PROBABLY: (4)
64.3	63.9	1,409	5	DEFINTLY: (5)
	0.6	13	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 238-239

V2239 002A06 :THINK WILL MARRY

Which do you think you are most likely to choose in the long run?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	83	1	NT MARRY: (1)
16.1	15.5	342	2	NO IDEA: (2)
80.0	77.2	1,702	3	MARRY: (3)
0.0	0.0	0	8	MARRIED: (8)
	3.5	77	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 240-241

V2240

002A07A:LIKLY STAY MARRD

If you did get married (or are married) . . .

How likely do you think it is that you would stay married to the same person for life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	28	1	V UNLKLY: (1)
2.3	2.2	49	2	FRLY UNL: (2)
11.5	10.9	239	3	UNCERTN: (3)
23.8	22.5	495	4	FRLY LIK: (4)
61.1	57.8	1,274	5	VY LIKLY: (5)
	5.4	120	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 242-243

V2241 002A07B:LIKLY HAVE KIDS

If you did get married (or are married) . . .

How likely is it that you would want to have children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.8	83	1	V UNLKLY: (1)
2.4	2.2	49	2	FRLY UNL: (2)
11.3	10.5	231	3	UNCERTN: (3)
19.6	18.3	403	4	FRLY LIK: (4)
62.7	58.4	1,288	5	VY LIKLY: (5)
0.0	0.0	0	8	HAVE KID: (8)
	6.8	150	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 244-245

V2242 002A08A:-CHL,HB WK1.,W=0

Imagine you are married and have no children. How would
 you feel about each of the following working arrangements?

Husband works full-time, wife doesn't work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.5	782	1	NT ACCEP: (1)
34.0	33.7	743	2	SM ACCEP: (2)
25.5	25.3	558	3	ACCEPTBL: (3)
4.8	4.7	104	4	DESIRABL: (4)
	0.8	18	- 9	Missing
100 0	100 0	2.205	cases ((btW

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 246-247

V2243 002A08B:-CHL,HB WK1.,W.5

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

Husband works full-time, wife works about half-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	116	1	NT ACCEP: (1)
29.8	29.5	651	2	SM ACCEP: (2)
54.3	53.7	1,185	3	ACCEPTBL: (3)
10.6	10.5	231	4	DESIRABL: (4)
	1.0	22	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 248-249

V2244 002A08C:-CHL, HB&WF WK 1.

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

Both work full-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	151	1	NT ACCEP: (1)
14.0	13.8	305	2	SM ACCEP: (2)
50.4	49.6	1,094	3	ACCEPTBL: (3)
28.6	28.1	620	4	DESIRABL: (4)
	1.6	36	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 250-251

V2245 002A08D:-CHL, HB&WF WK .5

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

Both work about half-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	29.3	645	1	NT ACCEP: (1)
32.3	31.7	700	2	SM ACCEP: (2)
27.9	27.4	605	3	ACCEPTBL: (3)
10.0	9.8	216	4	DESIRABL: (4)
	1.8	39	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 252-253

V2246

002A08E:-CHL,W WK 1.,H.5

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

Husband works about half-time, wife works full-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.3	778	1	NT ACCEP: (1)
35.3	34.8	767	2	SM ACCEP: (2)
25.3	24.9	550	3	ACCEPTBL: (3)
3.6	3.6	79	4	DESIRABL: (4)
	1.4	31	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 254-255

V2247 002A08F:-CHL,W WK 1.,H=0

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

Husband doesn't work, wife works full-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	72.6	1,601	1	NT ACCEP: (1)
14.5	14.3	315	2	SM ACCEP: (2)
7.9	7.8	173	3	ACCEPTBL: (3)
4.1	4.1	90	4	DESIRABL: (4)
	1.2	26	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9

Columns: 256-257

V2248

002A09A:PSCH,HB WK1.,W=0

Husband works full-time, wife doesn't work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.8	304	1	NT ACCEP: (1)
24.2	24.0	529	2	SM ACCEP: (2)
39.0	38.7	854	3	ACCEPTBL: (3)
22.9	22.7	501	4	DESIRABL: (4)
	0.8	17	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 258-259

V2249 002A09B:PSCH,HB WK1.,W.5

Husband works full-time, wife works about half-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.8	105	1	NT ACCEP: (1)
24.0	23.7	524	2	SM ACCEP: (2)
57.5	57.0	1,257	3	ACCEPTBL: (3)
13.7	13.6	299	4	DESIRABL: (4)
	0.9	19	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 260-261

V2250

002A09C:PSCH,HB&WF WK 1.

Both work full-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	40.3	888	1	NT ACCEP: (1)
27.2	26.8	592	2	SM ACCEP: (2)
21.9	21.6	477	3	ACCEPTBL: (3)
10.1	10.0	220	4	DESIRABL: (4)
	1.3	28	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 262-263

V2251 002A09D:PSCH,HB&WF WK .5

Both work about half-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	29.2	644	1	NT ACCEP: (1)
32.6	32.1	708	2	SM ACCEP: (2)
30.1	29.6	654	3	ACCEPTBL: (3)
7.7	7.6	167	4	DESIRABL: (4)
	1.4	31	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 264-265

V2252

002A09E:PSCH,WF WK1.,H.5

Husband works about half-time, wife works full-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	37.8	834	1	NT ACCEP: (1)
35.0	34.6	763	2	SM ACCEP: (2)
23.2	22.9	506	3	ACCEPTBL: (3)
3.5	3.5	77	4	DESIRABL: (4)
	1.1	25	-9	Missing
100 0	100 0	2 205	cases ((b+W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 266-267

V2253 002A09F:PSCH,WF WK1.,H=0

Husband doesn't work, wife works full-time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	57.4	1,267	1	NT ACCEP: (1)
18.2	18.0	397	2	SM ACCEP: (2)
18.4	18.2	402	3	ACCEPTBL: (3)
5.2	5.2	114	4	DESIRABL: (4)
	1.1	25	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 268-269

V2254

002A10A:H WK,W -WK,W CCR

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

Wife does all child care

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
32.4	32.2	709	1	NT ACCEP: (1)
29.2	29.0	639	2	SM ACCEP: (2)
27.2	27.0	594	3	ACCEPTBL: (3)
11.2	11.1	245	4	DESIRABL: (4)
	0.8	18	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 270-271

V2255 002A10B:H WK,W -WK,W>CCR

Imagine you are married and have one or more pre-school
 children. Imagine also that the husband is working full-time
 and the wife does not have a job outside the home. How
 would you feel about each of these arrangements for the
 day-to-day care of the child(ren)?

Wife does most of it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.1	245	1	NT ACCEP: (1)
30.5	30.2	666	2	SM ACCEP: (2)
44.9	44.4	979	3	ACCEPTBL: (3)
13.4	13.3	292	4	DESIRABL: (4)
	1.0	22	- 9	Missing
100 0	100 0	2.205	cases (W+d)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 272-273

V2256

002A10C:H WK,W -WK,=CHCR

Imagine you are married and have one or more pre-school
 children. Imagine also that the husband is working full-time
 and the wife does not have a job outside the home. How
 would you feel about each of these arrangements for the
 day-to-day care of the child(ren)?

Both do it equally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	85	1	NT ACCEP: (1)
13.7	13.6	300	2	SM ACCEP: (2)
40.4	40.0	881	3	ACCEPTBL: (3)
42.0	41.6	917	4	DESIRABL: (4)
	1.0	22	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 274-275

V2257 002A10D:H WK,W -WK,H>CCR

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

Husband does most of it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	40.1	884	1	NT ACCEP: (1)
41.2	40.7	898	2	SM ACCEP: (2)
15.7	15.6	343	3	ACCEPTBL: (3)
2.5	2.5	54	4	DESIRABL: (4)
	1.1	25	- 9	Missing
100 0	100 0	2.205	cases (W+d)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 276-277

V2258

002A10E:H WK,W -WK,H CCR

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

Husband does all of it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	75.7	1,669	1	NT ACCEP: (1)
16.3	16.1	355	2	SM ACCEP: (2)
4.8	4.7	104	3	ACCEPTBL: (3)
2.6	2.6	56	4	DESIRABL: (4)
	0.9	20	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 278-279

V2259 002A11 :INTEREST IN GOVT

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.1	201	1	NO INTRS: (1)
23.4	23.2	512	2	LIT INTR: (2)
45.8	45.4	1,001	3	SOM INTR: (3)
15.9	15.7	347	4	LOT INTR: (4)
5.7	5.7	125	5	VGRT INT: (5)
	0.9	19	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 280-281

V2260 002A12 :GOVT PPL -DSHNST

Do you think some of the people running the government are crooked or dishonest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.6	432	1	MOST CRK: (1)
37.9	37.5	827	2	QT A FEW: (2)
38.6	38.2	843	3	SOME: (3)
3.4	3.4	75	4	HDLY ANY: (4)
0.3	0.3	6	5	NONE@ALL: (5)
	1.0	22	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 282-283

V2261 002A13 :GOVT DSNT WASTE\$

Do you think the government wastes much of the money we pay in taxes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.2	226	1	NRLY ALL: (1)
45.0	44.6	982	2	A LOT: (2)
37.2	36.8	811	3	SOME: (3)
6.8	6.7	148	4	A LITTLE: (4)
0.6	0.6	14	5	NO WASTE: (5)
	1.1	24	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 284-285

V2262

002A14 :NEVER TRUST GOVT

How much of the time do you think you can trust the government in Washington to do what is right?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	125	1	ALWYS TR: (1)
32.5	32.2	709	2	OFTEN: (2)
44.4	43.9	968	3	SOMETIME: (3)
14.2	14.1	311	4	SELDOM: (4)
3.2	3.1	69	5	NEVER: (5)
	1.0	23	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 286-287

V2263 002A15 :GVT PPL DK DOING

Do you feel that the people running the government are smart people who usually know what they are doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.5	231	1	ALWYS KN: (1)
52.8	52.2	1,152	2	USUALLY: (2)
28.6	28.2	623	3	SOMETIME: (3)
5.9	5.8	128	4	SELDOM: (4)
2.1	2.1	46	5	NEVER: (5)
	1.2	26	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 288-289

V2264

002A16 :GOVT RUN FOR PPL

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	10.8	239	1	ALWS FEW: (1)
22.9	22.5	497	2	USLY FEW: (2)
49.7	48.9	1,078	3	SOME: (3)
13.6	13.4	296	4	USLY ALL: (4)
2.7	2.7	59	5	ALWS ALL: (5)
	1.7	37	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 290-291

V2265 002A17A:DO OR PLN VOTE

Have you ever done, or do you plan to do, the following things?

Vote in a public election

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.2	136	1	PRB WONT: (1)
10.5	10.4	228	2	DK: (2)
74.1	73.3	1,616	3	PRB WILL: (3)
9.2	9.1	201	4	HAV DONE: (4)
	1.1	24	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 292-293

V2266

002A17B:DO OR PLN WRITE

Have you ever done, or do you plan to do, the following things?

Write to public officials

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	30.2	666	1	PRB WONT: (1)
43.5	43.0	947	2	DK: (2)
13.8	13.6	299	3	PRB WILL: (3)
12.2	12.0	265	4	HAV DONE: (4)
	1.3	28	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 294-295

V2267 002A17C:DO OR PLN GIVE \$

Have you ever done, or do you plan to do, the following things?

Give money to a political candidate or cause

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	47.5	1,047	1	PRB WONT: (1)
35.9	35.4	780	2	DK: (2)
13.5	13.3	294	3	PRB WILL: (3)
2.5	2.4	53	4	HAV DONE: (4)
	1.4	31	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 296-297

V2268

002A17D:DO OR PLN WK CPG

Have you ever done, or do you plan to do, the following things?

Work in a political campaign

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	58.5	1,290	1	PRB WONT: (1)
29.4	29.0	638	2	DK: (2)
6.4	6.3	139	3	PRB WILL: (3)
4.7	4.7	103	4	HAV DONE: (4)
	1.6	35	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 298-299

V2269 002A17E:DO OR PLN DEMNST

Have you ever done, or do you plan to do, the following things?

Participate in a lawful demonstration

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	38.2	843	1	PRB WONT: (1)
43.0	42.4	935	2	DK: (2)
14.7	14.5	320	3	PRB WILL: (3)
3.6	3.6	79	4	HAV DONE: (4)
	1.3	29	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 300-301

V2270

002A17F:DO OR PLN BOYCOT

Have you ever done, or do you plan to do, the following things?

Boycott certain products or stores

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	36.5	804	1	PRB WONT: (1)
40.1	39.6	873	2	DK: (2)
15.0	14.8	327	3	PRB WILL: (3)
7.9	7.8	172	4	HAV DONE: (4)
	1.3	29	- 9	Missing
100 0	100 0	2 205	cases ((5±W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 302-303

V2271 002A18A:US SHD DISARM

How much do you agree or disagree with each of the following statements?

The U.S. should begin a gradual program of disarming whether other countries do or not

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	26.1	577	1	DISAGREE: (1)
17.0	16.5	365	2	MOST DIS: (2)
37.5	36.6	806	3	NEITHER: (3)
13.4	13.0	288	4	MOST AGR: (4)
5.2	5.1	112	5	AGREE: (5)
	2.6	58	- 9	Missing
100 0	100 0	2 205	a	/ ы + ы \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 304-305

V2272

002A18B:US GO WAR FR OTH

How much do you agree or disagree with each of the following statements?

There may be times when the U.S. should go to war to protect the rights of other countries

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.1	311	1	DISAGREE: (1)
18.9	18.6	410	2	MOST DIS: (2)
20.8	20.4	450	3	NEITHER: (3)
32.4	31.8	702	4	MOST AGR: (4)
13.5	13.3	293	5	AGREE: (5)
	1.8	39	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 306-307

V2273 002A18C:US WAR PRTCT ECN

How much do you agree or disagree with each of the following statements?

The U.S. should be willing to go to war to protect its own economic interests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	116	1	DISAGREE: (1)
8.1	7.9	175	2	MOST DIS: (2)
22.9	22.5	496	3	NEITHER: (3)
35.0	34.4	758	4	MOST AGR: (4)
28.5	28.0	617	5	AGREE: (5)
	1.9	42	- 9	Missing
100.0	100.0	2.205	cases	(Mtd)

Data type: numeric Missing-data code: -9

Columns: 308-309

V2274

002A18D:US ONLY WAR DFNS

How much do you agree or disagree with each of the following statements?

The only good reason for the U.S. to go to war is to defend against an attack on our own country

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.3	183	1	DISAGREE: (1)
15.7	15.4	340	2	MOST DIS: (2)
17.2	16.9	373	3	NEITHER: (3)
30.6	30.0	661	4	MOST AGR: (4)
28.0	27.4	605	5	AGREE: (5)
	2.0	44	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 310-311

V2275 002A18E:-US MIL PWR>USSR

How much do you agree or disagree with each of the following statements?

The U.S. does not need to have greater military power than Russia

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	33.8	744	1	DISAGREE: (1)
20.0	19.5	431	2	MOST DIS: (2)
31.7	31.0	684	3	NEITHER: (3)
8.7	8.6	189	4	MOST AGR: (4)
5.1	5.0	111	5	AGREE: (5)
	2.1	47	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9

Columns: 312-313

V2276

002A18F:US NEED>PWR OTHS

How much do you agree or disagree with each of the following statements?

The U.S. ought to have much more military power than any other nation in the world

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.2	160	1	DISAGREE: (1)
10.3	10.1	223	2	MOST DIS: (2)
32.9	32.2	710	3	NEITHER: (3)
20.3	19.8	438	4	MOST AGR: (4)
29.2	28.6	630	5	AGREE: (5)
	2.0	44	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 314-315

V2277 002A18G:US FRN PLCY NRRW

How much do you agree or disagree with each of the following statements?

Our present foreign policy is based on our own narrow economic and power interests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	82	1	DISAGREE: (1)
6.2	6.1	134	2	MOST DIS: (2)
57.5	56.0	1,234	3	NEITHER: (3)
22.1	21.5	475	4	MOST AGR: (4)
10.3	10.0	221	5	AGREE: (5)
	2.7	59	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 316-317

V2279 002A19A:FRQ FIGHT PARNTS

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Argued or had a fight with either of your parents (This question is omitted from California questionnaires.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	9.0	197	1	NOT @ALL:(1)
9.6	7.6	167	2	ONCE: (2)
14.1	11.1	245	3	TWICE: (3)
23.3	18.4	405	4	3-4TIMES: (4)
41.7	32.9	725	5	5+ TIMES: (5)
	21.1	466	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 318-319

V2280 002A19B:FRQ HIT SUPRVISR

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Hit an instructor or supervisor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	95.9	2,114	1	NOT @ALL: (1)
1.5	1.4	32	2	ONCE: (2)
0.4	0.4	9	3	TWICE: (3)
0.4	0.4	8	4	3-4TIMES: (4)
0.6	0.6	13	5	5+ TIMES: (5)
	1.3	29	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 320-321

V2281 002A19C:FRQ FGT WRK/SCHL

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Gotten into a serious fight in school or at work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	86.7	1,912	1	NOT @ALL:(1)
7.1	7.0	153	2	ONCE: (2)
2.8	2.7	60	3	TWICE: (3)
1.1	1.1	25	4	3-4TIMES: (4)
1.2	1.2	26	5	5+ TIMES: (5)
	1.3	29	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 322-323

V2282 002A19D:FRQ GANG FIGHT

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Taken part in a fight where a group of your friends were against another group

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	79.3	1,749	1	NOT @ALL: (1)
10.9	10.8	238	2	ONCE: (2)
4.8	4.8	105	3	TWICE: (3)
2.1	2.0	45	4	3-4TIMES: (4)
1.8	1.8	39	5	5+ TIMES: (5)
	1.3	30	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

2,200 00,200 (...

Data type: numeric Missing-data code: -9

Columns: 324-325

V2283 002A19E:FRQ HURT SM1 BAD

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Hurt someone badly enough to need bandages or a doctor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	86.9	1,917	1	NOT @ALL:(1)
7.3	7.2	160	2	ONCE: (2)
2.0	2.0	44	3	TWICE: (3)
1.1	1.1	24	4	3-4TIMES: (4)
1.4	1.4	30	5	5+ TIMES:(5)
	1.4	30	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 326-327

V2284 002A19F:FRQ THREAT WEAPN

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Used a knife or gun or some other thing (like a club) to get something from a person

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	95.7	2,110	1	NOT @ALL:(1)
1.1	1.1	24	2	ONCE: (2)
0.6	0.6	13	3	TWICE: (3)
0.4	0.4	8	4	3-4TIMES: (4)
0.7	0.7	16	5	5+ TIMES: (5)
	1.6	35	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 328-329

V2285 002A19G:FRQ STEAL <\$50

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Taken something not belonging to you worth under \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	68.6	1,512	1	NOT @ALL: (1)
12.1	11.9	261	2	ONCE: (2)
7.4	7.3	160	3	TWICE: (3)
4.9	4.8	107	4	3-4TIMES: (4)
5.8	5.7	127	5	5+ TIMES: (5)
	1.7	38	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

2,200 0000 (...

Data type: numeric Missing-data code: -9 Columns: 330-331

V2286 002A19H:FRQ STEAL >\$50

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Taken something not belonging to you worth over \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	86.3	1,903	1	NOT @ALL: (1)
5.6	5.5	121	2	ONCE: (2)
2.4	2.4	52	3	TWICE: (3)
1.5	1.4	32	4	3-4TIMES: (4)
2.9	2.9	63	5	5+ TIMES: (5)
	1.5	33	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 332-333

V2287 002A19I:FRQ SHOPLIFT

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Taken something from a store without paying for it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	70.4	1,553	1	NOT @ALL: (1)
11.3	11.1	245	2	ONCE: (2)
6.2	6.1	135	3	TWICE: (3)
3.9	3.9	85	4	3-4TIMES: (4)
7.1	6.9	153	5	5+ TIMES: (5)
	1.5	33	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 334-335

V2288 002A19J:FRQ CAR THEFT

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Taken a car that didn't belong to someone in your family without permission of the owner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	93.5	2,062	1	NOT @ALL:(1)
2.7	2.6	58	2	ONCE: (2)
1.2	1.1	25	3	TWICE: (3)
0.6	0.6	14	4	3-4TIMES: (4)
0.7	0.7	15	5	5+ TIMES: (5)
	1.4	31	- 9	Missing
			,	

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 336-337

V2289 002A19K:FRQ STEAL CAR PT

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Taken part of a car without permission of the owner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	93.7	2,067	1	NOT @ALL: (1)
2.9	2.9	64	2	ONCE: (2)
1.1	1.1	24	3	TWICE: (3)
0.4	0.4	9	4	3-4TIMES: (4)
0.6	0.6	12	5	5+ TIMES: (5)
	1.3	29	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 338-339

V2290 002A19L:FRQ TRESPAS BLDG

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have

Gone into some house or building when you weren't supposed to be there

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	76.4	1,684	1	NOT @ALL: (1)
10.2	10.1	222	2	ONCE: (2)
6.6	6.5	144	3	TWICE: (3)
2.9	2.8	63	4	3-4TIMES: (4)
2.7	2.7	59	5	5+ TIMES: (5)
	1.5	33	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 340-341

V2291 002A19M:FRQ ARSON

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Set fire to someone's property on purpose

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	95.9	2,114	1	NOT @ALL: (1)
1.3	1.3	29	2	ONCE: (2)
0.8	0.8	18	3	TWICE: (3)
0.2	0.2	4	4	3-4TIMES: (4)
0.4	0.4	9	5	5+ TIMES: (5)
	1.4	31	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 342-343

V2292 002A19N:FRQ DMG SCH PPTY

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Damaged school property on purpose

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	85.3	1,881	1	NOT @ALL:(1)
7.0	6.9	153	2	ONCE: (2)
3.4	3.4	75	3	TWICE: (3)
1.5	1.4	32	4	3-4TIMES: (4)
1.4	1.3	29	5	5+ TIMES: (5)
	1.6	35	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 344-345

V2293 002A190:FRQ DMG WK PRPTY

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

Damaged property at work on purpose

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	91.6	2,020	1	NOT @ALL:(1)
3.8	3.7	82	2	ONCE: (2)
1.4	1.4	31	3	TWICE: (3)
0.8	0.8	17	4	3-4TIMES: (4)
1.1	1.1	24	5	5+ TIMES: (5)
	1.4	30	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 346-347

V2295 002A20A:SM1 ROB YRS <\$50

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

Has something of yours (worth under \$50) been stolen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	53.7	1,185	1	NOT @ALL: (1)
25.1	24.6	541	2	ONCE: (2)
10.8	10.6	233	3	TWICE: (3)
6.0	5.9	130	4	3-4TIMES: (4)
3.3	3.2	72	5	5+ TIMES: (5)
	2.0	44	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 348-349

V2296

002A20B:SM1 ROB YRS >\$50

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

Has something of yours (worth over \$50) been stolen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	73.0	1,611	1	NOT @ALL: (1)
16.7	16.4	361	2	ONCE: (2)
5.9	5.8	128	3	TWICE: (3)
2.0	2.0	44	4	3-4TIMES: (4)
0.9	0.9	20	5	5+ TIMES: (5)
	1.8	40	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 350-351

V2297 002A20C:SM1 DMG YR PRPTY

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

Has someone deliberately damaged your property (your car, clothing, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	68.4	1,509	1	NOT @ALL:(1)
17.8	17.5	385	2	ONCE: (2)
7.8	7.6	168	3	TWICE: (3)
3.2	3.1	69	4	3-4TIMES: (4)
1.4	1.4	30	5	5+ TIMES: (5)
	2.0	43	- 9	Missing
100 0	100 0	2 205	aaaaa /	/ L +M

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 352-353

V2298

002A20D:SM1 INJR U W/WPN

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

Has someone injured you with a weapon (like a knife, gun, or club)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	93.7	2,067	1	NOT @ALL:(1)
2.8	2.7	60	2	ONCE: (2)
1.2	1.1	25	3	TWICE: (3)
0.3	0.3	7	4	3-4TIMES: (4)
0.2	0.2	4	5	5+ TIMES: (5)
	1.9	42	- 9	Missing
100.0	100.0	2.205	cases ((Mt.d)

Data type: numeric Missing-data code: -9 Columns: 354-355

V2299 002A20E:SM1 THRTN U W/WP

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . .

Has someone threatened you with a weapon, but not actually injured you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	82.3	1,814	1	NOT @ALL:(1)
9.5	9.3	204	2	ONCE: (2)
3.2	3.2	69	3	TWICE: (3)
1.6	1.6	35	4	3-4TIMES: (4)
1.7	1.6	36	5	5+ TIMES: (5)
	2.1	46	- 9	Missing
100 0	100 0	2 205	72767	(ID + ID)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 356-357

V2300

002A20F:SM1 INJR YU -WPN

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

Has someone injured you on purpose without using a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	83.9	1,850	1	NOT @ALL: (1)
8.2	8.0	177	2	ONCE: (2)
2.1	2.0	45	3	TWICE: (3)
1.8	1.8	40	4	3-4TIMES: (4)
2.2	2.1	47	5	5+ TIMES: (5)
	2.1	46	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 358-359

V2301 002A20G:SM1 THRT U W/INJ

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . .

Has an unarmed person threatened you with injury, but not actually injured you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	70.3	1,550	1	NOT @ALL:(1)
12.8	12.5	276	2	ONCE: (2)
5.5	5.4	118	3	TWICE: (3)
4.5	4.4	96	4	3-4TIMES: (4)
5.3	5.2	115	5	5+ TIMES: (5)
	2.2	49	- 9	Missing
100 0	100 0	2 205	cases ((b+W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 360-361

V2302

002A21A:EASY GT MARIJUAN

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Marijuana (pot, grass)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	96	1	PROB IMP: (1)
2.3	2.2	49	2	VRY DIFF: (2)
4.7	4.6	101	3	FRLY DIF: (3)
23.1	22.6	498	4	FRLY EAS: (4)
65.5	63.9	1,408	5	VRY EASY: (5)
	2.4	53	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 362-363

V2303 002A21B:EASY GT LSD

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.1	311	1	PROB IMP: (1)
12.3	11.9	262	2	VRY DIFF: (2)
26.2	25.2	557	3	FRLY DIF: (3)
31.9	30.7	678	4	FRLY EAS: (4)
15.0	14.5	319	5	VRY EASY: (5)
	3.6	79	-9	Missing
100.0	100.0	2.205	cases ((b.tW

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 364-365

V2304

002A21C:EASY GT PSYDELIC

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Some other psychedelic (mescaline, peyote, psilocybin, PCP, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	17.6	388	1	PROB IMP: (1)
17.9	17.1	377	2	VRY DIFF: (2)
29.4	28.1	619	3	FRLY DIF: (3)
24.4	23.3	514	4	FRLY EAS: (4)
10.0	9.5	210	5	VRY EASY: (5)
	4.4	97	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 366-367

V2305 002A21D:EASY GT AMPHTMNS

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Amphetamines (uppers, pep pills, bennies, speed)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.2	246	1	PROB IMP: (1)
11.1	10.7	236	2	VRY DIFF: (2)
20.1	19.4	427	3	FRLY DIF: (3)
30.1	29.0	639	4	FRLY EAS: (4)
27.0	26.0	573	5	VRY EASY: (5)
	3.8	84	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 368-369

V2306

002A21E:EASY GT BBTUATES

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Barbiturates (downers, goofballs, reds, yellows, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	17.3	381	1	PROB IMP: (1)
16.9	16.0	354	2	VRY DIFF: (2)
27.6	26.3	579	3	FRLY DIF: (3)
23.3	22.1	488	4	FRLY EAS: (4)
14.0	13.3	294	5	VRY EASY: (5)
	4.9	109	- 9	Missing
100 0	100 0	2 205	cases ((b+W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 370-371

V2307 002A21F:EASY GT TRANQLIZ

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	19.8	437	1	PROB IMP: (1)
17.8	17.0	375	2	VRY DIFF: (2)
27.9	26.6	587	3	FRLY DIF: (3)
17.8	17.0	376	4	FRLY EAS: (4)
15.7	15.0	330	5	VRY EASY: (5)
	4.5	100	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric

Missing-data code: -9

Columns: 372-373

V2308

002A21G:EASY GT COCAINE

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.0	310	1	PROB IMP: (1)
15.4	14.9	329	2	VRY DIFF: (2)
22.3	21.5	475	3	FRLY DIF: (3)
26.5	25.6	564	4	FRLY EAS: (4)
21.2	20.5	451	5	VRY EASY: (5)
	3.5	77	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 374-375

V2309 002A21H:EASY GT HEROIN

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.0	419	1	PROB IMP: (1)
20.9	20.0	441	2	VRY DIFF: (2)
26.0	24.9	549	3	FRLY DIF: (3)
19.2	18.4	406	4	FRLY EAS: (4)
14.2	13.6	300	5	VRY EASY: (5)
	4.1	90	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric

Missing-data code: -9

Columns: 376-377

V2310

002A21I:EASY GT NARCOTIC

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Some other narcotic (methadone, opium, codeine, paregoric, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	17.0	375	1	PROB IMP: (1)
15.1	14.5	319	2	VRY DIFF: (2)
23.2	22.3	491	3	FRLY DIF: (3)
23.8	22.9	504	4	FRLY EAS: (4)
20.2	19.3	426	5	VRY EASY: (5)
	4.0	89	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

100.0 100.0 2,203 cases (wea

Data type: numeric Missing-data code: -9 Columns: 378-379

V2311 002D04 :CMP SATFD W/LIFE

How satisfied are you with your life as a whole these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.1	46	1	COMP DIS: (1)
6.7	6.1	134	2	QUITE DS:(2)
6.4	5.8	127	3	SMWT DIS:(3)
12.1	10.9	239	4	NEITHER: (4)
23.5	21.2	467	5	SMWT SAT: (5)
38.1	34.3	756	6	QUITE ST:(6)
10.9	9.8	217	7	COMP SAT: (7)
	10.0	219	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 380-381

V2312

002D05A:HOW GD AS SPOUSE

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

As a husband or wife?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.4	31	1	POOR: (1)
1.5	1.3	28	2	NOT GOOD: (2)
7.4	6.4	141	3	FRLY GD: (3)
32.7	28.2	623	4	GOOD: (4)
56.7	48.9	1,079	5	VRY GOOD: (5)
0.0	0.0	0	8	DK: (8)
	13.7	303	- 9	Missing
100 0	100 0	2 205	a2a0a /	M+ 4 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 382-383

V2313 002D05B:HOW GD AS PARENT

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

As a parent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.6	36	1	POOR: (1)
3.1	2.6	58	2	NOT GOOD: (2)
9.8	8.4	186	3	FRLY GD: (3)
28.1	24.0	530	4	GOOD: (4)
57.1	48.9	1,078	5	VRY GOOD: (5)
0.0	0.0	0	8	DK: (8)
	14.4	318	- 9	Missing
100 0	100 0	2.205	cases (Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 384-385

V2314

002D05C:HOW GD AS WORKER

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

As a worker on a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	13	1	POOR: (1)
1.2	1.0	23	2	NOT GOOD: (2)
4.3	3.8	83	3	FRLY GD: (3)
27.3	24.2	534	4	GOOD: (4)
66.6	59.1	1,303	5	VRY GOOD: (5)
0.0	0.0	0	8	DK: (8)
	11.3	249	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 386-387

V2328 002D06A:2MCH COMPTN SCTY

How much do you agree or disagree with each of the following statements?

There is too much competition in this society

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.2	138	1	DISAGREE: (1)
8.8	7.8	172	2	MOST DIS: (2)
20.0	17.7	391	3	NEITHER: (3)
39.6	35.1	774	4	MOST AGR: (4)
24.6	21.8	480	5	AGREE: (5)
	11.3	250	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 388-389

V2329

002D06B:2MANY YNG SLOPPY

How much do you agree or disagree with each of the following statements?

Too many young people are sloppy about their grooming and clothing, and just don't care how they look

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.1	222	1	DISAGREE: (1)
22.0	19.4	429	2	MOST DIS: (2)
28.2	25.0	551	3	NEITHER: (3)
25.0	22.1	487	4	MOST AGR: (4)
13.5	11.9	263	5	AGREE: (5)
	11.5	254	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 390-391

V2330 002D06C:2MUCH HARD ROCK

How much do you agree or disagree with each of the following statements?

There is too much hard rock music on the radio these days

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	33.0	728	1	DISAGREE: (1)
19.2	16.9	373	2	MOST DIS: (2)
30.4	26.8	591	3	NEITHER: (3)
6.9	6.1	134	4	MOST AGR: (4)
6.1	5.4	119	5	AGREE: (5)
	11.8	259	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 392-393

V2331

002D06D:SHD DO OWN THING

How much do you agree or disagree with each of the following statements?

People should do their own thing, even if other people think it's strange

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.2	48	1	DISAGREE: (1)
3.8	3.4	74	2	MOST DIS: (2)
13.4	11.8	260	3	NEITHER: (3)
35.4	31.2	687	4	MOST AGR: (4)
45.0	39.7	875	5	AGREE: (5)
	11.8	261	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 394-395

V2332 002D06E:KICK DO DANGR TH

How much do you agree or disagree with each of the following statements?

I get a real kick out of doing things that are a little dangerous

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	13.3	293	1	DISAGREE: (1)
11.9	10.4	229	2	MOST DIS: (2)
27.8	24.4	538	3	NEITHER: (3)
28.5	25.0	552	4	MOST AGR: (4)
16.6	14.6	322	5	AGREE: (5)
	12.3	270	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

100.0 100.0 2,200 cases (we

Data type: numeric Missing-data code: -9 Columns: 396-397

V2333

002D06F:LIKE RISK SOME X

How much do you agree or disagree with each of the following statements?

I like to test myself every now and then by doing something a little risky

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	12.4	272	1	DISAGREE: (1)
11.2	9.8	215	2	MOST DIS: (2)
24.0	21.0	463	3	NEITHER: (3)
32.7	28.6	631	4	MOST AGR: (4)
18.0	15.8	347	5	AGREE: (5)
	12.5	276	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 398-399

V2334 002D07A:ALL FRD SMK CIGS

How many of your friends would you estimate . . .

Smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	11.1	244	1	NONE: (1)
30.2	26.0	574	2	A FEW: (2)
29.0	25.0	551	3	SOME: (3)
24.5	21.1	465	4	MOST: (4)
3.4	3.0	65	5	ALL: (5)
	13.9	306	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 400-401

V2335

002D07B:ALL FRD SMK MARJ

How many of your friends would you estimate . . .

Smoke marijuana (pot, weed) or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	16.7	368	1	NONE: (1)
32.5	27.8	613	2	A FEW: (2)
24.7	21.1	466	3	SOME: (3)
19.3	16.5	365	4	MOST: (4)
4.0	3.5	76	5	ALL: (5)
	14.4	318	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 402-403

V2336 002D07C:ALL FRD TAKE LSD

How many of your friends would you estimate . . .

Take LSD?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	58.2	1,283	1	NONE: (1)
20.9	17.9	394	2	A FEW: (2)
7.7	6.6	145	3	SOME: (3)
2.1	1.8	40	4	MOST: (4)
1.0	0.8	18	5	ALL: (5)
	14.8	325	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 404-405

V2337 002D07D:ALL FRD TK PSYDL

How many of your friends would you estimate . . .

Take other psychedelics (mescaline, peyote, PCP, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	65.1	1,435	1	NONE: (1)
16.6	14.2	312	2	A FEW: (2)
4.9	4.2	92	3	SOME: (3)
1.3	1.1	24	4	MOST: (4)
1.0	0.8	18	5	ALL:(5)
	14.7	324	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 406-407

V2338 002D07E:ALL FRD TK AMPH

How many of your friends would you estimate . . $\boldsymbol{\cdot}$

Take amphetamines (uppers, pep pills, bennies, speed)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	57.4	1,266	1	NONE: (1)
23.3	19.9	438	2	A FEW: (2)
6.4	5.4	120	3	SOME: (3)
2.2	1.9	41	4	MOST: (4)
0.7	0.6	13	5	ALL: (5)
	14.8	326	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 408-409

V2339

002D07F:ALL FRD TK QUALD

How many of your friends would you estimate . . .

Take quaaludes (quads, methaqualone)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	71.5	1,577	1	NONE: (1)
12.0	10.2	225	2	A FEW: (2)
2.7	2.3	50	3	SOME: (3)
1.0	0.8	18	4	MOST: (4)
0.4	0.3	7	5	ALL: (5)
	14.9	328	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 410-411

V2340 002D07G:ALL FRD TK BARBT

How many of your friends would you estimate . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	66.7	1,471	1	NONE: (1)
15.8	13.4	295	2	A FEW: (2)
3.9	3.3	72	3	SOME: (3)
1.0	0.9	19	4	MOST: (4)
0.6	0.5	12	5	ALL: (5)
	15.2	336	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 412-413

V2341

002D07H:ALL FRD TK TRNQL

How many of your friends would you estimate . . .

Take tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	68.2	1,504	1	NONE: (1)
13.4	11.3	250	2	A FEW: (2)
3.8	3.2	70	3	SOME: (3)
1.5	1.3	28	4	MOST: (4)
0.5	0.4	9	5	ALL: (5)
	15.6	343	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 414-415

V2342 002D07I:ALL FRD TK COKE

How many of your friends would you estimate . . .

Take cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	62.1	1,368	1	NONE: (1)
18.9	16.0	354	2	A FEW: (2)
6.0	5.1	112	3	SOME: (3)
1.4	1.2	27	4	MOST: (4)
0.5	0.4	9	5	ALL: (5)
	15.2	335	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 416-417

V2343

002D07J:ALL FRD TK HERON

How many of your friends would you estimate . . .

Take heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	71.6	1,578	1	NONE: (1)
11.4	9.6	211	2	A FEW: (2)
2.5	2.1	46	3	SOME: (3)
0.6	0.5	11	4	MOST: (4)
0.4	0.3	7	5	ALL: (5)
	15.9	351	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 418-419

V2344 002D07K:ALL FRD TK NARC

How many of your friends would you estimate . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	65.0	1,432	1	NONE: (1)
16.2	13.6	301	2	A FEW: (2)
4.8	4.1	89	3	SOME: (3)
1.7	1.4	31	4	MOST: (4)
0.3	0.3	6	5	ALL: (5)
	15.7	345	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 420-421

V2345

002D07L:ALL FRD TK INHL

How many of your friends would you estimate . . .

Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	64.6	1,424	1	NONE: (1)
16.7	14.0	309	2	A FEW: (2)
4.9	4.1	91	3	SOME: (3)
1.1	0.9	20	4	MOST: (4)
0.3	0.3	6	5	ALL: (5)
	16.0	354	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 422-423

V2346 002D07M:ALL FRD DRK ALCL

How many of your friends would you estimate . . .

Drink alcoholic beverages (liquor, beer, wine)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.6	189	1	NONE: (1)
12.8	10.8	239	2	A FEW: (2)
20.0	16.9	372	3	SOME: (3)
35.7	30.1	664	4	MOST: (4)
21.4	18.1	399	5	ALL:(5)
	15.5	342	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 424-425

V2347 002D07N:ALL FRD GT DRUNK

How many of your friends would you estimate . . .

Get drunk at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	17.3	381	1	NONE: (1)
24.8	21.0	463	2	A FEW: (2)
22.5	19.1	421	3	SOME: (3)
23.5	19.9	440	4	MOST: (4)
8.8	7.5	164	5	ALL: (5)
	15.3	336	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 426-427

V2371 002E12 :R LIKES SCHOOL

Some people like school very much. Others don't. How do you feel about going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	7.3	161	1	DLIK@ALL: (1)
16.9	13.7	303	2	DNT LIKE: (2)
43.3	35.1	774	3	LIK SOME: (3)
20.8	16.8	371	4	LIK ALOT: (4)
10.0	8.1	179	5	LIK VMCH: (5)
	18.9	418	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 428-429

V2372

002E13 :HRS/WK SPND HMWK

About how many hours do you spend in an average week on all your homework including both in school and out of school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.2	181	1	0 HOURS: (1)
46.2	37.3	822	2	1-4 HRS:(2)
22.4	18.1	399	3	5-9 HRS:(3)
9.4	7.6	168	4	10-14 HR: (4)
5.4	4.4	96	5	15-19 HR:(5)
3.4	2.7	60	6	20-24 HR:(6)
3.0	2.4	53	7	25+ HRS:(7)
	19.4	427	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 430-431

V2373 002E15A:PRCL INFL SCL RN

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

The principal

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	13.8	305	1	NO INFLC: (1)
13.0	10.2	226	2	SOME: (2)
17.0	13.4	296	3	MODERATE: (3)
20.8	16.4	362	4	CNSIDRBL: (4)
31.7	25.0	552	5	GRT DEAL: (5)
	21.1	464	-9	Missing
100.0	100.0	2,205	cases (Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 432-433

V2374

002E15B:TCHR INFL SCL RN

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

The teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	7.0	154	1	NO INFLC: (1)
18.3	14.3	316	2	SOME: (2)
28.4	22.3	493	3	MODERATE: (3)
28.2	22.1	488	4	CNSIDRBL: (4)
16.2	12.7	281	5	GRT DEAL: (5)
	21.5	474	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 434-435

V2375 002E15C:STDS INFL SCL RN

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

The students

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	21.9	484	1	NO INFLC: (1)
20.6	16.1	356	2	SOME: (2)
19.2	15.1	332	3	MODERATE: (3)
16.1	12.6	278	4	CNSIDRBL: (4)
16.1	12.6	279	5	GRT DEAL: (5)
	21.6	476	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 436-437

V2376

002E15D:PRTS INFL SCL RN

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

Parents of students

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	18.8	415	1	NO INFLC: (1)
27.5	21.5	474	2	SOME: (2)
22.7	17.7	391	3	MODERATE: (3)
13.4	10.5	232	4	CNSIDRBL: (4)
12.3	9.6	212	5	GRT DEAL: (5)
	21.8	481	- 9	Missing
100 0	100 0	2 205	aaaaa /	/ 5 +₩

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 438-439

V2377 002E16 :HAD DRUG EDUCATN

Have you had any drug education courses or lectures in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	13.3	292	1	NO: (1)
2.0	1.6	34	2	WISH HAD: (2)
80.6	61.5	1,356	3	YES: (3)
	23.7	522	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 440-441

V2378

002E17 :DG ED, >DG INTRST

Would you say that the information about drugs that you received in school classes or programs has . . .

VALID ALL	
51.9 31.8 702 1 <interst:< td=""><td>(1)</td></interst:<>	(1)
45.0 27.6 609 2 NO CHNGE:	(2)
3.1 1.9 42 3 >INTERST:	(3)
0.0 0.0 0 8 INAP:(8)	
38.6 852 -9 Missing	
100.0 100.0 2,205 cases (Wtd)	

Data type: numeric Missing-data code: -9 Columns: 442-443

V2379 002E18A:DG ED,SPC COURSE

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

E18A: A special course about drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	38.7	854	0	NT MRKED: (0)
34.9	20.8	458	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	40.5	893	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 444-445

V2380

002E18B:DG ED, IN REG CRS

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

E18B: Films, lectures, or discussions in one of my regular courses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	17.9	395	0	NT MRKED: (0)
69.9	41.6	917	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	40.5	893	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 446-447

V2381 002E18C:DG ED,NT REG CRS

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

E18C: Films or lectures, outside of my regular courses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	38.3	843	0	NT MRKED: (0)
35.7	21.3	469	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	40.5	893	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 448-449

V2382

002E18D:DG ED,SPC DISCUS

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

E18D: Special group discussions about drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	45.1	995	0	NT MRKED: (0)
24.1	14.4	317	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	40.5	893	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 450-451

V2383 002E19 :DG ED,GRT VALUE

Overall, how valuable were the experiences to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	15.3	338	1	NO VALUE: (1)
42.4	25.7	566	2	SOME: (2)
18.1	10.9	241	3	CNSIDRBL: (3)
14.2	8.6	189	4	GT VALUE: (4)
0.0	0.0	0	8	INAP: (8)
	39.5	871	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 452-453

V2401

002E01B:# FRNDS TAKE PCP

How many of your friends would you estimate . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	69.8	1,539	1	NONE: (1)
12.8	10.7	237	2	A FEW: (2)
2.8	2.3	52	3	SOME: (3)
1.0	0.8	18	4	MOST: (4)
0.7	0.6	12	5	ALL: (5)
	15.8	347	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 454-455

V2402 002E01C:# FRNDS TK PPRS

How many of your friends would you estimate . . .

Take amyl or butyl nitrites (poppers, snappers, Locker Room, Vaporole, Rush, Kick, Bullet)?

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
89.3	74.8	1,649	1	NONE: (1)	
8.6	7.2	158	2	A FEW: (2)	
1.3	1.1	24	3	SOME: (3)	
0.6	0.5	11	4	MOST: (4)	
0.3	0.3	6	5	ALL:(5)	
	16.2	358	- 9	Missing	
100.0	100.0	2,205	cases	(Wtd)	

Data type: numeric Missing-data code: -9

Columns: 456-457

V2403

002E04A:#X PCP/LIFETIME

On how many occasions (if any) have you used PCP?

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	80.2	1,768	1	0 OCCAS: (1)
2.1	1.7	38	2	1-2X:(2)
0.3	0.3	6	3	3-5X:(3)
0.6	0.5	10	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS: (7)
	17.1	376	- 9	Missing
1000	1000	0 005	/	T.T.L7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 458-459

V2404 002E04B:#X PCP/LAST12MO

On how many occasions (if any) have you used PCP?

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	81.3	1,792	1	0 OCCAS: (1)
1.4	1.2	26	2	1-2X:(2)
0.3	0.3	6	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	16.9	372	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 460-461

V2405

002E04C:#X PCP/LAST30DA

On how many occasions (if any) have you used PCP?

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	82.2	1,813	1	0 OCCAS: (1)
0.6	0.5	10	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS: (7)
	17.0	376	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 462-463

V2406 002E05A:#X PPRS/LIFETIME

On how many occasions (if any) have you used amyl or butyl nitrites?

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	81.6	1,798	1	0 OCCAS: (1)
0.5	0.4	8	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	17.8	392	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 464-465

V2407

002E05B:#X PPRS/LAST12MO

On how many occasions (if any) have you used amyl or butyl nitrites?

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	82.0	1,809	1	0 OCCAS: (1)
0.3	0.3	6	2	1-2X:(2)
0.1	0.1	1	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.0	1	7	40+OCCAS: (7)
	17.5	386	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 466-467

V2408 002E05C:#X PPRS/LAST30DA

On how many occasions (if any) have you used amyl or butyl nitrites?

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	82.2	1,812	1	0 OCCAS: (1)
0.2	0.1	3	2	1-2X:(2)
0.1	0.1	1	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	17.6	388	- 9	Missing
100 0	100 0	2 205	/	۱ تہ ــــ ۲۰۲

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 468-469

V2414

002E22A:OFTN EAT BRKFST

How often do you . . .

Eat breakfast?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	7.7	171	1	NEVER: (1)
28.5	22.1	486	2	SELDOM: (2)
19.6	15.2	334	3	SOMETIME: (3)
11.6	9.0	197	4	MST DAYS: (4)
8.8	6.8	150	5	NR EV DA: (5)
21.6	16.7	369	6	EVERYDAY: (6)
	22.6	498	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 470-471

V2415 002E22B:OFTN EAT GN VEG

How often do you . . .

Eat at least some green vegetables?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	3.4	75	1	NEVER: (1)
10.7	8.3	183	2	SELDOM: (2)
26.0	20.0	441	3	SOMETIME: (3)
26.9	20.8	458	4	MST DAYS: (4)
16.5	12.7	281	5	NR EV DA: (5)
15.4	11.9	263	6	EVERYDAY: (6)
	22.9	505	- 9	Missing
100 0	100 0	2 205	Caded	(B+W)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 472-473

V2416

002E22C:OFTN EAT FRUIT

How often do you . . .

Eat at least some fruit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.8	40	1	NEVER: (1)
9.1	7.0	153	2	SELDOM: (2)
25.6	19.7	434	3	SOMETIME: (3)
27.9	21.4	472	4	MST DAYS: (4)
18.4	14.2	312	5	NR EV DA: (5)
16.7	12.8	282	6	EVERYDAY: (6)
	23.2	511	- 9	Missing
1000	1000	0 005	,	T.T. 7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 474-475

V2417 002E22D:OFTN EXERCISE

How often do you . . .

Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	6.0	133	1	NEVER: (1)
17.7	13.7	302	2	SELDOM: (2)
26.2	20.2	446	3	SOMETIME: (3)
15.0	11.6	256	4	MST DAYS: (4)
14.5	11.2	246	5	NR EV DA: (5)
18.8	14.5	320	6	EVERYDAY: (6)
	22.8	503	- 9	Missing
100 0	100 0	2 205	a	/ LT + LT /

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 476-477

V2418

002E22E:OFTN 7HRS SLEEP

How often do you . . .

Get at least seven hours of sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	4.7	104	1	NEVER: (1)
19.8	15.2	336	2	SELDOM: (2)
23.0	17.8	391	3	SOMETIME: (3)
22.3	17.2	380	4	MST DAYS: (4)
16.5	12.7	281	5	NR EV DA: (5)
12.3	9.5	209	6	EVERYDAY: (6)
	22.8	504	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 478-479

V2419 002E22F:OFTN SLEEP <SHLD

How often do you . . .

Get less sleep than you think you should?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	4.8	107	1	NEVER: (1)
12.7	9.8	215	2	SELDOM: (2)
23.8	18.3	403	3	SOMETIME: (3)
18.2	14.0	309	4	MST DAYS: (4)
17.4	13.4	295	5	NR EV DA: (5)
21.7	16.7	368	6	EVERYDAY: (6)
	23.1	509	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 480-481

V2420 002E08C:GR 1ST TRY PCP

When (if ever) did you FIRST do each of the following things?

Try PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	0.2	4	1	GRADE 6:(1)
0.9	0.0	0	2	GRADE 7:(2)
9.2	0.2	5	3	GRADE 8:(3)
22.9	0.5	11	4	GRADE 9:(4)
21.6	0.5	11	5	GRADE 10:(5)
13.7	0.3	7	6	GRADE 11:(6)
23.8	0.5	12	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	97.7	2,155	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 482-483

V2421 002E08D:GR 1ST TRY PPRS

When (if ever) did you FIRST do each of the following things?

Try amyl or butyl nitrites

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	0.1	3	1	GRADE 6:(1)
0.0	0.0	0	2	GRADE 7:(2)
23.8	0.2	5	3	GRADE 8:(3)
30.9	0.3	6	4	GRADE 9:(4)
12.2	0.1	2	5	GRADE 10:(5)
17.2	0.2	4	6	GRADE 11:(6)
2.2	0.0	0	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	99.1	2,185	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 484-485

V2428

002E11A:FAVOR MLTY DRAFT

Do you favor or oppose a military draft at the present time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	22.0	486	1	STRG OPP: (1)
17.5	13.9	307	2	MOST OPP: (2)
43.4	34.6	762	3	DK/MIXED: (3)
7.8	6.3	138	4	MOST FAV: (4)
3.7	2.9	64	5	STRG FAV: (5)
	20.3	448	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 486-487

V2429 002E11B:DRAFT INCL WOMEN

Do you think any military draft in the U.S. should include women as well as men?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	21.3	470	1	NO: (1)
31.5	25.6	565	2	UNCERTN: (2)
42.3	34.5	760	3	YES: (3)
	18.6	411	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 488-489

V2432

002A02C:DALY ROCK CONCRT

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Go to rock concerts

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	54.8	1,207	1	NEVER: (1)
40.2	39.8	878	2	FEW /YR: (2)
3.9	3.8	84	3	1-2 / MO: (3)
0.4	0.4	8	4	1 /WK:(4)
0.3	0.3	6	5	NR DAILY: (5)
	1.0	21	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 490-491

V2433 002D06G:POS ATT TWD SELF

How much do you agree or disagree with each of the following statements?

I take a positive attitude toward myself

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.5	55	1	DISAGREE: (1)
7.2	6.2	138	2	MOST DIS: (2)
13.0	11.4	250	3	NEITHER: (3)
39.4	34.4	759	4	MOST AGR: (4)
37.5	32.8	722	5	AGREE: (5)
	12.7	281	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 492-493

V2434

002D06H:AM PRSN OF WORTH

How much do you agree or disagree with each of the following statements?

I feel I am a person of worth, on an equal plane with others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.3	52	1	DISAGREE: (1)
4.7	4.1	90	2	MOST DIS: (2)
11.8	10.3	226	3	NEITHER: (3)
33.8	29.5	650	4	MOST AGR: (4)
47.0	41.0	904	5	AGREE: (5)
	12.8	283	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 494-495

V2435 002D06I:DO WELL AS OTHRS

How much do you agree or disagree with each of the following statements?

I am able to do things as well as most other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.6	35	1	DISAGREE: (1)
4.1	3.6	79	2	MOST DIS: (2)
8.6	7.5	165	3	NEITHER: (3)
35.5	30.9	682	4	MOST AGR: (4)
50.0	43.6	961	5	AGREE: (5)
	12.9	284	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 496-497

V2436

002D06J:SATISFD W MYSELF

How much do you agree or disagree with each of the following statements?

On the whole, I'm satisfied with myself

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.4	53	1	DISAGREE: (1)
5.5	4.7	104	2	MOST DIS: (2)
12.5	10.9	240	3	NEITHER: (3)
34.7	30.2	665	4	MOST AGR: (4)
44.5	38.6	851	5	AGREE: (5)
	13.2	291	- 9	Missing
100 0	100 0	2 205	a2a0a /	W+ ♂ \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 498-499

V2437 002D06K:-MUCH TO B PROUD

How much do you agree or disagree with each of the following statements?

I feel I do not have much to be proud of

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	40.2	885	1	DISAGREE: (1)
25.6	22.2	489	2	MOST DIS: (2)
14.1	12.2	270	3	NEITHER: (3)
8.9	7.7	169	4	MOST AGR: (4)
5.1	4.4	97	5	AGREE: (5)
	13.4	295	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 500-501

V2438

002D06L:I AM NO GOOD

How much do you agree or disagree with each of the following statements?

Sometimes I think that I am no good at all

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	37.4	825	1	DISAGREE: (1)
21.2	18.3	404	2	MOST DIS: (2)
15.0	12.9	285	3	NEITHER: (3)
13.0	11.3	248	4	MOST AGR: (4)
7.5	6.5	143	5	AGREE: (5)
	13.6	300	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 502-503

V2439 002D06M:I DO WRONG THING

How much do you agree or disagree with each of the following statements?

I feel that I can't do anything right

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	44.1	972	1	DISAGREE: (1)
23.2	20.0	441	2	MOST DIS: (2)
15.4	13.2	292	3	NEITHER: (3)
7.0	6.1	134	4	MOST AGR: (4)
3.2	2.8	62	5	AGREE: (5)
	13.8	305	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 504-505

V2440

002D06N:MY LIFE NT USEFL

How much do you agree or disagree with each of the following statements?

I feel that my life is not very useful

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	52.5	1,158	1	DISAGREE: (1)
17.2	14.8	327	2	MOST DIS: (2)
11.6	10.0	221	3	NEITHER: (3)
6.3	5.4	120	4	MOST AGR: (4)
3.9	3.3	73	5	AGREE: (5)
	13.9	305	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 506-507

V2441 002E20A: #X/2W DRIVE+ALCL

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

Drinking alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	65.4	1,442	1	0 TIMES:(1)
7.6	5.8	129	2	1 TIME: (2)
4.2	3.3	72	3	2 TIMES: (3)
2.0	1.5	34	4	3-5 X:(4)
0.7	0.6	12	5	6-9 X:(5)
0.9	0.7	16	6	=>10 X:(6)
	22.7	500	- 9	Missing
1000	100 0	0 005	/	T.T.L7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 508-509

V2442

002E20B:#X/2W DRIVE+5DRK

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

Having 5 or more drinks in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	70.3	1,549	1	0 TIMES: (1)
3.4	2.6	57	2	1 TIME: (2)
1.8	1.3	30	3	2 TIMES: (3)
1.5	1.2	26	4	3-5 X:(4)
0.8	0.6	14	5	6-9 X:(5)
0.7	0.5	11	6	=>10 X:(6)
	23.5	518	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 510-511

V2443 002E21A:#X/2W RIDE+ALCL

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

When the driver had been drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	60.4	1,332	1	0 TIMES:(1)
11.7	9.1	200	2	1 TIME: (2)
4.7	3.7	80	3	2 TIMES: (3)
3.7	2.9	64	4	3-5 X: (4)
0.9	0.7	15	5	6-9 X:(5)
1.1	0.8	19	6	=>10 X:(6)
	22.5	496	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 512-513

V2444

002E21B:#X/2W RIDE+5DRK

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

When you think the driver had 5 or more drinks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	67.2	1,482	1	0 TIMES: (1)
5.4	4.2	92	2	1 TIME: (2)
3.6	2.8	61	3	2 TIMES: (3)
2.3	1.8	39	4	3-5 X:(4)
0.7	0.5	11	5	6-9 X:(5)
0.9	0.7	15	6	=>10 X:(6)
	22.9	504	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 514-515

V2445 002E14A:SCH ACTV-PBLCTNS

To what extent have you participated in the following school activities during this school year?

. . . school newspaper or yearbook

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	58.8	1,296	1	NOT @ALL: (1)
10.4	8.3	183	2	SLIGHT: (2)
5.0	4.0	87	3	MODERATE: (3)
3.4	2.7	60	4	CONSDBLE: (4)
7.3	5.8	128	5	GREAT: (5)
	20.5	452	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 516-517

V2446

002E14B:SCH ACTV-PRF ART

To what extent have you participated in the following school activities during this school year?

. . . music or other performing arts

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	49.3	1,086	1	NOT @ALL: (1)
9.2	7.3	161	2	SLIGHT: (2)
6.2	5.0	109	3	MODERATE: (3)
5.7	4.6	101	4	CONSDBLE: (4)
16.9	13.4	296	5	GREAT: (5)
	20.4	451	- 9	Missing
100 0	100 0	2 205	aaaaa /	/ 5 +W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 518-519

V2447 002E14C:SCH ACTV-ATHLTCS

To what extent have you participated in the following school activities during this school year?

. . . athletic teams

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	35.7	787	1	NOT @ALL:(1)
7.4	5.9	130	2	SLIGHT: (2)
8.5	6.7	148	3	MODERATE: (3)
11.4	9.0	198	4	CONSDBLE: (4)
27.7	21.9	483	5	GREAT: (5)
	20.7	457	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 520-521

V2448

002E14D:SCH ACTV-OTH ACT

To what extent have you participated in the following school activities during this school year?

. . . other school clubs or activities

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	23.4	516	1	NOT @ALL:(1)
13.6	10.8	238	2	SLIGHT: (2)
18.0	14.3	315	3	MODERATE: (3)
14.5	11.5	253	4	CONSDBLE: (4)
24.3	19.3	426	5	GREAT: (5)
	20.7	457	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 522-523

V2449 002E23 :USE SEATBLT-DRVR

When you drive a car, how often do you wear a seatbelt?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	5.1	111	1	NEVER: (1)
7.2	5.4	120	2	SELDOM: (2)
8.4	6.3	139	3	SOMETIME: (3)
12.1	9.1	201	4	OFTEN: (4)
65.7	49.6	1,094	5	ALWAYS: (5)
0.0	0.0	0	8	INAP: (8)
	24.5	539	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 524-525

V2450

002E24 :USE SEATBLT-RIDR

When you are riding in the front passenger seat of a car, how often do you wear a seatbelt?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	5.3	117	1	NEVER: (1)
8.0	6.1	136	2	SELDOM: (2)
9.1	7.0	155	3	SOMETIME: (3)
14.8	11.4	252	4	OFTEN: (4)
61.2	47.2	1,040	5	ALWAYS: (5)
0.0	0.0	0	8	INAP: (8)
	22.9	506	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 526-527

V2451 002E01A:# FRNDS TK CRACK

How many of your friends would you estimate . . .

Take "crack" cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	66.5	1,467	1	NONE: (1)
17.1	14.5	319	2	A FEW: (2)
2.8	2.4	53	3	SOME: (3)
0.8	0.6	14	4	MOST: (4)
0.5	0.4	9	5	ALL: (5)
	15.6	343	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 528-529

V2452

002E02A:RSK COK PWDR 1-2

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Try cocaine in powder form once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.6	124	1	NO RISK: (1)
20.8	16.4	362	2	SLIGHT: (2)
22.5	17.8	392	3	MOD RISK: (3)
49.5	39.1	862	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	21.0	464	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 530-531

V2453 002E02B:RSK COK PWDR OCC

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Take cocaine powder occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.3	72	1	NO RISK: (1)
4.8	3.8	84	2	SLIGHT: (2)
23.2	18.3	403	3	MOD RISK: (3)
67.9	53.5	1,180	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	21.2	467	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 532-533

V2454

002E02C:RSK COK PWDR REG

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Take cocaine powder regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.1	68	1	NO RISK: (1)
1.6	1.2	27	2	SLIGHT: (2)
4.7	3.7	81	3	MOD RISK: (3)
89.8	70.9	1,563	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	21.1	464	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 534-535

V2455 002E02D:RSK CRACK 1-2X

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Try "crack" cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.0	110	1	NO RISK: (1)
19.5	15.2	336	2	SLIGHT: (2)
22.8	17.9	394	3	MOD RISK: (3)
51.3	40.2	887	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	21.7	478	-9	Missing
100.0	100.0	2.205	cases	(Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 536-537

V2456

002E02E:RSK CRACK OCC

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Take "crack" cocaine occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.2	70	1	NO RISK: (1)
3.4	2.7	59	2	SLIGHT: (2)
22.9	18.0	397	3	MOD RISK: (3)
69.6	54.6	1,203	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	21.6	476	- 9	Missing
100 0	100 0	2 205	a2a0a /	M+ 4 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 538-539

V2457 002E02F:RSK CRACK REG

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Take "crack" cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	2.9	64	1	NO RISK: (1)
1.2	0.9	20	2	SLIGHT: (2)
4.9	3.8	84	3	MOD RISK: (3)
90.3	70.7	1,558	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	21.7	478	- 9	Missing
100.0	100.0	2.205	cases (Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 540-541

V2458

002E02G:RSK PCP 1-2X

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Try PCP once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	5.7	126	1	NO RISK: (1)
17.3	12.8	283	2	SLIGHT: (2)
25.0	18.5	409	3	MOD RISK: (3)
50.1	37.2	821	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	25.7	566	- 9	Missing
100 0	100 0	2 205	anana /	/ L +M

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 542-543

V2459 002E03A:#X CRACK/LIFETIM

On how many occasions (if any) have you used "crack" cocaine?

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	79.5	1,754	1	0 OCCAS: (1)
2.1	1.8	39	2	1-2X:(2)
1.0	0.9	19	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.4	0.3	7	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS: (7)
	17.0	375	- 9	Missing
1000	1000	0 005	/	T.71 -7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 544-545

V2460

002E03B:#X CRACK/LAST12M

On how many occasions (if any) have you used "crack" cocaine?

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	80.9	1,784	1	0 OCCAS: (1)
1.5	1.2	27	2	1-2X:(2)
0.4	0.4	8	3	3-5X:(3)
0.3	0.2	5	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	3	7	40+OCCAS: (7)
	17.0	374	- 9	Missing
100 0	100 0	2 205	anana /	/ 5 +₩

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 546-547

V2461 002E03C:#X CRACK/LAST30D

On how many occasions (if any) have you used "crack" cocaine?

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	82.1	1,809	1	0 OCCAS: (1)
0.7	0.5	12	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.2	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	16.9	373	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 548-549

V2462 002E08A:GR 1ST TRY CRACK

When (if ever) did you FIRST do each of the following things?

Try "crack" cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.2	3	1	GRADE 6:(1)
1.6	0.0	1	2	GRADE 7:(2)
10.8	0.3	7	3	GRADE 8:(3)
11.1	0.3	7	4	GRADE 9:(4)
21.3	0.6	13	5	GRADE 10:(5)
30.9	0.9	19	6	GRADE 11:(6)
19.0	0.5	12	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	97.2	2,142	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 550-551

V2463 002E08B:GR 1ST TR OT COK

When (if ever) did you FIRST do each of the following things?

Try any other form of cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	2	1	GRADE 6:(1)
3.9	0.2	4	2	GRADE 7:(2)
9.8	0.5	10	3	GRADE 8:(3)
16.4	0.8	17	4	GRADE 9:(4)
16.6	0.8	18	5	GRADE 10:(5)
29.6	1.4	32	6	GRADE 11:(6)
22.2	1.1	24	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	95.2	2,098	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 552-553

V2464

002E09A:EASY GT CRACK

How difficult do you think it would be for you to get each of the following, if you wanted some?

"Crack" cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	14.1	311	1	PROB IMP: (1)
16.7	13.4	295	2	VRY DIFF: (2)
23.0	18.5	407	3	FRLY DIF: (3)
27.4	21.9	484	4	FRLY EAS: (4)
15.4	12.3	272	5	VRY EASY: (5)
	19.8	436	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 554-555

V2465 002E09B:EASY GT COK PWDR

How difficult do you think it would be for you to get each of the following, if you wanted some?

Cocaine in powder form

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	13.5	298	1	PROB IMP: (1)
16.9	13.5	298	2	VRY DIFF: (2)
21.5	17.2	379	3	FRLY DIF: (3)
26.9	21.5	474	4	FRLY EAS: (4)
17.6	14.1	310	5	VRY EASY: (5)
	20.2	446	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 556-557

V2466

002E09C:EASY GT PCP

How difficult do you think it would be for you to get each of the following, if you wanted some?

PCP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	17.7	391	1	PROB IMP: (1)
22.1	17.5	386	2	VRY DIFF: (2)
26.7	21.2	468	3	FRLY DIF: (3)
19.5	15.5	341	4	FRLY EAS: (4)
9.3	7.4	164	5	VRY EASY: (5)
	20.7	456	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 558-559

V2467 002E09D:EASY GT NITRITES

How difficult do you think it would be for you to get each of the following, if you wanted some?

Amyl or butyl nitrites

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	19.4	428	1	PROB IMP: (1)
25.5	20.2	445	2	VRY DIFF: (2)
26.7	21.1	465	3	FRLY DIF: (3)
14.7	11.6	256	4	FRLY EAS: (4)
8.6	6.8	149	5	VRY EASY: (5)
	20.9	461	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 560-561

V2468

002A04A:RSK OF CIG1+PK/D

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
		11	V1111011	
VALID	ALL			
2.3	2.2	49	1	NO RISK: (1)
3.5	3.4	75	2	SLIGHT: (2)
16.5	16.1	356	3	MOD RISK: (3)
77.7	76.0	1,675	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	2.2	50	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 562-563

V2469 002A04B:RSK OF MJ 1-2 X

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try marijuana once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	32.9	725	1	NO RISK: (1)
37.3	35.8	790	2	SLIGHT: (2)
14.2	13.7	302	3	MOD RISK: (3)
14.2	13.6	300	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.0	88	- 9	Missing
100 0	100 0	2 205	a2a0a (W+ ♂ \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 564-565

V2470

002A04C:RSK OF MJ OCSNLY

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.0	286	1	NO RISK: (1)
25.9	24.9	549	2	SLIGHT: (2)
35.3	33.9	748	3	MOD RISK: (3)
25.4	24.4	538	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.8	83	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 566-567

V2471 002A04D:RSK OF MJ REGLY

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.1	134	1	NO RISK: (1)
10.4	10.0	220	2	SLIGHT: (2)
19.3	18.5	407	3	MOD RISK: (3)
63.9	61.0	1,346	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.4	98	- 9	Missing
100 0	100 0	2 205	02000 ((b + w

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 568-569

V2472 002A04E:RSK OF 1-2 DRINK

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.8	42.9	946	1	NO RISK: (1)
36.9	36.1	796	2	SLIGHT: (2)
11.8	11.6	255	3	MOD RISK: (3)
7.5	7.4	163	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	2.1	45	- 9	Missing
100 0	100 0	2 205	Cases	(b+d)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 570-571

V2473 002A04F:RSK OF 1-2 DR/DA

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.7	193	1	NO RISK: (1)
20.4	19.9	440	2	SLIGHT: (2)
38.4	37.5	826	3	MOD RISK: (3)
32.2	31.4	693	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	2.4	53	- 9	Missing
100 0	100 0	2.205	cases (Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 572-573

V2474

002A04G:RSK OF 4-5 DR/DA

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	96	1	NO RISK: (1)
5.3	5.1	113	2	SLIGHT: (2)
18.4	17.9	396	3	MOD RISK: (3)
71.8	69.9	1,541	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	2.7	59	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 574-575

V2475 002A04H:RSK OF 5+DR/WKND

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Have five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.0	176	1	NO RISK: (1)
14.4	14.0	309	2	SLIGHT: (2)
28.0	27.2	601	3	MOD RISK: (3)
49.5	48.1	1,061	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	2.7	59	- 9	Missing
100.0	100.0	2.205	cases (Wtd)

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 576-577

V2476

002E02H:RSK ICE 1-2X

How much do you think people risk harming themselves (physically or in other ways) if they . . .

Try crystal meth ("ice")

PCT VALID	PCT ALL	N	VALUE	LABEL
7.4	5.5	121	1	NO RISK: (1)
13.4	9.9	218	2	SLIGHT: (2)
21.5	15.8	348	3	MOD RISK: (3)
57.7	42.5	936	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	26.4	582	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 578-579

V2477 002E08E:GR 1ST TRY ICE

When (if ever) did you FIRST do each of the following things?

Try crystal meth ("ice")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	GRADE 6:(1)
1.2	0.0	0	2	GRADE 7:(2)
7.5	0.1	3	3	GRADE 8:(3)
35.4	0.7	14	4	GRADE 9:(4)
16.3	0.3	7	5	GRADE 10:(5)
18.4	0.3	7	6	GRADE 11:(6)
21.2	0.4	9	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	98.2	2,164	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 580-581

V2478

002E09E:EASY GT ICE

How difficult do you think it would be for you to get each of the following, if you wanted some?

Crystal meth ("ice")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	18.4	406	1	PROB IMP: (1)
23.6	18.8	414	2	VRY DIFF: (2)
25.6	20.4	449	3	FRLY DIF: (3)
17.6	14.0	309	4	FRLY EAS: (4)
10.0	7.9	175	5	VRY EASY: (5)
	20.5	453	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 582-583

V2479 002E10A:DAP SMK 1PCK CIG

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	29.3	646	1	DONT DIS: (1)
39.4	31.9	703	2	DISAPPRV: (2)
24.4	19.8	436	3	STRG DIS:(3)
	19.0	420	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 584-585

V2480

002E10B:DAP TRY MRJ 1-2T

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Trying marijuana once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	40.2	887	1	DONT DIS: (1)
27.4	22.2	489	2	DISAPPRV: (2)
23.0	18.6	410	3	STRG DIS: (3)
	19.0	419	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 586-587

V2481 002E10C:DAP SMK MRJ OCCS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	29.7	656	1	DONT DIS: (1)
30.6	24.7	545	2	DISAPPRV: (2)
32.6	26.4	581	3	STRG DIS:(3)
	19.2	423	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 588-589

V2482

002E10D:DAP SMK MRJ REGL

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Smoking marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	20.0	442	1	DONT DIS: (1)
28.4	22.9	505	2	DISAPPRV: (2)
46.8	37.7	832	3	STRG DIS: (3)
	19.3	426	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 590-591

V2483 002E10E:DAP COK PWD 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying cocaine in powder form once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	12.7	280	1	DONT DIS: (1)
29.9	24.1	532	2	DISAPPRV: (2)
54.3	43.7	964	3	STRG DIS: (3)
	19.5	429	- 9	Missing
100 0	100.0	2.205	cases ((Mtd)

Data type: numeric Missing-data code: -9 Columns: 592-593

V2484

002E10F:DAP COK PWDR OCC

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Taking cocaine powder occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	7.7	170	1	DONT DIS: (1)
25.9	20.8	460	2	DISAPPRV: (2)
64.6	52.0	1,147	3	STRG DIS: (3)
	19.4	428	-9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 594-595

V2485 002E10G:DAP COK PWDR REG

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking cocaine powder regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	5.8	129	1	DONT DIS: (1)
20.0	16.1	354	2	DISAPPRV: (2)
72.8	58.6	1,292	3	STRG DIS: (3)
	19.5	430	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 596-597

V2486

002E10H:DAP TRY CRK 1-2T

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Trying "crack" cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	9.9	218	1	DONT DIS: (1)
28.2	22.6	499	2	DISAPPRV: (2)
59.5	47.8	1,055	3	STRG DIS:(3)
	19.6	433	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 598-599

V2487 002E10I:DAP CRACK OCC

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking "crack" cocaine occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.3	139	1	DONT DIS: (1)
24.2	19.4	428	2	DISAPPRV: (2)
68.0	54.6	1,204	3	STRG DIS: (3)
	19.6	433	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 600-601

V2488

002E10J:DAP CRACK REG

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking "crack" cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	5.6	124	1	DONT DIS: (1)
18.2	14.6	322	2	DISAPPRV: (2)
74.8	59.9	1,321	3	STRG DIS: (3)
	19.9	438	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 602-603

V2489 002E10K:DAP TRY DRK ALCL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	57.5	1,267	1	DONT DIS: (1)
16.0	12.9	283	2	DISAPPRV: (2)
12.6	10.1	224	3	STRG DIS: (3)
	19.6	431	- 9	Missing
100.0	100.0	2,205	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 604-605

V2490

002E10L:DAP 1-2 DRK/DAY

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Taking one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	26.7	589	1	DONT DIS: (1)
40.3	32.3	713	2	DISAPPRV: (2)
26.4	21.2	467	3	STRG DIS:(3)
	19.8	436	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 606-607

V2491 002E10M:DAP 4-5 DRK/DAY

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	12.8	282	1	DONT DIS: (1)
30.5	24.5	541	2	DISAPPRV: (2)
53.6	43.1	950	3	STRG DIS:(3)
	19.6	432	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 608-609

V2492

002E10N:DAP 5+ DRK WKNDS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Having five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	29.3	646	1	DONT DIS: (1)
24.9	20.0	441	2	DISAPPRV: (2)
38.6	31.0	684	3	STRG DIS: (3)
	19.7	435	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 610-611

V2493 002E06A:#X STRD/LIFETIME

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

. . . in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	79.5	1,753	1	0 OCCAS: (1)
1.4	1.1	24	2	1-2X:(2)
0.3	0.2	5	3	3-5X:(3)
0.8	0.6	14	4	6-9X:(4)
0.3	0.2	5	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	18.1	398	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 612-613

V2494 002E06B:#X STRD/LAST12MO

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

. . . during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	80.5	1,774	1	0 OCCAS: (1)
1.0	0.8	19	2	1-2X:(2)
0.4	0.4	8	3	3-5X:(3)
0.3	0.2	5	4	6-9X:(4)
0.1	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	17.9	395	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 614-615

V2495 002E06C:#X STRD/LAST30DA

Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

. . . during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	81.4	1,794	1	0 OCCAS:(1)
0.4	0.3	6	2	1-2X:(2)
0.3	0.2	5	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	18.0	396	-9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 616-617

V2496

002E07A:MTHD STRD-INJECT

What methods have you used for taking steroids on your own? (Mark all that apply.)

Injection

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.4	1.8	40	0	NT MRKED: (0)
20.6	0.5	10	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	97.7	2,155	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 618-619

V2497 002E07B:MTHD STRD-MOUTH

What methods have you used for taking steroids on your own? (Mark all that apply.)

By mouth

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	0.6	13	0	NT MRKED: (0)
74.0	1.7	37	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	97.7	2,155	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 620-621

V2498

002E08F:GR 1ST TRY STRDS

When (if ever) did you FIRST do each of the following things?

Try steroids (anabolic steroids)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	7	1	GRADE 6:(1)
0.0	0.0	0	2	GRADE 7:(2)
0.0	0.0	1	3	GRADE 8:(3)
0.3	0.3	6	4	GRADE 9:(4)
0.6	0.4	10	5	GRADE 10:(5)
0.5	0.4	8	6	GRADE 11:(6)
0.8	0.6	13	7	GRADE 12:(7)
97.5	78.1	1,723	8	NEVER: (8)
	19.9	438	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 622-623

V2499 002E09F:EASY GT STEROIDS

How difficult do you think it would be for you to get each of the following, if you wanted some?

Steroids (anabolic steroids)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	13.5	297	1	PROB IMP: (1)
14.9	11.9	263	2	VRY DIFF: (2)
23.1	18.4	407	3	FRLY DIF: (3)
27.8	22.1	488	4	FRLY EAS: (4)
17.3	13.8	303	5	VRY EASY: (5)
	20.3	447	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 624-625

V2500

002D01A:4WKS ALC@SCHOOL

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

Under the influence of alcohol while you were at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	85.4	1,884	1	NONE: (1)
2.8	2.6	57	2	1 DAY: (2)
1.3	1.1	25	3	2 DAYS: (3)
1.2	1.1	25	4	3-5 DAYS: (4)
0.3	0.2	5	5	6-9 DAYS: (5)
0.7	0.6	13	6	10+ DAYS: (6)
	8.9	196	- 9	Missing
100.0	100.0	2,205	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 626-627

V2501 002D01B:4WKS MJ/OTD@SCHL

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

Under the influence of marijuana or some other illegal drug while you were at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	81.2	1,791	1	NONE: (1)
3.4	3.1	67	2	1 DAY: (2)
2.3	2.1	47	3	2 DAYS: (3)
1.6	1.4	32	4	3-5 DAYS: (4)
0.6	0.5	12	5	6-9 DAYS: (5)
2.6	2.4	52	6	10+ DAYS: (6)
	9.2	204	- 9	Missing
100 0	100 0	2 205	~~~~ /	T.T = ~7 \

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 628-629

V2502

002D01C:4WKS TOBACCO@SCH

During the LAST FOUR WEEKS, on how many days (if any) were vou . . .

Smoking cigarettes or using chewing tobacco while you were at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	79.2	1,746	1	NONE: (1)
2.4	2.2	48	2	1 DAY: (2)
2.4	2.1	47	3	2 DAYS: (3)
2.0	1.8	40	4	3-5 DAYS: (4)
1.4	1.2	27	5	6-9 DAYS: (5)
4.7	4.3	94	6	10+ DAYS: (6)
	9.2	203	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 630-631

V2503 002D01D:4WKS WEAPON@SCHL

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

Carrying a weapon such as a gun, knife, or club to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	86.1	1,898	1	NONE: (1)
0.8	0.8	17	2	1 DAY: (2)
1.0	0.9	20	3	2 DAYS: (3)
0.6	0.6	13	4	3-5 DAYS: (4)
0.3	0.3	6	5	6-9 DAYS: (5)
2.4	2.1	47	6	10+ DAYS: (6)
	9.3	205	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 632-633

V2504

002D02A: #X TCHR INTRUPT

During an average school week, about how many times . . .

Do your teachers interrupt the class to deal with student misbehavior or goofing off?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	10.7	236	1	NEVER: (1)
21.2	19.2	423	2	<wk: (2)<="" td=""></wk:>
25.6	23.2	513	3	1-2X/WK:(3)
21.8	19.8	436	4	3-5X/WK:(4)
9.1	8.2	182	5	6-9X/WK:(5)
4.2	3.8	85	6	10-19X/W:(6)
6.2	5.6	124	7	20+X/WK:(7)
	9.4	206	- 9	Missing
			,	7\

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 634-635

V2505 002D02B:#X MISBHVR INT U

During an average school week, about how many times . . .

Does misbehavior or goofing off by other students in your class interfere with your own learning?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	32.6	719	1	NEVER: (1)
22.5	20.3	447	2	<wk: (2)<="" td=""></wk:>
17.2	15.5	341	3	1-2X/WK:(3)
12.5	11.3	249	4	3-5X/WK:(4)
5.5	5.0	110	5	6-9X/WK:(5)
2.2	2.0	44	6	10-19X/W:(6)
3.9	3.5	78	7	20+X/WK:(7)
	9.9	217	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 636-637

V2506

002D02C:#X U UNEXCSD LAT

During an average school week, about how many times . . .

Do you come to class late (after class has begun) without an approved excuse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	37.3	822	1	NEVER: (1)
28.9	26.1	575	2	<wk: (2)<="" td=""></wk:>
15.7	14.2	312	3	1-2X/WK:(3)
7.7	7.0	154	4	3-5X/WK:(4)
3.7	3.3	74	5	6-9X/WK:(5)
1.0	0.9	21	6	10-19X/W:(6)
1.6	1.4	31	7	20+X/WK:(7)
	9.9	217	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 638-639

V2507 002D03 :SCHL RULES FAIR

Do you find that the rules about student behavior in your school are generally fair and reasonable?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	11.7	258	1	NO: (1)
16.2	14.6	323	2	NO MSTLY: (2)
10.8	9.8	216	3	DK: (3)
42.2	38.1	840	4	YESMSTLY: (4)
17.8	16.1	354	5	YES: (5)
	9.7	215	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 640-641

V2509

002A02Q:DALY GO VID ARC

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Go to video arcades

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	50.8	1,121	1	NEVER: (1)
33.1	32.9	726	2	FEW /YR: (2)
12.8	12.8	282	3	1-2/MO:(3)
2.7	2.6	58	4	1 /WK:(4)
0.4	0.4	9	5	NR DAILY: (5)
	0.4	9	- 9	Missing
100 0	100 0	2 205	cageg ((h + W

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 642-643

V2510 002B15A:#X H LIF USE NDL

On how many occasions (if any) have you taken heroin using a needle...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	96.0	2,116	1	0 OCCAS: (1)
0.4	0.4	9	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.2	0.2	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	3.2	71	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 644-645

V2511

002B15B:#X H 12M USE NDL

On how many occasions (if any) have you taken heroin using a needle...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
99.7	96.4	2,125	1	0 OCCAS: (1)
0.1	0.1	1	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	3.3	73	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 646-647

V2512 002B15C:#X H 30D USE NDL

On how many occasions (if any) have you taken heroin using a needle...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	96.6	2,129	1	0 OCCAS: (1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.3	72	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 648-649

V2513

002B16A:#X H LIF W/O NDL

On how many occasions (if any) have you taken heroin WITHOUT using a needle...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	94.4	2,081	1	0 OCCAS:(1)
1.3	1.2	27	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	3.3	74	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 650-651

V2514 002B16B:#X H 12M W/O NDL

On how many occasions (if any) have you taken heroin WITHOUT using a needle...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.4	2,104	1	0 OCCAS: (1)
0.7	0.7	15	2	1-2X:(2)
0.5	0.5	11	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	3.1	68	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 652-653

V2515

002B16C:#X H 30D W/O NDL

On how many occasions (if any) have you taken heroin WITHOUT using a needle...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
99.3	96.1	2,118	1	0 OCCAS: (1)
0.4	0.4	8	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.3	72	- 9	Missing

100.0 100.0 2,205 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 654-655

V2516 002E07C:HVNT USED STRDS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	8.1	179	0	NOT MARKED: (0)
90.1	73.7	1,624	1	MARKED: (1)
	18.2	402	- 9	Missing
100.0	100.0	2,205	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 656-657

V5 SAMPLING WEIGHT

2,205 cases (Wtd) (Range of valid codes: .1601-4.6695)

Data type: numeric

Decimals: 4

Missing-data code: -9.0000

Columns: 658-663

APPENDIX A

PUBLICATIONS

ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L.D. Johnston and J.G. Bachman, 1980, 188 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 264 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 268 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984, 280 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984, 282 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 288 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1992, 327 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1995, 339 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1997, 341 pp.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 376 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 378 pp.

ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20852 (Tel. 1-800-729-6686). There is no charge for single copies.

- Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.
- Highlights from drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.
- Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.
- Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.
- 1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.
- Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.
- Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.
- Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.
- Student drug use, attitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.
- Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.
- Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.
- Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.
- Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-1450). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.
- National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.
- Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.
- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989 (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors (DHHS Publication No. (ADM) 91-1813) and Volume II: College students and young adults (DHHS

- Publication No. (ADM) 91-1835). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students (DHHS Pub. No. (NIH) 93-3481). Volume II: College students and young adults (DHHS Pub. No. (NIH) 93-3481). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1992, 231 pp. and 176 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students (NIH Pub. No. 93-3597). Volume II: College students and young adults (NIH Pub. No. 93-3598). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 1993, 269 pp. and 190 pp., respectively.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students (NIH Pub. No. 94-3809). Volume II: College students and young adults (NIH Pub. No. 94-3810). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1994, 281 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students (NIH Pub. No. 95-4026). Volume II: College students and young adults (1996). (NIH Pub. No. 96-4027). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1995, 327 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students (1996). (NIH Pub. No. 96-4139). Volume II: College students and young adults (1997). (NIH Pub. No. 98-4140). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 381 pp. and 188 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students (1998). (NIH Pub. No. 98-4345). Volume II: College students and young adults (1998). (NIH Pub. No. 98-4346). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 433 pp. and 206 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students (1999). (NIH Pub. No. 99-4660). Volume II: College students and young adults (NIH Pub. No. 99-4661). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 420 pp. and 218 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999 (2000). (NIH Pub. No. 00-4690). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 56 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students (2000). (NIH Pub. No. 00-4802). Volume II: College students and adults ages 19-40 (NIH Pub. No. 00-4803). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 480 pp. and 240 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000 (2001). (NIH Pub. No. 01-4923). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 54 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students (2001). (NIH Pub. No. 01-4924). Volume II: College students and adults ages 19-40 (NIH Pub. No. 01-4925). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 492 pp. and 238 pp., respectively.

JOURNAL ARTICLES

- Schulenberg, J., Maggs, J.L., Long, S.W., Sher, K.J., Gotham, H.J., Baer, J.S., Kivlahan, D.R., Marlatt, G.A., & Zucker, R.A. (2001). The problem of college drinking: Insights from a developmental perspective. Alcoholism: Clinical and Experimental Research, 25, 473-477.
- Brown, T.N., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. Prevention Science 2(1), 29-43.
- Bryant, A.L., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. Prevention Science, 1(2), 71-87.
- O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. Journal of Drug Issues, 30(1), 35-54.
- O'Malley, P.M., & Johnston, L.D. (1999). Drinking and driving among American high school seniors: 1984-1997. American Journal of Public Health, 89, 678-684.

- An, L.C., O'Malley, P.M., Schulenberg, J., Bachman, J.G., & Johnston, L.D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. American Journal of Public Health, 89, 699-705.
- Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. American Journal of Public Health, 89, 672-677.
- Schulenberg, J., Maggs, J.L., Dielman, T.E., Leech, S.L., Kloska, D.D., Shope, J.T., & Laetz, V.B. (1999). On peer influences to get drunk: A panel study of young adolescents. Merrill-Palmer Quarterly, 45, 108-142.
- Wallace, J.M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. Pediatrics, 103(5), 1122-1127.
- Wallace, J.M., Jr., Forman, T.A., Guthrie, B.J., Bachman, J.G., O'Malley, P.M., Johnston, L.D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. Journal of Studies on Alcohol, 60(6), 800-809.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. American Journal of Public Health 88, 887-892.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Alcohol use among adolescents. Alcohol Health & Research World, 22, 85-93.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal Substance Use and Misuse entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), The epidemiology of cocaine use and abuse (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. Substance Use and Misuse, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J.M., Jr. & Bachman, J.G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. Substance Use & Misuse, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L.D. (1997). Correlates of college marijuana use: Results of a national survey. Addiction, 92, 571-582.
- Osgood, D.W., Wilson, J.K., Bachman, J.G., O'Malley, P.M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. American Sociological Review, 61, 635-655.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., Wadsworth, K.N., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. Journal of Studies on Alcohol, 57, 289-304.
- Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. Developmental Psychology, 32, 659-674.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. Pediatrics Clinics of North America, 42, 241-260.
- Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. Journal of Health and Social Behavior, 35, 45-62.
- Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. African-American Research Perspectives, 1(1), 31-35.
- Bachman, J.G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? Developmental Psychology, 29, 220-235.
- Johnston, L.D. (1993). The "war" on drugs and the role of the media. Nieman Reports, 47(7), 39-41.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. Adolescent Medicine: State of the Art Reviews, 4, 227-248.
- Bachman, J.G., & Wallace, J.M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. Ethnicity & Disease, 1(fall), 85-97.
- Bachman, J.G., Wallace, J.M., Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. American Journal of Public Health, 81, 372-377.
- O'Malley, P.M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. Journal of Studies on Alcohol, 52, 478-491.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. Journal of Health and Social Behavior, 31, 173-184.

 Johnston, L.D. (1989). The survey technique in drug abuse assessment. Bulletin on Narcotics, 41, 29-40.
- Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. Criminology, 27, 389-417.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. Journal of Health and Social Behavior, 29, 92-112.
- Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. Social Psychology Quarterly, 51, 329-345.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. American Journal of Public Health, 78, 1315-1321.
- Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. American Sociological Review, 53, 81-93.
- Bachman, J.G. (1987). An eye on the future. Psychology Today, 21(7), 6-8.
- Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. Armed Forces and Society, 13(2), 169-187.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. Journal of Adolescent Health Care, 8, 36-51.
- Bachman, J.G. (1986). Effects of early marriage on substance abuse. Medical Aspects of Human Sexuality, 20(10), 15.
- Bachman, J.G., & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). Journal of Personality and Social Psychology, 50, 35-46.
- Diamond, G., & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. International Journal of Mental Health, 15, 210-241
- Johnston, L.D., & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. Journal of Drug Issues, 16, 29-66.
- Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in The Drinking and Drug Practices Surveyor, March 1985, 20, 11-14.)
- Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. Journal of Personality and Social Psychology, 47, 629-645.
- Bachman, J.G., & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? American Journal of Sociology, 90, 624-639.

- Bachman, J.G., & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? Public Opinion Quarterly, 48, 491-509.
- O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? Preventive Medicine, 13, 421-426.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. American Journal of Public Health, 74, 682-688.
- Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. Armed Forces and Society, 10(1), 86-104.
- Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? Economic Outlook U.S.A., 10(3), 64-67.
- Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. International Review of Applied Psychology, 32, 347-360.
- Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. Sex Roles, 9(1), 109-135. (Work funded by NIE.)
- Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. Contemporary Drug Problems, 10, 463-480.
- Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? The U.S. Journal of Drug and Alcohol Dependence, 7, 7.
- O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. Developmental Psychology, 19, 257-268.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. International Journal of the Addictions, 18, 805-824.
- Bachman, J.G. (1981). Youth views about the military: Recent trends. Economic Outlook U.S.A., 8(3), 61-65.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. American Journal of Public Health, 71, 59-69
- Bachman, J.G., & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. Public Opinion Quarterly, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, Survey research methods. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. Youth and Adolescence, 10, 407-441.
- Herzog, A.R., & Bachman, J.G. (1981). Effects of questionnaire length on response quality. Public Opinion Quarterly, 45(4), 549-559.
- Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in Connections, 1981, 1(4), 11-14.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. Economic Outlook U.S.A., 7(2), 39-42.
- Bachman, J.G., & Johnston, L.D. (1979). The freshmen, 1979. Psychology Today, 13(4), 79-87.
- O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. Journal of Personality and Social Psychology, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, Social psychology of the self-concept. Arlington Heights, IL: AHM Press.)
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. Science Teacher, 45(6), 26-31.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. Youth and Society, 10, 65-77.
- Segal, D.R., & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. Youth and Society, 10, 47-64.

- Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. Youth and Society, 10, 127-134.
- Bachman, J.G., & Johnston, L.D. (1976). Drug use among American youth. Economic Outlook U.S.A., 3, 32-33.

CHAPTERS

- Pacula, R.L., Grossman, M., Chaloupka, F.J., O'Malley, P.M., Johnston, L.D., & Farrelly, M.C. (2001). Marijuana and youth. In J. Gruber (Ed.), Risky behavior among youths: An economic analysis (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).
- O'Malley, P.M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C.E. Faupel & P.M. Roman (eds.) Encyclopedia of Criminology and Deviant Behavior, Volume 4, Self-Destructive Behavior and Disvalued Identity. London: Brunner-Routledge, Taylor & Francis Group.
- O'Malley, P.M. (2000). The Monitoring the Future survey. In Encyclopedia of Drugs, Alcohol, and Addictive Behavior, Second Edition. Macmillan Reference USA.
- Johnston, L.D. (2000). General population surveys of drug abuse. In Guide to drug abuse epidemiology (pp. 125-170). Geneva: World Health Organization.
- Johnston, L.D. (2000). Selecting variables and measures for drug surveys. In Guide to drug abuse epidemiology (pp. 171-203). Geneva: World Health Organization.
- Bachman, J.G., & Wallace, J.M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), Encyclopedia of drugs, alcohol, and addictive behavior, second edition. Macmillan Publishing.
- Johnston, L.D. (2000). The epidemiology of drug use. In W.B. Hansen, S.M. Giles, & M.D. Fearnow-Kenney (Eds.), Improving prevention effectiveness (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- (Johnston, L.D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (2000). "Spread your wings and fly": The course of well □ being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), Negotiating adolescence in times of social change. New York: Cambridge University Press.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Epidemiology of substance abuse in adolescence. In P.J. Ott, R.E. Tarter, & R.T. Ammerman (Eds.), Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment. Needham Heights, MA: Allyn & Bacon.
- Johnston, L.D., & O'Malley, P.M (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), The Validity of self-reported drug use: Improving the accuracy of survey estimates. (NIDA Research
- Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable and pattern centered approaches to change. In G.A. Marlatt and G.R. VandenBos (Eds.), Addictive Behaviors: Readings on etiology, prevention, and treatment (pp. 129 □ 165). Washington, DC: American Psychological Association and was reported in 1997's personal statement)]
- (Johnston, L.D., O'Malley, P.M., & Bachman, J.G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), The ESPAD report: Alcohol and other drug use among students in 26 European countries. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K.

- Hurrelmann (Eds.), Health risks and developmental transitions during adolescence. New York: Cambridge University Press.
- Wallace, J.M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J.L. Maggs, & K. Hurrelmann (Eds.), Health risks and developmental transitions during adolescence. Cambridge University Press.
- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), Health risks and developmental transitions during adolescence. New York: Cambridge University Press.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J. Brooks-Gunn, & A.C. Petersen (Eds.), Transitions through adolescence: Interpersonal domains and contexts (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W.B., & O'Malley, P.M. (1996). Drug use. In R.J. DiClemente, W.B. Hansen, & L.E. Ponton (Eds.), Handbook of adolescent health risk behavior (pp. 161-192). New York: Plenum Press.
- Allen, W.R., & Wallace, J.M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), One-third of a nation: African American perspectives. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), Psychological responses to social change: Human development in changing environments. Berlin: Walter de Gruyter.
- Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), Drug abuse prevention with multi-ethnic youth (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P.M. et al., 1995, uncredited). Epidemiology of injection drug use. In Normand, J., Vlahov, D., & Moses, L.E. (Eds). Preventing HIV transmission: The role of sterile needles and bleach. Washington, DC: National Academy Press.
- O'Malley, P.M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), The development of alcohol problems: Exploring the biopsychosocial matrix of risk (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J.G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), Advances in data analysis for prevention intervention research. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), International handbook of adolescence (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J.M., Jr., & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J.L. Andrados (Eds.), Drug abuse among minority youth: Advances in research and methodology. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975 □ 1987: Overview of key findings. In R. L. Bloom (Ed.) Changing lives: Studies in human development and professional helping. Columbia, SC: University of South Carolina Press.
- Johnston, L.D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life. Vatican City: The Vatican.
- Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) Drug abuse prevention research: Methodological issues (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), The epidemiology of cocaine use. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Gunn (Eds.) Encyclopedia of adolescence. New York, NY: Garland.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it MemorexTM? In P. Shoemaker (Ed.), Communication campaigns about drugs: Government, media, and the public (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), Research on the quality of life (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), Etiology of drug abuse: Implications for prevention. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), Studying drug abuse (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L.D., & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), Alcohol and the developing brain (pp. 161-170). New York: Raven Press.
- Johnston, L.D., & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), Self-report methods of estimating drug use: Meeting current challenges to validity. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), Cocaine use in America: Epidemiologic and clinical perspectives. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), The social psychology of the self-concept. Arlington Heights, IL: AMH Press.
- Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In Marijuana: The national impact on education (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), Treating the marijuana dependent person (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), The yearbook of substance use and abuse (Vol. 2). New York: Human Sciences Press.

- Brooke, E., & Johnston, L.D. (1979). The assessment of drug abuse. In Resource book on measures to reduce illicit demand for drugs (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), Longitudinal research on drug use: Empirical findings and methodological issues (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), The epidemiology of drug abuse: Current issues. (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), The epidemiology of heroin and other narcotics. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L.Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs.(NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), Understanding adolescence (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), Operational definitions in socio-behavioral drug use research. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

TESTIMONY

- Johnston, L.D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the Congressional Record.
- Johnston, L.D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in The Congressional Record.
- Johnston, L.D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in The Congressional Record.
- Johnston, L.D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in The Congressional Record.
- Johnston, L.D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In The Congressional Record.
- Johnston, L.D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in The Congressional Record.
- Johnston, L.D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act

- of 1991. Published in The Congressional Record, Washington: GPO ISBN $0 \square 16 \square 039764 \square 2$, pp. $44 \square 53$.
- Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in The Congressional Record, 134:89, D774.
- Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in The Congressional Record, 134:87, D756.
- Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in Advertising of tobacco products (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in Beer and wine advertising: Impact of electronic media (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in Alcohol Advertising (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In Health consequences of marijuana use (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P.M., & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

Paper No.

- 1 The Monitoring the Future project: Design and procedures. J.G. Bachman and L.D. Johnston, 1978, 67 pp.
- 2 Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp.
- High school seniors' preferences for sharing work and family responsibilities between husband and wife. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp.
- Fewer rebels, fewer causes: A profile of today's college freshmen. J.G. Bachman and L.D. Johnston, 1979, 30 pp.
- Developing composite measures of drug use: Comparisons among lifetime annual, and monthly prevalence reports for thirteen classes of drugs. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp.
- Description of a special survey using a single combined form of the Monitoring the Future questionnaires. A.R. Herzog and J.G. Bachman, 1979, 35 pp.
- 7 Ecological concerns among high school seniors: 1976-1979. J.D. Miller and J.G. Bachman, 1980, 28 pp.

- 8 Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp.
- When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. J.G. Bachman and P.M. O'Malley, 1980, 12 pp.
- High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980. A.R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
- 11 Changes in drug use after high school as a function of role status and social environment. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp.
- 12 Trends in high school seniors' views of the military. J.G. Bachman, 1981, 28 pp.
- Marijuana decriminalization: The impact on youth 1975-1980. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp.
- Period, age, and cohort effects on substance use among American youth 1976-1982. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp.
- Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982. L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp.
- The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth. J.G. Bachman and P.M. O'Malley, 1983, 30 pp.
- The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and D.E. Bare, 1985, 135 pp.
- 19 Changes in marijuana use linked to changes in perceived risks and disapproval. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp.
- Correlates of employment among high school seniors. J.G. Bachman, D. E. Bare, and E.I. Frankie, 1986, 105 pp.
- Change and consistency in the correlates of drug use among high school seniors: 1975-1986. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1986, 21 pp.
- Differentiation of period, age, and cohort effects on drug use 1976-1986. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp.
- Sex differences in adolescents' health-threatening behaviors: What accounts for them? A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp.
- Student drug use in America: Differences among high schools 1986-1987. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp.
- Drug use among American college students and their noncollege age peers. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp.
- Reducing drug use in America: A perspective, a strategy, and some promising approaches. L.D. Johnston, 1988, 57 pp.
- Minimum drinking age laws effects on American youth 1976-1987. P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.

- Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.
- Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates. J.G. Bachman, J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and P.M. O'Malley, 1990, 63 pp.
- The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987. L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.
- Part-time work by high school seniors: Sorting out correlates and possible consequences. J.G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
- The Monitoring the Future project after seventeen years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.
- Aims and objectives of the Monitoring the Future study. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996, revised, 125pp.
- Changes in drug use during the post ☐ high school years. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, and J. Schulenberg, 1992, 168 pp.
- Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992. J. Schulenberg, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1994, 62 pp.
- The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- Changes in drug use during ages 18-32. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, J. Schulenberg, J. Lim, and K.N. Wadsworth, 1996, 87 pp.
- Trends in military propensity and the propensity-enlistment relationship. J.G. Bachman, P. Freedman-Doan, D.R. Segal, and P.M. O'Malley, 1997, 68 pp.
- Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors. J.G. Bachman, D.R. Segal, P. Freedman-Doan, and P.M. O'Malley, 1998, 163 pp.
- Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment. J.G. Bachman, P. Freedman-Doan, L.D. Johnston, P.M. O'Malley, and D.R. Segal, 1999, 33 pp..
- Life paths into young adulthood and the course of substance use and well-being: Inter and intra cohort comparisons. J. Schulenberg, P. M. O'Malley, J.G. Bachman, and L.D. Johnston, 1998, 64 pp.
- Reasons for use, abstention, and quitting illicit drug use by American adolescents. A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L.D. Johnston, 1998, 27 pp.
- Cigarette brand preferences among adolescents. L.D. Johnston, P.M. O'Malley, J.G. Bachman, & J. Schulenberg, 1999, 37 pp.
- Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use. A.L. Bryant, J. Schulenberg, J.G. Bachman, P.M. O'Malley, L.D. Johnston, 2000, 29 pp.
- Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996). C. Pilgrim, J. Schulenberg, P.M. O'Malley, J.G. Bachman, L.D. Johnston, 2000, 48 pp.

Demographic subgroup trends for various licit and illicit drugs, 1975-2000. L.D. Johnston, P.M. O'Malley, J.G. Bachman, 2001, 225 pp.

APPENDIX B

SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

1975 1976 1977 1978 1979 1980 _____ # Public Schools 111 108 108 111 111 107 # Private Schools 14 15 16 20 20 20 Total # Schools 125 123 124 131 131 127 Total # Students 15,791 16,678 18,438 18,924 16,662 16,524 Student Response
Rate (%) * 78% 77% 79% 83% 82% 82% _____ 1981 1982 1983 1984 1985 1986 -----# Public Schools 109 116 112 117 115 113 # Private Schools 19 21 22 17 17 16 Total # Schools 128 137 134 134 132 129 Total # Students 18,267 18,348 16,947 16,499 16,502 15,713 Student Response
Rate (%) * 81% 83% 84% 83% 84% 83%

SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

	1987	1988	1989	1990	1991	1992
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students 1	6,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%
		1994				
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students 1	6,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

1999	2000	
# Public Schools 124	116	
# Private Schools 19	18	
Total # Schools 143	134	
Total # Students 14,056	13,286	
Student Response Rate (%) * 83%	83%	

^{*} The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.