

**ICPSR 39172**

## **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2023**

Richard A. Miech

*University of Michigan. Institute for Social Research. Survey  
Research Center*

Lloyd D. Johnston

*University of Michigan. Institute for Social Research. Survey  
Research Center*

Megan E. Patrick

*University of Michigan. Institute for Social Research. Survey  
Research Center*

**ICPSR Codebook for Form 4 Data**

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The [terms of use](https://www.icpsr.umich.edu/web/ICPSR/studies/39172/terms) for this study can be found at:  
<https://www.icpsr.umich.edu/web/ICPSR/studies/39172/terms>

## Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

## NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **ICPSR 39172**

### **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2023**

#### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Form 4 Data

**RESPONDENT\_ID: R'S ID-SERIAL #**

| Value | Label | Unweighted Frequency | %     |
|-------|-------|----------------------|-------|
| 40001 | -     | 1                    | 0.1 % |
| 40002 | -     | 1                    | 0.1 % |
| 40003 | -     | 1                    | 0.1 % |
| 40004 | -     | 1                    | 0.1 % |
| 40005 | -     | 1                    | 0.1 % |
| 40006 | -     | 1                    | 0.1 % |
| 40007 | -     | 1                    | 0.1 % |
| 40008 | -     | 1                    | 0.1 % |
| 40009 | -     | 1                    | 0.1 % |
| 40010 | -     | 1                    | 0.1 % |
| 40011 | -     | 1                    | 0.1 % |
| 40012 | -     | 1                    | 0.1 % |
| 40013 | -     | 1                    | 0.1 % |
| 40014 | -     | 1                    | 0.1 % |
| 40015 | -     | 1                    | 0.1 % |
| 40016 | -     | 1                    | 0.1 % |
| 40017 | -     | 1                    | 0.1 % |
| 40018 | -     | 1                    | 0.1 % |
| 40019 | -     | 1                    | 0.1 % |
| 40020 | -     | 1                    | 0.1 % |
| 40021 | -     | 1                    | 0.1 % |
| 40022 | -     | 1                    | 0.1 % |
| 40023 | -     | 1                    | 0.1 % |
| 40024 | -     | 1                    | 0.1 % |
| 40025 | -     | 1                    | 0.1 % |
| 40026 | -     | 1                    | 0.1 % |
| 40027 | -     | 1                    | 0.1 % |
| 40028 | -     | 1                    | 0.1 % |
| 40029 | -     | 1                    | 0.1 % |
| 40030 | -     | 1                    | 0.1 % |
| 40031 | -     | 1                    | 0.1 % |
| 40032 | -     | 1                    | 0.1 % |

| Value | Label        | Unweighted Frequency | %             |
|-------|--------------|----------------------|---------------|
| 40033 | -            | 1                    | 0.1 %         |
| 40034 | -            | 1                    | 0.1 %         |
| 40035 | -            | 1                    | 0.1 %         |
| 40036 | -            | 1                    | 0.1 %         |
| 40037 | -            | 1                    | 0.1 %         |
| 40038 | -            | 1                    | 0.1 %         |
| 40039 | -            | 1                    | 0.1 %         |
| 40040 | -            | 1                    | 0.1 %         |
| 40041 | -            | 1                    | 0.1 %         |
| 40042 | -            | 1                    | 0.1 %         |
| 40043 | -            | 1                    | 0.1 %         |
| 40044 | -            | 1                    | 0.1 %         |
| 40045 | -            | 1                    | 0.1 %         |
| 40046 | -            | 1                    | 0.1 %         |
| 40047 | -            | 1                    | 0.1 %         |
| 40048 | -            | 1                    | 0.1 %         |
| 40049 | -            | 1                    | 0.1 %         |
| 40050 | -            | 1                    | 0.1 %         |
|       | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Mean: 40634.90
- Minimum: 40001.00
- Maximum: 41291.00
- Standard Deviation: 371.20

*Location:* 1-5 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V1: 80001:YEAR OF ADMIN (4-DIGITS)

| Value | Label        | Unweighted Frequency | %             |
|-------|--------------|----------------------|---------------|
| 2023  | -            | 1258                 | 100.0 %       |
|       | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Mean: 2023.00
- Median: 2023.00
- Mode: 2023.00
- Minimum: 2023.00
- Maximum: 2023.00
- Standard Deviation: 0.00

*Location:* 6-9 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

### V3: 80003:FORM ID

| Value | Label        | Unweighted Frequency | %             |
|-------|--------------|----------------------|---------------|
| 1     | FORM 1:(1)   | 0                    | 0.0 %         |
| 2     | FORM 2:(2)   | 0                    | 0.0 %         |
| 3     | FORM 3:(3)   | 0                    | 0.0 %         |
| 4     | FORM 4:(4)   | 1258                 | 100.0 %       |
| 5     | FORM 5:(5)   | 0                    | 0.0 %         |
| 6     | FORM 6:(6)   | 0                    | 0.0 %         |
|       | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 10-11 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V545: 89978:SURVEY MODE: 1=PAPER 2=TABLET 3=WEB

Item Number: 89978

This variable is an indicator of survey mode: paper or tablet or web. This variable replaces TABLET (89977:RESPONDENT: TABLET=1 PAPER=0) in prior years.

1="PAPER" 2="TABLET" 3="WEB"

| Value | Label        | Unweighted Frequency | %             |
|-------|--------------|----------------------|---------------|
| 1     | PAPER:(1)    | 0                    | 0.0 %         |
| 2     | TABLET:(2)   | 0                    | 0.0 %         |
| 3     | WEB:(3)      | 1258                 | 100.0 %       |
|       | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V548: 90016:MODE OF SURVEY ADMIN

Item Number: 90016

This variable provides information on the mode of survey administration to the students.

4="SYNCHRONOUS" 5="ASYNCHRONOUS" 6="MULTIPLE TYPES"

| Value | Label             | Unweighted Frequency | %      |
|-------|-------------------|----------------------|--------|
| 1     | CLASS:(1)         | 0                    | 0.0 %  |
| 2     | MASS:(2)          | 0                    | 0.0 %  |
| 3     | MULTIPLE MASS:(3) | 0                    | 0.0 %  |
| 4     | SYNCHRONOUS:(4)   | 1106                 | 87.9 % |

| Value | Label              | Unweighted Frequency | %             |
|-------|--------------------|----------------------|---------------|
| 5     | ASYNCHRONOUS:(5)   | 27                   | 2.1 %         |
| 6     | MULTIPLE TYPES:(6) | 125                  | 9.9 %         |
|       | <b>Total</b>       | <b>1,258</b>         | <b>100.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 4.00
- Maximum: 6.00

*Location:* 14-15 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V549: 90017:INSTRUCTION MODE AT ADMIN

Item Number: 90017

Classroom instruction mode at time of survey administration

1 ="All in-person" 2 ="All remote" 3 ="Hybrid"

| Value | Label             | Unweighted Frequency | %             |
|-------|-------------------|----------------------|---------------|
| 1     | ALL IN-PERSON:(1) | 1168                 | 92.8 %        |
| 2     | ALL REMOTE:(2)    | 27                   | 2.1 %         |
| 3     | HYBRID:(3)        | 63                   | 5.0 %         |
|       | <b>Total</b>      | <b>1,258</b>         | <b>100.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 16-17 (width: 2; decimal: 0)



Variable Type: numeric  
(Range of) Missing Values: -9

## V550: 90018:PROCTOR IN SCHOOL

Item Number: 90018

MTF survey proctor present in the school

1 ="Yes" 0 ="No"

| Value | Label        | Unweighted Frequency | %             |
|-------|--------------|----------------------|---------------|
| 0     | NO:(0)       | 70                   | 5.6 %         |
| 1     | YES:(1)      | 1188                 | 94.4 %        |
|       | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

## RANDOM\_GROUP: 90013:RANDOM GROUP: 1=BLUE 2=ORANGE

Item Number: 90013

This variable provides information to differentiate the "blue" and "orange" block questions. Please see the codebook for details.

1="BLUE" 2="ORANGE"

| Value | Label        | Unweighted Frequency | %             |
|-------|--------------|----------------------|---------------|
| 1     | BLUE:(1)     | 639                  | 50.8 %        |
| 2     | ORANGE:(2)   | 619                  | 49.2 %        |
|       | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 20-21 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## ARCHIVE\_WT: ARCHIVE WEIGHT

| Value          | Label | Unweighted Frequency | %     |
|----------------|-------|----------------------|-------|
| 0.075246114483 | -     | 1                    | 0.1 % |
| 0.076647336697 | -     | 1                    | 0.1 % |
| 0.078016568277 | -     | 1                    | 0.1 % |
| 0.078026234880 | -     | 1                    | 0.1 % |
| 0.079334721642 | -     | 1                    | 0.1 % |
| 0.080301256891 | -     | 1                    | 0.1 % |
| 0.080461897082 | -     | 1                    | 0.1 % |
| 0.081715716090 | -     | 1                    | 0.1 % |
| 0.082048272607 | -     | 1                    | 0.1 % |
| 0.082545950927 | -     | 1                    | 0.1 % |
| 0.082682846525 | -     | 1                    | 0.1 % |
| 0.083927645719 | -     | 1                    | 0.1 % |
| 0.084435096756 | -     | 1                    | 0.1 % |
| 0.084805179454 | -     | 1                    | 0.1 % |
| 0.085241337459 | -     | 1                    | 0.1 % |
| 0.085466384254 | -     | 1                    | 0.1 % |
| 0.086143849327 | -     | 1                    | 0.1 % |
| 0.087686797490 | -     | 1                    | 0.1 % |
| 0.087947306627 | -     | 1                    | 0.1 % |
| 0.089775198494 | -     | 1                    | 0.1 % |
| 0.090322428882 | -     | 1                    | 0.1 % |
| 0.090717953493 | -     | 1                    | 0.1 % |
| 0.091131020487 | -     | 1                    | 0.1 % |
| 0.091347199941 | -     | 1                    | 0.1 % |

| Value          | Label        | Unweighted Frequency | %             |
|----------------|--------------|----------------------|---------------|
| 0.091641053634 | -            | 1                    | 0.1 %         |
| 0.092249807433 | -            | 1                    | 0.1 %         |
| 0.093112999810 | -            | 1                    | 0.1 %         |
| 0.093405664601 | -            | 1                    | 0.1 %         |
| 0.093776943033 | -            | 1                    | 0.1 %         |
| 0.093975449704 | -            | 1                    | 0.1 %         |
| 0.094533165344 | -            | 1                    | 0.1 %         |
| 0.094965047995 | -            | 1                    | 0.1 %         |
| 0.095758405548 | -            | 1                    | 0.1 %         |
| 0.096583162011 | -            | 1                    | 0.1 %         |
| 0.096641365768 | -            | 1                    | 0.1 %         |
| 0.098490266239 | -            | 1                    | 0.1 %         |
| 0.099242115575 | -            | 1                    | 0.1 %         |
| 0.100660447767 | -            | 1                    | 0.1 %         |
| 0.100840302679 | -            | 1                    | 0.1 %         |
| 0.101209985780 | -            | 1                    | 0.1 %         |
| 0.102554425101 | -            | 1                    | 0.1 %         |
| 0.102582514149 | -            | 1                    | 0.1 %         |
| 0.102757174976 | -            | 1                    | 0.1 %         |
| 0.102978318953 | -            | 1                    | 0.1 %         |
| 0.103460670974 | -            | 1                    | 0.1 %         |
| 0.103914879935 | -            | 1                    | 0.1 %         |
| 0.107765340507 | -            | 1                    | 0.1 %         |
| 0.107798379743 | -            | 1                    | 0.1 %         |
| 0.107944558284 | -            | 1                    | 0.1 %         |
| 0.108309525979 | -            | 1                    | 0.1 %         |
|                | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

| Value           | Missing Data | Unweighted Frequency | %           |
|-----------------|--------------|----------------------|-------------|
| -9.000000000000 | MISSING:(-9) | 0                    | 0.0 %       |
|                 | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

• Mean: 0.983294520779

- Minimum: 0.075246114483
- Maximum: 6.214315691863
- Standard Deviation: 0.762995191126

*Location:* 22-36 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* -9.000000000000

## V13: 80013:SCH REG-4 CAT

Item Number: 80013

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=Midwest 3=South 4=West

| Value | Label         | Unweighted Frequency | %             |
|-------|---------------|----------------------|---------------|
| 1     | NORTHEAST:(1) | 302                  | 24.0 %        |
| 2     | MIDWEST:(2)   | 352                  | 28.0 %        |
| 3     | SOUTH:(3)     | 487                  | 38.7 %        |
| 4     | WEST:(4)      | 117                  | 9.3 %         |
|       | <b>Total</b>  | <b>1,258</b>         | <b>100.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 37-38 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V16: 80016:SELF-REP/NOT=0

Item Number: 80016

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Non Self-representing" 1="Self-representing"

| Value | Label                     | Unweighted Frequency | %             |
|-------|---------------------------|----------------------|---------------|
| 0     | NOT SELF REPRESENTING:(0) | 798                  | 63.4 %        |
| 1     | SELF REPRESENTING:(1)     | 460                  | 36.6 %        |
|       | <b>Total</b>              | <b>1,258</b>         | <b>100.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 39-40 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V17: 80017:SMSA/NON-SMSA=0

Item Number: 80017

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

| Value | Label        | Unweighted Frequency | %             |
|-------|--------------|----------------------|---------------|
| 0     | NON-MSA:(0)  | 274                  | 21.8 %        |
| 1     | MSA:(1)      | 984                  | 78.2 %        |
|       | <b>Total</b> | <b>1,258</b>         | <b>100.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 0                    | 0.0 %       |
|       | <b>Total</b> | <b>0</b>             | <b>0.0%</b> |

This variable has 1,258 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 41-42 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4208: 01190:VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT HAPPY:(1) | 262                  | 20.8 %       |
| 2     | PRTY HPY:(2) | 808                  | 64.2 %       |
| 3     | VRY HPY:(3)  | 180                  | 14.3 %       |
|       | <b>Total</b> | <b>1,250</b>         | <b>99.4%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 8                    | 0.6 %       |
|       | <b>Total</b> | <b>8</b>             | <b>0.6%</b> |

This variable has 1,250 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 43-44 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4209: 09940:FUTR CNTRY WORSE

Item Number: 09940

Looking ahead to the next five years, do you think that things in this country will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse"  
5="Get much worse" 8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH BETR:(1) | 14                   | 1.1 %        |
| 2     | SMWT BTR:(2) | 114                  | 9.1 %        |
| 3     | SAME:(3)     | 130                  | 10.3 %       |
| 4     | SMWT WSE:(4) | 263                  | 20.9 %       |
| 5     | MCH WRSE:(5) | 92                   | 7.3 %        |
|       | <b>Total</b> | <b>613</b>           | <b>48.7%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 6                    | 0.5 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>645</b>           | <b>51.3%</b> |

This variable has 613 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 45-46 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4210: 09950:FUTR WORLD WORSE

Item Number: 09950

Looking ahead to the next five years, do you think that things in the rest of the world will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse"

5="Get much worse" 8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH BETR:(1) | 10                   | 0.8 %        |
| 2     | SMWT BTR:(2) | 103                  | 8.2 %        |
| 3     | SAME:(3)     | 156                  | 12.4 %       |
| 4     | SMWT WSE:(4) | 257                  | 20.4 %       |
| 5     | MCH WRSE:(5) | 85                   | 6.8 %        |
|       | <b>Total</b> | <b>611</b>           | <b>48.6%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 8                    | 0.6 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>647</b>           | <b>51.4%</b> |

This variable has 611 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4211: 09960:FUTR R LIFE WRSE

Item Number: 09960

How do you think your own life will go in the next five years -- do you think it will get better or worse?

1="Get much better" 2="Get somewhat better" 3="Stay about the same" 4="Get somewhat worse"

5="Get much worse" 8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH BETR:(1) | 219                  | 17.4 %       |
| 2     | SMWT BTR:(2) | 285                  | 22.7 %       |
| 3     | SAME:(3)     | 71                   | 5.6 %        |
| 4     | SMWT WSE:(4) | 23                   | 1.8 %        |
| 5     | MCH WRSE:(5) | 11                   | 0.9 %        |
|       | <b>Total</b> | <b>609</b>           | <b>48.4%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 10                   | 0.8 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>649</b>           | <b>51.6%</b> |

This variable has 609 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 49-50 (width: 2; decimal: 0)



Variable Type: numeric  
(Range of) Missing Values: -9 , -8

## V4212: 06880:THK ABT SOC ISSU

Item Number: 06880

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal" 8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NEVER:(1)      | 37                   | 2.9 %        |
| 2     | SELDOM:(2)     | 116                  | 9.2 %        |
| 3     | SOMETIME:(3)   | 259                  | 20.6 %       |
| 4     | QUITE OFTN:(4) | 155                  | 12.3 %       |
| 5     | GREAT DEAL:(5) | 40                   | 3.2 %        |
|       | <b>Total</b>   | <b>607</b>           | <b>48.3%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 12                   | 1.0 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>651</b>           | <b>51.7%</b> |

This variable has 607 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 51-52 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -8

## V4493: 38290:CLIM CHNG INCREASED

Item Number: 38290

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each

statement below.

The effects of climate change have gotten worse in the last ten years.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 23                   | 1.8 %        |
| 2     | MOST DIS:(2) | 23                   | 1.8 %        |
| 3     | NEITHER:(3)  | 96                   | 7.6 %        |
| 4     | MOST AGR:(4) | 196                  | 15.6 %       |
| 5     | AGREE:(5)    | 269                  | 21.4 %       |
|       | <b>Total</b> | <b>607</b>           | <b>48.3%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 12                   | 1.0 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>651</b>           | <b>51.7%</b> |

This variable has 607 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4494: 38300:CLIM CHNG NT SO DANG

Item Number: 38300

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

The dangers of climate change are not really as great as government, the media, and environmental groups would like us to believe

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 180                  | 14.3 %       |
| 2     | MOST DIS:(2) | 119                  | 9.5 %        |
| 3     | NEITHER:(3)  | 141                  | 11.2 %       |
| 4     | MOST AGR:(4) | 101                  | 8.0 %        |
| 5     | AGREE:(5)    | 65                   | 5.2 %        |
|       | <b>Total</b> | <b>606</b>           | <b>48.2%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 13                   | 1.0 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>652</b>           | <b>51.8%</b> |

This variable has 606 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 55-56 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4495: 38310:CLIM CHNG NEC 4 GRTH

Item Number: 38310

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

America needs growth to survive, and that is going to require some increase in climate change

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | DISAGREE:(1) | 101                  | 8.0 %  |
| 2     | MOST DIS:(2) | 107                  | 8.5 %  |
| 3     | NEITHER:(3)  | 202                  | 16.1 % |
| 4     | MOST AGR:(4) | 108                  | 8.6 %  |
| 5     | AGREE:(5)    | 88                   | 7.0 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>606</b>           | <b>48.2%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 13                   | 1.0 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>652</b>           | <b>51.8%</b> |

This variable has 606 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 57-58 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

## V4496: 38320:INDVL RESP 4 CLIM CHNG

Item Number: 38320

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

People will have to change their buying habits and way of life to correct climate change problems

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 60                   | 4.8 %        |
| 2     | MOST DIS:(2) | 77                   | 6.1 %        |
| 3     | NEITHER:(3)  | 116                  | 9.2 %        |
| 4     | MOST AGR:(4) | 225                  | 17.9 %       |
| 5     | AGREE:(5)    | 126                  | 10.0 %       |
|       | <b>Total</b> | <b>604</b>           | <b>48.0%</b> |

| Value | Missing Data         | Unweighted Frequency | %      |
|-------|----------------------|----------------------|--------|
| -9    | MISSING:(-9)         | 15                   | 1.2 %  |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 % |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>654</b>           | <b>52.0%</b> |

This variable has 604 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4497: 38450:GOVT ACTION CLIM CHNG

Item Number: 38450

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

Government should take action to solve our climate change problems even if it means that some of the products we now use would have to be changed or banned

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 30                   | 2.4 %        |
| 2     | MOST DIS:(2) | 48                   | 3.8 %        |
| 3     | NEITHER:(3)  | 130                  | 10.3 %       |
| 4     | MOST AGR:(4) | 180                  | 14.3 %       |
| 5     | AGREE:(5)    | 216                  | 17.2 %       |
|       | <b>Total</b> | <b>604</b>           | <b>48.0%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 15                   | 1.2 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>654</b>           | <b>52.0%</b> |

This variable has 604 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00

- Maximum: 5.00

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4498: 38330:GOVT TAX CLIM CHNG

Item Number: 38330

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

Government should place higher taxes on products which cause climate change in their manufacture or disposal, so that companies will be encouraged to find better ways to produce them

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 92                   | 7.3 %        |
| 2     | MOST DIS:(2) | 82                   | 6.5 %        |
| 3     | NEITHER:(3)  | 163                  | 13.0 %       |
| 4     | MOST AGR:(4) | 126                  | 10.0 %       |
| 5     | AGREE:(5)    | 140                  | 11.1 %       |
|       | <b>Total</b> | <b>603</b>           | <b>47.9%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 16                   | 1.3 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>655</b>           | <b>52.1%</b> |

This variable has 603 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4499: 38340:GOVT BAN DSPSBLE CLIM CHNG

Item Number: 38340

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

I wish that government would ban throwaway bottles and beverage cans

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 88                   | 7.0 %        |
| 2     | MOST DIS:(2) | 56                   | 4.5 %        |
| 3     | NEITHER:(3)  | 230                  | 18.3 %       |
| 4     | MOST AGR:(4) | 137                  | 10.9 %       |
| 5     | AGREE:(5)    | 90                   | 7.2 %        |
|       | <b>Total</b> | <b>601</b>           | <b>47.8%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 18                   | 1.4 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>657</b>           | <b>52.2%</b> |

This variable has 601 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4500: 38350:TV COMM CRT NDS CLIM CHNG

Item Number: 38350

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

Advertisements stimulate people to buy a lot of things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 10                   | 0.8 %        |
| 2     | MOST DIS:(2) | 16                   | 1.3 %        |
| 3     | NEITHER:(3)  | 72                   | 5.7 %        |
| 4     | MOST AGR:(4) | 215                  | 17.1 %       |
| 5     | AGREE:(5)    | 291                  | 23.1 %       |
|       | <b>Total</b> | <b>604</b>           | <b>48.0%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 15                   | 1.2 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>654</b>           | <b>52.0%</b> |

This variable has 604 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4501: 38360:TV COMMRCLS GOOD CLIM CHNG

Item Number: 38360

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

Advertisements do a lot of good by showing new products that we might not know about otherwise

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| 1     | DISAGREE:(1) | 19                   | 1.5 % |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 2     | MOST DIS:(2) | 82                   | 6.5 %        |
| 3     | NEITHER:(3)  | 171                  | 13.6 %       |
| 4     | MOST AGR:(4) | 228                  | 18.1 %       |
| 5     | AGREE:(5)    | 102                  | 8.1 %        |
|       | <b>Total</b> | <b>602</b>           | <b>47.9%</b> |

  

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 17                   | 1.4 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>656</b>           | <b>52.1%</b> |

This variable has 602 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4502: 38370:FAM BUYS THG -ND CLIM CHNG

Item Number: 38370

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

My family and I often buy things we really don't need; we could get along with much

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 44                   | 3.5 %        |
| 2     | MOST DIS:(2) | 120                  | 9.5 %        |
| 3     | NEITHER:(3)  | 135                  | 10.7 %       |
| 4     | MOST AGR:(4) | 202                  | 16.1 %       |
| 5     | AGREE:(5)    | 100                  | 7.9 %        |
|       | <b>Total</b> | <b>601</b>           | <b>47.8%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 18                   | 1.4 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>657</b>           | <b>52.2%</b> |

This variable has 601 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4503: 38380:CLIM CHNG SLVD 25 YR

Item Number: 38380

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

Within the next 25 years, engineers and scientists will probably have invented devices that will solve climate change

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 45                   | 3.6 %        |
| 2     | MOST DIS:(2) | 114                  | 9.1 %        |
| 3     | NEITHER:(3)  | 211                  | 16.8 %       |
| 4     | MOST AGR:(4) | 177                  | 14.1 %       |
| 5     | AGREE:(5)    | 56                   | 4.5 %        |
|       | <b>Total</b> | <b>603</b>           | <b>47.9%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 16                   | 1.3 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>655</b>           | <b>52.1%</b> |

This variable has 603 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 73-74 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4504: 38440:CLIM CHNG THREAT

Item Number: 38440

These questions are about climate change and the environment. Please select the answer that shows how much you agree or disagree with each statement below.

Climate change is a serious threat to our future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree" -8="R assigned BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 21                   | 1.7 %        |
| 2     | MOST DIS:(2) | 38                   | 3.0 %        |
| 3     | NEITHER:(3)  | 104                  | 8.3 %        |
| 4     | MOST AGR:(4) | 151                  | 12.0 %       |
| 5     | AGREE:(5)    | 290                  | 23.1 %       |
|       | <b>Total</b> | <b>604</b>           | <b>48.0%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 15                   | 1.2 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>654</b>           | <b>52.0%</b> |

This variable has 604 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 75-76 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4224: 10080:R EFRT 2 HLP ENV

Item Number: 10080

In your own actions--the things you buy and the things you do -- how much of an effort do you make to conserve energy and protect the environment?

1="None" 2="A little" 3="Some" 4="Quite a bit" 8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | NONE:(1)        | 94                   | 7.5 %        |
| 2     | A LITTLE:(2)    | 248                  | 19.7 %       |
| 3     | SOME:(3)        | 209                  | 16.6 %       |
| 4     | QUITE A BIT:(4) | 53                   | 4.2 %        |
|       | <b>Total</b>    | <b>604</b>           | <b>48.0%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 15                   | 1.2 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>654</b>           | <b>52.0%</b> |

This variable has 604 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 77-78 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4248: 10320:KIND OF WORK @30

Item Number: 10320

What kind of work do you think you will be doing when you are 30 years old? Please select the one that comes closest to what you expect to be doing.

01="Laborer (custodian, material mover, landscape worker, agricultural worker)"

02="Service worker (food preparer, food service worker including fast food, call center worker, stock clerk, order filler, nursing assistant, home healthcare aide, teacher assistant, childcare worker)"

03="Operator or manufacturing worker (bus or truck driver, maintenance or repair worker, assembly line worker, mechanic)"

04="Customer service and retail (cashier, supervisor of retail worker)"  
05="Office and administrative support (administrative assistant, receptionist, bookkeeper, supervisor of office workers, bank teller, postal worker)"  
06="Protective service (police, firefighter, paramedic)"  
07="Military service"  
08="Crafts or skilled worker (carpenter, machinist, welder)"  
09="Farm owner, farm manager"  
10="Owner of a small business, self-employed"  
11="Sales representative (insurance agent, real estate)"  
12="Manager or administrator (office manager, government official, sales manager)"  
13="Professional without doctoral degree (registered nurse, healthcare worker, school teacher, accountant, architect, artist, information technology worker)"  
14="Professional with doctoral degree or equivalent (lawyer, physician, dentist, scientist, college professor)"  
17="Independent contractor, gig worker, on-demand employee"  
15="Full-time homemaker"  
16="Don't know"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label               | Unweighted Frequency | %      |
|-------|---------------------|----------------------|--------|
| 1     | LABORER:(1)         | 23                   | 1.8 %  |
| 2     | SERV WKR:(2)        | 34                   | 2.7 %  |
| 3     | SEMISKL:(3)         | 17                   | 1.4 %  |
| 4     | RETAIL:(4)          | 3                    | 0.2 %  |
| 5     | OFFICE/SUPPORT:(5)  | 15                   | 1.2 %  |
| 6     | PROTECT:(6)         | 18                   | 1.4 %  |
| 7     | MILITARY:(7)        | 10                   | 0.8 %  |
| 8     | SKLD WKR:(8)        | 40                   | 3.2 %  |
| 9     | FARM:(9)            | 5                    | 0.4 %  |
| 10    | OWN SHOP:(10)       | 78                   | 6.2 %  |
| 11    | SALESREP:(11)       | 22                   | 1.7 %  |
| 12    | MANAGER:(12)        | 17                   | 1.4 %  |
| 13    | NOPHDPRO:(13)       | 140                  | 11.1 % |
| 14    | PHD PRO:(14)        | 106                  | 8.4 %  |
| 15    | HOMEMKR:(15)        | 7                    | 0.6 %  |
| 16    | DK:(16)             | 81                   | 6.4 %  |
| 17    | INDP CONTRCTOR:(17) | 14                   | 1.1 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>630</b>           | <b>50.1%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 9                    | 0.7 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>628</b>           | <b>49.9%</b> |

This variable has 630 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 17.00

*Location:* 79-80 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4249: 10330:R SURE GT THS WK

Item Number: 10330

How likely do you think it is that you will actually get to do this kind of work?

1="Not very likely" 2="Somewhat likely" 3="Fairly likely" 4="Very likely" 5="Certain" 6="I already do this kind of work"  
-8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label         | Unweighted Frequency | %            |
|-------|---------------|----------------------|--------------|
| 1     | NOT LKLY:(1)  | 4                    | 0.3 %        |
| 2     | SMWT LIK:(2)  | 46                   | 3.7 %        |
| 3     | FRLY LIK:(3)  | 145                  | 11.5 %       |
| 4     | VY LIKELY:(4) | 210                  | 16.7 %       |
| 5     | CERTAIN:(5)   | 106                  | 8.4 %        |
| 6     | ALRDY DO:(6)  | 37                   | 2.9 %        |
|       | <b>Total</b>  | <b>548</b>           | <b>43.6%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 91                   | 7.2 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>710</b>           | <b>56.4%</b> |

This variable has 548 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 81-82 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4250: 10340:R SURE WK GD CHC

Item Number: 10340

How certain are you that this kind of work is a good choice for you?

1="Not at all certain" 2="Somewhat certain" 3="Fairly certain" 4="Very certain" 5="Completely certain"  
-8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT CERTN:(1) | 12                   | 1.0 %        |
| 2     | SMWT CTN:(2) | 65                   | 5.2 %        |
| 3     | FRLY CTN:(3) | 151                  | 12.0 %       |
| 4     | VY CERTN:(4) | 222                  | 17.6 %       |
| 5     | COMP CTN:(5) | 98                   | 7.8 %        |
|       | <b>Total</b> | <b>548</b>           | <b>43.6%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 91                   | 7.2 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>710</b>           | <b>56.4%</b> |

This variable has 548 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 83-84 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4251: 10350:R THNK WK BE SAT

Item Number: 10350

How satisfying do you think this kind of work will be for you?

1="Not very satisfying" 2="Somewhat satisfying"

3="Quite satisfying" 4="Very satisfying"

5="Extremely satisfying" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT SATIS:(1) | 9                    | 0.7 %        |
| 2     | SMWT SAT:(2) | 56                   | 4.5 %        |
| 3     | QUITE ST:(3) | 154                  | 12.2 %       |
| 4     | VY SATIS:(4) | 212                  | 16.9 %       |
| 5     | EXTR SAT:(5) | 116                  | 9.2 %        |
|       | <b>Total</b> | <b>547</b>           | <b>43.5%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 92                   | 7.3 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>711</b>           | <b>56.5%</b> |

This variable has 547 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 85-86 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4252: 10360:JOB OBSTC RELGN

Item Number: 10360

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Your religion

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 554                  | 44.0 %       |
| 2     | SOMEWHAT:(2) | 33                   | 2.6 %        |
| 3     | A LOT:(3)    | 13                   | 1.0 %        |
| 8     | DK:(8)       | 27                   | 2.1 %        |
|       | <b>Total</b> | <b>627</b>           | <b>49.8%</b> |

  

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 12                   | 1.0 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>631</b>           | <b>50.2%</b> |

This variable has 627 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 87-88 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4253: 10370:JOB OBSTC SEX

Item Number: 10370

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Your sex

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 452                  | 35.9 %       |
| 2     | SOMEWHAT:(2) | 120                  | 9.5 %        |
| 3     | A LOT:(3)    | 37                   | 2.9 %        |
| 8     | DK:(8)       | 17                   | 1.4 %        |
|       | <b>Total</b> | <b>626</b>           | <b>49.8%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 13                   | 1.0 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>632</b>           | <b>50.2%</b> |

This variable has 626 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 89-90 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4254: 10380:JOB OBSTC RACE

Item Number: 10380

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Your race

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 474                  | 37.7 %       |
| 2     | SOMEWHAT:(2) | 90                   | 7.2 %        |
| 3     | A LOT:(3)    | 38                   | 3.0 %        |
| 8     | DK:(8)       | 23                   | 1.8 %        |
|       | <b>Total</b> | <b>625</b>           | <b>49.7%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 14                   | 1.1 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>633</b>           | <b>50.3%</b> |

This variable has 625 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## V4255: 10390:JOB OBSTC BKGRND

Item Number: 10390

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Your family background

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 494                  | 39.3 %       |
| 2     | SOMEWHAT:(2) | 87                   | 6.9 %        |
| 3     | A LOT:(3)    | 19                   | 1.5 %        |
| 8     | DK:(8)       | 24                   | 1.9 %        |
|       | <b>Total</b> | <b>624</b>           | <b>49.6%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 15                   | 1.2 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>634</b>           | <b>50.4%</b> |

This variable has 624 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## V4256: 10400:JOB OBSTC POL VW

Item Number: 10400

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Your political views

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 475                  | 37.8 %       |
| 2     | SOMEWHAT:(2) | 95                   | 7.6 %        |
| 3     | A LOT:(3)    | 19                   | 1.5 %        |
| 8     | DK:(8)       | 37                   | 2.9 %        |
|       | <b>Total</b> | <b>626</b>           | <b>49.8%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 13                   | 1.0 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>632</b>           | <b>50.2%</b> |

This variable has 626 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 95-96 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4257: 10410:JOB OBSTC EDUCTN

Item Number: 10410

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Your education

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | NOT @ALL:(1) | 325                  | 25.8 % |
| 2     | SOMEWHAT:(2) | 155                  | 12.3 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 3     | A LOT:(3)    | 124                  | 9.9 %        |
| 8     | DK:(8)       | 23                   | 1.8 %        |
|       | <b>Total</b> | <b>627</b>           | <b>49.8%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 12                   | 1.0 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>631</b>           | <b>50.2%</b> |

This variable has 627 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## V4258: 10420:JOB OBSTC -VOC T

Item Number: 10420

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Lack of vocational training

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 314                  | 25.0 %       |
| 2     | SOMEWHAT:(2) | 180                  | 14.3 %       |
| 3     | A LOT:(3)    | 73                   | 5.8 %        |
| 8     | DK:(8)       | 55                   | 4.4 %        |
|       | <b>Total</b> | <b>622</b>           | <b>49.4%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 17                   | 1.4 % |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>636</b>           | <b>50.6%</b> |

This variable has 622 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 99-100 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4259: 10430:JOB OBSTC -ABLT

Item Number: 10430

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Lack of ability

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 308                  | 24.5 %       |
| 2     | SOMEWHAT:(2) | 166                  | 13.2 %       |
| 3     | A LOT:(3)    | 126                  | 10.0 %       |
| 8     | DK:(8)       | 23                   | 1.8 %        |
|       | <b>Total</b> | <b>623</b>           | <b>49.5%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 16                   | 1.3 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>635</b>           | <b>50.5%</b> |

This variable has 623 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 101-102 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9 , -8

---

## V4260: 10440:JOB OBSTC - PULL

Item Number: 10440

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Not knowing the right people

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 236                  | 18.8 %       |
| 2     | SOMEWHAT:(2) | 260                  | 20.7 %       |
| 3     | A LOT:(3)    | 109                  | 8.7 %        |
| 8     | DK:(8)       | 18                   | 1.4 %        |
|       | <b>Total</b> | <b>623</b>           | <b>49.5%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 16                   | 1.3 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>635</b>           | <b>50.5%</b> |

This variable has 623 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 103-104 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -8

---

## V4261: 10450:JOB OBSTC -WK HD

Item Number: 10450

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Not wanting to work hard

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT @ALL:(1) | 333                  | 26.5 %       |
| 2     | SOMEWHAT:(2) | 98                   | 7.8 %        |
| 3     | A LOT:(3)    | 177                  | 14.1 %       |
| 8     | DK:(8)       | 13                   | 1.0 %        |
|       | <b>Total</b> | <b>621</b>           | <b>49.4%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 18                   | 1.4 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>637</b>           | <b>50.6%</b> |

This variable has 621 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

---

## V4262: 10460:JOB OBSTC -CONFM

Item Number: 10460

To what extent do you think the things listed below will prevent you from getting the kind of work you would like to have?

Not wanting to conform

1="Not at all" 2="Somewhat" 3="A lot" 8="Don't Know"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | NOT @ALL:(1) | 300                  | 23.8 % |
| 2     | SOMEWHAT:(2) | 180                  | 14.3 % |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 3     | A LOT:(3)    | 101                  | 8.0 %        |
| 8     | DK:(8)       | 44                   | 3.5 %        |
|       | <b>Total</b> | <b>625</b>           | <b>49.7%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 14                   | 1.1 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>633</b>           | <b>50.3%</b> |

This variable has 625 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 107-108 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4263: 08100:ENUF\$,NT WNT WRK

Item Number: 08100

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | WORK:(1)     | 443                  | 35.2 %       |
| 2     | NOT WORK:(2) | 182                  | 14.5 %       |
|       | <b>Total</b> | <b>625</b>           | <b>49.7%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 14                   | 1.1 %        |
| -8    | R ASSIGNED ORANGE:(-8) | 619                  | 49.2 %       |
|       | <b>Total</b>           | <b>633</b>           | <b>50.3%</b> |

This variable has 625 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 109-110 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4466: 34770:WKDAY HRS WATCH/VIDEO

Item Number: 34770

How many hours do you estimate you watch videos, TV, or movies on an electronic device (such as a TV, computer, tablet, or smartphone)?

On an average WEEKDAY?

1="None" 2="Less than one hour" 3="One to two hours"

4="Three to four hours" 5="Five to six hours"

6="Seven to eight hours" 7="More than nine hours"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 12                   | 1.0 %        |
| 2     | <1 HOUR:(2)  | 44                   | 3.5 %        |
| 3     | 1-2 HRS:(3)  | 297                  | 23.6 %       |
| 4     | 3-4 HRS:(4)  | 452                  | 35.9 %       |
| 5     | 5-6 HRS:(5)  | 247                  | 19.6 %       |
| 6     | 7-8 HRS:(6)  | 94                   | 7.5 %        |
| 7     | 9+ HRS:(7)   | 86                   | 6.8 %        |
|       | <b>Total</b> | <b>1,232</b>         | <b>97.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 26                   | 2.1 %       |
|       | <b>Total</b> | <b>26</b>            | <b>2.1%</b> |

This variable has 1,232 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 111-112 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4467: 34780:WKEND HRS WATCH/VIDEO

Item Number: 34780

How many hours do you estimate you watch videos, TV, or movies on an electronic device (such as a TV, computer, tablet, or smartphone)?

On an average WEEKEND DAY?

1="None" 2="Less than one hour" 3="One to two hours"

4="Three to four hours" 5="Five to six hours"

6="Seven to eight hours" 7="More than nine hours"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 9                    | 0.7 %        |
| 2     | <1 HOUR:(2)  | 33                   | 2.6 %        |
| 3     | 1-2 HRS:(3)  | 132                  | 10.5 %       |
| 4     | 3-4 HRS:(4)  | 342                  | 27.2 %       |
| 5     | 5-6 HRS:(5)  | 338                  | 26.9 %       |
| 6     | 7-8 HRS:(6)  | 182                  | 14.5 %       |
| 7     | 9+ HRS:(7)   | 178                  | 14.1 %       |
|       | <b>Total</b> | <b>1,214</b>         | <b>96.5%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 44                   | 3.5 %       |
|       | <b>Total</b> | <b>44</b>            | <b>3.5%</b> |

This variable has 1,214 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 113-114 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4465: 32740:DINNER W/PARENT

Item Number: 32740

During a typical week, how often do you have dinner with one or both of your parents?

1="Less than one day per week" 2="One day" 3="Two days"

4="Three days" 5="Four or five days"

6="Six or seven days per week" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label            | Unweighted Frequency | %            |
|-------|------------------|----------------------|--------------|
| 1     | < 1 DAY/WEEK:(1) | 158                  | 12.6 %       |
| 2     | 1 DAY:(2)        | 38                   | 3.0 %        |
| 3     | 2 DAYS:(3)       | 76                   | 6.0 %        |
| 4     | 3 DAYS:(4)       | 82                   | 6.5 %        |
| 5     | 4-5 DAYS:(5)     | 115                  | 9.1 %        |
| 6     | 6-7 DAYS:(6)     | 133                  | 10.6 %       |
|       | <b>Total</b>     | <b>602</b>           | <b>47.9%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 17                   | 1.4 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>656</b>           | <b>52.1%</b> |

This variable has 602 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 115-116 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4273: 10560:#BKS LAST YR/10+

Item Number: 10560

In the past year, how many books have you read just because you wanted to--that is, without their being assigned?

1="None" 2="One" 3="Two to five" 4="Six to nine" 5="Ten or more" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label    | Unweighted Frequency | %      |
|-------|----------|----------------------|--------|
| 1     | NONE:(1) | 194                  | 15.4 % |
| 2     | 1:(2)    | 111                  | 8.8 %  |
| 3     | 2-5:(3)  | 175                  | 13.9 % |
| 4     | 6-9:(4)  | 55                   | 4.4 %  |
| 5     | 10+:(5)  | 69                   | 5.5 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>604</b>           | <b>48.0%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 15                   | 1.2 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>654</b>           | <b>52.0%</b> |

This variable has 604 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 117-118 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4274: 06330:INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"  
-8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NO INTRST:(1)  | 76                   | 6.0 %        |
| 2     | VRY LITTLE:(2) | 138                  | 11.0 %       |
| 3     | SOME:(3)       | 235                  | 18.7 %       |
| 4     | A LOT:(4)      | 101                  | 8.0 %        |
| 5     | VRY GRT:(5)    | 52                   | 4.1 %        |
|       | <b>Total</b>   | <b>602</b>           | <b>47.9%</b> |

| Value | Missing Data         | Unweighted Frequency | %      |
|-------|----------------------|----------------------|--------|
| -9    | MISSING:(-9)         | 17                   | 1.4 %  |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 % |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>656</b>           | <b>52.1%</b> |

This variable has 602 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 119-120 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4275: 10570:>INFLC LARG CORP

Item Number: 10570

Some people think that there ought to be changes in the amount of influence and power that certain organizations have in our society. Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

Large corporations

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 108                  | 8.6 %        |
| 2     | LESS:(2)     | 197                  | 15.7 %       |
| 3     | SAME:(3)     | 181                  | 14.4 %       |
| 4     | MORE:(4)     | 45                   | 3.6 %        |
| 5     | MCH MORE:(5) | 17                   | 1.4 %        |
| 8     | NO OPIN:(8)  | 47                   | 3.7 %        |
|       | <b>Total</b> | <b>595</b>           | <b>47.3%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 24                   | 1.9 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>663</b>           | <b>52.7%</b> |

This variable has 595 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00

- Maximum: 8.00

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4276: 10580:>INFLC LBR UNION

Item Number: 10580

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

Major labor unions

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 22                   | 1.7 %        |
| 2     | LESS:(2)     | 70                   | 5.6 %        |
| 3     | SAME:(3)     | 211                  | 16.8 %       |
| 4     | MORE:(4)     | 152                  | 12.1 %       |
| 5     | MCH MORE:(5) | 56                   | 4.5 %        |
| 8     | NO OPIN:(8)  | 76                   | 6.0 %        |
|       | <b>Total</b> | <b>587</b>           | <b>46.7%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 32                   | 2.5 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>671</b>           | <b>53.3%</b> |

This variable has 587 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4277: 10590:>INFLC CHURCHES

Item Number: 10590

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

Churches and religious organizations

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 92                   | 7.3 %        |
| 2     | LESS:(2)     | 106                  | 8.4 %        |
| 3     | SAME:(3)     | 200                  | 15.9 %       |
| 4     | MORE:(4)     | 82                   | 6.5 %        |
| 5     | MCH MORE:(5) | 72                   | 5.7 %        |
| 8     | NO OPIN:(8)  | 38                   | 3.0 %        |
|       | <b>Total</b> | <b>590</b>           | <b>46.9%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 29                   | 2.3 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>668</b>           | <b>53.1%</b> |

This variable has 590 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 125-126 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4278: 10600:>INFLC NEWS MDIA

Item Number: 10600

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

The national news media (TV, magazines, news services)

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"



Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 92                   | 7.3 %        |
| 2     | LESS:(2)     | 191                  | 15.2 %       |
| 3     | SAME:(3)     | 182                  | 14.5 %       |
| 4     | MORE:(4)     | 55                   | 4.4 %        |
| 5     | MCH MORE:(5) | 29                   | 2.3 %        |
| 8     | NO OPIN:(8)  | 39                   | 3.1 %        |
|       | <b>Total</b> | <b>588</b>           | <b>46.7%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 31                   | 2.5 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>670</b>           | <b>53.3%</b> |

This variable has 588 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 127-128 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4279: 10610:>INFLC PRES/ADMN

Item Number: 10610

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

The Presidency and the administration

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | MCH LESS:(1) | 41                   | 3.3 %  |
| 2     | LESS:(2)     | 96                   | 7.6 %  |
| 3     | SAME:(3)     | 268                  | 21.3 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 4     | MORE:(4)     | 91                   | 7.2 %        |
| 5     | MCH MORE:(5) | 35                   | 2.8 %        |
| 8     | NO OPIN:(8)  | 55                   | 4.4 %        |
|       | <b>Total</b> | <b>586</b>           | <b>46.6%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 33                   | 2.6 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>672</b>           | <b>53.4%</b> |

This variable has 586 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 129-130 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4280: 10620:>INFLC CONGRESS

Item Number: 10620

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

The Congress--that is, the U.S. Senate and House of Representatives

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 35                   | 2.8 %        |
| 2     | LESS:(2)     | 90                   | 7.2 %        |
| 3     | SAME:(3)     | 262                  | 20.8 %       |
| 4     | MORE:(4)     | 103                  | 8.2 %        |
| 5     | MCH MORE:(5) | 38                   | 3.0 %        |
| 8     | NO OPIN:(8)  | 64                   | 5.1 %        |
|       | <b>Total</b> | <b>592</b>           | <b>47.1%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 27                   | 2.1 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>666</b>           | <b>52.9%</b> |

This variable has 592 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 131-132 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4281: 10630:>INFLC SUPRM CRT

Item Number: 10630

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

The U.S. Supreme Court

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 34                   | 2.7 %        |
| 2     | LESS:(2)     | 85                   | 6.8 %        |
| 3     | SAME:(3)     | 267                  | 21.2 %       |
| 4     | MORE:(4)     | 98                   | 7.8 %        |
| 5     | MCH MORE:(5) | 41                   | 3.3 %        |
| 8     | NO OPIN:(8)  | 64                   | 5.1 %        |
|       | <b>Total</b> | <b>589</b>           | <b>46.8%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 30                   | 2.4 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>669</b>           | <b>53.2%</b> |

This variable has 589 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 133-134 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4282: 10640:>INFLC JUSTC SYS

Item Number: 10640

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

All the courts and the justice system in general

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 22                   | 1.7 %        |
| 2     | LESS:(2)     | 77                   | 6.1 %        |
| 3     | SAME:(3)     | 274                  | 21.8 %       |
| 4     | MORE:(4)     | 109                  | 8.7 %        |
| 5     | MCH MORE:(5) | 45                   | 3.6 %        |
| 8     | NO OPIN:(8)  | 61                   | 4.8 %        |
|       | <b>Total</b> | <b>588</b>           | <b>46.7%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 31                   | 2.5 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>670</b>           | <b>53.3%</b> |

This variable has 588 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 135-136 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4283: 10650:>INFLC POLICE

Item Number: 10650

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

The police and other law enforcement agencies

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 63                   | 5.0 %        |
| 2     | LESS:(2)     | 105                  | 8.3 %        |
| 3     | SAME:(3)     | 190                  | 15.1 %       |
| 4     | MORE:(4)     | 106                  | 8.4 %        |
| 5     | MCH MORE:(5) | 71                   | 5.6 %        |
| 8     | NO OPIN:(8)  | 57                   | 4.5 %        |
|       | <b>Total</b> | <b>592</b>           | <b>47.1%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 27                   | 2.1 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>666</b>           | <b>52.9%</b> |

This variable has 592 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 137-138 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4284: 10660:>INFLC MILITARY

Item Number: 10660

Do you think the following organizations should have more influence, less influence, or about the same amount of influence as they have now?

The U.S. military

1="Much less" 2="Less" 3="Same As Now" 4="More" 5="Much More" 8="No opinion" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM\_GROUP in the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MCH LESS:(1) | 56                   | 4.5 %        |
| 2     | LESS:(2)     | 75                   | 6.0 %        |
| 3     | SAME:(3)     | 217                  | 17.2 %       |
| 4     | MORE:(4)     | 95                   | 7.6 %        |
| 5     | MCH MORE:(5) | 89                   | 7.1 %        |
| 8     | NO OPIN:(8)  | 61                   | 4.8 %        |
|       | <b>Total</b> | <b>593</b>           | <b>47.1%</b> |

| Value | Missing Data         | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| -9    | MISSING:(-9)         | 26                   | 2.1 %        |
| -8    | R ASSIGNED BLUE:(-8) | 639                  | 50.8 %       |
|       | <b>Total</b>         | <b>665</b>           | <b>52.9%</b> |

This variable has 593 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 139-140 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8

---

## V4505: 38470:ILGL AD MRJ PRIV 21+

Item Number: 38470

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Using marijuana (pot, weed) in private

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 851                  | 67.6 %       |
| 2     | NOT SURE:(2) | 181                  | 14.4 %       |
| 3     | YES:(3)      | 189                  | 15.0 %       |
|       | <b>Total</b> | <b>1,221</b>         | <b>97.1%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 37                   | 2.9 %       |
|       | <b>Total</b> | <b>37</b>            | <b>2.9%</b> |

This variable has 1,221 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4506: 38480:ILGL AD MRJ PUBL 21+

Item Number: 38480

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Using marijuana in public places

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 419                  | 33.3 %       |
| 2     | NOT SURE:(2) | 283                  | 22.5 %       |
| 3     | YES:(3)      | 519                  | 41.3 %       |
|       | <b>Total</b> | <b>1,221</b>         | <b>97.1%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 37                   | 2.9 %       |
|       | <b>Total</b> | <b>37</b>            | <b>2.9%</b> |

This variable has 1,221 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 143-144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4507: 38490:ILGL AD LSD PRIV 21+

Item Number: 38490

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Taking LSD in private

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 466                  | 37.0 %       |
| 2     | NOT SURE:(2) | 337                  | 26.8 %       |
| 3     | YES:(3)      | 415                  | 33.0 %       |
|       | <b>Total</b> | <b>1,218</b>         | <b>96.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 40                   | 3.2 %       |
|       | <b>Total</b> | <b>40</b>            | <b>3.2%</b> |

This variable has 1,218 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4508: 38500:ILGL AD LSD PUBL 21+

Item Number: 38500

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Taking LSD in public places

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 212                  | 16.9 %       |
| 2     | NOT SURE:(2) | 242                  | 19.2 %       |
| 3     | YES:(3)      | 766                  | 60.9 %       |
|       | <b>Total</b> | <b>1,220</b>         | <b>97.0%</b> |



| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 38                   | 3.0 %       |
|       | <b>Total</b> | <b>38</b>            | <b>3.0%</b> |

This variable has 1,220 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 147-148 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4509: 38510:ILGL AD AM/SD PV 21+

Item Number: 38510

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Taking amphetamines (uppers) or sedatives (downers) in private

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 409                  | 32.5 %       |
| 2     | NOT SURE:(2) | 369                  | 29.3 %       |
| 3     | YES:(3)      | 441                  | 35.1 %       |
|       | <b>Total</b> | <b>1,219</b>         | <b>96.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 39                   | 3.1 %       |
|       | <b>Total</b> | <b>39</b>            | <b>3.1%</b> |

This variable has 1,219 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 149-150 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4510: 38520:ILGL AD AM/SD PB 21+

Item Number: 38520

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Taking amphetamines or sedatives in public places

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 235                  | 18.7 %       |
| 2     | NOT SURE:(2) | 273                  | 21.7 %       |
| 3     | YES:(3)      | 712                  | 56.6 %       |
|       | <b>Total</b> | <b>1,220</b>         | <b>97.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 38                   | 3.0 %       |
|       | <b>Total</b> | <b>38</b>            | <b>3.0%</b> |

This variable has 1,220 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 151-152 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4511: 38530:ILGL AD HRN PRIV 21+

Item Number: 38530

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Taking heroin in private

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 272                  | 21.6 %       |
| 2     | NOT SURE:(2) | 165                  | 13.1 %       |
| 3     | YES:(3)      | 781                  | 62.1 %       |
|       | <b>Total</b> | <b>1,218</b>         | <b>96.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 40                   | 3.2 %       |
|       | <b>Total</b> | <b>40</b>            | <b>3.2%</b> |

This variable has 1,218 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 153-154 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4512: 38540:ILGL AD HRN PUBL 21+

Item Number: 38540

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Taking heroin in public places

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 189                  | 15.0 %       |
| 2     | NOT SURE:(2) | 92                   | 7.3 %        |
| 3     | YES:(3)      | 932                  | 74.1 %       |
|       | <b>Total</b> | <b>1,213</b>         | <b>96.4%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 45                   | 3.6 %       |
|       | <b>Total</b> | <b>45</b>            | <b>3.6%</b> |

This variable has 1,213 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 155-156 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4513: 38550:ILGL AD DRNK PRV 21+

Item Number: 38550

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Getting drunk in private

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 905                  | 71.9 %       |
| 2     | NOT SURE:(2) | 143                  | 11.4 %       |
| 3     | YES:(3)      | 169                  | 13.4 %       |
|       | <b>Total</b> | <b>1,217</b>         | <b>96.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 41                   | 3.3 %       |
|       | <b>Total</b> | <b>41</b>            | <b>3.3%</b> |

This variable has 1,217 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 157-158 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4514: 38560:ILGL AD DRNK PUBL 21+

Item Number: 38560

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Getting drunk in public places

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 517                  | 41.1 %       |
| 2     | NOT SURE:(2) | 329                  | 26.2 %       |
| 3     | YES:(3)      | 371                  | 29.5 %       |
|       | <b>Total</b> | <b>1,217</b>         | <b>96.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 41                   | 3.3 %       |
|       | <b>Total</b> | <b>41</b>            | <b>3.3%</b> |

This variable has 1,217 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 159-160 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4515: 38570:LAW 4 SMK TOBPUB 21+

Item Number: 38570

Do you think that people (who are 21 or older) should be prohibited by law from doing each of the following?

Smoking tobacco in certain specified public places

1="No" 2="Not Sure" 3="Yes"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 560                  | 44.5 %       |
| 2     | NOT SURE:(2) | 284                  | 22.6 %       |
| 3     | YES:(3)      | 372                  | 29.6 %       |
|       | <b>Total</b> | <b>1,216</b>         | <b>96.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 42                   | 3.3 %       |
|       | <b>Total</b> | <b>42</b>            | <b>3.3%</b> |

This variable has 1,216 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 161-162 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4296: 10880:CRIME 2 USE MARJ

Item Number: 10880

In particular, there has been a great deal of public debate about whether marijuana use should be legal. Not counting medical marijuana (with a doctor's prescription), which of the following policies do you favor?

1="Using marijuana should be entirely legal" 2="It should be a minor violation--like a parking ticket--but not a crime"  
3="It should be a crime" 4="Don't know"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | LEGAL:(1)    | 580                  | 46.1 %       |
| 2     | TICKET:(2)   | 352                  | 28.0 %       |
| 3     | CRIME:(3)    | 103                  | 8.2 %        |
| 4     | DK:(4)       | 181                  | 14.4 %       |
|       | <b>Total</b> | <b>1,216</b>         | <b>96.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 42                   | 3.3 %       |
|       | <b>Total</b> | <b>42</b>            | <b>3.3%</b> |

This variable has 1,216 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 163-164 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4516: 38580:REC MJ LEGAL

Item Number: 38580

Is recreational marijuana legal where you live?

1="No" 2="Yes, but only to adults" 3="Yes, to anyone" 4="Don't know"

| Value | Label                | Unweighted Frequency | %      |
|-------|----------------------|----------------------|--------|
| 1     | NO:(1)               | 397                  | 31.6 % |
| 2     | YES, ONLY ADULTS:(2) | 395                  | 31.4 % |
| 3     | YES, ANYONE:(3)      | 43                   | 3.4 %  |
| 4     | DONT KNOW:(4)        | 380                  | 30.2 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,215</b>         | <b>96.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 43                   | 3.4 %       |
|       | <b>Total</b> | <b>43</b>            | <b>3.4%</b> |

This variable has 1,215 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 165-166 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4517: 38590:USE<REC MJ IF LEGAL

Item Number: 38590

If recreational marijuana became legal where you live, which of the following would you be most likely to do?

1="Not use it, even if it were legal and available" 2="Try it"

3="Use it about as often as I do now"

4="Use it more often than I do now"

5="Use it less than I do now" 6="Don't know"

| Value | Label              | Unweighted Frequency | %            |
|-------|--------------------|----------------------|--------------|
| 1     | NOT USE IT:(1)     | 420                  | 33.4 %       |
| 2     | TRY IT:(2)         | 111                  | 8.8 %        |
| 3     | USE AS OFTEN:(3)   | 85                   | 6.8 %        |
| 4     | USE MORE OFTEN:(4) | 27                   | 2.1 %        |
| 5     | USE LESS OFTEN:(5) | 5                    | 0.4 %        |
| 6     | DONT KNOW:(6)      | 128                  | 10.2 %       |
|       | <b>Total</b>       | <b>776</b>           | <b>61.7%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 482                  | 38.3 %       |
|       | <b>Total</b> | <b>482</b>           | <b>38.3%</b> |

This variable has 776 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 167-168 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4101: 00760:EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice"

3="Occasionally but not regularly"

4="Regularly in the past" 5="Regularly now"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NEVER:(1)    | 1009                 | 80.2 %       |
| 2     | 1-2X:(2)     | 145                  | 11.5 %       |
| 3     | OCCASNLY:(3) | 48                   | 3.8 %        |
| 4     | REG PAST:(4) | 8                    | 0.6 %        |
| 5     | REG NOW:(5)  | 7                    | 0.6 %        |
|       | <b>Total</b> | <b>1,217</b>         | <b>96.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 41                   | 3.3 %       |
|       | <b>Total</b> | <b>41</b>            | <b>3.3%</b> |

This variable has 1,217 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4102: 00780:#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day"



3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day"  
 6="About one and one-half packs per day" 7="Two packs or more per day"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NOT AT ALL:(1) | 1174                 | 93.3 %       |
| 2     | <1 CIG/D:(2)   | 32                   | 2.5 %        |
| 3     | 1-5/DAY:(3)    | 6                    | 0.5 %        |
| 4     | 1/2 PK:(4)     | 3                    | 0.2 %        |
| 5     | 1 PK:(5)       | 2                    | 0.2 %        |
| 6     | 1 1/2 PK:(6)   | 1                    | 0.1 %        |
| 7     | 2+ PKS:(7)     | 0                    | 0.0 %        |
|       | <b>Total</b>   | <b>1,218</b>         | <b>96.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 40                   | 3.2 %       |
|       | <b>Total</b> | <b>40</b>            | <b>3.2%</b> |

This variable has 1,218 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 171-172 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4103: 00790:EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink-more than just a few sips?

1 ="No" 2="Yes

Note: This question was dropped from the survey in 2022 and added back in the 2023 survey.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 549                  | 43.6 %       |
| 2     | YES:(2)      | 653                  | 51.9 %       |
|       | <b>Total</b> | <b>1,202</b>         | <b>95.5%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 56                   | 4.5 %       |
|       | <b>Total</b> | <b>56</b>            | <b>4.5%</b> |

This variable has 1,202 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 173-174 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4104: 00810:#X DRNK/LIFETIME

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ..in your lifetime?

1="0 Occasions" [includes respondents who said no to header question]

2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 549                  | 43.6 %       |
| 2     | 1-2X:(2)     | 121                  | 9.6 %        |
| 3     | 3-5X:(3)     | 126                  | 10.0 %       |
| 4     | 6-9X:(4)     | 98                   | 7.8 %        |
| 5     | 10-19X:(5)   | 98                   | 7.8 %        |
| 6     | 20-39X:(6)   | 80                   | 6.4 %        |
| 7     | 40+OCCAS:(7) | 118                  | 9.4 %        |
|       | <b>Total</b> | <b>1,190</b>         | <b>94.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 68                   | 5.4 %       |
|       | <b>Total</b> | <b>68</b>            | <b>5.4%</b> |

This variable has 1,190 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4105: 00820:#X DRNK/LAST12MO

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 618                  | 49.1 %       |
| 2     | 1-2X:(2)     | 193                  | 15.3 %       |
| 3     | 3-5X:(3)     | 127                  | 10.1 %       |
| 4     | 6-9X:(4)     | 87                   | 6.9 %        |
| 5     | 10-19X:(5)   | 74                   | 5.9 %        |
| 6     | 20-39X:(6)   | 45                   | 3.6 %        |
| 7     | 40+OCCAS:(7) | 37                   | 2.9 %        |
|       | <b>Total</b> | <b>1,181</b>         | <b>93.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 77                   | 6.1 %       |
|       | <b>Total</b> | <b>77</b>            | <b>6.1%</b> |

This variable has 1,181 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4106: 00830:#X DRNK/LAST30DA

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 853                  | 67.8 %       |
| 2     | 1-2X:(2)     | 204                  | 16.2 %       |
| 3     | 3-5X:(3)     | 75                   | 6.0 %        |
| 4     | 6-9X:(4)     | 31                   | 2.5 %        |
| 5     | 10-19X:(5)   | 12                   | 1.0 %        |
| 6     | 20-39X:(6)   | 5                    | 0.4 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,182</b>         | <b>94.0%</b> |
| Value | Missing Data | Unweighted Frequency | %            |
| -9    | MISSING:(-9) | 76                   | 6.0 %        |
|       | <b>Total</b> | <b>76</b>            | <b>6.0%</b>  |

This variable has 1,182 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 179-180 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7942: 39060:DAILY USE ALC/30DAY

Item Number: 39060

On how many DAYS during the LAST 30 DAYS have you used alcohol?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

| Value | Label          | Unweighted Frequency | %      |
|-------|----------------|----------------------|--------|
| 1     | 0 DAYS:(1)     | 872                  | 69.3 % |
| 2     | 1-2 DAYS:(2)   | 172                  | 13.7 % |
| 3     | 3-5 DAYS:(3)   | 86                   | 6.8 %  |
| 4     | 6-9 DAYS:(4)   | 34                   | 2.7 %  |
| 5     | 10-19 DAYS:(5) | 12                   | 1.0 %  |
| 6     | 20-29 DAYS:(6) | 5                    | 0.4 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 7     | 30 DAYS:(7)  | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,182</b>         | <b>94.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 76                   | 6.0 %       |
|       | <b>Total</b> | <b>76</b>            | <b>6.0%</b> |

This variable has 1,182 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 181-182 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4107: 00840:#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions"

3="On about half of the occasions" 4="On most of the occasions"

5="On nearly all of the occasions"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 202                  | 16.1 %       |
| 2     | FEW OCC:(2)  | 200                  | 15.9 %       |
| 3     | HALF OCC:(3) | 82                   | 6.5 %        |
| 4     | MOST OCC:(4) | 100                  | 7.9 %        |
| 5     | NRLY ALL:(5) | 67                   | 5.3 %        |
|       | <b>Total</b> | <b>651</b>           | <b>51.7%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 607                  | 48.3 %       |
|       | <b>Total</b> | <b>607</b>           | <b>48.3%</b> |

This variable has 651 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4108: 00850:5+DRK ROW/LST 2W

Item Number: 00850

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, one "drink" means any of the following:

12 fl oz of regular beer

8-9 fl oz of malt liquor

5 fl oz of wine

1.5 fl oz shot of distilled spirits (gin, rum, tequila, vodka, whiskey, etc.)

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

1="None" [includes respondents who indicated nonuse above] 2="Once"

3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 1020                 | 81.1 %       |
| 2     | ONCE:(2)     | 81                   | 6.4 %        |
| 3     | TWICE:(3)    | 43                   | 3.4 %        |
| 4     | 3-5X:(4)     | 28                   | 2.2 %        |
| 5     | 6-9X:(5)     | 3                    | 0.2 %        |
| 6     | 10+ TIME:(6) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,177</b>         | <b>93.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 81                   | 6.4 %       |
|       | <b>Total</b> | <b>81</b>            | <b>6.4%</b> |

This variable has 1,177 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 185-186 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V7957: 38960:#X CBD/LIFETIME

Item Number: 38960

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 901                  | 71.6 %       |
| 2     | 1-2X:(2)     | 91                   | 7.2 %        |
| 3     | 3-5X:(3)     | 57                   | 4.5 %        |
| 4     | 6-9X:(4)     | 36                   | 2.9 %        |
| 5     | 10-19X:(5)   | 31                   | 2.5 %        |
| 6     | 20-39X:(6)   | 13                   | 1.0 %        |
| 7     | 40+OCCAS:(7) | 68                   | 5.4 %        |
|       | <b>Total</b> | <b>1,197</b>         | <b>95.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 61                   | 4.8 %       |
|       | <b>Total</b> | <b>61</b>            | <b>4.8%</b> |

This variable has 1,197 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 187-188 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7958: 38970:#X CBD/LAST12MO

Item Number: 38970

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 978                  | 77.7 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 2     | 1-2X:(2)     | 86                   | 6.8 %        |
| 3     | 3-5X:(3)     | 37                   | 2.9 %        |
| 4     | 6-9X:(4)     | 22                   | 1.7 %        |
| 5     | 10-19X:(5)   | 24                   | 1.9 %        |
| 6     | 20-39X:(6)   | 13                   | 1.0 %        |
| 7     | 40+OCCAS:(7) | 32                   | 2.5 %        |
|       | <b>Total</b> | <b>1,192</b>         | <b>94.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 66                   | 5.2 %       |
|       | <b>Total</b> | <b>66</b>            | <b>5.2%</b> |

This variable has 1,192 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 189-190 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V7959: 38980:#X CBD/LAST30DA

Item Number: 38980

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | 0 OCCAS:(1)  | 1072                 | 85.2 % |
| 2     | 1-2X:(2)     | 54                   | 4.3 %  |
| 3     | 3-5X:(3)     | 20                   | 1.6 %  |
| 4     | 6-9X:(4)     | 15                   | 1.2 %  |
| 5     | 10-19X:(5)   | 5                    | 0.4 %  |
| 6     | 20-39X:(6)   | 11                   | 0.9 %  |
| 7     | 40+OCCAS:(7) | 16                   | 1.3 %  |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,193</b>         | <b>94.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 65                   | 5.2 %       |
|       | <b>Total</b> | <b>65</b>            | <b>5.2%</b> |

This variable has 1,193 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4115: 00860:#XMJ+HS/LIFETIME

Item Number: 00860

The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: The question stem text changed again in 2023. Please see the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 745                  | 59.2 %       |
| 2     | 1-2X:(2)     | 101                  | 8.0 %        |
| 3     | 3-5X:(3)     | 58                   | 4.6 %        |
| 4     | 6-9X:(4)     | 42                   | 3.3 %        |
| 5     | 10-19X:(5)   | 43                   | 3.4 %        |
| 6     | 20-39X:(6)   | 33                   | 2.6 %        |
| 7     | 40+OCCAS:(7) | 165                  | 13.1 %       |
|       | <b>Total</b> | <b>1,187</b>         | <b>94.4%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 71                   | 5.6 % |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>71</b>            | <b>5.6%</b> |

This variable has 1,187 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4116: 00870:#XMJ+HS/LAST12MO

Item Number: 00870

The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: The question stem text changed again in 2023. Please see the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 831                  | 66.1 %       |
| 2     | 1-2X:(2)     | 94                   | 7.5 %        |
| 3     | 3-5X:(3)     | 55                   | 4.4 %        |
| 4     | 6-9X:(4)     | 35                   | 2.8 %        |
| 5     | 10-19X:(5)   | 31                   | 2.5 %        |
| 6     | 20-39X:(6)   | 30                   | 2.4 %        |
| 7     | 40+OCCAS:(7) | 106                  | 8.4 %        |
|       | <b>Total</b> | <b>1,182</b>         | <b>94.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 76                   | 6.0 %       |
|       | <b>Total</b> | <b>76</b>            | <b>6.0%</b> |

This variable has 1,182 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4117: 00880:#XMJ+HS/LAST30DA

Item Number: 00880

The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: The question stem text changed again in 2023. Please see the codebook for details.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 948                  | 75.4 %       |
| 2     | 1-2X:(2)     | 73                   | 5.8 %        |
| 3     | 3-5X:(3)     | 32                   | 2.5 %        |
| 4     | 6-9X:(4)     | 23                   | 1.8 %        |
| 5     | 10-19X:(5)   | 25                   | 2.0 %        |
| 6     | 20-39X:(6)   | 27                   | 2.1 %        |
| 7     | 40+OCCAS:(7) | 56                   | 4.5 %        |
|       | <b>Total</b> | <b>1,184</b>         | <b>94.1%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 74                   | 5.9 %       |
|       | <b>Total</b> | <b>74</b>            | <b>5.9%</b> |

This variable has 1,184 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V7943: 39070:DAILY USE MJ/30DAY

Item Number: 39070

On how many DAYS during the LAST 30 DAYS have you used marijuana?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | 0 DAYS:(1)     | 962                  | 76.5 %       |
| 2     | 1-2 DAYS:(2)   | 58                   | 4.6 %        |
| 3     | 3-5 DAYS:(3)   | 39                   | 3.1 %        |
| 4     | 6-9 DAYS:(4)   | 19                   | 1.5 %        |
| 5     | 10-19 DAYS:(5) | 32                   | 2.5 %        |
| 6     | 20-29 DAYS:(6) | 32                   | 2.5 %        |
| 7     | 30 DAYS:(7)    | 42                   | 3.3 %        |
|       | <b>Total</b>   | <b>1,184</b>         | <b>94.1%</b> |
| Value | Missing Data   | Unweighted Frequency | %            |
| -9    | MISSING:(-9)   | 74                   | 5.9 %        |
|       | <b>Total</b>   | <b>74</b>            | <b>5.9%</b>  |

This variable has 1,184 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 199-200 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4118: 00890:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid")... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1170                 | 93.0 % |
| 2     | 1-2X:(2)    | 23                   | 1.8 %  |
| 3     | 3-5X:(3)    | 5                    | 0.4 %  |
| 4     | 6-9X:(4)    | 2                    | 0.2 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 5     | 10-19X:(5)   | 2                    | 0.2 %        |
| 6     | 20-39X:(6)   | 2                    | 0.2 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,206</b>         | <b>95.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 52                   | 4.1 %       |
|       | <b>Total</b> | <b>52</b>            | <b>4.1%</b> |

This variable has 1,206 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 201-202 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4119: 00900:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid")... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1194                 | 94.9 %       |
| 2     | 1-2X:(2)     | 8                    | 0.6 %        |
| 3     | 3-5X:(3)     | 1                    | 0.1 %        |
| 4     | 6-9X:(4)     | 2                    | 0.2 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,206</b>         | <b>95.9%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 52                   | 4.1 % |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>52</b>            | <b>4.1%</b> |

This variable has 1,206 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 203-204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4120: 00910:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid")... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1202                 | 95.5 %       |
| 2     | 1-2X:(2)     | 2                    | 0.2 %        |
| 3     | 3-5X:(3)     | 1                    | 0.1 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,206</b>         | <b>95.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 52                   | 4.1 %       |
|       | <b>Total</b> | <b>52</b>            | <b>4.1%</b> |

This variable has 1,206 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**V4121: 00920:#X PSYD/LIFETIME**

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP)... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1132                 | 90.0 %       |
| 2     | 1-2X:(2)     | 51                   | 4.1 %        |
| 3     | 3-5X:(3)     | 13                   | 1.0 %        |
| 4     | 6-9X:(4)     | 4                    | 0.3 %        |
| 5     | 10-19X:(5)   | 4                    | 0.3 %        |
| 6     | 20-39X:(6)   | 2                    | 0.2 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,208</b>         | <b>96.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 50                   | 4.0 %       |
|       | <b>Total</b> | <b>50</b>            | <b>4.0%</b> |

This variable has 1,208 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 207-208 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**V4122: 00930:#X PSYD/LAST12MO**

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP)... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1163                 | 92.4 %       |
| 2     | 1-2X:(2)     | 30                   | 2.4 %        |
| 3     | 3-5X:(3)     | 7                    | 0.6 %        |
| 4     | 6-9X:(4)     | 3                    | 0.2 %        |
| 5     | 10-19X:(5)   | 2                    | 0.2 %        |
| 6     | 20-39X:(6)   | 1                    | 0.1 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,207</b>         | <b>95.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 51                   | 4.1 %       |
|       | <b>Total</b> | <b>51</b>            | <b>4.1%</b> |

This variable has 1,207 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 209-210 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4123: 00940:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP)... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1194                 | 94.9 % |
| 2     | 1-2X:(2)    | 7                    | 0.6 %  |
| 3     | 3-5X:(3)    | 4                    | 0.3 %  |
| 4     | 6-9X:(4)    | 0                    | 0.0 %  |
| 5     | 10-19X:(5)  | 1                    | 0.1 %  |
| 6     | 20-39X:(6)  | 0                    | 0.0 %  |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,207</b>         | <b>95.9%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 51                   | 4.1 %       |
|       | <b>Total</b> | <b>51</b>            | <b>4.1%</b> |

This variable has 1,207 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4127: 00980:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1146                 | 91.1 %       |
| 2     | 1-2X:(2)     | 24                   | 1.9 %        |
| 3     | 3-5X:(3)     | 13                   | 1.0 %        |
| 4     | 6-9X:(4)     | 6                    | 0.5 %        |
| 5     | 10-19X:(5)   | 4                    | 0.3 %        |
| 6     | 20-39X:(6)   | 5                    | 0.4 %        |
| 7     | 40+OCCAS:(7) | 4                    | 0.3 %        |
|       | <b>Total</b> | <b>1,202</b>         | <b>95.5%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 56                   | 4.5 %       |
|       | <b>Total</b> | <b>56</b>            | <b>4.5%</b> |

This variable has 1,202 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 213-214 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4128: 00990:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1176                 | 93.5 %       |
| 2     | 1-2X:(2)     | 12                   | 1.0 %        |
| 3     | 3-5X:(3)     | 7                    | 0.6 %        |
| 4     | 6-9X:(4)     | 3                    | 0.2 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 2                    | 0.2 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4129: 01000:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1187                 | 94.4 %       |
| 2     | 1-2X:(2)     | 10                   | 0.8 %        |
| 3     | 3-5X:(3)     | 3                    | 0.2 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 1                    | 0.1 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4039: 22260:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1200                 | 95.4 %       |
| 2     | 1-2X:(2)     | 4                    | 0.3 %        |
| 3     | 3-5X:(3)     | 2                    | 0.2 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,209</b>         | <b>96.1%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 49                   | 3.9 %       |
|       | <b>Total</b> | <b>49</b>            | <b>3.9%</b> |

This variable has 1,209 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 219-220 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4040: 22270:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1205                 | 95.8 % |
| 2     | 1-2X:(2)    | 3                    | 0.2 %  |
| 3     | 3-5X:(3)    | 0                    | 0.0 %  |
| 4     | 6-9X:(4)    | 0                    | 0.0 %  |
| 5     | 10-19X:(5)  | 0                    | 0.0 %  |
| 6     | 20-39X:(6)  | 0                    | 0.0 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,209</b>         | <b>96.1%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 49                   | 3.9 %       |
|       | <b>Total</b> | <b>49</b>            | <b>3.9%</b> |

This variable has 1,209 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

---

## V4041: 22280:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1208                 | 96.0 %       |
| 2     | 1-2X:(2)     | 0                    | 0.0 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,209</b>         | <b>96.1%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 49                   | 3.9 %       |
|       | <b>Total</b> | <b>49</b>            | <b>3.9%</b> |

This variable has 1,209 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 223-224 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4042: 22320:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1188                 | 94.4 %       |
| 2     | 1-2X:(2)     | 10                   | 0.8 %        |
| 3     | 3-5X:(3)     | 3                    | 0.2 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 225-226 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4043: 22330:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1198                 | 95.2 %       |
| 2     | 1-2X:(2)     | 3                    | 0.2 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 227-228 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

#### V4044: 22340:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1199                 | 95.3 % |
| 2     | 1-2X:(2)    | 2                    | 0.2 %  |
| 3     | 3-5X:(3)    | 0                    | 0.0 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4124: 00950:#X COKE/LIFETIME

Item Number: 00950

Component questions:

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ..in your lifetime? [item 22260]

On how many occasions (if any) have you used cocaine in any other form... ..in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | 0 OCCAS:(1)  | 1184                 | 94.1 % |
| 2     | 1-2X:(2)     | 8                    | 0.6 %  |
| 3     | 3-5X:(3)     | 6                    | 0.5 %  |
| 4     | 6-9X:(4)     | 1                    | 0.1 %  |
| 5     | 10-19X:(5)   | 1                    | 0.1 %  |
| 6     | 20-39X:(6)   | 0                    | 0.0 %  |
| 7     | 40+OCCAS:(7) | 3                    | 0.2 %  |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 231-232 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4125: 00960:#X COKE/LAST12MO

Item Number: 00960

Component questions:

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ..during the last 12 months? [item 22270]

On how many occasions (if any) have you used cocaine in any other form... ..during the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1196                 | 95.1 %       |
| 2     | 1-2X:(2)     | 4                    | 0.3 %        |
| 3     | 3-5X:(3)     | 1                    | 0.1 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 55                   | 4.4 % |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 233-234 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4126: 00970:#X COKE/LAST30DA

Item Number: 00970

Component questions:

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ...during the last 30 days? [item 22280]

On how many occasions (if any) have you used cocaine in any other form... ...during the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1199                 | 95.3 %       |
| 2     | 1-2X:(2)     | 2                    | 0.2 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4133: 01040:#X SED/BARB/LIFETIME

Item Number: 01040

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1166                 | 92.7 %       |
| 2     | 1-2X:(2)     | 17                   | 1.4 %        |
| 3     | 3-5X:(3)     | 10                   | 0.8 %        |
| 4     | 6-9X:(4)     | 3                    | 0.2 %        |
| 5     | 10-19X:(5)   | 5                    | 0.4 %        |
| 6     | 20-39X:(6)   | 3                    | 0.2 %        |
| 7     | 40+OCCAS:(7) | 4                    | 0.3 %        |
|       | <b>Total</b> | <b>1,208</b>         | <b>96.0%</b> |
| Value | Missing Data | Unweighted Frequency | %            |
| -9    | MISSING:(-9) | 50                   | 4.0 %        |
|       | <b>Total</b> | <b>50</b>            | <b>4.0%</b>  |

This variable has 1,208 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4134: 01050:#X SED/BARB/LAST12MO

Item Number: 01050

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1184                 | 94.1 %       |
| 2     | 1-2X:(2)     | 8                    | 0.6 %        |
| 3     | 3-5X:(3)     | 6                    | 0.5 %        |
| 4     | 6-9X:(4)     | 4                    | 0.3 %        |
| 5     | 10-19X:(5)   | 2                    | 0.2 %        |
| 6     | 20-39X:(6)   | 2                    | 0.2 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,208</b>         | <b>96.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 50                   | 4.0 %       |
|       | <b>Total</b> | <b>50</b>            | <b>4.0%</b> |

This variable has 1,208 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 239-240 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4135: 01060:#X SED/BARB/LAST30DA

Item Number: 01060

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1197                 | 95.2 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 2     | 1-2X:(2)     | 6                    | 0.5 %        |
| 3     | 3-5X:(3)     | 3                    | 0.2 %        |
| 4     | 6-9X:(4)     | 1                    | 0.1 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,208</b>         | <b>96.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 50                   | 4.0 %       |
|       | <b>Total</b> | <b>50</b>            | <b>4.0%</b> |

This variable has 1,208 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4136: 01070:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1164                 | 92.5 % |
| 2     | 1-2X:(2)    | 23                   | 1.8 %  |
| 3     | 3-5X:(3)    | 5                    | 0.4 %  |
| 4     | 6-9X:(4)    | 3                    | 0.2 %  |
| 5     | 10-19X:(5)  | 6                    | 0.5 %  |
| 6     | 20-39X:(6)  | 1                    | 0.1 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 54                   | 4.3 %       |
|       | <b>Total</b> | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 243-244 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4137: 01080:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1189                 | 94.5 %       |
| 2     | 1-2X:(2)     | 6                    | 0.5 %        |
| 3     | 3-5X:(3)     | 6                    | 0.5 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 1                    | 0.1 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 54                   | 4.3 %       |
|       | <b>Total</b> | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 245-246 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4138: 01090:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1200                 | 95.4 %       |
| 2     | 1-2X:(2)     | 2                    | 0.2 %        |
| 3     | 3-5X:(3)     | 3                    | 0.2 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>1,205</b>         | <b>95.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 53                   | 4.2 %       |
|       | <b>Total</b> | <b>53</b>            | <b>4.2%</b> |

This variable has 1,205 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4139: 01100:#X H/LIFETIME

Item Number: 01100

On how many occasions (if any) have you taken heroin... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1201                 | 95.5 %       |
| 2     | 1-2X:(2)     | 2                    | 0.2 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,205</b>         | <b>95.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 53                   | 4.2 %       |
|       | <b>Total</b> | <b>53</b>            | <b>4.2%</b> |

This variable has 1,205 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4140: 01110:#X H/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you taken heroin... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1203                 | 95.6 % |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 2     | 1-2X:(2)     | 1                    | 0.1 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,206</b>         | <b>95.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 52                   | 4.1 %       |
|       | <b>Total</b> | <b>52</b>            | <b>4.1%</b> |

This variable has 1,206 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 251-252 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4141: 01120:#X H/LAST 30DA

Item Number: 01120

On how many occasions (if any) have you taken heroin... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1203                 | 95.6 %       |
| 2     | 1-2X:(2)     | 1                    | 0.1 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,206</b>         | <b>95.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 52                   | 4.1 %       |
|       | <b>Total</b> | <b>52</b>            | <b>4.1%</b> |

This variable has 1,206 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4142: 01130:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1177                 | 93.6 %       |
| 2     | 1-2X:(2)     | 11                   | 0.9 %        |
| 3     | 3-5X:(3)     | 4                    | 0.3 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 4                    | 0.3 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 7                    | 0.6 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4143: 01140:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1189                 | 94.5 %       |
| 2     | 1-2X:(2)     | 7                    | 0.6 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 2                    | 0.2 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 4                    | 0.3 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4144: 01150:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1196                 | 95.1 %       |
| 2     | 1-2X:(2)     | 3                    | 0.2 %        |
| 3     | 3-5X:(3)     | 1                    | 0.1 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 1                    | 0.1 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 259-260 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4462: 30800:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1199                 | 95.3 % |
| 2     | 1-2X:(2)    | 1                    | 0.1 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 1                    | 0.1 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 261-262 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4463: 30810:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1199                 | 95.3 %       |
| 2     | 1-2X:(2)     | 1                    | 0.1 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 1                    | 0.1 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 263-264 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4464: 30820:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1200                 | 95.4 %       |
| 2     | 1-2X:(2)     | 1                    | 0.1 %        |
| 3     | 3-5X:(3)     | 0                    | 0.0 %        |
| 4     | 6-9X:(4)     | 1                    | 0.1 %        |
| 5     | 10-19X:(5)   | 0                    | 0.0 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 55                   | 4.4 %       |
|       | <b>Total</b> | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

#### V4444: 22660:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy")... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1178                 | 93.6 %       |
| 2     | 1-2X:(2)     | 13                   | 1.0 %        |
| 3     | 3-5X:(3)     | 2                    | 0.2 %        |
| 4     | 6-9X:(4)     | 2                    | 0.2 %        |
| 5     | 10-19X:(5)   | 4                    | 0.3 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>1,199</b>         | <b>95.3%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 59                   | 4.7 %       |
|       | <b>Total</b> | <b>59</b>            | <b>4.7%</b> |

This variable has 1,199 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

#### V4445: 22670:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy")... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1188                 | 94.4 %       |
| 2     | 1-2X:(2)     | 7                    | 0.6 %        |
| 3     | 3-5X:(3)     | 3                    | 0.2 %        |
| 4     | 6-9X:(4)     | 1                    | 0.1 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>1,200</b>         | <b>95.4%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 58                   | 4.6 %       |
|       | <b>Total</b> | <b>58</b>            | <b>4.6%</b> |

This variable has 1,200 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 269-270 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4446: 22680:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy")... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"  
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 1194                 | 94.9 % |
| 2     | 1-2X:(2)    | 3                    | 0.2 %  |
| 3     | 3-5X:(3)    | 0                    | 0.0 %  |
| 4     | 6-9X:(4)    | 0                    | 0.0 %  |
| 5     | 10-19X:(5)  | 1                    | 0.1 %  |
| 6     | 20-39X:(6)  | 0                    | 0.0 %  |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 7     | 40+OCCAS:(7) | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>1,198</b>         | <b>95.2%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 60                   | 4.8 %       |
|       | <b>Total</b> | <b>60</b>            | <b>4.8%</b> |

This variable has 1,198 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 271-272 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4470: 34230:EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a vape-pen, e-cigarette, e-hookah, or e-vaporizer to inhale a vapor into the lungs. Have you ever vaped?

0="No" 1="Yes

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NO:(0)       | 723                  | 57.5 %       |
| 1     | YES:(1)      | 482                  | 38.3 %       |
|       | <b>Total</b> | <b>1,205</b>         | <b>95.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 53                   | 4.2 %       |
|       | <b>Total</b> | <b>53</b>            | <b>4.2%</b> |

This variable has 1,205 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 273-274 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V7780: 35910:VAPED NIC/LIFE

Item Number: 35910

In your LIFETIME how often have you vaped nicotine?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NEVER:(1)    | 747                  | 59.4 %       |
| 2     | 1-2X:(2)     | 148                  | 11.8 %       |
| 3     | OCCASNLY:(3) | 122                  | 9.7 %        |
| 4     | REG PAST:(4) | 83                   | 6.6 %        |
| 5     | REG NOW:(5)  | 104                  | 8.3 %        |
|       | <b>Total</b> | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 54                   | 4.3 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

---

## V7781: 35920:VAPED NIC/12MO

Item Number: 35920

During the LAST 12 MONTHS have you vaped nicotine?

1="Yes" 2="No"

| Value | Label   | Unweighted Frequency | %      |
|-------|---------|----------------------|--------|
| 1     | YES:(1) | 347                  | 27.6 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 2     | NO:(2)       | 858                  | 68.2 %       |
|       | <b>Total</b> | <b>1,205</b>         | <b>95.8%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 53                   | 4.2 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>53</b>            | <b>4.2%</b> |

This variable has 1,205 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

---

## V7782: 35930:VAPED NIC DAYS/30DA

Item Number: 35930

On how many DAYS (if any) during the LAST 30 DAYS have you vaped nicotine?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | 0 DAYS:(1)     | 951                  | 75.6 %       |
| 2     | 1-2 DAYS:(2)   | 64                   | 5.1 %        |
| 3     | 3-5 DAYS:(3)   | 26                   | 2.1 %        |
| 4     | 6-9 DAYS:(4)   | 19                   | 1.5 %        |
| 5     | 10-19 DAYS:(5) | 25                   | 2.0 %        |
| 6     | 20-29 DAYS:(6) | 25                   | 2.0 %        |
| 7     | 30 DAYS:(7)    | 93                   | 7.4 %        |
|       | <b>Total</b>   | <b>1,203</b>         | <b>95.6%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 55                   | 4.4 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>55</b>            | <b>4.4%</b> |

This variable has 1,203 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 279-280 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -6

---

## V7789: 35940:START VAPE NIC 30DA

Item Number: 35940

Did you first start vaping nicotine in the LAST 30 DAYS?

1="Yes" 2="No"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | YES:(1)      | 13                   | 1.0 %        |
| 2     | NO:(2)       | 239                  | 19.0 %       |
|       | <b>Total</b> | <b>252</b>           | <b>20.0%</b> |

| Value | Missing Data               | Unweighted Frequency | %            |
|-------|----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)               | 55                   | 4.4 %        |
| -7    | NO NIC VAPING 30 DAYS:(-7) | 228                  | 18.1 %       |
| -6    | NO VAPING:(-6)             | 723                  | 57.5 %       |
|       | <b>Total</b>               | <b>1,006</b>         | <b>80.0%</b> |

This variable has 252 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 281-282 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7783: 35950:VAPED MJ/LIFE

Item Number: 35950

In your LIFETIME how often have you... ..vaped marijuana?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NEVER:(1)    | 865                  | 68.8 %       |
| 2     | 1-2X:(2)     | 102                  | 8.1 %        |
| 3     | OCCASNLY:(3) | 112                  | 8.9 %        |
| 4     | REG PAST:(4) | 56                   | 4.5 %        |
| 5     | REG NOW:(5)  | 69                   | 5.5 %        |
|       | <b>Total</b> | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 54                   | 4.3 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 283-284 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -6

---

## V7784: 35960:VAPED MJ/12MO

Item Number: 35960

During the LAST 12 MONTHS have you... ..vaped marijuana?

1="Yes" 2="No"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | YES:(1)      | 279                  | 22.2 %       |
| 2     | NO:(2)       | 925                  | 73.5 %       |
|       | <b>Total</b> | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 54                   | 4.3 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 285-286 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -6

---

## V7785: 35970:VAPED MJ DAYS/30DA

Item Number: 35970

On how many DAYS (if any) during the LAST 30 DAYS have you... ..vaped marijuana?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | 0 DAYS:(1)     | 1017                 | 80.8 %       |
| 2     | 1-2 DAYS:(2)   | 58                   | 4.6 %        |
| 3     | 3-5 DAYS:(3)   | 30                   | 2.4 %        |
| 4     | 6-9 DAYS:(4)   | 21                   | 1.7 %        |
| 5     | 10-19 DAYS:(5) | 28                   | 2.2 %        |
| 6     | 20-29 DAYS:(6) | 23                   | 1.8 %        |
| 7     | 30 DAYS:(7)    | 27                   | 2.1 %        |
|       | <b>Total</b>   | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 54                   | 4.3 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 287-288 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -6

---

## V7786: 35980:VAPED FLAV/LIFE

Item Number: 35980

In your LIFETIME how often have you vaped just flavoring?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NEVER:(1)    | 906                  | 72.0 %       |
| 2     | 1-2X:(2)     | 155                  | 12.3 %       |
| 3     | OCCASNLY:(3) | 65                   | 5.2 %        |
| 4     | REG PAST:(4) | 37                   | 2.9 %        |
| 5     | REG NOW:(5)  | 41                   | 3.3 %        |
|       | <b>Total</b> | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 54                   | 4.3 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 289-290 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -6

---

## V7787: 35990:VAPED FLAV/12MO

Item Number: 35990

During the LAST 12 MONTHS have you vaped just flavoring?

1="Yes" 2="No"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | YES:(1)      | 162                  | 12.9 %       |
| 2     | NO:(2)       | 1042                 | 82.8 %       |
|       | <b>Total</b> | <b>1,204</b>         | <b>95.7%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 54                   | 4.3 % |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>54</b>            | <b>4.3%</b> |

This variable has 1,204 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 291-292 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -6

## V7788: 36000:VAPED FLAV DAYS/30DA

Item Number: 36000

On how many DAYS (if any) during the LAST 30 DAYS have you vaped just flavoring?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | 0 DAYS:(1)     | 1096                 | 87.1 %       |
| 2     | 1-2 DAYS:(2)   | 37                   | 2.9 %        |
| 3     | 3-5 DAYS:(3)   | 16                   | 1.3 %        |
| 4     | 6-9 DAYS:(4)   | 7                    | 0.6 %        |
| 5     | 10-19 DAYS:(5) | 8                    | 0.6 %        |
| 6     | 20-29 DAYS:(6) | 9                    | 0.7 %        |
| 7     | 30 DAYS:(7)    | 29                   | 2.3 %        |
|       | <b>Total</b>   | <b>1,202</b>         | <b>95.5%</b> |

| Value | Missing Data   | Unweighted Frequency | %           |
|-------|----------------|----------------------|-------------|
| -9    | MISSING:(-9)   | 56                   | 4.5 %       |
| -6    | NO VAPING:(-6) | 0                    | 0.0 %       |
|       | <b>Total</b>   | <b>56</b>            | <b>4.5%</b> |

This variable has 1,202 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 293-294 (width: 2; decimal: 0)

*Variable Type:* numeric



(Range of) Missing Values: -9 , -6

---

## V7845: 36480:STOP VAPING FOR GOOD

Item Number: 36480

Have you ever tried to stop vaping nicotine for good?

1="Yes" 2="No"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | YES:(1)      | 293                  | 23.3 %       |
| 2     | NO:(2)       | 164                  | 13.0 %       |
|       | <b>Total</b> | <b>457</b>           | <b>36.3%</b> |

| Value | Missing Data       | Unweighted Frequency | %            |
|-------|--------------------|----------------------|--------------|
| -9    | MISSING:(-9)       | 54                   | 4.3 %        |
| -7    | NO NIC VAPING:(-7) | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)     | 723                  | 57.5 %       |
|       | <b>Total</b>       | <b>801</b>           | <b>63.7%</b> |

This variable has 457 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

---

## V7846: 36490:WHY/ST/VAPE EXPENSE

Item Number: 36490

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Too expensive

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 0     | NT MARKD:(0) | 268                  | 21.3 % |
| 1     | MARKED:(1)   | 79                   | 6.3 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 297-298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7847: 36500:WHY/ST/VAPE NO FLAV

Item Number: 36500

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Couldn't get the flavors I wanted

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 343                  | 27.3 %       |
| 1     | MARKED:(1)   | 4                    | 0.3 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 299-300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7848: 36510:WHY/ST/VAPE PARENTS

Item Number: 36510

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

My parents wanted me to stop

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 302                  | 24.0 %       |
| 1     | MARKED:(1)   | 45                   | 3.6 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 301-302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7849: 36520:WHY/ST/VAPE FRIENDS

Item Number: 36520

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

My friends disapproved

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 326                  | 25.9 %       |
| 1     | MARKED:(1)   | 21                   | 1.7 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 303-304 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7850: 36530:WHY/ST/VAPE TROUBLE

Item Number: 36530

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

To avoid getting in trouble at school

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 292                  | 23.2 %       |
| 1     | MARKED:(1)   | 55                   | 4.4 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 0                    | 0.0 % |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -6

## V7851: 36540:WHY/ST/VAPE INTERFERED

Item Number: 36540

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Vaping interfered with school or social activities

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 310                  | 24.6 %       |
| 1     | MARKED:(1)   | 37                   | 2.9 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 307-308 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -8 , -7 , -6

## V7852: 36550:WHY/ST/VAPE ADDICTION

Item Number: 36550

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Did not want to be addicted

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 153                  | 12.2 %       |
| 1     | MARKED:(1)   | 194                  | 15.4 %       |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 309-310 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -8 , -7 , -6

## V7853: 36560:WHY/ST/VAPE LUNGS

Item Number: 36560

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Worried about effects on lungs

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 170                  | 13.5 %       |
| 1     | MARKED:(1)   | 177                  | 14.1 %       |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 311-312 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7854: 36570:WHY/ST/VAPE SMK CIGS

Item Number: 36570

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Worried I would start smoking cigarettes

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 314                  | 25.0 %       |
| 1     | MARKED:(1)   | 33                   | 2.6 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %      |
|-------|----------------------------------|----------------------|--------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %  |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 % |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %  |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 % |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 313-314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7855: 36580:WHY/ST/VAPE FELT BAD

Item Number: 36580

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Felt bad when I couldn't vape

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 309                  | 24.6 %       |
| 1     | MARKED:(1)   | 38                   | 3.0 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 315-316 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7856: 36590:WHY/ST/VAPE THINK VAPE



Item Number: 36590

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Always thinking about vaping

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 297                  | 23.6 %       |
| 1     | MARKED:(1)   | 50                   | 4.0 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 317-318 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7857: 36600:WHY/ST/VAPE OTHER

Item Number: 36600

Why did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Other

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 0     | NT MARKD:(0) | 273                  | 21.7 % |
| 1     | MARKED:(1)   | 74                   | 5.9 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 319-320 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7858: 36610:HOW/ST/VAPE CUT BACK

Item Number: 36610

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

By myself I gradually cut back

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 275                  | 21.9 %       |
| 1     | MARKED:(1)   | 72                   | 5.7 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 321-322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7859: 36620:HOW/ST/VAPE STOPPED

Item Number: 36620

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

By myself I stopped all at once

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 140                  | 11.1 %       |
| 1     | MARKED:(1)   | 207                  | 16.5 %       |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 323-324 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7860: 36630:HOW/ST/VAPE SCH PROGRAM

Item Number: 36630

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

With the help of a school program

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 347                  | 27.6 %       |
| 1     | MARKED:(1)   | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 0.00

*Location:* 325-326 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7861: 36640:HOW/ST/VAPE THERAPIST

Item Number: 36640

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Saw a therapist or counselor

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 343                  | 27.3 %       |
| 1     | MARKED:(1)   | 4                    | 0.3 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 0                    | 0.0 % |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -6

---

## V7862: 36650:HOW/ST/VAPE SOC SUPPORT

Item Number: 36650

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Social support from friends or family

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 328                  | 26.1 %       |
| 1     | MARKED:(1)   | 19                   | 1.5 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 329-330 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -8 , -7 , -6

## V7863: 36660:HOW/ST/VAPE PILL

Item Number: 36660

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Used a pill to reduce nicotine cravings

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 346                  | 27.5 %       |
| 1     | MARKED:(1)   | 1                    | 0.1 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 331-332 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -8 , -7 , -6

## V7864: 36670:HOW/ST/VAPE NIC PATCH

Item Number: 36670

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Used a nicotine patch, gum, or lozenge

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 335                  | 26.6 %       |
| 1     | MARKED:(1)   | 12                   | 1.0 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 333-334 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7865: 36680:HOW/ST/VAPE PHONE APP

Item Number: 36680

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Used a mobile phone

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 337                  | 26.8 %       |
| 1     | MARKED:(1)   | 10                   | 0.8 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %      |
|-------|----------------------------------|----------------------|--------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %  |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 % |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %  |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 % |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 335-336 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7866: 36690:HOW/ST/VAPE OTHER

Item Number: 36690

How did you stop (or try to stop) vaping nicotine? (Select all that apply to your most recent attempt.)

Other

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 316                  | 25.1 %       |
| 1     | MARKED:(1)   | 31                   | 2.5 %        |
|       | <b>Total</b> | <b>347</b>           | <b>27.6%</b> |

| Value | Missing Data                     | Unweighted Frequency | %            |
|-------|----------------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                     | 0                    | 0.0 %        |
| -8    | NEVER TRIED STOP NIC VAPING:(-8) | 164                  | 13.0 %       |
| -7    | NO NIC VAPING:(-7)               | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)                   | 723                  | 57.5 %       |
|       | <b>Total</b>                     | <b>911</b>           | <b>72.4%</b> |

This variable has 347 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 337-338 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -8 , -7 , -6

---

## V7834: 36080:VAPE MJ SRC FRND -ASK



Item Number: 36080

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Took from a friend without asking

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 320                  | 25.4 %       |
| 1     | MARKED:(1)   | 13                   | 1.0 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 339-340 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7835: 36090:VAPE MJ SRC RLTV -ASK

Item Number: 36090

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Took from a relative without asking

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 0     | NT MARKD:(0) | 326                  | 25.9 % |
| 1     | MARKED:(1)   | 7                    | 0.6 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7836: 36100:VAPE MJ SRC FRND FREE

Item Number: 36100

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Given for free by a friend

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 212                  | 16.9 %       |
| 1     | MARKED:(1)   | 121                  | 9.6 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 343-344 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -7 , -6

---

## V7837: 36110:VAPE MJ SRC RLTV FREE

Item Number: 36110

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Given for free by a relative

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 307                  | 24.4 %       |
| 1     | MARKED:(1)   | 26                   | 2.1 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 345-346 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9 , -7 , -6

---

## V7838: 36120:VAPE MJ SRC FRND BGHT

Item Number: 36120

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Bought from a friend

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 267                  | 21.2 %       |
| 1     | MARKED:(1)   | 66                   | 5.2 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 347-348 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7839: 36130:VAPE MJ SRC RLTV BGHT

Item Number: 36130

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Bought from a relative

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 325                  | 25.8 %       |
| 1     | MARKED:(1)   | 8                    | 0.6 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %      |
|-------|-----------------------------|----------------------|--------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %  |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 % |

| Value | Missing Data   | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| -6    | NO VAPING:(-6) | 723                  | 57.5 %       |
|       | <b>Total</b>   | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 349-350 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7840: 36140:VAPE MJ SRC DEALER

Item Number: 36140

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Bought from a drug dealer/stranger

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 290                  | 23.1 %       |
| 1     | MARKED:(1)   | 43                   | 3.4 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 351-352 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7841: 36150:VAPE MJ SRC INTERNET

Item Number: 36150

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

On the Internet

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 323                  | 25.7 %       |
| 1     | MARKED:(1)   | 10                   | 0.8 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 353-354 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7842: 36160:VAPE MJ SRC OTHER

Item Number: 36160

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Other method

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 0     | NT MARKD:(0) | 244                  | 19.4 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MARKED:(1)   | 89                   | 7.1 %        |
|       | <b>Total</b> | <b>333</b>           | <b>26.5%</b> |

| Value | Missing Data                | Unweighted Frequency | %            |
|-------|-----------------------------|----------------------|--------------|
| -9    | MISSING:(-9)                | 0                    | 0.0 %        |
| -7    | NO VAPING MJ 12 MONTHS:(-7) | 202                  | 16.1 %       |
| -6    | NO VAPING:(-6)              | 723                  | 57.5 %       |
|       | <b>Total</b>                | <b>925</b>           | <b>73.5%</b> |

This variable has 333 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 355-356 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -7 , -6

---

## V7791: 35551:VAPE BRAND MST OFTN

Item Number: 35551

What is the brand name of the vaping device you use most often?

1="JUUL" 2="SMOK" 4="Vuse" 6="Other [capture write in]" 7="Breeze" 8="Puff Bar"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | JUUL:(1)     | 24                   | 1.9 %        |
| 2     | SMOK:(2)     | 6                    | 0.5 %        |
| 4     | Vuse:(4)     | 43                   | 3.4 %        |
| 6     | OTHER:(6)    | 123                  | 9.8 %        |
| 7     | Breeze:(7)   | 43                   | 3.4 %        |
| 8     | Puff Bar:(8) | 42                   | 3.3 %        |
|       | <b>Total</b> | <b>281</b>           | <b>22.3%</b> |

| Value | Missing Data           | Unweighted Frequency | %      |
|-------|------------------------|----------------------|--------|
| -9    | MISSING:(-9)           | 76                   | 6.0 %  |
| -7    | NO VAPING 30 DAYS:(-7) | 178                  | 14.1 % |
| -6    | NO VAPING:(-6)         | 723                  | 57.5 % |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>977</b>           | <b>77.7%</b> |

This variable has 281 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

## V7793: 36020:VAPE NIC FLVR MOST OFTEN

Item Number: 36020

When you vape nicotine, which type of flavor do you use most often? (Select one flavor that is the best fit.)

1="Sweet (Chocolate, Creme, etc.)" 2="Fruit (Mango, Strawberry, etc.)" 3="Tobacco " 4="Mint " 5="Menthol " 6="Unflavored"  
7="Ice-fruit combinations (Blueberry Ice, Banana Ice, etc.)"

| Value | Label               | Unweighted Frequency | %            |
|-------|---------------------|----------------------|--------------|
| 1     | SWEET:(1)           | 12                   | 1.0 %        |
| 2     | FRUIT:(2)           | 171                  | 13.6 %       |
| 3     | TOBACCO:(3)         | 6                    | 0.5 %        |
| 4     | MINT:(4)            | 56                   | 4.5 %        |
| 5     | MENTHOL:(5)         | 43                   | 3.4 %        |
| 6     | UNFLAVORED:(6)      | 31                   | 2.5 %        |
| 7     | ICE-FRUIT COMBO:(7) | 106                  | 8.4 %        |
|       | <b>Total</b>        | <b>425</b>           | <b>33.8%</b> |

| Value | Missing Data       | Unweighted Frequency | %            |
|-------|--------------------|----------------------|--------------|
| -9    | MISSING:(-9)       | 86                   | 6.8 %        |
| -7    | NO NIC VAPING:(-7) | 24                   | 1.9 %        |
| -6    | NO VAPING:(-6)     | 723                  | 57.5 %       |
|       | <b>Total</b>       | <b>833</b>           | <b>66.2%</b> |

This variable has 425 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00



Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

---

## V7724: 35590:EVER VAPE OTHR THAN NIC MJ FLAV

Item Number: 35590

Have you ever vaped something other than nicotine, marijuana, or just flavoring?

1="Yes" 2="No" -9="Missing" -7="No vaping 30 days" -6="No vaping"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | YES:(1)      | 15                   | 1.2 %        |
| 2     | NO:(2)       | 284                  | 22.6 %       |
|       | <b>Total</b> | <b>299</b>           | <b>23.8%</b> |

| Value | Missing Data           | Unweighted Frequency | %            |
|-------|------------------------|----------------------|--------------|
| -9    | MISSING:(-9)           | 58                   | 4.6 %        |
| -8    | NO JUUL VAPING:(-8)    | 0                    | 0.0 %        |
| -7    | NO VAPING 30 DAYS:(-7) | 178                  | 14.1 %       |
| -6    | NO VAPING:(-6)         | 723                  | 57.5 %       |
|       | <b>Total</b>           | <b>959</b>           | <b>76.2%</b> |

This variable has 299 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -6

---

## V7885: 36950:VAPE MJ FLVR MOST OFTN

Item Number: 36950

When you vape marijuana, which type of flavor do you use most often? (Select one flavor that is the best fit.)

1="Sweet" 2="Fruit" 3="Sour" 4="Unflavored (tastes like cannabis)"

| Value | Label     | Unweighted Frequency | %     |
|-------|-----------|----------------------|-------|
| 1     | SWEET:(1) | 44                   | 3.5 % |

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 2     | FRUIT:(2)      | 67                   | 5.3 %        |
| 3     | SOUR:(3)       | 11                   | 0.9 %        |
| 4     | UNFLAVORED:(4) | 198                  | 15.7 %       |
|       | <b>Total</b>   | <b>320</b>           | <b>25.4%</b> |

| Value | Missing Data      | Unweighted Frequency | %            |
|-------|-------------------|----------------------|--------------|
| -9    | MISSING:(-9)      | 73                   | 5.8 %        |
| -7    | NO MJ VAPING:(-7) | 142                  | 11.3 %       |
| -6    | NO VAPING:(-6)    | 723                  | 57.5 %       |
|       | <b>Total</b>      | <b>938</b>           | <b>74.6%</b> |

This variable has 320 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7 , -6

## V7884: 38080:VAPE DEVICE SOURCE

Item Number: 38080

The last time you used a vaping device how did you get it?

0="Took from a relative without asking" 1="Given for free by a friend"

2="Given for free by a relative" 3="Bought from a friend"

4="Bought from a relative" 5="At a convenience store (such as 7-Eleven)

or a gas station" 6="At a "vape" store" 7="Over the internet"

8="From a person who is known to sell a vaping device to kids (a dealer)"

9="Other"

| Value | Label                      | Unweighted Frequency | %      |
|-------|----------------------------|----------------------|--------|
| 0     | TOOK FRM REL WO ASKING:(0) | 10                   | 0.8 %  |
| 1     | GIVEN FREE BY FRND:(1)     | 140                  | 11.1 % |
| 2     | GIVEN FREE BY REL: (2)     | 22                   | 1.7 %  |
| 3     | BOUGHT FRM FRND:(3)        | 50                   | 4.0 %  |
| 4     | BOUGHT FRM REL:(4)         | 8                    | 0.6 %  |
| 5     | AT CONVENIENCE STOR:(5)    | 42                   | 3.3 %  |
| 6     | AT VAPE STOR:(6)           | 88                   | 7.0 %  |

| Value | Label                   | Unweighted Frequency | %            |
|-------|-------------------------|----------------------|--------------|
| 7     | OVER INTERNET:(7)       | 6                    | 0.5 %        |
| 8     | FRM VAPE DVC DEALER:(8) | 11                   | 0.9 %        |
| 9     | OTHER:(9)               | 77                   | 6.1 %        |
|       | <b>Total</b>            | <b>454</b>           | <b>36.1%</b> |

| Value | Missing Data   | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| -9    | MISSING:(-9)   | 81                   | 6.4 %        |
| -6    | NO VAPING:(-6) | 723                  | 57.5 %       |
|       | <b>Total</b>   | <b>804</b>           | <b>63.9%</b> |

This variable has 454 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 9.00

*Location:* 365-366 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9 , -6

---

## V7931: 38180:HOW ADCTVE VAPE NIC

Item Number: 38180

In your opinion how addictive is... ..vaping nicotine regularly

8="I don't know" 1="Not at all addictive" 2="A little addictive" 3="Somewhat addictive" 4="Very addictive"

| Value | Label                | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| 1     | NT AT ALL ADDICT:(1) | 94                   | 7.5 %        |
| 2     | A LITTLE ADDICT:(2)  | 92                   | 7.3 %        |
| 3     | SOME WHAT ADDICT:(3) | 152                  | 12.1 %       |
| 4     | VERY ADDICT:(4)      | 546                  | 43.4 %       |
| 8     | DK:(8)               | 316                  | 25.1 %       |
|       | <b>Total</b>         | <b>1,200</b>         | <b>95.4%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 58                   | 4.6 %       |
|       | <b>Total</b> | <b>58</b>            | <b>4.6%</b> |

This variable has 1,200 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V7736: 35710:HOW ADCTVE CIG REG

Item Number: 35710

In your opinion how addictive is... ..smoking cigarettes regularly?

8 ='DK: (8)' 1 ='NT AT ALL ADDICT: (1)' 2 ='A LITTLE ADDICT: (2)' 3 ='SOME WHAT ADDICT: (3)' 4 ='VERY ADDICT: (4)'

| Value | Label                 | Unweighted Frequency | %            |
|-------|-----------------------|----------------------|--------------|
| 1     | NT AT ALL ADDICT: (1) | 84                   | 6.7 %        |
| 2     | A LITTLE ADDICT: (2)  | 47                   | 3.7 %        |
| 3     | SOME WHAT ADDICT: (3) | 111                  | 8.8 %        |
| 4     | VERY ADDICT: (4)      | 554                  | 44.0 %       |
| 8     | DK: (8)               | 400                  | 31.8 %       |
|       | <b>Total</b>          | <b>1,196</b>         | <b>95.1%</b> |

| Value | Missing Data  | Unweighted Frequency | %           |
|-------|---------------|----------------------|-------------|
| -9    | MISSING: (-9) | 62                   | 4.9 %       |
|       | <b>Total</b>  | <b>62</b>            | <b>4.9%</b> |

This variable has 1,196 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V7737: 35720:HOW ADCTVE MJ REG

Item Number: 35720

In your opinion how addictive is... ..using marijuana regularly?

8 ='DK: (8)' 1 ='NT AT ALL ADDICT: (1)' 2 ='A LITTLE ADDICT: (2)' 3 ='SOME WHAT ADDICT: (3)' 4 ='VERY ADDICT: (4)'

| Value | Label                | Unweighted Frequency | %            |
|-------|----------------------|----------------------|--------------|
| 1     | NT AT ALL ADDICT:(1) | 171                  | 13.6 %       |
| 2     | A LITTLE ADDICT:(2)  | 215                  | 17.1 %       |
| 3     | SOME WHAT ADDICT:(3) | 196                  | 15.6 %       |
| 4     | VERY ADDICT:(4)      | 267                  | 21.2 %       |
| 8     | DK:(8)               | 349                  | 27.7 %       |
|       | <b>Total</b>         | <b>1,198</b>         | <b>95.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 60                   | 4.8 %       |
|       | <b>Total</b> | <b>60</b>            | <b>4.8%</b> |

This variable has 1,198 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 371-372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7820: 36240:MTHD MJ JOINT

Item Number: 36240

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking a joint

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | NOT MARKED:(0) | 298                  | 23.7 %       |
| 1     | MARKED:(1)     | 215                  | 17.1 %       |
|       | <b>Total</b>   | <b>513</b>           | <b>40.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 373-374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7821: 36250:MTHD MJ BLUNT

Item Number: 36250

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking a blunt

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | NOT MARKED:(0) | 306                  | 24.3 %       |
| 1     | MARKED:(1)     | 207                  | 16.5 %       |
|       | <b>Total</b>   | <b>513</b>           | <b>40.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 375-376 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7822: 36260:MTHD MJ BONG/WP

Item Number: 36260

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking in a bong/water pipe

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | NOT MARKED:(0) | 373                  | 29.7 %       |
| 1     | MARKED:(1)     | 140                  | 11.1 %       |
|       | <b>Total</b>   | <b>513</b>           | <b>40.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V7823: 36270:MTHD MJ OTH PIPE

Item Number: 36270

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking in another type of pipe

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | NOT MARKED:(0) | 403                  | 32.0 %       |
| 1     | MARKED:(1)     | 110                  | 8.7 %        |
|       | <b>Total</b>   | <b>513</b>           | <b>40.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V7824: 33970:MTHD MJ VAPORIZER

Item Number: 33970

What methods have you used for using marijuana during the last year? (Select all that apply.)

Vaping

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | NOT MARKED:(0) | 274                  | 21.8 %       |
| 1     | MARKED:(1)     | 239                  | 19.0 %       |
|       | <b>Total</b>   | <b>513</b>           | <b>40.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V7825: 33020:MTHD MJ IN FOOD

Item Number: 33020

What methods have you used for using marijuana or hashish during the last year? (Select all that apply.)

Eating in food

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %      |
|-------|----------------|----------------------|--------|
| 0     | NOT MARKED:(0) | 350                  | 27.8 % |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MARKED:(1)   | 163                  | 13.0 %       |
|       | <b>Total</b> | <b>513</b>           | <b>40.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 383-384 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7826: 33030:MTHD MJ IN DRINK

Item Number: 33030

What methods have you used for using marijuana during the last year? (Select all that apply.)

Drink in a beverage

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | NOT MARKED:(0) | 471                  | 37.4 %       |
| 1     | MARKED:(1)     | 42                   | 3.3 %        |
|       | <b>Total</b>   | <b>513</b>           | <b>40.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 385-386 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

## V7827: 34860:MTHD MJ CONCNR

Item Number: 34860

What methods have you used for using marijuana during the last year? (Select all that apply.)

Use a concentrate (such as "wax," "honey oil," "budder," or "shatter")

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | NOT MARKED:(0) | 427                  | 33.9 %       |
| 1     | MARKED:(1)     | 86                   | 6.8 %        |
|       | <b>Total</b>   | <b>513</b>           | <b>40.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 387-388 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

## V7828: 33040:MTHD MJ OTHER

Item Number: 33040

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Other

0="UNMARKED" 1="MARKED"

| Value | Label          | Unweighted Frequency | %      |
|-------|----------------|----------------------|--------|
| 0     | NOT MARKED:(0) | 484                  | 38.5 % |
| 1     | MARKED:(1)     | 29                   | 2.3 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>513</b>           | <b>40.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 745                  | 59.2 %       |
|       | <b>Total</b> | <b>745</b>           | <b>59.2%</b> |

This variable has 513 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7804: 36060:VAPE NIC 5 YEARS

Item Number: 36060

Do you think you will be vaping nicotine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DEF WILL:(1) | 21                   | 1.7 %        |
| 2     | PRB WILL:(2) | 74                   | 5.9 %        |
| 3     | PRB WONT:(3) | 242                  | 19.2 %       |
| 4     | DEF WONT:(4) | 863                  | 68.6 %       |
|       | <b>Total</b> | <b>1,200</b>         | <b>95.4%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 58                   | 4.6 %       |
|       | <b>Total</b> | <b>58</b>            | <b>4.6%</b> |

This variable has 1,200 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**V4480: 33720:#X LRG CIGAR/30DAY**

Item Number: 33720

During the LAST 30 DAYS, on how many days (if any) have you used... ..large cigars?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NONE:(1)       | 1163                 | 92.4 %       |
| 2     | 1-2 DAYS:(2)   | 27                   | 2.1 %        |
| 3     | 3-5 DAYS:(3)   | 3                    | 0.2 %        |
| 4     | 6-9 DAYS:(4)   | 1                    | 0.1 %        |
| 5     | 10-19 DAYS:(5) | 1                    | 0.1 %        |
| 6     | 20-30 DAYS:(6) | 0                    | 0.0 %        |
|       | <b>Total</b>   | <b>1,195</b>         | <b>95.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 63                   | 5.0 %       |
|       | <b>Total</b> | <b>63</b>            | <b>5.0%</b> |

This variable has 1,195 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 393-394 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**V4481: 33730:#X FLVD SML CIGAR/30DAY**

Item Number: 33730

During the LAST 30 DAYS, on how many days (if any) have you used... ..flavored little cigars or cigarillos?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | NONE:(1)     | 1160                 | 92.2 % |
| 2     | 1-2 DAYS:(2) | 17                   | 1.4 %  |

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 3     | 3-5 DAYS:(3)   | 7                    | 0.6 %        |
| 4     | 6-9 DAYS:(4)   | 1                    | 0.1 %        |
| 5     | 10-19 DAYS:(5) | 6                    | 0.5 %        |
| 6     | 20-30 DAYS:(6) | 3                    | 0.2 %        |
|       | <b>Total</b>   | <b>1,194</b>         | <b>94.9%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 64                   | 5.1 %       |
|       | <b>Total</b> | <b>64</b>            | <b>5.1%</b> |

This variable has 1,194 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4482: 33740:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many days (if any) have you used... ..regular little cigars or cigarillos?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NONE:(1)       | 1162                 | 92.4 %       |
| 2     | 1-2 DAYS:(2)   | 17                   | 1.4 %        |
| 3     | 3-5 DAYS:(3)   | 3                    | 0.2 %        |
| 4     | 6-9 DAYS:(4)   | 3                    | 0.2 %        |
| 5     | 10-19 DAYS:(5) | 2                    | 0.2 %        |
| 6     | 20-30 DAYS:(6) | 3                    | 0.2 %        |
|       | <b>Total</b>   | <b>1,190</b>         | <b>94.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 68                   | 5.4 %       |
|       | <b>Total</b> | <b>68</b>            | <b>5.4%</b> |

This variable has 1,190 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 397-398 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4483: 34050:#X TOB HOOKAH/30DAY

Item Number: 34050

During the LAST 30 DAYS, on how many days (if any) have you used... ..tobacco using a hookah (water pipe)?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NONE:(1)       | 1176                 | 93.5 %       |
| 2     | 1-2 DAYS:(2)   | 10                   | 0.8 %        |
| 3     | 3-5 DAYS:(3)   | 3                    | 0.2 %        |
| 4     | 6-9 DAYS:(4)   | 2                    | 0.2 %        |
| 5     | 10-19 DAYS:(5) | 0                    | 0.0 %        |
| 6     | 20-30 DAYS:(6) | 0                    | 0.0 %        |
|       | <b>Total</b>   | <b>1,191</b>         | <b>94.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 67                   | 5.3 %       |
|       | <b>Total</b> | <b>67</b>            | <b>5.3%</b> |

This variable has 1,191 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4484: 34390:# DAYS SMKLESS TOB/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many days (if any) have you

used... ..smokeless tobacco (chewing tobacco, snuff, plug,  
dipping tobacco, snus)?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NONE:(1)       | 1168                 | 92.8 %       |
| 2     | 1-2 DAYS:(2)   | 13                   | 1.0 %        |
| 3     | 3-5 DAYS:(3)   | 3                    | 0.2 %        |
| 4     | 6-9 DAYS:(4)   | 2                    | 0.2 %        |
| 5     | 10-19 DAYS:(5) | 3                    | 0.2 %        |
| 6     | 20-30 DAYS:(6) | 4                    | 0.3 %        |
|       | <b>Total</b>   | <b>1,193</b>         | <b>94.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 65                   | 5.2 %       |
|       | <b>Total</b> | <b>65</b>            | <b>5.2%</b> |

This variable has 1,193 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 401-402 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7960: 39000:NIC GUMMIES/30DAY

Item Number: 39000

During the LAST 30 DAYS, on how many days (if any) have you used... ..nicotine gummies?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 days"

| Value | Label          | Unweighted Frequency | %      |
|-------|----------------|----------------------|--------|
| 1     | NONE:(1)       | 1184                 | 94.1 % |
| 2     | 1-2 DAYS:(2)   | 1                    | 0.1 %  |
| 3     | 3-5 DAYS:(3)   | 4                    | 0.3 %  |
| 4     | 6-9 DAYS:(4)   | 0                    | 0.0 %  |
| 5     | 10-19 DAYS:(5) | 1                    | 0.1 %  |

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 6     | 20-30 DAYS:(6) | 2                    | 0.2 %        |
|       | <b>Total</b>   | <b>1,192</b>         | <b>94.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 66                   | 5.2 %       |
|       | <b>Total</b> | <b>66</b>            | <b>5.2%</b> |

This variable has 1,192 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 403-404 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7961: 38990:NIC CANDY/30DAY

Item Number: 38990

During the LAST 30 DAYS, on how many days (if any) have you used... ..nicotine hard candy or nicotine mints?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 days"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | NONE:(1)       | 1184                 | 94.1 %       |
| 2     | 1-2 DAYS:(2)   | 2                    | 0.2 %        |
| 3     | 3-5 DAYS:(3)   | 4                    | 0.3 %        |
| 4     | 6-9 DAYS:(4)   | 0                    | 0.0 %        |
| 5     | 10-19 DAYS:(5) | 0                    | 0.0 %        |
| 6     | 20-30 DAYS:(6) | 1                    | 0.1 %        |
|       | <b>Total</b>   | <b>1,191</b>         | <b>94.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 67                   | 5.3 %       |
|       | <b>Total</b> | <b>67</b>            | <b>5.3%</b> |

This variable has 1,191 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00



- Maximum: 6.00

*Location:* 405-406 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V7962: 39010:NIC POUCH

Item Number: 39010

Have you ever seen or heard of nicotine pouches before now?

1="Yes" 2="No"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | YES:(1)      | 519                  | 41.3 %       |
| 2     | NO:(2)       | 678                  | 53.9 %       |
|       | <b>Total</b> | <b>1,197</b>         | <b>95.2%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 61                   | 4.8 %       |
|       | <b>Total</b> | <b>61</b>            | <b>4.8%</b> |

This variable has 1,197 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 407-408 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V7963: 39020:NIC POUCH EVER

Item Number: 39020

Have you ever used nicotine pouches, even one or two times?

1="Yes" 2="No"

| Value | Label   | Unweighted Frequency | %      |
|-------|---------|----------------------|--------|
| 1     | YES:(1) | 80                   | 6.4 %  |
| 2     | NO:(2)  | 1117                 | 88.8 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,197</b>         | <b>95.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 61                   | 4.8 %       |
|       | <b>Total</b> | <b>61</b>            | <b>4.8%</b> |

This variable has 1,197 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 409-410 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V7964: 39030:#X NIC POUCH/LIFETIME

Item Number: 39030

On how many occasions have you used nicotine pouches... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1125                 | 89.4 %       |
| 2     | 1-2X:(2)     | 29                   | 2.3 %        |
| 3     | 3-5X:(3)     | 16                   | 1.3 %        |
| 4     | 6-9X:(4)     | 6                    | 0.5 %        |
| 5     | 10-19X:(5)   | 6                    | 0.5 %        |
| 6     | 20-39X:(6)   | 4                    | 0.3 %        |
| 7     | 40+OCCAS:(7) | 10                   | 0.8 %        |
|       | <b>Total</b> | <b>1,196</b>         | <b>95.1%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 62                   | 4.9 %       |
|       | <b>Total</b> | <b>62</b>            | <b>4.9%</b> |

This variable has 1,196 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V7965: 39040:#X NIC POUCH/LAST12MO

Item Number: 39040

On how many occasions have you used nicotine pouches... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1133                 | 90.1 %       |
| 2     | 1-2X:(2)     | 31                   | 2.5 %        |
| 3     | 3-5X:(3)     | 11                   | 0.9 %        |
| 4     | 6-9X:(4)     | 6                    | 0.5 %        |
| 5     | 10-19X:(5)   | 4                    | 0.3 %        |
| 6     | 20-39X:(6)   | 5                    | 0.4 %        |
| 7     | 40+OCCAS:(7) | 6                    | 0.5 %        |
|       | <b>Total</b> | <b>1,196</b>         | <b>95.1%</b> |
| Value | Missing Data | Unweighted Frequency | %            |
| -9    | MISSING:(-9) | 62                   | 4.9 %        |
|       | <b>Total</b> | <b>62</b>            | <b>4.9%</b>  |

This variable has 1,196 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V7966: 39050:#X NIC POUCH/LAST30DA

Item Number: 39050

On how many occasions have you used nicotine pouches... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 1160                 | 92.2 %       |
| 2     | 1-2X:(2)     | 17                   | 1.4 %        |
| 3     | 3-5X:(3)     | 10                   | 0.8 %        |
| 4     | 6-9X:(4)     | 0                    | 0.0 %        |
| 5     | 10-19X:(5)   | 5                    | 0.4 %        |
| 6     | 20-39X:(6)   | 1                    | 0.1 %        |
| 7     | 40+OCCAS:(7) | 2                    | 0.2 %        |
|       | <b>Total</b> | <b>1,195</b>         | <b>95.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 63                   | 5.0 %       |
|       | <b>Total</b> | <b>63</b>            | <b>5.0%</b> |

This variable has 1,195 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 415-416 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## RESPONDENT\_AGE: 89848:AGE <>18 DICHOTOMY

Item Number: 00010-00020

Component questions:

- 1) "In what year were you born?" (item #00010),
- 2) "In what month were you born?" (item #00020), and
- 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | UNDER 18:(1)    | 517                  | 41.1 %       |
| 2     | 18 OR OLDER:(2) | 680                  | 54.1 %       |
|       | <b>Total</b>    | <b>1,197</b>         | <b>95.2%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 61                   | 4.8 % |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>61</b>            | <b>4.8%</b> |

This variable has 1,197 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4150: 00030:R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female" 3="Other" 4="Prefer not to answer"

| Value | Label                 | Unweighted Frequency | %            |
|-------|-----------------------|----------------------|--------------|
| 1     | MALE:(1)              | 579                  | 46.0 %       |
| 2     | FEMALE:(2)            | 565                  | 44.9 %       |
| 3     | OTHER:(3)             | 15                   | 1.2 %        |
| 4     | PREFER NOT ANSWER:(4) | 39                   | 3.1 %        |
|       | <b>Total</b>          | <b>1,198</b>         | <b>95.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 60                   | 4.8 %       |
|       | <b>Total</b> | <b>60</b>            | <b>4.8%</b> |

This variable has 1,198 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 419-420 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4151: 00040:R'S RACE B/W/H

Item Number: 00041-00049

How do you describe yourself? (Select one or more responses.)

Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander; Middle Eastern.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above].

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | BLACK:(1)    | 130                  | 10.3 %       |
| 2     | WHITE:(2)    | 615                  | 48.9 %       |
| 3     | HISPANIC:(3) | 216                  | 17.2 %       |
|       | <b>Total</b> | <b>961</b>           | <b>76.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 297                  | 23.6 %       |
|       | <b>Total</b> | <b>297</b>           | <b>23.6%</b> |

This variable has 961 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 421-422 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4152: 00050:R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm"  
3="In a small city or town (under 50,000 people)"  
4="In a medium-sized city (50,000-100,000)"  
5="In a suburb of a medium-sized city"  
6="In a large city (100,000-500,000)"  
7="In a suburb of a large city"  
8="In a very large city (over 500,000)"

9="In a suburb of a very large city" 0="Can't say; mixed"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 0     | DK/MIXED:(0)   | 128                  | 10.2 %       |
| 1     | A FARM:(1)     | 48                   | 3.8 %        |
| 2     | COUNTRY:(2)    | 131                  | 10.4 %       |
| 3     | SM CITY:(3)    | 337                  | 26.8 %       |
| 4     | MED CITY:(4)   | 122                  | 9.7 %        |
| 5     | SUB MED:(5)    | 147                  | 11.7 %       |
| 6     | LGE CITY:(6)   | 95                   | 7.6 %        |
| 7     | SUB LGE:(7)    | 65                   | 5.2 %        |
| 8     | V-LGE CITY:(8) | 81                   | 6.4 %        |
| 9     | SUB V-LGE:(9)  | 37                   | 2.9 %        |
|       | <b>Total</b>   | <b>1,191</b>         | <b>94.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 67                   | 5.3 %       |
|       | <b>Total</b> | <b>67</b>            | <b>5.3%</b> |

This variable has 1,191 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 9.00

*Location:* 423-424 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4153: 00060:R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

| Value | Label       | Unweighted Frequency | %     |
|-------|-------------|----------------------|-------|
| 1     | MARRIED:(1) | 113                  | 9.0 % |
| 2     | ENGAGED:(2) | 23                   | 1.8 % |
| 3     | SEP/DIV:(3) | 52                   | 4.1 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 4     | SINGLE:(4)   | 1003                 | 79.7 %       |
|       | <b>Total</b> | <b>1,191</b>         | <b>94.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 67                   | 5.3 %       |
|       | <b>Total</b> | <b>67</b>            | <b>5.3%</b> |

This variable has 1,191 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 425-426 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V49: 89849:# SIBLINGS

Item Number: 00075-00076

Component questions:

"How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters)

- Older brothers and sisters" (item 00075);
- Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more brothers or sisters".

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NONE:(0)     | 85                   | 6.8 %        |
| 1     | ONE:(1)      | 308                  | 24.5 %       |
| 2     | TWO:(2)      | 332                  | 26.4 %       |
| 3     | THREE+:(3)   | 468                  | 37.2 %       |
|       | <b>Total</b> | <b>1,193</b>         | <b>94.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 65                   | 5.2 %       |
|       | <b>Total</b> | <b>65</b>            | <b>5.2%</b> |



This variable has 1,193 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4155: 00090:R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

Father (or male guardian)

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 325                  | 25.8 %       |
| 1     | MARKED:(1)   | 867                  | 68.9 %       |
|       | <b>Total</b> | <b>1,192</b>         | <b>94.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 66                   | 5.2 %       |
|       | <b>Total</b> | <b>66</b>            | <b>5.2%</b> |

This variable has 1,192 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4156: 00100:R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

Mother (or female guardian)

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 142                  | 11.3 %       |
| 1     | MARKED:(1)   | 1050                 | 83.5 %       |
|       | <b>Total</b> | <b>1,192</b>         | <b>94.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 66                   | 5.2 %       |
|       | <b>Total</b> | <b>66</b>            | <b>5.2%</b> |

This variable has 1,192 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 431-432 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4157: 00110:R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 398                  | 31.6 %       |
| 1     | MARKED:(1)   | 794                  | 63.1 %       |
|       | <b>Total</b> | <b>1,192</b>         | <b>94.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 66                   | 5.2 %       |
|       | <b>Total</b> | <b>66</b>            | <b>5.2%</b> |

This variable has 1,192 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 433-434 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4163: 00310:FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | GRDE SCH:(1) | 53                   | 4.2 %        |
| 2     | SOME HS:(2)  | 126                  | 10.0 %       |
| 3     | HS GRAD:(3)  | 296                  | 23.5 %       |
| 4     | SOME CLG:(4) | 165                  | 13.1 %       |
| 5     | CLG GRAD:(5) | 245                  | 19.5 %       |
| 6     | GRAD SCH:(6) | 162                  | 12.9 %       |
| 7     | DK:(7)       | 138                  | 11.0 %       |
|       | <b>Total</b> | <b>1,185</b>         | <b>94.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 73                   | 5.8 %       |
|       | <b>Total</b> | <b>73</b>            | <b>5.8%</b> |

This variable has 1,185 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## V4164: 00320:MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
3="Completed high school" 4="Some college" 5="Completed college"  
6="Graduate or professional school after college"  
7="Don't know, or does not apply"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | GRDE SCH:(1) | 27                   | 2.1 %        |
| 2     | SOME HS:(2)  | 85                   | 6.8 %        |
| 3     | HS GRAD:(3)  | 253                  | 20.1 %       |
| 4     | SOME CLG:(4) | 190                  | 15.1 %       |
| 5     | CLG GRAD:(5) | 330                  | 26.2 %       |
| 6     | GRAD SCH:(6) | 224                  | 17.8 %       |
| 7     | DK:(7)       | 79                   | 6.3 %        |
|       | <b>Total</b> | <b>1,188</b>         | <b>94.4%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 70                   | 5.6 %       |
|       | <b>Total</b> | <b>70</b>            | <b>5.6%</b> |

This variable has 1,188 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4166: 00340:R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat"  
4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other"

8="Don't know, haven't decided"

| Value | Label             | Unweighted Frequency | %            |
|-------|-------------------|----------------------|--------------|
| 1     | STRG GOP:(1)      | 140                  | 11.1 %       |
| 2     | MILD GOP:(2)      | 162                  | 12.9 %       |
| 3     | MILD DEM:(3)      | 128                  | 10.2 %       |
| 4     | STRG DEM:(4)      | 114                  | 9.1 %        |
| 5     | INDEPNDT:(5)      | 139                  | 11.0 %       |
| 6     | NO PREF:(6)       | 195                  | 15.5 %       |
| 7     | OTHER:(7)         | 23                   | 1.8 %        |
| 8     | DK/HVNT DECID:(8) | 285                  | 22.7 %       |
|       | <b>Total</b>      | <b>1,186</b>         | <b>94.3%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 72                   | 5.7 %       |
|       | <b>Total</b> | <b>72</b>            | <b>5.7%</b> |

This variable has 1,186 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4167: 00350:R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very Conservative" 2="Conservative" 3="Moderate" 4="Liberal"

5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | VRY CONS:(1) | 75                   | 6.0 %  |
| 2     | CONSERV:(2)  | 161                  | 12.8 % |
| 3     | MODERATE:(3) | 192                  | 15.3 % |
| 4     | LIBERAL:(4)  | 179                  | 14.2 % |
| 5     | VRY LIB:(5)  | 74                   | 5.9 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 6     | RADICAL:(6)  | 27                   | 2.1 %        |
| 8     | NONE/DK:(8)  | 470                  | 37.4 %       |
|       | <b>Total</b> | <b>1,178</b>         | <b>93.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 80                   | 6.4 %       |
|       | <b>Total</b> | <b>80</b>            | <b>6.4%</b> |

This variable has 1,178 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 441-442 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4169: 00370:R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion.

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the Western region intentionally obliterated.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NEVER:(1)    | 344                  | 27.3 %       |
| 2     | RARELY:(2)   | 364                  | 28.9 %       |
| 3     | 1-2X/MO:(3)  | 132                  | 10.5 %       |
| 4     | 1/WK OR+:(4) | 237                  | 18.8 %       |
|       | <b>Total</b> | <b>1,077</b>         | <b>85.6%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 181                  | 14.4 %       |
|       | <b>Total</b> | <b>181</b>           | <b>14.4%</b> |

This variable has 1,077 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 443-444 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4170: 00380:RLGN IMP R'S LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the Western region intentionally obliterated.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NOT IMPT:(1) | 319                  | 25.4 %       |
| 2     | LITL IMP:(2) | 286                  | 22.7 %       |
| 3     | PRTY IMP:(3) | 234                  | 18.6 %       |
| 4     | VERY IMP:(4) | 238                  | 18.9 %       |
|       | <b>Total</b> | <b>1,077</b>         | <b>85.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 181                  | 14.4 %       |
|       | <b>Total</b> | <b>181</b>           | <b>14.4%</b> |

This variable has 1,077 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 445-446 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4171: 00390:WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

| Value | Label          | Unweighted Frequency | %            |
|-------|----------------|----------------------|--------------|
| 1     | JUNE:(1)       | 1171                 | 93.1 %       |
| 2     | JUL-JAN:(2)    | 6                    | 0.5 %        |
| 3     | AFTER JAN:(3)  | 0                    | 0.0 %        |
| 6     | DONT EXPCT:(6) | 6                    | 0.5 %        |
|       | <b>Total</b>   | <b>1,183</b>         | <b>94.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 75                   | 6.0 %       |
|       | <b>Total</b> | <b>75</b>            | <b>6.0%</b> |

This variable has 1,183 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 447-448 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4172: 00400:R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | CLG PREP:(1) | 608                  | 48.3 %       |
| 2     | GENERAL:(2)  | 378                  | 30.0 %       |
| 3     | VOC-TECH:(3) | 36                   | 2.9 %        |
| 4     | OTH/DK:(4)   | 157                  | 12.5 %       |
|       | <b>Total</b> | <b>1,179</b>         | <b>93.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 79                   | 6.3 %       |
|       | <b>Total</b> | <b>79</b>            | <b>6.3%</b> |

This variable has 1,179 valid cases out of 1,258 total cases.



Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4173: 00410:RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average"

4="Average" 5="Slightly Above Average" 6="Above Average"

7="Far Above Average"

| Value | Label            | Unweighted Frequency | %            |
|-------|------------------|----------------------|--------------|
| 1     | FAR BELOW:(1)    | 12                   | 1.0 %        |
| 2     | BELOW AVG:(2)    | 36                   | 2.9 %        |
| 3     | SLIGHT BELOW:(3) | 71                   | 5.6 %        |
| 4     | AVERAGE:(4)      | 340                  | 27.0 %       |
| 5     | SLIGHT ABOVE:(5) | 309                  | 24.6 %       |
| 6     | ABOVE AVG:(6)    | 323                  | 25.7 %       |
| 7     | FAR ABOVE:(7)    | 88                   | 7.0 %        |
|       | <b>Total</b>     | <b>1,179</b>         | <b>93.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 79                   | 6.3 %       |
|       | <b>Total</b> | <b>79</b>            | <b>6.3%</b> |

This variable has 1,179 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4174: 00420:RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average"  
4="Average" 5="Slightly Above Average" 6="Above Average"  
7="Far Above Average"

| Value | Label            | Unweighted Frequency | %            |
|-------|------------------|----------------------|--------------|
| 1     | FAR BELOW:(1)    | 13                   | 1.0 %        |
| 2     | BELOW AVG:(2)    | 27                   | 2.1 %        |
| 3     | SLIGHT BELOW:(3) | 68                   | 5.4 %        |
| 4     | AVERAGE:(4)      | 339                  | 26.9 %       |
| 5     | SLIGHT ABOVE:(5) | 337                  | 26.8 %       |
| 6     | ABOVE AVG:(6)    | 303                  | 24.1 %       |
| 7     | FAR ABOVE:(7)    | 90                   | 7.2 %        |
|       | <b>Total</b>     | <b>1,177</b>         | <b>93.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 81                   | 6.4 %       |
|       | <b>Total</b> | <b>81</b>            | <b>6.4%</b> |

This variable has 1,177 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4175: 00430:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed... ..because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| Value | Label      | Unweighted Frequency | %      |
|-------|------------|----------------------|--------|
| 1     | NONE:(1)   | 653                  | 51.9 % |
| 2     | 1 DAY:(2)  | 180                  | 14.3 % |
| 3     | 2 DAYS:(3) | 127                  | 10.1 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 4     | 3 DAYS:(4)   | 82                   | 6.5 %        |
| 5     | 4-5 DAYS:(5) | 72                   | 5.7 %        |
| 6     | 6-10 DA:(6)  | 29                   | 2.3 %        |
| 7     | 11+ DAYS:(7) | 15                   | 1.2 %        |
|       | <b>Total</b> | <b>1,158</b>         | <b>92.1%</b> |
| Value | Missing Data | Unweighted Frequency | %            |
| -9    | MISSING:(-9) | 100                  | 7.9 %        |
|       | <b>Total</b> | <b>100</b>           | <b>7.9%</b>  |

This variable has 1,158 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 455-456 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4176: 00440:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed... ..because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 787                  | 62.6 %       |
| 2     | 1 DAY:(2)    | 152                  | 12.1 %       |
| 3     | 2 DAYS:(3)   | 65                   | 5.2 %        |
| 4     | 3 DAYS:(4)   | 58                   | 4.6 %        |
| 5     | 4-5 DAYS:(5) | 41                   | 3.3 %        |
| 6     | 6-10 DA:(6)  | 13                   | 1.0 %        |
| 7     | 11+ DAYS:(7) | 9                    | 0.7 %        |
|       | <b>Total</b> | <b>1,125</b>         | <b>89.4%</b> |
| Value | Missing Data | Unweighted Frequency | %            |
| -9    | MISSING:(-9) | 133                  | 10.6 %       |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>133</b>           | <b>10.6%</b> |

This variable has 1,125 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 457-458 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4177: 00450:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed... ..for other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 571                  | 45.4 %       |
| 2     | 1 DAY:(2)    | 210                  | 16.7 %       |
| 3     | 2 DAYS:(3)   | 137                  | 10.9 %       |
| 4     | 3 DAYS:(4)   | 79                   | 6.3 %        |
| 5     | 4-5 DAYS:(5) | 89                   | 7.1 %        |
| 6     | 6-10 DA:(6)  | 30                   | 2.4 %        |
| 7     | 11+ DAYS:(7) | 26                   | 2.1 %        |
|       | <b>Total</b> | <b>1,142</b>         | <b>90.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 116                  | 9.2 %       |
|       | <b>Total</b> | <b>116</b>           | <b>9.2%</b> |

This variable has 1,142 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 459-460 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4178: 00460:#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 897                  | 71.3 %       |
| 2     | 1-2:(2)      | 155                  | 12.3 %       |
| 3     | 3-5:(3)      | 68                   | 5.4 %        |
| 4     | 6-10:(4)     | 23                   | 1.8 %        |
| 5     | 11-20:(5)    | 13                   | 1.0 %        |
| 6     | 21+:(6)      | 24                   | 1.9 %        |
|       | <b>Total</b> | <b>1,180</b>         | <b>93.8%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 78                   | 6.2 %       |
|       | <b>Total</b> | <b>78</b>            | <b>6.2%</b> |

This variable has 1,180 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4179: 00470:R HS GRADE/D=1

Item Number: 00470

Which one of the following best describes your average grades in this school year?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

| Value | Label  | Unweighted Frequency | %     |
|-------|--------|----------------------|-------|
| 1     | D:(1)  | 18                   | 1.4 % |
| 2     | C-:(2) | 18                   | 1.4 % |
| 3     | C:(3)  | 40                   | 3.2 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 4     | C+:(4)       | 58                   | 4.6 %        |
| 5     | B-:(5)       | 81                   | 6.4 %        |
| 6     | B:(6)        | 149                  | 11.8 %       |
| 7     | B+:(7)       | 163                  | 13.0 %       |
| 8     | A-:(8)       | 281                  | 22.3 %       |
| 9     | A:(9)        | 375                  | 29.8 %       |
|       | <b>Total</b> | <b>1,183</b>         | <b>94.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 75                   | 6.0 %       |
|       | <b>Total</b> | <b>75</b>            | <b>6.0%</b> |

This variable has 1,183 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4180: 00480:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DEF WONT:(1) | 696                  | 55.3 %       |
| 2     | PRB WONT:(2) | 242                  | 19.2 %       |
| 3     | PRB WILL:(3) | 136                  | 10.8 %       |
| 4     | DEF WILL:(4) | 66                   | 5.2 %        |
|       | <b>Total</b> | <b>1,140</b>         | <b>90.6%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 118                  | 9.4 % |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>118</b>           | <b>9.4%</b> |

This variable has 1,140 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 465-466 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4181: 00490:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DEF WONT:(1) | 872                  | 69.3 %       |
| 2     | PRB WONT:(2) | 190                  | 15.1 %       |
| 3     | PRB WILL:(3) | 62                   | 4.9 %        |
| 4     | DEF WILL:(4) | 24                   | 1.9 %        |
|       | <b>Total</b> | <b>1,148</b>         | <b>91.3%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 110                  | 8.7 %       |
|       | <b>Total</b> | <b>110</b>           | <b>8.7%</b> |

This variable has 1,148 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 467-468 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4182: 00500:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DEF WONT:(1) | 460                  | 36.6 %       |
| 2     | PRB WONT:(2) | 203                  | 16.1 %       |
| 3     | PRB WILL:(3) | 264                  | 21.0 %       |
| 4     | DEF WILL:(4) | 208                  | 16.5 %       |
|       | <b>Total</b> | <b>1,135</b>         | <b>90.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 123                  | 9.8 %       |
|       | <b>Total</b> | <b>123</b>           | <b>9.8%</b> |

This variable has 1,135 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 469-470 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4183: 00510:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | DEF WONT:(1) | 162                  | 12.9 % |
| 2     | PRB WONT:(2) | 122                  | 9.7 %  |
| 3     | PRB WILL:(3) | 280                  | 22.3 % |
| 4     | DEF WILL:(4) | 602                  | 47.9 % |



| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,166</b>         | <b>92.7%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 92                   | 7.3 %       |
|       | <b>Total</b> | <b>92</b>            | <b>7.3%</b> |

This variable has 1,166 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 471-472 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4184: 00520:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DEF WONT:(1) | 300                  | 23.8 %       |
| 2     | PRB WONT:(2) | 302                  | 24.0 %       |
| 3     | PRB WILL:(3) | 333                  | 26.5 %       |
| 4     | DEF WILL:(4) | 213                  | 16.9 %       |
|       | <b>Total</b> | <b>1,148</b>         | <b>91.3%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 110                  | 8.7 %       |
|       | <b>Total</b> | <b>110</b>           | <b>8.7%</b> |

This variable has 1,148 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 473-474 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4185: 00530:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way.  
How many of the following things would you WANT to do? (Mark all that apply.)

Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 970                  | 77.1 %       |
| 1     | MARKED:(1)   | 203                  | 16.1 %       |
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 475-476 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4186: 00540:R WNTDO ARMD FC

Item Number: 00540

How many of the following things would you WANT to do? (Mark all that apply.)

Serve in the armed forces

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 0     | NT MARKD:(0) | 1042                 | 82.8 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | MARKED:(1)   | 131                  | 10.4 %       |
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 477-478 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4187: 00550:R WNTDO 2YR CLG

Item Number: 00550

How many of the following things would you WANT to do? (Mark all that apply.)

Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 828                  | 65.8 %       |
| 1     | MARKED:(1)   | 345                  | 27.4 %       |
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 479-480 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4188: 00560:R WNTDO 4YR CLG

Item Number: 00560

How many of the following things would you WANT to do? (Mark all that apply.)

Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 308                  | 24.5 %       |
| 1     | MARKED:(1)   | 865                  | 68.8 %       |
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 481-482 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

---

## V4189: 00570:R WNTDO GRD/PRF

Item Number: 00570

How many of the following things would you WANT to do? (Mark all that apply.)

Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 0     | NT MARKD:(0) | 615                  | 48.9 % |
| 1     | MARKED:(1)   | 558                  | 44.4 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 483-484 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4190: 00580:R WNTDO NONE

Item Number: 00580

How many of the following things would you WANT to do? (Mark all that apply.)

None of the above

0="UNMARKED" 1="MARKED"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NT MARKD:(0) | 1055                 | 83.9 %       |
| 1     | MARKED:(1)   | 118                  | 9.4 %        |
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 485-486 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4191: 00590:HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours"

5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"

8="More than 30 hours"

| Value | Label         | Unweighted Frequency | %            |
|-------|---------------|----------------------|--------------|
| 1     | NONE:(1)      | 454                  | 36.1 %       |
| 2     | 5 OR <:(2)    | 105                  | 8.3 %        |
| 3     | 6-10 HRS:(3)  | 125                  | 9.9 %        |
| 4     | 11-15 HRS:(4) | 110                  | 8.7 %        |
| 5     | 16-20 HRS:(5) | 141                  | 11.2 %       |
| 6     | 21-25 HRS:(6) | 92                   | 7.3 %        |
| 7     | 26-30 HRS:(7) | 73                   | 5.8 %        |
| 8     | 30+ HRS:(8)   | 77                   | 6.1 %        |
|       | <b>Total</b>  | <b>1,177</b>         | <b>93.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 81                   | 6.4 %       |
|       | <b>Total</b> | <b>81</b>            | <b>6.4%</b> |

This variable has 1,177 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4192: 00600:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from... ..a job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

| Value | Label         | Unweighted Frequency | %            |
|-------|---------------|----------------------|--------------|
| 1     | NONE:(1)      | 482                  | 38.3 %       |
| 2     | \$1-5:(2)     | 3                    | 0.2 %        |
| 3     | \$6-10:(3)    | 16                   | 1.3 %        |
| 4     | \$11-20:(4)   | 101                  | 8.0 %        |
| 5     | \$21-35:(5)   | 21                   | 1.7 %        |
| 6     | \$36-50:(6)   | 27                   | 2.1 %        |
| 7     | \$51-75:(7)   | 59                   | 4.7 %        |
| 8     | \$76-125:(8)  | 116                  | 9.2 %        |
| 9     | \$126-175:(9) | 87                   | 6.9 %        |
| 10    | \$176+:(10)   | 253                  | 20.1 %       |
|       | <b>Total</b>  | <b>1,165</b>         | <b>92.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 93                   | 7.4 %       |
|       | <b>Total</b> | <b>93</b>            | <b>7.4%</b> |

This variable has 1,165 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 10.00

*Location:* 489-490 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4193: 00610:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from... ..other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | NONE:(1)    | 680                  | 54.1 % |
| 2     | \$1-5:(2)   | 23                   | 1.8 %  |
| 3     | \$6-10:(3)  | 34                   | 2.7 %  |
| 4     | \$11-20:(4) | 80                   | 6.4 %  |
| 5     | \$21-35:(5) | 74                   | 5.9 %  |

| Value | Label         | Unweighted Frequency | %            |
|-------|---------------|----------------------|--------------|
| 6     | \$36-50:(6)   | 73                   | 5.8 %        |
| 7     | \$51-75:(7)   | 42                   | 3.3 %        |
| 8     | \$76-125:(8)  | 47                   | 3.7 %        |
| 9     | \$126-175:(9) | 14                   | 1.1 %        |
| 10    | \$176+:(10)   | 58                   | 4.6 %        |
|       | <b>Total</b>  | <b>1,125</b>         | <b>89.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 133                  | 10.6 %       |
|       | <b>Total</b> | <b>133</b>           | <b>10.6%</b> |

This variable has 1,125 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 10.00

*Location:* 491-492 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4194: 00620:#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | < 1:(1)      | 243                  | 19.3 %       |
| 2     | ONE:(2)      | 240                  | 19.1 %       |
| 3     | TWO:(3)      | 344                  | 27.3 %       |
| 4     | THREE:(4)    | 211                  | 16.8 %       |
| 5     | 4-5:(5)      | 107                  | 8.5 %        |
| 6     | 6-7:(6)      | 36                   | 2.9 %        |
|       | <b>Total</b> | <b>1,181</b>         | <b>93.9%</b> |

| Value | Missing Data | Unweighted Frequency | %     |
|-------|--------------|----------------------|-------|
| -9    | MISSING:(-9) | 77                   | 6.1 % |



| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>77</b>            | <b>6.1%</b> |

This variable has 1,181 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 493-494 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4195: 00630:#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"

4="Once a week" 5="2 or 3 times a week"

6="Over 3 times a week"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NEVER:(1)    | 646                  | 51.4 %       |
| 2     | ONCE/MO:(2)  | 140                  | 11.1 %       |
| 3     | 2-3X MO:(3)  | 151                  | 12.0 %       |
| 4     | ONCE WK:(4)  | 93                   | 7.4 %        |
| 5     | 2-3X WK:(5)  | 101                  | 8.0 %        |
| 6     | 3+ WEEK:(6)  | 43                   | 3.4 %        |
|       | <b>Total</b> | <b>1,174</b>         | <b>93.3%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 84                   | 6.7 %       |
|       | <b>Total</b> | <b>84</b>            | <b>6.7%</b> |

This variable has 1,174 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 495-496 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

**V4196: 00640:DRIVE>200 MI/WK**

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="101 to 200 miles" 6="More than 200 miles"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 330                  | 26.2 %       |
| 2     | 1-10 MI:(2)  | 99                   | 7.9 %        |
| 3     | 11-50:(3)    | 239                  | 19.0 %       |
| 4     | 51-100:(4)   | 265                  | 21.1 %       |
| 5     | 101-200:(5)  | 148                  | 11.8 %       |
| 6     | > 200:(6)    | 93                   | 7.4 %        |
|       | <b>Total</b> | <b>1,174</b>         | <b>93.3%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 84                   | 6.7 %       |
|       | <b>Total</b> | <b>84</b>            | <b>6.7%</b> |

This variable has 1,174 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

**V4197: 00650:#X/12MO R TCKTD**

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

| Value | Label    | Unweighted Frequency | %      |
|-------|----------|----------------------|--------|
| 0     | NONE:(0) | 1005                 | 79.9 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | ONCE:(1)     | 115                  | 9.1 %        |
| 2     | TWICE:(2)    | 34                   | 2.7 %        |
| 3     | 3 TIMES:(3)  | 11                   | 0.9 %        |
| 4     | 4+ TIMES:(4) | 8                    | 0.6 %        |
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 499-500 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4198: 00660:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were... ..drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NONE:(0)     | 165                  | 13.1 %       |
| 1     | ONE:(1)      | 3                    | 0.2 %        |
| 2     | TWO:(2)      | 0                    | 0.0 %        |
| 3     | THREE+:(3-4) | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>168</b>           | <b>13.4%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 1090                 | 86.6 %       |
|       | <b>Total</b> | <b>1,090</b>         | <b>86.6%</b> |

This variable has 168 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4199: 00670:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were... ..using marijuana?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NONE:(0)     | 165                  | 13.1 %       |
| 1     | ONE:(1)      | 4                    | 0.3 %        |
| 2     | TWO:(2)      | 0                    | 0.0 %        |
| 3     | THREE+:(3-4) | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>169</b>           | <b>13.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 1089                 | 86.6 %       |
|       | <b>Total</b> | <b>1,089</b>         | <b>86.6%</b> |

This variable has 169 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 503-504 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4200: 00680:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were... ..using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NONE:(0)     | 167                  | 13.3 %       |
| 1     | ONE:(1)      | 0                    | 0.0 %        |
| 2     | TWO:(2)      | 0                    | 0.0 %        |
| 3     | THREE+:(3-4) | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>167</b>           | <b>13.3%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 1091                 | 86.7 %       |
|       | <b>Total</b> | <b>1,091</b>         | <b>86.7%</b> |

This variable has 167 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 0.00

*Location:* 505-506 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4201: 00690:#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 0     | NONE:(0)     | 996                  | 79.2 % |
| 1     | ONCE:(1)     | 137                  | 10.9 % |
| 2     | TWICE:(2)    | 32                   | 2.5 %  |
| 3     | 3 TIMES:(3)  | 6                    | 0.5 %  |
| 4     | 4+ TIMES:(4) | 2                    | 0.2 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,173</b>         | <b>93.2%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 85                   | 6.8 %       |
|       | <b>Total</b> | <b>85</b>            | <b>6.8%</b> |

This variable has 1,173 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 507-508 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

## V4202: 00700:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were... ..drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NONE:(0)     | 175                  | 13.9 %       |
| 1     | ONE:(1)      | 3                    | 0.2 %        |
| 2     | TWO:(2)      | 0                    | 0.0 %        |
| 3     | THREE+:(3)   | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>178</b>           | <b>14.1%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 1080                 | 85.9 %       |
|       | <b>Total</b> | <b>1,080</b>         | <b>85.9%</b> |

This variable has 178 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 509-510 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -9

---

## V4203: 00710:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were... ..using marijuana?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 0     | NONE:(0)     | 177                  | 14.1 %       |
| 1     | ONE:(1)      | 2                    | 0.2 %        |
| 2     | TWO:(2)      | 0                    | 0.0 %        |
| 3     | THREE+: (3)  | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>179</b>           | <b>14.2%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 1079                 | 85.8 %       |
|       | <b>Total</b> | <b>1,079</b>         | <b>85.8%</b> |

This variable has 179 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4204: 00720:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were... ..using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

| Value | Label    | Unweighted Frequency | %      |
|-------|----------|----------------------|--------|
| 0     | NONE:(0) | 178                  | 14.1 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | ONE:(1)      | 0                    | 0.0 %        |
| 2     | TWO:(2)      | 0                    | 0.0 %        |
| 3     | THREE+:(3)   | 0                    | 0.0 %        |
|       | <b>Total</b> | <b>178</b>           | <b>14.1%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 1080                 | 85.9 %       |
|       | <b>Total</b> | <b>1,080</b>         | <b>85.9%</b> |

This variable has 178 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4434: 25800:# HRS PREF WORK

Item Number: 25800

Think about the kinds of paid jobs that people your age usually have. If you could work just the number of hours that you wanted, how many hours per week would you PREFER to work during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25"  
7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 130                  | 10.3 %       |
| 2     | 5 OR <:(2)   | 92                   | 7.3 %        |
| 3     | 6-10:(3)     | 159                  | 12.6 %       |
| 4     | 11-15:(4)    | 148                  | 11.8 %       |
| 5     | 16-20:(5)    | 199                  | 15.8 %       |
| 6     | 21-25:(6)    | 121                  | 9.6 %        |
| 7     | 26-30:(7)    | 93                   | 7.4 %        |
| 8     | 31+:(8)      | 120                  | 9.5 %        |
| 9     | DK:(9)       | 94                   | 7.5 %        |
|       | <b>Total</b> | <b>1,156</b>         | <b>91.9%</b> |



| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 102                  | 8.1 %       |
|       | <b>Total</b> | <b>102</b>           | <b>8.1%</b> |

This variable has 1,156 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 9.00

*Location:* 515-516 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4435: 25810:PRT #HR PREF WRK

Item Number: 25810

How many hours per week do you think your PARENTS would prefer that you work in a paid job during the school year?

1="None" 2="5 or less hours" 3="6 - 10" 4="11 - 15" 5="16 - 20" 6="21 - 25"

7="26 - 30" 8="31 or more hours" 9="Don't know, can't say"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 168                  | 13.4 %       |
| 2     | 5 OR <:(2)   | 85                   | 6.8 %        |
| 3     | 6-10:(3)     | 121                  | 9.6 %        |
| 4     | 11-15:(4)    | 155                  | 12.3 %       |
| 5     | 16-20:(5)    | 174                  | 13.8 %       |
| 6     | 21-25:(6)    | 105                  | 8.3 %        |
| 7     | 26-30:(7)    | 56                   | 4.5 %        |
| 8     | 31+:(8)      | 84                   | 6.7 %        |
| 9     | DK:(9)       | 202                  | 16.1 %       |
|       | <b>Total</b> | <b>1,150</b>         | <b>91.4%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 108                  | 8.6 %       |
|       | <b>Total</b> | <b>108</b>           | <b>8.6%</b> |

This variable has 1,150 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00

- Maximum: 9.00

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4385: 21530:RCNT EMPLOYMT EXP

Item Number: 21530

Which best describes your recent employment experience?

1="I have a paid job now." 2="No paid job now, but I had one during the past 3 months" 3="No paid job in the past three months--GO TO QUESTION 8" 4="Never had a paid job--GO TO QUESTION 8"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | JOB NOW:(1)     | 603                  | 47.9 %       |
| 2     | JOB PAST3MO:(2) | 116                  | 9.2 %        |
| 3     | NO JOB 3MO:(3)  | 153                  | 12.2 %       |
| 4     | NEVER:(4)       | 281                  | 22.3 %       |
|       | <b>Total</b>    | <b>1,153</b>         | <b>91.7%</b> |

  

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 105                  | 8.3 %       |
|       | <b>Total</b> | <b>105</b>           | <b>8.3%</b> |

This variable has 1,153 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4432: 25160:KIND OF PAID JOB

Item Number: 25160

Which of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

01="Have not worked for pay" 02="Lawn or yard work"

03="Fast food worker" 04="Waiter or waitress"  
 05="Other restaurant worker" 06="Newspaper route"  
 07="Babysitting or childcare" 08="Farm or agricultural work"  
 09="Store clerk or salesperson" 10="Office or clerical" 11="Odd jobs"  
 12="Other"

| Value | Label         | Unweighted Frequency | %            |
|-------|---------------|----------------------|--------------|
| 1     | NO WORK:(1)   | 3                    | 0.2 %        |
| 2     | LAWN WK:(2)   | 28                   | 2.2 %        |
| 3     | FASTFOOD:(3)  | 141                  | 11.2 %       |
| 4     | WAITER:(4)    | 64                   | 5.1 %        |
| 5     | OTH REST:(5)  | 85                   | 6.8 %        |
| 6     | PAPER RT:(6)  | 2                    | 0.2 %        |
| 7     | BABYSIT:(7)   | 44                   | 3.5 %        |
| 8     | FARM WK:(8)   | 17                   | 1.4 %        |
| 9     | SALES WK:(9)  | 122                  | 9.7 %        |
| 10    | OFFICE:(10)   | 23                   | 1.8 %        |
| 11    | ODD JOBS:(11) | 12                   | 1.0 %        |
| 12    | OTHER:(12)    | 176                  | 14.0 %       |
|       | <b>Total</b>  | <b>717</b>           | <b>57.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 541                  | 43.0 %       |
|       | <b>Total</b> | <b>541</b>           | <b>43.0%</b> |

This variable has 717 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 521-522 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4300: 10910:CMP SATFD W/JOB

Item Number: 10910

All things considered, how satisfied are (were) you with that job?

1="Completely dissatisfied" 2="Quite dissatisfied"  
 3="Somewhat dissatisfied" 4="Neither, or mixed feelings"  
 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

| Value | Label         | Unweighted Frequency | %            |
|-------|---------------|----------------------|--------------|
| 1     | COMP DIS:(1)  | 27                   | 2.1 %        |
| 2     | QUITE DIS:(2) | 30                   | 2.4 %        |
| 3     | SOME DIS:(3)  | 39                   | 3.1 %        |
| 4     | NEITHER:(4)   | 88                   | 7.0 %        |
| 5     | SOME SAT:(5)  | 153                  | 12.2 %       |
| 6     | QUITE SAT:(6) | 196                  | 15.6 %       |
| 7     | COMP SAT:(7)  | 98                   | 7.8 %        |
|       | <b>Total</b>  | <b>631</b>           | <b>50.2%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 627                  | 49.8 %       |
|       | <b>Total</b> | <b>627</b>           | <b>49.8%</b> |

This variable has 631 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 523-524 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4386: 21540:JOB-#HRS/WEEK

Item Number: 21540

The next questions are about your present or most recent paid job. (If you presently hold more than one paid job, answer for the more important one.)

On the average, how many hours per week do (did) you work on this particular job?

1="5 or less hours" 2="6 to 10 hours" 3="11 to 15 hours" 4="16 to 20 hours" 5="21 to 25 hours" 6="26 to 30 hours"  
7="31 to 35 hours" 8="36 or more hours"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | 5 OR <:(1)   | 74                   | 5.9 %  |
| 2     | 6-10 HRS:(2) | 110                  | 8.7 %  |
| 3     | 11-15:(3)    | 120                  | 9.5 %  |
| 4     | 16-20:(4)    | 143                  | 11.4 % |
| 5     | 21-25:(5)    | 93                   | 7.4 %  |
| 6     | 26-30:(6)    | 76                   | 6.0 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 7     | 31-35:(7)    | 39                   | 3.1 %        |
| 8     | 36+ HRS:(8)  | 53                   | 4.2 %        |
|       | <b>Total</b> | <b>708</b>           | <b>56.3%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 550                  | 43.7 %       |
|       | <b>Total</b> | <b>550</b>           | <b>43.7%</b> |

This variable has 708 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 525-526 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4387: 21550:JOB-SUPERVSR AGE

Item Number: 21550

About how old is (was) your supervisor?

1="Age 20 or younger" 2="21 to 25" 3="26 to 30" 4="31 or older"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 20 OR <:(1)  | 40                   | 3.2 %        |
| 2     | 21-25:(2)    | 76                   | 6.0 %        |
| 3     | 26-30:(3)    | 144                  | 11.4 %       |
| 4     | 31+:(4)      | 447                  | 35.5 %       |
|       | <b>Total</b> | <b>707</b>           | <b>56.2%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 551                  | 43.8 %       |
|       | <b>Total</b> | <b>551</b>           | <b>43.8%</b> |

This variable has 707 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4388: 21560:JOB-#WKRS OWN AG

Item Number: 21560

How many of the other workers are within 2 or 3 years of your own age?

1="None" 2="A few" 3="About half" 4="Most" 5="Nearly all" 6="All"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NONE:(1)     | 114                  | 9.1 %        |
| 2     | FEW:(2)      | 264                  | 21.0 %       |
| 3     | HALF:(3)     | 115                  | 9.1 %        |
| 4     | MOST:(4)     | 126                  | 10.0 %       |
| 5     | NRLY ALL:(5) | 79                   | 6.3 %        |
| 6     | ALL:(6)      | 16                   | 1.3 %        |
|       | <b>Total</b> | <b>714</b>           | <b>56.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 544                  | 43.2 %       |
|       | <b>Total</b> | <b>544</b>           | <b>43.2%</b> |

This variable has 714 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4449: 31460:EVER AD STIM DR

Item Number: 31460

The next questions are about drugs that doctors sometimes prescribe for people who have problems concentrating on one task at a time (attention deficit disorder), or with being too active or too disruptive (hyperactive), or both (ADHD). Stimulant-type drugs (i.e., amphetamine, methylphenidate, and pemoline) are prescribed for these conditions. These drugs include Ritalin, Adderall, Concerta, Metadate, Dexedrine, Focalin, Vyvanse, and others. Have you ever taken any of these

stimulant-type prescription drugs under a doctor's supervision for these conditions? (Do not count drugs that are not stimulant-type, like Strattera, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres.)

1="No--GO TO QUESTION 11" 2="Yes, in the past, but not now" 3="Yes, I take them now"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NO:(1)       | 1026                 | 81.6 %       |
| 2     | YES PAST:(2) | 76                   | 6.0 %        |
| 3     | YES NOW:(3)  | 43                   | 3.4 %        |
|       | <b>Total</b> | <b>1,145</b>         | <b>91.0%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 113                  | 9.0 %       |
|       | <b>Total</b> | <b>113</b>           | <b>9.0%</b> |

This variable has 1,145 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

## V4450: 31470:AGE 1ST AD STIM

Item Number: 31470

How old were you when you first took one of these stimulant-type drugs under a doctor's supervision?

1="1-4 years old" 2="5-9" 3="10-14" 4="15+ years old"

| Value | Label           | Unweighted Frequency | %           |
|-------|-----------------|----------------------|-------------|
| 1     | 1-4 YRS OLD:(1) | 7                    | 0.6 %       |
| 2     | 5-9:(2)         | 38                   | 3.0 %       |
| 3     | 10-14:(3)       | 38                   | 3.0 %       |
| 4     | 15+ YRS OLD:(4) | 37                   | 2.9 %       |
|       | <b>Total</b>    | <b>120</b>           | <b>9.5%</b> |

| Value | Missing Data | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| -9    | MISSING:(-9) | 1138                 | 90.5 % |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,138</b>         | <b>90.5%</b> |

This variable has 120 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 533-534 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4451: 31480:# YRS TK AD STIM

Item Number: 31480

Altogether, for about how many years have you actually taken such drugs under a doctor's supervision?

1="Less than 1 year" 2="1 year" 3="2 years" 4="3-5 years" 5="6-9 years" 6="10 or more years"

| Value | Label        | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| 1     | <1 YR:(1)    | 26                   | 2.1 %       |
| 2     | 1 YR:(2)     | 13                   | 1.0 %       |
| 3     | 2 YRS:(3)    | 17                   | 1.4 %       |
| 4     | 3-5 YRS:(4)  | 21                   | 1.7 %       |
| 5     | 6-9 YRS:(5)  | 25                   | 2.0 %       |
| 6     | 10+ YRS:(6)  | 18                   | 1.4 %       |
|       | <b>Total</b> | <b>120</b>           | <b>9.5%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 1138                 | 90.5 %       |
|       | <b>Total</b> | <b>1,138</b>         | <b>90.5%</b> |

This variable has 120 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 535-536 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4452: 31490:EVER AD NONSTIM



Item Number: 31490

Have you ever taken a non-stimulant-type prescription drug under a doctor's supervision for these conditions (like Strattera, Wellbutrin, Provigil, Tenex, Intuniv, or Catapres)?

1="No" 2="Yes, in the past, but not now" 3="Yes, I take them now" 8="Don't know"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | NO:(1)          | 1028                 | 81.7 %       |
| 2     | YES IN PAST:(2) | 33                   | 2.6 %        |
| 3     | YES NOW:(3)     | 26                   | 2.1 %        |
| 8     | DK:(8)          | 53                   | 4.2 %        |
|       | <b>Total</b>    | <b>1,140</b>         | <b>90.6%</b> |

| Value | Missing Data | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -9    | MISSING:(-9) | 118                  | 9.4 %       |
|       | <b>Total</b> | <b>118</b>           | <b>9.4%</b> |

This variable has 1,140 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 537-538 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4301: 10920:I CNT CHNG WORLD

Item Number: 10920

People have different opinions about world problems. How much do you agree or disagree with each of the following statements?

I feel that I can do very little to change the way the world is today

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | DISAGREE:(1) | 173                  | 13.8 % |
| 2     | MOST DIS:(2) | 215                  | 17.1 % |
| 3     | NEITHER:(3)  | 264                  | 21.0 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 4     | MOST AGR:(4) | 341                  | 27.1 %       |
| 5     | AGREE:(5)    | 135                  | 10.7 %       |
|       | <b>Total</b> | <b>1,128</b>         | <b>89.7%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 130                  | 10.3 %       |
|       | <b>Total</b> | <b>130</b>           | <b>10.3%</b> |

This variable has 1,128 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 539-540 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4302: 10930:SOCTY WONT LAST

Item Number: 10930

How much do you agree or disagree with each of the following statements?

It does little good to clean up air and water pollution because this society will not last long enough for it to matter

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 423                  | 33.6 %       |
| 2     | MOST DIS:(2) | 248                  | 19.7 %       |
| 3     | NEITHER:(3)  | 216                  | 17.2 %       |
| 4     | MOST AGR:(4) | 166                  | 13.2 %       |
| 5     | AGREE:(5)    | 74                   | 5.9 %        |
|       | <b>Total</b> | <b>1,127</b>         | <b>89.6%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 131                  | 10.4 %       |
|       | <b>Total</b> | <b>131</b>           | <b>10.4%</b> |

This variable has 1,127 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 541-542 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4303: 10940:THG TUF,TCHN SLV

Item Number: 10940

How much do you agree or disagree with each of the following statements?

When things get tough enough, we'll put our minds to it and find a technological solution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 103                  | 8.2 %        |
| 2     | MOST DIS:(2) | 113                  | 9.0 %        |
| 3     | NEITHER:(3)  | 303                  | 24.1 %       |
| 4     | MOST AGR:(4) | 432                  | 34.3 %       |
| 5     | AGREE:(5)    | 172                  | 13.7 %       |
|       | <b>Total</b> | <b>1,123</b>         | <b>89.3%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 135                  | 10.7 %       |
|       | <b>Total</b> | <b>135</b>           | <b>10.7%</b> |

This variable has 1,123 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 543-544 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4304: 10950:NO HOPE 4 WORLD

Item Number: 10950

How much do you agree or disagree with each of the following statements?

When I think about all the terrible things that have been happening, it is hard for me to hold out much hope for the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 161                  | 12.8 %       |
| 2     | MOST DIS:(2) | 190                  | 15.1 %       |
| 3     | NEITHER:(3)  | 298                  | 23.7 %       |
| 4     | MOST AGR:(4) | 307                  | 24.4 %       |
| 5     | AGREE:(5)    | 168                  | 13.4 %       |
|       | <b>Total</b> | <b>1,124</b>         | <b>89.3%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 134                  | 10.7 %       |
|       | <b>Total</b> | <b>134</b>           | <b>10.7%</b> |

This variable has 1,124 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4305: 10960:WNDR PURPS 2 LIF

Item Number: 10960

How much do you agree or disagree with each of the following statements?

I often wonder if there is any real purpose to my life in light of the world situation

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| 1     | DISAGREE:(1) | 301                  | 23.9 % |
| 2     | MOST DIS:(2) | 168                  | 13.4 % |
| 3     | NEITHER:(3)  | 306                  | 24.3 % |
| 4     | MOST AGR:(4) | 202                  | 16.1 % |
| 5     | AGREE:(5)    | 149                  | 11.8 % |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>1,126</b>         | <b>89.5%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 132                  | 10.5 %       |
|       | <b>Total</b> | <b>132</b>           | <b>10.5%</b> |

This variable has 1,126 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 547-548 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4306: 10970:WRLD UPHVL 10 YR

Item Number: 10970

How much do you agree or disagree with each of the following statements?

My guess is that this country will be caught up in a major world upheaval in the next 10 years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 118                  | 9.4 %        |
| 2     | MOST DIS:(2) | 117                  | 9.3 %        |
| 3     | NEITHER:(3)  | 409                  | 32.5 %       |
| 4     | MOST AGR:(4) | 309                  | 24.6 %       |
| 5     | AGREE:(5)    | 161                  | 12.8 %       |
|       | <b>Total</b> | <b>1,114</b>         | <b>88.6%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 144                  | 11.4 %       |
|       | <b>Total</b> | <b>144</b>           | <b>11.4%</b> |

This variable has 1,114 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

#### V4307: 10980:ANNIHLTN IN LFTM

Item Number: 10980

How much do you agree or disagree with each of the following statements?

Nuclear or biological annihilation will probably be the fate of all mankind, within my lifetime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 235                  | 18.7 %       |
| 2     | MOST DIS:(2) | 206                  | 16.4 %       |
| 3     | NEITHER:(3)  | 390                  | 31.0 %       |
| 4     | MOST AGR:(4) | 190                  | 15.1 %       |
| 5     | AGREE:(5)    | 93                   | 7.4 %        |
|       | <b>Total</b> | <b>1,114</b>         | <b>88.6%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 144                  | 11.4 %       |
|       | <b>Total</b> | <b>144</b>           | <b>11.4%</b> |

This variable has 1,114 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

#### V4308: 10990:HMN RCE RSILIENT

Item Number: 10990

How much do you agree or disagree with each of the following statements?

The human race has come through tough times before, and will do so again

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | DISAGREE:(1) | 89                   | 7.1 %        |
| 2     | MOST DIS:(2) | 68                   | 5.4 %        |
| 3     | NEITHER:(3)  | 304                  | 24.2 %       |
| 4     | MOST AGR:(4) | 416                  | 33.1 %       |
| 5     | AGREE:(5)    | 235                  | 18.7 %       |
|       | <b>Total</b> | <b>1,112</b>         | <b>88.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 146                  | 11.6 %       |
|       | <b>Total</b> | <b>146</b>           | <b>11.6%</b> |

This variable has 1,112 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 553-554 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4309: 11000:#X BEER/LIFETIME

Item Number: 11000

The next questions are about alcohol use -- this time asking separately about beer, wine, wine coolers, and hard liquor. On how many occasions (if any) have you had beer to drink... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 538                  | 42.8 %       |
| 2     | 1-2X:(2)     | 118                  | 9.4 %        |
| 3     | 3-5X:(3)     | 83                   | 6.6 %        |
| 4     | 6-9X:(4)     | 52                   | 4.1 %        |
| 5     | 10-19X:(5)   | 58                   | 4.6 %        |
| 6     | 20-39X:(6)   | 55                   | 4.4 %        |
| 7     | 40+OCCAS:(7) | 72                   | 5.7 %        |
|       | <b>Total</b> | <b>976</b>           | <b>77.6%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 282                  | 22.4 %       |
|       | <b>Total</b> | <b>282</b>           | <b>22.4%</b> |

This variable has 976 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 555-556 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4310: 11010:#X BEER/LAST12MO

Item Number: 11010

On how many occasions (if any) have you had beer to drink... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 638                  | 50.7 %       |
| 2     | 1-2X:(2)     | 124                  | 9.9 %        |
| 3     | 3-5X:(3)     | 75                   | 6.0 %        |
| 4     | 6-9X:(4)     | 40                   | 3.2 %        |
| 5     | 10-19X:(5)   | 47                   | 3.7 %        |
| 6     | 20-39X:(6)   | 18                   | 1.4 %        |
| 7     | 40+OCCAS:(7) | 28                   | 2.2 %        |
|       | <b>Total</b> | <b>970</b>           | <b>77.1%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 288                  | 22.9 %       |
|       | <b>Total</b> | <b>288</b>           | <b>22.9%</b> |

This variable has 970 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 557-558 (width: 2; decimal: 0)



Variable Type: numeric  
(Range of) Missing Values: -9

## V4311: 11020:#X BEER/LAST30DA

Item Number: 11020

On how many occasions (if any) have you had beer to drink... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 782                  | 62.2 %       |
| 2     | 1-2X:(2)     | 112                  | 8.9 %        |
| 3     | 3-5X:(3)     | 37                   | 2.9 %        |
| 4     | 6-9X:(4)     | 21                   | 1.7 %        |
| 5     | 10-19X:(5)   | 10                   | 0.8 %        |
| 6     | 20-39X:(6)   | 2                    | 0.2 %        |
| 7     | 40+OCCAS:(7) | 6                    | 0.5 %        |
|       | <b>Total</b> | <b>970</b>           | <b>77.1%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 288                  | 22.9 %       |
|       | <b>Total</b> | <b>288</b>           | <b>22.9%</b> |

This variable has 970 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 559-560 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

## V4525: 31360:#X FLVRDALC/LIFE

Item Number: 31360

On how many occasions (if any) have you had flavored alcoholic beverages  
(like hard seltzers, Mike's Hard Lemonade, Smirnoff Ice, wine coolers,  
or ready-to-drink cocktails) to drink-more than just a few  
sips... ..(Do not include regular liquor, beer, or wine.)... ..in  
your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 482                  | 38.3 %       |
| 2     | 1-2X:(2)     | 116                  | 9.2 %        |
| 3     | 3-5X:(3)     | 97                   | 7.7 %        |
| 4     | 6-9X:(4)     | 65                   | 5.2 %        |
| 5     | 10-19X:(5)   | 75                   | 6.0 %        |
| 6     | 20-39X:(6)   | 66                   | 5.2 %        |
| 7     | 40+OCCAS:(7) | 68                   | 5.4 %        |
|       | <b>Total</b> | <b>969</b>           | <b>77.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 289                  | 23.0 %       |
|       | <b>Total</b> | <b>289</b>           | <b>23.0%</b> |

This variable has 969 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 561-562 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4526: 31370:#X FLVRDALC/12MO

Item Number: 31370

On how many occasions (if any) have you had flavored alcoholic beverages (like hard seltzers, Mike's Hard Lemonade, Smirnoff Ice, wine coolers, or ready-to-drink cocktails) to drink-more than just a few sips... ..(Do not include regular liquor, beer, or wine.)... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 557                  | 44.3 % |
| 2     | 1-2X:(2)    | 142                  | 11.3 % |
| 3     | 3-5X:(3)    | 105                  | 8.3 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 4     | 6-9X:(4)     | 64                   | 5.1 %        |
| 5     | 10-19X:(5)   | 51                   | 4.1 %        |
| 6     | 20-39X:(6)   | 27                   | 2.1 %        |
| 7     | 40+OCCAS:(7) | 19                   | 1.5 %        |
|       | <b>Total</b> | <b>965</b>           | <b>76.7%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 293                  | 23.3 %       |
|       | <b>Total</b> | <b>293</b>           | <b>23.3%</b> |

This variable has 965 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 563-564 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4527: 31380:#X FLVRDALC/30DA

Item Number: 31380

On how many occasions (if any) have you had flavored alcoholic beverages (like hard seltzers, Mike's Hard Lemonade, Smirnoff Ice, wine coolers, or ready-to-drink cocktails) to drink-more than just a few sips... ... (Do not include regular liquor, beer, or wine.)... ... during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 744                  | 59.1 %       |
| 2     | 1-2X:(2)     | 131                  | 10.4 %       |
| 3     | 3-5X:(3)     | 54                   | 4.3 %        |
| 4     | 6-9X:(4)     | 20                   | 1.6 %        |
| 5     | 10-19X:(5)   | 11                   | 0.9 %        |
| 6     | 20-39X:(6)   | 0                    | 0.0 %        |
| 7     | 40+OCCAS:(7) | 4                    | 0.3 %        |
|       | <b>Total</b> | <b>964</b>           | <b>76.6%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 294                  | 23.4 %       |
|       | <b>Total</b> | <b>294</b>           | <b>23.4%</b> |

This variable has 964 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 565-566 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4313: 11040:#X WINE/LIFETIME

Item Number: 11040

On how many occasions (if any) have you had wine to drink, not counting wine coolers... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 627                  | 49.8 %       |
| 2     | 1-2X:(2)     | 146                  | 11.6 %       |
| 3     | 3-5X:(3)     | 94                   | 7.5 %        |
| 4     | 6-9X:(4)     | 42                   | 3.3 %        |
| 5     | 10-19X:(5)   | 30                   | 2.4 %        |
| 6     | 20-39X:(6)   | 17                   | 1.4 %        |
| 7     | 40+OCCAS:(7) | 19                   | 1.5 %        |
|       | <b>Total</b> | <b>975</b>           | <b>77.5%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 283                  | 22.5 %       |
|       | <b>Total</b> | <b>283</b>           | <b>22.5%</b> |

This variable has 975 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 567-568 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: -9

#### V4314: 11050:#X WINE/LAST12MO

Item Number: 11050

On how many occasions (if any) have you had wine to drink, not counting wine coolers... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 733                  | 58.3 %       |
| 2     | 1-2X:(2)     | 138                  | 11.0 %       |
| 3     | 3-5X:(3)     | 44                   | 3.5 %        |
| 4     | 6-9X:(4)     | 26                   | 2.1 %        |
| 5     | 10-19X:(5)   | 18                   | 1.4 %        |
| 6     | 20-39X:(6)   | 8                    | 0.6 %        |
| 7     | 40+OCCAS:(7) | 6                    | 0.5 %        |
|       | <b>Total</b> | <b>973</b>           | <b>77.3%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 285                  | 22.7 %       |
|       | <b>Total</b> | <b>285</b>           | <b>22.7%</b> |

This variable has 973 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 569-570 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: -9

#### V4315: 11060:#X WINE/LAST30DA

Item Number: 11060

On how many occasions (if any) have you had wine to drink, not counting wine coolers... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 878                  | 69.8 %       |
| 2     | 1-2X:(2)     | 68                   | 5.4 %        |
| 3     | 3-5X:(3)     | 10                   | 0.8 %        |
| 4     | 6-9X:(4)     | 11                   | 0.9 %        |
| 5     | 10-19X:(5)   | 1                    | 0.1 %        |
| 6     | 20-39X:(6)   | 2                    | 0.2 %        |
| 7     | 40+OCCAS:(7) | 3                    | 0.2 %        |
|       | <b>Total</b> | <b>973</b>           | <b>77.3%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 285                  | 22.7 %       |
|       | <b>Total</b> | <b>285</b>           | <b>22.7%</b> |

This variable has 973 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 571-572 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4317: 11080:#X LIQR/LIFETIME

Item Number: 11080

The next questions are about hard liquor. (Hard liquor includes whiskey, Scotch, bourbon, gin, vodka, rum, etc., or mixed drinks made with liquor.) On how many occasions (if any) have you had liquor to drink... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

| Value | Label       | Unweighted Frequency | %      |
|-------|-------------|----------------------|--------|
| 1     | 0 OCCAS:(1) | 520                  | 41.3 % |
| 2     | 1-2X:(2)    | 122                  | 9.7 %  |
| 3     | 3-5X:(3)    | 89                   | 7.1 %  |
| 4     | 6-9X:(4)    | 71                   | 5.6 %  |
| 5     | 10-19X:(5)  | 56                   | 4.5 %  |
| 6     | 20-39X:(6)  | 54                   | 4.3 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 7     | 40+OCCAS:(7) | 62                   | 4.9 %        |
|       | <b>Total</b> | <b>974</b>           | <b>77.4%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 284                  | 22.6 %       |
|       | <b>Total</b> | <b>284</b>           | <b>22.6%</b> |

This variable has 974 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4318: 11090:#X LIQR/LAST12MO

Item Number: 11090

On how many occasions (if any) have you had liquor to drink... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 601                  | 47.8 %       |
| 2     | 1-2X:(2)     | 148                  | 11.8 %       |
| 3     | 3-5X:(3)     | 71                   | 5.6 %        |
| 4     | 6-9X:(4)     | 59                   | 4.7 %        |
| 5     | 10-19X:(5)   | 46                   | 3.7 %        |
| 6     | 20-39X:(6)   | 23                   | 1.8 %        |
| 7     | 40+OCCAS:(7) | 22                   | 1.7 %        |
|       | <b>Total</b> | <b>970</b>           | <b>77.1%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 288                  | 22.9 %       |
|       | <b>Total</b> | <b>288</b>           | <b>22.9%</b> |

This variable has 970 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 575-576 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4319: 11100:#X LIQR/LAST30DA

Item Number: 11100

On how many occasions (if any) have you had liquor to drink... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"  
7="40 or More"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | 0 OCCAS:(1)  | 757                  | 60.2 %       |
| 2     | 1-2X:(2)     | 134                  | 10.7 %       |
| 3     | 3-5X:(3)     | 37                   | 2.9 %        |
| 4     | 6-9X:(4)     | 30                   | 2.4 %        |
| 5     | 10-19X:(5)   | 6                    | 0.5 %        |
| 6     | 20-39X:(6)   | 1                    | 0.1 %        |
| 7     | 40+OCCAS:(7) | 4                    | 0.3 %        |
|       | <b>Total</b> | <b>969</b>           | <b>77.0%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 289                  | 23.0 %       |
|       | <b>Total</b> | <b>289</b>           | <b>23.0%</b> |

This variable has 969 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 577-578 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4468: 20490:\$SPD DRUG-LT30DA

Item Number: 20490

How much money have you spent on drugs in the last 30 days?



0="Nothing" 1="Less than \$5" 2="\$5 - \$9" 3="\$10 - \$14" 4="\$15 - \$19"  
 5="\$20 - \$29" 6="\$30 - \$39" 7="\$40 - \$49" 8="\$50 - \$74" 9="\$75 - \$99"  
 10="\$100 - \$149" 11="\$150 - \$199" 12="\$200-\$299" 13="\$300 or more"

| Value | Label              | Unweighted Frequency | %            |
|-------|--------------------|----------------------|--------------|
| 0     | NOTHING:(0)        | 957                  | 76.1 %       |
| 1     | <\$5:(1)           | 4                    | 0.3 %        |
| 2     | \$5-9:(2)          | 1                    | 0.1 %        |
| 3     | \$10-14:(3)        | 9                    | 0.7 %        |
| 4     | \$15-19:(4)        | 9                    | 0.7 %        |
| 5     | \$20-29:(5)        | 34                   | 2.7 %        |
| 6     | \$30-39:(6)        | 5                    | 0.4 %        |
| 7     | \$40-49:(7)        | 23                   | 1.8 %        |
| 8     | \$50-74:(8)        | 24                   | 1.9 %        |
| 9     | \$75-99:(9)        | 11                   | 0.9 %        |
| 10    | \$100-149:(10)     | 11                   | 0.9 %        |
| 11    | \$150-199:(11)     | 8                    | 0.6 %        |
| 12    | \$200-\$299:(12)   | 10                   | 0.8 %        |
| 13    | \$300 OR MORE:(13) | 16                   | 1.3 %        |
|       | <b>Total</b>       | <b>1,122</b>         | <b>89.2%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 136                  | 10.8 %       |
|       | <b>Total</b> | <b>136</b>           | <b>10.8%</b> |

This variable has 1,122 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 0.00
- Maximum: 13.00

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4440: 30880:DRG SL NBHD/12MO

Item Number: 30880

During the past 12 months, how often have you seen people selling illegal drugs in your neighborhood?

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

| Value | Label            | Unweighted Frequency | %            |
|-------|------------------|----------------------|--------------|
| 1     | NEVER:(1)        | 866                  | 68.8 %       |
| 2     | FEW/YR:(2)       | 131                  | 10.4 %       |
| 3     | 1X-2X/MO:(3)     | 48                   | 3.8 %        |
| 4     | ONCE+/WK:(4)     | 45                   | 3.6 %        |
| 5     | ALM EVERYDAY:(5) | 34                   | 2.7 %        |
|       | <b>Total</b>     | <b>1,124</b>         | <b>89.3%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 134                  | 10.7 %       |
|       | <b>Total</b> | <b>134</b>           | <b>10.7%</b> |

This variable has 1,124 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 581-582 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4356: 11470:FRD DAP CIGS

Item Number: 11470

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Smoking one or more packs of cigarettes per day

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 134                  | 10.7 %       |
| 2     | DISAPRV:(2)  | 337                  | 26.8 %       |
| 3     | ST DISAP:(3) | 645                  | 51.3 %       |
|       | <b>Total</b> | <b>1,116</b>         | <b>88.7%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 142                  | 11.3 %       |
|       | <b>Total</b> | <b>142</b>           | <b>11.3%</b> |

This variable has 1,116 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 583-584 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4357: 11480:FRD DAP TRY MARJ

Item Number: 11480

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Trying marijuana (pot, weed) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 610                  | 48.5 %       |
| 2     | DISAPRV:(2)  | 242                  | 19.2 %       |
| 3     | ST DISAP:(3) | 262                  | 20.8 %       |
|       | <b>Total</b> | <b>1,114</b>         | <b>88.6%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 144                  | 11.4 %       |
|       | <b>Total</b> | <b>144</b>           | <b>11.4%</b> |

This variable has 1,114 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 585-586 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4358: 11490:FRD DAP MJ OCC

Item Number: 11490

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Using marijuana occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 544                  | 43.2 %       |
| 2     | DISAPRV:(2)  | 254                  | 20.2 %       |
| 3     | ST DISAP:(3) | 316                  | 25.1 %       |
|       | <b>Total</b> | <b>1,114</b>         | <b>88.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 144                  | 11.4 %       |
|       | <b>Total</b> | <b>144</b>           | <b>11.4%</b> |

This variable has 1,114 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 587-588 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4359: 11500:FRD DAP MJ REG

Item Number: 11500

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Using marijuana regularly

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 362                  | 28.8 %       |
| 2     | DISAPRV:(2)  | 348                  | 27.7 %       |
| 3     | ST DISAP:(3) | 404                  | 32.1 %       |
|       | <b>Total</b> | <b>1,114</b>         | <b>88.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 144                  | 11.4 %       |
|       | <b>Total</b> | <b>144</b>           | <b>11.4%</b> |

This variable has 1,114 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4360: 11510:FRD DAP TRY LSD

Item Number: 11510

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Trying LSD once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 224                  | 17.8 %       |
| 2     | DISAPRV:(2)  | 315                  | 25.0 %       |
| 3     | ST DISAP:(3) | 573                  | 45.5 %       |
|       | <b>Total</b> | <b>1,112</b>         | <b>88.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 146                  | 11.6 %       |
|       | <b>Total</b> | <b>146</b>           | <b>11.6%</b> |

This variable has 1,112 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 591-592 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4361: 11520:FRD DAP TRY AMP

Item Number: 11520

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Trying an amphetamine (upper, speed, Adderall, Ritalin, etc.) once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 173                  | 13.8 %       |
| 2     | DISAPRV:(2)  | 303                  | 24.1 %       |
| 3     | ST DISAP:(3) | 636                  | 50.6 %       |
|       | <b>Total</b> | <b>1,112</b>         | <b>88.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 146                  | 11.6 %       |
|       | <b>Total</b> | <b>146</b>           | <b>11.6%</b> |

This variable has 1,112 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 593-594 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4414: 11525:FRD DAP TRY COKE

Item Number: 11525

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Trying cocaine once or twice

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 119                  | 9.5 %        |
| 2     | DISAPRV:(2)  | 217                  | 17.2 %       |
| 3     | ST DISAP:(3) | 776                  | 61.7 %       |
|       | <b>Total</b> | <b>1,112</b>         | <b>88.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 146                  | 11.6 %       |
|       | <b>Total</b> | <b>146</b>           | <b>11.6%</b> |

This variable has 1,112 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 595-596 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4415: 11526:FRD DAP COKE OCC

Item Number: 11526

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Taking cocaine occasionally

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 73                   | 5.8 %        |
| 2     | DISAPRV:(2)  | 187                  | 14.9 %       |
| 3     | ST DISAP:(3) | 847                  | 67.3 %       |
|       | <b>Total</b> | <b>1,107</b>         | <b>88.0%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 151                  | 12.0 %       |
|       | <b>Total</b> | <b>151</b>           | <b>12.0%</b> |

This variable has 1,107 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 597-598 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4362: 11530:FRD DAP 1-2DR/DA

Item Number: 11530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Having one or two drinks nearly every day.

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 229                  | 18.2 %       |
| 2     | DISAPRV:(2)  | 350                  | 27.8 %       |
| 3     | ST DISAP:(3) | 533                  | 42.4 %       |
|       | <b>Total</b> | <b>1,112</b>         | <b>88.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 146                  | 11.6 %       |
|       | <b>Total</b> | <b>146</b>           | <b>11.6%</b> |

This variable has 1,112 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 599-600 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4363: 11540:FRD DAP 4-5DR/DA

Item Number: 11540

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Having four or five drinks nearly every day.

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 121                  | 9.6 %        |
| 2     | DISAPRV:(2)  | 251                  | 20.0 %       |
| 3     | ST DISAP:(3) | 738                  | 58.7 %       |
|       | <b>Total</b> | <b>1,110</b>         | <b>88.2%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 148                  | 11.8 %       |
|       | <b>Total</b> | <b>148</b>           | <b>11.8%</b> |



This variable has 1,110 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4364: 11550:FRD DAP 5+DR/WKD

Item Number: 11550

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Having five or more drinks once or twice each weekend

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 346                  | 27.5 %       |
| 2     | DISAPRV:(2)  | 284                  | 22.6 %       |
| 3     | ST DISAP:(3) | 474                  | 37.7 %       |
|       | <b>Total</b> | <b>1,104</b>         | <b>87.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 154                  | 12.2 %       |
|       | <b>Total</b> | <b>154</b>           | <b>12.2%</b> |

This variable has 1,104 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 603-604 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4412: 11551:FRD DAP DRIV+2DR

Item Number: 11551

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Driving a car after having 1-2 drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 135                  | 10.7 %       |
| 2     | DISAPRV:(2)  | 282                  | 22.4 %       |
| 3     | ST DISAP:(3) | 686                  | 54.5 %       |
|       | <b>Total</b> | <b>1,103</b>         | <b>87.7%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 155                  | 12.3 %       |
|       | <b>Total</b> | <b>155</b>           | <b>12.3%</b> |

This variable has 1,103 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 605-606 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4413: 11552:FRD DAP DRIV+5DR

Item Number: 11552

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Driving a car after having 5 or more drinks

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 67                   | 5.3 %        |
| 2     | DISAPRV:(2)  | 179                  | 14.2 %       |
| 3     | ST DISAP:(3) | 854                  | 67.9 %       |
|       | <b>Total</b> | <b>1,100</b>         | <b>87.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 158                  | 12.6 %       |
|       | <b>Total</b> | <b>158</b>           | <b>12.6%</b> |

This variable has 1,100 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 607-608 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4485: 35300:FRD DAP DRIVE MJ

Item Number: 35300

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Driving a car after using marijuana

1="Not Disapprove" 2="Disapprove" 3="Strongly Disapprove"

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 188                  | 14.9 %       |
| 2     | DISAPRV:(2)  | 289                  | 23.0 %       |
| 3     | ST DISAP:(3) | 623                  | 49.5 %       |
|       | <b>Total</b> | <b>1,100</b>         | <b>87.4%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 158                  | 12.6 %       |
|       | <b>Total</b> | <b>158</b>           | <b>12.6%</b> |

This variable has 1,100 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4491: 37520:FRD DAP VAP NIC OCC

Item Number: 37520

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Vaping nicotine occasionally

1 ='NT DISAP:(1)' 2 ='DISAPRV:(2)' 3 ='ST DISAP:(3)'

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 394                  | 31.3 %       |
| 2     | DISAPRV:(2)  | 297                  | 23.6 %       |
| 3     | ST DISAP:(3) | 414                  | 32.9 %       |
|       | <b>Total</b> | <b>1,105</b>         | <b>87.8%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 153                  | 12.2 %       |
|       | <b>Total</b> | <b>153</b>           | <b>12.2%</b> |

This variable has 1,105 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4492: 37530:FRD DAP VAP NIC REG

Item Number: 37530

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Vaping nicotine regularly

1 ='NT DISAP:(1)' 2 ='DISAPRV:(2)' 3 ='ST DISAP:(3)'

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 1     | NT DISAP:(1) | 304                  | 24.2 %       |
| 2     | DISAPRV:(2)  | 276                  | 21.9 %       |
| 3     | ST DISAP:(3) | 521                  | 41.4 %       |
|       | <b>Total</b> | <b>1,101</b>         | <b>87.5%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 157                  | 12.5 %       |
|       | <b>Total</b> | <b>157</b>           | <b>12.5%</b> |

This variable has 1,101 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4519: 38210:SCHL SRVC COUNSELING

Item Number: 38210

During the current school year, how helpful have the following been, if provided by your school?

Counseling support

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"

2="A little helpful" 1="Not at all helpful" 7="Not offered"

8="Don't know/Not applicable"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | NOT@ALL:(1)     | 159                  | 12.6 %       |
| 2     | A LITTLE:(2)    | 140                  | 11.1 %       |
| 3     | SOMEWHAT:(3)    | 126                  | 10.0 %       |
| 4     | QUITE:(4)       | 157                  | 12.5 %       |
| 5     | EXTREMELY:(5)   | 151                  | 12.0 %       |
| 7     | NOT OFFERED:(7) | 66                   | 5.2 %        |
| 8     | DK/NA:(8)       | 295                  | 23.4 %       |
|       | <b>Total</b>    | <b>1,094</b>         | <b>87.0%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 164                  | 13.0 %       |
|       | <b>Total</b> | <b>164</b>           | <b>13.0%</b> |

This variable has 1,094 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

---

## V4520: 38220:SCHL SRVC GRP CNSLNG

Item Number: 38220

During the current school year, how helpful have the following been, if provided by your school?

Group counseling

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"

2="A little helpful" 1="Not at all helpful" 7="Not offered"

8="Don't know/Not applicable"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | NOT@ALL:(1)     | 154                  | 12.2 %       |
| 2     | A LITTLE:(2)    | 90                   | 7.2 %        |
| 3     | SOMEWHAT:(3)    | 59                   | 4.7 %        |
| 4     | QUITE:(4)       | 59                   | 4.7 %        |
| 5     | EXTREMELY:(5)   | 75                   | 6.0 %        |
| 7     | NOT OFFERED:(7) | 176                  | 14.0 %       |
| 8     | DK/NA:(8)       | 472                  | 37.5 %       |
|       | <b>Total</b>    | <b>1,085</b>         | <b>86.2%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 173                  | 13.8 %       |
|       | <b>Total</b> | <b>173</b>           | <b>13.8%</b> |

This variable has 1,085 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 617-618 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4521: 38230:SCHL SRVC MNTL HLTH CUR

Item Number: 38230

During the current school year, how helpful have the following been, if provided by your school?

Mental health curriculum

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"

2="A little helpful" 1="Not at all helpful" 7="Not offered"

8="Don't know/Not applicable"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | NOT@ALL:(1)     | 192                  | 15.3 %       |
| 2     | A LITTLE:(2)    | 115                  | 9.1 %        |
| 3     | SOMEWHAT:(3)    | 82                   | 6.5 %        |
| 4     | QUITE:(4)       | 73                   | 5.8 %        |
| 5     | EXTREMELY:(5)   | 75                   | 6.0 %        |
| 7     | NOT OFFERED:(7) | 169                  | 13.4 %       |
| 8     | DK/NA:(8)       | 380                  | 30.2 %       |
|       | <b>Total</b>    | <b>1,086</b>         | <b>86.3%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 172                  | 13.7 %       |
|       | <b>Total</b> | <b>172</b>           | <b>13.7%</b> |

This variable has 1,086 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 619-620 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4522: 38240:SCHL SRVC MNTL HLTH RES

Item Number: 38240

During the current school year, how helpful have the following been, if provided by your school?

Mental health resources

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"

2="A little helpful" 1="Not at all helpful" 7="Not offered"

8="Don't know/Not applicable"

| Value | Label           | Unweighted Frequency | %      |
|-------|-----------------|----------------------|--------|
| 1     | NOT@ALL:(1)     | 193                  | 15.3 % |
| 2     | A LITTLE:(2)    | 136                  | 10.8 % |
| 3     | SOMEWHAT:(3)    | 79                   | 6.3 %  |
| 4     | QUITE:(4)       | 93                   | 7.4 %  |
| 5     | EXTREMELY:(5)   | 87                   | 6.9 %  |
| 7     | NOT OFFERED:(7) | 114                  | 9.1 %  |

| Value | Label        | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| 8     | DK/NA:(8)    | 375                  | 29.8 %       |
|       | <b>Total</b> | <b>1,077</b>         | <b>85.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 181                  | 14.4 %       |
|       | <b>Total</b> | <b>181</b>           | <b>14.4%</b> |

This variable has 1,077 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 621-622 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4523: 38250:SCHL SRVC INFRML MEETINGS

Item Number: 38250

During the current school year, how helpful have the following been, if provided by your school?

"Check-ins" or informal one-on-one meetings between students and school staff

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"

2="A little helpful" 1="Not at all helpful" 7="Not offered"

8="Don't know/Not applicable"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | NOT@ALL:(1)     | 168                  | 13.4 %       |
| 2     | A LITTLE:(2)    | 141                  | 11.2 %       |
| 3     | SOMEWHAT:(3)    | 86                   | 6.8 %        |
| 4     | QUITE:(4)       | 100                  | 7.9 %        |
| 5     | EXTREMELY:(5)   | 100                  | 7.9 %        |
| 7     | NOT OFFERED:(7) | 148                  | 11.8 %       |
| 8     | DK/NA:(8)       | 347                  | 27.6 %       |
|       | <b>Total</b>    | <b>1,090</b>         | <b>86.6%</b> |

  

| Value | Missing Data | Unweighted Frequency | %      |
|-------|--------------|----------------------|--------|
| -9    | MISSING:(-9) | 168                  | 13.4 % |



| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
|       | <b>Total</b> | <b>168</b>           | <b>13.4%</b> |

This variable has 1,090 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 623-624 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9

---

## V4524: 38260:SCHL SRVC MENTORING

Item Number: 38260

During the current school year, how helpful have the following been, if provided by your school?

Mentoring

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"

2="A little helpful" 1="Not at all helpful" 7="Not offered"

8="Don't know/Not applicable"

| Value | Label           | Unweighted Frequency | %            |
|-------|-----------------|----------------------|--------------|
| 1     | NOT@ALL:(1)     | 136                  | 10.8 %       |
| 2     | A LITTLE:(2)    | 116                  | 9.2 %        |
| 3     | SOMEWHAT:(3)    | 104                  | 8.3 %        |
| 4     | QUITE:(4)       | 105                  | 8.3 %        |
| 5     | EXTREMELY:(5)   | 109                  | 8.7 %        |
| 7     | NOT OFFERED:(7) | 127                  | 10.1 %       |
| 8     | DK/NA:(8)       | 395                  | 31.4 %       |
|       | <b>Total</b>    | <b>1,092</b>         | <b>86.8%</b> |

| Value | Missing Data | Unweighted Frequency | %            |
|-------|--------------|----------------------|--------------|
| -9    | MISSING:(-9) | 166                  | 13.2 %       |
|       | <b>Total</b> | <b>166</b>           | <b>13.2%</b> |

This variable has 1,092 valid cases out of 1,258 total cases.

Percentages for valid and missing data are based on 1,258 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 625-626 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -9