# **ICPSR 3184**

# Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2000

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social

Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

Codebook for 12th Grade, Form 3 Data

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

# CONTENTS

item	page
Introduction	ii
Data Collection Description	ii
Data Collection Procedures	ii
Sampling Information	iii
Stage 1: Geographic Areas	iii
Stage 2: Schools	iii
Stage 3: Students	iii
School Recruiting Procedure	iv
Advance Contact with Teachers and Students	iv
Questionnaire Administration	v
Procedures for Protecting Confidentiality	v
Content Areas and Questionnaire Design	v
Measurement Content Areas	vi
Representativeness and Validity	vii
School Participation	viii
Student Participation	ix
Validity of Self-Report Data	ix
Accuracy of Sample	x
Consistency and the Measurement of Trends	X
Interpreting Racial Differences	X
Differential Representation	xi
Differential Response Tendencies	xii
Covariance with Other Factors	xii
Weighting Information	xiii
File Structure	xiv
Codebook Information	XV
ICPSR Processing Information	xvi
Frequencies	1
APPENDICES	
Appendix A - Publications	207
Appendix B - Sample Size and Student Response Rates	221
· · · · · · · · · · · · · · · · · ·	

#### INTRODUCTION

#### DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2000, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

#### DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions

who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

#### SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling.

For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a twoyear period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing

the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name

and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

#### CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

#### MEASUREMENT CONTENT AREAS

\_\_\_\_\_

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments.
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources.

  Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.

- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, medical treatment.

\_\_\_\_

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are

included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

#### REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. Thus far, from 66 percent to 80 percent of the original schools invited to participate have agreed to do so each year; for each school refusal, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Ethnic identification is provided for the two largest racial/ethnic subgroups in the population -- those who identify themselves as white or Caucasian and those who identify themselves as black or African American. Identification is not given for the other ethnic categories (Native Americans, Asian Americans, Mexican American, Puerto Rican American, or other Latin American) since each of these groups comprises a small proportion of the sample in any given year, which means that

their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. In fact, even African Americans -- who constitute approximately 12 percent of each year's sample -- are represented by only 350 to 425 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for African Americans, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-cancelling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for

some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

#### WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

#### FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2000 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS and SPSS data definition statements containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used.

part 	#	form		#variables	logical record length	unweighted N
Part	1	Core		108	224	13286
	_					
Part	2	Form	1	615	1237	2242
Part	3	Form	2	330	667	2212
Part	4	Form	3	358	723	2220
Part	5	Form	4	281	569	2196
Part	6	Form	5	310	627	2197
Part	7	Form	6	338	683	2219

The SAS and SPSS data definition statements give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

#### CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

#### [1] V1134 [2] 991A13 KIND OF PAID JOB

[3] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[4]	[5]	[6]	[7]	[8]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	3.3	190	0	
	1.6	94	99	
[9]	[10]	[]	11]	
100.0	100.0	5,745	cases	(Wtd)

- [12] Data type: numeric
- [13] Decimals: 0
- [14] Missing-data codes: 0,99
- [15] Columns: 98-99

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [4] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [5] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [6] Indicates the weighted frequency of occurrence of each code value for this variable.
- [7] Indicates the code values occurring in the data for this variable.
- [8] Indicates the textual definitions of the codes for this variable.
- [9] Indicates the total of the valid case percentages (100%).
- [10] Indicates the total of all case percentages (100%).
- [11] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [12] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (), pound signs (#), and ampersands (&).
- [13] Indicates the number of decimal places in the variable.
- [14] Indicates the code values of missing data. In this example, code values equal to 9 are missing data (MD Codes: 9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [15] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

#### ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed. Statements bracketed in "<" and ">" signs in the body of the codebook were added by the processors for explanatory purposes. Statements bracketed in "[" and "]" were added to the tables provided by the PI, but did not appear in the questionnaire.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Some questions have been eliminated from the dataset altogether (e.g., birth month, school, city, state, and student i.d. numbers; previously Variable Numbers 2, 6-12, 14-15, and 149). Other items have been left in the dataset but altered to "collapsed" or "bracketed" forms. Race (Var. No. 151) is now grouped as white/African American/ missing data. Sampling weight (Var. No. 5), which originally had a distinct value for each school, now is assigned one of six grouped values. Number of Older Brothers and Sisters, and Number of Younger Brother and Sisters (Var. Nos. 75 & 76) have been combined into a simple Number of Siblings variable. Users interested in analyses involving these items in their original form should contact the investigators.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE OUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its full version to a bracketed version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

ICPSR PROCESSOR NOTE: Selected variables were omitted from the Western region questionnaires and have been noted in each codebook.

# FREQUENCIES FORM 3 DATA FILE

# CASEID CASE IDENTIFICATION NUMBER

2,218 cases (Range of valid codes: 1-2,220)

Data type: numeric Missing-data code: -9 Columns: 720-723

V13			003	:SCHL	RGN-4	CAT
	PCT	PCT	N	VALUE	LABEL	
	VALID	ALL				
	19.5	19.5	432	1	NE: (1)	
	24.9	24.9	552	2	NC: (2)	
	35.1	35.1	778	3	S:(3)	
	20.6	20.6	457	4	W:(4)	
	100.0	100.0	2,218	cases		

Data type: numeric Missing-data code: -9

Column: 1

V16	003	:SELF-REP/NOT=0		
-----	-----	-----------------	--	--

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
	0	1,544	69.6	69.6
	1	674	30.4	30.4
	cases	2,218	100.0	100.0

Data type: numeric Missing-data code: -9

Column: 2

#### V17 003 :SMSA/NON-SMSA=0

Data type: numeric Missing-data code: -9

Column: 3

# V1 YEAR OF ADMIN (4-DIGITS)

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,218 2000 ---- 100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 4-7

#### V3 003 :FORM ID

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,218 3 ---- 100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Column: 8

#### V4 003 :R'S ID-SERIAL #

2,218 cases (Range of valid codes: 30,001-32,220)

Data type: numeric Missing-data code: -9

Columns: 9-13

#### V3487 003B11A:#X CRACK/LIFETIM

B11: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	93.2	2,068	1	0 OCCAS (1)
1.7	1.6	36	2	1-2X (2)
0.4	0.4	9	3	3-5X (3)
0.5	0.5	11	4	6-9X (4)
0.1	0.1	2	5	10-19X (5)
0.1	0.1	3	6	20-39X (6)
0.5	0.5	11	7	40+X(7)
	3.5	78	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 14-15

#### V3488

#### 003B11B: #X CRACK/LAST12M

B11: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.0	2,106	1	0 OCCAS (1)
0.6	0.6	13	2	1-2X (2)
0.3	0.3	6	3	3-5X (3)
0.4	0.4	8	4	6-9X (4)
0.2	0.2	5	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.1	0.1	2	7	40+X(7)
	3.5	77	- 9	Missing

Data type: numeric Missing-data code: -9

100.0 100.0 2,218 cases

Columns: 16-17

#### V3489 003B11C:#X CRACK/LAST30D

B11: On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.9	2,127	1	0 OCCAS (1)
0.3	0.3	7	2	1-2X (2)
0.3	0.3	7	3	3-5X (3)
0.1	0.1	2	4	6-9X (4)
0.0	0.0	0	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.1	0.1	2	7	40+X (7)
	3.3	73	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 18-19

#### V3490

#### 003B12A: #XOTH COKE/LIFE

B12: On how many occasions (if any) have you used cocaine in any other form...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	88.2	1,956	1	0 OCCAS (1)
4.3	4.1	92	2	1-2X (2)
1.1	1.1	24	3	3-5X (3)
0.8	0.8	17	4	6-9X (4)
0.9	0.8	18	5	10-19X (5)
0.7	0.7	15	6	20-39X (6)
1.0	1.0	21	7	40+X (7)
	3.4	75	- 9	Missing

Data type: numeric Missing-data code: -9

100.0 100.0 2,218 cases

Columns: 20-21

# V3491 003B12B: #XOTH COKE/12MO

B12: On how many occasions (if any) have you used cocaine in any other form...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	92.0	2,040	1	0 OCCAS (1)
2.1	2.0	45	2	1-2X (2)
0.7	0.6	14	3	3-5X (3)
0.9	0.8	19	4	6-9X (4)
0.4	0.4	8	5	10-19X (5)
0.2	0.2	5	6	20-39X (6)
0.4	0.4	10	7	40+X(7)
	3.5	78	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 22-23

#### V3492 003B12C:#XOTH COKE/30DA

B12: On how many occasions (if any) have you used cocaine in any other form...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	94.5	2,097	1	0 OCCAS (1)
1.2	1.1	25	2	1-2X (2)
0.3	0.3	7	3	3-5X (3)
0.3	0.3	6	4	6-9X (4)
0.1	0.1	1	5	10-19X (5)
0.1	0.1	2	6	20-39X (6)
0.1	0.1	1	7	40+X (7)
	3.6	79	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 24-25

# V49 003C07R:# SIBLINGS

How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.5	121	0	
33.5	32.2	713	1	
27.3	26.3	583	2	
33.5	32.2	714	3	3 OR MORE
	3.9	87	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 26-27

# V3101 003B01 :EVR SMK CIG, REGL

Have you ever smoked cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	35.2	781	1	NEVER: (1)
24.0	23.4	520	2	1-2X:(2)
13.8	13.4	298	3	OCCASNLY: (3)
8.5	8.3	185	4	REG PAST: (4)
17.6	17.2	381	5	REG NOW: (5)
	2.4	54	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 28-29

# V3102 003B02 :#CIGS SMKD/30DAY

How frequently have you smoked cigarettes during the past 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	65.4	1,451	1	NONE: (1)
10.6	10.4	230	2	<1 CIG/D:(2)
10.9	10.6	235	3	1-5/DAY:(3)
6.4	6.2	138	4	2PK/D:(4)
3.4	3.3	73	5	1 PK/DA:(5)
0.9	0.9	19	6	1.5 PK/D:(6)
0.5	0.5	12	7	2+ PKS/D:(7)
0.0	0.0	0	8	INAP: (8)
	2.7	60	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 30-31

# V3103 003B03 :EVER DRINK

Next we want to ask you about drinking alcoholic beverages, including beer, wine, wine coolers, and liquor. Have you ever had any beer, wine, wine coolers, or liquor to drink - more than just a few sips?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.6	412	1	NO: (1)
80.6	77.2	1,713	2	YES: (2)
	4.2	93	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 32-33

#### V3104 003B04A:#X ALC/LIF SIPS

On how many occasions have you had alcoholic beverages to drink- more than just a few sips...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	18.6	412	1	0 OCCAS: (1)
7.6	7.1	157	2	1-2X:(2)
11.8	11.1	246	3	3-5X:(3)
9.4	8.8	196	4	6-9X:(4)
13.6	12.8	283	5	10-19X:(5)
11.9	11.2	248	6	20-39X:(6)
25.9	24.3	538	7	40+OCCAS: (7)
	6.2	138	- 9	Missing
100 0	1000	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 34-35

#### V3105

#### 003B04B:#X ALC/ANN SIPS

On how many occasions have you had alcoholic beverages to drink- more than just a few sips...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	24.0	533	1	0 OCCAS: (1)
14.7	13.7	303	2	1-2X:(2)
15.4	14.4	318	3	3-5X:(3)
11.4	10.6	236	4	6-9X:(4)
13.4	12.5	277	5	10-19X:(5)
9.2	8.6	190	6	20-39X:(6)
10.1	9.4	209	7	40+OCCAS: (7)
	6.9	153	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 36-37

# V3106 003B04C:#X ALC/30D SIPS

On how many occasions have you had alcoholic beverages to drink- more than just a few sips...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	46.1	1,022	1	0 OCCAS: (1)
21.1	19.7	437	2	1-2X:(2)
13.9	13.0	288	3	3-5X:(3)
8.1	7.6	169	4	6-9X:(4)
4.6	4.3	94	5	10-19X:(5)
1.5	1.4	31	6	20-39X:(6)
1.5	1.4	30	7	40+OCCAS: (7)
	6.7	148	- 9	Missing
100 0	1000	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 38-39

# V3107 003B05 :#X DRK ENF FL HI

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	19.2	426	1	NONE: (1)
24.9	19.2	426	2	FEW: (2)
15.1	11.7	259	3	HALF: (3)
19.0	14.7	325	4	MOST: (4)
16.0	12.3	274	5	NRLY ALL: (5)
	22.9	508	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 40-41

#### V3108 003B06 :5+DRK ROW/LST 2W

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, or a mixed drink.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	64.3	1,425	1	NONE: (1)
9.9	9.1	202	2	ONCE: (2)
9.1	8.4	186	3	TWICE: (3)
7.3	6.7	150	4	3-5X:(4)
2.0	1.8	40	5	6-9X:(5)
1.7	1.6	36	6	10+ TIME: (6)
	8.1	180	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 42-43

#### V3115

# 003B07A: #XMJ+HS/LIFETIME

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	49.1	1,088	1	0 OCCAS: (1)
9.3	8.9	198	2	1-2X:(2)
6.0	5.8	129	3	3-5X:(3)
4.8	4.6	103	4	6-9X:(4)
7.4	7.1	158	5	10-19X:(5)
4.9	4.7	105	6	20-39X:(6)
16.3	15.7	348	7	40+OCCAS: (7)
	4.1	91	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 44-45

#### V3116 003B07B: #XMJ+HS/LAST12MO

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.7	60.8	1,348	1	0 OCCAS: (1)
9.6	9.1	203	2	1-2X:(2)
6.7	6.4	143	3	3-5X:(3)
3.7	3.5	78	4	6-9X:(4)
3.8	3.7	81	5	10-19X:(5)
3.3	3.2	71	6	20-39X:(6)
9.1	8.7	193	7	40+OCCAS: (7)
	4.6	103	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 46-47

#### V3117

#### 003B07C: #XMJ+HS/LAST30DA

On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil)...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	75.5	1,674	1	0 OCCAS: (1)
6.6	6.3	140	2	1-2X:(2)
3.4	3.2	72	3	3-5X:(3)
2.4	2.2	50	4	6-9X:(4)
2.5	2.4	53	5	10-19X:(5)
2.7	2.5	56	6	20-39X:(6)
3.5	3.3	74	7	40+OCCAS: (7)
	4.5	99	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 48-49

# V3118 003B08A:#X LSD/LIFETIME

On how many occasions (if any) have you used LSD ("acid")...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	85.5	1,896	1	0 OCCAS: (1)
4.9	4.8	106	2	1-2X:(2)
2.8	2.7	60	3	3-5X:(3)
1.3	1.3	28	4	6-9X:(4)
1.2	1.2	26	5	10-19X:(5)
0.7	0.7	15	6	20-39X:(6)
1.0	1.0	21	7	40+OCCAS: (7)
	3.0	67	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 50-51

# V3119

# 003B08B:#X LSD/LAST 12MO

On how many occasions (if any) have you used LSD ("acid")...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	90.3	2,002	1	0 OCCAS: (1)
3.1	3.0	67	2	1-2X:(2)
2.2	2.1	46	3	3-5X:(3)
0.9	0.9	19	4	6-9X:(4)
0.3	0.2	5	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	3.1	69	- 9	Missing

-----

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 52-53

# V3120 003B08C:#X LSD/LAST 30DA

On how many occasions (if any) have you used LSD ("acid")...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	95.3	2,115	1	0 OCCAS: (1)
1.1	1.0	23	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.2	0.2	3	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.0	67	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 54-55

# V3121

# 003B09A:#X PSYD/LIFETIME

On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	89.5	1,985	1	0 OCCAS: (1)
3.6	3.5	77	2	1-2X:(2)
2.0	2.0	44	3	3-5X:(3)
0.5	0.5	11	4	6-9X:(4)
0.8	0.8	18	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.4	0.4	8	7	40+OCCAS: (7)
	3.2	71	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 56-57

# V3122 003B09B:#X PSYD/LAST12MO

On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	92.5	2,052	1	0 OCCAS: (1)
2.4	2.3	52	2	1-2X:(2)
0.8	0.8	18	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.5	0.5	11	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.3	0.3	6	7	40+OCCAS: (7)
	3.2	70	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 58-59

#### V3123

#### 003B09C: #X PSYD/LAST30DA

On how many occasions (if any) have you used psychedelics other than LSD (like mescaline, peyote, psilocybin, PCP)...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	95.5	2,118	1	0 OCCAS: (1)
0.8	0.8	18	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.3	73	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 60-61

V3124		003R	:#X C	OKE/LIFETIME	
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
90.5	87.3	1,936	1	0 OCCAS:(1)	
3.9	3.7	83	2	1-2X:(2)	
1.9	1.8	41	3	3-5X:(3)	
0.8	0.8	17	4	6-9X:(4)	
0.7	0.7	16	5	10-19X:(5)	
0.7	0.7	15	6	20-39X:(6)	
1.4	1.4	31	7	40+OCCAS: (7)	
	3.6	79	- 9	Missing	
100.0	100.0	2,218	cases		

Data type: numeric Missing-data code: -9

Columns: 62-63

V3125		003R	:#X CC	OKE/LAST12MO
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	91.4	2,027	1	0 OCCAS: (1)
2.0	1.9	42	2	1-2X:(2)
1.0	0.9	20	3	3-5X:(3)
0.8	0.8	17	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS: (7)
	3.7	83	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 64-65

V3126		003R	:#X C	OKE/LAST30DA
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	94.2	2,090	1	0 OCCAS:(1)
1.1	1.0	23	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	3.7	82	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 66-67

## V3127 003B10A:#X AMPH/LIFETIME

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

## ...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	79.6	1,765	1	0 OCCAS: (1)
6.2	6.0	132	2	1-2X:(2)
4.1	4.0	88	3	3-5X:(3)
3.0	2.9	64	4	6-9X:(4)
2.1	2.0	44	5	10-19X:(5)
0.7	0.7	15	6	20-39X:(6)
1.4	1.4	31	7	40+OCCAS: (7)
	3.5	78	- 9	Missing
100.0	100.0	2,218	cases	

Data toma mumania

Data type: numeric Missing-data code: -9

Columns: 68-69

## V3128 003B10B:#X AMPH/LAST12MO

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	84.8	1,882	1	0 OCCAS: (1)
6.0	5.8	128	2	1-2X:(2)
2.2	2.1	47	3	3-5X:(3)
1.8	1.7	38	4	6-9X:(4)
1.0	1.0	22	5	10-19X:(5)
0.4	0.4	8	6	20-39X:(6)
0.5	0.5	11	7	40+OCCAS: (7)
	3.7	82	- 9	Missing
100.0	100.0	2,218	cases	

Data taman manada

Data type: numeric Missing-data code: -9

Columns: 70-71

## V3129 003B10C:#X AMPH/LAST30DA

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor.

Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	N	VALUE	LABEL
ALL			
91.2	2,023	1	0 OCCAS:(1)
2.9	64	2	1-2X:(2)
1.1	26	3	3-5X:(3)
0.4	10	4	6-9X:(4)
0.4	8	5	10-19X:(5)
0.1	2	6	20-39X:(6)
0.1	3	7	40+OCCAS: (7)
3.7	82	- 9	Missing
100.0	2,218	cases	
	ALL 91.2 2.9 1.1 0.4 0.4 0.1 0.1	ALL 91.2 2,023 2.9 64 1.1 26 0.4 10 0.4 8 0.1 2 0.1 3 3.7 82	ALL 91.2 2,023 1 2.9 64 2 1.1 26 3 0.4 10 4 0.4 8 5 0.1 2 6 0.1 3 7 3.7 82 -9

Data type: numeric Missing-data code: -9

Columns: 72-73

## V3133 003B13A:#X BRBT/LIFETIME

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	86.6	1,921	1	0 OCCAS: (1)
4.4	4.2	94	2	1-2X:(2)
1.8	1.7	39	3	3-5X:(3)
1.3	1.2	28	4	6-9X:(4)
0.7	0.7	16	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.9	0.8	18	7	40+OCCAS: (7)
	4.2	93	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 74-75

## V3134 003B13B:#X BRBT/LAST12MO

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	90.6	2,010	1	0 OCCAS: (1)
2.8	2.7	60	2	1-2X:(2)
1.0	0.9	21	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.7	0.6	14	5	10-19X:(5)
0.3	0.2	5	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	4.0	90	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 76-77

## V3135 003B13C:#X BRBT/LAST30DA

Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	93.8	2,081	1	0 OCCAS: (1)
1.0	1.0	22	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.7	0.7	15	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS: (7)
	4.0	89	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 78-79

## V3136 003B14A:#X TRQL/LIFETIME

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	87.3	1,936	1	0 OCCAS: (1)
3.9	3.8	84	2	1-2X:(2)
1.8	1.8	39	3	3-5X:(3)
1.3	1.3	28	4	6-9X:(4)
1.2	1.1	25	5	10-19X:(5)
0.3	0.3	6	6	20-39X:(6)
0.6	0.5	12	7	40+OCCAS: (7)
	3.9	87	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 80-81

## V3137 003B14B:#X TRQL/LAST12MO

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	90.7	2,013	1	0 OCCAS: (1)
2.7	2.6	58	2	1-2X:(2)
1.1	1.0	23	3	3-5X:(3)
0.9	0.8	19	4	6-9X:(4)
0.5	0.5	10	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	4.2	93	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 82-83

## V3138 003B14C:#X TRQL/LAST30DA

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own-that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	93.1	2,066	1	0 OCCAS: (1)
1.9	1.8	40	2	1-2X:(2)
0.6	0.6	14	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	4.1	91	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 84-85

## V3139 003B15A:#X H/LIFETIME

On how many occasions (if any) have you used heroin...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	93.5	2,074	1	0 OCCAS: (1)
1.2	1.2	26	2	1-2X:(2)
0.6	0.5	12	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.5	0.5	10	7	40+OCCAS: (7)
	4.1	91	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 86-87

## V3140

## 003B15B:#X H/LAST 12MO

On how many occasions (if any) have you used heroin...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	94.6	2,099	1	0 OCCAS: (1)
0.5	0.5	10	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	4.1	92	- 9	Missing

-----

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 88-89

# V3141 003B15C:#X H/LAST 30DA

On how many occasions (if any) have you used heroin...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.1	2,109	1	0 OCCAS: (1)
0.4	0.3	8	2	1-2X:(2)
0.3	0.2	5	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	4.1	90	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 90-91

## V3142 003B16A: #X NARC/LIFETIME

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	84.7	1,879	1	0 OCCAS: (1)
4.4	4.2	93	2	1-2X:(2)
2.1	2.0	44	3	3-5X:(3)
1.4	1.4	31	4	6-9X:(4)
1.3	1.3	28	5	10-19X:(5)
0.7	0.7	15	6	20-39X:(6)
1.5	1.4	32	7	40+OCCAS: (7)
	4.3	96	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 92-93

## V3143 003B16B:#X NARC/LAST12MO

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	88.8	1,970	1	0 OCCAS: (1)
2.8	2.7	60	2	1-2X:(2)
1.2	1.2	26	3	3-5X:(3)
1.4	1.4	31	4	6-9X:(4)
0.6	0.6	13	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
0.5	0.5	10	7	40+OCCAS: (7)
	4.3	96	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 94-95

## V3144 003B16C:#X NARC/LAST30DA

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own - that is, without a doctor telling you to take them...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	92.6	2,054	1	0 OCCAS: (1)
1.3	1.2	27	2	1-2X:(2)
1.1	1.1	24	3	3-5X:(3)
0.5	0.5	11	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	4.4	97	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 96-97

# V3145 003B17A:#X INHL/LIFETIME

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	81.4	1,805	1	0 OCCAS: (1)
6.6	6.3	141	2	1-2X:(2)
4.0	3.8	85	3	3-5X:(3)
1.8	1.7	38	4	6-9X:(4)
1.0	0.9	21	5	10-19X:(5)
0.6	0.6	13	6	20-39X:(6)
0.9	0.9	20	7	40+OCCAS: (7)
	4.3	96	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 98-99

# V3146 003B17B:#X INHL/LAST12MO

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...during the last 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	89.7	1,989	1	0 OCCAS: (1)
2.5	2.4	54	2	1-2X:(2)
2.0	1.9	41	3	3-5X:(3)
0.3	0.3	6	4	6-9X:(4)
0.5	0.5	11	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	4.6	101	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 100-101

## V3147 003B17C:#X INHL/LAST30DA

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	92.8	2,058	1	0 OCCAS: (1)
1.6	1.5	33	2	1-2X:(2)
0.7	0.7	16	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	4.7	104	- 9	Missing
100 0	100 0	2 210	andod	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 102-103

## V3148 003(R) :AGE <>18 DICHOTOMY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	44.8	994	1	< 18:(1)
53.4	51.3	1,138	2	18+:(2)
	3.9	86	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 104-105

## V3150 003C03 :R'S SEX

What is your sex?

PCT PCT N VALUE LABEL
VALID ALL
45.4 42.4 941 1 MALE:(1)
54.6 51.0 1,132 2 FEMALE:(2)
6.5 145 -9 Missing
---- ---- ----100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 106-107

## V3151

## 003C04(R)R'S RACE

How do you describe yourself?

PCT	PCT	N	VALUE	LABEL
/ALID	ALL			
82.9	64.1	1,423	0	WHITE
17.1	13.3	294	1	BLACK
	22.6	502	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 108-109

# V3152 003C05 :R SPD >TIM R-URB

Where did you grow up mostly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	DK/MIXED:(0)
4.9	4.3	95	1	FARM: (1)
14.7	13.0	287	2	COUNTRY: (2)
29.5	26.0	578	3	SML TOWN: (3)
13.2	11.7	259	4	MED CITY: (4)
7.1	6.2	138	5	SUBURB 4:(5)
10.4	9.2	204	6	LRG CITY: (6)
8.2	7.2	160	7	SUBURB 6:(7)
7.0	6.2	137	8	VRYLG CY: (8)
5.0	4.4	97	9	SUBURB 8:(9)
	11.8	262	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 110-111

## V3153

## 003C06 :R NOT MARRIED

What is your marital status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	10	1	MARRIED: (1)
5.2	4.9	109	2	ENGAGED: (2)
0.4	0.4	8	3	SEP/DIV:(3)
93.9	89.0	1,973	4	SINGLE: (4)
	5.3	117	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 112-113

## V3155 003C07Cb(R):R'S HSHLD FATHER

Which of the following people live in the same household with you?

Father (or male guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	25.4	564	0	NT MARKD: (0)
73.5	70.4	1,563	1	MARKED: (1)
	4.1	92	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 114-115

## V3156

## 003C07Cc(R):R'S HSHLD MOTHER

Which of the following people live in the same household with you?

Mother (of female guardian)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.1	245	0	NT MARKD: (0)
88.5	84.8	1,881	1	MARKED: (1)
	4.1	92	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 116-117

## V3157 003C07Cd(R):R'S HSHLD BR/SR

Which of the following people live in the same household with you?

Brother(s) and/or sister(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	35.0	777	0	NT MARKD: (0)
63.5	60.8	1,349	1	MARKED: (1)
	4.1	92	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 118-119

## V3163

## 003C08 :FATHR EDUC LEVEL

What is the highest level of schooling your father completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.1	92	1	GRDE SCH: (1)
10.7	9.6	212	2	SOME HS: (2)
29.8	26.7	592	3	HS GRAD: (3)
16.7	15.0	332	4	SOME CLG: (4)
22.3	20.0	444	5	CLG GRAD: (5)
15.9	14.3	316	6	GRAD SCH: (6)
0.0	0.0	0	7	DK: (7)
	10.3	229	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 120-121

## V3164 003C09 :MOTHR EDUC LEVEL

What is the highest level of schooling your mother completed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.6	58	1	GRDE SCH: (1)
8.8	8.1	179	2	SOME HS: (2)
30.2	27.8	617	3	HS GRAD: (3)
20.9	19.3	427	4	SOME CLG: (4)
24.4	22.5	500	5	CLG GRAD: (5)
13.0	11.9	265	6	GRAD SCH: (6)
0.0	0.0	0	7	DK: (7)
	7.7	172	- 9	Missing
100 0	100 0	2 210	a a a a a	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 122-123

## V3165 003C10 :MOTH PD JB R YNG

Did you mother have a paid job (half-time or more) during the time you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.1	335	1	NO: (1)
20.7	19.7	436	2	SOMETIME: (2)
18.9	18.0	399	3	MOSTTIME: (3)
44.5	42.2	937	4	ALL TIME: (4)
	5.0	111	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 124-125

## V3166 003C11 :R'S POLTL PRFNC

How would you describe your political preference?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	7.1	159	1	STRG GOP: (1)
16.8	10.5	234	2	MILD GOP: (2)
16.6	10.4	231	3	MILD DEM: (3)
13.8	8.7	192	4	STRG DEM: (4)
14.4	9.0	201	5	<pre>INDEPNDT:(5)</pre>
25.5	16.0	355	6	NO PREF: (6)
1.4	0.9	20	7	OTHER: (7)
0.0	0.0	0	8	DK: (8)
	37.3	827	- 9	Missing
100 0	100 0	2 218	Cageg	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 126-127

# V3167

# 003C12 :R'POL BLF RADCL

How would you describe your political beliefs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	3.6	81	1	VRY CONS: (1)
15.5	8.8	194	2	CONSERV: (2)
40.5	22.9	508	3	MODERATE: (3)
25.2	14.2	316	4	LIBERAL: (4)
8.2	4.6	103	5	VRY LIB: (5)
4.0	2.3	50	6	RADICAL: (6)
0.0	0.0	0	8	NONE/DK: (8)
	43.6	966	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 128-129

#### 003C13B:R'ATTND REL SVC V3169

The next three questions are about religion.

How often do you attend religious services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	11.4	252	1	NEVER: (1)
37.5	28.1	623	2	RARELY: (2)
16.9	12.6	281	3	1-2X/MO:(3)
30.4	22.7	504	4	WK OR+: (4)
	25.2	559	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 130-131

## V3170

## 003C13C:RLGN IMP R'S LF

The next three questions are about religion.

How important is religion in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	10.7	238	1	NOT IMPT: (1)
26.1	19.5	433	2	LITL IMP: (2)
30.2	22.5	500	3	PRTY IMP: (3)
29.4	21.9	486	4	VERY IMP: (4)
	25.3	562	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 132-133

## V3171 003C14 :WHEN R XPCT GRAD

When are you most likely to graduate from high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	92.1	2,044	1	BY JUNE: (1)
2.3	2.2	49	2	JULY-JAN: (2)
0.0	0.0	0	3	AFT JAN: (3)
0.5	0.5	11	6	WONT: (6)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 134-135

## V3172

## 003C15 :R'S HS PROGRAM

Which of the following best describes your present high school program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	49.8	1,106	1	CLG PREP: (1)
30.2	28.4	629	2	GENERAL: (2)
9.5	8.9	198	3	VOC-TECH: (3)
7.1	6.7	148	4	OTH/DK: (4)
	6.2	137	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 136-137

## V3173 003C16 :RT SF SCH AB>AVG

Compared with others your age throughout the country, how do you rate yourself on school ability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	14	1	FAR BLOW: (1)
2.3	2.1	47	2	BELOW AV: (2)
4.2	3.9	87	3	SL BELOW: (3)
34.7	32.5	722	4	AVERAGE: (4)
23.9	22.4	498	5	SL ABOVE: (5)
28.1	26.4	586	6	ABOVE AV: (6)
6.1	5.7	127	7	FAR ABOV: (7)
	6.2	137	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 138-139

## V3174

## 003C17 :RT SF INTELL>AVG

How intelligent do you think you are compared with others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	13	1	FAR BLOW: (1)
1.9	1.8	40	2	BELOW AV: (2)
3.5	3.3	73	3	SL BELOW: (3)
31.6	29.7	659	4	AVERAGE: (4)
24.5	23.0	510	5	SL ABOVE: (5)
30.1	28.2	626	6	ABOVE AV: (6)
7.8	7.3	163	7	FAR ABOV: (7)
	6.1	135	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 140-141

## V3175 003C18A: #DA/4W SC MS ILL

During the LAST FOUR WEEKS, how many whole days of school have you missed...

Because of illness...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	54.8	1,215	1	NONE: (1)
16.6	15.4	341	2	1 DAY: (2)
11.0	10.2	225	3	2 DAYS: (3)
6.4	5.9	131	4	3 DAYS: (4)
4.3	4.0	89	5	4-5 DAYS: (5)
1.7	1.6	36	6	6-10 DA:(6)
0.9	0.9	19	7	11+ DAYS: (7)
	7.3	162	- 9	Missing
1000	1000	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 142-143

## V3176

## 003C18B:#DA/4W SC MS CUT

During the LAST FOUR WEEKS, how many whole days of school have you missed...

Because you skipped or "cut"...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	60.8	1,349	1	NONE: (1)
14.6	13.2	292	2	1 DAY: (2)
7.4	6.7	149	3	2 DAYS: (3)
4.5	4.1	90	4	3 DAYS: (4)
2.9	2.6	58	5	4-5 DAYS: (5)
1.8	1.7	37	6	6-10 DA:(6)
1.5	1.4	31	7	11+ DAYS: (7)
	9.6	212	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 144-145

## V3177 003C18C:#DA/4W SC MS OTH

During the LAST FOUR WEEKS, how many whole days of school have you missed...

For other reasons...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	49.7	1,104	1	NONE: (1)
21.3	19.5	432	2	1 DAY: (2)
11.1	10.2	225	3	2 DAYS: (3)
6.7	6.1	136	4	3 DAYS: (4)
4.4	4.0	89	5	4-5 DAYS: (5)
1.1	1.0	22	6	6-10 DA:(6)
1.1	1.0	22	7	11+ DAYS: (7)
	8.5	188	- 9	Missing
100 0	1000	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 146-147

## V3178

## 003C19 :#DA/4W SKP CLASS

During the last four weeks, how often have you gone to school, but skipped a class when you weren't supposed to?

P	PCT		N	VA	LUE	LABEL	
A)	ALL						
57	7.9	1,	285		1	NONE: (1)	
20	0.9		464		2	1-2:(2)	
8	8.8		194		3	3-5:(3)	
3	3.2		72		4	6-10:(4)	
1	1.9		41		5	11-20:(5	)
1	1.2		28		6	21+:(6)	
6	6.0		134		- 9	Missing	
00	0.0	2,	218	case	es		

Data type: numeric Missing-data code: -9 Columns: 148-149

## V3179 003C20 :R HS GRADE/D=1

Which of the following best describes your average grade so far in high school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	17	1	D:(1)
2.7	2.5	56	2	C-:(2)
6.8	6.4	142	3	C:(3)
10.0	9.4	209	4	C+: (4)
11.2	10.5	232	5	B-:(5)
19.5	18.3	406	6	B:(6)
17.4	16.3	362	7	B+:(7)
14.7	13.8	305	8	A-:(8)
16.9	15.9	352	9	A:(9)
	6.1	135	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 150-151

## V3180

## 003C21A:R WL DO VOC/TEC

How likely is it that you will do each of the following things after high school?

Attend a technical or vocational school...

PCT	PCT	N	VALUE	LABEL
VALID	$\mathtt{ALL}$			
54.0	49.3	1,094	1	DEF WONT: (1)
23.7	21.7	481	2	PRB WONT: (2)
15.3	14.0	310	3	PRB WILL: (3)
7.0	6.4	142	4	DEF WILL: (4)
	8.6	192	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 152-153

## V3181 003C21B:R WL DO ARMD FC

How likely is it that you will do each of the following things after high school?

Serve in the armed forces...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	66.1	1,465	1	DEF WONT: (1)
17.3	15.8	350	2	PRB WONT: (2)
6.3	5.8	128	3	PRB WILL: (3)
4.0	3.6	81	4	DEF WILL: (4)
	8.8	195	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 154-155

### V3182

## 003C21C:R WL DO 2YR CLG

How likely is it that you will do each of the following things after high school?

C21C: Graduate from a two-year college program...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	34.3	761	1	DEF WONT: (1)
24.1	22.0	488	2	PRB WONT: (2)
22.8	20.7	460	3	PRB WILL: (3)
15.4	14.0	311	4	DEF WILL: (4)
	9.0	199	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 156-157

## V3183 003C21D:R WL DO 4YR CLG

How likely is it that you will do each of the following things after high school?

Graduate from college (four-year program)...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	9.5	211	1	DEF WONT: (1)
12.1	11.2	248	2	PRB WONT: (2)
22.4	20.6	458	3	PRB WILL: (3)
55.2	51.0	1,131	4	DEF WILL: (4)
	7.7	170	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 158-159

### V3184

## 003C21E:R WL DO GRD/PRF

How likely is it that you will do each of the following things after high school?

Attend graduate or professional school after college...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	16.8	373	1	DEF WONT: (1)
25.9	23.7	525	2	PRB WONT: (2)
34.9	31.9	707	3	PRB WILL: (3)
20.8	19.1	423	4	DEF WILL: (4)
	8.6	191	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 160-161

## V3185 003C22A:R WNTDO VOC/TEC

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend a technical or vocational school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	75.5	1,675	0	NT MARKD: (0)
18.5	17.1	379	1	MARKED: (1)
	7.4	164	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 162-163

## V3186

### 003C22B:R WNTDO ARMD FC

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Serve in the armed forces

VALID ALL	
87.4 81.0 1,796 0 NT MARKD:(	0)
12.6 11.6 258 1 MARKED: (1)	
7.4 164 -9 Missing	
100.0 100.0 2,218 cases	

Data type: numeric Missing-data code: -9 Columns: 164-165

## V3187 003C22C:R WNTDO 2YR CLG

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from a two-year college program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	69.0	1,531	0	NT MARKD: (0)
25.5	23.6	523	1	MARKED: (1)
	7.4	164	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 166-167

## V3188

### 003C22D:R WNTDO 4YR CLG

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Graduate from college (four-year program)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	20.2	448	0	NT MARKD: (0)
78.2	72.4	1,606	1	MARKED: (1)
	7.4	164	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 168-169

## V3189 003C22E:R WNTDO GRD/PRF

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

Attend graduate or professional school after college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	40.7	903	0	NT MARKD: (0)
56.0	51.9	1,151	1	MARKED: (1)
	7.4	164	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 170-171

## V3190

### 003C22F:R WNTDO NONE

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do?

None of the above

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	88.2	1,956	0	NT MARKD: (0)
4.8	4.4	98	1	MARKED: (1)
	7.4	164	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 172-173

## V3191 003C23 :HRS/W WRK SCHYR

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	18.0	399	1	NONE: (1)
8.1	7.5	166	2	5 OR <: (2)
7.7	7.1	158	3	6-10 HRS:(3)
12.3	11.4	252	4	11-15 HR:(4)
18.4	17.0	376	5	16-20 HR:(5)
15.0	13.8	306	6	21-25 HR:(6)
9.3	8.6	190	7	26-30 HR: (7)
9.8	9.1	201	8	30+ HRS:(8)
	7.7	170	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 174-175

# V3192

## 003C24A:R\$/AVG WEEK JOB

During an average week, how much money do you get from...

A job or other work...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	20.3	451	1	NONE: (1)
1.5	1.3	30	2	\$1-5:(2)
3.1	2.8	63	3	\$6-10:(3)
2.3	2.1	46	4	\$11-20:(4)
3.9	3.5	78	5	\$21-35:(5)
6.2	5.6	125	6	\$36-50:(6)
11.5	10.3	230	7	\$51-75:(7)
24.7	22.3	495	8	\$76-125:(8)
24.2	21.8	485	9	\$126+:(9)
	9.8	217	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 176-177

## V3193 003C24B:R\$/AVG WEEK OTH

During an average week, how much money do you get from...

Other sources (allowances, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	32.4	718	1	NONE: (1)
6.8	6.1	135	2	\$1-5:(2)
12.0	10.6	236	3	\$6-10:(3)
18.2	16.2	359	4	\$11-20:(4)
11.2	9.9	220	5	\$21-35:(5)
5.9	5.3	117	6	\$36-50:(6)
3.3	2.9	64	7	\$51-75:(7)
2.7	2.4	53	8	\$76-125:(8)
3.4	3.0	67	9	\$126+:(9)
	11.2	249	- 9	Missing
100 0	100 0	2 210	~~~~	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 178-179

### V3194

### 003C25 :#X/AV WK GO OUT

During a typical week, on how many evenings do you go out for fun and recreation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.1	179	1	< 1:(1)
14.8	13.6	301	2	ONE: (2)
26.5	24.3	539	3	TWO: (3)
24.0	22.0	488	4	THREE: (4)
18.1	16.5	367	5	4-5:(5)
7.8	7.1	158	6	6-7:(6)
	8.4	186	- 9	Missing
100 0	100 0	2 210	~~~~	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 180-181

## V3195 003C26 :#X DATE 3+/WK

On the average, how often do you go out with a date (or your spouse, if you are married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	17.9	396	1	NEVER: (1)
20.8	18.8	418	2	MO OR<: (2)
19.1	17.3	383	3	2-3/MO:(3)
13.5	12.2	271	4	WK: (4)
17.8	16.1	357	5	2-3/WK:(5)
9.2	8.3	184	6	3+/WK:(6)
	9.4	209	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 182-183

## V3196 003C27 :DRIVE>200 MI/WK

During an average week, how much do you usually drive a car, truck, or motorcycle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	13.0	289	1	NONE: (1)
9.2	8.4	186	2	1-10 MI:(2)
21.1	19.3	427	3	11-50:(3)
21.7	19.9	441	4	51-100:(4)
18.3	16.7	370	5	101-200:(5)
15.5	14.2	315	6	> 200:(6)
	8.5	189	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 184-185

# V3197 003C28 :#X/12MO R TCKTD

Within the LAST 12 MONTHS how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	61.7	1,369	0	NONE: (0)
19.6	17.7	392	1	ONE: (1)
6.2	5.6	125	2	TWO: (2)
3.4	3.1	69	3	THREE: (3)
2.3	2.0	45	4	4+:(4)
	9.8	218	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 186-187

# V3198

### 003C29AR#TCKTS AFT DRNK

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	26.0	577	0	None: (0)
4.8	1.4	30	1	One: (1)
2.4	0.7	15	2	Two: (2)
0.7	0.2	4	3	3-4  or  +: (3-4)
	71.7	1,591	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 188-189

## V3199 003C29BR#TCKTS AFT MARJ

How many of these tickets or warnings occurred after you were...

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	26.3	583	0	None: (0)
4.8	1.4	30	1	One: (1)
1.4	0.4	9	2	Two: (2)
0.2	0.1	1	3	3-4  or  +: (3-4)
	71.9	1,595	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 190-191

### V3200

### 003C29CR#TCKTS AFT OTDG

How many of these tickets or warnings occurred after you were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	27.7	615	0	None:(0)
1.0	0.3	6	1	One: (1)
0.0	0.0	0	2	Two: (2)
0.1	0.0	0	3	3-4  or  +: (3-4)
	72.0	1,596	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 192-193

## V3201 003C30 :#ACCIDNTS/12 MO

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	66.5	1,475	0	NONE: (0)
19.4	17.4	386	1	ONE: (1)
5.0	4.5	100	2	TWO: (2)
1.1	1.0	21	3	THREE: (3)
0.4	0.3	7	4	4+:(4)
	10.3	229	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 194-195

### V3202

### 003C31AR#ACDTS AFT DRNK

How many of these accidents occurred after you were...

Drinking alcoholic beverages?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	22.2	493	0	None:(0)
2.6	0.6	13	1	One: (1)
1.0	0.2	5	2	Two: (2)
0.3	0.1	2	3	3-4  or  +: (3-4)
	76.9	1,705	-9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 196-197

## V3203 003C31BR#ACDTS AFT MARJ

How many of these accidents occurred after you were...

Smoking marijuana or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	22.1	490	0	None:(0)
2.8	0.6	14	1	One: (1)
0.3	0.1	2	2	Two: (2)
0.5	0.1	3	3	3-4  or  +: (3-4)
	77.1	1,710	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 198-199

## V3204

### 003C31CR#ACDTS AFT OTDG

How many of these accidents occurred after you were...

Using other illegal drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	22.6	501	0	None:(0)
0.9	0.2	5	1	One: (1)
0.1	0.0	0	2	Two: (2)
0.1	0.0	1	3	3-4  or  +: (3-4)
	77.1	1,711	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 200-201

### V3208 003A01 :VRY HPY THS DAYS

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.5	300	1	NT HAPPY: (1)
64.5	63.9	1,418	2	PRTY HPY: (2)
21.9	21.7	481	3	VRY HPY: (3)
	0.9	20	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 202-203

### V3209

### 003A02 :THK ABT SOC ISSU

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	77	1	NEVER: (1)
19.8	19.7	436	2	SELDOM: (2)
52.6	52.2	1,157	3	SOMETIME: (3)
20.6	20.4	452	4	OFTEN: (4)
3.5	3.4	76	5	GRT DEAL: (5)
	0.9	19	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 204-205

#### V3210 003A03A:MEN&WOMN/=\$,=WRK

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

Men and women should be paid the same money if they do the same work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	57	1	DISAGREE: (1)
1.9	1.8	41	2	MOST DIS: (2)
2.0	2.0	45	3	NEITHER: (3)
10.7	10.6	235	4	MOST AGR: (4)
82.9	82.4	1,828	5	AGREE: (5)
	0.5	12	- 9	Missing
100 0	100 0	2.218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 206-207

### V3211

### 003A03B:CNSDR WMN/HI JOB

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

Women should be considered as seriously as men for jobs as executives or politicians

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	59	1	DISAGREE: (1)
2.4	2.4	54	2	MOST DIS: (2)
4.0	4.0	89	3	NEITHER: (3)
15.3	15.2	338	4	MOST AGR: (4)
75.5	75.0	1,663	5	AGREE: (5)
	0.7	16	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 208-209

#### V3212 003A03C:WMN SHD =JOB OPP

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A woman should have exactly the same job opportunities as a man

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	85	1	DISAGREE: (1)
2.8	2.7	61	2	MOST DIS: (2)
3.7	3.7	81	3	NEITHER: (3)
20.9	20.7	459	4	MOST AGR: (4)
68.7	68.0	1,508	5	AGREE: (5)
	1.1	24	- 9	Missing
100 0	100 0	2.218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 210-211

### V3213

### 003A03D:WMN SHD =ED OPP

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A woman should have exactly the same educational opportunities as a man

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	28	1	DISAGREE: (1)
0.5	0.5	11	2	MOST DIS: (2)
1.2	1.2	27	3	NEITHER: (3)
7.1	7.0	156	4	MOST AGR: (4)
89.9	89.1	1,977	5	AGREE: (5)
	0.9	20	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 212-213

#### V3214 003A03E:MN=ACHV/WMN=HOME

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

It is usually better for everyone involved if the man is the achiever outside the home and the woman takes care of the home and family

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	35.9	797	1	DISAGREE: (1)
16.3	16.2	359	2	MOST DIS: (2)
19.5	19.3	429	3	NEITHER: (3)
16.1	15.9	353	4	MOST AGR: (4)
11.8	11.6	258	5	AGREE: (5)
	1.0	22	- 9	Missing
100 0	100 0	2 218	Cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 214-215

## V3215

### 003A03F:CHL SUFF W WK MO

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A preschool child is likely to suffer if the mother works

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	28.2	626	1	DISAGREE: (1)
20.9	20.7	458	2	MOST DIS: (2)
21.1	20.9	463	3	NEITHER: (3)
17.9	17.7	393	4	MOST AGR: (4)
11.4	11.3	251	5	AGREE: (5)
	1.2	27	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 216-217

## V3216 003A03G:WK MO AS WRM REL

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A working mother can establish just as warm and secure a relationship with her children as a mother who does not work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	171	1	DISAGREE: (1)
12.9	12.8	284	2	MOST DIS: (2)
10.2	10.1	225	3	NEITHER: (3)
28.7	28.5	633	4	MOST AGR: (4)
40.4	40.1	890	5	AGREE: (5)
	0.7	16	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 218-219

# V3217 003A04A:POLLUT INCREASED

The next questions are about pollution and the environment.

How much do you agree or disagree with each statement below?

Pollution of most types has increased in the U.S. in the last ten years

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	37	1	DISAGREE: (1)
3.9	3.8	85	2	MOST DIS: (2)
11.3	11.2	248	3	NEITHER: (3)
31.2	30.8	683	4	MOST AGR: (4)
51.9	51.3	1,138	5	AGREE: (5)
	1.3	28	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 220-221

**ICPSR 3184** 

## V3218 003A04B:GOVT DEAL ENV PR

The next questions are about pollution and the environment.

How much do you agree or disagree with each statement below?

Government should take steps to deal with our environmental problems, even if it means that most of us pay higher prices or taxes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.1	225	1	DISAGREE: (1)
11.5	11.4	252	2	MOST DIS: (2)
22.2	21.9	487	3	NEITHER: (3)
35.9	35.4	786	4	MOST AGR: (4)
20.2	19.9	442	5	AGREE: (5)
	1.2	26	- 9	Missing
100.0	100.0	2,218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 222-223

#### V3219 003A04C:MR\$ FR LASTG THG

The next questions are about pollution and the environment. How much do you agree or disagree with each statement below?

I would prefer to pay more money for things that will last a long time, rather than have them cost less and break sooner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	37	1	DISAGREE: (1)
1.5	1.5	32	2	MOST DIS: (2)
7.8	7.7	171	3	NEITHER: (3)
26.4	26.1	578	4	MOST AGR: (4)
62.7	62.0	1,375	5	AGREE: (5)
	1.1	25	- 9	Missing
100.0	100.0	2,218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 224-225

# V3220 003A04D:USE BYC/MAS TRAN

The next questions are about pollution and the environment.

How much do you agree or disagree with each statement below?

I would probably be willing to use a bicycle or mass transit (if available) rather than a car to get to work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	37.7	837	1	DISAGREE: (1)
20.9	20.6	458	2	MOST DIS: (2)
13.5	13.3	296	3	NEITHER: (3)
16.0	15.8	351	4	MOST AGR: (4)
11.5	11.4	252	5	AGREE: (5)
	1.1	24	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 226-227

#### V3221 003A04E:EAT DIF->FD STRV

The next questions are about pollution and the environment. How much do you agree or disagree with each statement below?

 $\ensuremath{\text{\textbf{I}}}$  would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.4	253	1	DISAGREE: (1)
10.4	10.3	227	2	MOST DIS: (2)
15.9	15.7	349	3	NEITHER: (3)
26.1	25.8	572	4	MOST AGR: (4)
36.1	35.7	792	5	AGREE: (5)
	1.1	25	- 9	Missing
100.0	100.0	2.218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 228-229

### V3222 003A05A:LIK WRK CAN FRGT

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I like the kind of work you can forget about after the work day is over

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.5	255	1	DISAGREE: (1)
12.6	12.5	276	2	MOST DIS: (2)
18.8	18.6	413	3	NEITHER: (3)
25.2	24.9	553	4	MOST AGR: (4)
31.8	31.4	697	5	AGREE: (5)
	1.0	23	- 9	Missing
100 0	100 0	2 218	Cacac	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 230-231

### V3223

### 003A05B:WRK=ONLY MK LVNG

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

To me, work is nothing more than making a living

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	28.7	636	1	DISAGREE: (1)
26.1	25.8	573	2	MOST DIS: (2)
13.1	13.0	288	3	NEITHER: (3)
17.4	17.3	383	4	MOST AGR: (4)
14.5	14.4	319	5	AGREE: (5)
	0.9	20	- 9	Missing
100.0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 232-233

### V3224 003A05C:WRK CNTRL PRT LF

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I expect my work to be a very central part of my life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	150	1	DISAGREE: (1)
11.9	11.8	261	2	MOST DIS: (2)
20.5	20.3	450	3	NEITHER: (3)
37.9	37.5	831	4	MOST AGR: (4)
22.9	22.6	502	5	AGREE: (5)
	1.1	25	- 9	Missing
100 0	100 0	2 218	Caded	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 234-235

### V3225

## 003A05D:OVTM 2DO BST JOB

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I want to do my best in my job, even if this sometimes means working overtime

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	53	1	DISAGREE: (1)
4.1	4.1	90	2	MOST DIS: (2)
8.4	8.3	184	3	NEITHER: (3)
38.0	37.7	837	4	MOST AGR: (4)
47.1	46.8	1,038	5	AGREE: (5)
	0.7	15	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 236-237

### V3226 003A05E:SAME JOB MST LIF

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

I would like to stay in the same job for most of  $my\ adult$  life

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	13.2	292	1	DISAGREE: (1)
11.0	10.9	241	2	MOST DIS: (2)
16.8	16.7	370	3	NEITHER: (3)
27.3	27.0	599	4	MOST AGR: (4)
31.6	31.3	693	5	AGREE: (5)
	1.1	24	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 238-239

### V3227

# 003A06 :ENUF\$,NT WNT WRK

If you were to get enough money to live as comfortably as you'd like for the rest of your life, would you want to work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	67.2	1,492	1	WORK: (1)
29.9	28.7	637	2	NOT WORK: (2)
	4.1	90	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 240-241

## V3228 003A07A:DES FRND OTH RC

How would you feel about . . .

Having close personal friends of another race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	35	1	NT ACCEP: (1)
3.4	3.4	75	2	SM ACCEP: (2)
47.3	47.0	1,043	3	ACCEPTBL: (3)
47.7	47.4	1,052	4	DESIRABL: (4)
	0.6	13	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 242-243

## V3229 003A07B:DES SUPVR DIF RC

How would you feel about . . .

Having a job with a supervisor of a different race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	49	1	NT ACCEP: (1)
4.5	4.5	99	2	SM ACCEP: (2)
64.1	63.7	1,412	3	ACCEPTBL: (3)
29.1	28.9	642	4	DESIRABL: (4)
	0.7	15	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 244-245

### V3230 003A07C:DES FAM NX DF RC

How would you feel about . . .

Having a family of a different race (but same level of education and income) move next door to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	55	1	NT ACCEP: (1)
4.6	4.6	102	2	SM ACCEP: (2)
54.8	54.4	1,207	3	ACCEPTBL: (3)
38.0	37.7	837	4	DESIRABL: (4)
	0.8	17	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 246-247

V3231

### 003A07D:DES CHL FD SM RC

How would you feel about . . .

Having your (future) children's friends be all of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	19.2	427	1	NT ACCEP: (1)
20.5	20.1	447	2	SM ACCEP: (2)
45.7	45.0	998	3	ACCEPTBL: (3)
14.3	14.1	312	4	DESIRABL: (4)
	1.6	36	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 248-249

### V3232 003A07E:DES CHL FD OT RC

How would you feel about . . .

Having some of your (future) children's friends be of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	44	1	NT ACCEP: (1)
4.2	4.2	93	2	SM ACCEP: (2)
47.8	47.3	1,050	3	ACCEPTBL: (3)
46.0	45.6	1,011	4	DESIRABL: (4)
	1.0	21	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 250-251

### V3233

## 003A08A:DES AL WKS SM RC

How would you feel about having a job where . . .

. . . all the employees are of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.2	248	1	NT ACCEP: (1)
17.9	17.7	393	2	SM ACCEP: (2)
55.8	55.3	1,227	3	ACCEPTBL: (3)
15.1	15.0	332	4	DESIRABL: (4)
	0.8	19	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 252-253

# V3234 003A08B:DES SO WKS DF RC

How would you feel about having a job where . . .

. . . some employees are of a different race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	18	1	NT ACCEP: (1)
3.5	3.5	77	2	SM ACCEP: (2)
61.3	60.8	1,348	3	ACCEPTBL: (3)
34.3	34.0	755	4	DESIRABL: (4)
	0.9	20	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 254-255

## V3235 003A08C:DES MS WKS DF RC

How would you feel about having a job where . . .

. . . most employees are of a different race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	119	1	NT ACCEP: (1)
21.4	21.2	471	2	SM ACCEP: (2)
57.9	57.4	1,272	3	ACCEPTBL: (3)
15.3	15.2	336	4	DESIRABL: (4)
	0.9	19	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 256-257

## V3236 003A09A:DES AL NGB SM RC

How would you feel about living in an area where . . .

. . . all the neighbors are of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.8	195	1	NT ACCEP: (1)
13.9	13.8	306	2	SM ACCEP: (2)
56.4	55.9	1,239	3	ACCEPTBL: (3)
20.9	20.7	459	4	DESIRABL: (4)
	0.8	19	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 258-259

## V3237 003A09B:DES SO NGB OT RC

How would you feel about living in an area where  $\hdots$  .  $\hdots$ 

. . . some of the neighbors are of other races?

PC.I.	PC.I.	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	40	1	NT ACCEP: (1)
4.3	4.2	94	2	SM ACCEP: (2)
66.2	65.5	1,453	3	ACCEPTBL: (3)
27.8	27.5	610	4	DESIRABL: (4)
	1.0	22	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 260-261

## V3238 003A09C:DES MS NGB OT RC

How would you feel about living in an area where . . .

. . . most of the neighbors are of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.0	244	1	NT ACCEP: (1)
22.1	21.8	484	2	SM ACCEP: (2)
55.2	54.6	1,212	3	ACCEPTBL: (3)
11.6	11.4	254	4	DESIRABL: (4)
	1.1	25	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 262-263

## V3239 003A10A:DES AL CHL SM RC

How would you feel about having your (future) children go to schools where . . .

. . . all the children are of your race?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.4	363	1	NT ACCEP: (1)
16.5	16.3	362	2	SM ACCEP: (2)
48.6	48.0	1,064	3	ACCEPTBL: (3)
18.3	18.1	401	4	DESIRABL: (4)
	1.3	28	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 264-265

## V3240 003A10B:DES SM CHL OT RC

How would you feel about having your (future) children go to schools where . . .

. . . some of the children are of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	30	1	NT ACCEP: (1)
4.4	4.4	97	2	SM ACCEP: (2)
61.6	60.8	1,349	3	ACCEPTBL: (3)
32.5	32.1	711	4	DESIRABL: (4)
	1.4	31	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 266-267

### V3241

### 003A10C:DES MS CHL OT RC

How would you feel about having your (future) children go to schools where . . .

. . . most of the children are of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	11.9	265	1	NT ACCEP: (1)
24.5	24.2	538	2	SM ACCEP: (2)
50.9	50.3	1,115	3	ACCEPTBL: (3)
12.5	12.3	274	4	DESIRABL: (4)
	1.2	28	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 268-269

# V3242 003A11 :FRNDS AL OT RC

What race are your close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	22.5	498	1	ALL MINE: (1)
30.1	29.7	659	2	ALMST AL: (2)
21.8	21.5	478	3	MST MINE: (3)
14.0	13.8	307	4	2 MINE: (4)
7.5	7.4	164	5	MST OTH: (5)
3.9	3.9	87	6	ALMS OTH: (6)
	1.1	25	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 270-271

# V3243 003A12 :NGBHD AL OT RC

What race are the people in your neighborhood?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	32.7	726	1	ALL MINE: (1)
26.0	25.7	570	2	ALMST AL: (2)
14.0	13.8	306	3	MST MINE: (3)
10.1	10.0	222	4	2 MINE: (4)
9.4	9.2	205	5	MST OTH: (5)
7.4	7.3	162	6	ALMS OTH: (6)
	1.2	27	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 272-273

# V3244 003A13 :ELEMSCH AL OT RC

What race were the students in the elementary school where you spent the most time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.5	522	1	ALL MINE: (1)
26.6	26.2	581	2	ALMST AL: (2)
16.5	16.2	359	3	MST MINE: (3)
16.8	16.6	368	4	2 MINE: (4)
10.1	9.9	220	5	MST OTH: (5)
6.1	6.0	133	6	ALMS OTH: (6)
	1.6	35	- 9	Missing
100 0	100 0	2 210	~~~~	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 274-275

V3245

## 003A14 :HISCH AL OT RC

What race are the students in your present school (if you are in school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.4	141	1	ALL MINE: (1)
29.8	29.3	650	2	ALMST AL: (2)
23.5	23.2	514	3	MST MINE: (3)
20.7	20.4	453	4	2 MINE: (4)
11.4	11.2	248	5	MST OTH: (5)
8.1	8.0	178	6	ALMS OTH: (6)
	1.6	35	- 9	Missing
100 0	100 0	2 218	Cacac	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 276-277

## V3246 003A15 :WRKRS AL OT RC

What race are the people that you work with on your job (if you have a job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	24.9	552	1	ALL MINE: (1)
22.6	19.7	438	2	ALMST AL: (2)
17.3	15.1	336	3	MST MINE: (3)
14.4	12.6	279	4	2 MINE: (4)
10.0	8.7	194	5	MST OTH: (5)
7.1	6.2	137	6	ALMS OTH: (6)
	12.7	283	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 278-279

## V3247 003A16 :DO LOT THG OT RC

How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	113	1	NOT @ALL:(1)
21.9	21.7	481	2	A LITTLE: (2)
35.5	35.1	779	3	SOME: (3)
37.4	37.0	820	4	A LOT: (4)
	1.1	25	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 280-281

## V3248 003A17 :VRY GD EXP OT RC

Generally, how do you feel about the experiences you have had with people of other races?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	16	1	VERY BAD: (1)
1.7	1.7	38	2	MST BAD: (2)
26.0	25.7	569	3	MIXED: (3)
42.9	42.3	938	4	MST GOOD: (4)
28.7	28.3	628	5	VRY GOOD: (5)
	1.3	29	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 282-283

## V3249 003A18 :MARRD OR ENGAGED

The next questions are about some of your own plans. Are you married or engaged?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	MARRIED: (1)
5.3	5.1	113	2	ENGAGED: (2)
94.5	90.3	2,004	3	NEITHER: (3)
	4.4	98	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 284-285

### V3250 003A19 :WHN WANT GT MARR

If it were just up to you, what would be the ideal time for you to get married?

PCT	PCT	N	VALUE	LABEL
VALID	$\mathtt{ALL}$			
3.0	2.9	64	1	NEXT YR: (1)
11.9	11.3	251	2	2-3 YRS: (2)
32.8	31.2	691	3	4-5 YRS: (3)
46.9	44.6	989	4	OVER 5:(4)
5.3	5.0	111	5	DNT WANT: (5)
0.0	0.0	0	8	INAP: (8)
	5.0	111	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 286-287

# V3251 003A20 :THGT LOT HAV CHL

Have you thought at all about whether you'd like to have children or how many you'd like to have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.3	206	1	NOT @ALL:(1)
56.0	54.6	1,212	2	A LITTLE: (2)
34.5	33.7	748	3	THOT LOT: (3)
	2.3	52	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 288-289

#### V3252 003A21 :# CHLDN WANT(6+)

All things considered, if you could have exactly the number of children you want, what number would you choose to have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.7	81	1	NONE: (1)
8.2	7.4	164	2	ONE: (2)
51.6	46.4	1,030	3	TWO: (3)
22.5	20.3	449	4	THREE: (4)
8.8	8.0	176	5	FOUR: (5)
2.7	2.5	55	6	FIVE: (6)
2.1	1.8	41	7	6 OR MOR: (7)
0.0	0.0	0	8	DK: (8)
	10.0	222	- 9	Missing
100 0	100 0	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 290-291

### V3253

### 003A22 :IF -POP, MR CHLD

If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	39.1	867	1	SURE NO: (1)
34.7	27.0	598	2	PROB NO: (2)
10.0	7.8	172	3	PRB YES: (3)
5.2	4.0	89	4	SURE YES: (4)
0.0	0.0	0	8	DK: (8)
	22.2	492	- 9	Missing
100 0	100 0	2 218	Caded	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 292-293

# V3254 003A23 :WHN 1ST CHL(5+Y)

If it were just up to you, how soon after getting married would you want to have your first child?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.5	101	1	DNT WANT: (1)
7.0	6.2	137	2	NO WAIT: (2)
31.9	27.9	618	3	WAIT 1YR: (3)
31.2	27.3	605	4	WAIT 2YR: (4)
14.2	12.4	275	5	WAIT 3YR: (5)
7.6	6.6	147	6	WAIT 4-5:(6)
2.9	2.5	56	7	WAIT 5+:(7)
0.0	0.0	0	8	DK/HAVKD: (8)
	12.6	279	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 294-295

## V3255 003A24A:GD JB LARG CORPS

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

Large corporations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.0	44	1	VRY POOR: (1)
6.2	4.5	100	2	POOR: (2)
32.8	23.7	525	3	FAIR: (3)
44.0	31.8	705	4	GOOD: (4)
14.3	10.3	228	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	27.8	617	- 9	Missing
100 0	100 0	2 210	a2a0a	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 296-297

## V3256 003A24B:GD JB LBR UNIONS

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

Major labor unions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.6	35	1	VRY POOR: (1)
9.2	6.1	135	2	POOR: (2)
40.8	26.9	597	3	FAIR: (3)
39.2	25.9	574	4	GOOD: (4)
8.4	5.5	123	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	34.0	755	- 9	Missing
100 0	100 0	2 210		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 298-299

### V3257 003A24C:GD JB COLLG&UNIV

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

The nation's colleges and universities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	22	1	VRY POOR: (1)
3.0	2.6	58	2	POOR: (2)
16.7	14.6	324	3	FAIR: (3)
45.4	39.8	883	4	GOOD: (4)
33.8	29.6	658	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	12.3	273	- 9	Missing
100 0	1000	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 300-301

# V3258 003A24D:GD JB PBLC SCHOL

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The nation's public schools?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.6	125	1	VRY POOR: (1)
16.9	15.1	336	2	POOR: (2)
38.8	34.8	772	3	FAIR: (3)
29.5	26.5	588	4	GOOD: (4)
8.6	7.7	172	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	10.2	226	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 302-303

# V3259 003A24E:GD JB CHURCHES

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

Churches and religious organizations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.2	72	1	VRY POOR: (1)
5.8	4.5	100	2	POOR: (2)
27.5	21.5	477	3	FAIR: (3)
39.4	30.9	685	4	GOOD: (4)
23.2	18.2	403	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	21.6	480	- 9	Missing
100 0	100 0	2 218	Cacac	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 304-305

### V3260 003A24F:GD JB NEWS MEDIA

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The national news media (TV, magazines, news services)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	10.1	223	1	VRY POOR: (1)
15.0	13.1	290	2	POOR: (2)
31.1	27.2	603	3	FAIR: (3)
28.2	24.6	546	4	GOOD: (4)
14.3	12.5	277	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	12.6	280	- 9	Missing
100 0	100 0	2 210	aaaaa	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 306-307

### V3261 003A24G:GD JB PRES&ADMIN

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The President and his administration?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	8.3	183	1	VRY POOR: (1)
14.3	11.7	260	2	POOR: (2)
32.7	26.8	594	3	FAIR: (3)
31.3	25.6	568	4	GOOD: (4)
11.7	9.6	212	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	18.1	401	- 9	Missing
100 0	100 0	2 210	a2 a 2 a	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 308-309

### V3262 003A24H:GD JB CONGRESS

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

Congress--that is, the U.S. Senate and House of Representatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	3.5	77	1	VRY POOR: (1)
9.6	6.8	151	2	POOR: (2)
42.3	29.9	662	3	FAIR: (3)
37.5	26.5	587	4	GOOD: (4)
5.7	4.0	90	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	29.3	651	- 9	Missing
100 0	100 0	2 218	Cacac	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 310-311

### V3263 003A24I:GD JB SUPRM CRT

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

The U.S. Supreme Court?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	2.4	52	1	VRY POOR: (1)
7.3	4.9	109	2	POOR: (2)
34.1	22.9	509	3	FAIR: (3)
43.7	29.4	653	4	GOOD: (4)
11.4	7.7	171	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	32.6	724	- 9	Missing
100 0	100 0	2 210	aaaaa	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 312-313

### V3264 003A24J:GD JB JUSTC SYST

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that bestdescribes how you feel. How good or bad a job is being done for the country as a whole by . . .

All the courts and the justice system in general?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	4.6	103	1	VRY POOR: (1)
13.5	10.1	224	2	POOR: (2)
42.6	31.7	704	3	FAIR: (3)
31.2	23.2	516	4	GOOD: (4)
6.5	4.8	107	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	25.5	565	- 9	Missing
1000	100 0	2 210		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 314-315

### V3265 003A24K:GD JB POLICE

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

The police and other law enforcement agencies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	8.6	190	1	VRY POOR: (1)
14.9	12.8	284	2	POOR: (2)
36.9	31.8	704	3	FAIR: (3)
29.0	24.9	553	4	GOOD: (4)
9.2	7.9	176	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	14.1	312	- 9	Missing
100 0	100 0	2 210		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 316-317

### V3266 003A24L:GD JB MILITARY

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

The U.S. military?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.0	44	1	VRY POOR: (1)
3.8	2.9	65	2	POOR: (2)
23.8	18.4	409	3	FAIR: (3)
41.8	32.3	717	4	GOOD: (4)
28.0	21.7	480	5	VRY GOOD: (5)
0.0	0.0	0	8	NO OPIN: (8)
	22.7	504	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 318-319

### V3267

### 003A25 :MIL TOO MCH INFL

All things considered, do you think the armed services presently have too much or too little influence on the way this country is run?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.0	67	1	F TOO LT:(1)
12.5	12.0	266	2	TOO LITL: (2)
71.0	68.2	1,514	3	ABT RITE: (3)
11.5	11.0	245	4	TOO MUCH: (4)
1.9	1.8	40	5	F TOO MH: (5)
	3.9	86	- 9	Missing
100.0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 320-321

### V3268 003A26 :US TOO MCH\$ MILT

Do you think the U.S. spends too much or too little on the armed services?

PCT	PCT	N	VALUE	LABEL
VALID	$\mathtt{ALL}$			
4.6	4.4	98	1	F TOO LT:(1)
14.2	13.5	300	2	TOO LITL: (2)
56.5	53.9	1,196	3	ABT RITE: (3)
19.5	18.6	414	4	TOO MUCH: (4)
5.2	4.9	109	5	F TOO MH: (5)
	4.5	101	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 322-323

# V3273

### 003A27A:DAP SMK 1PCK CIG

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.5	655	1	DNT DISP: (1)
30.7	30.3	672	2	DISAPPRV: (2)
39.4	38.8	861	3	STRG DIS:(3)
	1.4	31	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 324-325

### V3274 003A27B:DAP TRY MRJ 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying marijuana (pot, grass) once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	46.7	1,035	1	DNT DISP: (1)
23.1	22.7	505	2	DISAPPRV: (2)
29.5	29.0	644	3	STRG DIS: (3)
	1.6	35	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 326-327

V3275

### 003A27C:DAP SMK MRJ OCCS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	33.7	747	1	DNT DISP: (1)
24.4	24.0	532	2	DISAPPRV: (2)
41.3	40.6	902	3	STRG DIS: (3)
	1.7	37	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 328-329

### V3276 003A27D:DAP SMK MRJ REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	20.2	447	1	DNT DISP: (1)
20.3	20.0	444	2	DISAPPRV: (2)
59.2	58.3	1,292	3	STRG DIS: (3)
	1.6	34	- 9	Missing
100 0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 330-331

### V3277

### 003A27E:DAP TRY LSD 1-2T

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Trying LSD once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.3	385	1	DNT DISP: (1)
18.6	18.4	407	2	DISAPPRV: (2)
63.7	62.8	1,392	3	STRG DIS:(3)
	1.5	34	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 332-333

### V3278 003A27F:DAP TKG LSD REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking LSD regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	126	1	DNT DISP: (1)
16.1	15.8	350	2	DISAPPRV: (2)
78.1	76.8	1,704	3	STRG DIS: (3)
	1.7	37	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 334-335

V3279

### 003A27G:DAP TRY HRN 1-2T

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Trying heroin once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	152	1	DNT DISP: (1)
14.6	14.4	320	2	DISAPPRV: (2)
78.4	77.3	1,714	3	STRG DIS:(3)
	1.5	32	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 336-337

### V3280 003A27H:DAP TKG HRN OCCS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking heroin occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	86	1	DNT DISP: (1)
11.7	11.5	255	2	DISAPPRV: (2)
84.3	82.8	1,837	3	STRG DIS: (3)
	1.8	40	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 338-339

### V3281

### 003A27I:DAP TKG HRN REGL

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Taking heroin regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	73	1	DNT DISP: (1)
8.3	8.1	180	2	DISAPPRV: (2)
88.3	86.2	1,912	3	STRG DIS:(3)
	2.4	53	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 340-341

### V3282 003A27J:DAP TRY BRB 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	13.8	306	1	DNT DISP: (1)
21.1	20.7	459	2	DISAPPRV: (2)
64.7	63.3	1,404	3	STRG DIS:(3)
	2.2	49	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 342-343

# V3283

### 003A27K:DAP TKG BRB REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking barbiturates regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	104	1	DNT DISP: (1)
15.8	15.4	341	2	DISAPPRV: (2)
79.3	77.0	1,708	3	STRG DIS: (3)
	3.0	66	- 9	Missing
100 0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 344-345

### V3284 003A27L:DAP TRY AMP 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying an amphetamine (upper, pep pill, bennie, speed) once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	17.4	386	1	DNT DISP: (1)
19.9	19.5	432	2	DISAPPRV: (2)
62.4	61.3	1,360	3	STRG DIS: (3)
	1.8	41	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 346-347

# V3285

#### 003A27M:DAP TKG AMP REGL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking amphetamines regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	127	1	DNT DISP: (1)
15.8	15.5	345	2	DISAPPRV: (2)
78.3	76.9	1,705	3	STRG DIS: (3)
	1.8	41	- 9	Missing
100.0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 348-349

### V3286 003A27N:DAP TRY COC 1-2T

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.5	255	1	DNT DISP: (1)
15.3	15.0	332	2	DISAPPRV: (2)
73.0	71.5	1,586	3	STRG DIS: (3)
	2.0	44	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 350-351

### V3287

### 003A270:DAP TKG COC REGL

Individuals differ in whether or not they disapprove of
 people doing certain things. Do YOU disapprove of people
 (who are 18 or older) doing each of the following?

Taking cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	97	1	DNT DISP: (1)
10.9	10.6	236	2	DISAPPRV: (2)
84.6	82.5	1,830	3	STRG DIS:(3)
	2.5	56	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 352-353

### V3288 003A27P:DAP TRY DRK ALCL

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	73.3	1,625	1	DNT DISP: (1)
14.2	13.9	309	2	DISAPPRV: (2)
11.2	11.0	244	3	STRG DIS: (3)
	1.8	40	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 354-355

# V3289

### 003A27Q:DAP 1-2 DRK/DAY

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	29.1	646	1	DNT DISP: (1)
35.3	34.6	767	2	DISAPPRV: (2)
35.0	34.3	762	3	STRG DIS: (3)
	1.9	43	- 9	Missing
100 0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 356-357

### V3290 003A27R:DAP 4-5 DRK/DAY

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.4	252	1	DNT DISP: (1)
24.3	23.8	528	2	DISAPPRV: (2)
64.1	62.9	1,395	3	STRG DIS: (3)
	2.0	44	- 9	Missing
100 0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 358-359

### V3291

#### 003A27S:DAP 5+ DRK WKNDS

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Having five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	34.0	753	1	DNT DISP: (1)
23.2	22.7	504	2	DISAPPRV: (2)
42.2	41.4	918	3	STRG DIS:(3)
	2.0	43	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 360-361

### V3292 003A28A:12MO NR OTH MARJ

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Marijuana (pot, grass) or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	25.5	565	1	NOT @ALL: (1)
19.5	19.2	425	2	1-2X:(2)
24.1	23.7	525	3	OCCASNLY: (3)
30.4	29.8	662	4	OFTEN: (4)
	1.9	42	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 362-363

V3293

### 003A28B:12MO NR OTH LSD

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.0	75.9	1,683	1	NOT @ALL:(1)
11.8	11.5	255	2	1-2X:(2)
6.8	6.6	146	3	OCCASNLY: (3)
3.4	3.3	73	4	OFTEN: (4)
	2.8	61	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 364-365

### V3294 003A28C:12MO NR OTH PSYC

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Other psychedelics (mescaline, peyote, PCP, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	82.2	1,823	1	NOT @ALL:(1)
9.6	9.4	209	2	1-2X:(2)
4.3	4.2	94	3	OCCASNLY: (3)
2.1	2.1	46	4	OFTEN: (4)
	2.1	46	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 366-367

# V3295

### 003A28D:12MO NR OTH AMPH

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Amphetamines (uppers, pep pills, bennies, speed)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	69.4	1,539	1	NOT @ALL:(1)
15.5	15.2	337	2	1-2X:(2)
9.4	9.2	204	3	OCCASNLY: (3)
4.5	4.4	97	4	OFTEN: (4)
	1.9	41	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 368-369

### V3296 003A28E:12MO NR OTH BARB

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Barbiturates (downers, goofballs, reds, yellows, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	81.9	1,816	1	NOT @ALL:(1)
9.1	8.9	197	2	1-2X:(2)
4.4	4.3	96	3	OCCASNLY: (3)
2.6	2.6	57	4	OFTEN: (4)
	2.3	51	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 370-371

# V3297

### 003A28F:12MO NR OTH TRQL

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Tranquilizers (Librium, Valium, Miltown)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	80.3	1,782	1	NOT @ALL: (1)
10.1	9.9	219	2	1-2X:(2)
4.1	4.0	89	3	OCCASNLY: (3)
3.6	3.5	78	4	OFTEN: (4)
	2.2	49	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 372-373

### V3298 003A28G:12MO NR OTH COKE

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Cocaine ("coke")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	74.3	1,648	1	NOT @ALL:(1)
13.5	13.2	294	2	1-2X:(2)
6.2	6.1	135	3	OCCASNLY: (3)
4.6	4.5	101	4	OFTEN: (4)
	1.8	40	- 9	Missing
100 0	100 0	2 210	a2a0a	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 374-375

# V3299

### 003A28H:12MO NR OTH HRN

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	88.8	1,970	1	NOT @ALL: (1)
5.9	5.8	128	2	1-2X:(2)
1.7	1.7	37	3	OCCASNLY: (3)
1.5	1.5	33	4	OFTEN: (4)
	2.2	50	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 376-377

#### V3300 003A28I:12MO NR OTH NARC

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Other narcotics (methadone, opium, codeine, paregoric, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	76.8	1,704	1	NOT @ALL:(1)
11.6	11.3	251	2	1-2X:(2)
6.5	6.3	141	3	OCCASNLY: (3)
2.9	2.8	62	4	OFTEN: (4)
	2.7	61	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 378-379

### V3301

### 003A28J:12MO NR OTH ALCL

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

Alcoholic beverages (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.1	202	1	NOT @ALL:(1)
12.5	12.2	270	2	1-2X:(2)
28.2	27.5	611	3	OCCASNLY: (3)
50.0	48.9	1,085	4	OFTEN: (4)
	2.3	51	- 9	Missing
100 0	100 0	2 210	a2a0a	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 380-381

### V3302 003D01 :CMP SATFD W/LIFE

How satisfied are you with your life as a whole these days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.5	56	1	COMP DIS: (1)
7.2	6.5	145	2	QUITE DS:(2)
8.3	7.6	168	3	SMWT DIS: (3)
11.6	10.6	234	4	NEITHER: (4)
23.8	21.7	481	5	SMWT SAT: (5)
37.0	33.7	748	6	QUITE ST: (6)
9.5	8.7	192	7	COMP SAT: (7)
	8.7	194	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 382-383

# V3309

### 003D06A:12MO REDUCE ALCL

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

#### Alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	39.1	867	0	NO: (0)
32.8	19.1	424	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	41.8	927	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 384-385

# V3310 003D06B:12MO REDUCE CIG

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

#### Cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	14.9	331	0	NO: (0)
62.5	24.9	553	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	60.2	1,334	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 386-387

# V3311

### 003D06C:12MO REDUCE MARJ

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

### Marijuana?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	13.5	300	0	NO: (0)
53.3	15.4	343	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	71.0	1,575	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 388-389

### V3312 003D06D:12MO REDUCE PSYC

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Psychedelics (LSD, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	2.9	65	0	NO: (0)
47.5	2.7	59	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	94.4	2,094	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 390-391

### V3313

### 003D06E:12MO REDUCE AMPH

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Amphetamines (uppers)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	2.8	62	0	NO: (0)
49.4	2.7	61	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	94.4	2,095	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 392-393

### V3316 003D06H:12MO REDUCE COKE

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

#### Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	1.7	39	0	NO: (0)
57.2	2.3	52	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	95.9	2,128	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 394-395

# V3317

### 003D06I:12MO REDUCE HRN

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

#### Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	0.5	12	0	NO: (0)
45.8	0.5	10	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	99.0	2,196	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 396-397

# V3318 003D06J:12MO REDUCE NARC

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Other narcotics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	2.4	53	0	NO: (0)
42.7	1.8	40	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	95.8	2,126	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 398-399

### V3319

### 003D07 :NXT 12MOS USE MJ

How likely is it that you will use marijuana in the next 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	11.4	253	1	DEF WILL: (1)
11.0	9.4	207	2	PRB WILL: (2)
18.2	15.4	342	3	PRB WONT: (3)
57.4	48.8	1,082	4	DEF WONT: (4)
	15.0	333	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 400-401

### V3320 003D08A:CNCRN PSYCH DAMG

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08A: Concerned about possible psychological damage

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	26.1	578	0	NT MRKD: (0)
57.1	34.7	770	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 402-403

#### V3321 003D08B:CNCRN PHYSCL DMG

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08B: Concerned about possible physical damage

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	27.7	614	0	NT MRKD: (0)
54.4	33.1	734	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 404-405

### V3322 003D08C:CNCRN GT ARRESTD

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08C: Concerned about getting arrested

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	29.5	655	0	NT MRKD: (0)
51.4	31.2	693	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 406-407

#### V3323

#### 003D08D:CNCRN BECOM ADCT

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08D: Concerned about becoming addicted to marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	31.8	706	0	NT MRKD: (0)
47.6	28.9	641	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 408-409

### V3324 003D08E:AGST MY BELIEFS

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

It's against my beliefs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	33.1	734	0	NT MRKD: (0)
45.5	27.7	613	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 410-411

V3325

#### 003D08F:CNCRN LEGY&AMBTN

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Concerned about loss of energy or ambition

LABEL	VALUE	N	PCT	PCT
			ALL	VALID
NT MRKD: (0)	0	798	36.0	59.2
MARKED: (1)	1	550	24.8	40.8
INAP: (8)	8	0	0.0	0.0
Missing	- 9	870	39.2	
	cases	2,218	100.0	100.0

Data type: numeric Missing-data code: -9 Columns: 412-413

### V3326 003D08G:CNCRN LOSS CNTRL

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

D08G: Concerned about possible loss of control of myself

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	31.0	687	0	NT MRKD: (0)
49.1	29.8	661	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 414-415

#### V3327

### 003D08H:MJ ->STRNGR DRGS

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

It might lead to stronger drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	30.6	678	0	NT MRKD: (0)
49.7	30.2	670	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 416-417

### V3328 003D08I:MJ NOT ENJOYABLE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Not enjoyable, I didn't like it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	43.7	969	0	NT MRKD: (0)
28.1	17.1	379	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 418-419

### V3329

#### 003D08J:PRNTS DISAPPROVE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

My parents would disapprove

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	24.5	544	0	NT MRKD: (0)
59.6	36.2	803	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 420-421

### V3330 003D08K:HS/WF DISAPPROVE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

My husband/wife (or boyfriend/girlfriend) would disapprove

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	42.3	938	0	NT MRKD: (0)
30.4	18.5	409	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 422-423

### V3331

#### 003D08L:DONT LIKE USERS

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

I don't like being with the people who use it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	37.3	827	0	NT MRKD: (0)
38.7	23.5	521	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 424-425

#### V3332 003D08M:FRNDS DNT USE IT

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

My friends don't use it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	41.1	913	0	NT MRKD: (0)
32.3	19.6	435	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 426-427

V3333

#### 003D08N:PSSBLY BAD TRIP

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

I might have a bad trip

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	46.4	1,030	0	NT MRKD: (0)
23.6	14.3	318	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 428-429

#### V3334

#### 003D080:TOO EXPENSIVE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Too expensive

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	46.3	1,028	0	NT MRKD: (0)
23.7	14.4	320	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 430-431

V3335

#### 003D08P:NOT AVAILABLE

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Not available

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	57.0	1,266	0	NT MRKD: (0)
6.1	3.7	82	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 432-433

### V3336 003D08Q:NOT WNT GET HIGH

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark all that apply.)

Don't feel like getting high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	22.1	489	0	NT MRKD: (0)
63.7	38.7	858	1	MARKED: (1)
0.0	0.0	0	8	INAP: (8)
	39.2	870	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 434-435

V3337

#### 003D09AAAL CS BEHV REGRT

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AAAL: Caused you to behave in ways that you later regretted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	66.5	1,475	0	NT MRKED: (0)
29.8	28.3	628	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 436-437

#### V3338 003D09ABAL HURT REL PRNT

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09ABAL: Hurt your relationship with your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	86.9	1,927	0	NT MRKED: (0)
8.4	7.9	176	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 438-439

#### V3339

#### 003D09ACAL HURT REL SPSE

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09ACAL: Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	87.2	1,934	0	NT MRKED: (0)
8.0	7.6	169	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 440-441

#### V3340 003D09ADAL HURT REL FRND

D09A: Has your use of alcohol ever caused any of the following problems for you?

Hurt your relationships with your friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	88.0	1,953	0	NT MRKED: (0)
7.1	6.8	150	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 442-443

## V3341

#### 003D09AEAL HURT REL TCHR

D09A: Has your use of alcohol ever caused any of the following problems for you?

Hurt your relationships with teachers or supervisors

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	92.5	2,052	0	NT MRKED: (0)
2.4	2.3	51	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 444-445

#### V3342 003D09AFAL INV PL BD INF

D09A: Has your use of alcohol ever caused any of the following problems for you?

Involved you with people you think are a bad influence on you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	86.2	1,912	0	NT MRKED: (0)
9.1	8.6	191	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 446-447

V3343

#### 003D09AGAL HURT PERF JOB

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AGAL: Hurt your performance in school and/or on the job

VALID ALL	
95.6 90.6 2,010 0 NT MRKED	:(0)
4.4 4.2 93 1 MARKED: (1	1)
5.2 115 -9 Missing	
100.0 100.0 2,218 cases	

Data type: numeric Missing-data code: -9 Columns: 448-449

#### V3344 003D09AHAL CAUS<INTERSTD

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AHAL: Caused you to be less interested in other activities than you were before

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	90.5	2,007	0	NT MRKED: (0)
4.6	4.3	96	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 450-451

## V3345

#### 003D09AIAL CS<STABL EMTN

D09A: Has your use of alcohol ever caused any of the following problems for you?

Caused you to be less stable emotionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	88.8	1,970	0	NT MRKED: (0)
6.3	6.0	133	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 452-453

## V3346 003D09AJAL CS HAV<ENERGY

D09A: Has your use of alcohol ever caused any of the following problems for you?

Caused you to have less energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	88.7	1,968	0	NT MRKED: (0)
6.4	6.1	135	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 454-455

## V3347

#### 003D09AKAL INTF THNK CLR

D09A: Has your use of alcohol ever caused any of the following problems for you?

Interfered with your ability to think clearly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	78.1	1,732	0	NT MRKED: (0)
17.7	16.7	371	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 456-457

#### V3348 003D09ALAL BD PSYCH EFCT

D09A: Has your use of alcohol ever caused any of the following problems for you?

Had other bad psychological effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	93.2	2,066	0	NT MRKED: (0)
1.7	1.7	37	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 458-459

## V3349

#### 003D09AMAL CS HEALTH BAD

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AMAL: Caused your physical health to be bad

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	92.4	2,049	0	NT MRKED: (0)
2.6	2.4	54	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 460-461

#### V3350 003D09ANAL CS DRIV UNSAF

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09ANAL: Caused you to drive unsafely

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	86.9	1,928	0	NT MRKED: (0)
8.3	7.9	175	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 462-463

#### V3351 003D09AOAL GT TRBL W POL

D09A: Has your use of alcohol ever caused any of the following problems for you?

D09AOAL: Gotten you into trouble with the police

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	89.7	1,989	0	NT MRKED: (0)
5.4	5.1	114	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 464-465

# V3352 003D09APAL CS NO PROBLEM

D09A: Has your use of alcohol ever caused any of the following problems for you?

Caused you none of the above problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	79.4	1,760	0	NT MRKED: (0)
16.3	15.5	343	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 466-467

## V3353

#### 003D09AQAL NEVER USED DG

D09A: Has your use of alcohol ever caused any of the following problems for you?

Never used the drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	88.3	1,959	0	NT MRKED: (0)
6.9	6.5	144	1	MARKED: (1)
	5.2	115	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 468-469

#### V3354 003D09MAMJ CS BEHV REGRT

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MAMJ: Caused you to behave in ways that you later regretted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	89.6	1,988	0	NT MRKED: (0)
7.8	7.6	169	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 470-471

## V3355 003D09MBMJ HURT REL PRNT

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MBMJ: Hurt your relationship with your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	90.5	2,008	0	NT MRKED: (0)
6.9	6.7	149	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 472-473

#### V3356 003D09MCMJ HURT REL SPSE

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MCMJ: Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	92.7	2,057	0	NT MRKED: (0)
4.6	4.5	100	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 474-475

V3357

#### 003D09MDMJ HURT REL FRND

D09M: Has your use of marijuana ever caused any of the following problems for you?

Hurt your relationships with your friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	93.5	2,073	0	NT MRKED: (0)
3.9	3.8	84	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 476-477

#### V3358 003D09MEMJ HURT REL TCHR

D09M: Has your use of marijuana ever caused any of the following problems for you?

Hurt your relationships with teachers or supervisors

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	95.0	2,108	0	NT MRKED: (0)
2.3	2.2	49	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 478-479

## V3359

#### 003D09MFMJ INV PL BD INF

D09M: Has your use of marijuana ever caused any of the following problems for you?

Involved you with people you think are a bad influence on you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	88.7	1,967	0	NT MRKED: (0)
8.8	8.5	189	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 480-481

#### V3360 003D09MGMJ HURT PERF JOB

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MGMJ: Hurt your performance in school and/or on the job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	90.9	2,015	0	NT MRKED: (0)
6.6	6.4	141	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 482-483

#### V3361

#### 003D09MHMJ CAUS<INTERSTD

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MHMJ: Caused you to be less interested in other activities than you were before

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	90.8	2,014	0	NT MRKED: (0)
6.6	6.4	143	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 484-485

#### V3362 003D09MIMJ CS<STABL EMTN

D09M: Has your use of marijuana ever caused any of the following problems for you?

Caused you to be less stable emotionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	93.2	2,068	0	NT MRKED: (0)
4.1	4.0	89	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 486-487

## V3363

#### 003D09MJMJ CS HAV<ENERGY

D09M: Has your use of marijuana ever caused any of the following problems for you?

Caused you to have less energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	86.0	1,907	0	NT MRKED: (0)
11.6	11.2	249	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 488-489

## V3364 003D09MKMJ INTF THNK CLR

D09M: Has your use of marijuana ever caused any of the following problems for you?

Interfered with your ability to think clearly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	85.7	1,902	0	NT MRKED: (0)
11.8	11.5	255	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 490-491

## V3365

#### 003D09MLMJ BD PSYCH EFCT

D09M: Has your use of marijuana ever caused any of the following problems for you?

Had other bad psychological effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	95.4	2,116	0	NT MRKED: (0)
1.9	1.8	41	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 492-493

#### V3366 003D09MMMJ CS HEALTH BAD

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MMMJ: Caused your physical health to be bad

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.7	2,101	0	NT MRKED: (0)
2.6	2.5	56	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 494-495

#### V3367

#### 003D09MNMJ CS DRIV UNSAF

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MNMJ: Caused you to drive unsafely

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	93.8	2,081	0	NT MRKED: (0)
3.5	3.4	76	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 496-497

#### V3368 003D09MOMJ GT TRBL W POL

D09M: Has your use of marijuana ever caused any of the following problems for you?

D09MOMJ: Gotten you into trouble with the police

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.7	2,101	0	NT MRKED: (0)
2.6	2.5	55	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 498-499

## V3369 003D09MPMJ CS NO PROBLEM

D09M: Has your use of marijuana ever caused any of the following problems for you?

Caused you none of the above problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	70.2	1,556	0	NT MRKED: (0)
27.8	27.1	600	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 500-501

#### V3370 003D09MQMJ NEVER USED DG

D09M: Has your use of marijuana ever caused any of the following problems for you?

Never used the drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.2	76.0	1,687	0	NT MRKED: (0)
21.8	21.2	470	1	MARKED: (1)
	2.8	62	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 502-503

## V3371 003D09OAOT CS BEHV REGRT

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090AOT: Caused you to behave in ways that you later regretted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	88.2	1,957	0	NT MRKED: (0)
4.2	3.8	85	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 504-505

#### V3372 003D090BOT HURT REL PRNT

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090BOT: Hurt your relationship with your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	89.9	1,994	0	NT MRKED: (0)
2.4	2.2	49	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 506-507

V3373

#### 003D09OCOT HURT REL SPSE

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090COT: Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	90.4	2,004	0	NT MRKED: (0)
1.9	1.7	38	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 508-509

#### V3374 003D09ODOT HURT REL FRND

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Hurt your relationships with your friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	90.0	1,997	0	NT MRKED: (0)
2.2	2.0	45	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 510-511

## V3375

#### 003D09OEOT HURT REL TCHR

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Hurt your relationships with teachers or supervisors

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	91.1	2,021	0	NT MRKED: (0)
1.0	1.0	21	1	MARKED: (1)
	7.9	176	-9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 512-513

#### V3376 003D09OFOT INV PL BD INF

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Involved you with people you think are a bad influence on you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	88.7	1,967	0	NT MRKED: (0)
3.7	3.4	75	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 514-515

#### V3377

#### 003D09OGOT HURT PERF JOB

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090GOT: Hurt your performance in school and/or on the job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	90.4	2,005	0	NT MRKED: (0)
1.8	1.7	37	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 516-517

#### V3378 003D09OHOT CAUS<INTERSTD

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D09OHOT: Caused you to be less interested in other activities than you were before

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	90.3	2,004	0	NT MRKED: (0)
1.9	1.7	38	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 518-519

#### V3379

#### 003D09OIOT CS<STABL EMTN

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Caused you to be less stable emotionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	89.5	1,986	0	NT MRKED: (0)
2.8	2.5	57	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 520-521

#### V3380 003D09OJOT CS HAV<ENERGY

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Caused you to have less energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	90.1	1,999	0	NT MRKED: (0)
2.1	1.9	43	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 522-523

## V3381

#### 003D09OKOT INTF THNK CLR

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Interfered with your ability to think clearly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	88.8	1,971	0	NT MRKED: (0)
3.5	3.2	72	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 524-525

#### V3382 003D09OLOT BD PSYCH EFCT

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Had other bad psychological effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	90.1	1,998	0	NT MRKED: (0)
2.1	2.0	44	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 526-527

## V3383

#### 003D09OMOT CS HEALTH BAD

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090MOT: Caused your physical health to be bad

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	90.2	2,001	0	NT MRKED: (0)
2.0	1.9	41	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 528-529

#### V3384 003D09ONOT CS DRIV UNSAF

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D090NOT: Caused you to drive unsafely

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	91.1	2,022	0	NT MRKED: (0)
1.0	0.9	21	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 530-531

#### V3385

#### 003D09OOOT GT TRBL W POL

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

D09000T: Gotten you into trouble with the police

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	91.3	2,025	0	NT MRKED: (0)
0.9	0.8	18	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 532-533

#### V3386 003D09OPOT CS NO PROBLEM

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Caused you none of the above problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	66.4	1,473	0	NT MRKED: (0)
27.9	25.7	569	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 534-535

## V3387

#### 003D09OQOT NEVER USED DG

D090: Has your use of other illegal drugs ever caused any of the following problems for you?

Never used the drug(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	69.1	1,532	0	NT MRKED: (0)
25.0	23.0	510	1	MARKED: (1)
	7.9	176	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 536-537

### V3394 003E03 :FUTR, HAV2 CNSUM<

There has been talk about shortages of energy, food, and raw materials in this country. Do you think that in the coming years we will have plenty to meet our needs, a sufficient amount, or will we have to consume less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	13.8	305	1	PLENTY: (1)
54.2	44.5	986	2	SUFF AMT: (2)
29.0	23.8	527	3	CNSUM LS:(3)
	18.0	400	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 538-539

#### V3395

#### 003E04A:GOV HP PRB POPL

The questions in this section deal with population problems.

How much do you agree or disagree with each statement?

Our government should help other countries to control their population

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	22.5	499	1	DISAGREE: (1)
16.2	13.6	301	2	MOST DIS: (2)
29.0	24.3	538	3	NEITHER: (3)
19.2	16.0	356	4	MOST AGR: (4)
8.6	7.2	160	5	AGREE: (5)
	16.4	365	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 540-541

#### V3396 003E04B:GOV NO POP PLCY

The questions in this section deal with population problems. How much do you agree or disagree with each statement?

Governments should avoid making policy about population and let the individual decide

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	10.1	225	1	DISAGREE: (1)
17.8	14.8	328	2	MOST DIS: (2)
38.1	31.6	701	3	NEITHER: (3)
20.0	16.5	367	4	MOST AGR: (4)
11.9	9.8	218	5	AGREE: (5)
	17.1	379	- 9	Missing
100 0	100 0	2.218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 542-543

V3397

#### 003E04C:STR OVPOP,LMT FM

The questions in this section deal with population problems. How much do you agree or disagree with each statement?

I feel strongly enough about preventing overpopulation that I'd be willing to limit my family to two children

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	20.5	456	1	DISAGREE: (1)
13.6	11.4	252	2	MOST DIS: (2)
31.1	25.9	575	3	NEITHER: (3)
16.1	13.4	297	4	MOST AGR: (4)
14.4	12.0	267	5	AGREE: (5)
	16.8	372	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 544-545

#### V3407 003E08A:SM1 SCL ROB <\$50

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has something of yours (worth under \$50) been stolen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	55.5	1,232	1	NOT @ALL:(1)
23.0	19.1	424	2	ONCE: (2)
5.8	4.9	108	3	TWICE: (3)
2.8	2.3	52	4	3-4X:(4)
1.4	1.1	25	5	5+ TIMES: (5)
	17.0	377	- 9	Missing
100 0	100 0	2 218	Caded	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 546-547

#### V3408

#### 003E08B:SM1 SCL ROB >\$50

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has something of yours (worth over \$50) been stolen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	68.5	1,520	1	NOT @ALL:(1)
13.5	11.2	249	2	ONCE: (2)
2.8	2.4	52	3	TWICE: (3)
0.7	0.6	14	4	3-4X:(4)
0.3	0.2	5	5	5+ TIMES: (5)
	17.0	378	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 548-549

## V3409 003E08C:SM1 SCL DMG PRTY

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	62.1	1,377	1	NOT @ALL:(1)
17.3	14.3	318	2	ONCE: (2)
4.7	3.9	86	3	TWICE: (3)
2.0	1.6	36	4	3-4X:(4)
1.1	0.9	21	5	5+ TIMES: (5)
	17.2	381	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 550-551

# V3410 003E08D:SM1 SCL IN U W/W

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has someone injured you with a weapon (like a knife, gun, or club)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	79.4	1,762	1	NOT @ALL:(1)
2.1	1.8	39	2	ONCE: (2)
0.7	0.6	13	3	TWICE: (3)
0.4	0.3	7	4	3-4X:(4)
0.5	0.4	9	5	5+ TIMES: (5)
	17.5	388	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 552-553

## V3411 003E08E:SM1 SCL TH U W/W

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has someone threatened you with a weapon, but not actually injured you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	73.3	1,627	1	NOT @ALL: (1)
6.9	5.7	127	2	ONCE: (2)
1.7	1.4	31	3	TWICE: (3)
1.1	0.9	20	4	3-4X:(4)
1.3	1.0	23	5	5+ TIMES: (5)
	17.6	390	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 554-555

## V3412 003E08F:SM1 SCL IN U -WP

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has someone injured you on purpose without using a weapon?

PCT	N	VALUE	LABEL
ALL			
73.5	1,631	1	NOT @ALL: (1)
4.9	109	2	ONCE: (2)
2.0	45	3	TWICE: (3)
1.3	28	4	3-4X:(4)
0.9	20	5	5+ TIMES: (5)
17.4	386	- 9	Missing
100.0	2,218	cases	
	ALL 73.5 4.9 2.0 1.3 0.9 17.4	ALL 73.5 1,631 4.9 109 2.0 45 1.3 28 0.9 20 17.4 386	ALL 73.5 1,631 1 4.9 109 2 2.0 45 3 1.3 28 4 0.9 20 5 17.4 386 -9

Data type: numeric Missing-data code: -9 Columns: 556-557

## V3413 003E08G:SM1 SCL TH U W/I

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

Has an unarmed person threatened you with injury, but not actually injured you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	64.6	1,433	1	NOT @ALL:(1)
11.5	9.5	210	2	ONCE: (2)
3.7	3.1	68	3	TWICE: (3)
2.9	2.4	52	4	3-4X:(4)
3.4	2.8	62	5	5+ TIMES: (5)
	17.7	393	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 558-559

## V3418 003E10A:GR 1ST SMOK DLY

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Smoke cigarettes on a daily basis

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	2.0	44	1	GRADE 6:(1)
13.5	3.4	75	2	GRADE 7:(2)
16.2	4.1	91	3	GRADE 8:(3)
19.9	5.0	111	4	GRADE 9:(4)
16.0	4.0	89	5	GRADE 10:(5)
16.5	4.2	92	6	GRADE 11:(6)
10.0	2.5	56	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	74.8	1,660	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 560-561

## V3419 003E10B:GR 1ST TRY ALC

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try an alcoholic beverage--more than just a few sips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	4.9	108	1	GRADE 6:(1)
11.0	6.6	147	2	GRADE 7:(2)
19.2	11.5	255	3	GRADE 8:(3)
22.6	13.6	301	4	GRADE 9:(4)
16.9	10.1	225	5	GRADE 10:(5)
15.1	9.1	202	6	GRADE 11:(6)
7.0	4.2	93	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	40.0	887	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 562-563

## V3420 003E10C:GR 1ST TRY MJ

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	1.9	42	1	GRADE 6:(1)
11.6	4.2	93	2	GRADE 7:(2)
17.8	6.4	143	3	GRADE 8:(3)
23.0	8.3	185	4	GRADE 9:(4)
18.8	6.8	151	5	GRADE 10:(5)
16.3	5.9	131	6	GRADE 11:(6)
7.2	2.6	58	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	63.8	1,415	- 9	Missing
1000	1000	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 564-565

## V3421 003E10D:GR 1ST TRY LSD

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.2	5	1	GRADE 6:(1)
3.7	0.3	7	2	GRADE 7:(2)
15.5	1.3	30	3	GRADE 8:(3)
24.1	2.1	46	4	GRADE 9:(4)
25.3	2.2	49	5	GRADE 10:(5)
21.4	1.9	41	6	GRADE 11:(6)
7.2	0.6	14	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	91.3	2,026	- 9	Missing

Data type: numeric Missing-data code: -9

100.0 100.0 2,218 cases

Columns: 566-567

## V3422 003E10E:GR 1ST TRY PSY

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try any psychedelic other than LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.2	3	1	GRADE 6:(1)
5.7	0.3	6	2	GRADE 7:(2)
3.0	0.1	3	3	GRADE 8:(3)
26.4	1.3	29	4	GRADE 9:(4)
25.5	1.3	28	5	GRADE 10:(5)
19.9	1.0	22	6	GRADE 11:(6)
16.2	0.8	18	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	95.0	2,108	- 9	Missing
1000	100 0	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 568-569

## V3423 003E10F:GR 1ST TRY AMP

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try amphetamines

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	2	1	GRADE 6:(1)
3.3	0.2	4	2	GRADE 7:(2)
9.4	0.5	12	3	GRADE 8:(3)
18.4	1.1	23	4	GRADE 9:(4)
29.5	1.7	37	5	GRADE 10:(5)
14.5	0.8	18	6	GRADE 11:(6)
23.7	1.4	30	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	94.3	2,091	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 570-571

## V3424 003E10G:GR 1ST TRY QUA

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try quaaludes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.2	4	1	GRADE 6:(1)
3.6	0.1	2	2	GRADE 7:(2)
6.3	0.2	3	3	GRADE 8:(3)
19.5	0.5	11	4	GRADE 9:(4)
26.7	0.7	14	5	GRADE 10:(5)
21.6	0.5	12	6	GRADE 11:(6)
14.9	0.4	8	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	97.6	2,164	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 572-573

# V3425 003E10H:GR 1ST TRY BRB

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try barbiturates

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	0.1	2	1	GRADE 6:(1)
3.9	0.1	3	2	GRADE 7:(2)
5.8	0.2	4	3	GRADE 8:(3)
13.3	0.4	10	4	GRADE 9:(4)
33.1	1.1	24	5	GRADE 10:(5)
22.9	0.8	17	6	GRADE 11:(6)
18.8	0.6	14	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	96.7	2,144	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 574-575

## V3426 003E10I:GR 1ST TRY TRN

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	3	1	GRADE 6:(1)
2.0	0.1	2	2	GRADE 7:(2)
2.6	0.1	2	3	GRADE 8:(3)
21.4	0.9	20	4	GRADE 9:(4)
32.4	1.3	30	5	GRADE 10:(5)
20.4	0.8	19	6	GRADE 11:(6)
18.0	0.7	16	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	95.9	2,127	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric

Missing-data code: -9 Columns: 576-577

## V3427 003E10J:GR 1ST TRY COK

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.5	10	1	GRADE 6:(1)
3.8	0.2	5	2	GRADE 7:(2)
3.2	0.2	4	3	GRADE 8:(3)
22.8	1.4	32	4	GRADE 9:(4)
23.7	1.5	33	5	GRADE 10:(5)
19.3	1.2	27	6	GRADE 11:(6)
20.0	1.3	28	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	93.7	2,078	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 578-579

## V3428 003E10K:GR 1ST TRY HER

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	GRADE 6:(1)
0.0	0.0	0	2	GRADE 7:(2)
11.8	0.2	4	3	GRADE 8:(3)
25.2	0.4	8	4	GRADE 9:(4)
21.6	0.3	7	5	GRADE 10:(5)
23.0	0.3	8	6	GRADE 11:(6)
18.5	0.3	6	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	98.5	2,185	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 580-581

## V3429 003E10L:GR 1ST TRY NRC

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try any narcotic other than heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.2	4	1	GRADE 6:(1)
5.0	0.2	4	2	GRADE 7:(2)
6.1	0.2	5	3	GRADE 8:(3)
12.4	0.5	10	4	GRADE 9:(4)
34.5	1.3	29	5	GRADE 10:(5)
16.6	0.6	14	6	GRADE 11:(6)
20.9	0.8	18	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	96.2	2,134	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 582-583

#### V3430 003E10M:GR 1ST TRY INHAL

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try inhalants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	1.0	22	1	GRADE 6:(1)
12.2	0.9	20	2	GRADE 7:(2)
19.0	1.4	32	3	GRADE 8:(3)
22.9	1.7	38	4	GRADE 9:(4)
12.6	1.0	21	5	GRADE 10:(5)
7.4	0.6	12	6	GRADE 11:(6)
12.7	1.0	21	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	92.4	2,050	- 9	Missing
100 0	100 0	2 218	Cacac	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 584-585

#### V3431 003E09A:IMP HAV 1 CAR

Looking toward the future, how important would it be for you to have each of the following things?

At least one car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	2.8	61	1	NOT IMPT: (1)
11.0	9.0	200	2	SMWT IMP: (2)
32.5	26.6	591	3	QUITE IM: (3)
53.2	43.6	967	4	EXTR IMP: (4)
	18.0	400	- 9	Missing
100 0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9 Columns: 586-587

### V3432 003E09B:IMP HAV 2 CARS

Looking toward the future, how important would it be for you to have each of the following things?

At least two cars

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	31.7	704	1	NOT IMPT: (1)
30.4	24.8	551	2	SMWT IMP: (2)
20.3	16.6	369	3	QUITE IM: (3)
10.4	8.5	189	4	EXTR IMP: (4)
	18.3	406	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 588-589

V3433

### 003E09C:IMP HAV LARG CAR

Looking toward the future, how important would it be for you to have each of the following things?

A large (full-sized) car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	39.5	877	1	NOT IMPT: (1)
28.5	23.2	514	2	SMWT IMP: (2)
14.8	12.0	266	3	QUITE IM: (3)
8.0	6.5	144	4	EXTR IMP: (4)
	18.8	417	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 590-591

### V3434 003E09D:IMP HAV NW CR OF

Looking toward the future, how important would it be for you to have each of the following things?

A new car every two or three years

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	49.8	1,104	1	NOT IMPT: (1)
22.3	18.2	403	2	SMWT IMP: (2)
10.2	8.3	184	3	QUITE IM: (3)
6.3	5.2	114	4	EXTR IMP: (4)
	18.6	414	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 592-593

#### V3435

### 003E09E:IMP HAV NW CLTHS

Looking toward the future, how important would it be for you to have each of the following things?

Clothes in the latest style

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	14.8	329	1	NOT IMPT: (1)
37.2	30.2	669	2	SMWT IMP: (2)
29.8	24.1	536	3	QUITE IM: (3)
14.8	12.0	266	4	EXTR IMP: (4)
	18.9	418	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 594-595

### V3436 003E09F:IMP HAV OWN HSE

Looking toward the future, how important would it be for you to have each of the following things?

A house of my own (instead of an apartment or condominium)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	9.1	202	1	NOT IMPT: (1)
18.8	15.3	338	2	SMWT IMP: (2)
32.1	26.1	580	3	QUITE IM: (3)
37.9	30.8	683	4	EXTR IMP: (4)
	18.7	415	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 596-597

### V3437

## 003E09G:IMP HAV BIG YARD

Looking toward the future, how important would it be for you to have each of the following things?

Lots of space around my house, a big yard

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	11.4	252	1	NOT IMPT: (1)
26.3	21.4	476	2	SMWT IMP: (2)
29.9	24.3	540	3	QUITE IM: (3)
29.8	24.2	538	4	EXTR IMP: (4)
	18.6	413	- 9	Missing
100 0	100 0	2 218	Caded	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 598-599

### V3438 003E09H:IMP HAV NEAT LWN

Looking toward the future, how important would it be for you to have each of the following things?

A well-kept garden and lawn

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	15.5	343	1	NOT IMPT: (1)
32.0	26.0	577	2	SMWT IMP: (2)
29.3	23.8	529	3	QUITE IM: (3)
19.6	15.9	353	4	EXTR IMP: (4)
	18.8	417	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 600-601

#### V3439

### 003E09I:IMP HAV APPLINCS

Looking toward the future, how important would it be for you to have each of the following things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	5.5	121	1	NOT IMPT: (1)
21.6	17.5	388	2	SMWT IMP: (2)
36.4	29.5	655	3	QUITE IM: (3)
35.3	28.7	636	4	EXTR IMP: (4)
	18.8	418	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 602-603

### V3440

### 003E09J:IMP HAV G STEREO

Looking toward the future, how important would it be for you to have each of the following things?

A high-quality stereo

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	14.0	311	1	NOT IMPT: (1)
34.4	27.9	618	2	SMWT IMP: (2)
28.3	22.9	508	3	QUITE IM: (3)
19.9	16.1	358	4	EXTR IMP: (4)
	19.1	423	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 604-605

### V3441

### 003E09K:IMP HAV VAC HSE

Looking toward the future, how important would it be for you to have each of the following things?

A vacation house

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	46.3	1,027	1	NOT IMPT: (1)
22.9	18.6	412	2	SMWT IMP: (2)
11.6	9.4	208	3	QUITE IM: (3)
8.3	6.8	150	4	EXTR IMP: (4)
	19.0	421	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 606-607

### V3442 003E09L:IMP HAV REC VEH

Looking toward the future, how important would it be for you to have each of the following things?

A motor-powered, recreational vehicle (powerboat, snowmobile)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	45.5	1,009	1	NOT IMPT: (1)
22.1	17.9	397	2	SMWT IMP: (2)
11.4	9.2	205	3	QUITE IM: (3)
10.1	8.2	181	4	EXTR IMP: (4)
	19.2	427	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 608-609

### V3443

### 003D06F:12MO REDUCE TRQL

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	2.2	48	0	NO: (0)
33.3	1.1	24	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	96.8	2,147	- 9	Missing
100 0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9

Columns: 610-611

### V3444 003D03G:12MO REDUCE B+Q

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

Barbiturates/quaaludes (downers)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	7.9	175	0	NO: (0)
22.7	2.3	51	1	YES: (1)
0.0	0.0	0	8	HVNT USD: (8)
	89.8	1,992	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 612-613

#### V3445

### 003E05A:STS SCH RT FAMLY

How important is each of the following for being looked up to or having high status in your school?

Coming from the right family

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	16.6	369	1	NO IMPRT: (1)
21.1	17.5	388	2	LITL IMP: (2)
27.9	23.1	512	3	MOD IMPT: (3)
16.3	13.5	299	4	GRT IMPT: (4)
14.6	12.1	269	5	VGRT IMP: (5)
	17.2	381	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 614-615

#### V3446 003E05B:STS SCH LDS STU

How important is each of the following for being looked up to or having high status in your school?

Being a leader in student activities

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	9.2	204	1	NO IMPRT: (1)
16.3	13.5	299	2	LITL IMP: (2)
33.6	27.8	617	3	MOD IMPT: (3)
25.5	21.1	468	4	GRT IMPT: (4)
13.5	11.1	247	5	VGRT IMP: (5)
	17.2	382	- 9	Missing
100.0	100.0	2,218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 616-617

### V3447

### 003E05C:STS SCH NIC CAR

How important is each of the following for being looked up to or having high status in your school?

Having a nice car

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	14.7	327	1	NO IMPRT: (1)
23.4	19.4	431	2	LITL IMP: (2)
28.4	23.5	522	3	MOD IMPT: (3)
18.1	15.0	332	4	GRT IMPT: (4)
12.3	10.2	226	5	VGRT IMP: (5)
	17.2	381	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 618-619

### V3448 003E05D:STS SCH HI GRDE

How important is each of the following for being looked up to or having high status in your school?

Getting good grades

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	7.2	161	1	NO IMPRT: (1)
18.6	15.4	341	2	LITL IMP: (2)
30.8	25.4	563	3	MOD IMPT: (3)
23.1	19.0	423	4	GRT IMPT: (4)
18.8	15.5	344	5	VGRT IMP: (5)
	17.5	387	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 620-621

### V3449

### 003E05E:STS SCH GD ATHLT

How important is each of the following for being looked up to or having high status in your school?

Being a good athlete

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	8.7	194	1	NO IMPRT: (1)
13.0	10.7	238	2	LITL IMP: (2)
25.0	20.6	458	3	MOD IMPT: (3)
26.6	21.9	486	4	GRT IMPT: (4)
24.8	20.4	453	5	VGRT IMP: (5)
	17.6	390	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 622-623

### V3450 003E05F:STS SCH INTLCTL

How important is each of the following for being looked up to or having high status in your school?

Knowing a lot about intellectual matters

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	10.9	241	1	NO IMPRT: (1)
27.5	22.6	502	2	LITL IMP: (2)
32.6	26.8	595	3	MOD IMPT: (3)
16.6	13.7	304	4	GRT IMPT: (4)
10.1	8.3	184	5	VGRT IMP: (5)
	17.7	392	- 9	Missing
100.0	100.0	2,218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 624-625

### V3451

### 003E05G:STS SCH PLN CLG

How important is each of the following for being looked up to or having high status in your school?

Planning to go to college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	10.7	236	1	NO IMPRT: (1)
17.5	14.4	320	2	LITL IMP: (2)
26.9	22.2	492	3	MOD IMPT: (3)
20.8	17.1	380	4	GRT IMPT: (4)
21.8	18.0	399	5	VGRT IMP: (5)
	17.7	392	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 626-627

#### V3452 003E06A:DRG USE+,MAJ STD

How about using drugs (other than marijuana or alcohol) -does that cause a student to be looked up to or looked down on?

Among the majority of students in my school, such drug use is . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	11.2	249	1	DOWN LOT: (1)
20.8	17.1	379	2	DOWN SOM: (2)
55.3	45.4	1,007	3	NEITHER: (3)
8.0	6.6	146	4	UP SOME: (4)
2.2	1.8	40	5	UP A LOT: (5)
	18.0	399	- 9	Missing
100 0	100 0	2 218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 628-629

### V3453

### 003E06B:DRG USE+,MY FRND

How about using drugs (other than marijuana or alcohol) -does that cause a student to be looked up to or looked down on?

Among my own group of friends, such drug use is . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	26.7	593	1	DOWN LOT: (1)
17.8	14.6	323	2	DOWN SOM: (2)
38.5	31.5	699	3	NEITHER: (3)
7.9	6.4	143	4	UP SOME: (4)
3.1	2.5	55	5	UP A LOT: (5)
	18.2	405	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric

Missing-data code: -9

Columns: 630-631

## V3454 003E06C:DRG USE+,MY FLGS

How about using drugs (other than marijuana or alcohol)-does that cause a student to be looked up to or looked
down on?

My own feeling about such drug use is that . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	39.8	883	1	DOWN LOT: (1)
16.4	13.4	296	2	DOWN SOM: (2)
31.2	25.4	563	3	NEITHER: (3)
2.6	2.1	47	4	UP SOME: (4)
1.0	0.8	18	5	UP A LOT: (5)
	18.5	411	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric

Missing-data code: -9 Columns: 632-633

## V3457 003E10N:GR 1ST SMOKE EVR

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Smoke your first cigarette

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	10.4	232	1	GRADE 6:(1)
19.1	8.5	188	2	GRADE 7:(2)
20.1	8.9	198	3	GRADE 8:(3)
16.4	7.3	162	4	GRADE 9:(4)
11.1	4.9	110	5	GRADE 10:(5)
6.5	2.9	64	6	GRADE 11:(6)
3.3	1.5	32	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	55.6	1,233	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 634-635

#### V3458 003E100:GR 1ST SMOKELESS

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try smokeless tobacco (snuff, plug or chewing tobacco)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	3.5	78	1	GRADE 6:(1)
11.4	2.0	45	2	GRADE 7:(2)
13.9	2.5	55	3	GRADE 8:(3)
20.8	3.7	82	4	GRADE 9:(4)
13.1	2.3	52	5	GRADE 10:(5)
13.9	2.5	55	6	GRADE 11:(6)
7.3	1.3	29	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	82.2	1,824	- 9	Missing

100.0 100.0 2,218 cases Data type: numeric

Missing-data code: -9

Columns: 636-637

## V3459 003E10P:GR 1ST DRUNK

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Drink enough to feel drunk or very high

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	1.8	40	1	GRADE 6:(1)
7.4	3.4	76	2	GRADE 7:(2)
15.1	7.0	155	3	GRADE 8:(3)
24.2	11.2	248	4	GRADE 9:(4)
19.7	9.1	202	5	GRADE 10:(5)
19.3	8.9	198	6	GRADE 11:(6)
10.5	4.8	108	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	53.8	1,193	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric

Missing-data code: -9 Columns: 638-639

### V3460 003A29A:RSK OF CIG1+PK/D

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke one or more packs of cigarettes per day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	30	1	NO RISK: (1)
6.1	6.0	133	2	SLIGHT: (2)
26.1	25.4	563	3	MOD RISK: (3)
66.4	64.6	1,434	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	2.7	60	- 9	Missing
100 0	100 0	2 218	Cacec	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 640-641

### V3461

### 003A29B:RSK OF MJ 1-2 X

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try marijuana once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.0	31.8	705	1	NO RISK: (1)
34.7	33.4	741	2	SLIGHT: (2)
16.0	15.4	341	3	MOD RISK: (3)
16.3	15.7	348	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.7	83	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 642-643

#### V3462 003A29C:RSK OF MJ OCSNLY

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	13.4	297	1	NO RISK: (1)
23.9	22.9	508	2	SLIGHT: (2)
32.2	30.9	685	3	MOD RISK: (3)
30.0	28.8	638	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.1	90	- 9	Missing
100 0	100.0	2.218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 644-645

### V3463

#### 003A29D:RSK OF MJ REGLY

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Smoke marijuana regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.2	137	1	NO RISK: (1)
11.8	11.3	251	2	SLIGHT: (2)
22.1	21.1	469	3	MOD RISK: (3)
59.6	57.1	1,266	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	4.3	95	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 646-647

#### V3464 003A29E:RSK COK PWDR 1-2

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try cocaine in powder form once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.1	113	1	NO RISK: (1)
14.7	13.4	296	2	SLIGHT: (2)
21.8	19.9	441	3	MOD RISK: (3)
57.9	52.7	1,169	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	9.0	199	- 9	Missing
100.0	100.0	2.218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 648-649

### V3465

### 003A29F:RSK COK PWDR OCC

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take cocaine powder occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	31	1	NO RISK: (1)
3.9	3.6	79	2	SLIGHT: (2)
17.2	15.7	348	3	MOD RISK: (3)
77.4	70.8	1,570	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	8.6	190	- 9	Missing
1000	100 0	2 210	~~~~	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 650-651

### V3466 003A29G:RSK COK PWDR REG

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take cocaine powder regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	23	1	NO RISK: (1)
1.0	0.9	19	2	SLIGHT: (2)
4.5	4.1	91	3	MOD RISK: (3)
93.4	85.6	1,899	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	8.4	187	- 9	Missing
100 0	100 0	2 218	Cacec	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 652-653

### V3467

### 003A29H:RSK CRACK 1-2X

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try "crack" cocaine once or twice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.5	55	1	NO RISK: (1)
10.6	9.6	214	2	SLIGHT: (2)
19.3	17.5	389	3	MOD RISK: (3)
67.3	61.2	1,357	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	9.2	203	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 654-655

#### 003A29I:RSK CRACK OCC V3468

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take "crack" cocaine occasionally

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	24	1	NO RISK: (1)
2.5	2.2	50	2	SLIGHT: (2)
13.2	12.0	266	3	MOD RISK: (3)
83.2	75.8	1,680	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	8.9	198	- 9	Missing
100 0	100 0	2 210	aaaaa	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 656-657

### V3469

### 003A29J:RSK CRACK REG

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take "crack" cocaine regularly

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	21	1	NO RISK: (1)
0.8	0.7	16	2	SLIGHT: (2)
3.1	2.8	63	3	MOD RISK: (3)
95.0	86.6	1,922	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	8.9	196	- 9	Missing
1000	1000	0 010		

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 658-659

#### V3470 003A29K:RSK OF 1-2 DRINK

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	45.5	1,009	1	NO RISK: (1)
35.6	34.4	763	2	SLIGHT: (2)
8.6	8.3	183	3	MOD RISK: (3)
8.7	8.4	186	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.5	77	- 9	Missing
100 0	100 0	2 218	Cageg	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 660-661

### V3471 003A29L:RSK OF 1-2 DR/DA

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take one or two drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.4	252	1	NO RISK: (1)
29.2	28.1	624	2	SLIGHT: (2)
37.4	36.0	799	3	MOD RISK: (3)
21.6	20.9	463	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.6	80	- 9	Missing
100 0	100 0	2 210	andod	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 662-663

### V3472

#### 003A29M:RSK OF 4-5 DR/DA

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Take four or five drinks nearly every day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	97	1	NO RISK: (1)
8.0	7.7	171	2	SLIGHT: (2)
23.7	23.0	509	3	MOD RISK: (3)
63.8	61.8	1,370	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.2	71	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 664-665

#### V3473 003A29N:RSK OF 5+DR/WKND

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

Have five or more drinks once or twice each weekend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.0	245	1	NO RISK: (1)
15.8	15.2	337	2	SLIGHT: (2)
21.8	21.0	465	3	MOD RISK: (3)
51.0	49.2	1,091	4	GRT RISK: (4)
0.0	0.0	0	5	CANT SAY: (5)
	3.6	80	- 9	Missing
100 0	100 0	2.218	cases	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 666-667

### V3474

### 003A30A:EASY GT MARIJUAN

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Marijuana

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.5	77	1	PROB IMP: (1)
1.6	1.6	36	2	VRY DIFF: (2)
5.1	4.9	110	3	<pre>FRLY DIF:(3)</pre>
23.3	22.7	504	4	FRLY EAS: (4)
66.4	64.6	1,433	5	VRY EASY: (5)
	2.6	59	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 668-669

#### V3475 003A30B:EASY GT CRACK

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

"Crack" cocaine

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.7	216	1	PROB IMP: (1)
15.4	14.9	331	2	VRY DIFF: (2)
28.0	27.2	603	3	FRLY DIF: (3)
29.7	28.8	638	4	FRLY EAS: (4)
16.8	16.3	362	5	VRY EASY: (5)
	3.1	68	- 9	Missing
100 0	100 0	2 218	Cacec	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 670-671

# V3476

#### 003A30C:EASY GT COK PWDR

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Cocaine powder

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.4	230	1	PROB IMP: (1)
16.4	15.9	352	2	VRY DIFF: (2)
26.0	25.2	560	3	FRLY DIF: (3)
28.5	27.7	614	4	FRLY EAS: (4)
18.5	17.9	397	5	VRY EASY: (5)
	2.9	64	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric

Missing-data code: -9 Columns: 672-673

#### V3477 003E01A:ALL FRD SMK CIGS

How many of your friends would you estimate . . .

Smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	9.7	214	1	NONE: (1)
29.8	26.0	576	2	A FEW: (2)
30.9	26.9	597	3	SOME: (3)
25.6	22.3	495	4	MOST: (4)
2.7	2.3	52	5	ALL:(5)
	12.8	284	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 674-675

#### V3478

# 003E01B:ALL FRD SMK MARJ

How many of your friends would you estimate . . .

Smoke marijuana (pot, grass) or hashish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	17.1	379	1	NONE: (1)
29.4	25.4	564	2	A FEW: (2)
27.7	23.9	530	3	SOME: (3)
19.8	17.1	379	4	MOST: (4)
3.4	2.9	65	5	ALL: (5)
	13.6	301	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 676-677

# V3479 003E01C:# FRNDS TK CRACK

How many of your friends would you estimate . . .

Take "crack" cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	70.9	1,574	1	NONE: (1)
14.0	12.2	270	2	A FEW: (2)
3.2	2.8	61	3	SOME: (3)
0.3	0.2	5	4	MOST: (4)
0.6	0.6	12	5	ALL: (5)
	13.4	296	- 9	Missing
100.0	100.0	2.218	cases	

Data type: numeric Missing-data code: -9

Columns: 678-679

#### V3480

# 003E01D:# FRNDS TK C PWD

How many of your friends would you estimate . . .

Take cocaine powder?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	65.2	1,446	1	NONE: (1)
17.7	15.1	336	2	A FEW: (2)
4.8	4.1	91	3	SOME: (3)
0.8	0.7	16	4	MOST: (4)
0.6	0.5	12	5	ALL: (5)
	14.3	318	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 680-681

#### V3481 003E01E:ALL FRD DRK ALCL

How many of your friends would you estimate . .  $\boldsymbol{\cdot}$ 

Drink alcoholic beverages (liquor, wine, beer)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	7.3	162	1	NONE: (1)
10.7	9.2	205	2	A FEW: (2)
22.0	18.9	420	3	SOME: (3)
38.1	32.8	728	4	MOST: (4)
20.8	17.9	397	5	ALL: (5)
	13.9	307	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 682-683

#### V3482

# 003E01F:ALL FRD GT DRUNK

How many of your friends would you estimate . . .

Get drunk at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	18.3	407	1	NONE: (1)
24.4	21.1	468	2	A FEW: (2)
26.3	22.7	504	3	SOME: (3)
21.8	18.9	418	4	MOST: (4)
6.4	5.5	123	5	ALL: (5)
	13.5	299	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 684-685

#### V3483 003E10Q:GR 1ST TRY CRACK

When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to.

Try "crack" cocaine, specifically

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	0.1	3	1	GRADE 6:(1)
2.7	0.1	1	2	GRADE 7:(2)
16.7	0.4	8	3	GRADE 8:(3)
20.5	0.4	10	4	GRADE 9:(4)
22.2	0.5	11	5	GRADE 10:(5)
17.6	0.4	8	6	GRADE 11:(6)
14.5	0.3	7	7	GRADE 12:(7)
0.0	0.0	0	8	NEVER: (8)
	97.8	2,170	- 9	Missing
100 0	100 0	2 218	Cacac	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 686-687

# V3484

#### 003D02 :FEEL UNSAFE@SCHL

How often do you feel unsafe when you are at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	47.2	1,047	1	NEVER: (1)
35.7	32.6	722	2	RARELY: (2)
8.7	7.9	176	3	SOMEDAYS: (3)
2.2	2.0	44	4	MOSTDAYS: (4)
1.8	1.6	36	5	EVERYDAY: (5)
	8.7	193	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 688-689

# V3485 003D03 :UNSAF TO/FRM SCH

How often do you feel unsafe going to or from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	52.5	1,166	1	NEVER: (1)
31.3	28.5	632	2	RARELY: (2)
7.2	6.6	145	3	SOMEDAYS: (3)
1.9	1.8	39	4	MOSTDAYS: (4)
1.9	1.8	39	5	EVERYDAY: (5)
	8.9	197	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 690-691

V3486

#### 003D04 :4WK/UNSAF AVDSCH

During the LAST FOUR WEEKS, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	87.5	1,940	1	0 DAYS:(1)
2.3	2.1	46	2	1 DAY: (2)
1.0	0.9	19	3	2-3 DAYS: (3)
0.4	0.4	9	4	4+ DAYS: (4)
	9.2	204	- 9	Missing
100 0	100 0	2 210	a	

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9

Columns: 692-693

# V3493 003B18A:#X MDMA/LIFETIME

On how many occasions (if any) have you used MDMA ("ecstasy")...

...in your lifetime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	85.1	1,887	1	0 OCCAS (1)
5.2	5.0	110	2	1-2X (2)
2.2	2.1	47	3	3-5X (3)
1.3	1.2	28	4	6-9X (4)
1.1	1.1	24	5	10-19X (5)
0.4	0.3	8	6	20-39X (6)
0.9	0.8	18	7	40+X(7)
	4.4	97	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 694-695

#### V3494

#### 003B18B:#X MDMA/LAST12MO

On how many occasions (if any) have you used MDMA ("ecstasy")...

...during the last 12 months?

PCT VALTD	PCT ALL	N	VALUE	LABEL
91.8	87.8	1,948	1	0 OCCAS (1)
4.4	4.2	93	2	1-2X (2)
1.8	1.7	37	3	3-5X (3)
0.6	0.6	14	4	6-9X (4)
0.6	0.6	13	5	10-19X (5)
0.5	0.4	10	6	20-39X (6)
0.3	0.3	7	7	40+X (7)
	4.4	97	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 696-697

# V3495 003B18C:#X MDMA/LAST30DA

On how many occasions (if any) have you used MDMA ("ecstasy")...

...during the last 30 days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	92.1	2,044	1	0 OCCAS (1)
2.4	2.3	50	2	1-2X (2)
0.8	0.7	16	3	3-5X (3)
0.3	0.3	6	4	6-9X (4)
0.2	0.2	5	5	10-19X (5)
0.0	0.0	0	6	20-39X (6)
0.0	0.0	0	7	40+X (7)
	4.4	97	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 698-699

#### V3496

#### 003E07A: #HR/W CMPUTR SCH

E06: About how many hours a week do you spend using a computer . . .

. . . doing school work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	11.3	250	1	NONE: (1)
25.5	21.1	469	2	< 1 HR: (2)
30.6	25.3	562	3	1-2 HRS:(3)
19.1	15.8	350	4	3-5 HRS:(4)
6.8	5.6	124	5	6-9 HRS:(5)
2.3	1.9	43	6	10-19 HRS:(6)
2.1	1.7	38	7	20 OR +: (7)
	17.3	383	- 9	Missing
100.0	100.0	2,218	cases	

100.0 100.0 1,210 00.00

Data type: numeric Missing-data code: -9

Columns: 700-701

# V3497 003E07B:#HR/W CMPUTR JOB

E06: About how many hours a week do you spend using a computer . . .

. . . at your job, if you have one?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	53.6	1,189	1	NONE: (1)
9.2	7.2	160	2	< 1 HR: (2)
6.3	5.0	110	3	1-2 HRS:(3)
5.2	4.1	90	4	3-5 HRS:(4)
3.0	2.4	52	5	6-9 HRS:(5)
3.6	2.8	62	6	10-19 HRS:(6)
4.6	3.6	80	7	20 OR +: (7)
	21.4	474	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 702-703

#### V3498

#### 003E07C:#HR/W CMPUTR OTH

E06: About how many hours a week do you spend using a computer . . .

. . . doing other things?

ъсш	DOM	3.7	773 T TTT	T 7 D D T
PCT	PCT	N	VALUE	LABEL
VALID	$\mathtt{ALL}$			
15.2	12.5	277	1	NONE: (1)
16.7	13.7	304	2	< 1 HR: (2)
22.1	18.1	402	3	1-2 HRS:(3)
17.6	14.5	321	4	3-5 HRS: (4)
12.8	10.5	233	5	6-9 HRS:(5)
9.2	7.6	168	6	10-19 HRS:(6)
6.5	5.3	118	7	20 OR +: (7)
	17.8	396	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9 Columns: 704-705

V3499		003E02	:USUAL	CIG BRAND
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	4	1	BASIC: (1)
0.2	0.0	1	2	B&H: (2)
0.0	0.0	0	3	B&W: (3)
0.0	0.0	0	4	CAMBRIDGE: (4)
15.1	3.8	84	5	CAMEL: (5)
0.8	0.2	5	6	CAPRI: (6)
0.0	0.0	0	7	CARLTON: (7)
0.3	0.1	2	8	DORAL: (8)
0.0	0.0	0	9	GPC: (9)
0.0	0.0	0	10	KENT: (10)
0.3	0.1	2	11	KOOL: (11)
60.3	15.0	333	12	MARLBORO: (12)
0.0	0.0	0	13	MERIT: (13)
0.0	0.0	0	14	MISTY: (14)
0.0	0.0	0	15	MONARCH: (15)
0.0	0.0	0	16	MORE: (16)
14.4	3.6	80	17	NEWPORT: (17)
0.0	0.0	0	18	PALLMALL: (18)
1.6	0.4	9	19	PARLIAMENT: (19)
0.0	0.0	0	20	SALEM: (20)
0.0	0.0	0	21	VANTAGE: (21)
0.8	0.2	4	22	VA SLIMS: (22)
0.2	0.0	1	23	WINSTON: (23)
2.5	0.6	14	24	OTHER: (24)
2.7	0.7	15	25	NO USUAL: (25)
	75.1	1,666	- 9	Missing
100.0	100.0	2,218	cases	

Data type: numeric Missing-data code: -9

Columns: 706-707

#### V3500 003D05A:#X GHB/LAST12MO

Lately there has been some attention paid to certain drugs. During the last 12 months, on how many occasions (if any) have you...

a. ...taken GHB ("liquid G," "grievous bodily harm")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	88.7	1,968	1	0(1)
0.6	0.5	12	2	1-2(2)
0.3	0.3	7	3	3-5(3)
0.1	0.1	1	4	6-9(4)
0.1	0.1	3	5	10-19(5)
0.3	0.3	6	6	20-39(6)
0.2	0.1	3	7	40+(7)
	9.9	219	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 708-709

#### V3501

#### 003D05B:#X KETAMINE/12M

Lately there has been some attention paid to certain drugs. During the last 12 months, on how many occasions (if any) have you... b. ...taken ketamine ("special K," "super K")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	87.8	1,948	1	0(1)
1.0	0.9	20	2	1-2(2)
0.4	0.3	7	3	3-5(3)
0.4	0.4	9	4	6-9(4)
0.1	0.1	3	5	10-19(5)
0.1	0.1	1	6	20-39(6)
0.3	0.3	6	7	40+(7)
	10.1	225	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 710-711

#### V3502 003D05C:#X SMK BIDI/12M

Lately there has been some attention paid to certain drugs.

During the last 12 months, on how many occasions (if any) have you...

c. ...smoked bidis (or beedies) which are small brown cigarettes from India

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	81.2	1,802	1	0(1)
4.9	4.4	98	2	1-2(2)
1.8	1.7	37	3	3-5(3)
0.9	0.8	18	4	6-9(4)
1.0	0.9	20	5	10-19(5)
0.3	0.3	6	6	20-39(6)
0.9	0.8	19	7	40+(7)
	9.9	220	- 9	Missing

100.0 100.0 2,218 cases

Data type: numeric Missing-data code: -9 Columns: 712-713

# V5 SAMPLING WEIGHT

2,218 cases (Range of valid codes: .1578-4.8607)

Data type: numeric

Decimals: 4

Missing-data code: -9.0000

Columns: 714-719

### APPENDIX A

#### **PUBLICATIONS**

#### ANNUAL VOLUMES CONTAINING COMPLETE RESPONSE DISTRIBUTIONS

(Published by the Institute for Social Research)

These volumes contain univariate and selected bivariate percentagized frequency distributions on all questions asked in a given year. Also contained is a cross-time index for locating the same question in the other years of the study in which it was contained. Order directly from Monitoring the Future, Institute for Social Research Room 2311, P. O. Box 1248, Ann Arbor, Michigan 48106-1248.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1975. L.D. Johnston and J.G. Bachman, 1980, 188 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1976. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 264 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1977. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1978. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1979. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1980, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1980. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1981, 266 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1981. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 268 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1982. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1984, 280 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1983. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1984, 282 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1984. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1985, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1985. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1986, 284 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1986. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 288 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1987. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 283 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1989. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1992, 327 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1990. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1991. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1992. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1993, 335 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1993. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1995, 339 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1994. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1997, 341 pp.

- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1995. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1997, 341 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1996. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 376 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1997. L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 2001, 378 pp.
- Monitoring the Future: Questionnaire responses from the nation's high school seniors, 1998. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 2001, 378 pp.

### ANNUAL VOLUMES ON TRENDS IN DRUG USE AND RELATED FACTORS

(Published by the National Institute on Drug Abuse)

Volumes in this series may be ordered from the National Clearinghouse for Alcohol and Drug Information, P.O. Box 2345, Rockville, MD 20852 (Tel. 1-800-729-6686). There is no charge for single copies.

- Drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-619). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 256 pp.
- Highlights from drug use among American high school students 1975-1977 (DHEW Publication No. ADM 78-621). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1978, 43 pp.
- Drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-877). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 376 pp.
- Highlights from drugs and the class of 1978: Behaviors, attitudes, and recent national trends (DHEW Publication No. ADM 79-878). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 62 pp.
- 1979 Highlights: Drugs and the nation's high school students, Five year national trends (DHEW Publication No. ADM 80-930). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1979, 85 pp.
- Highlights from student drug use in America, 1975-1980 (DHHS Publication No. ADM 81-1066). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 120 pp.
- Highlights from student drug use in America, 1975-1981 (DHHS Publication No. ADM 82-1208). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1981, 130 pp.
- Student drug use in America, 1975-1981 (DHHS Publication No. ADM 89-1221). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1982, 433 pp.
- Student drug use, attitudes, and beliefs: National trends, 1975-1982 (DHHS Publication No. ADM 83-1260). L.D. Johnston, J.G. Bachman, and P.M. O'Malley, 1983, 134 pp.
- Highlights from drugs and American high school students, 1975-1983 (DHHS Publication No. ADM 84-1317). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 135 pp.
- Drugs and American high school students: 1975-1983 (DHHS Publication No. ADM 85-1374). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1984, 492 pp.
- Use of licit and illicit drugs by America's high school students: 1975-1984 (DHHS Publication No. ADM 85-1394). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1985, 167 pp.
- Drug use among American high school students, college students, and other young adults: National trends through 1985 (DHHS Publication No. ADM 86-1450). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1986, 237 pp.
- National trends in drug use and related factors among American high school students and young adults, 1975-1986 (DHHS Publication No. ADM 87-1535). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1987, 265 pp.
- Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults: 1975-1987 (DHHS Publication No. ADM 89-1602). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 307 pp.
- Drug use, drinking, and smoking: National survey results from high school, college, and young adult populations, 1975-1988 (DHHS Publication No. ADM 89-1638). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1989, 339 pp.
- Trends in drug use and associated factors among American high school students, college students, and young adults: 1975-1989 (Institute for Social Research: Ann Arbor, MI). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 331 pp.
- Drug use among American high school seniors, college students and young adults, 1975-1990, Volume I: High school seniors (DHHS Publication No. (ADM) 91-1813) and Volume II: College students and young adults (DHHS

- Publication No. (ADM) 91-1835). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1991, 199 pp. and 168 pp., respectively.
- Smoking, drinking, and illicit drug use among American secondary school students, college students, and young adults, 1975-1991. Volume I: Secondary school students (DHHS Pub. No. (NIH) 93-3481). Volume II: College students and young adults (DHHS Pub. No. (NIH) 93-3481). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1992, 231 pp. and 176 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1992. Volume I: Secondary school students (NIH Pub. No. 93-3597). Volume II: College students and young adults (NIH Pub. No. 93-3598). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 1993, 269 pp. and 190 pp., respectively.
- National survey results on drug use from the Monitoring the Future study 1975-1993. Volume I: Secondary school students (NIH Pub. No. 94-3809). Volume II: College students and young adults (NIH Pub. No. 94-3810). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1994, 281 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1994. Volume I: Secondary school students (NIH Pub. No. 95-4026). Volume II: College students and young adults (1996). (NIH Pub. No. 96-4027). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1995, 327 pp. and 189 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1995. Volume I: Secondary school students (1996). (NIH Pub. No. 96-4139). Volume II: College students and young adults (1997). (NIH Pub. No. 98-4140). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 381 pp. and 188 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1997. Volume I: Secondary school students (1998). (NIH Pub. No. 98-4345). Volume II: College students and young adults (1998). (NIH Pub. No. 98-4346). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 433 pp. and 206 pp., respectively.
- National survey results on drug use from the Monitoring the Future study, 1975-1998. Volume I: Secondary school students (1999). (NIH Pub. No. 99-4660). Volume II: College students and young adults (NIH Pub. No. 99-4661). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 420 pp. and 218 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 1999 (2000). (NIH Pub. No. 00-4690). L.D. Johnston, P.M. O'Malley, & J.G. Bachman, 56 pp.
- Monitoring the Future national survey results on drug use, 1975-1999. Volume I: Secondary school students (2000). (NIH Pub. No. 00-4802). Volume II: College students and adults ages 19-40 (NIH Pub. No. 00-4803). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 480 pp. and 240 pp., respectively.
- Monitoring the Future national results on adolescent drug use: Overview of key findings, 2000 (2001). (NIH Pub. No. 01-4923). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 54 pp.
- Monitoring the Future national survey results on drug use, 1975-2000. Volume I: Secondary school students (2001). (NIH Pub. No. 01-4924). Volume II: College students and adults ages 19-40 (NIH Pub. No. 01-4925). L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 492 pp. and 238 pp., respectively.

# **JOURNAL ARTICLES**

- Schulenberg, J., Maggs, J.L., Long, S.W., Sher, K.J., Gotham, H.J., Baer, J.S., Kivlahan, D.R., Marlatt, G.A., & Zucker, R.A. (2001). The problem of college drinking: Insights from a developmental perspective. Alcoholism: Clinical and Experimental Research, 25, 473-477.
- Brown, T.N., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2001). Are risk and protective factors for substance use consistent across historical time?: National data from the high school classes of 1976 through 1997. Prevention Science 2(1), 29-43.
- Bryant, A.L., Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (2000). Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. Prevention Science, 1(2), 71-87.
- O'Malley, P.M., Johnston, L.D., Bachman, J.G., & Schulenberg, J. (2000). A comparison of confidential versus anonymous survey procedures: Effects on reporting of drug use and related attitudes and beliefs in a national study of students. Journal of Drug Issues, 30(1), 35-54.
- O'Malley, P.M., & Johnston, L.D. (1999). Drinking and driving among American high school seniors: 1984-1997. American Journal of Public Health, 89, 678-684.

- An, L.C., O'Malley, P.M., Schulenberg, J., Bachman, J.G., & Johnston, L.D. (1999). Changes at the high end of risk in cigarette smoking among U.S. high school seniors, 1976-1995. American Journal of Public Health, 89, 699-705.
- Bachman, J.G., Freedman-Doan, P., O'Malley, P.M., Johnston, L.D., & Segal, D.R. (1999). Changing patterns of drug use among high school seniors (1976-1995) who entered military service: Implications for drug abuse prevention. American Journal of Public Health, 89, 672-677.
- Schulenberg, J., Maggs, J.L., Dielman, T.E., Leech, S.L., Kloska, D.D., Shope, J.T., & Laetz, V.B. (1999). On peer influences to get drunk: A panel study of young adolescents. Merrill-Palmer Quarterly, 45, 108-142.
- Wallace, J.M., Jr. (1999). Race, risk, and resilience: The social ecology of addiction in America's black and Hispanic communities. Pediatrics, 103(5), 1122-1127.
- Wallace, J.M., Jr., Forman, T.A., Guthrie, B.J., Bachman, J.G., O'Malley, P.M., Johnston, L.D. (1999). The epidemiology of alcohol, tobacco and other drug use among black youth. Journal of Studies on Alcohol, 60(6), 800-809.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1998). Explaining the recent increases in students' marijuana use: The impacts of perceived risks and disapproval from 1976 through 1996. American Journal of Public Health 88, 887-892.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Alcohol use among adolescents. Alcohol Health & Research World, 22, 85-93.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (Oct/Nov 1997). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. A chapter summarized and abstracted in a special edition of the journal Substance Use and Misuse entitled "Etiology and Prevention of Drug Use: The U.S. National Institute on Drug Abuse Research Monographs, 1991-1993", vol. 32. The chapter originally appeared in 1991 in S. Schober & C. Schade (Eds.), The epidemiology of cocaine use and abuse (pp. 19-44). (NIDA Research Monograph 110.) Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1997). Contributions of drug epidemiology to the field of drug abuse prevention. Substance Use and Misuse, 32 (12&13). (Abstract and summary of an earlier chapter, Johnston [1991]. Translated into 9 languages.)
- Wallace, J.M., Jr. & Bachman, J.G. (1997). Validity of self-reports in student-based studies of minority populations: Issues and concerns. Substance Use & Misuse, 32, 1949-1954.
- Bell, R., Wechsler, H., Johnston, L.D. (1997). Correlates of college marijuana use: Results of a national survey. Addiction, 92, 571-582.
- Osgood, D.W., Wilson, J.K., Bachman, J.G., O'Malley, P.M., & Johnston, L. D. (1996). Routine activities and individual deviant behaviors. American Sociological Review, 61, 635-655.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., Wadsworth, K.N., & Johnston, L.D. (1996). Getting drunk and growing up: Trajectories of frequent binge drinking during the transition to young adulthood. Journal of Studies on Alcohol, 57, 289-304.
- Schulenberg, J., Wadsworth, K.N., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1996). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable- and pattern-centered approaches to understanding change. Developmental Psychology, 32, 659-674.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1995, April). Adolescent substance use: Epidemiology and implications for public policy. Pediatrics Clinics of North America, 42, 241-260.
- Schulenberg, J., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1994). High school educational success and subsequent substance use: A panel analysis following adolescents into young adulthood. Journal of Health and Social Behavior, 35, 45-62.
- Wallace, J.M., Jr. (1994). Race differences in adolescent drug use: Recent findings from national samples. African-American Research Perspectives, 1(1), 31-35.
- Bachman, J.G., & Schulenberg, J. (1993). How part-time work intensity relates to drug use, problem behavior, time use, and satisfaction among high school seniors: Are these consequences, or merely correlates? Developmental Psychology, 29, 220-235.
- Johnston, L.D. (1993). The "war" on drugs and the role of the media. Nieman Reports, 47(7), 39-41.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1993). Adolescent substance use and addictions: Epidemiology, current trends, and public policy. Adolescent Medicine: State of the Art Reviews, 4, 227-248.
- Bachman, J.G., & Wallace, J.M., Jr. (1991). The Drug Problem among adolescents: Getting beyond the stereotypes. Ethnicity & Disease, 1(fall), 85-97.
- Bachman, J.G., Wallace, J.M., Jr., O'Malley, P.M., Johnston, L.D., Kurth, C.L., & Neighbors, H.W. (1991). Racial/ethnic differences in smoking, drinking, and illicit drug use among American high school seniors, 1976-1989. American Journal of Public Health, 81, 372-377.
- O'Malley, P.M., & Wagenaar, A.C. (1991). Effects of minimum drinking age laws on alcohol use, related behaviors, and traffic crash involvement among American youth: 1976-1987. Journal of Studies on Alcohol, 52, 478-491.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1990). Explaining the recent decline in cocaine use among young adults: Further evidence that perceived risks and disapproval lead to reduced drug use. Journal of Health and Social Behavior, 31, 173-184.

  Johnston, L.D. (1989). The survey technique in drug abuse assessment. Bulletin on Narcotics, 41, 29-40.
- Osgood, D.W., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1989). Time trends and age trends in arrests and self-reported illegal behavior. Criminology, 27, 389-417.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Humphrey, R.H. (1988). Explaining the recent decline in marijuana use: Differentiating the effects of perceived risks, disapproval, and general lifestyle factors. Journal of Health and Social Behavior, 29, 92-112.
- Humphrey, R.H., O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1988). Bases of power, facilitation effects, and attitudes and behavior: Direct, indirect, and interactive determinants of drug use. Social Psychology Quarterly, 51, 329-345.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1988). Period, age, and cohort effects on substance use among young Americans: A decade of change, 1976-1986. American Journal of Public Health, 78, 1315-1321.
- Osgood, D.W., Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1988). The generality of deviance in late adolescence and early adulthood. American Sociological Review, 53, 81-93.
- Bachman, J.G. (1987). An eye on the future. Psychology Today, 21(7), 6-8.
- Bachman, J.G., Sigelman, L., & Diamond, G. (1987). Self-selection, socialization, and distinctive military values: Attitudes of high school seniors. Armed Forces and Society, 13(2), 169-187.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1987). Psychotherapeutic, licit, and illicit use of drugs among adolescents: An epidemiological perspective. Journal of Adolescent Health Care, 8, 36-51.
- Bachman, J.G. (1986). Effects of early marriage on substance abuse. Medical Aspects of Human Sexuality, 20(10), 15.
- Bachman, J.G., & O'Malley, P.M. (1986). Self-concepts, self-esteem, and educational experiences: The frog-pond revisited (again). Journal of Personality and Social Psychology, 50, 35-46.
- Diamond, G., & Bachman, J.G. (1986). High school seniors and nuclear threat, 1975-1984: Political and mental health implications of concern and despair. International Journal of Mental Health, 15, 210-241.
- Johnston, L.D., & O'Malley, P.M. (1986). Why do the nation's students use drugs and alcohol? Self-reported reasons from nine national surveys. Journal of Drug Issues, 16, 29-66.
- Johnston, L.D. (1985). Should alcohol epidemiology and drug abuse epidemiology be merged? Plenary session paper in Proceedings of the 13th International Institute on the Prevention and Treatment of Drug Dependence (Oslo, Norway October, 1983). Lausanne, Switzerland: International Council on Alcohol and the Addictions. (Reprinted in The Drinking and Drug Practices Surveyor, March 1985, 20, 11-14.)
- Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1984). Drug use among young adults: The impacts of role status and social environments. Journal of Personality and Social Psychology, 47, 629-645.
- Bachman, J.G., & O'Malley, P.M. (1984). Black-white differences in self-esteem: Are they affected by response styles? American Journal of Sociology, 90, 624-639.

- Bachman, J.G., & O'Malley, P.M. (1984). Yea-saying, nay-saying, and going to extremes: Black-white differences in response styles? Public Opinion Quarterly, 48, 491-509.
- O'Malley, P.M. (1984). Cigarette use among high school seniors: Did the rate decline? Preventive Medicine, 13, 421-426.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1984). Period, age, and cohort effects on substance use among American youth. American Journal of Public Health, 74, 682-688.
- Bachman, J.G. (1983). American high school seniors view the military: 1976 to 1982. Armed Forces and Society, 10(1), 86-104.
- Bachman, J.G. (1983). Premature affluence: Do high school students earn too much? Economic Outlook U.S.A., 10(3), 64-67.
- Bachman, J.G. (1983). Schooling as a credential: Some suggestions for change. International Review of Applied Psychology, 32, 347-360.
- Herzog, A.R., Bachman, J.G., & Johnston, L.D. (1983). Paid work, child care, and housework: A national survey of high school seniors' preferences for sharing responsibilities between husband and wife. Sex Roles, 9(1), 109-135. (Work funded by NIE.)
- Johnston, L.D. (1983). Design features for an optimal assessment of the effects of marijuana decriminalization. Contemporary Drug Problems, 10, 463-480.
- Johnston, L.D. (1983). Responsible use vs. irresponsible use: Are these useful concepts in prevention? The U.S. Journal of Drug and Alcohol Dependence, 7, 7.
- O'Malley, P.M., & Bachman, J.G. (1983). Self-esteem: Change and stability between ages 13 and 23. Developmental Psychology, 19, 257-268.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1983). Reliability and consistency of self-reports of drug use. International Journal of the Addictions, 18, 805-824.
- Bachman, J.G. (1981). Youth views about the military: Recent trends. Economic Outlook U.S.A., 8(3), 61-65.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1981). Smoking, drinking, and drug use among American high school students: Correlates and trends, 1975-1979. American Journal of Public Health, 71, 59-69
- Bachman, J.G., & O'Malley, P.M. (1981). When four months equal a year: Inconsistencies in students' reports of drug use. Public Opinion Quarterly, 45, 536-548. (Reprinted in E. Singer & S. Presser (Eds.), 1989, Survey research methods. Chicago: Univ. of Chicago Press.)
- Bynner, J., O'Malley, P.M., & Bachman, J.G. (1981). Self-esteem and delinquency revisited. Youth and Adolescence, 10, 407-441.
- Herzog, A.R., & Bachman, J.G. (1981). Effects of questionnaire length on response quality. Public Opinion Quarterly, 45(4), 549-559.
- Johnston, L.D. (1981). American youth in the 80's: Trends, needs, and suggestions for programs. Keynote address to the diamond jubilee convention of the Boys Clubs of America, San Francisco, CA, May 25, 17 pp. Published in abbreviated form in Connections, 1981, 1(4), 11-14.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1980). Drug use among American youth: 1975-1979. Economic Outlook U.S.A., 7(2), 39-42.
- Bachman, J.G., & Johnston, L.D. (1979). The freshmen, 1979. Psychology Today, 13(4), 79-87.
- O'Malley, P.M. & Bachman, J.G. (1979). Self-esteem and education: Sex and cohort comparisons among high school seniors. Journal of Personality and Social Psychology, 37, 1153-1159. (Reprinted in M. Rosenberg & H. Kaplan (Eds.), 1984, Social psychology of the self-concept. Arlington Heights, IL: AHM Press.)
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1978). The drug scene: A student survey. Science Teacher, 45(6), 26-31.
- O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (1978). Drug use and military plans of high school seniors. Youth and Society, 10, 65-77.
- Segal, D.R., & Bachman, J.G. (1978). The military as an educational and training institution: A comparison among post-high school alternatives. Youth and Society, 10, 47-64.

- Segal, D.R., Bachman, J.G., & Dowdell, F. (1978). Military service as a perceived mobility opportunity for female and black youth. Youth and Society, 10, 127-134.
- Bachman, J.G., & Johnston, L.D. (1976). Drug use among American youth. Economic Outlook U.S.A., 3, 32-33.

# **CHAPTERS**

- Pacula, R.L., Grossman, M., Chaloupka, F.J., O'Malley, P.M., Johnston, L.D., & Farrelly, M.C. (2001). Marijuana and youth. In J. Gruber (Ed.), Risky behavior among youths: An economic analysis (pp. 271-326). The University of Chicago Press. Also appears as Working Paper 7703, National Bureau of Economic Research, Inc. (2000).
- O'Malley, P.M. (2000). Drug Use, Socialization Factors. Pp. 309-312 in C.E. Faupel & P.M. Roman (eds.) Encyclopedia of Criminology and Deviant Behavior, Volume 4, Self-Destructive Behavior and Disvalued Identity. London: Brunner-Routledge, Taylor & Francis Group.
- O'Malley, P.M. (2000). The Monitoring the Future survey. In Encyclopedia of Drugs, Alcohol, and Addictive Behavior, Second Edition. Macmillan Reference USA.
- Johnston, L.D. (2000). General population surveys of drug abuse. In Guide to drug abuse epidemiology (pp. 125-170). Geneva: World Health Organization.
- Johnston, L.D. (2000). Selecting variables and measures for drug surveys. In Guide to drug abuse epidemiology (pp. 171-203). Geneva: World Health Organization.
- Bachman, J.G., & Wallace, J.M., Jr. (2000). Religion and drug use. In R. Carson-DeWitt (Ed.), Encyclopedia of drugs, alcohol, and addictive behavior, second edition. Macmillan Publishing.
- Johnston, L.D. (2000). The epidemiology of drug use. In W.B. Hansen, S.M. Giles, & M.D. Fearnow-Kenney (Eds.), Improving prevention effectiveness (pp. 9-22). Greensboro, NC: Tanglewood Research, Inc.
- (Johnston, L.D., uncredited, 2000). The United States country report on drug use patterns among 10th grade students. In Hibell, B., et al. (Eds.) The 1999 ESPAD report: Alcohol and other drug use among students in 30 European countries. Stockholm: Swedish Council for Information on Alcohol and Other Drugs, and the Council of Europe.
- Schulenberg, J., O'Malley, P.M., Bachman, J.G., & Johnston, L.D. (2000). "Spread your wings and fly": The course of well □ being and substance use during the transition to young adulthood. In L. J. Crockett & R. K. Silbereisen (Eds.), Negotiating adolescence in times of social change. New York: Cambridge University Press.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1998). Epidemiology of substance abuse in adolescence. In P.J. Ott, R.E. Tarter, & R.T. Ammerman (Eds.), Sourcebook on substance abuse: Etiology, epidemiology, assessment, and treatment. Needham Heights, MA: Allyn & Bacon.
- Johnston, L.D., & O'Malley, P.M (1997). The recanting of earlier-reported drug use by young adults. In L. Harrison & A. Hughes (Eds.), The Validity of self-reported drug use: Improving the accuracy of survey estimates. (NIDA Research
- Monograph 167), pp. 59-80. NIH Publication 97-4147. Washington D.C.: National Institute on Drug Abuse.
- Schulenberg, J., Wadsworth, K. N., O'Malley, P. M., Bachman, J. G., & Johnston, L. D. (1997). Adolescent risk factors for binge drinking during the transition to young adulthood: Variable and pattern centered approaches to change. In G.A. Marlatt and G.R. VandenBos (Eds.), Addictive Behaviors: Readings on etiology, prevention, and treatment (pp. 129 □ 165). Washington, DC: American Psychological Association and was reported in 1997's personal statement)]
- (Johnston, L.D., O'Malley, P.M., & Bachman, J.G., uncredited, 1997). United States country report. In B. Hibell et al. (Eds.), The ESPAD report: Alcohol and other drug use among students in 26 European countries. Stockholm: The Swedish Council for Information on Alcohol and other Drugs (CAN).
- Schulenberg, J., Maggs, J., & Hurrelmann, K. (1997). Negotiating developmental transitions during adolescence and young adulthood: Health risks and opportunities. In J. Schulenberg, J. Maggs, & K.

- Hurrelmann (Eds.), Health risks and developmental transitions during adolescence. New York: Cambridge University Press.
- Wallace, J.M., Jr., & Williams, D.R. (1997). Religion and adolescent health. In J. Schulenberg, J.L. Maggs, & K. Hurrelmann (Eds.), Health risks and developmental transitions during adolescence. Cambridge University Press.
- Maggs, J., Schulenberg, J., & Hurrelmann, K. (1997). Developmental transitions during adolescence: Health promotion implications. In J. Schulenberg, J. Maggs, & K. Hurrelmann (Eds.), Health risks and developmental transitions during adolescence. New York: Cambridge University Press.
- Bachman, J.G., Johnston, L.D., O'Malley, P.M., & Schulenberg, J. (1996). Transitions in alcohol and other drug use and abuse during late adolescence and young adulthood. In J.A. Graber, J. Brooks-Gunn, & A.C. Petersen (Eds.), Transitions through adolescence: Interpersonal domains and contexts (pp. 111-140). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Hansen, W.B., & O'Malley, P.M. (1996). Drug use. In R.J. DiClemente, W.B. Hansen, & L.E. Ponton (Eds.), Handbook of adolescent health risk behavior (pp. 161-192). New York: Plenum Press.
- Allen, W.R., & Wallace, J.M., Jr. (1995). Campus racial environment and African American college student outcomes. In L. Morris & G. Oyemade (Eds.), One-third of a nation: African American perspectives. Washington, DC: Howard University Press.
- Schulenberg, J., Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1995). American adolescents' views on family and work: Historical trends from 1976-1992. In P. Noack, M. Hofer, & J. Youniss (Eds.), Psychological responses to social change: Human development in changing environments. Berlin: Walter de Gruyter.
- Wallace, J.M., Jr., Bachman, J.G., O'Malley, P.M., & Johnston, L.D. (1995). Racial/ethnic differences in adolescent drug use: Exploring possible explanations. In G. Botwin, S. Schinke, & M. Orlandi (Eds.), Drug abuse prevention with multi-ethnic youth (pp. 59-80). Thousand Oaks, CA: Sage.
- (O'Malley, P.M. et al., 1995, uncredited). Epidemiology of injection drug use. In Normand, J., Vlahov, D., & Moses, L.E. (Eds). Preventing HIV transmission: The role of sterile needles and bleach. Washington, DC: National Academy Press.
- O'Malley, P.M. (1994). Commentary: Assumptions and features of longitudinal designs. In R. Zucker, G. Boyd, & J. Howard (Eds.), The development of alcohol problems: Exploring the biopsychosocial matrix of risk (pp. 427-435). NIAAA Research Monograph 26 (NIH Pub. No. 94-3495). Washington, DC: National Institute on Alcohol Abuse and Alcoholism.
- Bachman, J.G. (1994). Incorporating trend data to aid in the causal interpretation of individual-level correlations among variables: Examples focusing on the recent decline in marijuana use. In L. Collins & L. Seitz (Eds.), Advances in data analysis for prevention intervention research. NIDA Research Monograph No. 142 (pp. 112-139). Rockville, MD: National Institute on Drug Abuse.
- Schulenberg, J., & Ebata, A. T. (1994). Adolescence in the United States. In K. Hurrelmann (Ed.), International handbook of adolescence (pp. 414-430). Westport, CT: Greenwood Publishing Group.
- Wallace, J.M., Jr., & Bachman, J.G. (1993). Validity of self-reports in student based studies on minority populations: Issues and concerns. In M. De La Rosa & J.L. Andrados (Eds.), Drug abuse among minority youth: Advances in research and methodology. NIDA Research Monograph No. 130 (pp. 167-200). Rockville, MD: National Institute on Drug Abuse.
- Johnston, L.D., O'Malley, P.M., & Bachman, J.G. (1992). Illicit drug use, smoking, and drinking by America's high school students, college students, and young adults, 1975 □ 1987: Overview of key findings. In R. L. Bloom (Ed.) Changing lives: Studies in human development and professional helping. Columbia, SC: University of South Carolina Press.
- Johnston, L.D. (1992). How epidemiology helps us to grasp the phenomenon of drug use. In Proceedings of the Sixth International Conference contra spem in spem: Drugs and Alcoholism against Life. Vatican City: The Vatican.
- Johnston, L.D. (1991). Contributions of drug epidemiology to the field of drug abuse prevention. In W. Bukoski (Ed.) Drug abuse prevention research: Methodological issues (NIDA Research Monograph No. 107, pp. 57-80). Washington, DC: National Institute on Drug Abuse.

- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1991). Quantitative and qualitative changes in cocaine use among American high school seniors, college students, and young adults. In C. Schade & S. Schober (Eds.), The epidemiology of cocaine use. (NIDA Research Monograph No. 110, pp. 19-44). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1991). School dropouts. In R.M. Lerner, A.C. Petersen, & J. Brooks-Gunn (Eds.) Encyclopedia of adolescence. New York, NY: Garland.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1991). How changes in drug use are linked to perceived risks and disapproval: Evidence from national studies that youth and young adults respond to information about the consequences of drug use. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 133-156). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1991). Toward a theory of drug epidemics. In R.L. Donohew, H. Sypher, & W. Bukoski (Eds.), Persuasive communication and drug abuse prevention (pp. 93-132). Hillsdale, NJ: Lawrence Erlbaum.
- Johnston, L.D. (1990). America's war on drugs: What we should have learned by now. Action strategies for the 90s: The Great Lakes leadership conference on substance abuse prevention. (Keynote address, Conference Proceedings.) Ann Arbor, MI: University of Michigan School of Public Health, pp. 85-104.
- Johnston, L.D. (1989). America's drug problem in the media: Is it real or is it Memorex<sup>TM</sup>? In P. Shoemaker (Ed.), Communication campaigns about drugs: Government, media, and the public (pp. 97-111). Hillsdale, NJ: Lawrence Erlbaum.
- Bachman, J.G., Johnston, L.D., & O'Malley, P.M. (1986). Recent findings from Monitoring the Future: A continuing study of the lifestyles and values of youth. In F.M. Andrews (Ed.), Research on the quality of life (pp. 215-234). Ann Arbor, MI: Institute for Social Research.
- Johnston, L.D. (1985). The etiology and prevention of substance use: What can we learn from recent historical changes? In C.L. Jones & R.J. Battjes (Eds.), Etiology of drug abuse: Implications for prevention. (NIDA Research Monograph No. 56, pp. 155-177). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1985). Techniques for reducing measurement error in surveys of drug use. In L. N. Robins (Ed.), Studying drug abuse (pp. 117-136). New Brunswick, NJ: Rutgers University Press.
- Johnston, L.D., & Harrison, L.D. (1985). An international perspective on alcohol use among youth. In U. Rydberg (Ed.), Alcohol and the developing brain (pp. 161-170). New York: Raven Press.
- Johnston, L.D., & O'Malley, P.M. (1985). Issues of validity and population coverage in student surveys of drug use. In B.A. Rouse, N.J. Kozel, & L.G. Richards (Eds.), Self-report methods of estimating drug use: Meeting current challenges to validity. (NIDA Research Monograph No. 57, pp. 31-54). Washington, DC: National Institute on Drug Abuse.
- O'Malley, P.M., Johnston, L.D., & Bachman, J.G. (1985). Cocaine use among American adolescents and young adults. In N.J. Kozel & E.H. Adams (Eds.), Cocaine use in America: Epidemiologic and clinical perspectives. (NIDA Research Monograph No. 61, pp. 50-75). Washington, DC: National Institute on Drug Abuse.
- Bachman, J.G. (1982). Family relationships and self-esteem. In M. Rosenberg & H. Kaplan (Eds.), The social psychology of the self-concept. Arlington Heights, IL: AMH Press.
- Johnston, L.D. (1982). A review and analysis of recent changes in marijuana use by American young people. In Marijuana: The national impact on education (pp. 8-13). New York: American Council on Marijuana.
- Johnston, L.D. (1981). Frequent marijuana use: Correlates, possible effects, and reasons for using and quitting. In R. deSilva, R. Dupont, & G. Russell (Eds.), Treating the marijuana dependent person (pp. 8-14). New York: American Council on Marijuana.
- Johnston, L.D., Bachman, J.G., & O'Malley, P.M. (1980). Drug use among American high school students. In L. Brill & C. Winick (Eds.), The yearbook of substance use and abuse (Vol. 2). New York: Human Sciences Press.

- Brooke, E., & Johnston, L.D. (1979). The assessment of drug abuse. In Resource book on measures to reduce illicit demand for drugs (pp. 33-51; published in English, French, and Spanish). Geneva, Switzerland: United Nations.
- Johnston, L.D., O'Malley, P.M., & Eveland, L.K. (1978). Drugs and delinquency: A search for causal connections. In D.G. Kandel (Ed.), Longitudinal research on drug use: Empirical findings and methodological issues (pp. 137-156). Washington, DC: Hemisphere Publishing.
- Johnston, L.D. (1977). Introduction to the use of follow-up studies. In L. Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs. (NIDA Treatment Program Monograph Series No. 2, pp. 1-8). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Problems of data acquisition in longitudinal studies. In L. Richards & L.B. Blevens (Eds.), The epidemiology of drug abuse: Current issues. (NIDA Research Monograph No. 10, pp. 60-67). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D. (1977). Survey data as contributors to estimation of heroin and other narcotics use. In J.D. Rittenhouse (Ed.), The epidemiology of heroin and other narcotics. (NIDA Research Monograph No. 16, pp. 103-108). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., Nurco, D., & Robins, L. (1977). Reporting and utilizing the results of a follow-up study. In L. Johnston, D. Nurco, & L. Robins (Eds.), Conducting follow-up research on drug treatment programs. (NIDA Treatment Program Monograph Series No. 2, pp. 139-144). Washington, DC: National Institute on Drug Abuse.
- Johnston, L.D., & Bachman, J.G. (1976). Educational institutions and adolescent development. In J. Adams (Ed.), Understanding adolescence (3rd rev. ed., pp. 290-315). Boston, MA: Allyn & Bacon.
- Johnston, L.D. (1975). Defining the term "polydrug use." In J. Elinson & D. Nurco (Eds.), Operational definitions in socio-behavioral drug use research. (NIDA Research Monograph No. 2, pp. 36-39). Washington, DC: National Institute on Drug Abuse.

# **TESTIMONY**

- Johnston, L.D. (2000, Sept. 19). Written and oral testimony presented at hearings on "Drug trends in America," held by the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources, of the Government Reform Committee, U.S. House of Representatives. Published in the Congressional Record.
- Johnston, L.D. (1999, October 14). Written and oral testimony presented before the House Subcommittee on Criminal Justice, Drug Policy, and Human Resources in oversight hearings on the National Youth Media Anti-Drug Campaign. Published in The Congressional Record.
- Johnston, L.D. (1995, December 19). Written and oral testimony presented to the Judiciary Committee, United States Senate, at a hearing on Recent trends in youthful drug use. Published in The Congressional Record.
- Johnston, L.D. (1995, November 9). Written and oral testimony presented before the Committee on Governmental Affairs, United States Senate, at hearings on H.R. 1271, The Family Privacy Protection Act. Published in The Congressional Record.
- Johnston, L.D. (1993, March 31). The continuing need for prevention at the school and community levels. Delivered before the House Subcommittee on Select Education and Civil Rights, on the reauthorization of the Drug-Free Schools and Communities Act. In The Congressional Record.
- Johnston, L.D. (1995, March 16). Problems which would be created by H.R. 11, Title IV, The Family Privacy Protection Act. Written and oral testimony delivered to the House Subcommittee on Government Management, Information, and Technology in hearings on H.R. 11. Published in The Congressional Record.
- Johnston, L.D. (1991, November 15). Advertising and tobacco use: Some considerations. Prepared testimony delivered before the Consumer Subcommittee of the Senate Committee on Commerce, Science, and Transportation in hearings on the Tobacco Product Education and Health Protection Act

- of 1991. Published in The Congressional Record, Washington: GPO ISBN  $0 \square 16 \square 039764 \square 2$ , pp.  $44 \square 53$ .
- Johnston, L.D. (1988, June 16). The need for a shift in national strategy toward drug abuse prevention. Prepared testimony delivered before the Senate Committee on Labor and Human Relations in hearings on drug abuse prevention, education, and treatment. Published in The Congressional Record, 134:89, D774.
- Johnston, L.D. (1988, June 14). Demand reduction in the war on drugs: Some recommendations. Prepared testimony delivered before the Senate Armed Services Committee in hearings on the relationship between demand reduction and the role of the military in addressing the problem of drug abuse. Published in The Congressional Record, 134:87, D756.
- Johnston, L.D. (1986, August 1). Adolescent smoking and the issue of cigarette advertising. Prepared testimony delivered before the House Subcommittee on Health and the Environment, in oversight hearings on cigarette advertising and promotion. Published in Advertising of tobacco products (pp. 860-886). Washington, DC: GPO (Serial No. 99-167).
- Johnston, L.D. (1985, May 21). Adolescent alcohol use and the fairness doctrine. Prepared testimony delivered before the House Subcommittee on Telecommunications, Consumer Protection, and Finance. Published in Beer and wine advertising: Impact of electronic media (pp. 372-387). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1985, February 7). Alcohol advertising and trends in alcohol consumption. Prepared testimony delivered before the Senate Subcommittee on Alcohol and Drug Abuse. Published in Alcohol Advertising (pp. 312-324). Washington, DC: GPO (Serial No. 99-16).
- Johnston, L.D. (1980). Marijuana use and the effects of marijuana decriminalization. Prepared testimony delivered before the Senate Subcommittee on Criminal Justice. In Health consequences of marijuana use (pp. 51-70). Washington, DC: GPO (Serial No. 96-54).
- O'Malley, P.M., & Johnston, L.D. (1988, March). Drinking and driving among American high school seniors: Extent and nature of the problems. Prepared testimony delivered at hearing on the problem of drinking and driving held by the National Commission Against Drunk Driving and the National Highway Safety Transportation Administration, Fort Worth, TX, 9 pp. (Available from the authors.)

#### MONITORING THE FUTURE OCCASIONAL PAPERS

(Published by the Project)

#### Paper No.

- 1 The Monitoring the Future project: Design and procedures. J.G. Bachman and L.D. Johnston, 1978, 67 pp.
- 2 Concern for others and its relationship to specific attitudes on race relations, sex roles, ecology, and population control. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1978, 42 pp.
- High school seniors' preferences for sharing work and family responsibilities between husband and wife. A.R. Herzog, J.G. Bachman, and L.D. Johnston, 1979, 58 pp.
- Fewer rebels, fewer causes: A profile of today's college freshmen. J.G. Bachman and L.D. Johnston, 1979, 30 pp.
- Developing composite measures of drug use: Comparisons among lifetime annual, and monthly prevalence reports for thirteen classes of drugs. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1979, 64 pp.
- Description of a special survey using a single combined form of the Monitoring the Future questionnaires. A.R. Herzog and J.G. Bachman, 1979, 35 pp.
- 7 Ecological concerns among high school seniors: 1976-1979. J.D. Miller and J.G. Bachman, 1980, 28 pp.

- 8 Correlates of drug use, part I: Selected measures of background, recent experiences, and lifestyle orientations. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1980, 134 pp.
- When four months equal a year: An exploration of inconsistencies in students' monthly versus yearly reports of drug use. J.G. Bachman and P.M. O'Malley, 1980, 12 pp.
- High school seniors' occupational plans and values: Trends in sex differences 1976 through 1980. A.R. Herzog, 1980. (Available in reprint from Sociology of Education, 1982, 13 pp.)
- 11 Changes in drug use after high school as a function of role status and social environment. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1981, 92 pp.
- 12 Trends in high school seniors' views of the military. J.G. Bachman, 1981, 28 pp.
- Marijuana decriminalization: The impact on youth 1975-1980. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1981, 85 pp.
- Period, age, and cohort effects on substance use among American youth 1976-1982. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1983, 50 pp.
- Student drug use, attitudes, and beliefs in the Department of Defense Dependent Schools class of 1982. L.D. Johnston, P.M. O'Malley, and M.L. Davis-Sacks, 1983, 72 pp.
- The impacts of response styles on black-white differences in self-esteem: An analysis of six samples of youth. J.G. Bachman and P.M. O'Malley, 1983, 30 pp.
- The Monitoring the Future follow-up surveys: A description of key experiences during the first years after high school. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and D.E. Bare, 1985, 135 pp.
- 19 Changes in marijuana use linked to changes in perceived risks and disapproval. J.G. Bachman, L.D. Johnston, P.M. O'Malley, and R.H. Humphrey, 1986, 28 pp.
- Correlates of employment among high school seniors. J.G. Bachman, D. E. Bare, and E.I. Frankie, 1986, 105 pp.
- Change and consistency in the correlates of drug use among high school seniors: 1975-1986. J.G. Bachman, P.M. O'Malley, and L.D. Johnston, 1986, 21 pp.
- Differentiation of period, age, and cohort effects on drug use 1976-1986. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 62 pp.
- Sex differences in adolescents' health-threatening behaviors: What accounts for them? A.R. Herzog, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1987, 36 pp.
- Student drug use in America: Differences among high schools 1986-1987. P.M. O'Malley, J.G. Bachman, and L.D. Johnston, 1988, 37 pp.
- Drug use among American college students and their noncollege age peers. L.D. Johnston, P.M. O'Malley, and J.G. Bachman, 1988, 40 pp.
- Reducing drug use in America: A perspective, a strategy, and some promising approaches. L.D. Johnston, 1988, 57 pp.
- Minimum drinking age laws effects on American youth 1976-1987. P.M. O'Malley and A.C. Wagenaar, 1990, 68 pp.

- Linking trends in cocaine use to perceived risks, disapproval, and lifestyle factors: An analysis of high school seniors, 1976-1988. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1990, 42 pp.
- Drug use among black, white, Hispanic, native American, and Asian American high school seniors (1976-1989): Prevalence, trends, and correlates. J.G. Bachman, J.M. Wallace, Jr., C. Kurth, L.D. Johnston, and P.M. O'Malley, 1990, 63 pp.
- The second worldwide survey of drug and alcohol use among students in the Department of Defense dependents school system 1982-1987. L.D. Johnston, P.M. O'Malley, and L.D. Harrison, 1989, 104 pp.
- Part-time work by high school seniors: Sorting out correlates and possible consequences. J.G. Bachman, and J. Schulenberg, 1992, revised, 154 pp.
- The Monitoring the Future project after seventeen years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1991, 110 pp.
- Aims and objectives of the Monitoring the Future study. L.D. Johnston, P.M. O'Malley, J. Schulenberg, and J.G. Bachman, 1996, revised, 125pp.
- Changes in drug use during the post ☐ high school years. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, and J. Schulenberg, 1992, 168 pp.
- Historical trends in attitudes and preferences regarding family, work, and the future among American adolescents: National data from 1976-1992. J. Schulenberg, J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1994, 62 pp.
- The Monitoring the Future project after twenty-two years: Design and procedures. J.G. Bachman, L.D. Johnston, and P.M. O'Malley, 1996, 89 pp.
- Changes in drug use during ages 18-32. J.G. Bachman, P.M. O'Malley, L.D. Johnston, W.L. Rodgers, J. Schulenberg, J. Lim, and K.N. Wadsworth, 1996, 87 pp.
- Trends in military propensity and the propensity-enlistment relationship. J.G. Bachman, P. Freedman-Doan, D.R. Segal, and P.M. O'Malley, 1997, 68 pp.
- Military propensity and enlistment: Cross-sectional and panel analyses of correlates and predictors. J.G. Bachman, D.R. Segal, P. Freedman-Doan, and P.M. O'Malley, 1998, 163 pp.
- Comparing drug-using behaviors among high school graduates entering military service, college, and civilian employment. J.G. Bachman, P. Freedman-Doan, L.D. Johnston, P.M. O'Malley, and D.R. Segal, 1999, 33 pp..
- Life paths into young adulthood and the course of substance use and well-being: Inter and intra cohort comparisons. J. Schulenberg, P. M. O'Malley, J.G. Bachman, and L.D. Johnston, 1998, 64 pp.
- Reasons for use, abstention, and quitting illicit drug use by American adolescents. A report commissioned for the final report of the Drugs-Violence Task Force of the National Sentencing Commission. L.D. Johnston, 1998, 27 pp.
- Cigarette brand preferences among adolescents. L.D. Johnston, P.M. O'Malley, J.G. Bachman, & J. Schulenberg, 1999, 37 pp.
- Acting out and lighting up: Understanding the links among school misbehavior, academic achievement, and cigarette use. A.L. Bryant, J. Schulenberg, J.G. Bachman, P.M. O'Malley, L.D. Johnston, 2000, 29 pp.
- Mediators of parental influences on adolescent substance use: Grade, gender, and ethnic comparisons (1994-1996). C. Pilgrim, J. Schulenberg, P.M. O'Malley, J.G. Bachman, L.D. Johnston, 2000, 48 pp.

Demographic subgroup trends for various licit and illicit drugs, 1975-2000. L.D. Johnston, P.M. O'Malley, J.G. Bachman, 2001, 225 pp.

# APPENDIX B

# SAMPLE SIZE AND STUDENT RESPONSE RATES

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

1975 1976 1977 1978 1979 1980 \_\_\_\_\_ # Public Schools 111 108 108 111 111 107 # Private Schools 14 15 16 20 20 20 Total # Schools 125 123 124 131 131 127 Total # Students 15,791 16,678 18,438 18,924 16,662 16,524 Student Response
Rate (%) \* 78% 77% 79% 83% 82% 82% \_\_\_\_\_ 1981 1982 1983 1984 1985 1986 -----# Public Schools 109 116 112 117 115 113 # Private Schools 19 21 22 17 17 16 Total # Schools 128 137 134 134 132 129 Total # Students 18,267 18,348 16,947 16,499 16,502 15,713 Student Response Rate (%) \* 81% 83% 84% 83% 84% 83% \_\_\_\_\_\_

# SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

				1990		
# Public Schools	117	113	111	114	117	120
# Private Schools	18	19	22	23	19	18
Total # Schools	135	132	133	137	136	138
Total # Students 1	6,843	16,795	17,142	15,676	15,483	16,261
Student Response Rate (%) *	84%	83%	86%	86%	83%	84%
				1996		
# Public Schools	121	119	120	118	125	124
# Private Schools	18	20	24	21	21	20
Total # Schools	139	139	144	139	146	144
Total # Students 1	6,763	15,929	15,876	14,824	15,963	15,780
Student Response Rate (%) *	84%	84%	84%	83%	83%	82%

# SAMPLE SIZE AND STUDENT RESPONSE RATES (continued)

\_\_\_\_\_

1999	2000	
# Public Schools 124	116	
# Private Schools 19	18	
Total # Schools 143	134	
Total # Students 14,056	13,286	
Student Response Rate (%) * 83%	83%	

<sup>\*</sup> The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.