

ICPSR 4536

## **Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2005**

Lloyd D. Johnston

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social  
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social  
Research. Survey Research Center*

Codebook for Form 1 Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)



## TABLE OF CONTENTS

<b>INTRODUCTION.....</b>	<b>3</b>
DATA COLLECTION DESCRIPTION .....	3
DATA COLLECTION PROCEDURES .....	3
SAMPLING INFORMATION .....	4
STAGE 1: GEOGRAPHIC AREAS.....	4
STAGE 2: SCHOOLS .....	4
STAGE 3: STUDENTS .....	4
SCHOOL RECRUITING PROCEDURES .....	5
ADVANCE CONTACT WITH TEACHERS AND STUDENTS .....	5
QUESTIONNAIRE ADMINISTRATION.....	5
PROCEDURES FOR PROTECTING CONFIDENTIALITY .....	5
CONTENT AREAS AND QUESTIONNAIRE DESIGN .....	7
MEASUREMENT CONTENT AREAS .....	7
REPRESENTATIVENESS AND VALIDITY .....	8
SCHOOL PARTICIPATION .....	9
STUDENT PARTICIPATION .....	9
VALIDITY OF SELF-REPORT DATA .....	9
ACCURACY OF THE SAMPLE.....	10
CONSISTENCY AND THE MEASUREMENT OF TRENDS .....	10
INTERPRETING RACIAL DIFFERENCES.....	10
DIFFERENTIAL REPRESENTATION .....	11
DIFFERENTIAL RESPONSE TENDENCIES.....	12
COVARIANCE WITH OTHER FACTORS.....	12
WEIGHTING INFORMATION.....	14
FILE STRUCTURE.....	14
CODEBOOK INFORMATION .....	15
ICPSR PROCESSING INFORMATION .....	17
<b>FREQUENCIES.....</b>	<b>21</b>
<b>APPENDICES .....</b>	<b>459</b>
Appendix A: Publications .....	460
Appendix B - Sample Size and Student Response Rates.....	461



## **INTRODUCTION**

### **DATA COLLECTION DESCRIPTION**

**MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2005**, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

### **DATA COLLECTION PROCEDURES**

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort - between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

### **SAMPLING INFORMATION**

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

**STAGE 1: GEOGRAPHIC AREAS.** The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

**STAGE 2: SCHOOLS.** In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

**STAGE 3: STUDENTS.** Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

**SCHOOL RECRUITING PROCEDURES.** Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

**ADVANCE CONTACT WITH TEACHERS AND STUDENTS.** The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

**QUESTIONNAIRE ADMINISTRATION.** The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

**PROCEDURES FOR PROTECTING CONFIDENTIALITY.** In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be

described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."



## CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

### MEASUREMENT CONTENT AREAS

- 
- 
- |    |   |
|----|---|
| A. | DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.                                    |
| B. | EDUCATION. Educational lifestyle, values, experiences, and environments   |
| C. | WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.   |
| D. | SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.  |
| E. | POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.   |
| F. | CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity. |
| G. | RELIGION. Religious affiliation, practices, and views.  |
| H. | POLITICS. Political affiliation, activities, and views.   |
| I. | SOCIAL CHANGE. Values, attitudes, and expectations about social change.   |
| J. | SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.  |
| K. | MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).                                       |
| L. | MILITARY. Views about the armed services and the use of military force. Personal plans for military service.  |
| M. | INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.  |

- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
  - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
  - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
  - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
  - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
  - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
  - T. HEALTH. Health habits, somatic symptoms, medical treatment.
- 
- 

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

### **REPRESENTATIVENESS AND VALIDITY**

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could

reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

**SCHOOL PARTICIPATION.** As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. An average of about 61% of the original schools invited to participate have agreed to do so; for each school that declined, a similar school (in terms of size, geographic area, urbanicity, etc.) was recruited as a replacement. Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school that has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

**STUDENT PARTICIPATION.** Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

**VALIDITY OF SELF-REPORT DATA.** Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

**ACCURACY OF THE SAMPLE.** A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

**CONSISTENCY AND THE MEASUREMENT OF TRENDS.** One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

**INTERPRETING RACIAL DIFFERENCES.** Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of

those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 8-12 percent of each year's sample -- are represented by only 200 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

**DIFFERENTIAL REPRESENTATION.** Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

**DIFFERENTIAL RESPONSE TENDENCIES.** In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

**COVARIANCE WITH OTHER FACTORS.** Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white

sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

## WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

## FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2005 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (XPORT) file, SPSS portable file, and Stata system file, with SAS and Stata supplemental syntax files.

part #	form	# of variables	Logical record length	unweighted n
1	Core	184	380	15,378
2	Form 1	618	1249	2,581
3	Form 2	332	675	2,579
4	Form 3	354	720	2,533
5	Form 4	270	554	2,535
6	Form 5	304	619	2,587
7	Form 6	332	676	2,563

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.



**CODEBOOK INFORMATION**

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134		[2] 991A13    KIND OF PAID JOB		
[3] Item Number:    25160				
[4] A13:    Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours.    Do not include work around the house.)				
[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
-----	-----	-----		
[10]	[11]	[12]		
100.0	100.0	5,745 cases	(Wtd)	
[13] Data type: numeric				
[14] Decimals:    0				
[15] Missing-data codes: -9				
[16] Columns: 98-99				

---

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (\_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

### ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

#### OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

**RECODED VARIABLES:****Core dataset and Part C section of individual forms****AGE < 18 DICHOTOMY**

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

**C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy**

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

For 2005, half of the questionnaire forms have a new version of the race question. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected more than one response option, the value for the recoded variable was deleted and defined as missing.

**C07A. R'S # SIBLINGS**

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

**C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING**

0=marked, 1=not marked, -9=none of the three items marked

**C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]**

0=None, 1=One, 2=Two, 3=Three or More

**C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]**

0=None, 1=One, 2=Two, 3=Three or More

**Core dataset (Part B)****\*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]**

Data from forms 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

**\*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]**

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

**Form 6**

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

**MISSING DATA FOR WESTERN REGION:**

To ensure confidentiality of both respondents and their respective schools, some variables values from Schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

**QUESTIONNAIRE FORM 1 PROCESSING:** The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).



## **FREQUENCIES**

FILE

<b>CASEID</b>	<b>CASE IDENTIFICATION NUMBER</b>
---------------	-----------------------------------

2,587 cases (Range of valid codes: 1-2581)

Data type: numeric

Columns: 1-4

<b>V1</b>	<b>YEAR OF ADMIN (4-DIGITS)</b>
-----------	---------------------------------

Item Number:

Question Number(s):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,587	2005	
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Columns: 5-8

<b>V3</b>	<b>051</b>	<b>:FORM ID</b>
-----------	------------	-----------------

Item Number:

Question Number(s):

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,587	1	
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Columns: 9-10

<b>V4</b>	<b>051</b>	<b>:R'S ID-SERIAL #</b>
-----------	------------	-------------------------

Item Number:

Question Number(s):

2,587 cases (Range of valid codes: 10001-12581)

Data type: numeric

Columns: 11-15



<b>V5</b>	<b>SAMPLING WEIGHT</b>
-----------	------------------------

Item Number:

Question Number(s):

2,587 cases (Range of valid codes: 0.1754-4.5929)

Data type: numeric

Decimals: 4

Columns: 16-21

<b>V13</b>	<b>051</b>	<b>:SCHL RGN-4 CAT</b>
------------	------------	------------------------

Item Number: V13 SCHL RGN-4 CAT

Question Number(s):

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.9	515	1	NE:(1)
24.4	24.4	632	2	NC:(2)
35.4	35.4	915	3	S:(3)
20.3	20.3	525	4	W:(4)
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Columns: 22-23

<b>V16</b>	<b>051</b>	<b>:SELF-REP/NOT = 0</b>
------------	------------	--------------------------

Item Number: V16 SELF-REP/NOT=0

Question Number(s):

Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census.

0=Not Self-Representing MSA 1=Self-Representing MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	70.3	1,819	0	NON SR:(0)
29.7	29.7	768	1	SELF REP:(1)
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Columns: 24-25

V17	051	:SMSA/NON-SMSA = 0
-----	-----	--------------------

Item Number: V17 SMSA/NON-SMSA=0

Question Number(s):

SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.)

0=Not MSA 1=MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	23.1	597	0	NON MSA:(0)
76.9	76.9	1,990	1	MSA:(1)
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Columns: 26-27

V1633	051A001	:VRY HPY THS DAY
-------	---------	------------------

Item Number: 01190

Question Number(s): 1A001 Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.9	335	1	NT HAPPY:(1)
62.9	62.2	1,609	2	PRTY HPY:(2)
24.0	23.8	614	3	VRY HPY:(3)
	1.1	28	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 28-29

V1634

051A002A:US NEEDS PLANNG

Item Number: 01200

Question Number(s): 1A002A How much do you agree or disagree with each of the following statements? A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.8	47	1	DISAGREE:(1)
3.7	3.6	94	2	MOST DIS:(2)
20.5	20.2	522	3	NEITHER:(3)
43.2	42.5	1,099	4	MOST AGR:(4)
30.7	30.1	780	5	AGREE:(5)
	1.8	45	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 30-31

V1635

051A002B:ENJOY FAST PACE

Item Number: 01210

Question Number(s): 1A002B How much do you agree or disagree with each of the following statements? B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.3	215	1	DISAGREE:(1)
14.5	14.2	367	2	MOST DIS:(2)
26.5	26.0	673	3	NEITHER:(3)
36.5	35.8	926	4	MOST AGR:(4)
14.0	13.7	355	5	AGREE:(5)
	2.0	51	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 32-33

V1636

051A002C:THG CHG 2 QUICK

Item Number: 01220

Question Number(s): 1A002C How much do you agree or disagree with each of the following statements? C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.3	267	1	DISAGREE:(1)
21.2	20.7	536	2	MOST DIS:(2)
25.9	25.3	654	3	NEITHER:(3)
25.2	24.6	636	4	MOST AGR:(4)
17.2	16.8	435	5	AGREE:(5)
	2.3	59	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 34-35

V1637

051A002D:X AHEAD TOUGHER

Item Number: 01230

Question Number(s): 1A002D How much do you agree or disagree with each of the following statements? D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	16.6	430	1	DISAGREE:(1)
21.2	20.7	535	2	MOST DIS:(2)
20.5	20.0	516	3	NEITHER:(3)
22.5	22.0	568	4	MOST AGR:(4)
18.6	18.2	470	5	AGREE:(5)
	2.6	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 36-37

V1638

051A003 :TM SPT ADLT MST

Item Number: 01240

Question Number(s): 1A003 Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.6	586	1	VRV LITL:(1)
39.9	39.6	1,024	2	SOME:(2)
26.6	26.5	684	3	ABT HALF:(3)
8.7	8.6	223	4	MOST:(4)
2.0	2.0	52	5	NRLY ALL:(5)
	0.7	17	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 38-39

V1639

051A004 :LK MR TM ADLT

Item Number: 01250

Question Number(s): 1A004 Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	180	1	MCH LESS:(1)
12.5	12.4	321	2	SOM LESS:(2)
65.3	64.8	1,676	3	SAM TIME:(3)
12.6	12.5	324	4	SOM MORE:(4)
2.5	2.5	63	5	MCH MORE:(5)
	0.8	21	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 40-41

V1640

051A005 :LK MR TM YG CHD

Item Number: 01260

Question Number(s): 1A005 Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.4	244	1	MCH LESS:(1)
6.6	6.6	170	2	SOM LESS:(2)
31.1	30.8	797	3	SAM TIME:(3)
35.3	35.0	906	4	SOM MORE:(4)
17.5	17.3	448	5	MCH MORE:(5)
	0.9	22	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 42-43

V1641

051A006A:SAT PRESENT JOB

Item Number: 01270

Question Number(s): 1A006A The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . . A: Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	4.0	103	1	COMP DIS:(1)
5.0	3.3	85	2	
9.6	6.2	162	3	
20.7	13.4	348	4	NEUTRAL:(4)
17.2	11.2	289	5	
24.5	16.0	413	6	
16.8	11.0	283	7	COMP SAT:(7)
	35.0	904	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 44-45

V1642

051A006B:SAT NEIGHBORHOD

Item Number: 01280

Question Number(s): 1A006B How satisfied are you with . . .

B: The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	109	1	COMP DIS:(1)
3.8	3.7	97	2	
7.2	7.2	185	3	
18.7	18.6	480	4	NEUTRAL:(4)
13.8	13.7	355	5	
22.8	22.7	586	6	
29.5	29.2	757	7	COMP SAT:(7)
	0.7	18	-9	MISSING

-----

100.0	100.0	2,587	cases	
-------	-------	-------	-------	--

Data type: numeric

Missing-data code: -9

Columns: 46-47



V1643

051A006C:SAT PRSNL SAFTY

Item Number: 01290

Question Number(s): 1A006C How satisfied are you with . . .  
 C: Your personal safety in your neighborhood, on your job,  
 and in your school--safety from being attacked and injured in  
 some way?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	83	1	COMP DIS:(1)
2.7	2.7	70	2	
5.0	4.9	128	3	
16.1	15.9	412	4	NEUTRAL:(4)
12.8	12.6	327	5	
26.5	26.2	678	6	
33.7	33.4	863	7	COMP SAT:(7)
	1.0	26	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 48-49

V1644

051A006D:SAT OWN PROP SF

Item Number: 01300

Question Number(s): 1A006D How satisfied are you with . . .

D: The safety of things you own from being stolen or  
destroyed in your neighborhood, on your job, and in your  
school?7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	138	1	COMP DIS:(1)
6.0	5.9	153	2	
10.3	10.2	263	3	
16.9	16.7	432	4	NEUTRAL:(4)
16.9	16.8	433	5	
25.0	24.7	640	6	
19.6	19.4	501	7	COMP SAT:(7)
	1.0	27	-9	MISSING

-----

100.0	100.0	2,587	cases	
-------	-------	-------	-------	--

Data type: numeric

Missing-data code: -9

Columns: 50-51

V1645

051A006E:SAT EDUC EXPRNC

Item Number: 01310

Question Number(s): 1A006E How satisfied are you with . . .  
E: Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	89	1	COMP DIS:(1)
3.7	3.6	93	2	
6.3	6.2	160	3	
16.3	16.1	416	4	NEUTRAL:(4)
22.3	22.0	569	5	
29.2	28.8	746	6	
18.7	18.5	479	7	COMP SAT:(7)
	1.3	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 52-53

V1646

051A006F:SAT OWN FRIENDS

Item Number: 01320

Question Number(s): 1A006F How satisfied are you with . . .  
 F: Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	35	1	COMP DIS:(1)
1.4	1.3	35	2	
3.1	3.0	79	3	
8.7	8.6	223	4	NEUTRAL:(4)
13.4	13.3	343	5	
30.2	29.9	773	6	
42.0	41.6	1,076	7	COMP SAT:(7)
	0.9	23	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 54-55

V1634

051A002A:US NEEDS PLANNG

Item Number: 01200

Question Number(s): 1A002A How much do you agree or disagree with each of the following statements? A: The nation needs much more long-range planning and coordination to be prepared for the future

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.8	47	1	DISAGREE:(1)
3.7	3.6	94	2	MOST DIS:(2)
20.5	20.2	522	3	NEITHER:(3)
43.2	42.5	1,099	4	MOST AGR:(4)
30.7	30.1	780	5	AGREE:(5)
	1.8	45	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 30-31

V1635

051A002B:ENJOY FAST PACE

Item Number: 01210

Question Number(s): 1A002B How much do you agree or disagree with each of the following statements? B: I enjoy the fast pace and changes of today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.3	215	1	DISAGREE:(1)
14.5	14.2	367	2	MOST DIS:(2)
26.5	26.0	673	3	NEITHER:(3)
36.5	35.8	926	4	MOST AGR:(4)
14.0	13.7	355	5	AGREE:(5)
	2.0	51	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 32-33

V1636

051A002C:THG CHG 2 QUICK

Item Number: 01220

Question Number(s): 1A002C How much do you agree or disagree with each of the following statements? C: Things change too quickly in today's world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.3	267	1	DISAGREE:(1)
21.2	20.7	536	2	MOST DIS:(2)
25.9	25.3	654	3	NEITHER:(3)
25.2	24.6	636	4	MOST AGR:(4)
17.2	16.8	435	5	AGREE:(5)
	2.3	59	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 34-35

V1637

051A002D:X AHEAD TOUGHER

Item Number: 01230

Question Number(s): 1A002D How much do you agree or disagree with each of the following statements? D: I think the times ahead for me will be tougher and less fun than things are now

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	16.6	430	1	DISAGREE:(1)
21.2	20.7	535	2	MOST DIS:(2)
20.5	20.0	516	3	NEITHER:(3)
22.5	22.0	568	4	MOST AGR:(4)
18.6	18.2	470	5	AGREE:(5)
	2.6	67	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 36-37

V1638

051A003 :TM SPT ADLT MST

Item Number: 01240

Question Number(s): 1A003 Of all the time you spend with other people, about how much is spent with people over 30?

1="Very Little" 2="Some" 3="About Half" 4="Most" 5="Nearly All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.6	586	1	VRV LITL:(1)
39.9	39.6	1,024	2	SOME:(2)
26.6	26.5	684	3	ABT HALF:(3)
8.7	8.6	223	4	MOST:(4)
2.0	2.0	52	5	NRLY ALL:(5)
	0.7	17	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 38-39

V1639

051A004 :LK MR TM ADLT

Item Number: 01250

Question Number(s): 1A004 Would you like to spend more time, or less time, with people over 30 if you could?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	180	1	MCH LESS:(1)
12.5	12.4	321	2	SOM LESS:(2)
65.3	64.8	1,676	3	SAM TIME:(3)
12.6	12.5	324	4	SOM MORE:(4)
2.5	2.5	63	5	MCH MORE:(5)
	0.8	21	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 40-41

V1640

051A005 :LK MR TM YG CHD

Item Number: 01260

Question Number(s): 1A005 Would you like to spend more time, or less time, working with or helping younger children?

1="Much less time" 2="Somewhat less time" 3="About the same as now" 4="Somewhat more time" 5="Much more time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.4	244	1	MCH LESS:(1)
6.6	6.6	170	2	SOM LESS:(2)
31.1	30.8	797	3	SAM TIME:(3)
35.3	35.0	906	4	SOM MORE:(4)
17.5	17.3	448	5	MCH MORE:(5)
	0.9	22	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 42-43



V1641

051A006A:SAT PRESENT JOB

Item Number: 01270

Question Number(s): 1A006A The next questions ask how satisfied or dissatisfied you are with several aspects of your life. For each question, mark the circle that shows best how you feel. If you are neutral about something, or are just as satisfied as you are dissatisfied, mark the middle answer. How satisfied are you with . . . A: Your job? (If you have no job, leave blank)

7="Completely Satisfied" 4="Neutral" 1="Completely Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	4.0	103	1	COMP DIS:(1)
5.0	3.3	85	2	
9.6	6.2	162	3	
20.7	13.4	348	4	NEUTRAL:(4)
17.2	11.2	289	5	
24.5	16.0	413	6	
16.8	11.0	283	7	COMP SAT:(7)
	35.0	904	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 44-45

V1642

051A006B:SAT NEIGHBORHOD

Item Number: 01280

Question Number(s): 1A006B How satisfied are you with . . .

B: The neighborhood where you live?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	109	1	COMP DIS:(1)
3.8	3.7	97	2	
7.2	7.2	185	3	
18.7	18.6	480	4	NEUTRAL:(4)
13.8	13.7	355	5	
22.8	22.7	586	6	
29.5	29.2	757	7	COMP SAT:(7)
	0.7	18	-9	MISSING

-----

100.0	100.0	2,587	cases
-------	-------	-------	-------

Data type: numeric

Missing-data code: -9

Columns: 46-47

V1643

051A006C:SAT PRSNL SAFTY

Item Number: 01290

Question Number(s): 1A006C How satisfied are you with . . .  
 C: Your personal safety in your neighborhood, on your job,  
 and in your school--safety from being attacked and injured in  
 some way?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	83	1	COMP DIS:(1)
2.7	2.7	70	2	
5.0	4.9	128	3	
16.1	15.9	412	4	NEUTRAL:(4)
12.8	12.6	327	5	
26.5	26.2	678	6	
33.7	33.4	863	7	COMP SAT:(7)
	1.0	26	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 48-49

V1644

051A006D:SAT OWN PROP SF

Item Number: 01300

Question Number(s): 1A006D How satisfied are you with . . .

D: The safety of things you own from being stolen or  
destroyed in your neighborhood, on your job, and in your  
school?7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	138	1	COMP DIS:(1)
6.0	5.9	153	2	
10.3	10.2	263	3	
16.9	16.7	432	4	NEUTRAL:(4)
16.9	16.8	433	5	
25.0	24.7	640	6	
19.6	19.4	501	7	COMP SAT:(7)
	1.0	27	-9	MISSING

-----

100.0	100.0	2,587 cases
-------	-------	-------------

Data type: numeric

Missing-data code: -9

Columns: 50-51

V1645

051A006E:SAT EDUC EXPRNC

Item Number: 01310

Question Number(s): 1A006E How satisfied are you with . . .  
 E: Your educational experiences?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.4	89	1	COMP DIS:(1)
3.7	3.6	93	2	
6.3	6.2	160	3	
16.3	16.1	416	4	NEUTRAL:(4)
22.3	22.0	569	5	
29.2	28.8	746	6	
18.7	18.5	479	7	COMP SAT:(7)
	1.3	34	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 52-53

V1646

051A006F:SAT OWN FRIENDS

Item Number: 01320

Question Number(s): 1A006F How satisfied are you with . . .  
 F: Your friends and other people you spend time with?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	35	1	COMP DIS:(1)
1.4	1.3	35	2	
3.1	3.0	79	3	
8.7	8.6	223	4	NEUTRAL:(4)
13.4	13.3	343	5	
30.2	29.9	773	6	
42.0	41.6	1,076	7	COMP SAT:(7)
	0.9	23	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 54-55

V1647

051A006G:SAT GT ALNG PRN

Item Number: 01330

Question Number(s): 1A006G How satisfied are you with . . .

G: The way you get along with your parents?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	119	1	COMP DIS:(1)
4.3	4.3	111	2	
6.9	6.8	177	3	
14.2	14.1	364	4	NEUTRAL:(4)
16.1	15.9	412	5	
26.2	26.0	672	6	
27.7	27.4	709	7	COMP SAT:(7)
	0.9	24	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 56-57

V1648

051A006H:SAT YOURSELF

Item Number: 01340

Question Number(s): 1A006H How satisfied are you with . . .  
 H: Yourself?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.8	73	1	COMP DIS:(1)
3.3	3.3	85	2	
5.5	5.4	139	3	
15.0	14.7	380	4	NEUTRAL:(4)
15.9	15.6	403	5	
27.5	27.0	697	6	
30.0	29.4	760	7	COMP SAT:(7)
	2.0	51	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 58-59



V1649

051A006I:SAT STD OF LVG

Item Number: 01350

Question Number(s): 1A006I How satisfied are you with . . .

I: Your standard of living--the things you have like  
housing, car, furniture, recreation, and the like?7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	52	1	COMP DIS:(1)
2.5	2.5	65	2	
5.1	5.0	130	3	
12.8	12.7	329	4	NEUTRAL:(4)
15.8	15.7	405	5	
29.1	28.9	747	6	
32.7	32.4	838	7	COMP SAT:(7)
	0.8	21	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 60-61

V1650

051A006J:SAT TIME FR THG

Item Number: 01360

Question Number(s): 1A006J How satisfied are you with . . .  
 J: The amount of time you have for doing things you want to  
 do?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.0	182	1	COMP DIS:(1)
7.7	7.6	197	2	
13.7	13.6	352	3	
16.2	16.1	415	4	NEUTRAL:(4)
21.1	20.9	541	5	
19.5	19.3	500	6	
14.8	14.6	379	7	COMP SAT:(7)
	0.8	21	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 62-63

V1651

051A006K:SAT SPD LEISR

Item Number: 01370

Question Number(s): 1A006K How satisfied are you with . . .  
 K: The way you spend your leisure time--recreation,  
 relaxation, and so on?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	76	1	COMP DIS:(1)
3.4	3.3	86	2	
8.1	8.0	208	3	
15.1	14.9	386	4	NEUTRAL:(4)
20.9	20.7	535	5	
27.3	27.0	699	6	
22.4	22.2	573	7	COMP SAT:(7)
	0.9	25	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 64-65

V1652

051A006L:SAT LIFE AS WHL

Item Number: 01380

Question Number(s): 1A006L How satisfied are you with . . .  
 L: Your life as a whole these days?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	76	1	COMP DIS:(1)
3.2	3.2	83	2	
6.1	6.0	156	3	
18.6	18.4	475	4	NEUTRAL:(4)
20.1	19.9	515	5	
30.0	29.7	767	6	
19.0	18.8	487	7	COMP SAT:(7)
	1.1	28	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 66-67

V1653

051A006M:SAT GOVT OPRTNG

Item Number: 01390

Question Number(s): 1A006M How satisfied are you with . . .

M: The way our national government is operating?

7="Completely Satisfied" 4="Neutral" 1="Completely  
Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	14.0	363	1	COMP DIS:(1)
11.4	11.2	291	2	
15.2	15.0	389	3	
31.9	31.5	816	4	NEUTRAL:(4)
13.7	13.5	350	5	
9.2	9.1	236	6	
4.3	4.3	111	7	COMP SAT:(7)
	1.2	30	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 68-69

V1654

051A006N:SAT AMT OF FUN

Item Number: 01400

Question Number(s): 1A006N How satisfied are you with . . .  
 N: The amount of fun you are having?

7="Completely Satisfied" 4="Neutral" 1="Completely  
 Dissatisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	98	1	COMP DIS:(1)
4.2	4.2	108	2	
7.8	7.7	199	3	
15.1	15.0	388	4	NEUTRAL:(4)
22.0	21.8	565	5	
26.2	26.0	673	6	
20.8	20.7	535	7	COMP SAT:(7)
	0.8	22	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 70-71

V1655

051A007A:IMP B SUCCSS WK

Item Number: 01410

Question Number(s): 1A007A How important is each of the  
 following to you in your life? A: Being successful in my  
 line of work

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
 4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	45	1	NOT IMPT:(1)
7.7	7.6	196	2	SOM IMPT:(2)
26.5	25.9	671	3	QUITE IM:(3)
64.0	62.8	1,624	4	EXTR IMP:(4)
	2.0	51	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 72-73

V1656

051A007B:IMP GD MRRG&amp;FAM

Item Number: 01420

Question Number(s): 1A007B How important is each of the following to you in your life? B: Having a good marriage and family life

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	66	1	NOT IMPT:(1)
7.1	6.9	179	2	SOM IMPT:(2)
14.5	14.2	368	3	QUITE IM:(3)
75.8	74.4	1,924	4	EXTR IMP:(4)
	1.9	50	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 74-75

V1657

051A007C:IMP LOTS OF \$

Item Number: 01430

Question Number(s): 1A007C How important is each of the following to you in your life? C: Having lots of money

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	141	1	NOT IMPT:(1)
32.1	31.3	810	2	SOM IMPT:(2)
37.0	36.1	933	3	QUITE IM:(3)
25.2	24.6	636	4	EXTR IMP:(4)
	2.5	66	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 76-77

**V1658****051A007D:IMP TM RCRN&HBY**

Item Number: 01440

Question Number(s): 1A007D How important is each of the following to you in your life? D: Having plenty of time for recreation and hobbies

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	40	1	NOT IMPT:(1)
19.0	18.6	481	2	SOM IMPT:(2)
47.2	46.3	1,197	3	QUITE IM:(3)
32.2	31.5	815	4	EXTR IMP:(4)
	2.0	53	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 78-79

**V1659****051A007E:IMP STRG FRDSHP**

Item Number: 01450

Question Number(s): 1A007E How important is each of the following to you in your life? E: Having strong friendships

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	31	1	NOT IMPT:(1)
6.4	6.3	163	2	SOM IMPT:(2)
25.6	25.1	649	3	QUITE IM:(3)
66.8	65.5	1,694	4	EXTR IMP:(4)
	1.9	50	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 80-81



**V1660****051A007F:IMP STEADY WORK**

Item Number: 01460

Question Number(s): 1A007F How important is each of the following to you in your life? F: Being able to find steady work

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	22	1	NOT IMPT:(1)
5.4	5.3	136	2	SOM IMPT:(2)
27.7	27.1	702	3	QUITE IM:(3)
66.0	64.6	1,671	4	EXTR IMP:(4)
	2.1	56	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 82-83

**V1661****051A007G:IMP CNTRBTN SOC**

Item Number: 01470

Question Number(s): 1A007G How important is each of the following to you in your life? G: Making a contribution to society

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	173	1	NOT IMPT:(1)
28.4	27.8	720	2	SOM IMPT:(2)
40.5	39.6	1,025	3	QUITE IM:(3)
24.3	23.8	616	4	EXTR IMP:(4)
	2.0	53	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 84-85

**V1662****051A007H:IMP LDR COMUNTY**

Item Number: 01480

Question Number(s): 1A007H How important is each of the following to you in your life? H: Being a leader in my community

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	19.3	499	1	NOT IMPT:(1)
36.7	35.9	929	2	SOM IMPT:(2)
27.6	27.0	698	3	QUITE IM:(3)
16.0	15.6	404	4	EXTR IMP:(4)
	2.2	56	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 86-87

**V1663****051A007I:IMP CHLD BTR OP**

Item Number: 01490

Question Number(s): 1A007I How important is each of the following to you in your life? I: Being able to give my children better opportunities than I've had

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	71	1	NOT IMPT:(1)
7.5	7.3	189	2	SOM IMPT:(2)
24.0	23.4	606	3	QUITE IM:(3)
65.7	64.2	1,660	4	EXTR IMP:(4)
	2.3	61	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 88-89

**V1664****051A007J:IMP LIV CLS PRN**

Item Number: 01500

Question Number(s): 1A007J How important is each of the following to you in your life? J: Living close to parents and relatives

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.3	421	1	NOT IMPT:(1)
35.2	34.5	892	2	SOM IMPT:(2)
29.8	29.1	753	3	QUITE IM:(3)
18.4	18.0	464	4	EXTR IMP:(4)
	2.2	56	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 90-91

**V1665****051A007K:IMP GT AWY AREA**

Item Number: 01510

Question Number(s): 1A007K How important is each of the following to you in your life? K: Getting away from this area of the country

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	44.9	1,161	1	NOT IMPT:(1)
24.2	23.7	613	2	SOM IMPT:(2)
16.1	15.8	409	3	QUITE IM:(3)
13.8	13.5	350	4	EXTR IMP:(4)
	2.1	53	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 92-93

**V1666****051A007L:IMP CRRCT INEQL**

Item Number: 01520

Question Number(s): 1A007L How important is each of the following to you in your life? L: Working to correct social and economic inequalities

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	21.0	544	1	NOT IMPT:(1)
42.4	41.5	1,073	2	SOM IMPT:(2)
22.9	22.4	579	3	QUITE IM:(3)
13.2	12.9	333	4	EXTR IMP:(4)
	2.2	58	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 94-95

**V1667****051A007M:IMP NEW XPRNCE**

Item Number: 01530

Question Number(s): 1A007M How important is each of the following to you in your life? M: Discovering new ways to experience things

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.9	205	1	NOT IMPT:(1)
31.6	31.0	801	2	SOM IMPT:(2)
38.6	37.8	979	3	QUITE IM:(3)
21.7	21.2	549	4	EXTR IMP:(4)
	2.1	53	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 96-97

V1668

051A007N:IMP FND PRPS LF

Item Number: 01540

Question Number(s): 1A007N How important is each of the following to you in your life? N: Finding purpose and meaning in my life

1="Not Important" 2="Somewhat Important" 3="Quite Important"  
4="Extremely Important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.6	119	1	NOT IMPT:(1)
11.1	10.9	281	2	SOM IMPT:(2)
26.0	25.5	659	3	QUITE IM:(3)
58.2	57.0	1,473	4	EXTR IMP:(4)
	2.1	54	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 98-99

V1669

051A008 :PPL CAN B TRSTD

Item Number: 01550

Question Number(s): 1A008 Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people?

3="Most people can be trusted" 2="Don't know, undecided"  
1="Can't be too careful"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	48.4	1,251	1	CAREFUL:(1)
29.0	27.7	717	2	DK:(2)
20.3	19.4	501	3	TRST MST:(3)
	4.5	118	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 100-101

**V1670****051A009 :PPL TRY B HLPFL**

Item Number: 01560

Question Number(s): 1A009 Would you say that most of the time people try to be helpful or that they are mostly just looking out for themselves?

3="Try to be helpful" 2="Don't know, undecided" 1="Just looking out for themselves"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	38.8	1,004	1	FOR SELF:(1)
36.7	35.6	922	2	DK:(2)
23.3	22.7	586	3	TRY HELP:(3)
	2.9	75	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 102-103

**V1671****051A010 :PPL TRY BE FAIR**

Item Number: 01570

Question Number(s): 1A010 Do you think most people would try to take advantage of you if they got a chance or would they try to be fair?

3="Would try to be fair" 2="Don't know, undecided" 1="Would try to take advantage of you"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	40.5	1,048	1	TAKE ADV:(1)
38.6	37.5	970	2	DK:(2)
19.7	19.1	494	3	TRY FAIR:(3)
	2.9	75	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 104-105

V1672

051A011A:-OBY LW=-GD CTZ

Item Number: 01580

Question Number(s): 1A011A These next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below? A: I feel that you can't be a good citizen unless you always obey the law

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
20.7	20.2	522	1	DISAGREE:(1)
23.2	22.5	583	2	MOST DIS:(2)
22.9	22.3	576	3	NEITHER:(3)
26.6	25.9	669	4	MOST AGR:(4)
6.6	6.4	165	5	AGREE:(5)
	2.8	71	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 106-107

V1673

051A011B:GD CTZN ALG GOV

Item Number: 01590

Question Number(s): 1A011B How much do you agree or disagree with each statement below? B: I feel good citizens should go along with whatever the government does even if they disagree with it

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
38.5	37.3	965	1	DISAGREE:(1)
26.3	25.4	657	2	MOST DIS:(2)
20.6	19.9	515	3	NEITHER:(3)
11.6	11.2	290	4	MOST AGR:(4)
3.1	3.0	78	5	AGREE:(5)
	3.2	82	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 108-109



V1674

051A011C:GD CTZN CHG GOV

Item Number: 01600

Question Number(s): 1A011C How much do you agree or disagree with each statement below? C: I feel good citizens try to change the government policies they disagree with

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.8	124	1	DISAGREE:(1)
9.4	9.0	234	2	MOST DIS:(2)
29.8	28.8	745	3	NEITHER:(3)
32.7	31.5	816	4	MOST AGR:(4)
23.2	22.4	578	5	AGREE:(5)
	3.5	90	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 110-111

V1675

051A011D:VOTE-&gt;MAJ IMPCT

Item Number: 01610

Question Number(s): 1A011D How much do you agree or disagree with each statement below? D: The way people vote has a major impact on how things are run in this country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.6	170	1	DISAGREE:(1)
9.8	9.5	245	2	MOST DIS:(2)
17.1	16.5	427	3	NEITHER:(3)
32.1	31.0	803	4	MOST AGR:(4)
34.2	33.1	855	5	AGREE:(5)
	3.4	87	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 112-113

V1676

051A011E:CTZN GRP HV EFC

Item Number: 01620

Question Number(s): 1A011E How much do you agree or disagree with each statement below? E: People who get together in citizen action groups to influence government policies can have a real effect

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
5.7	5.5	143	1	DISAGREE:(1)
11.1	10.7	277	2	MOST DIS:(2)
33.3	32.1	831	3	NEITHER:(3)
33.6	32.4	838	4	MOST AGR:(4)
16.3	15.7	407	5	AGREE:(5)
	3.5	91	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 114-115

V1677

051A011F:OUR SYST ST BS

Item Number: 01630

Question Number(s): 1A011F How much do you agree or disagree with each statement below? F: Despite its many faults, our system of doing things is still the best in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.9	7.7	199	1	DISAGREE:(1)
10.9	10.5	272	2	MOST DIS:(2)
30.4	29.4	761	3	NEITHER:(3)
31.2	30.1	779	4	MOST AGR:(4)
19.6	18.9	490	5	AGREE:(5)
	3.3	86	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 116-117

V1678

051A011G:US NEEDS GROWTH

Item Number: 01640

Question Number(s): 1A011G How much do you agree or disagree with each statement below? G: America needs growth to survive, and that is going to require some increase in pollution

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
30.9	29.8	772	1	DISAGREE:(1)
21.1	20.4	528	2	MOST DIS:(2)
28.2	27.2	704	3	NEITHER:(3)
13.1	12.7	328	4	MOST AGR:(4)
6.6	6.3	164	5	AGREE:(5)
	3.5	92	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 118-119

V1679

051A011H:LV THNGS TO GOD

Item Number: 01650

Question Number(s): 1A011H How much do you agree or disagree with each statement below? H: If we just leave things to God, they will turn out for the best

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
21.7	20.9	541	1	DISAGREE:(1)
11.2	10.7	278	2	MOST DIS:(2)
24.9	23.9	619	3	NEITHER:(3)
16.7	16.1	416	4	MOST AGR:(4)
25.5	24.6	635	5	AGREE:(5)
	3.7	97	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 120-121

V1680

051A011I:GO SCH ENJY XPR

Item Number: 01660

Question Number(s): 1A011I How much do you agree or disagree with each statement below? I: Going to school has been an enjoyable experience for me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.9	7.6	197	1	DISAGREE:(1)
10.4	10.1	262	2	MOST DIS:(2)
19.4	18.9	488	3	NEITHER:(3)
37.8	36.7	949	4	MOST AGR:(4)
24.5	23.8	615	5	AGREE:(5)
	3.0	76	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 122-123

V1681

051A011J:DO WL SC IMP/JB

Item Number: 01670

Question Number(s): 1A011J How much do you agree or disagree with each statement below? J: Doing well in school is important for getting a good job

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	68	1	DISAGREE:(1)
4.8	4.6	120	2	MOST DIS:(2)
9.4	9.1	237	3	NEITHER:(3)
27.2	26.5	684	4	MOST AGR:(4)
55.9	54.3	1,404	5	AGREE:(5)
	2.9	74	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 124-125

V1766

051A012A:RSK OF CIG1+PK/

Item Number: 12360

Question Number(s): 1A012A The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	97	1	NO RISK:(1)
4.4	4.3	112	2	SLIGHT:(2)
17.2	16.8	433	3	MOD RISK:(3)
70.7	68.8	1,779	4	GRT RISK:(4)
3.7	3.6	93	5	CANT SAY:(5)
	2.8	72	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 126-127

V1767

051A012B:RSK OF MJ 1-2 X

Item Number: 12370

Question Number(s): 1A012B How much do you think people risk harming themselves (physically or in other ways), if they . . . B: Try marijuana once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	34.4	889	1	NO RISK:(1)
31.9	31.0	803	2	SLIGHT:(2)
13.3	13.0	335	3	MOD RISK:(3)
15.1	14.7	380	4	GRT RISK:(4)
4.4	4.3	110	5	CANT SAY:(5)
	2.7	69	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 128-129

V1768

051A012C:RSK OF MJ OCSNL

Item Number: 12380

Question Number(s): 1A012C How much do you think people risk harming themselves (physically or in other ways), if they . . . C: Smoke marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.4	374	1	NO RISK:(1)
26.1	25.4	656	2	SLIGHT:(2)
29.9	29.1	751	3	MOD RISK:(3)
24.5	23.9	618	4	GRT RISK:(4)
4.7	4.6	118	5	CANT SAY:(5)
	2.7	69	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 130-131



V1769

051A012D:RSK OF MJ REGLY

Item Number: 12390

Question Number(s): 1A012D How much do you think people risk harming themselves (physically or in other ways), if they . . . D: Smoke marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.9	204	1	NO RISK:(1)
10.6	10.3	267	2	SLIGHT:(2)
22.4	21.7	562	3	MOD RISK:(3)
54.2	52.6	1,360	4	GRT RISK:(4)
4.7	4.6	118	5	CANT SAY:(5)
	2.9	76	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 132-133

V1770

051A012E:RSK COK PWDR 1-

Item Number: 12501

Question Number(s): 1A012E How much do you think people risk harming themselves (physically or in other ways), if they . . . E: Try cocaine in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.4	193	1	NO RISK:(1)
17.0	16.5	426	2	SLIGHT:(2)
22.0	21.3	551	3	MOD RISK:(3)
44.6	43.3	1,120	4	GRT RISK:(4)
8.8	8.6	222	5	CANT SAY:(5)
	2.9	74	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 134-135

V1771

051A012F:RSK COK PWDR OC

Item Number: 12502

Question Number(s): 1A012F How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Take cocaine powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.5	115	1	NO RISK:(1)
4.6	4.5	116	2	SLIGHT:(2)
19.4	18.9	488	3	MOD RISK:(3)
62.2	60.5	1,565	4	GRT RISK:(4)
9.2	8.9	230	5	CANT SAY:(5)
	2.8	72	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 136-137

V1772

051A012G:RSK COK PWDR RE

Item Number: 12503

Question Number(s): 1A012G How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take cocaine powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	99	1	NO RISK:(1)
1.2	1.2	30	2	SLIGHT:(2)
4.5	4.4	113	3	MOD RISK:(3)
81.3	78.9	2,041	4	GRT RISK:(4)
9.1	8.8	229	5	CANT SAY:(5)
	2.9	76	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 138-139

V1773

051A012H:RSK CRACK 1-2X

Item Number: 12504

Question Number(s): 1A012H How much do you think people risk harming themselves (physically or in other ways), if they . . . H: Try "crack" cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.1	156	1	NO RISK:(1)
13.2	12.8	332	2	SLIGHT:(2)
21.0	20.4	528	3	MOD RISK:(3)
49.3	47.9	1,239	4	GRT RISK:(4)
10.2	9.9	257	5	CANT SAY:(5)
	2.8	74	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 140-141

V1774

051A012I:RSK CRACK OCC

Item Number: 12505

Question Number(s): 1A012I How much do you think people risk harming themselves (physically or in other ways), if they. . . I: Take "crack" cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	104	1	NO RISK:(1)
2.6	2.5	66	2	SLIGHT:(2)
16.8	16.3	422	3	MOD RISK:(3)
66.2	64.4	1,665	4	GRT RISK:(4)
10.2	9.9	257	5	CANT SAY:(5)
	2.8	73	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 142-143

V1775

051A012J:RSK CRACK REG

Item Number: 12506

Question Number(s): 1A012J How much do you think people  
risk harming themselves (physically or in other ways), if  
they . . . J: Take "crack" cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	104	1	NO RISK:(1)
0.9	0.8	21	2	SLIGHT:(2)
2.8	2.7	69	3	MOD RISK:(3)
81.9	79.5	2,055	4	GRT RISK:(4)
10.4	10.0	260	5	CANT SAY:(5)
	3.0	77	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 144-145

V1776

051A012K:RSK OF 1-2 DRIN

Item Number: 12510

Question Number(s): 1A012K How much do you think people risk harming themselves (physically or in other ways), if they . . . K: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	48.6	1,258	1	NO RISK:(1)
32.2	31.3	809	2	SLIGHT:(2)
7.4	7.2	186	3	MOD RISK:(3)
8.1	7.8	203	4	GRT RISK:(4)
2.4	2.3	59	5	CANT SAY:(5)
	2.8	71	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 146-147

V1777

051A012L:RSK OF 1-2 DR/D

Item Number: 12520

Question Number(s): 1A012L How much do you think people risk harming themselves (physically or in other ways), if they . . . L: Take one or two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
16.4	16.0	413	1	NO RISK:(1)
27.9	27.1	701	2	SLIGHT:(2)
32.5	31.6	817	3	MOD RISK:(3)
20.0	19.5	503	4	GRT RISK:(4)
3.1	3.0	79	5	CANT SAY:(5)
	2.8	74	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 148-149

V1778

051A012M:RSK OF 4-5 DR/D

Item Number: 12530

Question Number(s): 1A012M How much do you think people risk harming themselves (physically or in other ways), if they . . . M: Take four or five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
5.7	5.5	143	1	NO RISK:(1)
10.1	9.8	253	2	SLIGHT:(2)
23.6	23.0	594	3	MOD RISK:(3)
57.6	56.0	1,449	4	GRT RISK:(4)
3.1	3.0	77	5	CANT SAY:(5)
	2.7	70	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 150-151

V1779

051A012N:RSK OF 5+DR/WKN

Item Number: 12540

Question Number(s): 1A012N How much do you think people risk harming themselves (physically or in other ways), if they. . . N: Have five or more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	9.5	246	1	NO RISK:(1)
16.4	15.9	410	2	SLIGHT:(2)
27.7	26.8	694	3	MOD RISK:(3)
43.2	41.8	1,082	4	GRT RISK:(4)
3.0	2.9	74	5	CANT SAY:(5)
	3.1	80	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 152-153

V1808

051A012O:RSK H -NDL 1-2X

Item Number: 29600

Question Number(s): 1A012O How much do you think people risk harming themselves (physically or in other ways), if they. . . O: Try heroin once or twice without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	129	1	NO RISK:(1)
5.4	5.2	135	2	SLIGHT:(2)
16.9	16.4	425	3	MOD RISK:(3)
60.4	58.7	1,518	4	GRT RISK:(4)
12.2	11.8	306	5	CANT SAY:(5)
	2.8	73	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 154-155

V1809

051A012P:RSK H -NDL OCC

Item Number: 29610

Question Number(s): 1A012P How much do you think people risk harming themselves (physically or in other ways), if they. . . P: Take heroin occasionally without using a needle

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"  
5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	100	1	NO RISK:(1)
1.7	1.7	43	2	SLIGHT:(2)
8.9	8.6	222	3	MOD RISK:(3)
73.4	71.2	1,842	4	GRT RISK:(4)
12.1	11.7	303	5	CANT SAY:(5)
	3.0	76	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 156-157



V1780

051A013A:EASY GT MARIJUA

Item Number: 06750

Question Number(s): 1A013A How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.6	144	1	PROB IMP:(1)
2.9	2.8	71	2	VRV DIFF:(2)
5.7	5.6	144	3	FRLY DIF:(3)
22.0	21.2	550	4	FRLY EAS:(4)
63.7	61.6	1,593	5	VRV EASY:(5)
	3.3	84	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 158-159

V1781

051A013B:EASY GT CRACK

Item Number: 06811

Question Number(s): 1A013B How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	10.9	282	1	PROB IMP:(1)
15.8	15.2	394	2	VRV DIFF:(2)
28.3	27.2	704	3	FRLY DIF:(3)
28.3	27.2	703	4	FRLY EAS:(4)
16.3	15.7	405	5	VRV EASY:(5)
	3.8	99	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 160-161

V1782

051A013C:EASY GT COK PWD

Item Number: 06812

Question Number(s): 1A013C How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	10.8	279	1	PROB IMP:(1)
16.5	15.9	411	2	VRD DIFF:(2)
24.2	23.2	601	3	FRDLY DIF:(3)
28.2	27.1	701	4	FRDLY EAS:(4)
19.8	19.0	491	5	VRD EASY:(5)
	4.0	104	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 162-163

V1101

051B001 :EVR SMK CIG,REG

Item Number: 00760

Question Number(s): 1B001 The following questions are about CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	49.0	1,268	1	NEVER:(1)
20.4	19.5	505	2	1-2X:(2)
12.0	11.5	297	3	OCCASNLY:(3)
5.6	5.4	138	4	REG PAST:(4)
11.0	10.6	273	5	REG NOW:(5)
	4.1	105	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 164-165

V1208

051B001 :EVR SMK CIG,REG

Item Number: 00760

Question Number(s): 1B001 The following questions are about  
CIGARETTE SMOKING. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 6" 2="Once or twice" 3="Occasionally  
but not regularly" 4="Regularly in the past" 5="Regularly  
now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	49.0	1,268	1	NEVER:(1)
20.4	19.5	505	2	1-2X:(2)
12.0	11.5	297	3	OCCASNLY:(3)
5.6	5.4	138	4	REG PAST:(4)
11.0	10.6	273	5	REG NOW:(5)
	4.1	105	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 166-167

V1102

051B002 :#CIGS SMKD/30DA

Item Number: 00780

Question Number(s): 1B002 How frequently have you smoked  
cigarettes during the past 30 days?

1="Not at all [includes respondents who reported nonuse on V1101  
above]" 2="Less than one cigarette per day" 3="One to five  
cigarettes per day" 4="About one-half pack per day" 5="About  
one pack per day" 6="About one and one-half packs per day"  
7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	74.0	1,913	1	NONE:(1)
8.9	8.6	222	2	<1 CIG/D:(2)
6.8	6.5	169	3	1-5/DAY:(3)
3.7	3.5	92	4	1/2PK/D:(4)
2.1	2.0	51	5	1 PK/DA:(5)
0.6	0.6	15	6	1 1/2PK/D
0.8	0.8	21	7	2+ PKS/D:(7)
	4.0	103	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 168-169

V1210

051B002 :#CIGS SMKD/30DA

Item Number: 00780

Question Number(s): 1B002 How frequently have you smoked  
cigarettes during the past 30 days?

1="Not at all" 2="Less than one cigarette per day" 3="One to  
five cigarettes per day" 4="About one-half pack per day"  
5="About one pack per day" 6="About one and one-half packs  
per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	25.0	646	1	NT DAILY:(1)
18.3	8.6	222	2	<1 CIG/D:(2)
13.9	6.5	169	3	1-5/DAY:(3)
7.5	3.5	92	4	1/2 PK:(4)
4.2	2.0	51	5	1 PK:(5)
1.3	0.6	15	6	1 1/2PK/D
1.7	0.8	21	7	2+ PKS:(7)
	53.0	1,371	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 170-171

V1752

051B003 :#CIG/DAY-30DAYS

Item Number: 00781

Question Number(s): 1B003 To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

01="None" 02="Less than one per day" 03="1 to 2" 04="3 to 7"  
05="8 to 12" 06="13 to 17" 07="18 to 22" 08="23 to 27" 09="28 to 32"  
10="33 to 37" 11="38 or more"

PCT VALID	PCT ALL	N	VALUE	LABEL
52.9	24.8	640	1	NONE:(1)
13.4	6.3	163	2	<1/DAY:(2)
7.3	3.4	88	3	1-2:(3)
10.6	5.0	128	4	3-7:(4)
6.3	2.9	76	5	8-12:(5)
2.9	1.4	35	6	13-17:(6)
2.2	1.0	27	7	18-22:(7)
0.6	0.3	7	8	23-27:(8)
0.1	0.1	2	9	28-32:(9)
0.6	0.3	7	10	33-37:(10)
3.2	1.5	38	11	38+:(11)
	53.2	1,375	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 172-174

V1211

051B004A:\*TRY STP SMK&amp;FL

Item Number: 01690

Question Number(s): 1B004A Have you ever tried to stop  
smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	7.7	198	1	YES:(1)
83.2	38.1	986	2	NO:(2)
	54.2	1,402	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 175-176

V1754

051B004B:#X TRY STOP SMK

Item Number: 01691

Question Number(s): 1B004B How many times (if any) have you  
tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	28.9	747	1	NONE:(1)
17.5	7.9	205	2	ONCE:(2)
9.7	4.4	114	3	TWICE:(3)
6.2	2.8	72	4	3-5X:(4)
1.0	0.4	12	5	6-9X:(5)
1.8	0.8	21	6	10+X:(6)
	54.7	1,415	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 177-178

V1212

051B004C:\*WNT STP SMK NW

Item Number: 01700

Question Number(s): 1B004C Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	6.3	162	1	YES:(1)
24.8	11.5	297	2	NO:(2)
61.7	28.6	739	8	DNT SMOK:(8)
	53.7	1,389	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 179-180



V1810

051B005 :USUAL CIG BRAND

Item Number: 30065

Question Number(s): 1B005 What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

01="Basic" 02="Benson & Hedges" 03="Black & Whites"  
 04="Cambridge" 05="Camel" 06="Capri" 07="Carlton" 08="Doral"  
 09="GPC" 10="Kent" 11="Kool" 12="Marlboro" 13="Merit"  
 14="Misty" 15="Monarch" 16="More" 17="Newport" 18="Pall Mall"  
 19="Parliament" 20="Salem" 21="Vantage" 22="Virginia Slims"  
 23="Winston" 24="Other" 25="No Usual Brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.2	6	1	BASIC:(1)
0.0	0.0	0	2	B & H:(2)
0.3	0.1	3	3	B & W:(3)
0.0	0.0	0	4	CAMBRIDGE:(4)
10.6	4.1	107	5	CAMEL:(5)
0.2	0.1	2	6	CAPRI:(6)
0.0	0.0	0	7	CARLTON:(7)
0.3	0.1	3	8	DORAL:(8)
0.1	0.0	1	9	GPC:(9)
0.1	0.0	1	10	KENT:(10)
1.8	0.7	18	11	KOOL:(11)
37.5	14.6	377	12	MARLBORO:(12)
0.2	0.1	2	13	MERIT:(13)
0.1	0.0	1	14	MISTY:(14)
0.0	0.0	0	15	MONARCH:(15)
0.0	0.0	0	16	MORE:(16)
12.2	4.7	123	17	NEWPORT:(17)
0.4	0.2	4	18	PALLMALL:(18)
1.6	0.6	16	19	PARLIAMENT:(19)
0.9	0.3	9	20	SALEM:(20)
0.0	0.0	0	21	VANTAGE:(21)
0.7	0.3	7	22	VA SLIMS:(22)
0.1	0.0	1	23	WINSTON:(23)
5.0	1.9	50	24	OTHER:(24)
27.4	10.6	275	25	NO USUAL:(25)
	61.2	1,583	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 181-183

V1213

051B006 :NO SMK IN 5 YR

Item Number: 01710

Question Number(s): 1B006 Do you think you will be smoking  
cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will  
not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.7	45	1	DEF WILL:(1)
8.9	8.7	224	2	PRB WILL:(2)
20.6	19.9	516	3	PRB WONT:(3)
68.7	66.6	1,723	4	DEF WONT:(4)
	3.1	79	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 184-185

V1104

051B007A:#X ALC/LIF SIPS

Item Number: 00810

Question Number(s): 1B007A The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had any alcoholic beverage to drink--more than just a few sips . . . a: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	19.1	495	1	0 OCCAS:(1)
12.1	11.6	300	2	1-2X:(2)
9.9	9.4	244	3	3-5X:(3)
9.4	9.0	232	4	6-9X:(4)
12.4	11.9	307	5	10-19X:(5)
13.2	12.7	327	6	20-39X:(6)
23.0	21.9	568	7	40+OCCAS:(7)
	4.4	114	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 186-187

V1214

051B007A:#X ALC/LIF SIPS

Item Number: 00810

Question Number(s): 1B007A The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol. On how many occasions (if any) have you had any alcoholic beverage to drink--more than just a few sips . . . a: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	19.1	495	1	0 OCCAS:(1)
12.1	11.6	300	2	1-2X:(2)
9.9	9.4	244	3	3-5X:(3)
9.4	9.0	232	4	6-9X:(4)
12.4	11.9	307	5	10-19X:(5)
13.2	12.7	327	6	20-39X:(6)
23.0	21.9	568	7	40+OCCAS:(7)
	4.4	114	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 188-189

V1105

051B007B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 1B007B On how many occasions (if any) have you had any alcoholic beverage to drink--more than just a few sips . . . b: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	28.3	732	1	0 OCCAS:(1)
16.8	16.0	414	2	1-2X:(2)
13.4	12.8	331	3	3-5X:(3)
11.4	10.9	283	4	6-9X:(4)
13.2	12.6	325	5	10-19X:(5)
7.1	6.7	174	6	20-39X:(6)
8.5	8.2	211	7	40+OCCAS:(7)
	4.5	117	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 190-191

V1215

051B007B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 1B007B On how many occasions (if any) have you had any alcoholic beverage to drink--more than just a few sips . . . b: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
29.6	28.3	732	1	0 OCCAS:(1)
16.8	16.0	414	2	1-2X:(2)
13.4	12.8	331	3	3-5X:(3)
11.4	10.9	283	4	6-9X:(4)
13.2	12.6	325	5	10-19X:(5)
7.1	6.7	174	6	20-39X:(6)
8.5	8.2	211	7	40+OCCAS:(7)
	4.5	117	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 192-193

V1106

051B007C:#X ALC/30D SIPS

Item Number: 00830

Question Number(s): 1B007C On how many occasions (if any) have you had any alcoholic beverage to drink--more than just a few sips . . . c: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
53.5	51.0	1,318	1	0 OCCAS:(1)
20.3	19.4	501	2	1-2X:(2)
12.6	12.0	310	3	3-5X:(3)
6.2	5.9	153	4	6-9X:(4)
3.9	3.8	97	5	10-19X:(5)
1.6	1.5	38	6	20-39X:(6)
1.9	1.8	46	7	40+OCCAS:(7)
	4.7	122	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 194-195

V1216

051B007C:#X ALC/30D SIPS

Item Number: 00830

Question Number(s): 1B007C On how many occasions (if any) have you had any alcoholic beverage to drink--more than just a few sips . . . c: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
53.5	51.0	1,318	1	0 OCCAS:(1)
20.3	19.4	501	2	1-2X:(2)
12.6	12.0	310	3	3-5X:(3)
6.2	5.9	153	4	6-9X:(4)
3.9	3.8	97	5	10-19X:(5)
1.6	1.5	38	6	20-39X:(6)
1.9	1.8	46	7	40+OCCAS:(7)
	4.7	122	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 196-197



V1217

051B008A:#X/YR ALC ALONE

Item Number: 01720

Question Number(s): 1B008A IF YOU HAVE NOT HAD ANY BEER,  
WINE, LIQUOR, OR OTHER ALCOHOLIC BEVERAGE IN THE LAST TWELVE  
MONTHS, GO TO QUESTION 16. When you used alcohol during the  
last year, how often did you use it in each of the following  
situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	51.1	1,321	1	NOT @ALL:(1)
16.5	11.1	287	2	FEW TIME:(2)
4.9	3.3	86	3	SOM TIME:(3)
1.5	1.0	27	4	MST TIME:(4)
1.0	0.7	17	5	EVRYTIME:(5)
	32.8	848	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 198-199

V1218

051B008B:#X/YR ALC-2 PPL

Item Number: 01730

Question Number(s): 1B008B When you used alcohol during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	13.5	350	1	NOT @ALL:(1)
38.9	26.1	675	2	FEW TIME:(2)
21.0	14.1	364	3	SOM TIME:(3)
13.5	9.0	234	4	MST TIME:(4)
6.5	4.3	112	5	EVRYTIME:(5)
	32.9	851	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 200-201

V1219

051B008C:#X/YR ALC@PARTY

Item Number: 01740

Question Number(s): 1B008C When you used alcohol during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	10.2	264	1	NOT @ALL:(1)
17.3	11.6	300	2	FEW TIME:(2)
12.4	8.3	215	3	SOM TIME:(3)
34.1	22.9	592	4	MST TIME:(4)
21.1	14.2	366	5	EVRYTIME:(5)
	32.8	849	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 202-203

V1220

051B008D:#X/YR ALC-DT/SP

Item Number: 01750

Question Number(s): 1B008D When you used alcohol during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	32.6	842	1	NOT @ALL:(1)
22.7	15.1	391	2	FEW TIME:(2)
13.2	8.8	227	3	SOM TIME:(3)
9.8	6.5	168	4	MST TIME:(4)
5.4	3.6	93	5	EVRYTIME:(5)
	33.4	865	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 204-205

V1221

051B008E:#X/YR ALC-ADLTS

Item Number: 01760

Question Number(s): 1B008E When you used alcohol during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	28.0	724	1	NOT @ALL:(1)
30.8	20.7	535	2	FEW TIME:(2)
13.2	8.9	229	3	SOM TIME:(3)
7.5	5.1	131	4	MST TIME:(4)
6.9	4.6	120	5	EVRYTIME:(5)
	32.8	847	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 206-207

V1222

051B008F:#X/YR ALC-DATIM

Item Number: 01770

Question Number(s): 1B008F When you used alcohol during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	46.3	1,198	1	NOT @ALL:(1)
20.5	13.7	355	2	FEW TIME:(2)
8.0	5.4	140	3	SOM TIME:(3)
1.2	0.8	20	4	MST TIME:(4)
1.3	0.9	22	5	EVRYTIME:(5)
	32.9	852	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 208-209

V1223

051B008G:#X/YR ALC@HOME

Item Number: 01780

Question Number(s): 1B008G When you used alcohol during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	29.1	753	1	NOT @ALL:(1)
28.5	19.2	495	2	FEW TIME:(2)
15.6	10.5	271	3	SOM TIME:(3)
6.9	4.7	121	4	MST TIME:(4)
5.7	3.9	100	5	EVRYTIME:(5)
	32.7	847	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 210-211

V1224

051B008H:#X/YR ALC@SCHL

Item Number: 01790

Question Number(s): 1B008H When you used alcohol during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	60.6	1,567	1	NOT @ALL:(1)
7.0	4.7	122	2	FEW TIME:(2)
1.3	0.9	23	3	SOM TIME:(3)
0.7	0.5	13	4	MST TIME:(4)
0.6	0.4	11	5	EVRYTIME:(5)
	32.9	851	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 212-213

V1225

051B008I:#X/YR ALCIN CAR

Item Number: 01810

Question Number(s): 1B008I When you used alcohol during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	46.1	1,191	1	NOT @ALL:(1)
19.0	12.8	330	2	FEW TIME:(2)
8.7	5.8	150	3	SOM TIME:(3)
2.4	1.6	42	4	MST TIME:(4)
1.3	0.8	22	5	EVRYTIME:(5)
	32.9	851	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 214-215

V1811

051B008J:#X/YR ALC@PARK/B

Item Number: 30910

Question Number(s): 1B008J When you used alcohol during the last year, how often did you use it in each of the following situations? J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	43.8	1,132	1	NOT @ALL:(1)
17.8	12.0	310	2	FEW TIME:(2)
10.9	7.3	190	3	SOM TIME:(3)
4.2	2.8	73	4	MST TIME:(4)
2.0	1.4	35	5	EVRYTIME:(5)
	32.7	846	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 216-217

V1812

051B008K:#X/YR ALC@BAR/RT

Item Number: 30920

Question Number(s): 1B008K When you used alcohol during the last year, how often did you use it in each of the following situations? K. At a bar or restaurant

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	47.9	1,239	1	NOT @ALL:(1)
15.8	10.6	275	2	FEW TIME:(2)
6.7	4.5	116	3	SOM TIME:(3)
4.1	2.7	71	4	MST TIME:(4)
2.1	1.4	37	5	EVRYTIME:(5)
	32.8	849	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 218-219

**V1226****051B009A:ALC EXPERIMENT**

Item Number: 01820

Question Number(s): 1B009A What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	32.8	847	0	NT MARKD:(0)
50.4	33.3	861	1	MARKED:(1)
	34.0	878	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 220-221

**V1227****051B009B:ALC RELAX**

Item Number: 01830

Question Number(s): 1B009B What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	36.3	939	0	NT MARKD:(0)
45.0	29.8	770	1	MARKED:(1)
	34.0	878	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 222-223

**V1228****051B009C:ALC GET HIGH**

Item Number: 01840

Question Number(s): 1B009C What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	40.2	1,039	0	NT MARKD:(0)
39.2	25.9	669	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 224-225

**V1229****051B009D:ALC SEEK INSGHT**

Item Number: 01850

Question Number(s): 1B009D What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	62.3	1,613	0	NT MARKD:(0)
5.6	3.7	96	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 226-227



**V1230****051B009E:ALC GD TM FRNDS**

Item Number: 01860

Question Number(s): 1B009E What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	17.0	439	0	NT MARKD:(0)
74.3	49.1	1,269	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 228-229

**V1231****051B009F:ALC FIT IN GRP**

Item Number: 01870

Question Number(s): 1B009F What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	60.9	1,575	0	NT MARKD:(0)
7.8	5.2	134	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 230-231

**V1232****051B009G:ALC GET AWY PRB**

Item Number: 01880

Question Number(s): 1B009G What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	49.9	1,290	0	NT MARKD:(0)
24.5	16.2	418	1	MARKED:(1)
	34.0	878	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 232-233

**V1233****051B009H:ALC BOREDOM**

Item Number: 01890

Question Number(s): 1B009H What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	50.3	1,301	0	NT MARKD:(0)
23.8	15.7	407	1	MARKED:(1)
	34.0	878	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 234-235

**V1234****051B009I:ALC ANGR&FRSTRN**

Item Number: 01900

Question Number(s): 1B009I What have been the most  
important reasons for your drinking alcoholic beverages?  
(Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	55.9	1,447	0	NT MARKD:(0)
15.3	10.1	261	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 236-237

**V1235****051B009J:ALC GT THRU DAY**

Item Number: 01910

Question Number(s): 1B009J What have been the most  
important reasons for your drinking alcoholic beverages?  
(Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	63.5	1,643	0	NT MARKD:(0)
3.8	2.5	65	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 238-239

**V1236****051B009K:ALC INCRS EF DR**

Item Number: 01920

Question Number(s): 1B009K What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	62.0	1,603	0	NT MARKD:(0)
6.2	4.1	105	1	MARKED:(1)
	34.0	878	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 240-241

**V1237****051B009L:ALC DECRS EF DR**

Item Number: 01930

Question Number(s): 1B009L What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	65.3	1,688	0	NT MARKD:(0)
1.2	0.8	20	1	MARKED:(1)
	34.0	878	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 242-243

**V1238****051B009M:ALC GET SLEEP**

Item Number: 01940

Question Number(s): 1B009M What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	60.8	1,572	0	NT MARKD:(0)
8.0	5.3	137	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 244-245

**V1239****051B009N:ALC TASTES GOOD**

Item Number: 01950

Question Number(s): 1B009N What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) N. Because it tastes good

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	38.8	1,003	0	NT MARKD:(0)
41.3	27.3	705	1	MARKED:(1)
	34.0	878	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 246-247

**V1240****051B0090:ALC I AM HOOKED**

Item Number: 01960

Question Number(s): 1B0090 What have been the most important reasons for your drinking alcoholic beverages? (Mark all that apply.) 0. Because I am "hooked"--I feel I have to drink

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	64.7	1,673	0	NT MARKD:(0)
2.1	1.4	36	1	MARKED:(1)
	34.0	878	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 248-249

**V1241****051B010 :#X DRK ENF FL H**

Item Number: 01970

Question Number(s): 1B010 When you drink alcoholic beverages, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
 4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	15.6	404	1	NOT HIGH:(1)
25.4	16.8	435	2	LIT HIGH:(2)
38.3	25.4	657	3	MOD HIGH:(3)
12.8	8.5	220	4	VRy HIGH:(4)
	33.7	871	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 250-251

V1242

051B011 :DRK AL,HI24+HR

Item Number: 01980

Question Number(s): 1B011 When you drink alcoholic  
beverages, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to  
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	16.6	429	1	N GET HI:(1)
31.0	20.4	528	2	1-2 HRS:(2)
37.4	24.6	636	3	3-6 HRS:(3)
5.5	3.6	94	4	7-24 HRS:(4)
1.0	0.6	16	5	>24 HRS:(5)
	34.2	884	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 252-253

V1824

051B012:4+DRK ROW/2WK

Item Number: 00845

Question Number(s): 1B012 The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, a "drink" means any of the following: A 12-ounce can (or bottle) of beer. A 4-ounce glass of wine. A 12-ounce bottle (or can) of wine cooler. A mixed drink, shot glass of liquor, or the equivalent. Think back over the LAST TWO WEEKS. How many times (if any) have you had four or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	39.5	1,021	1	NONE:(1)
14.0	9.2	238	2	ONCE:(2)
11.9	7.8	202	3	TWICE:(3)
9.8	6.5	167	4	3-5X:(4)
2.5	1.6	42	5	6-9X:(5)
1.8	1.2	30	6	10+ TIME:(6)
	34.3	887	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 254-255



V1108

051B012 !5+DRK ROW/LST 2

Item Number: 00850

Question Number(s): 1B013 During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" [includes respondents who reported nonuse above]  
 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT VALID	PCT ALL	N	VALUE	LABEL
78.1	73.8	1,910	1	NONE:(1)
8.9	8.4	218	2	ONCE:(2)
6.0	5.7	146	3	TWICE:(3)
4.9	4.6	119	4	3-5X:(4)
1.3	1.2	32	5	6-9X:(5)
0.9	0.9	23	6	10+ TIME:(6)
	5.4	140	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 256-257

V1243

051B013 :5+DRK ROW/LST 2

Item Number: 00850

Question Number(s): 1B013 During the last two weeks, how many times (if any) have you had five or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

PCT VALID	PCT ALL	N	VALUE	LABEL
68.7	45.5	1,178	1	NONE:(1)
12.7	8.4	218	2	ONCE:(2)
8.5	5.7	146	3	TWICE:(3)
6.9	4.6	119	4	3-5X:(4)
1.8	1.2	32	5	6-9X:(5)
1.3	0.9	23	6	10+ TIME:(6)
	33.7	872	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 258-259

V1825

051B014A:10+DRK ROW/2WK

Item Number: 00853

Question Number(s): 1B014A During the last two weeks, how many times (if any) have you had 10 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	56.4	1,460	1	NONE:(1)
5.7	3.8	99	2	ONCE:(2)
4.7	3.2	82	3	TWICE:(3)
2.6	1.8	45	4	3-5X:(4)
0.9	0.6	15	5	6-9X:(5)
1.0	0.7	17	6	10+ TIME:(6)
	33.6	869	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 260-261

V1826

051B014B:15+DRK ROW/2WK

Item Number: 00855

Question Number(s): 1B014B During the last two weeks, how many times (if any) have you had 15 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	61.1	1,581	1	NONE:(1)
3.6	2.4	63	2	ONCE:(2)
2.3	1.6	40	3	TWICE:(3)
1.0	0.6	17	4	3-5X:(4)
0.3	0.2	5	5	6-9X:(5)
1.0	0.7	17	6	10+ TIME:(6)
	33.4	864	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 262-263

V1247

051B015 : \*TRY STP ALC&amp;FL

Item Number: 02020

Question Number(s): 1B015 Have you ever tried to stop using  
alcoholic beverages and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	2.9	76	1	YES:(1)
95.6	63.3	1,638	2	NO:(2)
	33.7	873	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 264-265

V1805

051B016A: #XDRUNK/LIFETIM

Item Number: 25020

Question Number(s): 1B016A On how many occasions (if any)  
have you been drunk or very high from drinking alcoholic  
beverages? A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	38.2	989	1	0 OCCAS:(1)
15.2	13.6	351	2	1-2X:(2)
10.5	9.4	243	3	3-5X:(3)
7.3	6.5	169	4	6-9X:(4)
7.9	7.0	182	5	10-19X:(5)
6.7	5.9	154	6	20-39X:(6)
9.5	8.5	220	7	40+OCCAS:(7)
	10.8	279	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 266-267

V1806

051B016B:#XDRUNK/LAST12M

Item Number: 25030

Question Number(s): 1B016B On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
53.0	47.0	1,216	1	0 OCCAS:(1)
16.9	15.0	387	2	1-2X:(2)
9.1	8.0	208	3	3-5X:(3)
6.9	6.1	157	4	6-9X:(4)
6.0	5.4	139	5	10-19X:(5)
3.6	3.2	83	6	20-39X:(6)
4.5	4.0	103	7	40+OCCAS:(7)
	11.4	294	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 268-269

V1807

051B016C:#XDRUNK/LAST30D

Item Number: 25040

Question Number(s): 1B016C On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
72.0	63.8	1,651	1	0 OCCAS:(1)
15.3	13.6	351	2	1-2X:(2)
6.4	5.7	148	3	3-5X:(3)
3.1	2.7	71	4	6-9X:(4)
2.0	1.7	45	5	10-19X:(5)
0.7	0.7	17	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	11.4	294	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 270-271

V1248

051B017 :NO ALC IN 5 YR

Item Number: 02030

Question Number(s): 1B017 Do you think you will be drinking  
alcoholic beverages five years from now?

1="I definitely will" 2="I probably will" 3="I probably will  
not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	21.4	554	1	DEF WILL:(1)
46.9	45.2	1,169	2	PRB WILL:(2)
14.5	14.0	363	3	PRB WONT:(3)
16.3	15.7	407	4	DEF WONT:(4)
	3.6	93	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 272-273

V1109

051B018A:#X HASH/LIFETIM

Item Number: 02040

Question Number(s): 1B018A The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	86.5	2,238	1	0 OCCAS:(1)
3.8	3.7	95	2	1-2X:(2)
1.8	1.7	44	3	3-5X:(3)
0.5	0.5	14	4	6-9X:(4)
0.6	0.6	15	5	10-19X:(5)
0.8	0.7	19	6	20-39X:(6)
2.1	2.0	52	7	40+OCCAS:(7)
	4.3	111	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 274-275



V1249

051B018A:#X HASH/LIFETIM

Item Number: 02040

Question Number(s): 1B018A The next questions are about MARIJUANA and HASHISH. Marijuana is sometimes called: Weed, Pot, Dope. Hashish is sometimes called: Hash, Hash oil. On how many occasions (if any) have you used hashish . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	86.5	2,238	1	0 OCCAS:(1)
3.8	3.7	95	2	1-2X:(2)
1.8	1.7	44	3	3-5X:(3)
0.5	0.5	14	4	6-9X:(4)
0.6	0.6	15	5	10-19X:(5)
0.8	0.7	19	6	20-39X:(6)
2.1	2.0	52	7	40+OCCAS:(7)
	4.3	111	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 276-277

V1110

051B018B:#X HASH/LAST12M

Item Number: 02050

Question Number(s): 1B018B On how many occasions (if any)  
have you used hashish . . . B: . . . during the last 12  
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.9	88.8	2,296	1	0 OCCAS:(1)
3.5	3.4	87	2	1-2X:(2)
0.9	0.9	23	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
1.4	1.3	34	7	40+OCCAS:(7)
	4.5	115	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 278-279

V1250

051B018B:#X HASH/LAST12M

Item Number: 02050

Question Number(s): 1B018B On how many occasions (if any)  
have you used hashish . . . B: . . . during the last 12  
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.9	88.8	2,296	1	0 OCCAS:(1)
3.5	3.4	87	2	1-2X:(2)
0.9	0.9	23	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
1.4	1.3	34	7	40+OCCAS:(7)
	4.5	115	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 280-281

V1111

051B018C:#X HASH/LAST30D

Item Number: 02060

Question Number(s): 1B018C On how many occasions (if any)  
have you used hashish . . . C: . . . during the last 30  
days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.4	92.1	2,383	1	0 OCCAS:(1)
1.4	1.4	36	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.6	0.6	15	7	40+OCCAS:(7)
	4.5	115	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 282-283

V1251

051B018C:#X HASH/LAST30D

Item Number: 02060

Question Number(s): 1B018C On how many occasions (if any)  
have you used hashish . . . C: . . . during the last 30  
days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.4	92.1	2,383	1	0 OCCAS:(1)
1.4	1.4	36	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.6	0.6	15	7	40+OCCAS:(7)
	4.5	115	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 284-285

V1112

051B019A:#X MARJ/LIFETIM

Item Number: 02070

Question Number(s): 1B019A On how many occasions (if any)  
have you used marijuana . . . A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
55.4	52.8	1,366	1	0 OCCAS:(1)
8.9	8.5	219	2	1-2X:(2)
6.7	6.4	165	3	3-5X:(3)
4.2	4.0	103	4	6-9X:(4)
5.6	5.3	138	5	10-19X:(5)
3.9	3.7	96	6	20-39X:(6)
15.3	14.6	378	7	40+OCCAS:(7)
	4.7	121	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 286-287

V1252

051B019A:#X MARJ/LIFETIM

Item Number: 02070

Question Number(s): 1B019A On how many occasions (if any)  
have you used marijuana . . . A: . . .in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
55.4	52.8	1,366	1	0 OCCAS:(1)
8.9	8.5	219	2	1-2X:(2)
6.7	6.4	165	3	3-5X:(3)
4.2	4.0	103	4	6-9X:(4)
5.6	5.3	138	5	10-19X:(5)
3.9	3.7	96	6	20-39X:(6)
15.3	14.6	378	7	40+OCCAS:(7)
	4.7	121	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 288-289

V1113

051B019B:#X MARJ/LAST12M

Item Number: 02080

Question Number(s): 1B019B On how many occasions (if any)  
have you used marijuana . . . B: . . .during the last 12  
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.4	63.4	1,639	1	0 OCCAS:(1)
9.8	9.4	243	2	1-2X:(2)
5.0	4.8	123	3	3-5X:(3)
3.5	3.4	87	4	6-9X:(4)
3.6	3.4	89	5	10-19X:(5)
3.2	3.0	78	6	20-39X:(6)
8.4	8.0	208	7	40+OCCAS:(7)
	4.6	119	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 290-291



V1253

051B019B:#X MARJ/LAST12M

Item Number: 02080

Question Number(s): 1B019B On how many occasions (if any)  
have you used marijuana . . . B: . . .during the last 12  
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.4	63.4	1,639	1	0 OCCAS:(1)
9.8	9.4	243	2	1-2X:(2)
5.0	4.8	123	3	3-5X:(3)
3.5	3.4	87	4	6-9X:(4)
3.6	3.4	89	5	10-19X:(5)
3.2	3.0	78	6	20-39X:(6)
8.4	8.0	208	7	40+OCCAS:(7)
	4.6	119	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 292-293

V1114

051B019C:#X MARJ/LAST30D

Item Number: 02090

Question Number(s): 1B019C On how many occasions (if any)  
have you used marijuana . . . C: . . . during the last 30  
days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
79.9	76.1	1,970	1	0 OCCAS:(1)
7.5	7.1	184	2	1-2X:(2)
2.9	2.7	70	3	3-5X:(3)
1.9	1.8	46	4	6-9X:(4)
2.2	2.1	55	5	10-19X:(5)
1.7	1.6	42	6	20-39X:(6)
4.0	3.8	98	7	40+OCCAS:(7)
	4.7	121	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 294-295

V1254

051B019C:#X MARJ/LAST30D

Item Number: 02090

Question Number(s): 1B019C On how many occasions (if any)  
have you used marijuana . . . C: . . . during the last 30  
days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
79.9	76.1	1,970	1	0 OCCAS:(1)
7.5	7.1	184	2	1-2X:(2)
2.9	2.7	70	3	3-5X:(3)
1.9	1.8	46	4	6-9X:(4)
2.2	2.1	55	5	10-19X:(5)
1.7	1.6	42	6	20-39X:(6)
4.0	3.8	98	7	40+OCCAS:(7)
	4.7	121	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 296-297

V1115

051B019X:#XMJ+HS/LIFETIM

Item Number: 00860

Question Number(s): 1B019X Component questions are "On how many occasions (if any) have you used hashish in your lifetime?" (Item 02040) and "On how many occasions (if any) have you used marijuana in your lifetime?" (Item 02070).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
55.3	52.6	1,360	1	0 OCCAS:(1)
8.6	8.2	212	2	1-2X:(2)
6.8	6.5	167	3	3-5X:(3)
4.1	3.9	102	4	6-9X:(4)
5.6	5.3	137	5	10-19X:(5)
4.0	3.8	99	6	20-39X:(6)
15.6	14.8	383	7	40+OCCAS:(7)
	4.9	126	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 298-299

V1116

051B019Y:#XMJ+HS/LAST12M

Item Number: 00870

Question Number(s): 1B019Y Component questions are "On how many occasions (if any) have you used hashish during the last 12 months?" (Item 02050) and "On how many occasions (if any) have you used marijuana during the last 12 months?" (Item 02080).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	63.1	1,632	1	0 OCCAS:(1)
9.1	8.6	224	2	1-2X:(2)
5.4	5.1	132	3	3-5X:(3)
3.6	3.4	88	4	6-9X:(4)
3.6	3.4	88	5	10-19X:(5)
3.1	2.9	75	6	20-39X:(6)
8.9	8.5	219	7	40+OCCAS:(7)
	5.0	129	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 300-301

V1117

051B019Z:#XMJ+HS/LAST30D

Item Number: 00880

Question Number(s): 1B019Z Component questions are "On how many occasions (if any) have you used hashish during the last 30 days?" (Item 02060) and "On how many occasions (if any) have you used marijuana during the last 30 days?" (Item 02090).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	75.7	1,958	1	0 OCCAS:(1)
6.9	6.6	170	2	1-2X:(2)
3.2	3.0	78	3	3-5X:(3)
1.6	1.6	40	4	6-9X:(4)
2.4	2.3	60	5	10-19X:(5)
1.7	1.6	43	6	20-39X:(6)
4.2	4.0	104	7	40+OCCAS:(7)
	5.2	133	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 302-303

V1255

051B020A:#X/YR MJ ALONE

Item Number: 02100

Question Number(s): 1B020A IF YOU HAVE NOT USED MARIJUANA OR HASHISH IN THE LAST TWELVE MONTHS GO TO QUESTION 28. When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	20.3	524	1	NOT @ALL:(1)
18.8	6.0	155	2	FEW TIME:(2)
11.8	3.8	98	3	SOM TIME:(3)
3.5	1.1	29	4	MST TIME:(4)
2.5	0.8	21	5	EVRYTIME:(5)
	68.0	1,758	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 304-305

V1256

051B020B:#X/YR MJ-2 PPL

Item Number: 02110

Question Number(s): 1B020B When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	2.8	73	1	NOT @ALL:(1)
26.8	8.6	222	2	FEW TIME:(2)
18.5	5.9	153	3	SOM TIME:(3)
28.5	9.1	235	4	MST TIME:(4)
17.4	5.5	143	5	EVRYTIME:(5)
	68.1	1,761	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 306-307



V1257

051B020C:#X/YR MJ@PARTY

Item Number: 02120

Question Number(s): 1B020C When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	8.3	214	1	NOT @ALL:(1)
23.7	7.6	196	2	FEW TIME:(2)
21.9	7.0	180	3	SOM TIME:(3)
14.0	4.5	115	4	MST TIME:(4)
14.4	4.6	119	5	EVRYTIME:(5)
	68.1	1,762	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 308-309

V1258

051B020D:#X/YR MJ-DT/SP

Item Number: 02130

Question Number(s): 1B020D When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	17.4	449	1	NOT @ALL:(1)
17.2	5.5	142	2	FEW TIME:(2)
13.6	4.3	112	3	SOM TIME:(3)
6.7	2.2	56	4	MST TIME:(4)
8.1	2.6	67	5	EVRYTIME:(5)
	68.1	1,760	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 310-311

V1259

051B020E:#X/YR MJ-ADLTS

Item Number: 02140

Question Number(s): 1B020E When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	21.6	558	1	NOT @ALL:(1)
18.4	5.9	152	2	FEW TIME:(2)
9.1	2.9	75	3	SOM TIME:(3)
2.4	0.8	19	4	MST TIME:(4)
2.7	0.9	23	5	EVRYTIME:(5)
	68.0	1,759	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 312-313

V1260

051B020F:#X/YR MJ-DATIME

Item Number: 02150

Question Number(s): 1B020F When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	12.6	326	1	NOT @ALL:(1)
23.3	7.4	193	2	FEW TIME:(2)
20.5	6.6	170	3	SOM TIME:(3)
11.3	3.6	93	4	MST TIME:(4)
5.6	1.8	46	5	EVRYTIME:(5)
	68.0	1,759	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 314-315

V1261

051B020G:#X/YR MJ@HOME

Item Number: 02160

Question Number(s): 1B020G When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	16.3	421	1	NOT @ALL:(1)
21.1	6.7	174	2	FEW TIME:(2)
13.9	4.4	115	3	SOM TIME:(3)
8.3	2.6	68	4	MST TIME:(4)
5.7	1.8	47	5	EVRYTIME:(5)
	68.1	1,762	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 316-317

V1262

051B020H:#X/YR MJ@SCHL

Item Number: 02170

Question Number(s): 1B020H When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	25.4	658	1	NOT @ALL:(1)
10.7	3.4	88	2	FEW TIME:(2)
5.7	1.8	47	3	SOM TIME:(3)
1.5	0.5	12	4	MST TIME:(4)
2.4	0.8	19	5	EVRYTIME:(5)
	68.1	1,762	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 318-319

V1263

051B020I:#X/YR MJIN CAR

Item Number: 02190

Question Number(s): 1B020I When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	9.8	252	1	NOT @ALL:(1)
20.9	6.7	172	2	FEW TIME:(2)
22.4	7.1	184	3	SOM TIME:(3)
16.7	5.3	138	4	MST TIME:(4)
9.5	3.0	78	5	EVRYTIME:(5)
	68.1	1,762	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 320-321

V1813

051B020J:#X/YR MJ@PARK/BH

Item Number: 30930

Question Number(s): 1B020J When you used marijuana or hashish during the last year, how often did you use it in each of the following situations? J. At a park or beach

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	17.1	442	1	NOT @ALL:(1)
17.9	5.7	147	2	FEW TIME:(2)
15.0	4.8	124	3	SOM TIME:(3)
7.8	2.5	64	4	MST TIME:(4)
5.6	1.8	46	5	EVRYTIME:(5)
	68.1	1,762	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 322-323

V1264

051B021 :#X OVL MJ+ ALC

Item Number: 02200

Question Number(s): 1B021 How many of the times when you used marijuana or hashish during the last year did you use it along with alcohol--that is, so that their effects overlapped?

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	11.8	306	1	NOT @ALL:(1)
25.4	8.0	207	2	FEW TIME:(2)
23.4	7.3	190	3	SOM TIME:(3)
9.0	2.8	73	4	MST TIME:(4)
4.5	1.4	37	5	EVRYTIME:(5)
	68.6	1,774	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 324-325

V1265

051B022A:MJ EXPERIMENT

Item Number: 02210

Question Number(s): 1B022A What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	12.6	326	0	NT MARKD:(0)
59.7	18.7	484	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 326-327



**V1266****051B022B:MJ RELAX**

Item Number: 02220

Question Number(s): 1B022B What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	13.1	338	0	NT MARKD:(0)
58.3	18.2	472	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 328-329

**V1267****051B022C:MJ GET HIGH**

Item Number: 02230

Question Number(s): 1B022C What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	9.1	237	0	NT MARKD:(0)
70.8	22.2	573	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 330-331

**V1268****051B022D:MJ SEEK INSIGHT**

Item Number: 02240

Question Number(s): 1B022D What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	25.0	646	0	NT MARKD:(0)
20.3	6.4	164	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 332-333

**V1269****051B022E:MJ GD TM FRNDS**

Item Number: 02250

Question Number(s): 1B022E What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	10.6	274	0	NT MARKD:(0)
66.1	20.7	536	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 334-335

**V1270****051B022F:MJ FIT IN GRP**

Item Number: 02260

Question Number(s): 1B022F What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	28.8	746	0	NT MARKD:(0)
7.9	2.5	64	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 336-337

**V1271****051B022G:MJ GET AWY PRB**

Item Number: 02270

Question Number(s): 1B022G What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	22.5	583	0	NT MARKD:(0)
28.0	8.8	227	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 338-339

**V1272****051B022H:MJ BOREDOM**

Item Number: 02280

Question Number(s): 1B022H What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	20.8	538	0	NT MARKD:(0)
33.6	10.5	272	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 340-341

**V1273****051B022I:MJ ANGR&FRUSTRN**

Item Number: 02290

Question Number(s): 1B022I What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	25.3	655	0	NT MARKD:(0)
19.1	6.0	155	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 342-343

**V1274****051B022J:MJ GET THRU DAY**

Item Number: 02300

Question Number(s): 1B022J What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	27.2	704	0	NT MARKD:(0)
13.1	4.1	106	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 344-345

**V1275****051B022K:MJ INCRS EF DRG**

Item Number: 02310

Question Number(s): 1B022K What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	27.2	704	0	NT MARKD:(0)
13.1	4.1	106	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 346-347

**V1276****051B022L:MJ DECRS EF DRG**

Item Number: 02320

Question Number(s): 1B022L What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	30.4	785	0	NT MARKD:(0)
3.1	1.0	25	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 348-349

**V1277****051B022M:MJ I AM HOOKED**

Item Number: 02330

Question Number(s): 1B022M What have been the most important reasons for your using marijuana or hashish? (Mark all that apply.) M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	29.9	773	0	NT MARKD:(0)
4.5	1.4	36	1	MARKED:(1)
	68.7	1,777	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 350-351

V1278	051B023 :MJ/HSH,VRY HIGH
-------	--------------------------

Item Number: 02340

Question Number(s): 1B023 When you use marijuana or hashish, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	2.0	52	1	NOT HIGH:(1)
20.8	6.6	169	2	LIT HIGH:(2)
42.8	13.5	348	3	MOD HIGH:(3)
29.9	9.4	243	4	VRY HIGH:(4)
	68.6	1,773	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 352-353

V1279	051B024 :MJ/HSH,HI 24+HR
-------	--------------------------

Item Number: 02350

Question Number(s): 1B024 When you use marijuana or hashish, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	2.4	62	1	N GET HI:(1)
52.5	16.6	428	2	1-2 HRS:(2)
34.9	11.0	285	3	3-6 HRS:(3)
3.7	1.2	30	4	7-24 HRS:(4)
1.3	0.4	11	5	>24 HRS:(5)
	68.5	1,771	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 354-355

V1280

051B025 :JOINT/DA LST MO

Item Number: 02360

Question Number(s): 1B025 During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only the amount YOU smoked.)

1="None" 2="Less than 1 a day" 3="1 a day" 4="2-3 a day" 5="4-6 a day" 6="7-10 a day" 7="11 or more a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	13.0	336	1	NONE:(1)
27.1	7.7	199	2	<1/DAY:(2)
8.2	2.3	60	3	1/DAY:(3)
10.1	2.9	74	4	2-3/DAY:(4)
4.5	1.3	33	5	4-6/DAY:(5)
2.2	0.6	16	6	7-10/DAY:(6)
2.1	0.6	16	7	11+/DAY:(7)
	71.6	1,852	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 356-357



V1281	051B026 :OZS.MJ LST MO/6
-------	--------------------------

Item Number: 02370

Question Number(s): 1B026 Do you know how much marijuana  
you have used (in ounces) during the LAST MONTH?

1="None" 2="Less than 1/2 ounce" 3="About 1/2 ounce" 4="About  
1 ounce" 5="About 2 ounces" 6="3 to 5 ounces" 7="6 or more  
ounces" 8="Don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	10.9	282	1	NONE:(1)
15.5	4.4	113	2	< 1/2 OZ:(2)
7.4	2.1	54	3	1/2 OZ:(3)
7.0	2.0	51	4	1 OZ:(4)
7.1	2.0	52	5	2 OZ:(5)
4.0	1.1	29	6	3-5 OZ:(6)
2.9	0.8	21	7	6+ OZ:(7)
17.6	5.0	129	8	INAP/DK:(8)
	71.7	1,855	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 358-359

V1282	051B027 :*TRY STP MJ &FL
-------	--------------------------

Item Number: 02380

Question Number(s): 1B027 Have you ever tried to stop using  
marijuana or hashish and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	2.5	65	1	YES:(1)
92.0	28.8	744	2	NO:(2)
	68.7	1,778	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 360-361

**V1706****051B028 :MJ/HSB EVR DLY**

Item Number: 21180

Question Number(s): 1B028 Thinking back over your whole life, has there ever been a period when you used marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="No--GO TO QUESTION 32" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	79.8	2,064	1	NO:(1)
14.5	13.6	351	2	YES:(2)
	6.6	172	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 362-363

**V1707****051B029 :GR 1ST DAILY MJ**

Item Number: 21190

Question Number(s): 1B029 How old were you when you first smoked marijuana or hashish that frequently?

1="Grade 6 or earlier" 2="Grade 7 or 8" 3="Grade 9 (Freshman)"  
 4="Grade 10 (Sophomore)" 5="Grade 11 (Junior)" 6="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	1.1	29	1	GRADE 6:(1)
22.8	3.5	90	2	GRADE 7-:(2)
23.1	3.5	91	3	GRADE 9:(3)
25.8	3.9	101	4	GRADE 10:(4)
15.6	2.4	61	5	GRADE 11:(5)
5.4	0.8	21	6	GRADE 12:(6)
	84.8	2,193	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 364-365

V1708

051B030 :RECENT DAILY MJ

Item Number: 21200

Question Number(s): 1B030 How recently did you use marijuana or hashish on a daily, or almost daily, basis for at least a month?

1="During the past month" 2="2 months ago" 3="3 to 9 months ago" 4="About 1 year ago" 5="About 2 years ago" 6="3 or more years ago"

PCT VALID	PCT ALL	N	VALUE	LABEL
35.8	5.4	140	1	PAST MON:(1)
10.0	1.5	39	2	2 MO AGO:(2)
13.7	2.1	53	3	3-9 MO:(3)
14.7	2.2	57	4	ABT 1 YR:(4)
17.5	2.6	68	5	ABT 2 YR:(5)
8.4	1.3	33	6	3+ YRS:(6)
	84.9	2,196	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 366-367

V1709

051B031 :#X DAILY MJ/LFT

Item Number: 21210

Question Number(s): 1B031 Over your whole lifetime, during how many months have you used marijuana or hashish on a daily or near-daily basis?

1="Less than 3 months" 2="3 to 9 months" 3="About 1 year"  
4="About 1 and 1/2 years" 5="About 2 years" 6="About 3 to 5 years" 7="6 to 9 years" 8="10 or more years"

PCT VALID	PCT ALL	N	VALUE	LABEL
32.1	4.8	125	1	<3 MON:(1)
22.1	3.3	86	2	3-9 MO:(2)
9.8	1.5	38	3	ABT 1 YR:(3)
10.2	1.5	40	4	1 1/2 YR:(4)
8.7	1.3	34	5	ABT 2 YR:(5)
13.4	2.0	52	6	3-5 YRS:(6)
1.6	0.2	6	7	6-9 YRS:(7)
2.1	0.3	8	8	10+ YRS:(8)
	85.0	2,199	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 368-369

V1283

051B032 :NO MJ/HSB IN5YR

Item Number: 02390

Question Number(s): 1B032 Do you think you will be using  
marijuana or hashish five years from now?

1="I definitely will" 2="I probably will" 3="I probably will  
not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.8	72	1	DEF WILL:(1)
9.8	9.2	238	2	PRB WILL:(2)
19.8	18.6	482	3	PRB WONT:(3)
67.5	63.6	1,645	4	DEF WONT:(4)
	5.8	149	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 370-371

V1118

051B033A:#X LSD/LIFETIME

Item Number: 00890

Question Number(s): 1B033A The next questions are about  
 LSD, the hallucinogenic drug which is sometimes called  
 "acid". On how many occasions (if any) have you used LSD. .  
 . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	89.3	2,310	1	0 OCCAS:(1)
2.5	2.4	61	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.5	0.4	11	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	6.9	180	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 372-373

V1284

051B033A:#X LSD/LIFETIME

Item Number: 00890

Question Number(s): 1B033A The next questions are about  
 LSD, the hallucinogenic drug which is sometimes called  
 "acid". On how many occasions (if any) have you used LSD. .  
 . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	89.3	2,310	1	0 OCCAS:(1)
2.5	2.4	61	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.5	0.4	11	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	6.9	180	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 374-375

V1119

051B033B:#X LSD/LAST 12M

Item Number: 00900

Question Number(s): 1B033B On how many occasions (if any)  
have you used LSD. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	91.0	2,354	1	0 OCCAS:(1)
1.1	1.0	27	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	6.9	179	-9	MISSING

-----

100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 376-377



V1285

051B033B:#X LSD/LAST 12M

Item Number: 00900

Question Number(s): 1B033B On how many occasions (if any)  
have you used LSD). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	91.0	2,354	1	0 OCCAS:(1)
1.1	1.0	27	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	6.9	179	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 378-379

V1120

051B033C:#X LSD/LAST 30D

Item Number: 00910

Question Number(s): 1B033C On how many occasions (if any)  
have you used LSD). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	92.1	2,383	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	6.9	180	-9	MISSING

-----

100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 380-381

V1286

051B033C:#X LSD/LAST 30D

Item Number: 00910

Question Number(s): 1B033C On how many occasions (if any)  
have you used LSD. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	92.1	2,383	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	6.9	180	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 382-383

V1287

051B034A:#X/YR LSD ALONE

Item Number: 02400

Question Number(s): 1B034A IF YOU HAVE NOT TAKEN LSD IN THE  
 LAST TWELVE MONTHS, GO TO QUESTION 41. When you used LSD  
 during the last year, how often did you use it in each of the  
 following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	1.4	37	1	NOT @ALL:(1)
11.2	0.2	6	2	FEW TIME:(2)
6.9	0.2	4	3	SOM TIME:(3)
7.0	0.2	4	4	MST TIME:(4)
10.5	0.2	6	5	EVRYTIME:(5)
	97.8	2,529	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 384-385

V1288

051B034B:#X/YR LSD-2 PPL

Item Number: 02410

Question Number(s): 1B034B When you used LSD during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	0.5	13	1	NOT @ALL:(1)
29.5	0.7	17	2	FEW TIME:(2)
13.2	0.3	8	3	SOM TIME:(3)
4.0	0.1	2	4	MST TIME:(4)
30.9	0.7	18	5	EVRYTIME:(5)
	97.8	2,529	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 386-387

V1289

051B034C:#X/YR LSD@PARTY

Item Number: 02420

Question Number(s): 1B034C When you used LSD during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	1.2	31	1	NOT @ALL:(1)
8.3	0.2	5	2	FEW TIME:(2)
17.0	0.4	10	3	SOM TIME:(3)
2.1	0.0	1	4	MST TIME:(4)
20.2	0.5	12	5	EVRYTIME:(5)
	97.7	2,528	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 388-389

**V1290****051B034D:#X/YR LSD-DT/SP**

Item Number: 02430

Question Number(s): 1B034D When you used LSD during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	1.4	36	1	NOT @ALL:(1)
1.6	0.0	1	2	FEW TIME:(2)
6.3	0.1	4	3	SOM TIME:(3)
2.7	0.1	1	4	MST TIME:(4)
26.2	0.6	15	5	EVRYTIME:(5)
	97.8	2,530	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 390-391

**V1291****051B034E:#X/YR LSD-ADLTS**

Item Number: 02440

Question Number(s): 1B034E When you used LSD during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	1.7	44	1	NOT @ALL:(1)
0.0	0.0	0	2	FEW TIME:(2)
10.6	0.2	6	3	SOM TIME:(3)
5.2	0.1	3	4	MST TIME:(4)
9.4	0.2	6	5	EVRYTIME:(5)
	97.7	2,528	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 392-393

V1292

051B034F:#X/YR LSD-DATIM

Item Number: 02450

Question Number(s): 1B034F When you used LSD during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	1.2	30	1	NOT @ALL:(1)
17.5	0.4	10	2	FEW TIME:(2)
12.8	0.3	7	3	SOM TIME:(3)
4.6	0.1	3	4	MST TIME:(4)
12.1	0.3	7	5	EVRYTIME:(5)
	97.8	2,530	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 394-395

V1293

051B034G:#X/YR LSD@HOME

Item Number: 02460

Question Number(s): 1B034G When you used LSD during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.7	1.3	35	1	NOT @ALL:(1)
13.7	0.3	8	2	FEW TIME:(2)
13.8	0.3	8	3	SOM TIME:(3)
1.7	0.0	1	4	MST TIME:(4)
11.0	0.2	6	5	EVRYTIME:(5)
	97.8	2,528	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 396-397

V1294

051B034H:#X/YR LSD@SCHL

Item Number: 02470

Question Number(s): 1B034H When you used LSD during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	1.6	42	1	NOT @ALL:(1)
1.8	0.0	1	2	FEW TIME:(2)
15.2	0.3	9	3	SOM TIME:(3)
1.9	0.0	1	4	MST TIME:(4)
8.0	0.2	5	5	EVRYTIME:(5)
	97.8	2,528	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 398-399

V1295

051B034I:#X/YR LSDIN CAR

Item Number: 02490

Question Number(s): 1B034I When you used LSD during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	1.3	32	1	NOT @ALL:(1)
11.9	0.3	7	2	FEW TIME:(2)
15.8	0.4	9	3	SOM TIME:(3)
5.6	0.1	3	4	MST TIME:(4)
10.8	0.2	6	5	EVRYTIME:(5)
	97.8	2,528	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 400-401



V1296

051B035A:#X OVL LSD+ ALC

Item Number: 02500

Question Number(s): 1B035A How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	1.0	25	1	NOT @ALL:(1)
8.5	0.2	4	2	FEW TIME:(2)
24.5	0.5	12	3	SOM TIME:(3)
2.3	0.0	1	4	MST TIME:(4)
14.6	0.3	7	5	EVRYTIME:(5)
	98.1	2,537	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 402-403

V1297

051B035B:#X OVL LSD+ MJ

Item Number: 02510

Question Number(s): 1B035B How many of the times when you used LSD during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	0.5	13	1	NOT @ALL:(1)
14.4	0.3	8	2	FEW TIME:(2)
14.3	0.3	8	3	SOM TIME:(3)
10.8	0.2	6	4	MST TIME:(4)
37.7	0.8	21	5	EVRYTIME:(5)
	97.9	2,531	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 404-405

V1298

051B036A:LSD EXPERIMENT

Item Number: 02520

Question Number(s): 1B036A What have been the most important reasons for your taking LSD? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	0.6	15	0	NT MARKD:(0)
72.1	1.5	39	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 406-407

**V1299****051B036B:LSD RELAX**

Item Number: 02530

Question Number(s): 1B036B What have been the most important reasons for your taking LSD? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	1.8	48	0	NT MARKD:(0)
11.3	0.2	6	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 408-409

**V1300****051B036C:LSD GET HIGH**

Item Number: 02540

Question Number(s): 1B036C What have been the most important reasons for your taking LSD? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	1.2	30	0	NT MARKD:(0)
43.5	0.9	23	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 410-411

**V1301****051B036D:LSD SEEK INSGHT**

Item Number: 02550

Question Number(s): 1B036D What have been the most important reasons for your taking LSD? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	1.6	41	0	NT MARKD:(0)
24.7	0.5	13	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 412-413

**V1302****051B036E:LSD GD TM FRNDS**

Item Number: 02560

Question Number(s): 1B036E What have been the most important reasons for your taking LSD? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	1.3	33	0	NT MARKD:(0)
38.6	0.8	21	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 414-415

**V1303****051B036F:LSD FIT IN GRP**

Item Number: 02570

Question Number(s): 1B036F What have been the most important reasons for your taking LSD? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	1.9	48	0	NT MARKD:(0)
10.6	0.2	6	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 416-417

**V1304****051B036G:LSD GT AWY PRB**

Item Number: 02580

Question Number(s): 1B036G What have been the most important reasons for your taking LSD? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	1.9	49	0	NT MARKD:(0)
8.3	0.2	4	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 418-419

**V1305****051B036H:LSD BOREDOM**

Item Number: 02590

Question Number(s): 1B036H What have been the most important reasons for your taking LSD? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	1.6	41	0	NT MARKD:(0)
24.3	0.5	13	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 420-421

**V1306****051B036I:LSD ANGR&FRSTRN**

Item Number: 02600

Question Number(s): 1B036I What have been the most important reasons for your taking LSD? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	2.0	51	0	NT MARKD:(0)
5.5	0.1	3	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 422-423

**V1307****051B036J:LSD GT THRU DAY**

Item Number: 02610

Question Number(s): 1B036J What have been the most important reasons for your taking LSD? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	1.9	50	0	NT MARKD:(0)
7.9	0.2	4	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 424-425

**V1308****051B036K:LSD INCRS EF DR**

Item Number: 02620

Question Number(s): 1B036K What have been the most important reasons for your taking LSD? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	1.7	44	0	NT MARKD:(0)
18.1	0.4	10	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 426-427

**V1309****051B036L:LSD DCRS EF DRG**

Item Number: 02630

Question Number(s): 1B036L What have been the most important reasons for your taking LSD? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	2.1	53	0	NT MARKD:(0)
0.8	0.0	0	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 428-429

**V1310****051B036M:LSD I AM HOOKED**

Item Number: 02640

Question Number(s): 1B036M What have been the most important reasons for your taking LSD? (Mark all that apply.) M. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	2.0	51	0	NT MARKD:(0)
5.5	0.1	3	1	MARKED:(1)
	97.9	2,533	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 430-431



V1311	051B037 :LSD,GET VERY HI
-------	--------------------------

Item Number: 02650

Question Number(s): 1B037 When you take LSD, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	0.1	3	1	NOT HIGH:(1)
6.4	0.1	3	2	LIT HIGH:(2)
12.7	0.3	7	3	MOD HIGH:(3)
75.5	1.5	40	4	VRV HIGH:(4)
	98.0	2,534	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 432-433

V1312	051B038 :LSD,HIGH 24+ HR
-------	--------------------------

Item Number: 02660

Question Number(s): 1B038 When you take LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	2	1	N GET HI:(1)
0.8	0.0	0	2	1-2 HRS:(2)
21.8	0.4	11	3	3-6 HRS:(3)
63.6	1.2	31	4	7-24 HRS:(4)
10.7	0.2	5	5	>24 HRS:(5)
	98.1	2,537	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 434-435

**V1313****051B039 :1+ BAD TRIP LSD**

Item Number: 02670

Question Number(s): 1B039 Have you ever had a "bad trip" on LSD?

1="No" 2="Yes, once" 3="Yes, more than once"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	1.1	30	1	NO:(1)
22.1	0.5	12	2	ONCE:(2)
24.0	0.5	13	3	> ONCE:(3)
	97.9	2,532	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 436-437

**V1314****051B040 :\*TRY STP LSD&FL**

Item Number: 02680

Question Number(s): 1B040 Have you ever tried to stop using LSD and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.2	6	1	YES:(1)
88.1	1.8	48	2	NO:(2)
	97.9	2,532	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 438-439

V1315

051B041 :NO LSD IN 5 YRS

Item Number: 02690

Question Number(s): 1B041 Do you think you will be using  
LSD five years from now?

1="I definitely will" 2="I probably will" 3="I probably will  
not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	16	1	DEF WILL:(1)
1.1	1.0	25	2	PRB WILL:(2)
6.5	5.8	149	3	PRB WONT:(3)
91.7	81.4	2,107	4	DEF WONT:(4)
	11.2	289	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 440-441

V1121

051B042A:#X PSYD/LIFETIM

Item Number: 00920

Question Number(s): 1B042A The next questions are about HALLUCINOGENS OTHER THAN LSD. This group would include the following drugs: Mescaline, Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions (if any) have you taken hallucinogens other than LSD . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	84.3	2,180	1	0 OCCAS:(1)
4.0	3.7	95	2	1-2X:(2)
2.0	1.9	48	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.9	0.8	20	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	8.2	213	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 442-443

V1316

051B042A:#X PSYD/LIFETIM

Item Number: 00920

Question Number(s): 1B042A The next questions are about HALLUCINOGENS OTHER THAN LSD. This group would include the following drugs: Mescaline, Peyote, "Shrooms" or Psilocybin, PCP. On how many occasions (if any) have you taken hallucinogens other than LSD . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	84.3	2,180	1	0 OCCAS:(1)
4.0	3.7	95	2	1-2X:(2)
2.0	1.9	48	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.9	0.8	20	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	8.2	213	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 444-445

V1122

051B042B:#X PSYD/LAST12M

Item Number: 00930

Question Number(s): 1B042B On how many occasions (if any)  
have you taken hallucinogens other than LSD. . . B: . . .  
during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.8	86.9	2,247	1	0 OCCAS:(1)
3.0	2.7	70	2	1-2X:(2)
1.2	1.1	28	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	8.3	215	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 446-447

V1317

051B042B:#X PSYD/LAST12M

Item Number: 00930

Question Number(s): 1B042B On how many occasions (if any)  
have you taken hallucinogens other than LSD. . . B: . . .  
during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.8	86.9	2,247	1	0 OCCAS:(1)
3.0	2.7	70	2	1-2X:(2)
1.2	1.1	28	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	8.3	215	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 448-449

V1123

051B042C:#X PSYD/LAST30D

Item Number: 00940

Question Number(s): 1B042C On how many occasions (if any)  
 have you taken hallucinogens other than LSD. . . C: . . .  
 during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.9	89.7	2,320	1	0 OCCAS:(1)
1.3	1.2	30	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	8.4	217	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 450-451



V1318

051B042C:#X PSYD/LAST30D

Item Number: 00940

Question Number(s): 1B042C On how many occasions (if any)  
have you taken hallucinogens other than LSD. . . C: . . .  
during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	89.7	2,320	1	0 OCCAS:(1)
1.3	1.2	30	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	8.4	217	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 452-453

V1319

051B043 :PSYD,GT VERY HI

Item Number: 02700

Question Number(s): 1B043 IF YOU HAVE NOT TAKEN ANY  
HALLUCINOGENS OTHER THAN LSD IN THE LAST TWELVE MONTHS, GO TO  
QUESTION 46. When you take hallucinogens other than LSD how  
high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.2	6	1	NOT HIGH:(1)
7.7	0.4	10	2	LIT HIGH:(2)
16.2	0.8	21	3	MOD HIGH:(3)
71.4	3.6	94	4	VRV HIGH:(4)
	94.9	2,455	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 454-455

V1320

051B044 :PSYD,HI 24+ HRS

Item Number: 02710

Question Number(s): 1B044 When you take hallucinogens other  
than LSD, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to  
six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.2	6	1	N GET HI:(1)
3.2	0.2	4	2	1-2 HRS:(2)
52.7	2.7	69	3	3-6 HRS:(3)
37.9	1.9	49	4	7-24 HRS:(4)
1.5	0.1	2	5	>24 HRS:(5)
	95.0	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 456-457

**V1321****051B045A:TKN YR,MESCALIN**

Item Number: 02720

Question Number(s): 1B045A What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) A. Mescaline

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	4.2	109	0	NT MARKD:(0)
14.4	0.7	18	1	MARKED:(1)
	95.1	2,459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 458-459

**V1322****051B045B:TKN YR,PEYOTE**

Item Number: 02730

Question Number(s): 1B045B What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) B. Peyote

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	4.3	112	0	NT MARKD:(0)
12.3	0.6	16	1	MARKED:(1)
	95.1	2,459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 460-461

**V1323****051B045C:TKN YR,PSILOCYB**

Item Number: 02740

Question Number(s): 1B045C What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) C. Psilocybin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	0.9	23	0	NT MARKD:(0)
81.9	4.0	104	1	MARKED:(1)
	95.1	2,459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 462-463

**V1324****051B045D:TKN YR,PCP**

Item Number: 02750

Question Number(s): 1B045D What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) D. PCP

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	4.3	111	0	NT MARKD:(0)
12.8	0.6	16	1	MARKED:(1)
	95.1	2,459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 464-465

**V1325****051B045E:TKN YR,CNCT THC**

Item Number: 02760

Question Number(s): 1B045E What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) E. Concentrated THC

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	4.2	109	0	NT MARKD:(0)
14.5	0.7	18	1	MARKED:(1)
	95.1	2,459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 466-467

**V1326****051B045F:TKN YR,OTH PSYD**

Item Number: 02770

Question Number(s): 1B045F What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	3.7	95	0	NT MARKD:(0)
25.8	1.3	33	1	MARKED:(1)
	95.1	2,459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 468-469

V1327

051B045G:TKN YR,DK NAME

Item Number: 02780

Question Number(s): 1B045G What hallucinogens other than LSD have you taken during the last year? (Mark all that apply.) G. Don't know the names of some I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	4.4	113	0	NT MARKD:(0)
11.6	0.6	15	1	MARKED:(1)
	95.1	2,459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 470-471

V1710

051B046A:#X DIETPILL/LFT

Item Number: 21220

Question Number(s): 1B046A The next questions are about some non-prescription drugs. Some types of diet pills (also called appetite suppressants) can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These "over-the-counter" drugs include Dexatrim(R), Dietac(R), and others. On how many occasions (if any) have you taken such non-prescription diet pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	80.3	2,076	1	0 OCCAS:(1)
4.3	4.0	104	2	1-2X:(2)
2.2	2.1	54	3	3-5X:(3)
1.6	1.5	39	4	6-9X:(4)
1.5	1.4	36	5	10-19X:(5)
1.1	1.1	27	6	20-39X:(6)
2.8	2.6	68	7	40+OCCAS:(7)
	7.1	183	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 472-473

V1711

051B046B:#X DIETPILL/12M

Item Number: 21230

Question Number(s): 1B046B On how many occasions (if any)  
have you taken such non-prescription diet pills . . . B: . .  
. during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
90.1	83.8	2,168	1	0 OCCAS:(1)
3.5	3.2	83	2	1-2X:(2)
1.7	1.6	40	3	3-5X:(3)
0.9	0.8	22	4	6-9X:(4)
1.3	1.2	31	5	10-19X:(5)
1.3	1.2	31	6	20-39X:(6)
1.3	1.2	32	7	40+OCCAS:(7)
	6.9	180	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 474-475



V1712

051B046C:#X DIETPILL/30D

Item Number: 21240

Question Number(s): 1B046C On how many occasions (if any)  
have you taken such non-prescription diet pills . . . C: . .  
. during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.6	88.9	2,300	1	0 OCCAS:(1)
1.4	1.3	34	2	1-2X:(2)
0.8	0.7	19	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.8	0.7	18	5	10-19X:(5)
0.7	0.7	17	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	7.0	180	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 476-477

V1713

051B047A:#X STA-AWAK/LFT

Item Number: 21250

Question Number(s): 1B047A Some stay-awake pills can be sold legally without a doctor's prescription by drugstores, through the mail, etc. These non-prescription or "over-the-counter" drugs include No-Doz(R), Vivarin(R), Wake(R), Caffeine(R), and others. On how many occasions (if any) have you taken such non-prescription stay-awake pills . . .A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	78.4	2,029	1	0 OCCAS:(1)
7.1	6.6	171	2	1-2X:(2)
2.6	2.4	62	3	3-5X:(3)
2.3	2.1	54	4	6-9X:(4)
1.2	1.2	30	5	10-19X:(5)
0.8	0.7	18	6	20-39X:(6)
1.7	1.6	40	7	40+OCCAS:(7)
	7.0	182	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 478-479

V1714

051B047B:#X STA-AWAK/12M

Item Number: 21260

Question Number(s): 1B047B On how many occasions (if any)  
have you taken such non-prescription stay-awake pills . . .B:  
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	83.4	2,156	1	0 OCCAS:(1)
5.2	4.8	125	2	1-2X:(2)
1.6	1.5	39	3	3-5X:(3)
1.4	1.3	33	4	6-9X:(4)
0.6	0.5	13	5	10-19X:(5)
0.9	0.8	21	6	20-39X:(6)
0.6	0.6	15	7	40+OCCAS:(7)
	7.1	183	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 480-481

V1715

051B047C:#X STA-AWAK/30D

Item Number: 21270

Question Number(s): 1B047C On how many occasions (if any)  
have you taken such non-prescription stay-awake pills . . .C:  
. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	89.1	2,304	1	0 OCCAS:(1)
2.3	2.1	55	2	1-2X:(2)
0.5	0.4	11	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	7.1	185	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 482-483

V1716

051B048A:#X LOOKALIK/LFT

Item Number: 21280

Question Number(s): 1B048A In addition to non-prescription diet and stay-awake pills, there are other stimulants and pep pills which can be sold legally in most states without a prescription--usually by mail. These are sometimes called "fake pep pills," "imitation speed," or "look-alikes," because they look like prescription amphetamines and sometimes have similar names. Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	86.0	2,225	1	0 OCCAS:(1)
3.2	2.9	76	2	1-2X:(2)
1.3	1.2	31	3	3-5X:(3)
0.7	0.6	16	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.5	0.4	11	6	20-39X:(6)
0.8	0.7	19	7	40+OCCAS:(7)
	7.3	189	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 484-485

V1717

051B048B:#X LOOKALIK/12M

Item Number: 21290

Question Number(s): 1B048B Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	89.0	2,301	1	0 OCCAS:(1)
1.9	1.8	46	2	1-2X:(2)
0.7	0.6	16	3	3-5X:(3)
0.5	0.4	11	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.4	0.3	9	7	40+OCCAS:(7)
	7.2	187	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 486-487

V1718

051B048C:#X LOOKALIK/30D

Item Number: 21300

Question Number(s): 1B048C Other than the diet pills and stay-awake pills you have already told us about, on how many occasions (if any) have you taken other non-prescription stimulants or pep pills . . .C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	91.0	2,353	1	0 OCCAS:(1)
0.7	0.7	17	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.2	0.1	4	4	6-9X:(4)
0.1	0.1	4	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	7.3	189	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 488-489

V1328

051B049 :DR TOLD TK AMPH

Item Number: 02790

Question Number(s): 1B049 The next questions are about AMPHETAMINES, which doctors have prescribed to help people lose weight or to give people more energy. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines are sometimes called: Uppers, Ups, Speed, Bennies, Dexies, Pep Pills, Diet Pills, Meth or Crystal Meth. They include the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Preludin, Dexamyl, Methamphetamine. IN YOUR ANSWERS ABOUT AMPHETAMINES, \_DO NOT\_ INCLUDE ANY NON-PRESCRIPTION OR OVER-THE-COUNTER DRUGS. Have you ever taken amphetamines because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."  
3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	86.9	2,248	1	NO:(1)
2.2	2.1	53	2	YES BUT:(2)
4.7	4.4	113	3	YES 1ST:(3)
	6.6	172	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 490-491



V1127

051B050A:#X AMPH/LIFETIM

Item Number: 00980

Question Number(s): 1B050A On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	84.2	2,178	1	0 OCCAS:(1)
3.0	2.7	71	2	1-2X:(2)
1.1	1.0	27	3	3-5X:(3)
1.1	1.1	27	4	6-9X:(4)
0.9	0.9	22	5	10-19X:(5)
1.3	1.2	31	6	20-39X:(6)
1.7	1.5	40	7	40+OCCAS:(7)
	7.3	190	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 492-493

V1329

051B050A:#X AMPH/LIFETIM

Item Number: 00980

Question Number(s): 1B050A On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	84.2	2,178	1	0 OCCAS:(1)
3.0	2.7	71	2	1-2X:(2)
1.1	1.0	27	3	3-5X:(3)
1.1	1.1	27	4	6-9X:(4)
0.9	0.9	22	5	10-19X:(5)
1.3	1.2	31	6	20-39X:(6)
1.7	1.5	40	7	40+OCCAS:(7)
	7.3	190	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 494-495

V1128

051B050B:#X AMPH/LAST12M

Item Number: 00990

Question Number(s): 1B050B On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	87.0	2,252	1	0 OCCAS:(1)
1.9	1.7	45	2	1-2X:(2)
1.2	1.1	30	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
1.0	0.9	24	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
0.8	0.7	18	7	40+OCCAS:(7)
	7.4	192	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 496-497

V1330

051B050B:#X AMPH/LAST12M

Item Number: 00990

Question Number(s): 1B050B On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	87.0	2,252	1	0 OCCAS:(1)
1.9	1.7	45	2	1-2X:(2)
1.2	1.1	30	3	3-5X:(3)
0.6	0.6	15	4	6-9X:(4)
1.0	0.9	24	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
0.8	0.7	18	7	40+OCCAS:(7)
	7.4	192	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 498-499

V1129

051B050C:#X AMPH/LAST30D

Item Number: 01000

Question Number(s): 1B050C On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	89.6	2,318	1	0 OCCAS:(1)
1.4	1.3	33	2	1-2X:(2)
0.8	0.7	18	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.4	0.3	9	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	7.4	192	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 500-501

V1331

051B050C:#X AMPH/LAST30D

Item Number: 01000

Question Number(s): 1B050C On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	89.6	2,318	1	0 OCCAS:(1)
1.4	1.3	33	2	1-2X:(2)
0.8	0.7	18	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.4	0.3	9	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	7.4	192	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 502-503

V1332

051B051A:#X/YR AMPH ALNE

Item Number: 02800

Question Number(s): 1B051A IF YOU HAVE NOT TAKEN  
 AMPHETAMINES IN THE LAST TWELVE MONTHS, GO TO QUESTION 59.  
 THE FOLLOWING QUESTIONS REFER ONLY TO TAKING AMPHETAMINES  
 WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE  
 LAST TWELVE MONTHS, GO TO QUESTION 59. When you used  
 amphetamines during the last year, how often did you use them  
 in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	1.8	46	1	NOT @ALL:(1)
27.2	1.4	37	2	FEW TIME:(2)
20.4	1.1	28	3	SOM TIME:(3)
12.0	0.6	16	4	MST TIME:(4)
6.2	0.3	8	5	EVRYTIME:(5)
	94.8	2,451	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 504-505

V1333

051B051B:#X/YR AMPH-2PPL

Item Number: 02810

Question Number(s): 1B051B When you used amphetamines during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	1.2	32	1	NOT @ALL:(1)
35.3	1.8	47	2	FEW TIME:(2)
18.6	1.0	25	3	SOM TIME:(3)
15.5	0.8	21	4	MST TIME:(4)
6.6	0.3	9	5	EVRYTIME:(5)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 506-507

V1334

051B051C:#X/YR AMPH@PTY

Item Number: 02820

Question Number(s): 1B051C When you used amphetamines during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	2.5	64	1	NOT @ALL:(1)
16.9	0.9	22	2	FEW TIME:(2)
15.8	0.8	21	3	SOM TIME:(3)
12.9	0.7	17	4	MST TIME:(4)
6.0	0.3	8	5	EVRYTIME:(5)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 508-509



V1335

051B051D:#X/YR AMPH-DT/S

Item Number: 02830

Question Number(s): 1B051D When you used amphetamines during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	3.0	79	1	NOT @ALL:(1)
17.7	0.9	23	2	FEW TIME:(2)
12.5	0.6	17	3	SOM TIME:(3)
7.5	0.4	10	4	MST TIME:(4)
2.5	0.1	3	5	EVRYTIME:(5)
	94.9	2,455	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 510-511

V1336

051B051E:#X/YR AMPH-ADLT

Item Number: 02840

Question Number(s): 1B051E When you used amphetamines during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	3.3	85	1	NOT @ALL:(1)
15.2	0.8	20	2	FEW TIME:(2)
9.7	0.5	13	3	SOM TIME:(3)
6.7	0.3	9	4	MST TIME:(4)
4.1	0.2	5	5	EVRYTIME:(5)
	94.9	2,455	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 512-513

V1337

051B051F:#X/YR AMPH-DATM

Item Number: 02850

Question Number(s): 1B051F When you used amphetamines during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	1.1	28	1	NOT @ALL:(1)
28.3	1.4	37	2	FEW TIME:(2)
22.7	1.2	30	3	SOM TIME:(3)
12.0	0.6	16	4	MST TIME:(4)
15.6	0.8	21	5	EVRYTIME:(5)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 514-515

V1338

051B051G:#X/YR AMPH@HOME

Item Number: 02860

Question Number(s): 1B051G When you used amphetamines during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	1.8	46	1	NOT @ALL:(1)
21.2	1.1	28	2	FEW TIME:(2)
24.5	1.3	32	3	SOM TIME:(3)
12.3	0.6	16	4	MST TIME:(4)
7.1	0.4	9	5	EVRYTIME:(5)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 516-517

V1339

051B051H:#X/YR AMPH@SCHL

Item Number: 02880

Question Number(s): 1B051H When you used amphetamines during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	2.0	52	1	NOT @ALL:(1)
22.8	1.2	30	2	FEW TIME:(2)
20.5	1.0	27	3	SOM TIME:(3)
9.3	0.5	12	4	MST TIME:(4)
8.0	0.4	10	5	EVRYTIME:(5)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 518-519

V1340

051B051I:#X/YR AMPH@CAR

Item Number: 02890

Question Number(s): 1B051I When you used amphetamines during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	2.1	56	1	NOT @ALL:(1)
22.4	1.1	29	2	FEW TIME:(2)
19.3	1.0	25	3	SOM TIME:(3)
12.9	0.7	17	4	MST TIME:(4)
3.0	0.2	4	5	EVRYTIME:(5)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 520-521

V1341

051B052A:#X OVL AMPH+ALC

Item Number: 02900

Question Number(s): 1B052A How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	2.4	61	1	NOT @ALL:(1)
23.1	1.2	31	2	FEW TIME:(2)
17.8	0.9	24	3	SOM TIME:(3)
6.2	0.3	8	4	MST TIME:(4)
6.9	0.4	9	5	EVRYTIME:(5)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 522-523

V1342

051B052B:#X OVL AMPH+MJ

Item Number: 02910

Question Number(s): 1B052B How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	2.3	58	1	NOT @ALL:(1)
19.1	1.0	25	2	FEW TIME:(2)
23.6	1.2	31	3	SOM TIME:(3)
4.1	0.2	5	4	MST TIME:(4)
9.1	0.5	12	5	EVRYTIME:(5)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 524-525

V1343

051B052C:#X OVL AMPH+LSD

Item Number: 02920

Question Number(s): 1B052C How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	4.5	117	1	NOT @ALL:(1)
1.1	0.1	1	2	FEW TIME:(2)
3.4	0.2	4	3	SOM TIME:(3)
2.0	0.1	3	4	MST TIME:(4)
0.9	0.0	1	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 526-527



V1344

051B052D:#X OVL AMPH+PSY

Item Number: 02930

Question Number(s): 1B052D How many of the times when you used amphetamines during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	4.3	112	1	NOT @ALL:(1)
4.3	0.2	6	2	FEW TIME:(2)
6.2	0.3	8	3	SOM TIME:(3)
2.0	0.1	3	4	MST TIME:(4)
0.9	0.0	1	5	EVRYTIME:(5)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 528-529

V1345

051B053A:AMPH EXPERIMENT

Item Number: 02940

Question Number(s): 1B053A What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	2.2	56	0	NT MARKD:(0)
56.9	2.8	74	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 530-531

**V1346****051B053B:AMPH RELAX**

Item Number: 02950

Question Number(s): 1B053B What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	3.2	83	0	NT MARKD:(0)
35.8	1.8	46	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 532-533

**V1347****051B053C:AMPH GET HIGH**

Item Number: 02960

Question Number(s): 1B053C What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	2.4	62	0	NT MARKD:(0)
52.2	2.6	68	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 534-535

**V1348****051B053D:AMPH SK INSIGHT**

Item Number: 02970

Question Number(s): 1B053D What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	4.2	109	0	NT MARKD:(0)
15.7	0.8	20	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 536-537

**V1349****051B053E:AMPH GD TM FRND**

Item Number: 02980

Question Number(s): 1B053E What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	3.1	80	0	NT MARKD:(0)
37.9	1.9	49	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 538-539

**V1350****051B053F:AMPH FIT IN GRP**

Item Number: 02990

Question Number(s): 1B053F What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	4.8	125	0	NT MARKD:(0)
3.5	0.2	4	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 540-541

**V1351****051B053G:AMPH GT AWY PRB**

Item Number: 03000

Question Number(s): 1B053G What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	3.5	90	0	NT MARKD:(0)
30.7	1.5	40	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 542-543

**V1352****051B053H:AMPH BOREDOM**

Item Number: 03010

Question Number(s): 1B053H What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	3.9	100	0	NT MARKD:(0)
22.6	1.1	29	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 544-545

**V1353****051B053I:AMPH ANGR&FRSTN**

Item Number: 03020

Question Number(s): 1B053I What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	4.1	106	0	NT MARKD:(0)
17.8	0.9	23	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 546-547

**V1354****051B053J:AMPH GT THRU DA**

Item Number: 03030

Question Number(s): 1B053J What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	3.3	86	0	NT MARKD:(0)
33.3	1.7	43	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 548-549

**V1355****051B053K:AMPH INCR EF DR**

Item Number: 03040

Question Number(s): 1B053K What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	4.4	115	0	NT MARKD:(0)
11.5	0.6	15	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 550-551

**V1356****051B053L:AMPH DCRS EF DR**

Item Number: 03050

Question Number(s): 1B053L What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	4.8	124	0	NT MARKD:(0)
3.9	0.2	5	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 552-553

**V1357****051B053M:AMPH STAY AWAKE**

Item Number: 03060

Question Number(s): 1B053M What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	2.3	60	0	NT MARKD:(0)
53.3	2.7	69	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 554-555

**V1358****051B053N:AMPH GET>ENERGY**

Item Number: 03070

Question Number(s): 1B053N What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	2.0	53	0	NT MARKD:(0)
59.3	3.0	77	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 556-557

**V1359****051B053O:AMPH LOSE WGHT**

Item Number: 03080

Question Number(s): 1B053O What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) O. To help me lose weight

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	2.9	74	0	NT MARKD:(0)
43.0	2.2	56	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 558-559



**V1360****051B053P:AMPH I AM HOOKD**

Item Number: 03090

Question Number(s): 1B053P What have been the most important reasons for your taking amphetamines without a doctor's orders? (Mark all that apply.) P. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	4.5	115	0	NT MARKD:(0)
11.1	0.6	14	1	MARKED:(1)
	95.0	2,457	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 560-561

**V1361****051B054 :AMPH,GT VERY HI**

Item Number: 03100

Question Number(s): 1B054 When you take amphetamines, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.6	15	1	NOT HIGH:(1)
23.7	1.2	32	2	LIT HIGH:(2)
32.1	1.7	43	3	MOD HIGH:(3)
14.9	0.8	20	4	VRV HIGH:(4)
18.5	1.0	25	5	N TK HI:(5)
	94.8	2,452	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 562-563

**V1362****051B055 :AMPH,HI 24+ HRS**

Item Number: 03110

Question Number(s): 1B055 When you take amphetamines, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	1.4	36	1	N GET HI:(1)
17.8	0.9	23	2	1-2 HRS:(2)
25.3	1.3	33	3	3-6 HRS:(3)
20.0	1.0	26	4	7-24 HRS:(4)
9.7	0.5	13	5	>24 HRS:(5)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 564-565

**V1363****051B056A:TKN YR,BENZDRIN**

Item Number: 03120

Question Number(s): 1B056A What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Benzedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	4.7	122	0	NT MARKD:(0)
6.7	0.3	9	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 566-567

**V1364****051B056B:TKN YR,DEXEDRIN**

Item Number: 03130

Question Number(s): 1B056B What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) B. Dexedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	4.5	116	0	NT MARKD:(0)
11.5	0.6	15	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 568-569

**V1365****051B056C:TKN YR,METHDRIN**

Item Number: 03140

Question Number(s): 1B056C What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) C. Methedrine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	4.5	116	0	NT MARKD:(0)
11.2	0.6	15	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 570-571

**V1366****051B056D:TKN YR,RITALIN**

Item Number: 03150

Question Number(s): 1B056D What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) D. Ritalin (methylphenidate)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	2.9	75	0	NT MARKD:(0)
42.5	2.2	56	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 572-573

**V1367****051B056E:TKN YR,PRELUDIN**

Item Number: 03160

Question Number(s): 1B056E What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Preludin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	4.9	126	0	NT MARKD:(0)
3.5	0.2	5	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 574-575

**V1368****051B056F:TKN YR,DEXAMYL**

Item Number: 03170

Question Number(s): 1B056F What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) F. Dexamyl

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.6	4.7	123	0	NT MARKD:(0)
6.4	0.3	8	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 576-577

**V1369****051B056G:TKN YR,METHAMPH**

Item Number: 03180

Question Number(s): 1B056G What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) G. Methamphetamine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	3.7	95	0	NT MARKD:(0)
27.3	1.4	36	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 578-579

**V1764****051B056H:TKN YR,CRYSMETH**

Item Number: 03185

Question Number(s): 1B056H What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) H. Crystal meth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	4.0	102	0	NT MARKD:(0)
21.9	1.1	29	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 580-581

**V1370****051B056I:TKN YR,OTH AMPH**

Item Number: 03190

Question Number(s): 1B056I What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) I. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	2.8	72	0	NT MARKD:(0)
45.2	2.3	59	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 582-583

**V1371****051B056J:TKN YR,DNT KN N**

Item Number: 03200

Question Number(s): 1B056J What amphetamines have you taken during the last year without a doctor's orders? (Mark all that apply.) J. Don't know the names of some amphetamines I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.3	3.5	89	0	NT MARKD:(0)
31.7	1.6	42	1	MARKED:(1)
	94.9	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 584-585

**V1372****051B057A:MTHD AMPH-MOUTH**

Item Number: 03210

Question Number(s): 1B057A What methods have you used for taking amphetamines during the last year? (Mark all that apply.) A. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.8	20	0	NT MARKD:(0)
85.0	4.3	112	1	MARKED:(1)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 586-587

**V1765****051B057B: MTHD AMPH-SMOKG**

Item Number: 03215

Question Number(s): 1B057B What methods have you used for taking amphetamines during the last year? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	3.8	97	0	NT MARKD:(0)
26.5	1.4	35	1	MARKED:(1)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 588-589

**V1373****051B057C: MTHD AMPH-INJCT**

Item Number: 03220

Question Number(s): 1B057C What methods have you used for taking amphetamines during the last year? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	4.9	128	0	NT MARKD:(0)
3.6	0.2	5	1	MARKED:(1)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 590-591



**V1374****051B057D: MTHD AMPH-OTHER**

Item Number: 03230

Question Number(s): 1B057D What methods have you used for taking amphetamines during the last year? (Mark all that apply.) D. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	3.6	93	0	NT MARKD:(0)
29.7	1.5	39	1	MARKED:(1)
	94.9	2,454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 592-593

**V1375****051B058 : \*TRY STP AMP&FL**

Item Number: 03240

Question Number(s): 1B058 Have you ever tried to stop using amphetamines and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	0.7	18	1	YES:(1)
86.0	4.4	113	2	NO:(2)
	94.9	2,455	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 594-595

V1376

051B059 :NO AMPH IN 5YR

Item Number: 03250

Question Number(s): 1B059 Do you think you will be using  
amphetamines without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will  
not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	16	1	DEF WILL:(1)
2.7	2.4	62	2	PRB WILL:(2)
15.7	14.2	368	3	PRB WONT:(3)
80.9	73.1	1,892	4	DEF WONT:(4)
	9.6	248	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 596-597

V1130

051B060A:#X QUAD/LIFETIM

Item Number: 01010

Question Number(s): 1B060A The next questions are about  
 QUAALUDES (Methaqualone). Quaaludes are sometimes called:  
 Soapers, Quads, Ludes. On how many occasions (if any) have  
 you taken quaaludes on your own--that is, without a doctor  
 telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	90.4	2,337	1	0 OCCAS:(1)
0.4	0.3	9	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	8.4	218	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 598-599

V1377

051B060A:#X QUAD/LIFETIM

Item Number: 01010

Question Number(s): 1B060A The next questions are about  
 QUAALUDES (Methaqualone). Quaaludes are sometimes called:  
 Soapers, Quads, Ludes. On how many occasions (if any) have  
 you taken quaaludes on your own--that is, without a doctor  
 telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	90.4	2,337	1	0 OCCAS:(1)
0.4	0.3	9	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	8.4	218	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 600-601

V1131

051B060B:#X QUAD/LAST12M

Item Number: 01020

Question Number(s): 1B060B On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	90.8	2,349	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	8.4	217	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 602-603

V1378

051B060B:#X QUAD/LAST12M

Item Number: 01020

Question Number(s): 1B060B On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	90.8	2,349	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.4	0.4	9	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	8.4	217	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 604-605

V1132

051B060C:#X QUAD/LAST30D

Item Number: 01030

Question Number(s): 1B060C On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	91.1	2,357	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	8.4	217	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 606-607

V1379

051B060C:#X QUAD/LAST30D

Item Number: 01030

Question Number(s): 1B060C On how many occasions (if any) have you taken quaaludes on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	91.1	2,357	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	8.4	217	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 608-609



V1827

051B061:DR TOLD TK SED

Item Number: 03282

Question Number(s): 1B061 The next questions are about SEDATIVES, including BARBITURATES, which doctors sometimes prescribe to help people relax or get to sleep. Drugstores are not supposed to sell them without a prescription. Sedatives are sometimes called: Downs, Downers. They include the following drugs: Phenobarbital, Seconal, Tuinal, Nembutal. Have you ever taken sedatives because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."  
3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	84.5	2,185	1	NO:(1)
2.1	1.9	50	2	YES BT ALRDY TRD ON OWN:(2)
5.1	4.7	120	3	YES + FRST TIME TOOK ANY:(3)
	8.9	231	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 610-611

V1133

051B062A:#X BRBT/LIFETIM

Item Number: 01042

Question Number(s): 1B062A On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	84.1	2,175	1	0 OCCAS:(1)
2.9	2.7	69	2	1-2X:(2)
1.4	1.3	34	3	3-5X:(3)
1.2	1.1	27	4	6-9X:(4)
0.8	0.8	19	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
1.2	1.1	28	7	40+OCCAS:(7)
	8.5	219	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 612-613

V1383

051B062A:#X SED/BARB/LIFE

Item Number: 01042

Question Number(s): 1B062A On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	84.1	2,175	1	0 OCCAS:(1)
2.9	2.7	69	2	1-2X:(2)
1.4	1.3	34	3	3-5X:(3)
1.2	1.1	27	4	6-9X:(4)
0.8	0.8	19	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
1.2	1.1	28	7	40+OCCAS:(7)
	8.5	219	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 614-615

V1134

051B062B:#X BRBT/LAST12M

Item Number: 01052

Question Number(s): 1B062B On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	86.2	2,229	1	0 OCCAS:(1)
2.2	2.0	53	2	1-2X:(2)
1.3	1.1	30	3	3-5X:(3)
0.6	0.5	13	4	6-9X:(4)
0.8	0.7	18	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.6	0.6	14	7	40+OCCAS:(7)
	8.6	222	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 616-617

V1384

051B062B:#X SED/BARB/12MO

Item Number: 01052

Question Number(s): 1B062B On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	86.2	2,229	1	0 OCCAS:(1)
2.2	2.0	53	2	1-2X:(2)
1.3	1.1	30	3	3-5X:(3)
0.6	0.5	13	4	6-9X:(4)
0.8	0.7	18	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.6	0.6	14	7	40+OCCAS:(7)
	8.6	222	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 618-619

V1135

051B062C:#X BRBT/LAST30D

Item Number: 01062

Question Number(s): 1B062C On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	88.5	2,290	1	0 OCCAS:(1)
1.2	1.1	29	2	1-2X:(2)
0.9	0.8	21	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.2	0.2	6	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	8.7	225	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 620-621

V1385

051B062C:#X SED/BARB/30DA

Item Number: 01062

Question Number(s): 1B062C On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	88.5	2,290	1	0 OCCAS:(1)
1.2	1.1	29	2	1-2X:(2)
0.9	0.8	21	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.2	0.2	6	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	8.7	225	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 622-623

V1828

051B063:NO SED IN 5YR

Item Number: 03722

Question Number(s): 1B063 Do you think you will be using  
sedatives without a doctor's prescription five years from  
now?

1="I definitely will" 2="I probably will" 3="I probably will  
not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	23	1	DEF WILL:(1)
2.5	2.3	59	2	PRB WILL:(2)
16.2	14.9	384	3	PRB WONT:(3)
80.4	73.8	1,909	4	DEF WONT:(4)
	8.2	211	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 624-625

V1429

051B064 :DR TOLD TK TRNQ

Item Number: 03730

Question Number(s): 1B064 The next questions are about  
TRANQUILIZERS, which doctors sometimes prescribe to calm  
people down, quiet their nerves, or relax their muscles. They  
include the following drugs: Librium, Valium, Xanax, Equanil,  
Meprobamate, Serax, Atarax, Tranxene, Vistaril. Have you ever  
taken tranquilizers because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."  
3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	85.8	2,219	1	NO:(1)
1.5	1.4	36	2	YES BUT:(2)
5.0	4.6	118	3	YES 1ST:(3)
	8.3	214	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 626-627



V1136

051B065A:#X TRQL/LIFETIM

Item Number: 01070

Question Number(s): 1B065A On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	84.4	2,183	1	0 OCCAS:(1)
3.1	2.8	73	2	1-2X:(2)
1.8	1.6	42	3	3-5X:(3)
0.8	0.7	19	4	6-9X:(4)
0.8	0.8	20	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.7	0.7	18	7	40+OCCAS:(7)
	8.5	221	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 628-629

V1430

051B065A:#X TRQL/LIFETIM

Item Number: 01070

Question Number(s): 1B065A On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	84.4	2,183	1	0 OCCAS:(1)
3.1	2.8	73	2	1-2X:(2)
1.8	1.6	42	3	3-5X:(3)
0.8	0.7	19	4	6-9X:(4)
0.8	0.8	20	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.7	0.7	18	7	40+OCCAS:(7)
	8.5	221	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 630-631

V1137

051B065B:#X TRQL/LAST12M

Item Number: 01080

Question Number(s): 1B065B On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	86.8	2,246	1	0 OCCAS:(1)
2.1	1.9	49	2	1-2X:(2)
1.1	1.0	26	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.5	0.4	11	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	8.5	219	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 632-633

V1431

051B065B:#X TRQL/LAST12M

Item Number: 01080

Question Number(s): 1B065B On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	86.8	2,246	1	0 OCCAS:(1)
2.1	1.9	49	2	1-2X:(2)
1.1	1.0	26	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.5	0.5	13	5	10-19X:(5)
0.5	0.4	11	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	8.5	219	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 634-635

V1138

051B065C:#X TRQL/LAST30D

Item Number: 01090

Question Number(s): 1B065C On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	89.4	2,313	1	0 OCCAS:(1)
1.1	1.0	27	2	1-2X:(2)
0.6	0.5	14	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	8.5	220	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 636-637

V1432

051B065C:#X TRQL/LAST30D

Item Number: 01090

Question Number(s): 1B065C On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	89.4	2,313	1	0 OCCAS:(1)
1.1	1.0	27	2	1-2X:(2)
0.6	0.5	14	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	8.5	220	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 638-639

V1433

051B066A:#X/YR TRQL ALNE

Item Number: 03740

Question Number(s): 1B066A IF YOU HAVE NOT TAKEN  
 TRANQUILIZERS IN THE LAST TWELVE MONTHS, GO TO QUESTION 73.  
 THE FOLLOWING QUESTIONS REFER ONLY TO TAKING TRANQUILIZERS  
 WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE  
 LAST TWELVE MONTHS, GO TO QUESTION 73. When you used  
 tranquilizers during the last year, how often did you use  
 them in each of the following situations? A: When you were  
 alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
 4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	1.8	48	1	NOT @ALL:(1)
23.4	1.0	26	2	FEW TIME:(2)
18.6	0.8	21	3	SOM TIME:(3)
8.8	0.4	10	4	MST TIME:(4)
6.2	0.3	7	5	EVRYTIME:(5)
	95.7	2,476	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 640-641

V1434

051B066B:#X/YR TRQL-2PPL

Item Number: 03750

Question Number(s): 1B066B When you used tranquilizers during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	0.6	15	1	NOT @ALL:(1)
39.8	1.7	44	2	FEW TIME:(2)
22.7	1.0	25	3	SOM TIME:(3)
11.4	0.5	12	4	MST TIME:(4)
12.3	0.5	14	5	EVRYTIME:(5)
	95.8	2,477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 642-643

V1435

051B066C:#X/YR TRQL@PRTY

Item Number: 03760

Question Number(s): 1B066C When you used tranquilizers during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	2.1	54	1	NOT @ALL:(1)
22.1	0.9	24	2	FEW TIME:(2)
15.0	0.6	16	3	SOM TIME:(3)
8.5	0.4	9	4	MST TIME:(4)
5.2	0.2	6	5	EVRYTIME:(5)
	95.8	2,478	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 644-645



V1436

051B066D:#X/YR TRQL-DT/S

Item Number: 03770

Question Number(s): 1B066D When you used tranquilizers during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	2.4	61	1	NOT @ALL:(1)
17.6	0.7	19	2	FEW TIME:(2)
12.6	0.5	14	3	SOM TIME:(3)
5.9	0.2	6	4	MST TIME:(4)
7.6	0.3	8	5	EVRYTIME:(5)
	95.8	2,478	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 646-647

V1437

051B066E:#X/YR TRQL-ADLT

Item Number: 03780

Question Number(s): 1B066E When you used tranquilizers during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	2.4	61	1	NOT @ALL:(1)
21.4	0.9	23	2	FEW TIME:(2)
10.8	0.5	12	3	SOM TIME:(3)
3.4	0.1	4	4	MST TIME:(4)
7.7	0.3	8	5	EVRYTIME:(5)
	95.8	2,478	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 648-649

V1438

051B066F:#X/YR TRQL-DATM

Item Number: 03790

Question Number(s): 1B066F When you used tranquilizers during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	1.7	44	1	NOT @ALL:(1)
27.4	1.2	30	2	FEW TIME:(2)
18.8	0.8	21	3	SOM TIME:(3)
7.7	0.3	8	4	MST TIME:(4)
5.9	0.2	6	5	EVRYTIME:(5)
	95.8	2,477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 650-651

V1439

051B066G:#X/YR TRQL@HOME

Item Number: 03800

Question Number(s): 1B066G When you used tranquilizers during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	1.3	33	1	NOT @ALL:(1)
22.8	1.0	25	2	FEW TIME:(2)
23.1	1.0	26	3	SOM TIME:(3)
12.0	0.5	13	4	MST TIME:(4)
11.9	0.5	13	5	EVRYTIME:(5)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 652-653

V1440

051B066H:#X/YR TRQL@SCHL

Item Number: 03810

Question Number(s): 1B066H When you used tranquilizers during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	2.8	71	1	NOT @ALL:(1)
18.0	0.8	20	2	FEW TIME:(2)
13.0	0.6	14	3	SOM TIME:(3)
2.5	0.1	3	4	MST TIME:(4)
2.4	0.1	3	5	EVRYTIME:(5)
	95.7	2,475	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 654-655

V1441

051B066I:#X/YR TRQL@CAR

Item Number: 03830

Question Number(s): 1B066I When you used tranquilizers during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	2.3	60	1	NOT @ALL:(1)
25.0	1.1	28	2	FEW TIME:(2)
13.3	0.6	15	3	SOM TIME:(3)
3.8	0.2	4	4	MST TIME:(4)
3.5	0.2	4	5	EVRYTIME:(5)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 656-657

V1442

051B067A:#X OVL TRQL+ALC

Item Number: 03840

Question Number(s): 1B067A How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	2.1	54	1	NOT @ALL:(1)
15.3	0.7	17	2	FEW TIME:(2)
16.8	0.7	19	3	SOM TIME:(3)
9.4	0.4	10	4	MST TIME:(4)
9.3	0.4	10	5	EVRYTIME:(5)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 658-659

V1443

051B067B:#X OVL TRQL+MJ

Item Number: 03850

Question Number(s): 1B067B How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	1.7	45	1	NOT @ALL:(1)
17.7	0.8	19	2	FEW TIME:(2)
19.4	0.8	21	3	SOM TIME:(3)
9.2	0.4	10	4	MST TIME:(4)
12.6	0.5	14	5	EVRYTIME:(5)
	95.8	2,477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 660-661

V1444

051B067C:#X OVL TRQL+LSD

Item Number: 03860

Question Number(s): 1B067C How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
93.9	3.9	100	1	NOT @ALL:(1)
2.8	0.1	3	2	FEW TIME:(2)
3.3	0.1	3	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.9	2,480	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 662-663



V1445

051B067D:#X OVL TRQL+PSY

Item Number: 03870

Question Number(s): 1B067D How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
82.7	3.4	88	1	NOT @ALL:(1)
9.9	0.4	11	2	FEW TIME:(2)
7.4	0.3	8	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.9	2,480	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 664-665

V1446

051B067E:#X OVL TRQL+AMP

Item Number: 03880

Question Number(s): 1B067E How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
83.5	3.4	89	1	NOT @ALL:(1)
9.9	0.4	10	2	FEW TIME:(2)
5.2	0.2	6	3	SOM TIME:(3)
1.4	0.1	2	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.9	2,480	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 666-667

V1447

051B067F:#X OVL TRQL+QUA

Item Number: 03890

Question Number(s): 1B067F How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.7	3.9	100	1	NOT @ALL:(1)
1.6	0.1	2	2	FEW TIME:(2)
2.6	0.1	3	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	96.0	2,482	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 668-669

**V1448****051B067G:#X OVL TRQL+BRB**

Item Number: 03900

Question Number(s): 1B067G How many of the times when you used tranquilizers during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	3.8	98	1	NOT @ALL:(1)
3.0	0.1	3	2	FEW TIME:(2)
4.7	0.2	5	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 670-671

**V1449****051B068A:TRNQ EXPERIMENT**

Item Number: 03910

Question Number(s): 1B068A What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	2.2	58	0	NT MARKD:(0)
44.1	1.8	46	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 672-673

**V1450****051B068B:TRNQ RELAX**

Item Number: 03920

Question Number(s): 1B068B What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	1.2	32	0	NT MARKD:(0)
69.1	2.8	72	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 674-675

**V1451****051B068C:TRNQ GET HIGH**

Item Number: 03930

Question Number(s): 1B068C What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	1.8	45	0	NT MARKD:(0)
56.4	2.3	59	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 676-677

**V1452****051B068D:TRNQ SK INSIGHT**

Item Number: 03940

Question Number(s): 1B068D What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	3.6	94	0	NT MARKD:(0)
10.1	0.4	10	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 678-679

**V1453****051B068E:TRNQ GD TM FRND**

Item Number: 03950

Question Number(s): 1B068E What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	2.6	68	0	NT MARKD:(0)
34.8	1.4	36	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 680-681

**V1454****051B068F:TRNQ FIT IN GRP**

Item Number: 03960

Question Number(s): 1B068F What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	4.0	104	0	NT MARKD:(0)
0.4	0.0	0	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 682-683

**V1455****051B068G:TRNQ GT AWY PRB**

Item Number: 03970

Question Number(s): 1B068G What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	2.8	73	0	NT MARKD:(0)
30.0	1.2	31	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 684-685

**V1456****051B068H:TRNQ BOREDOM**

Item Number: 03980

Question Number(s): 1B068H What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	2.9	74	0	NT MARKD:(0)
28.4	1.1	29	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 686-687

**V1457****051B068I:TRNQ ANGR&FRSTN**

Item Number: 03990

Question Number(s): 1B068I What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	3.0	78	0	NT MARKD:(0)
25.1	1.0	26	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 688-689



**V1458****051B068J:TRNQ GT THRU DA**

Item Number: 04000

Question Number(s): 1B068J What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	3.3	87	0	NT MARKD:(0)
16.8	0.7	17	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 690-691

**V1459****051B068K:TRNQ INCR EF DR**

Item Number: 04010

Question Number(s): 1B068K What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	3.4	88	0	NT MARKD:(0)
15.3	0.6	16	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 692-693

**V1460****051B068L:TRNQ DCRS EF DR**

Item Number: 04020

Question Number(s): 1B068L What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	3.8	99	0	NT MARKD:(0)
4.3	0.2	5	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 694-695

**V1461****051B068M:TRNQ GET SLEEP**

Item Number: 04030

Question Number(s): 1B068M What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	2.5	64	0	NT MARKD:(0)
38.6	1.6	40	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 696-697

**V1696****051B068N:TRNQ RLV PHYS P**

Item Number: 04035

Question Number(s): 1B068N What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) N. To relieve physical pain

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	2.2	57	0	NT MARKD:(0)
45.5	1.8	47	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 698-699

**V1462****051B068O:TRNQ I AM HOOKD**

Item Number: 04040

Question Number(s): 1B068O What have been the most important reasons for your taking tranquilizers without a doctor's orders? (Mark all that apply.) O. Because I am "hooked"--I feel I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	4.0	103	0	NT MARKD:(0)
1.4	0.1	1	1	MARKED:(1)
	96.0	2,483	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 700-701

V1463

051B069 :TRNQ,GT VERY HI

Item Number: 04050

Question Number(s): 1B069 When you take tranquilizers, how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.4	11	1	NOT HIGH:(1)
16.8	0.7	19	2	LIT HIGH:(2)
38.1	1.6	42	3	MOD HIGH:(3)
21.9	0.9	24	4	VRV HIGH:(4)
13.2	0.6	15	5	N TK HI:(5)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 702-703

V1464

051B070 :TRNQ,HI 24+ HRS

Item Number: 04060

Question Number(s): 1B070 When you take tranquilizers, how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	0.9	23	1	N GET HI:(1)
23.9	1.0	26	2	1-2 HRS:(2)
41.6	1.8	46	3	3-6 HRS:(3)
12.1	0.5	13	4	7-24 HRS:(4)
1.1	0.0	1	5	>24 HRS:(5)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 704-705

**V1465****051B071A:TKN YR,LIBRIUM**

Item Number: 04070

Question Number(s): 1B071A What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) A. Librium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	3.9	101	0	NT MARKD:(0)
4.5	0.2	5	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 706-707

**V1466****051B071B:TKN YR,VALIUM**

Item Number: 04080

Question Number(s): 1B071B What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) B. Valium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	1.3	33	0	NT MARKD:(0)
69.0	2.8	73	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 708-709

**V1814****051B071C:TKN YR, XANAX**

Item Number: 04095

Question Number(s): 1B071C What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) C. Xanax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	2.0	51	0	NT MARKD:(0)
51.6	2.1	54	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 710-711

**V1468****051B071D:TKN YR,EQUANIL**

Item Number: 04100

Question Number(s): 1B071D What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) D. Equanil

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	4.0	104	0	NT MARKD:(0)
0.8	0.0	1	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 712-713

**V1469****051B071E:TKN YR,MEPRBMTE**

Item Number: 04110

Question Number(s): 1B071E What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Meprobamate

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	4.0	103	0	NT MARKD:(0)
2.0	0.1	2	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 714-715

**V1470****051B071F:TKN YR,SERAX**

Item Number: 04120

Question Number(s): 1B071F What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) F. Serax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	4.0	104	0	NT MARKD:(0)
1.2	0.0	1	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 716-717

**V1471****051B071G:TKN YR,ATARAX**

Item Number: 04130

Question Number(s): 1B071G What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) G. Atarax

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	3.8	97	0	NT MARKD:(0)
7.5	0.3	8	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 718-719

**V1472****051B071H:TKN YR,TRANXENE**

Item Number: 04140

Question Number(s): 1B071H What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) H. Tranxene

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	4.0	103	0	NT MARKD:(0)
1.9	0.1	2	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 720-721



V1473

051B071I:TKN YR,VISTARIL

Item Number: 04150

Question Number(s): 1B071I What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) I. Vistaril

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	3.9	100	0	NT MARKD:(0)
4.9	0.2	5	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 722-723

V1815

051B071J:TKN YR,OTH TRNQ

Item Number: 04155

Question Number(s): 1B071J What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) J. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	2.9	75	0	NT MARKD:(0)
29.0	1.2	31	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 724-725

**V1474****051B071K:TKN YR,DNT KNW**

Item Number: 04160

Question Number(s): 1B071K What tranquilizers have you taken during the last year without a doctor's orders? (Mark all that apply.) K. Don't know the names of some tranquilizers I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	2.9	75	0	NT MARKD:(0)
28.5	1.2	30	1	MARKED:(1)
	95.9	2,481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 726-727

**V1475****051B072 : \*TRY STP TRQ&FL**

Item Number: 04170

Question Number(s): 1B072 Have you ever tried to stop using tranquilizers and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	4	1	YES:(1)
96.8	4.2	108	2	NO:(2)
	95.7	2,475	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 728-729

V1476

051B073 :NO TRNQ IN 5YR

Item Number: 04180

Question Number(s): 1B073 Do you think you will be using tranquilizers without a doctor's orders five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	22	1	DEF WILL:(1)
1.5	1.4	35	2	PRB WILL:(2)
14.5	12.9	335	3	PRB WONT:(3)
83.0	74.0	1,913	4	DEF WONT:(4)
	10.9	281	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 730-731

V1755

051B074 :EVR TK CRACK/FB

Item Number: 22250

Question Number(s): 1B074 The next questions are about the use of different forms of cocaine, such as "crack", powder, freebase, or coca paste. Have you ever taken cocaine in "crack" form or in any other freebase form--that is, where you inhaled the fumes from smoking, heating, or burning it?

1="No--GO TO QUESTION 76" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	87.9	2,272	1	NO:(1)
3.6	3.3	84	2	YES:(2)
	8.9	230	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 732-733

V1756

051B075A:#X CRACK/LIFTIM

Item Number: 22260

Question Number(s): 1B075A On how many occasions (if any)  
 have you taken "crack" (cocaine in chunk or rock form) . . .  
 A: . . . in your lifetime?

1="0 Occasions" (includes "1" on B074, above) 2="1-2 Occasions"  
 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions"  
 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.1	88.4	2,286	1	0 OCCAS:(1)
1.5	1.3	34	2	1-2X:(2)
0.6	0.5	13	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	9.0	232	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 734-735

V1757

051B075B:#X CRACK/LST12M

Item Number: 22270

Question Number(s): 1B075B On how many occasions (if any)  
have you used "crack" (cocaine in chunk or rock form). . . B:  
. . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	89.5	2,315	1	0 OCCAS:(1)
0.9	0.8	20	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	9.0	232	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 736-737

V1758

051B075C:#X CRACK/LST30D

Item Number: 22280

Question Number(s): 1B075C On how many occasions (if any)  
 have you taken "crack" (cocaine in chunk or rock form) . . .  
 C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.2	90.3	2,336	1	0 OCCAS:(1)
0.5	0.5	12	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	9.0	232	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 738-739

V1759

051B076A:#XOTH COKE/LIFE

Item Number: 22320

Question Number(s): 1B076A On how many occasions (if any) have you used cocaine in any other form . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.9	84.1	2,176	1	0 OCCAS:(1)
3.3	3.0	78	2	1-2X:(2)
0.8	0.7	18	3	3-5X:(3)
0.8	0.8	20	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.9	0.8	22	7	40+OCCAS:(7)
	9.5	245	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 740-741

V1760

051B076B:#XOTH COKE/12MO

Item Number: 22330

Question Number(s): 1B076B On how many occasions (if any)  
have you used cocaine in any other form . . . B: . . .  
during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.4	86.3	2,232	1	0 OCCAS:(1)
1.9	1.7	44	2	1-2X:(2)
0.7	0.7	17	3	3-5X:(3)
0.6	0.5	14	4	6-9X:(4)
0.7	0.6	15	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.5	0.4	12	7	40+OCCAS:(7)
	9.5	247	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 742-743



V1761

051B076C:#XOTH COKE/30DA

Item Number: 22340

Question Number(s): 1B076C On how many occasions (if any)  
have you used cocaine in any other form. . . C: . . . during  
the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	88.4	2,286	1	0 OCCAS:(1)
1.3	1.2	30	2	1-2X:(2)
0.5	0.4	11	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	9.6	249	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 744-745

V1124	051R	:#X COKE/LIFETIME
-------	------	-------------------

Item Number: 00950

Question Number(s): 1B076X Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" (item 22260) and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime?" (item 22320).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	82.9	2,144	1	0 OCCAS:(1)
2.7	2.4	62	2	1-2X:(2)
1.6	1.4	36	3	3-5X:(3)
0.7	0.6	16	4	6-9X:(4)
0.8	0.7	18	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
1.3	1.1	29	7	40+OCCAS:(7)
	10.6	274	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 746-747

V1125	051R	:#X COKE/LAST12MO
-------	------	-------------------

Item Number: 00960

Question Number(s): 1B076Y Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" (item 22270) and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months?" (item 22330).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	85.2	2,204	1	0 OCCAS:(1)
1.6	1.4	37	2	1-2X:(2)
0.9	0.8	20	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.8	0.7	18	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.6	0.6	14	7	40+OCCAS:(7)
	10.7	277	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 748-749

V1126	051R	:#X COKE/LAST30DA
-------	------	-------------------

Item Number: 00970

Question Number(s): 1B076Z Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" (item 22280) and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days?" (item 22340).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	87.2	2,255	1	0 OCCAS:(1)
1.3	1.1	29	2	1-2X:(2)
0.6	0.5	14	3	3-5X:(3)
0.1	0.0	1	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	10.8	279	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 750-751

V1480

051B077A:#X/YR COKE ALNE

Item Number: 04190

Question Number(s): 1B077A IF YOU HAVE NOT TAKEN ANY COCAINE (POWDER, CRACK, FREEBASE, ETC.) IN THE LAST 12 MONTHS, GO TO QUESTION 85. When you used cocaine during the last year, how often did you use it in each of the following situations? A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	3.1	80	1	NOT @ALL:(1)
9.7	0.5	13	2	FEW TIME:(2)
19.4	1.0	25	3	SOM TIME:(3)
6.1	0.3	8	4	MST TIME:(4)
3.1	0.2	4	5	EVRYTIME:(5)
	95.0	2,456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 752-753

V1481

051B077B:#X/YR COKE-2PPL

Item Number: 04200

Question Number(s): 1B077B When you used cocaine during the last year, how often did you use it in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	1.1	28	1	NOT @ALL:(1)
21.5	1.1	27	2	FEW TIME:(2)
23.6	1.2	30	3	SOM TIME:(3)
16.4	0.8	21	4	MST TIME:(4)
16.5	0.8	21	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 754-755

V1482

051B077C:#X/YR COKE@PTY

Item Number: 04210

Question Number(s): 1B077C When you used cocaine during the last year, how often did you use it in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	2.0	52	1	NOT @ALL:(1)
14.9	0.7	19	2	FEW TIME:(2)
24.0	1.2	30	3	SOM TIME:(3)
11.0	0.5	14	4	MST TIME:(4)
8.7	0.4	11	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 756-757

V1483

051B077D:#X/YR COKE-DT/S

Item Number: 04220

Question Number(s): 1B077D When you used cocaine during the last year, how often did you use it in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	3.1	80	1	NOT @ALL:(1)
8.9	0.4	11	2	FEW TIME:(2)
13.1	0.6	16	3	SOM TIME:(3)
7.0	0.3	9	4	MST TIME:(4)
6.0	0.3	7	5	EVRYTIME:(5)
	95.2	2,463	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 758-759

V1484

051B077E:#X/YR COKE-ADLT

Item Number: 04230

Question Number(s): 1B077E When you used cocaine during the last year, how often did you use it in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	3.5	91	1	NOT @ALL:(1)
12.2	0.6	15	2	FEW TIME:(2)
12.3	0.6	15	3	SOM TIME:(3)
1.4	0.1	2	4	MST TIME:(4)
1.1	0.1	1	5	EVRYTIME:(5)
	95.2	2,462	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 760-761

V1485

051B077F:#X/YR COKE-DATM

Item Number: 04240

Question Number(s): 1B077F When you used cocaine during the last year, how often did you use it in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	2.3	61	1	NOT @ALL:(1)
17.7	0.9	22	2	FEW TIME:(2)
24.0	1.2	30	3	SOM TIME:(3)
7.4	0.4	9	4	MST TIME:(4)
3.0	0.1	4	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 762-763

V1486

051B077G:#X/YR COKE@HOME

Item Number: 04250

Question Number(s): 1B077G When you used cocaine during the last year, how often did you use it in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	2.7	70	1	NOT @ALL:(1)
9.7	0.5	12	2	FEW TIME:(2)
25.3	1.2	32	3	SOM TIME:(3)
8.7	0.4	11	4	MST TIME:(4)
0.9	0.0	1	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 764-765



V1487

051B077H:#X/YR COKE@SCHL

Item Number: 04260

Question Number(s): 1B077H When you used cocaine during the last year, how often did you use it in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	3.9	100	1	NOT @ALL:(1)
12.3	0.6	16	2	FEW TIME:(2)
6.3	0.3	8	3	SOM TIME:(3)
1.6	0.1	2	4	MST TIME:(4)
0.7	0.0	1	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 766-767

V1488

051B077I:#X/YR COKE@CAR

Item Number: 04280

Question Number(s): 1B077I When you used cocaine during the last year, how often did you use it in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	2.4	62	1	NOT @ALL:(1)
17.4	0.8	22	2	FEW TIME:(2)
18.9	0.9	24	3	SOM TIME:(3)
10.0	0.5	13	4	MST TIME:(4)
4.9	0.2	6	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 768-769

V1489

051B078A:#X OVL COKE+ALC

Item Number: 04290

Question Number(s): 1B078A How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	1.8	46	1	NOT @ALL:(1)
23.5	1.2	30	2	FEW TIME:(2)
23.5	1.1	30	3	SOM TIME:(3)
7.1	0.3	9	4	MST TIME:(4)
9.6	0.5	12	5	EVRYTIME:(5)
	95.1	2,460	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 770-771

V1490

051B078B:#X OVL COKE+MJ

Item Number: 04300

Question Number(s): 1B078B How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	1.8	47	1	NOT @ALL:(1)
22.8	1.1	28	2	FEW TIME:(2)
18.2	0.9	22	3	SOM TIME:(3)
7.2	0.3	9	4	MST TIME:(4)
14.1	0.7	17	5	EVRYTIME:(5)
	95.2	2,463	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 772-773

V1491

051B078C:#X OVL COKE+LSD

Item Number: 04310

Question Number(s): 1B078C How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	4.5	116	1	NOT @ALL:(1)
1.4	0.1	2	2	FEW TIME:(2)
1.9	0.1	2	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.8	0.0	1	5	EVRYTIME:(5)
	95.3	2,466	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 774-775

V1492

051B078D:#X OVL COKE+PSY

Item Number: 04320

Question Number(s): 1B078D How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	4.4	113	1	NOT @ALL:(1)
1.6	0.1	2	2	FEW TIME:(2)
3.1	0.1	4	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.8	0.0	1	5	EVRYTIME:(5)
	95.4	2,467	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 776-777

V1493

051B078E:#X OVL COKE+AMP

Item Number: 04330

Question Number(s): 1B078E How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	4.0	102	1	NOT @ALL:(1)
8.6	0.4	11	2	FEW TIME:(2)
4.6	0.2	6	3	SOM TIME:(3)
2.3	0.1	3	4	MST TIME:(4)
1.2	0.1	1	5	EVRYTIME:(5)
	95.3	2,464	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 778-779

V1494

051B078F:#X OVL COKE+QUA

Item Number: 04340

Question Number(s): 1B078F How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	4.6	118	1	NOT @ALL:(1)
1.7	0.1	2	2	FEW TIME:(2)
1.8	0.1	2	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.7	0.0	1	5	EVRYTIME:(5)
	95.2	2,464	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 780-781

V1495

051B078G:#X OVL COKE+BRB

Item Number: 04350

Question Number(s): 1B078G How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	4.5	117	1	NOT @ALL:(1)
1.0	0.0	1	2	FEW TIME:(2)
2.3	0.1	3	3	SOM TIME:(3)
0.8	0.0	1	4	MST TIME:(4)
0.7	0.0	1	5	EVRYTIME:(5)
	95.3	2,464	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 782-783



V1496

051B078H:#X OVL COKE+TRN

Item Number: 04360

Question Number(s): 1B078H How many of the times when you used cocaine during the last year did you use it along with each of the following drugs--that is, so that their effects overlapped? H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	4.1	106	1	NOT @ALL:(1)
4.6	0.2	6	2	FEW TIME:(2)
3.3	0.2	4	3	SOM TIME:(3)
1.2	0.1	1	4	MST TIME:(4)
2.3	0.1	3	5	EVRYTIME:(5)
	95.4	2,467	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 784-785

V1497

051B079A:COKE EXPERIMENT

Item Number: 04370

Question Number(s): 1B079A What have been the most important reasons for your taking cocaine? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.1	28	0	NT MARKD:(0)
75.0	3.2	83	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 786-787

**V1498****051B079B:COKE RELAX**

Item Number: 04380

Question Number(s): 1B079B What have been the most important reasons for your taking cocaine? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	3.5	90	0	NT MARKD:(0)
18.3	0.8	20	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 788-789

**V1499****051B079C:COKE GET HIGH**

Item Number: 04390

Question Number(s): 1B079C What have been the most important reasons for your taking cocaine? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	1.8	46	0	NT MARKD:(0)
58.6	2.5	65	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 790-791

**V1500****051B079D:COKE SK INSIGHT**

Item Number: 04400

Question Number(s): 1B079D What have been the most important reasons for your taking cocaine? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	3.9	100	0	NT MARKD:(0)
8.9	0.4	10	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 792-793

**V1501****051B079E:COKE GD TM FRND**

Item Number: 04410

Question Number(s): 1B079E What have been the most important reasons for your taking cocaine? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	2.4	63	0	NT MARKD:(0)
42.6	1.8	47	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 794-795

**V1502****051B079F:COKE FIT IN GRP**

Item Number: 04420

Question Number(s): 1B079F What have been the most important reasons for your taking cocaine? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	4.0	103	0	NT MARKD:(0)
6.9	0.3	8	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 796-797

**V1503****051B079G:COKE GT AWY PRB**

Item Number: 04430

Question Number(s): 1B079G What have been the most important reasons for your taking cocaine? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	3.6	94	0	NT MARKD:(0)
14.8	0.6	16	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 798-799

**V1504****051B079H:COKE BOREDOM**

Item Number: 04440

Question Number(s): 1B079H What have been the most important reasons for your taking cocaine? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	3.2	83	0	NT MARKD:(0)
24.5	1.0	27	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 800-801

**V1505****051B079I:COKE ANGR&FRSTN**

Item Number: 04450

Question Number(s): 1B079I What have been the most important reasons for your taking cocaine? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	3.6	94	0	NT MARKD:(0)
14.4	0.6	16	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 802-803

**V1506****051B079J:COKE GT THRU DA**

Item Number: 04460

Question Number(s): 1B079J What have been the most important reasons for your taking cocaine? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	3.8	98	0	NT MARKD:(0)
11.4	0.5	13	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 804-805

**V1507****051B079K:COKE INCR EF DR**

Item Number: 04470

Question Number(s): 1B079K What have been the most important reasons for your taking cocaine? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	3.8	97	0	NT MARKD:(0)
11.7	0.5	13	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 806-807

**V1508****051B079L:COKE DCRS EF DR**

Item Number: 04480

Question Number(s): 1B079L What have been the most important reasons for your taking cocaine? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	4.2	108	0	NT MARKD:(0)
2.1	0.1	2	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 808-809

**V1509****051B079M:COKE STAY AWAKE**

Item Number: 04490

Question Number(s): 1B079M What have been the most important reasons for your taking cocaine? (Mark all that apply.) M. To stay awake

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	3.0	77	0	NT MARKD:(0)
30.3	1.3	33	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 810-811

**V1510****051B079N:COKE GET>ENERGY**

Item Number: 04500

Question Number(s): 1B079N What have been the most important reasons for your taking cocaine? (Mark all that apply.) N. To get more energy

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.1	2.9	74	0	NT MARKD:(0)
32.9	1.4	36	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 812-813

**V1511****051B079O:COKE I AM HOOKD**

Item Number: 04510

Question Number(s): 1B079O What have been the most important reasons for your taking cocaine? (Mark all that apply.) O. Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	4.0	105	0	NT MARKD:(0)
5.0	0.2	6	1	MARKED:(1)
	95.7	2,476	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 814-815



V1512

051B080 :COK,GET VERY HI

Item Number: 04520

Question Number(s): 1B080 When you take cocaine how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high" 5="I don't take it to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	0.6	16	1	NOT HIGH:(1)
15.0	0.7	18	2	LIT HIGH:(2)
32.2	1.5	39	3	MOD HIGH:(3)
35.9	1.7	44	4	VRV HIGH:(4)
4.1	0.2	5	5	N TK HI:(5)
	95.3	2,465	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 816-817

V1513

051B081 :COK,HIGH 24+ HR

Item Number: 04530

Question Number(s): 1B081 When you take cocaine how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	0.8	20	1	N GET HI:(1)
46.0	2.1	55	2	1-2 HRS:(2)
21.5	1.0	25	3	3-6 HRS:(3)
13.2	0.6	16	4	7-24 HRS:(4)
2.7	0.1	3	5	>24 HRS:(5)
	95.4	2,468	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 818-819

**V1514****051B082 : \*TRY STP COK&FL**

Item Number: 04540

Question Number(s): 1B082 Have you ever tried to stop using cocaine and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	0.7	18	1	YES:(1)
85.5	4.1	107	2	NO:(2)
	95.2	2,462	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 820-821

**V1743****051B083A:FRM COKE-POWDER**

Item Number: 04531

Question Number(s): 1B083A What forms of cocaine have you used? (Mark all that apply.) A. Cocaine powder

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.2	5	0	NT MRKD:(0)
95.7	4.3	110	1	MARKED:(1)
	95.6	2,472	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 822-823

**V1746****051B083B:FRM COKE-CRACK**

Item Number: 04534

Question Number(s): 1B083B What forms of cocaine have you used? (Mark all that apply.) B. "Crack" or "rock"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	3.0	79	0	NT MRKD:(0)
31.4	1.4	36	1	MARKED:(1)
	95.6	2,472	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 824-825

**V1744****051B083C:FRM COKE-FRBASE**

Item Number: 04532

Question Number(s): 1B083C What forms of cocaine have you used? (Mark all that apply.) C. "Freebase" or "base"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	3.7	95	0	NT MRKD:(0)
17.3	0.8	20	1	MARKED:(1)
	95.6	2,472	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 826-827

**V1745****051B083D:FRM COKE-PASTE**

Item Number: 04533

Question Number(s): 1B083D What forms of cocaine have you used? (Mark all that apply.) D. Coca paste

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	4.4	114	0	NT MRKD:(0)
1.1	0.0	1	1	MARKED:(1)
	95.6	2,472	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 828-829

**V1515****051B084A:MTHD COKE SNORT**

Item Number: 04550

Question Number(s): 1B084A What methods have you used for taking cocaine? (Mark all that apply.) A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	0.5	14	0	NT MARKD:(0)
87.8	3.8	99	1	MARKED:(1)
	95.7	2,474	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 830-831

**V1516****051B084B:MTHD COKE-SMOKE**

Item Number: 04560

Question Number(s): 1B084B What methods have you used for taking cocaine? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	2.4	61	0	NT MARKD:(0)
45.4	2.0	51	1	MARKED:(1)
	95.7	2,474	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 832-833

**V1517****051B084C:MTHD COKE-INJCT**

Item Number: 04570

Question Number(s): 1B084C What methods have you used for taking cocaine? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	4.2	108	0	NT MARKD:(0)
3.5	0.2	4	1	MARKED:(1)
	95.7	2,474	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 834-835

**V1747****051B084D: MTHD COKE-INHAL**

Item Number: 04575

Question Number(s): 1B084D What methods have you used for taking cocaine? (Mark all that apply.) D. Inhaling fumes

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	3.8	98	0	NT MRKD:(0)
12.7	0.6	14	1	MARKED:(1)
	95.7	2,474	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 836-837

**V1518****051B084E: MTHD COKE-MOUTH**

Item Number: 04580

Question Number(s): 1B084E What methods have you used for taking cocaine? (Mark all that apply.) E. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	3.1	80	0	NT MARKD:(0)
28.7	1.2	32	1	MARKED:(1)
	95.7	2,474	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 838-839

V1519

051B084F: MTHD COKE-OTHER

Item Number: 04590

Question Number(s): 1B084F What methods have you used for taking cocaine? (Mark all that apply.) F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	4.2	109	0	NT MARKD:(0)
3.1	0.1	4	1	MARKED:(1)
	95.7	2,474	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 840-841

V1520

051B085 :NO COKE IN 5YR

Item Number: 04600

Question Number(s): 1B085 Do you think you will be using cocaine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	19	1	DEF WILL:(1)
0.8	0.7	19	2	PRB WILL:(2)
7.6	6.8	177	3	PRB WONT:(3)
90.8	82.2	2,126	4	DEF WONT:(4)
	9.5	246	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 842-843

V1139

051B086A:#X "H"/LIFETIME

Item Number: 01100

Question Number(s): 1B086A The next questions are about  
 HEROIN. On how many occasions (if any) have you taken heroin  
 . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	88.9	2,299	1	0 OCCAS:(1)
0.9	0.8	22	2	1-2X:(2)
0.3	0.2	6	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	9.7	251	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 844-845



V1521

051B086A:#X "H"/LIFETIME

Item Number: 01100

Question Number(s): 1B086A The next questions are about  
 HEROIN. On how many occasions (if any) have you taken heroin  
 . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
 More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.4	88.9	2,299	1	0 OCCAS:(1)
0.9	0.8	22	2	1-2X:(2)
0.3	0.2	6	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	9.7	251	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 846-847

V1140

051B086B:#X "H"/LAST 12M

Item Number: 01110

Question Number(s): 1B086B On how many occasions (if any)  
have you taken heroin . . . B: . . . during the last 12  
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	89.5	2,315	1	0 OCCAS:(1)
0.4	0.4	10	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	9.6	249	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 848-849

V1522

051B086B:#X "H"/LAST 12M

Item Number: 01110

Question Number(s): 1B086B On how many occasions (if any)  
have you taken heroin . . . B: . . . during the last 12  
months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.0	89.5	2,315	1	0 OCCAS:(1)
0.4	0.4	10	2	1-2X:(2)
0.2	0.2	6	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	9.6	249	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 850-851

V1141

051B086C:#X "H"/LAST 30D

Item Number: 01120

Question Number(s): 1B086C On how many occasions (if any)  
have you taken heroin . . . C: . . . during the last 30  
days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	89.9	2,325	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	9.7	251	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 852-853

V1523

051B086C:#X "H"/LAST 30D

Item Number: 01120

Question Number(s): 1B086C On how many occasions (if any)  
have you taken heroin . . . C: . . . during the last 30  
days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9  
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or  
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	89.9	2,325	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	9.7	251	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 854-855

V1564

051B087 :DR TOLD TK NARC

Item Number: 05020

Question Number(s): 1B087 The next questions are about NARCOTICS OTHER THAN HEROIN, which are sometimes prescribed by doctors. Drugstores are not supposed to sell them without a prescription. These include: Methadone, Codeine, OxyContin, Percodan, Opium, Demerol, Percocet, Dilaudid, Morphine, Vicodin. Have you ever taken any narcotics other than heroin because a doctor told you to use them?

1="No" 2="Yes, but I had already tried them on my own."

3="Yes, and it was the first time I took any."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	74.2	1,921	1	NO:(1)
3.8	3.5	90	2	YES BUT:(2)
14.4	13.1	339	3	YES 1ST:(3)
	9.2	238	-9	MISSING

-----

100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 856-857

V1142

051B088A:#X NARC/LIFETIM

Item Number: 01130

Question Number(s): 1B088A On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	79.1	2,046	1	0 OCCAS:(1)
4.7	4.2	109	2	1-2X:(2)
2.5	2.3	58	3	3-5X:(3)
1.4	1.3	32	4	6-9X:(4)
1.6	1.4	37	5	10-19X:(5)
0.9	0.8	20	6	20-39X:(6)
1.1	1.0	26	7	40+OCCAS:(7)
	10.0	257	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 858-859

V1565

051B088A:#X NARC/LIFETIM

Item Number: 01130

Question Number(s): 1B088A On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	79.1	2,046	1	0 OCCAS:(1)
4.7	4.2	109	2	1-2X:(2)
2.5	2.3	58	3	3-5X:(3)
1.4	1.3	32	4	6-9X:(4)
1.6	1.4	37	5	10-19X:(5)
0.9	0.8	20	6	20-39X:(6)
1.1	1.0	26	7	40+OCCAS:(7)
	10.0	257	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 860-861



V1143

051B088B:#X NARC/LAST12M

Item Number: 01140

Question Number(s): 1B088B On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	82.7	2,139	1	0 OCCAS:(1)
3.1	2.8	71	2	1-2X:(2)
2.0	1.8	47	3	3-5X:(3)
1.2	1.1	28	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.6	0.6	15	7	40+OCCAS:(7)
	10.0	258	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 862-863

V1566

051B088B:#X NARC/LAST12M

Item Number: 01140

Question Number(s): 1B088B On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	82.7	2,139	1	0 OCCAS:(1)
3.1	2.8	71	2	1-2X:(2)
2.0	1.8	47	3	3-5X:(3)
1.2	1.1	28	4	6-9X:(4)
0.8	0.7	19	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.6	0.6	15	7	40+OCCAS:(7)
	10.0	258	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 864-865

V1144

051B088C:#X NARC/LAST30D

Item Number: 01150

Question Number(s): 1B088C On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	86.5	2,237	1	0 OCCAS:(1)
2.0	1.8	47	2	1-2X:(2)
1.1	1.0	26	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	10.0	258	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 866-867

V1567

051B088C:#X NARC/LAST30D

Item Number: 01150

Question Number(s): 1B088C On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	86.5	2,237	1	0 OCCAS:(1)
2.0	1.8	47	2	1-2X:(2)
1.1	1.0	26	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	10.0	258	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 868-869

V1568

051B089A:#X/YR NARC ALNE

Item Number: 05030

Question Number(s): 1B089A IF YOU HAVE NOT TAKEN NARCOTICS OTHER THAN HEROIN IN THE LAST TWELVE MONTHS, GO TO QUESTION 97. | THE FOLLOWING QUESTIONS REFER ONLY TO TAKING NARCOTICS OTHER THAN HEROIN WITHOUT A DOCTOR'S ORDERS. IF YOU HAVE NOT DONE THIS IN THE LAST TWELVE MONTHS, GO TO QUESTION 97. When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations?

A: When you were alone

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	2.7	70	1	NOT @ALL:(1)
30.7	2.1	53	2	FEW TIME:(2)
12.0	0.8	21	3	SOM TIME:(3)
8.2	0.5	14	4	MST TIME:(4)
8.7	0.6	15	5	EVRYTIME:(5)
	93.3	2,414	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 870-871

V1569

051B089B:#X/YR NARC-2PPL

Item Number: 05040

Question Number(s): 1B089B When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? B: With just 1 or 2 other people

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	1.5	39	1	NOT @ALL:(1)
34.4	2.3	59	2	FEW TIME:(2)
23.5	1.6	41	3	SOM TIME:(3)
11.6	0.8	20	4	MST TIME:(4)
7.5	0.5	13	5	EVRYTIME:(5)
	93.3	2,414	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 872-873

V1570

051B089C:#X/YR NARC@PTY

Item Number: 05050

Question Number(s): 1B089C When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? C: At a party

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	3.7	95	1	NOT @ALL:(1)
17.6	1.2	31	2	FEW TIME:(2)
14.0	0.9	24	3	SOM TIME:(3)
12.1	0.8	21	4	MST TIME:(4)
2.0	0.1	3	5	EVRYTIME:(5)
	93.3	2,413	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 874-875

V1571

051B089D:#X/YR NARC-DT/S

Item Number: 05060

Question Number(s): 1B089D When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? D: When your date or spouse was present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	4.5	117	1	NOT @ALL:(1)
15.8	1.0	27	2	FEW TIME:(2)
6.8	0.4	12	3	SOM TIME:(3)
4.7	0.3	8	4	MST TIME:(4)
4.6	0.3	8	5	EVRYTIME:(5)
	93.4	2,415	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 876-877



V1572

051B089E:#X/YR NARC-ADLT

Item Number: 05070

Question Number(s): 1B089E When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? E: When people over age 30 were present

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	4.7	120	1	NOT @ALL:(1)
19.8	1.4	35	2	FEW TIME:(2)
6.5	0.4	12	3	SOM TIME:(3)
3.9	0.3	7	4	MST TIME:(4)
2.3	0.2	4	5	EVRYTIME:(5)
	93.1	2,409	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 878-879

V1573

051B089F:#X/YR NARC-DATM

Item Number: 05080

Question Number(s): 1B089F When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? F: During the daytime (before 4:00 p.m.)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	3.0	77	1	NOT @ALL:(1)
25.3	1.7	45	2	FEW TIME:(2)
17.4	1.2	31	3	SOM TIME:(3)
10.1	0.7	18	4	MST TIME:(4)
3.6	0.2	6	5	EVRYTIME:(5)
	93.2	2,410	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 880-881

V1574

051B089G:#X/YR NARC@HOME

Item Number: 05090

Question Number(s): 1B089G When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? G: At your home (or apartment or dorm)

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	2.5	65	1	NOT @ALL:(1)
22.9	1.5	40	2	FEW TIME:(2)
17.7	1.2	31	3	SOM TIME:(3)
11.6	0.8	20	4	MST TIME:(4)
10.5	0.7	18	5	EVRYTIME:(5)
	93.2	2,412	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 882-883

V1575

051B089H:#X/YR NARC@SCHL

Item Number: 05100

Question Number(s): 1B089H When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? H: At school

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	4.6	119	1	NOT @ALL:(1)
16.8	1.1	30	2	FEW TIME:(2)
9.9	0.7	17	3	SOM TIME:(3)
5.3	0.4	9	4	MST TIME:(4)
0.6	0.0	1	5	EVRYTIME:(5)
	93.2	2,411	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 884-885

V1576

051B089I:#X/YR NARC @CAR

Item Number: 05120

Question Number(s): 1B089I When you used narcotics other than heroin during the last year, how often did you use them in each of the following situations? I: In a car

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	4.3	111	1	NOT @ALL:(1)
18.7	1.3	33	2	FEW TIME:(2)
9.3	0.6	16	3	SOM TIME:(3)
4.9	0.3	8	4	MST TIME:(4)
3.9	0.3	7	5	EVRYTIME:(5)
	93.2	2,412	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 886-887

V1577

051B090A:#X OVL NARC+ALC

Item Number: 05130

Question Number(s): 1B090A How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? A: With alcohol

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	3.5	90	1	NOT @ALL:(1)
21.7	1.5	38	2	FEW TIME:(2)
13.1	0.9	23	3	SOM TIME:(3)
7.7	0.5	13	4	MST TIME:(4)
6.4	0.4	11	5	EVRYTIME:(5)
	93.2	2,411	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 888-889

V1578

051B090B:#X OVL NARC+MJ

Item Number: 05140

Question Number(s): 1B090B How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? B: With marijuana

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	2.9	74	1	NOT @ALL:(1)
29.6	2.0	50	2	FEW TIME:(2)
10.9	0.7	19	3	SOM TIME:(3)
6.6	0.4	11	4	MST TIME:(4)
9.5	0.6	16	5	EVRYTIME:(5)
	93.4	2,416	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 890-891

V1579

051B090C:#X OVL NARC+LSD

Item Number: 05150

Question Number(s): 1B090C How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? C: With LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	6.3	162	1	NOT @ALL:(1)
0.0	0.0	0	2	FEW TIME:(2)
2.3	0.1	4	3	SOM TIME:(3)
0.3	0.0	0	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	93.6	2,420	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 892-893

V1580

051B090D:#X OVL NARC+PSY

Item Number: 05160

Question Number(s): 1B090D How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? D: With hallucinogens other than LSD

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	6.1	159	1	NOT @ALL:(1)
3.4	0.2	6	2	FEW TIME:(2)
2.4	0.2	4	3	SOM TIME:(3)
0.9	0.1	2	4	MST TIME:(4)
0.5	0.0	1	5	EVRYTIME:(5)
	93.4	2,416	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 894-895



V1581

051B090E:#X OVL NARC+AMP

Item Number: 05170

Question Number(s): 1B090E How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? E: With amphetamines

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
89.0	5.7	148	1	NOT @ALL:(1)
6.7	0.4	11	2	FEW TIME:(2)
3.1	0.2	5	3	SOM TIME:(3)
0.6	0.0	1	4	MST TIME:(4)
0.6	0.0	1	5	EVRYTIME:(5)
	93.6	2,421	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 896-897

V1582

051B090F:#X OVL NARC+QUA

Item Number: 05180

Question Number(s): 1B090F How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? F: With quaaludes

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.6	6.3	162	1	NOT @ALL:(1)
0.3	0.0	0	2	FEW TIME:(2)
2.1	0.1	4	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	93.6	2,420	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 898-899

V1583

051B090G:#X OVL NARC+BRB

Item Number: 05190

Question Number(s): 1B090G How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? G: With barbiturates

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.3	6.1	158	1	NOT @ALL:(1)
1.6	0.1	3	2	FEW TIME:(2)
2.8	0.2	5	3	SOM TIME:(3)
0.3	0.0	1	4	MST TIME:(4)
0.0	0.0	0	5	EVRYTIME:(5)
	93.6	2,421	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 900-901

V1584

051B090H:#X OVL NARC+TRN

Item Number: 05200

Question Number(s): 1B090H How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? H: With tranquilizers

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
89.2	5.9	153	1	NOT @ALL:(1)
7.1	0.5	12	2	FEW TIME:(2)
2.7	0.2	5	3	SOM TIME:(3)
0.3	0.0	1	4	MST TIME:(4)
0.8	0.1	1	5	EVRYTIME:(5)
	93.4	2,415	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 902-903

V1585

051B090I:#X OVL NARC+COK

Item Number: 05210

Question Number(s): 1B090I How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? I: With cocaine

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT VALID	PCT ALL	N	VALUE	LABEL
87.4	5.6	144	1	NOT @ALL:(1)
6.7	0.4	11	2	FEW TIME:(2)
3.6	0.2	6	3	SOM TIME:(3)
0.6	0.0	1	4	MST TIME:(4)
1.6	0.1	3	5	EVRYTIME:(5)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 904-905

**V1586****051B090J:#X OVL NARC+HER**

Item Number: 05220

Question Number(s): 1B090J How many of the times when you used narcotics other than heroin during the last year did you use them along with each of the following drugs--that is, so that their effects overlapped? J: With heroin

1="Not at all" 2="A few of the times" 3="Some of the times"  
4="Most of the times" 5="Every time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	6.2	160	1	NOT @ALL:(1)
1.4	0.1	2	2	FEW TIME:(2)
1.9	0.1	3	3	SOM TIME:(3)
0.0	0.0	0	4	MST TIME:(4)
0.3	0.0	0	5	EVRYTIME:(5)
	93.6	2,421	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 906-907

**V1587****051B091A:NARC EXPERIMENT**

Item Number: 05230

Question Number(s): 1B091A What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) A. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	3.3	85	0	NT MARKD:(0)
48.2	3.1	79	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 908-909

**V1588****051B091B:NARC RELAX**

Item Number: 05240

Question Number(s): 1B091B What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) B. To relax or relieve tension

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	2.4	62	0	NT MARKD:(0)
62.4	4.0	103	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 910-911

**V1589****051B091C:NARC GET HIGH**

Item Number: 05250

Question Number(s): 1B091C What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) C. To feel good or get high

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	3.1	79	0	NT MARKD:(0)
52.1	3.3	86	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 912-913

**V1590****051B091D:NARC SK INSIGTS**

Item Number: 05260

Question Number(s): 1B091D What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) D. To seek deeper insights and understanding

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	5.8	150	0	NT MARKD:(0)
9.2	0.6	15	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 914-915

**V1591****051B091E:NARC GD TM FRND**

Item Number: 05270

Question Number(s): 1B091E What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) E. To have a good time with my friends

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	4.7	122	0	NT MARKD:(0)
25.9	1.7	43	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 916-917



**V1592****051B091F:NARC FIT IN GRP**

Item Number: 05280

Question Number(s): 1B091F What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) F. To fit in with a group I like

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	6.3	164	0	NT MARKD:(0)
0.6	0.0	1	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 918-919

**V1593****051B091G:NARC GT AWY PBM**

Item Number: 05290

Question Number(s): 1B091G What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) G. To get away from my problems or troubles

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	5.1	132	0	NT MARKD:(0)
20.1	1.3	33	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 920-921

**V1594****051B091H:NARC BOREDOM**

Item Number: 05300

Question Number(s): 1B091H What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) H. Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	5.0	128	0	NT MARKD:(0)
22.1	1.4	36	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 922-923

**V1595****051B091I:NARC ANGR&FRSTN**

Item Number: 05310

Question Number(s): 1B091I What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) I. Because of anger or frustration

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	5.4	141	0	NT MARKD:(0)
14.6	0.9	24	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 924-925

**V1596****051B091J:NARC GT THRU DA**

Item Number: 05320

Question Number(s): 1B091J What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) J. To get through the day

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	5.4	139	0	NT MARKD:(0)
15.9	1.0	26	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 926-927

**V1597****051B091K:NARC INC EF DG**

Item Number: 05330

Question Number(s): 1B091K What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) K. To increase the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	5.5	143	0	NT MARKD:(0)
13.3	0.8	22	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 928-929

**V1598****051B091L:NARC DEC EF DG**

Item Number: 05340

Question Number(s): 1B091L What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) L. To decrease (offset) the effects of some other drug(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	6.2	162	0	NT MARKD:(0)
1.9	0.1	3	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 930-931

**V1599****051B091M:NARC GET SLEEP**

Item Number: 05350

Question Number(s): 1B091M What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) M. To get to sleep

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	4.8	124	0	NT MARKD:(0)
25.0	1.6	41	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 932-933

**V1600****051B091N:NARC SBST HERIN**

Item Number: 05360

Question Number(s): 1B091N What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) N. As a substitute for heroin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	6.2	161	0	NT MARKD:(0)
2.3	0.1	4	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 934-935

**V1697****051B0910:NARC RLV PHYS P**

Item Number: 05363

Question Number(s): 1B0910 What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) 0. To relieve physical pain

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	3.6	93	0	NT MARKD:(0)
43.9	2.8	72	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 936-937

**V1698****051B091P:NARC RLV COUGHN**

Item Number: 05366

Question Number(s): 1B091P What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) P. To control coughing

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	5.8	151	0	NT MARKD:(0)
8.4	0.5	14	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 938-939

**V1601****051B091Q:NARC I AM HOOKD**

Item Number: 05370

Question Number(s): 1B091Q What have been the most important reasons for your using narcotics other than heroin without a doctor's orders? (Mark all that apply.) Q. Because I am "hooked"--I have to have them

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	6.2	161	0	NT MARKD:(0)
2.4	0.2	4	1	MARKED:(1)
	93.6	2,422	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 940-941

V1602

051B092 :NARC,GT VERY HI

Item Number: 05380

Question Number(s): 1B092 When you take narcotics other than heroin how high do you usually get?

1="Not at all high" 2="A little high" 3="Moderately high"  
4="Very high" 5="I don't take them to get high."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	0.5	14	1	NOT HIGH:(1)
27.6	1.8	47	2	LIT HIGH:(2)
35.5	2.3	60	3	MOD HIGH:(3)
13.4	0.9	23	4	VRy HIGH:(4)
15.4	1.0	26	5	N TK HI:(5)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 942-943

V1603

051B093 :NARC,HI 24+ HRS

Item Number: 05390

Question Number(s): 1B093 When you take narcotics other than heroin how long do you usually stay high?

1="Usually don't get high" 2="One to two hours" 3="Three to six hours" 4="Seven to 24 hours" 5="More than 24 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	1.1	29	1	N GET HI:(1)
34.8	2.3	59	2	1-2 HRS:(2)
33.7	2.2	57	3	3-6 HRS:(3)
11.5	0.8	19	4	7-24 HRS:(4)
2.6	0.2	4	5	>24 HRS:(5)
	93.5	2,418	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 944-945

**V1604****051B094A:NARC TKN MTHDNE**

Item Number: 05400

Question Number(s): 1B094A What narcotics other than heroin  
have you taken during the last year without a doctor's  
orders? (Mark all that apply.) A. Methadone

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	5.9	152	0	NT MARKD:(0)
10.2	0.7	17	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 946-947

**V1605****051B094B:NARC TKN OPIUM**

Item Number: 05410

Question Number(s): 1B094B What narcotics other than heroin  
have you taken during the last year without a doctor's  
orders? (Mark all that apply.) B. Opium

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.4	5.2	134	0	NT MARKD:(0)
20.6	1.4	35	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 948-949



**V1606****051B094C:NARC TKN MRPHNE**

Item Number: 05420

Question Number(s): 1B094C What narcotics other than heroin  
have you taken during the last year without a doctor's  
orders? (Mark all that apply.) C. Morphine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	4.7	121	0	NT MARKD:(0)
28.6	1.9	48	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 950-951

**V1607****051B094D:NARC TKN CODEIN**

Item Number: 05430

Question Number(s): 1B094D What narcotics other than heroin  
have you taken during the last year without a doctor's  
orders? (Mark all that apply.) D. Codeine

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	2.7	70	0	NT MARKD:(0)
58.7	3.8	99	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 952-953

**V1608****051B094E:NARC TKN DEMROL**

Item Number: 05440

Question Number(s): 1B094E What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) E. Demerol

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	5.5	143	0	NT MARKD:(0)
15.8	1.0	27	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 954-955

**V1816****051B094F:NARC TKN VICODN**

Item Number: 05445

Question Number(s): 1B094F What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) Vicodin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	2.5	64	0	NT MARKD:(0)
62.2	4.1	105	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 956-957

**V1817****051B094G:NARC TKN OXYCON**

Item Number: 05455

Question Number(s): 1B094G What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) OxyContin

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	3.7	95	0	NT MARKD:(0)
43.7	2.9	74	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 958-959

**V1818****051B094H:NARC TKN PERCET**

Item Number: 05465

Question Number(s): 1B094H What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) Percocet

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.0	4.3	112	0	NT MARKD:(0)
34.0	2.2	58	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 960-961

**V1819****051B094I:NARC TKN PERDAN**

Item Number: 05475

Question Number(s): 1B094I What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) Percodan

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	6.0	155	0	NT MARKD:(0)
8.4	0.6	14	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 962-963

**V1820****051B094J:NARC TKN DILAUD**

Item Number: 05478

Question Number(s): 1B094J What narcotics other than heroin have you taken during the last year without a doctor's orders? (Mark all that apply.) Dilaudid

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	6.5	168	0	NT MARKD:(0)
0.9	0.1	1	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 964-965

**V1612****051B094K:NARC TKN OTHER**

Item Number: 05480

Question Number(s): 1B094K What narcotics other than heroin  
have you taken during the last year without a doctor's  
orders? (Mark all that apply.) I. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	5.1	132	0	NT MARKD:(0)
22.3	1.5	38	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 966-967

**V1613****051B094L:NARC TKN DNT KN**

Item Number: 05490

Question Number(s): 1B094L What narcotics other than heroin  
have you taken during the last year without a doctor's  
orders? (Mark all that apply.) J. Don't know the names of  
some I have used

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	6.2	160	0	NT MARKD:(0)
5.5	0.4	9	1	MARKED:(1)
	93.4	2,417	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 968-969

**V1614****051B095 :TRY STP NARC&FL**

Item Number: 05500

Question Number(s): 1B095 Have you ever tried to stop using  
narcotics other than heroin and found that you couldn't stop?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.6	15	1	YES:(1)
91.3	5.9	153	2	NO:(2)
	93.5	2,419	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 970-971

**V1615****051B096A:METH NARC SNORT**

Item Number: 05510

Question Number(s): 1B096A What methods have you used for  
taking any of these narcotics other than heroin? (Mark all  
that apply.) A. Sniffing or "snorting"

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	4.1	106	0	NT MARKD:(0)
37.1	2.4	63	1	MARKED:(1)
	93.5	2,418	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 972-973

**V1616****051B096B:METH NARC SMOKE**

Item Number: 05520

Question Number(s): 1B096B What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) B. Smoking

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	5.5	143	0	NT MARKD:(0)
15.5	1.0	26	1	MARKED:(1)
	93.5	2,418	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 974-975

**V1617****051B096C:METH NARC INJCT**

Item Number: 05530

Question Number(s): 1B096C What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) C. Injection

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	6.3	163	0	NT MARKD:(0)
3.4	0.2	6	1	MARKED:(1)
	93.5	2,418	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 976-977

**V1618****051B096D:METH NARC MOUTH**

Item Number: 05540

Question Number(s): 1B096D What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) D. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.3	7	0	NT MARKD:(0)
96.0	6.3	162	1	MARKED:(1)
	93.5	2,418	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 978-979

**V1619****051B096E:METH NARC OTHER**

Item Number: 05550

Question Number(s): 1B096E What methods have you used for taking any of these narcotics other than heroin? (Mark all that apply.) E. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	6.4	166	0	NT MARKD:(0)
1.4	0.1	2	1	MARKED:(1)
	93.5	2,418	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 980-981



V1620

051B097 :NO NARC IN 5YR

Item Number: 05560

Question Number(s): 1B097 Do you think you will be using  
any narcotics other than heroin without a doctor's orders  
five years from now?

1="I definitely will" 2="I probably will" 3="I probably will  
not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	25	1	DEF WILL:(1)
2.6	2.4	62	2	PRB WILL:(2)
12.1	11.0	283	3	PRB WONT:(3)
84.2	76.3	1,975	4	DEF WONT:(4)
	9.4	242	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 982-983

V1762

051B098 :ATTND DRG TRTMN

Item Number: 22360

Question Number(s): 1B098 Have you ever attended a  
treatment program for alcohol or drug abuse where you stayed  
overnight?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes,  
sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	89.7	2,321	1	NO/NVR:(1)
0.6	0.6	15	2	Y/-PSTYR:(2)
0.5	0.4	11	3	Y/PST YR:(3)
	9.3	240	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 984-985

V1763

051B099 :RCV DRG COUNSEL

Item Number: 22370

Question Number(s): 1B099 Have you ever received any other kind of professional counseling, treatment, or therapy because of your use of alcohol or drugs?

1="No, never" 2="Yes, but not in the past 12 months" 3="Yes, sometime in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	87.4	2,261	1	NO/NVR:(1)
1.9	1.7	44	2	Y/-PSTYR:(2)
2.0	1.8	47	3	Y/PST YR:(3)
	9.1	235	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 986-987

V1621

051B100A:GR 1ST SMOK DLY

Item Number: 05570

Question Number(s): 1B100A When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.3	34	1	GRADE 6:(1)
1.9	1.7	43	2	GRADE 7:(2)
2.8	2.5	64	3	GRADE 8:(3)
3.7	3.2	84	4	GRADE 9:(4)
3.9	3.5	90	5	GRADE 10:(5)
5.0	4.4	113	6	GRADE 11:(6)
3.0	2.6	67	7	GRADE 12:(7)
78.3	68.9	1,783	8	NEVER:(8)
	11.9	309	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 988-989

V1622

051B100B:GR 1ST TRY ALC

Item Number: 05580

Question Number(s): 1B100B When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.3	136	1	GRADE 6:(1)
7.1	6.1	157	2	GRADE 7:(2)
12.1	10.4	269	3	GRADE 8:(3)
18.2	15.6	403	4	GRADE 9:(4)
15.5	13.3	343	5	GRADE 10:(5)
12.4	10.6	275	6	GRADE 11:(6)
7.5	6.5	167	7	GRADE 12:(7)
21.1	18.1	469	8	NEVER:(8)
	14.3	369	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 990-991

V1623

051B100C:GR 1ST TRY MJ

Item Number: 05590

Question Number(s): 1B100C When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.9	50	1	GRADE 6:(1)
3.6	3.2	82	2	GRADE 7:(2)
6.8	6.1	157	3	GRADE 8:(3)
9.8	8.7	224	4	GRADE 9:(4)
8.9	7.9	205	5	GRADE 10:(5)
6.8	6.1	157	6	GRADE 11:(6)
4.7	4.1	107	7	GRADE 12:(7)
57.2	50.8	1,314	8	NEVER:(8)
	11.2	290	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 992-993

V1624

051B100D:GR 1ST TRY LSD

Item Number: 05600

Question Number(s): 1B100D When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	5	1	GRADE 6:(1)
0.3	0.2	6	2	GRADE 7:(2)
0.5	0.4	11	3	GRADE 8:(3)
0.5	0.4	11	4	GRADE 9:(4)
0.8	0.7	19	5	GRADE 10:(5)
0.7	0.6	15	6	GRADE 11:(6)
0.4	0.3	8	7	GRADE 12:(7)
96.8	86.7	2,243	8	NEVER:(8)
	10.4	269	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 994-995

V1625

051B100E:GR 1ST TRY PSY

Item Number: 05610

Question Number(s): 1B100E When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. E: Try a hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	4	1	GRADE 6:(1)
0.3	0.3	7	2	GRADE 7:(2)
0.3	0.2	6	3	GRADE 8:(3)
0.8	0.7	18	4	GRADE 9:(4)
2.0	1.7	45	5	GRADE 10:(5)
1.9	1.7	44	6	GRADE 11:(6)
0.8	0.7	19	7	GRADE 12:(7)
93.7	83.4	2,157	8	NEVER:(8)
	11.0	285	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 996-997

V1626

051B100F:GR 1ST TRY AMP

Item Number: 05620

Question Number(s): 1B100F When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.3	7	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.4	0.4	10	3	GRADE 8:(3)
1.2	1.0	26	4	GRADE 9:(4)
1.6	1.4	35	5	GRADE 10:(5)
1.3	1.1	29	6	GRADE 11:(6)
1.1	1.0	25	7	GRADE 12:(7)
94.1	81.9	2,117	8	NEVER:(8)
	13.0	335	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 998-999



V1627

051B100G:GR 1ST TRY QUA

Item Number: 05630

Question Number(s): 1B100G When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	6	1	GRADE 6:(1)
0.0	0.0	0	2	GRADE 7:(2)
0.0	0.0	0	3	GRADE 8:(3)
0.2	0.2	4	4	GRADE 9:(4)
0.1	0.1	3	5	GRADE 10:(5)
0.2	0.1	4	6	GRADE 11:(6)
0.0	0.0	0	7	GRADE 12:(7)
99.3	88.8	2,297	8	NEVER:(8)
	10.5	273	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1000-1001

V1628

051B100H:GR 1ST TRY BRB

Item Number: 05640

Question Number(s): 1B100H When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. H: Try barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.3	8	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.1	0.1	2	3	GRADE 8:(3)
0.6	0.6	15	4	GRADE 9:(4)
0.3	0.3	8	5	GRADE 10:(5)
0.5	0.5	12	6	GRADE 11:(6)
0.1	0.1	3	7	GRADE 12:(7)
97.8	88.1	2,279	8	NEVER:(8)
	9.9	257	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1002-1003

V1629

051B100I:GR 1ST TRY TRN

Item Number: 05650

Question Number(s): 1B100I When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.2	6	1	GRADE 6:(1)
0.2	0.1	4	2	GRADE 7:(2)
0.3	0.3	8	3	GRADE 8:(3)
1.1	1.0	26	4	GRADE 9:(4)
1.5	1.4	35	5	GRADE 10:(5)
1.3	1.1	29	6	GRADE 11:(6)
0.7	0.6	16	7	GRADE 12:(7)
94.6	83.1	2,149	8	NEVER:(8)
	12.2	315	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1004-1005

V1630

051B100J:GR 1ST TRY COK

Item Number: 05660

Question Number(s): 1B100J When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.4	9	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.2	0.2	5	3	GRADE 8:(3)
0.9	0.8	22	4	GRADE 9:(4)
1.7	1.6	41	5	GRADE 10:(5)
1.8	1.6	41	6	GRADE 11:(6)
1.9	1.7	45	7	GRADE 12:(7)
92.8	83.5	2,160	8	NEVER:(8)
	10.0	260	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1006-1007

V1631

051B100K:GR 1ST TRY HER

Item Number: 05670

Question Number(s): 1B100K When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	5	1	GRADE 6:(1)
0.0	0.0	0	2	GRADE 7:(2)
0.0	0.0	1	3	GRADE 8:(3)
0.1	0.1	3	4	GRADE 9:(4)
0.4	0.4	10	5	GRADE 10:(5)
0.4	0.3	8	6	GRADE 11:(6)
0.2	0.2	6	7	GRADE 12:(7)
98.6	88.7	2,294	8	NEVER:(8)
	10.0	259	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1008-1009

V1632

051B100L:GR 1ST TRY NRC

Item Number: 05680

Question Number(s): 1B100L When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	7	1	GRADE 6:(1)
0.2	0.2	4	2	GRADE 7:(2)
0.5	0.4	11	3	GRADE 8:(3)
2.1	1.8	47	4	GRADE 9:(4)
2.5	2.1	55	5	GRADE 10:(5)
2.0	1.7	44	6	GRADE 11:(6)
1.7	1.5	38	7	GRADE 12:(7)
90.7	78.4	2,029	8	NEVER:(8)
	13.6	351	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1010-1011

V1748

051B100M:GR 1ST SMOK EVR

Item Number: 05575

Question Number(s): 1B100M When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. M: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
10.7	9.2	237	1	GRADE 6:(1)
6.4	5.4	141	2	GRADE 7:(2)
8.3	7.1	185	3	GRADE 8:(3)
7.5	6.4	166	4	GRADE 9:(4)
4.8	4.1	106	5	GRADE 10:(5)
5.6	4.8	123	6	GRADE 11:(6)
3.1	2.7	69	7	GRADE 12:(7)
53.6	46.0	1,189	8	NEVER:(8)
	14.3	371	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1012-1013

V1749

051B100N:GR 1ST DRUNK

Item Number: 05585

Question Number(s): 1B100N When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. N: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.8	47	1	GRADE 6:(1)
4.2	3.5	91	2	GRADE 7:(2)
7.9	6.7	173	3	GRADE 8:(3)
14.5	12.2	316	4	GRADE 9:(4)
13.3	11.2	290	5	GRADE 10:(5)
10.3	8.7	225	6	GRADE 11:(6)
5.2	4.4	113	7	GRADE 12:(7)
42.4	35.8	925	8	NEVER:(8)
	15.7	407	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1014-1015



V1783

051B1000:GR 1ST TRY CRAC

Item Number: 05661

Question Number(s): 1B1000 When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. 0: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.3	0.3	6	3	GRADE 8:(3)
0.3	0.3	8	4	GRADE 9:(4)
0.6	0.5	13	5	GRADE 10:(5)
0.6	0.6	14	6	GRADE 11:(6)
0.4	0.3	8	7	GRADE 12:(7)
97.6	87.1	2,253	8	NEVER:(8)
	10.8	278	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1016-1017

V1784

051B100P:GR 1ST TRY ICE

Item Number: 24430

Question Number(s): 1B100P When (if ever) did you FIRST do each of the following things? Don't count anything you took because a doctor told you to. P: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"  
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.5	13	1	GRADE 6:(1)
0.1	0.1	2	2	GRADE 7:(2)
0.0	0.0	1	3	GRADE 8:(3)
0.3	0.2	6	4	GRADE 9:(4)
1.0	0.9	23	5	GRADE 10:(5)
0.7	0.6	16	6	GRADE 11:(6)
0.7	0.7	17	7	GRADE 12:(7)
96.7	87.8	2,272	8	NEVER:(8)
	9.2	237	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1018-1019

**V1785****051B101A:ALL FRD SMK CIG**

Item Number: 07070

Question Number(s): 1B101A How many of your friends would  
you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	16.8	435	1	NONE:(1)
36.2	33.3	862	2	A FEW:(2)
30.1	27.7	716	3	SOME:(3)
14.1	13.0	335	4	MOST:(4)
1.4	1.3	33	5	ALL:(5)
	8.0	206	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1020-1021

**V1786****051B101B:ALL FRD SMK MAR**

Item Number: 07080

Question Number(s): 1B101B How many of your friends would  
you estimate . . . B: Smoke marijuana (pot, weed) or  
hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	19.7	509	1	NONE:(1)
31.1	28.5	737	2	A FEW:(2)
27.2	25.0	646	3	SOME:(3)
17.7	16.2	419	4	MOST:(4)
2.6	2.4	62	5	ALL:(5)
	8.2	213	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1022-1023

**V1787****051B101C:# FRNDS TK CRAC**

Item Number: 07151

Question Number(s): 1B101C How many of your friends would  
you estimate . . . C: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	71.0	1,836	1	NONE:(1)
17.3	15.9	410	2	A FEW:(2)
4.0	3.7	96	3	SOME:(3)
0.7	0.6	16	4	MOST:(4)
0.5	0.4	11	5	ALL:(5)
	8.5	219	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1024-1025

**V1788****051B101D:# FRNDS TK C PW**

Item Number: 23990

Question Number(s): 1B101D How many of your friends would  
you estimate. . . D: Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	65.4	1,691	1	NONE:(1)
21.3	19.4	501	2	A FEW:(2)
5.5	5.1	131	3	SOME:(3)
1.0	1.0	25	4	MOST:(4)
0.4	0.4	10	5	ALL:(5)
	8.9	229	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1026-1027

V1789

051B101E:ALL FRD DRK ALC

Item Number: 07190

Question Number(s): 1B101E How many of your friends would you estimate . . . E: Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	7.8	202	1	NONE:(1)
11.8	10.8	281	2	A FEW:(2)
20.8	19.0	492	3	SOME:(3)
40.0	36.7	949	4	MOST:(4)
18.9	17.3	448	5	ALL:(5)
	8.3	215	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1028-1029

V1790

051B101F:ALL FRD GT DRUN

Item Number: 07200

Question Number(s): 1B101F How many of your friends would you estimate . . . F: Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	23.2	601	1	NONE:(1)
26.8	24.6	636	2	A FEW:(2)
25.0	22.9	592	3	SOME:(3)
17.8	16.3	421	4	MOST:(4)
5.1	4.7	121	5	ALL:(5)
	8.3	214	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1030-1031

<b>V1148</b>	<b>051(R) :AGE &lt;&gt;18 DICHOTOMY</b>
--------------	---

Item Number:

Question Number(s): 1C001-2 Item comprised of responses to question C01 "In what year were you born?" (item 00010), question C02 "In what month were you born" (item 00020), and date of questionnaire administration recorded by interviewer.

1="younger than 18" 2="18 years of age or over"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	41.0	1,059	1	< 18:(1)
55.9	51.9	1,343	2	18+:(2)
	7.1	184	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1032-1033

<b>V1150</b>	<b>051C003 :R'S SEX</b>
--------------	-------------------------

Item Number: 00030

Question Number(s): 1C003 What is your sex?

1="Male" 2="Female"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	43.6	1,129	1	MALE:(1)
52.2	47.7	1,235	2	FEMALE:(2)
	8.6	223	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1034-1035

V1151

051C04(R):R'S RACE B/W/H

Item Number: 00040

Question Number(s): 1C004A-I Recoded from the following:  
 "How do you describe yourself? (Select one or more responses.) A. Black or African American; B. Mexican American or Chicano; C. Cuban American; D. Puerto Rican; E. Other Hispanic or Latino; F. Asian American; G. White (Caucasian); H. American Indian or Alaska Native; I. Native Hawaiian or Other Pacific Islander."

1="Black or African American" , 2="White (Caucasian)",  
 3=Hispanic ("Mexican..." or "Cuban..." or "Puerto Rican" or  
 "Other Hispanic..."). All other responses, including those  
 of respondents who chose more than 1 alternative, were  
 recoded to missing data.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	9.1	236	1	BLACK: (1)
74.6	60.4	1,562	2	WHITE: (2)
14.2	11.5	297	3	HISPANIC: (3)
	19.0	492	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1036-1037

V1152

051C005 :R SPD &gt;TIM R-UR

Item Number: 00050

Question Number(s): 1C005 Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	15.0	387	0	DK/MIXED:(0)
4.7	4.7	121	1	FARM:(1)
12.3	12.3	318	2	COUNTRY:(2)
19.3	19.3	499	3	SML TOWN:(3)
11.7	11.7	303	4	MED CITY:(4)
8.7	8.7	225	5	SUBURB 4:(5)
11.2	11.2	291	6	LRG CITY:(6)
8.8	8.8	227	7	SUBURB 6:(7)
4.4	4.4	113	8	VRYLG CY:(8)
3.9	3.9	102	9	SUBURB 8:(9)
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1038-1039



<b>V1153</b>	<b>051C006 :R NOT MARRIED</b>
--------------	-------------------------------

Item Number: 00060

Question Number(s): 1C006 What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.2	58	1	MARRIED:(1)
4.9	4.5	117	2	ENGAGED:(2)
1.1	1.0	27	3	SEP/DIV:(3)
91.5	84.1	2,176	4	SINGLE:(4)
	8.1	209	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1040-1041

<b>V49</b>	<b>05C07R:# SIBLINGS</b>
------------	--------------------------

Item Number:

Question Number(s): 1C007A-B Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more" For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.3	162	0	
29.7	27.4	708	1	
28.3	26.1	674	2	
35.3	32.5	841	3	3 OR MORE
	7.8	201	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1042-1043

**V1155****051C07Cb(R):R'S HSHLD FATHER**

Item Number: 00090

Question Number(s): 1C007Cb Which of the following people  
live in the same household with you? (Mark all that apply.) .  
. . B. . . . Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	22.6	586	0	NT MARKD:(0)
75.4	69.4	1,794	1	MARKED:(1)
	8.0	207	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1044-1045

**V1156****051C07Cc(R):R'S HSHLD MOTHER**

Item Number: 00100

Question Number(s): 1C007Cc Which of the following people  
live in the same household with you? (Mark all that apply.) .  
. . C. . . . Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.0	259	0	NT MARKD:(0)
89.1	82.0	2,120	1	MARKED:(1)
	8.0	207	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1046-1047

V1157

051C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Question Number(s): 1C007Cd Which of the following people  
live in the same household with you? (Mark all that apply.)  
Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	31.6	817	0	NT MARKD:(0)
65.7	60.4	1,563	1	MARKED:(1)
	8.0	207	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 1048-1049

V1163

051C008 :FATHR EDUC LEVE

Item Number: 00310

Question Number(s): 1C008 The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.7	96	1	GRDE SCH:(1)
10.1	9.2	237	2	SOME HS:(2)
28.0	25.5	660	3	HS GRAD:(3)
15.7	14.3	371	4	SOME CLG:(4)
22.7	20.7	534	5	CLG GRAD:(5)
13.8	12.5	324	6	GRAD SCH:(6)
5.7	5.2	134	7	DK:(7)
	8.9	231	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1050-1051

V1164

051C009 :MOTHR EDUC LEVE

Item Number: 00320

Question Number(s): 1C009 What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"  
 3="Completed high school" 4="Some college" 5="Completed college"  
 6="Graduate or professional school after college"  
 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.5	91	1	GRDE SCH:(1)
7.6	6.9	180	2	SOME HS:(2)
26.6	24.3	627	3	HS GRAD:(3)
21.1	19.3	499	4	SOME CLG:(4)
24.1	22.0	570	5	CLG GRAD:(5)
12.7	11.6	300	6	GRAD SCH:(6)
3.9	3.6	93	7	DK:(7)
	8.8	227	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1052-1053

V1165

051C010 :MOTH PD JB R YN

Item Number: 00330

Question Number(s): 1C010 Did your mother have a paid job  
(half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,  
most of the time" 4="Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	13.2	341	1	NO:(1)
22.3	20.1	521	2	SOMETIME:(2)
17.7	16.0	413	3	MOSTTIME:(3)
45.5	41.2	1,066	4	ALL TIME:(4)
	9.5	246	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1054-1055

V1166

051C011 :R'S POLTTL PRFNC

Item Number: 00340

Question Number(s): 1C011 How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT VALID	PCT ALL	N	VALUE	LABEL
13.1	11.4	294	1	STRG GOP:(1)
16.0	13.8	358	2	MILD GOP:(2)
15.1	13.0	337	3	MILD DEM:(3)
11.2	9.7	251	4	STRG DEM:(4)
8.7	7.5	194	5	INDEPNDT:(5)
13.8	11.9	308	6	NO PREF:(6)
2.0	1.7	44	7	OTHER:(7)
20.2	17.5	451	8	DK:(8)
	13.5	349	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1056-1057

V1167

051C012 :R'POL BLF RADCL

Item Number: 00350

Question Number(s): 1C012 How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"  
4="Liberal" 5="Very liberal" 6="Radical" 8="None of the above, or don't know"

PCT VALID	PCT ALL	N	VALUE	LABEL
5.1	4.6	119	1	VRV CONS:(1)
13.3	12.0	309	2	CONSERV:(2)
24.1	21.6	559	3	MODERATE:(3)
14.7	13.2	342	4	LIBERAL:(4)
4.9	4.4	113	5	VRV LIB:(5)
2.6	2.3	59	6	RADICAL:(6)
35.2	31.6	817	8	NONE/DK:(8)
	10.4	268	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1058-1059



V1169

051C013B:R'ATTND REL SVC

Item Number: 00370

Question Number(s): 1C013B How often do you attend  
religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a  
week or more". Responses from the western region  
intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	13.0	336	1	NEVER:(1)
34.0	24.1	623	2	RARELY:(2)
15.2	10.8	278	3	1-2X/MO:(3)
32.6	23.1	598	4	1/WK OR+:(4)
	29.1	752	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1060-1061

V1170

051C013C:RLGN IMP R'S LF

Item Number: 00380

Question Number(s): 1C013C How important is religion in  
your life?

1="Not important" 2="A little important" 3="Pretty important"  
4="Very important". Responses from the western region  
intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	13.2	341	1	NOT IMPT:(1)
23.4	16.6	430	2	LITL IMP:(2)
26.2	18.6	481	3	PRTY IMP:(3)
31.8	22.5	582	4	VERY IMP:(4)
	29.1	754	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1062-1063

V1171	051C014 :WHEN R XPCT GRA
-------	--------------------------

Item Number: 00390

Question Number(s): 1C014 When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"  
6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	88.6	2,292	1	BY JUNE:(1)
1.7	1.6	41	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.2	0.1	4	6	WONT:(6)
	9.7	251	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1064-1065

V1172	051C015 :R'S HS PROGRAM
-------	-------------------------

Item Number: 00400

Question Number(s): 1C015 Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	50.0	1,293	1	CLG PREP:(1)
30.4	27.2	704	2	GENERAL:(2)
5.8	5.2	135	3	VOC-TECH:(3)
8.0	7.2	187	4	OTH/DK:(4)
	10.3	267	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1066-1067

V1173

051C016 :RT SF SCH AB&gt;AV

Item Number: 00410

Question Number(s): 1C016 Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	1.3	34	1	FAR BLOW:(1)
2.3	2.0	52	2	BELOW AV:(2)
4.2	3.7	96	3	SL BELOW:(3)
31.9	28.4	735	4	AVERAGE:(4)
22.8	20.3	525	5	SL ABOVE:(5)
30.6	27.3	705	6	ABOVE AV:(6)
6.7	6.0	155	7	FAR ABOV:(7)
	11.0	284	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1068-1069

V1174

051C017 :RT SF INTELL&gt;AV

Item Number: 00420

Question Number(s): 1C017 How intelligent do you think you  
are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below  
Average" 4="Average" 5="Slightly Above Average" 6="Above  
Average" 7="Far Above Average"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	1.1	30	1	FAR BLOW:(1)
2.0	1.8	47	2	BELOW AV:(2)
4.6	4.1	106	3	SL BELOW:(3)
28.3	25.4	656	4	AVERAGE:(4)
24.3	21.8	563	5	SL ABOVE:(5)
30.4	27.2	704	6	ABOVE AV:(6)
9.1	8.1	210	7	FAR ABOV:(7)
	10.5	271	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1070-1071

V1175

051C018A:#DA/4W SC MS IL

Item Number: 00430

Question Number(s): 1C018A During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
55.7	48.7	1,259	1	NONE:(1)
17.5	15.3	395	2	1 DAY:(2)
11.9	10.4	270	3	2 DAYS:(3)
6.5	5.6	146	4	3 DAYS:(4)
5.2	4.6	118	5	4-5 DAYS:(5)
2.1	1.9	48	6	6-10 DA:(6)
1.1	0.9	24	7	11+ DAYS:(7)
	12.7	327	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1072-1073

V1176

051C018B:#DA/4W SC MS CU

Item Number: 00440

Question Number(s): 1C018B During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	57.6	1,489	1	NONE:(1)
13.0	11.2	290	2	1 DAY:(2)
8.0	6.9	179	3	2 DAYS:(3)
4.9	4.2	109	4	3 DAYS:(4)
4.1	3.6	92	5	4-5 DAYS:(5)
1.9	1.6	41	6	6-10 DA:(6)
1.5	1.3	33	7	11+ DAYS:(7)
	13.7	353	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1074-1075

V1177

051C018C:#DA/4W SC MS OT

Item Number: 00450

Question Number(s): 1C018C During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
54.3	47.0	1,216	1	NONE:(1)
21.6	18.7	484	2	1 DAY:(2)
11.4	9.9	256	3	2 DAYS:(3)
5.2	4.5	116	4	3 DAYS:(4)
5.2	4.5	116	5	4-5 DAYS:(5)
1.4	1.2	31	6	6-10 DA:(6)
1.0	0.8	22	7	11+ DAYS:(7)
	13.4	346	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1076-1077

V1178

051C019 :#DA/4W SKP CLAS

Item Number: 00460

Question Number(s): 1C019 During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"  
5="11-20 times" 6="More than 20 times"

PCT VALID	PCT ALL	N	VALUE	LABEL
65.8	58.7	1,518	1	NOT@ALL:(1)
18.8	16.7	433	2	1-2:(2)
10.2	9.1	235	3	3-5:(3)
3.0	2.6	68	4	6-10:(4)
1.1	0.9	24	5	11-20:(5)
1.2	1.1	28	6	21+:(6)
	10.9	281	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1078-1079



V1179

051C020 :R HS GRADE/D=1

Item Number: 00470

Question Number(s): 1C020 Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"  
 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"  
 1="D (69 or below)"

PCT VALID	PCT ALL	N	VALUE	LABEL
1.1	0.9	25	1	D:(1)
2.1	1.8	48	2	C-:(2)
5.0	4.4	114	3	C:(3)
8.5	7.6	196	4	C+:(4)
12.3	10.9	282	5	B-:(5)
17.7	15.7	406	6	B:(6)
19.4	17.2	446	7	B+:(7)
17.2	15.3	396	8	A-:(8)
16.8	14.9	386	9	A:(9)
	11.2	289	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1080-1081

V1180

051C021A:R WL DO VOC/TEC

Item Number: 00480

Question Number(s): 1C021A How likely is it that you will do each of the following things after high school? ... Go to a technical or vocational school after high school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	48.8	1,263	1	DEF WONT:(1)
22.6	19.3	500	2	PRB WONT:(2)
12.9	11.0	285	3	PRB WILL:(3)
7.3	6.2	161	4	DEF WILL:(4)
	14.6	378	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1082-1083

V1181

051C021B:R WL DO ARMD FC

Item Number: 00490

Question Number(s): 1C021B How likely is it that you will do each of the following things after high school? ... Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	61.2	1,582	1	DEF WONT:(1)
17.8	14.8	384	2	PRB WONT:(2)
5.6	4.7	121	3	PRB WILL:(3)
3.0	2.5	65	4	DEF WILL:(4)
	16.8	435	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1084-1085

V1182

051C021C:R WL DO 2YR CLG

Item Number: 00500

Question Number(s): 1C021C How likely is it that you will  
do each of the following things after high school? ...  
Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	37.6	973	1	DEF WONT:(1)
18.4	15.6	404	2	PRB WONT:(2)
18.5	15.8	408	3	PRB WILL:(3)
19.0	16.1	418	4	DEF WILL:(4)
	14.9	384	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1086-1087

V1183

051C021D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 1C021D How likely is it that you will  
do each of the following things after high school? ...  
Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	8.0	207	1	DEF WONT:(1)
9.4	8.2	212	2	PRB WONT:(2)
20.6	17.9	463	3	PRB WILL:(3)
60.8	52.9	1,367	4	DEF WILL:(4)
	13.0	337	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1088-1089

V1184

051C021E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 1C021E How likely is it that you will do each of the following things after high school? ... Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"  
4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	14.4	372	1	DEF WONT:(1)
26.9	23.0	595	2	PRB WONT:(2)
32.5	27.8	718	3	PRB WILL:(3)
23.8	20.4	528	4	DEF WILL:(4)
	14.5	374	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1090-1091

V1185

051C022A:R WNTDO VOC/TEC

Item Number: 00530

Question Number(s): 1C022A Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)  
A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	74.8	1,935	0	NT MARKD:(0)
14.5	12.7	329	1	MARKED:(1)
	12.5	323	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1092-1093

**V1186****051C022B:R WNTDO ARMD FC**

Item Number: 00540

Question Number(s): 1C022B Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)  
 B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	77.4	2,002	0	NT MARKD:(0)
11.6	10.1	262	1	MARKED:(1)
	12.5	323	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1094-1095

**V1187****051C022C:R WNTDO 2YR CLG**

Item Number: 00550

Question Number(s): 1C022C Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)  
 C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	68.0	1,758	0	NT MARKD:(0)
22.4	19.6	506	1	MARKED:(1)
	12.5	323	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1096-1097

**V1188****051C022D:R WNTDO 4YR CLG**

Item Number: 00560

Question Number(s): 1C022D Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)  
D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	18.7	484	0	NT MARKD:(0)
78.6	68.8	1,780	1	MARKED:(1)
	12.5	323	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1098-1099

**V1189****051C022E:R WNTDO GRD/PRF**

Item Number: 00570

Question Number(s): 1C022E Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)  
E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	38.8	1,003	0	NT MARKD:(0)
55.7	48.7	1,261	1	MARKED:(1)
	12.5	323	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1100-1101

V1190

051C022F:R WNTDO NONE

Item Number: 00580

Question Number(s): 1C022F Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark ALL that apply.)  
F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	82.7	2,139	0	NT MARKD:(0)
5.5	4.8	125	1	MARKED:(1)
	12.5	323	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1102-1103

V1191

051C023 :HRS/W WRK SCHYR

Item Number: 00590

Question Number(s): 1C023 On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

PCT VALID	PCT ALL	N	VALUE	LABEL
28.0	24.5	633	1	NONE:(1)
9.8	8.6	221	2	5 OR <:(2)
9.9	8.7	225	3	6-10 HRS:(3)
11.6	10.2	263	4	11-15 HR:(4)
13.6	11.9	307	5	16-20 HR:(5)
11.3	9.9	255	6	21-25 HR:(6)
8.5	7.5	193	7	26-30 HR:(7)
7.3	6.4	165	8	30+ HRS:(8)
	12.6	325	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1104-1105



V1192

051C024A:R\$/AVG WEEK JOB

Item Number: 00600

Question Number(s): 1C024A During an average week, how much money did you get from. . . A: A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
32.4	27.7	718	1	NONE:(1)
1.1	0.9	24	2	\$1-5:(2)
4.2	3.6	93	3	\$6-10:(3)
2.7	2.3	60	4	\$11-20:(4)
3.8	3.3	85	5	\$21-35:(5)
5.8	5.0	128	6	\$36-50:(6)
9.0	7.7	199	7	\$51-75:(7)
20.2	17.3	448	8	\$76-125:(8)
20.8	17.8	461	9	\$126+:(9)
	14.4	371	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1106-1107

V1193

051C024B:R\$/AVG WEEK OTH

Item Number: 00610

Question Number(s): 1C024B During an average week, how much money did you get from. . . B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"  
7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
37.3	31.8	823	1	NONE:(1)
7.3	6.2	160	2	\$1-5:(2)
9.8	8.4	216	3	\$6-10:(3)
19.2	16.3	423	4	\$11-20:(4)
11.3	9.7	250	5	\$21-35:(5)
6.7	5.7	147	6	\$36-50:(6)
3.6	3.1	80	7	\$51-75:(7)
1.8	1.5	40	8	\$76-125:(8)
3.0	2.6	67	9	\$126+:(9)
	14.7	380	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1108-1109

V1194

051C025 :#X/AV WK GO OUT

Item Number: 00620

Question Number(s): 1C025 During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or five" 6="Six or seven"

PCT VALID	PCT ALL	N	VALUE	LABEL
11.5	10.1	260	1	< 1:(1)
14.4	12.6	326	2	ONE:(2)
27.2	23.8	615	3	TWO:(3)
24.5	21.5	555	4	THREE:(4)
16.9	14.8	382	5	4-5:(5)
5.5	4.8	125	6	6-7:(6)
	12.5	324	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1110-1111

V1195

051C026 :#X DATE 3+/WK

Item Number: 00630

Question Number(s): 1C026 On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"  
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	27.2	705	1	NEVER:(1)
14.9	12.9	333	2	1/MO OR<:(2)
14.1	12.2	316	3	2-3/MO:(3)
13.8	11.9	309	4	1/WK:(4)
18.0	15.6	403	5	2-3/WK:(5)
7.8	6.8	176	6	3+/WK:(6)
	13.4	345	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1112-1113

V1196

051C027 :DRIVE&gt;200 MI/WK

Item Number: 00640

Question Number(s): 1C027 During an average week, how much  
do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to  
100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT VALID	PCT ALL	N	VALUE	LABEL
16.1	14.0	361	1	NONE:(1)
8.0	7.0	180	2	1-10 MI:(2)
22.8	19.9	514	3	11-50:(3)
22.8	19.8	513	4	51-100:(4)
17.7	15.4	398	5	101-200:(5)
12.6	10.9	282	6	> 200:(6)
	13.1	338	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1114-1115

V1197

051C028 :#X/12MO R TCKTD

Item Number: 00650

Question Number(s): 1C028 Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT VALID	PCT ALL	N	VALUE	LABEL
74.6	63.1	1,632	0	NONE:(0)
16.6	14.0	363	1	ONE:(1)
5.4	4.5	117	2	TWO:(2)
2.4	2.0	52	3	THREE:(3)
1.1	1.0	25	4	4+:(4)
	15.4	399	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1116-1117

V1198

051C029A:#TCKTS AFT DRNK

Item Number: 00660

Question Number(s): 1C029A How many of these tickets or warnings occurred after you were . . . A: Drinking alcoholic beverages?

0="None 1="One" 2="Two" 3="Three" 4="Four +". Codes 3 and 4 are combined in this dataset.

PCT VALID	PCT ALL	N	VALUE	LABEL
94.6	20.4	527	0	None:(0)
3.6	0.8	20	1	One:(1)
1.5	0.3	8	2	Two:(2)
0.3	0.1	2	3	3-4 or +:(3-4)
	78.5	2,030	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1118-1119

**V1199****051C029B:#TCKTS AFT MARJ**

Item Number: 00670

Question Number(s): 1C029B How many of these tickets or warnings occurred after you were . . . B: Smoking marijuana or hashish?

0="None 1="One" 2="Two" 3="Three" 4="Four +". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	20.6	532	0	None:(0)
2.7	0.6	15	1	One:(1)
1.2	0.2	6	2	Two:(2)
0.6	0.1	3	3	3-4 or +:(3-4)
	78.5	2,030	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1120-1121

**V1200****051C029C:#TCKTS AFT OTDG**

Item Number: 00680

Question Number(s): 1C029C How many of these tickets or warnings occurred after you were . . . C: Using other illegal drugs?

0="None 1="One" 2="Two" 3="Three" 4="Four +". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	20.9	541	0	None:(0)
0.9	0.2	5	1	One:(1)
1.6	0.3	9	2	Two:(2)
0.2	0.0	1	3	3-4 or +:(3-4)
	78.5	2,030	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1122-1123

V1201

051C030 :#ACCIDNTS/12 MO

Item Number: 00690

Question Number(s): 1C030 We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"  
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	64.4	1,666	0	NONE:(0)
17.0	14.2	368	1	ONE:(1)
4.6	3.8	99	2	TWO:(2)
0.9	0.8	20	3	THREE:(3)
0.5	0.4	11	4	4+:(4)
	16.4	424	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1124-1125



V1202

051C031A:#ACDTS AFT DRNK

Item Number: 00700

Question Number(s): 1C031A How many of these accidents occurred after you were . . . A: Drinking alcoholic beverages?

0="None 1="One" 2="Two" 3="Three" 4="Four +". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	18.5	479	0	None:(0)
2.1	0.4	10	1	One:(1)
0.9	0.2	4	2	Two:(2)
0.0	0.0	0	3	3-4 or +:(3-4)
	80.9	2,092	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1126-1127

V1203

051C031B:#ACDTS AFT MARJ

Item Number: 00710

Question Number(s): 1C031B How many of these accidents occurred after you were . . . B: Smoking marijuana or hashish?

0="None 1="One" 2="Two" 3="Three" 4="Four +". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	18.3	473	0	None:(0)
2.2	0.4	11	1	One:(1)
0.8	0.1	4	2	Two:(2)
0.0	0.0	0	3	3-4 or +:(3-4)
	81.2	2,099	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1128-1129

**V1204****051C031C:#ACDTS AFT OTDG**

Item Number: 00720

Question Number(s): 1C031C How many of these accidents occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four +". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	18.6	480	0	None:(0)
1.2	0.2	6	1	One:(1)
0.6	0.1	3	2	Two:(2)
0.0	0.0	0	3	3-4 or +:(3-4)
	81.1	2,098	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1130-1131

**V1205****051C032 :R'S BRANCH SERV**

Item Number: 00730

Question Number(s): 1C032 If you have not entered military service, and do not expect to enter, GO TO PART D. What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	2.2	56	1	ARMY:(1)
16.3	1.2	32	2	NAVY:(2)
20.8	1.6	40	3	MARINES:(3)
15.0	1.1	29	4	AIRFORCE:(4)
6.8	0.5	13	5	COAST GD:(5)
12.4	0.9	24	6	UNCERTN:(6)
	92.5	2,392	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1132-1133

V1206	051C033 :R XPCTS B OFFCR
-------	--------------------------

Item Number: 00740

Question Number(s): 1C033 Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	1.5	39	1	NO:(1)
42.7	3.4	87	2	UNCERTN:(2)
37.9	3.0	77	3	YES:(3)
	92.1	2,383	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 1134-1135

V1207	051C034 :R XPCTS MLTR CR
-------	--------------------------

Item Number: 00750

Question Number(s): 1C034 Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	2.1	53	1	NO:(1)
46.6	3.7	95	2	UNCERTN:(2)
27.3	2.2	56	3	YES:(3)
	92.1	2,383	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587	cases	

Data type: numeric

Missing-data code: -9

Columns: 1136-1137

V1682

051D001 :R LIKES SCHOOL

Item Number: 07630

Question Number(s): 1D001 The next questions are about your experiences in school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a bit" 3="I like school some" 2="I don't like school very much" 1="I don't like school at all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.7	173	1	DONT@ALL:(1)
14.7	12.5	323	2	NOT VMCH:(2)
44.8	38.1	986	3	SOME:(3)
22.6	19.2	497	4	LIK ALOT:(4)
10.0	8.5	221	5	LIK VMCH:(5)
	15.0	387	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1138-1139

V1683

051D002 :\*SC WRK NVR MNG

Item Number: 05700

Question Number(s): 1D002 How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.1	133	1	NEVER:(1)
23.7	20.1	520	2	SELDOM:(2)
38.6	32.7	845	3	SOMETIME:(3)
22.0	18.6	482	4	OFTEN:(4)
9.6	8.1	211	5	ALWAYS:(5)
	15.4	397	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1140-1141

V1684

051D003 : \*MST COUR V DUL

Item Number: 05710

Question Number(s): 1D003 How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"  
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	6.1	158	1	VRD DUL:(1)
22.4	19.0	490	2	SLTLY DU:(2)
43.9	37.1	958	3	FRLY INT:(3)
22.7	19.2	496	4	QUITE IN:(4)
3.8	3.2	82	5	VRD EXCI:(5)
	15.5	402	-9	MISSING

-----  
100.0 100.0 2,587 casesData type: numeric  
Missing-data code: -9  
Columns: 1142-1143

V1685

051D004 : \*LRN SCH NT IMP

Item Number: 05720

Question Number(s): 1D004 How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"  
2="Slightly important" 1="Not at all important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	4.7	122	1	NOT IMPT:(1)
24.5	20.5	531	2	SLTLY IM:(2)
29.8	25.0	647	3	FRLY IMP:(3)
24.7	20.7	536	4	QUITE IM:(4)
15.5	13.0	336	5	VRD IMPT:(5)
	16.0	415	-9	MISSING

-----  
100.0 100.0 2,587 casesData type: numeric  
Missing-data code: -9  
Columns: 1144-1145

V1686

051D005 :LOT CMPTN GRADE

Item Number: 05730

Question Number(s): 1D005 How much competition for grades  
is there among students at your school?

1="None" 2="A little" 3="Some" 4="Quite a bit" 5="A great  
deal"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	7.3	190	1	NONE:(1)
21.4	17.9	464	2	A LITTLE:(2)
30.3	25.4	657	3	SOME:(3)
24.3	20.4	527	4	QUITEBIT:(4)
15.3	12.9	333	5	GRT DEAL:(5)
	16.1	416	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1146-1147

V1687

051D006 :STDTS DSLK CHTG

Item Number: 05740

Question Number(s): 1D006 How do you think most of the  
students in your classes would feel if you cheated on a test?

1="They would like it very much" 2="They would like it"  
3="They would not care" 4="They would dislike it" 5="They  
would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	2.9	74	1	LIK VMCH:(1)
3.0	2.5	65	2	LIKE IT:(2)
78.3	65.6	1,697	3	NOT CARE:(3)
11.2	9.4	243	4	DISLIKE:(4)
4.1	3.4	89	5	DLIK MCH:(5)
	16.2	419	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1148-1149

V1688

051D007 :ST -LK PROV TCH

Item Number: 05750

Question Number(s): 1D007 How do you think most of the students in your classes would feel if you intentionally did things to make your teachers angry?

1="They would like it very much" 2="They would like it"  
3="They would not care" 4="They would dislike it" 5="They would dislike it very much"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	3.9	101	1	LIK VMCH:(1)
12.5	10.4	268	2	LIKE IT:(2)
50.5	41.9	1,085	3	NOT CARE:(3)
26.1	21.7	561	4	DISLIKE:(4)
6.2	5.2	134	5	DLIK MCH:(5)
	16.9	438	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1150-1151

V1689

051D008 :FRD NCG/TCH -LK

Item Number: 05760

Question Number(s): 1D008 How often do you find that your friends encourage you to do things which your teachers wouldn't like?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	31.7	820	1	NEVER:(1)
34.6	28.5	738	2	SELDOM:(2)
17.7	14.6	378	3	SOMETIME:(3)
6.8	5.6	145	4	OFTEN:(4)
2.4	2.0	51	5	ALWAYS:(5)
	17.6	455	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1152-1153

V1690

051D009 :R IN WK-STDY PG

Item Number: 05770

Question Number(s): 1D009 Have you ever been in a work-study program--that is, a program where you work on a job as part of your schooling?

1="No, not ever" 2="Yes, for a half year or less" 3="Yes, for about a year" 4="Yes, for about two years" 5="Yes, for more than two years"

PCT VALID	PCT ALL	N	VALUE	LABEL
84.3	69.5	1,799	1	NOT EVER:(1)
6.7	5.5	143	2	HALF YR:(2)
6.8	5.6	146	3	ABT 1 YR:(3)
1.8	1.5	38	4	ABT 2 YR:(4)
0.3	0.3	7	5	>2 YRS:(5)
	17.5	454	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1154-1155



V1691

051D010 :#X/YR COUNS IND

Item Number: 05780

Question Number(s): 1D010 How many times this school year  
have you seen a counselor individually?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7  
times" 6="8-10 times" 7="11 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	22.6	585	1	NO TIMES:(1)
12.7	10.4	270	2	1 TIME:(2)
16.6	13.7	354	3	2 TIMES:(3)
24.2	20.0	516	4	3-4 TIME:(4)
10.8	8.9	231	5	5-7 TIME:(5)
3.4	2.8	73	6	8-10 TIM:(6)
4.9	4.1	105	7	11+ TIME:(7)
	17.5	453	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1156-1157

V1692

051D011 :#X/YR COUNS GRP

Item Number: 05790

Question Number(s): 1D011 How many times this school year have you seen a counselor as a part of a group of other students?

1="No times" 2="1 time" 3="2 times" 4="3 or 4 times" 5="5-7 times" 6="8-10 times" 7="11 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	53.2	1,376	1	NO TIMES:(1)
11.2	9.2	239	2	1 TIME:(2)
9.2	7.5	195	3	2 TIMES:(3)
8.6	7.1	183	4	3-4 TIME:(4)
2.6	2.1	55	5	5-7 TIME:(5)
1.6	1.3	35	6	8-10 TIM:(6)
2.1	1.7	45	7	11+ TIME:(7)
	17.7	459	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1158-1159

V1693

051D012 :R LK C COUNS MR

Item Number: 05800

Question Number(s): 1D012 Would you have preferred to see a counselor more or less often than you have during the past year?

5="Much more often" 4="A little more often" 3="About as often"  
2="A little less often" 1="Much less often"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	12.9	333	1	MCH LESS:(1)
5.7	4.6	119	2	LIT LESS:(2)
49.8	40.1	1,038	3	AS OFTEN:(3)
19.3	15.6	402	4	MOR OFTN:(4)
9.3	7.5	194	5	MCH MORE:(5)
	19.4	501	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1160-1161

V1694

051D013 :CSLNG VRY HLPFL

Item Number: 05810

Question Number(s): 1D013 How helpful have your sessions  
with a counselor been to you?

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful"  
2="A little helpful" 1="Not at all helpful" 8="Did not see a  
counselor this year."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	8.1	210	1	NOT @ALL:(1)
16.7	13.6	352	2	A LITTLE:(2)
18.8	15.4	397	3	SOMEWHAT:(3)
20.8	17.0	439	4	QUITE:(4)
12.8	10.4	269	5	EXT HELP:(5)
21.0	17.1	442	8	NO SEE:(8)
	18.4	477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1162-1163

V1699

051D014A:CNSL COURSES

Item Number: 05811

Question Number(s): 1D014A Would you have preferred more or less of each of the following types of counseling in the last year? A: Choosing what courses to take

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	4.7	121	1	MCH LESS:(1)
2.3	1.8	47	2	LIT LESS:(2)
46.0	36.7	948	3	ABT RITE:(3)
24.7	19.7	510	4	LIT MORE:(4)
21.1	16.9	436	5	MCH MORE:(5)
	20.2	524	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1164-1165

V1700

051D014B:CNSL CL PROB

Item Number: 05812

Question Number(s): 1D014B Would you have preferred more or less of each of the following types of counseling in the last year? B: Discussing problems with course work

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	8.2	213	1	MCH LESS:(1)
3.7	2.9	76	2	LIT LESS:(2)
53.6	42.4	1,096	3	ABT RITE:(3)
19.7	15.5	402	4	LIT MORE:(4)
12.5	9.9	256	5	MCH MORE:(5)
	21.0	543	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1166-1167

V1701

051D014C:CNSL TRBL R IN

Item Number: 05813

Question Number(s): 1D014C Would you have preferred more or less of each of the following types of counseling in the last year? C: Discussing any trouble you've gotten into

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	13.8	358	1	MCH LESS:(1)
5.0	3.9	101	2	LIT LESS:(2)
59.9	46.9	1,212	3	ABT RITE:(3)
8.8	6.9	178	4	LIT MORE:(4)
8.6	6.7	174	5	MCH MORE:(5)
	21.8	563	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1168-1169

V1702

051D014D:CNSL MILTRY PLN

Item Number: 05814

Question Number(s): 1D014D Would you have preferred more or less of each of the following types of counseling in the last year? D: Discussing military plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	26.6	687	1	MCH LESS:(1)
5.0	3.8	99	2	LIT LESS:(2)
50.3	38.8	1,005	3	ABT RITE:(3)
4.7	3.6	94	4	LIT MORE:(4)
5.6	4.4	113	5	MCH MORE:(5)
	22.8	589	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1170-1171

V1703

051D014E:CNSL EDUC PLANS

Item Number: 05815

Question Number(s): 1D014E Would you have preferred more or less of each of the following types of counseling in the last year? E: Discussing education or training plans

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	8.1	209	1	MCH LESS:(1)
3.2	2.5	64	2	LIT LESS:(2)
44.5	34.9	903	3	ABT RITE:(3)
24.0	18.8	487	4	LIT MORE:(4)
18.1	14.2	367	5	MCH MORE:(5)
	21.5	556	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1172-1173

V1704

051D014F:CNSL CAREER PLN

Item Number: 05816

Question Number(s): 1D014F Would you have preferred more or less of each of the following types of counseling in the last year? F: Discussing career plans or job choice

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	6.3	164	1	MCH LESS:(1)
2.6	2.0	53	2	LIT LESS:(2)
39.4	31.1	805	3	ABT RITE:(3)
26.0	20.6	532	4	LIT MORE:(4)
24.0	19.0	492	5	MCH MORE:(5)
	20.9	540	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric  
Missing-data code: -9  
Columns: 1174-1175

V1705

051D014G:CNSL PRNL PROB

Item Number: 05817

Question Number(s): 1D014G Would you have preferred more or less of each of the following types of counseling in the last year? G: Discussing personal problems

5="Much more" 4="A little more" 3="About right" 2="A little less" 1="Much less"

PCT VALID	PCT ALL	N	VALUE	LABEL
20.2	15.8	408	1	MCH LESS:(1)
6.1	4.8	123	2	LIT LESS:(2)
53.4	41.7	1,080	3	ABT RITE:(3)
10.2	8.0	206	4	LIT MORE:(4)
10.1	7.9	204	5	MCH MORE:(5)
	21.9	566	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1176-1177



V1719

051D015A:#DA HEADACHE

Item Number: 21310

Question Number(s): 1D015A These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? A: Headache

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	16.9	437	1	NONE:(1)
17.6	14.3	370	2	1 DAY:(2)
21.3	17.3	448	3	2 DAYS:(3)
20.3	16.5	426	4	3-5 DAYS:(4)
10.0	8.1	210	5	6-9 DAYS:(5)
6.2	5.0	130	6	10-19 DA:(6)
3.7	3.0	78	7	20+ DAYS:(7)
	18.8	487	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1178-1179

V1720

051D015B:#DA SORE THROAT

Item Number: 21320

Question Number(s): 1D015B These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? B: Sore throat or hoarse voice

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
37.4	30.4	786	1	NONE:(1)
17.3	14.1	364	2	1 DAY:(2)
17.6	14.3	371	3	2 DAYS:(3)
16.4	13.3	344	4	3-5 DAYS:(4)
7.5	6.1	158	5	6-9 DAYS:(5)
2.8	2.3	59	6	10-19 DA:(6)
1.0	0.8	20	7	20+ DAYS:(7)
	18.7	484	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1180-1181

V1721

051D015C:#DA SINUS CONG

Item Number: 21330

Question Number(s): 1D015C These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? C: Trouble with sinus congestion, runny nose, or sneezing

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	20.3	526	1	NONE:(1)
11.1	9.0	233	2	1 DAY:(2)
13.6	11.1	286	3	2 DAYS:(3)
20.9	17.0	440	4	3-5 DAYS:(4)
14.4	11.7	304	5	6-9 DAYS:(5)
8.9	7.2	187	6	10-19 DA:(6)
6.0	4.9	127	7	20+ DAYS:(7)
	18.7	483	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1182-1183

V1722

051D015D:#DA COUGHING

Item Number: 21340

Question Number(s): 1D015D These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? D: Coughing spells

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
53.0	43.0	1,112	1	NONE:(1)
12.4	10.1	261	2	1 DAY:(2)
11.3	9.2	238	3	2 DAYS:(3)
11.9	9.7	250	4	3-5 DAYS:(4)
6.3	5.1	132	5	6-9 DAYS:(5)
3.2	2.6	68	6	10-19 DA:(6)
1.8	1.5	38	7	20+ DAYS:(7)
	18.9	488	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1184-1185

V1723

051D015E:#DA CHEST COLD

Item Number: 21350

Question Number(s): 1D015E These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? E: Chest colds

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
73.0	59.3	1,533	1	NONE:(1)
7.5	6.1	157	2	1 DAY:(2)
7.3	5.9	153	3	2 DAYS:(3)
7.0	5.6	146	4	3-5 DAYS:(4)
3.6	2.9	75	5	6-9 DAYS:(5)
1.0	0.8	20	6	10-19 DA:(6)
0.7	0.6	15	7	20+ DAYS:(7)
	18.8	487	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1186-1187

V1724

051D015F:#DA COUGH PHLM

Item Number: 21360

Question Number(s): 1D015F These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? F: Coughing up phlegm or blood

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
79.5	64.5	1,667	1	NONE:(1)
4.6	3.8	97	2	1 DAY:(2)
3.8	3.1	80	3	2 DAYS:(3)
4.6	3.7	96	4	3-5 DAYS:(4)
3.9	3.2	82	5	6-9 DAYS:(5)
2.1	1.7	44	6	10-19 DA:(6)
1.4	1.2	30	7	20+ DAYS:(7)
	18.9	490	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1188-1189

V1725

051D015G:#DA SHORT BRTH

Item Number: 21370

Question Number(s): 1D015G These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? G: Shortness of breath when you were not exercising

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
79.9	64.7	1,672	1	NONE:(1)
5.7	4.6	119	2	1 DAY:(2)
5.2	4.2	108	3	2 DAYS:(3)
4.0	3.2	84	4	3-5 DAYS:(4)
2.2	1.8	47	5	6-9 DAYS:(5)
1.7	1.4	36	6	10-19 DA:(6)
1.3	1.1	28	7	20+ DAYS:(7)
	19.1	493	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1190-1191

V1726

051D015H:#DA WHEEZING

Item Number: 21380

Question Number(s): 1D015H These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? H: Wheezing or gasping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
85.7	69.3	1,793	1	NONE:(1)
4.8	3.9	100	2	1 DAY:(2)
3.4	2.8	72	3	2 DAYS:(3)
2.9	2.3	60	4	3-5 DAYS:(4)
1.6	1.3	34	5	6-9 DAYS:(5)
0.7	0.6	15	6	10-19 DA:(6)
0.9	0.7	18	7	20+ DAYS:(7)
	19.1	494	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1192-1193



V1727

051D015I:#DA TRBL REMEM

Item Number: 21390

Question Number(s): 1D015I These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? I: Trouble remembering things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
62.5	50.5	1,307	1	NONE:(1)
10.1	8.1	210	2	1 DAY:(2)
7.8	6.3	164	3	2 DAYS:(3)
7.6	6.1	159	4	3-5 DAYS:(4)
4.2	3.4	87	5	6-9 DAYS:(5)
2.8	2.3	59	6	10-19 DA:(6)
5.0	4.0	104	7	20+ DAYS:(7)
	19.2	496	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1194-1195

V1728

051D015J:#DA DFCT THINK

Item Number: 21400

Question Number(s): 1D015J These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? J: Difficulty thinking or concentrating

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
51.0	41.2	1,066	1	NONE:(1)
12.3	10.0	257	2	1 DAY:(2)
10.4	8.4	217	3	2 DAYS:(3)
11.2	9.0	233	4	3-5 DAYS:(4)
5.8	4.7	121	5	6-9 DAYS:(5)
3.6	2.9	75	6	10-19 DA:(6)
5.7	4.6	119	7	20+ DAYS:(7)
	19.2	498	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1196-1197

V1729

051D015K:#DA TRBL LEARN

Item Number: 21410

Question Number(s): 1D015K These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? K: Trouble learning new things

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
69.3	55.9	1,446	1	NONE:(1)
10.1	8.2	211	2	1 DAY:(2)
8.5	6.9	177	3	2 DAYS:(3)
6.0	4.9	126	4	3-5 DAYS:(4)
3.0	2.5	63	5	6-9 DAYS:(5)
1.4	1.1	29	6	10-19 DA:(6)
1.7	1.3	35	7	20+ DAYS:(7)
	19.3	499	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1198-1199

V1730

051D015L:#DA TRBL SLEEP

Item Number: 21420

Question Number(s): 1D015L These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? L: Trouble sleeping

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
42.8	34.5	893	1	NONE:(1)
13.3	10.7	277	2	1 DAY:(2)
12.7	10.2	264	3	2 DAYS:(3)
13.2	10.6	274	4	3-5 DAYS:(4)
6.9	5.6	144	5	6-9 DAYS:(5)
4.9	3.9	102	6	10-19 DA:(6)
6.3	5.1	131	7	20+ DAYS:(7)
	19.4	501	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1200-1201

V1731

051D015M:#DA TRBL START

Item Number: 21430

Question Number(s): 1D015M These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? M: Trouble getting started in the morning

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT VALID	PCT ALL	N	VALUE	LABEL
34.2	27.6	714	1	NONE:(1)
8.4	6.8	175	2	1 DAY:(2)
11.8	9.5	246	3	2 DAYS:(3)
12.5	10.1	261	4	3-5 DAYS:(4)
9.6	7.8	201	5	6-9 DAYS:(5)
8.3	6.7	173	6	10-19 DA:(6)
15.3	12.3	319	7	20+ DAYS:(7)
	19.2	498	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric

Missing-data code: -9

Columns: 1202-1203

V1732

051D015N:#DA STAY HOME

Item Number: 21440

Question Number(s): 1D015N These next questions concern your health. During the LAST 30 DAYS, on how many days (if any) did you have the following problems or symptoms? N: Stayed home most or all of a day because you were not feeling well

1="None" 2="One day" 3="Two days" 4="3 to 5 days" 5="6 to 9 days" 6="10 to 19 days" 7="20 + days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	47.9	1,240	1	NONE:(1)
18.4	14.9	385	2	1 DAY:(2)
11.0	8.9	229	3	2 DAYS:(3)
6.7	5.4	140	4	3-5 DAYS:(4)
2.7	2.2	57	5	6-9 DAYS:(5)
1.2	1.0	25	6	10-19 DA:(6)
0.7	0.5	14	7	20+ DAYS:(7)
	19.2	496	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1204-1205

V1733

051D016A:#X/12M DOC-CHEK

Item Number: 21450

Question Number(s): 1D016A In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? A: for a routine physical check-up

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
39.7	32.8	848	1	NONE:(1)
41.2	34.0	879	2	ONCE:(2)
13.3	11.0	285	3	TWICE:(3)
4.2	3.5	89	4	3-5X:(4)
1.0	0.8	21	5	6-9X:(5)
0.7	0.5	14	6	10+ TIME:(6)
	17.4	451	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1206-1207

V1734

051D016B:#X/12M DOC-FGHT

Item Number: 21460

Question Number(s): 1D016B In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? B: for an injury suffered in a fight, assault, or auto accident

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.6	75.4	1,951	1	NONE:(1)
4.7	3.8	100	2	ONCE:(2)
1.7	1.4	37	3	TWICE:(3)
1.3	1.1	28	4	3-5X:(4)
0.4	0.3	8	5	6-9X:(5)
0.4	0.3	7	6	10+ TIME:(6)
	17.6	456	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1208-1209



V1735

051D016C:#X/12M DOC-INJ

Item Number: 21470

Question Number(s): 1D016C In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? C: for any other accidental injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
83.4	68.5	1,771	1	NONE:(1)
9.1	7.4	193	2	ONCE:(2)
3.8	3.2	82	3	TWICE:(3)
1.7	1.4	36	4	3-5X:(4)
1.2	1.0	25	5	6-9X:(5)
0.9	0.7	19	6	10+ TIME:(6)
	17.9	462	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1210-1211

V1736

051D016D:#X/12M DOC-ILL

Item Number: 21480

Question Number(s): 1D016D In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? D: for some physical illness or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
57.2	47.1	1,218	1	NONE:(1)
19.7	16.2	419	2	ONCE:(2)
12.0	9.9	255	3	TWICE:(3)
7.1	5.9	152	4	3-5X:(4)
2.4	1.9	50	5	6-9X:(5)
1.6	1.3	35	6	10+ TIME:(6)
	17.7	458	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1212-1213

V1737

051D016E:#X/12M DOC-PSY

Item Number: 21490

Question Number(s): 1D016E In the LAST 12 MONTHS, how many times (if any) have you seen a doctor or other professional for each of the following? E: for some emotional or psychological problem or symptom

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
90.3	73.9	1,912	1	NONE:(1)
3.8	3.1	80	2	ONCE:(2)
1.7	1.4	36	3	TWICE:(3)
1.5	1.2	32	4	3-5X:(4)
0.9	0.8	19	5	6-9X:(5)
1.8	1.4	37	6	10+ TIME:(6)
	18.1	469	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1214-1215

V1738

051D017A:#X/12M HSP-INJ

Item Number: 21500

Question Number(s): 1D017A In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . . A: because of an injury

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.3	77.7	2,010	1	NONE:(1)
3.1	2.6	66	2	ONCE:(2)
1.0	0.8	20	3	TWICE:(3)
0.3	0.3	7	4	3-5X:(4)
0.1	0.1	3	5	6-9X:(5)
0.1	0.1	3	6	10+ TIME:(6)
	18.5	477	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1216-1217

V1739

051D017B:#X/12M HSP-ILL

Item Number: 21510

Question Number(s): 1D017B In the LAST 12 MONTHS, how many times (if any) have you spent one or more nights in the hospital . . . B: because of some physical illness

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"  
6="10+ times"

PCT VALID	PCT ALL	N	VALUE	LABEL
95.5	77.7	2,010	1	NONE:(1)
2.7	2.2	57	2	ONCE:(2)
1.0	0.8	20	3	TWICE:(3)
0.5	0.4	11	4	3-5X:(4)
0.2	0.2	4	5	6-9X:(5)
0.2	0.2	4	6	10+ TIME:(6)
	18.6	481	-9	MISSING
-----	-----	-----		
100.0	100.0	2,587		cases

Data type: numeric

Missing-data code: -9

Columns: 1218-1219

V1740

051D018 :RLTV PHY HEALTH

Item Number: 21520

Question Number(s): 1D018 Overall, relative to other people your age, do you think your physical health over the past year has been . . .

1="Much poorer than average" 2="Somewhat poorer" 3="About average" 4="Somewhat better" 5="Much better than average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.1	132	1	MCH <AVG:(1)
12.2	9.9	255	2	SOM <AVG:(2)
41.8	33.9	877	3	ABT AVRG:(3)
22.9	18.6	481	4	SOM >AVG:(4)
16.9	13.7	354	5	MCH >AVG:(5)
	18.8	487	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1220-1221

V1791

051D021A:DAP SMK 1PCK CI

Item Number: 08560

Question Number(s): 1D021A Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	25.7	664	1	DONT DIS:(1)
34.3	27.8	720	2	DISAPPRV:(2)
34.1	27.7	718	3	STRG DIS:(3)
	18.7	485	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1222-1223

**V1792****051D021B:DAP TRY MRJ 1-2**

Item Number: 08570

Question Number(s): 1D021B Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	38.1	986	1	DONT DIS:(1)
26.6	21.6	560	2	DISAPPRV:(2)
26.4	21.5	555	3	STRG DIS:(3)
	18.8	486	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1224-1225

**V1793****051D021C:DAP SMK MRJ OCC**

Item Number: 08580

Question Number(s): 1D021C Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	28.9	747	1	DONT DIS:(1)
27.3	22.1	573	2	DISAPPRV:(2)
37.1	30.0	777	3	STRG DIS:(3)
	19.0	491	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1226-1227

**V1794****051D021D:DAP SMK MRJ REG**

Item Number: 08590

Question Number(s): 1D021D Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	18.9	488	1	DONT DIS:(1)
28.3	23.0	594	2	DISAPPRV:(2)
48.4	39.2	1,014	3	STRG DIS:(3)
	19.0	491	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1228-1229

**V1795****051D021E:DAP COK PWD 1-2**

Item Number: 23630

Question Number(s): 1D021E Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	11.6	301	1	DONT DIS:(1)
24.0	19.4	502	2	DISAPPRV:(2)
61.6	49.8	1,287	3	STRG DIS:(3)
	19.2	497	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1230-1231



**V1796****051D021F:DAP COK PWDR OC**

Item Number: 23640

Question Number(s): 1D021F Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	8.2	213	1	DONT DIS:(1)
20.5	16.5	428	2	DISAPPRV:(2)
69.2	55.7	1,442	3	STRG DIS:(3)
	19.5	504	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1232-1233

**V1797****051D021G:DAP COK PWDR RE**

Item Number: 23650

Question Number(s): 1D021G Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	6.8	175	1	DONT DIS:(1)
17.6	14.2	367	2	DISAPPRV:(2)
74.0	59.7	1,544	3	STRG DIS:(3)
	19.3	500	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1234-1235

**V1798****051D021H:DAP TRY CRK 1-2**

Item Number: 23660

Question Number(s): 1D021H Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	8.5	220	1	DONT DIS:(1)
22.3	18.0	465	2	DISAPPRV:(2)
67.1	54.1	1,399	3	STRG DIS:(3)
	19.4	502	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1236-1237

**V1799****051D021I:DAP CRACK OCC**

Item Number: 23670

Question Number(s): 1D021I Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	6.6	170	1	DONT DIS:(1)
19.2	15.4	399	2	DISAPPRV:(2)
72.7	58.5	1,512	3	STRG DIS:(3)
	19.6	506	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1238-1239

V1800

051D021J:DAP CRACK REG

Item Number: 23680

Question Number(s): 1D021J Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	6.3	163	1	DONT DIS:(1)
16.3	13.1	340	2	DISAPPRV:(2)
75.9	61.1	1,581	3	STRG DIS:(3)
	19.5	504	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1240-1241

V1801

051D021K:DAP TRY DRK ALC

Item Number: 08710

Question Number(s): 1D021K Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	58.0	1,499	1	DONT DIS:(1)
15.3	12.3	319	2	DISAPPRV:(2)
12.8	10.4	268	3	STRG DIS:(3)
	19.4	501	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1242-1243

**V1802****051D021L:DAP 1-2 DRK/DAY**

Item Number: 08720

Question Number(s): 1D021L Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	28.6	740	1	DONT DIS:(1)
37.5	30.3	783	2	DISAPPRV:(2)
27.0	21.8	563	3	STRG DIS:(3)
	19.3	500	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1244-1245

**V1803****051D021M:DAP 4-5 DRK/DAY**

Item Number: 08730

Question Number(s): 1D021M Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	13.4	346	1	DONT DIS:(1)
29.6	23.8	616	2	DISAPPRV:(2)
53.8	43.3	1,121	3	STRG DIS:(3)
	19.5	504	-9	MISSING

-----  
100.0 100.0 2,587 cases

Data type: numeric  
Missing-data code: -9  
Columns: 1246-1247

V1804

051D021N:DAP 5+ DRK WKND

Item Number: 08740

Question Number(s): 1D021N Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	25.5	658	1	DONT DIS:(1)
26.6	21.4	555	2	DISAPPRV:(2)
41.7	33.6	869	3	STRG DIS:(3)
	19.5	505	-9	MISSING

-----  
 100.0 100.0 2,587 cases

Data type: numeric  
 Missing-data code: -9  
 Columns: 1248-1249



## **APPENDICES**

## **Appendix A: Publications**

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at <http://www.monitoringthefuture.org/pubs.html>.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.



### Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82

\* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.