ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 22480

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2007

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 2 Data Codebook

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/22480.xml

TABLE OF CONTENTS

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS
_____
_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.

B.   EDUCATION. Educational lifestyle, values, experiences, and environments

C.   WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.

D.   SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E.   POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F.   CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G.   RELIGION. Religious affiliation, practices, and views.

H.   POLITICS. Political affiliation, activities, and views.

I.   SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J.   SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K.   MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L.   MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M.   INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N.   RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O.   CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P.   HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q   OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.

R.   BACKGROUND. Demographic and family background characteristics, living arrangements.

S.   DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.   HEALTH. Health habits, somatic symptoms, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement

for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9-12 percent of each year's sample -- are represented by only 250 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

 In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement

in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the

white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	unweighted n
1	Core	185	382	15,132
2	Form 1	624	1,261	2,541
3	Form 2	332	675	2,519
4	Form 3	357	726	2,514
5	Form 4	270	554	2,518
6	Form 5	327	665	2,515
7	Form 6	332	676	2,525

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

```
[1] V1134           [2] 991A13   KIND OF PAID JOB
```

```
[3] Item Number:  25160

[4] A13:  Which ONE of the job categories below comes closest to the
          kind of work you have done for pay on your current (or most
          recent) job? (If more than one kind of work, choose the one
          where you worked the most hours.  Do not include work
          around the house.)

     [5]     [6]     [7]     [8]     [9]
     PCT     PCT       N   VALUE   LABEL
    VALID    ALL
    15.6    14.9     854       1   NO WORK
    16.2    15.4     882       2   LAWN WK
     1.4     1.3      75       3   FASTFOOD
     1.0     0.9      54       4   WAITER
     1.6     1.5      87       5   OTH REST
     2.0     1.9     108       6   PAPER RT
    35.4    33.7   1,934       7   BABYSIT
     4.4     4.2     241       8   FARM WK
     2.1     2.0     115       9   SALES WK
     1.3     1.2      69      10   OFFICE
     3.7     3.5     202      11   ODD JOBS
    15.3    14.6     838      12   OTHER
             4.9     284      -9   MISSING
    -----   -----   -----
    [10]    [11]       [12]
    100.0   100.0   5,745 cases  (Wtd)

[13] Data type: numeric
[14] Decimals:  0
[15] Missing-data codes: -9
[16] Columns: 98-99
```

_____

[1]   Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2]   Indicates the abbreviated variable name used to identify the variable for the user.

[3]   The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[4]   This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[5]   Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.

[6]   Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.

[7]   Indicates the weighted frequency of occurrence of each code value for this variable.

[8]   Indicates the code values occurring in the data for this variable.

[9]   Indicates the textual definitions of the codes for this variable

[10]   Indicates the total of the valid case percentages (100%).

[11]   Indicates the total of all case percentages (100%).

[12]   Indicates the number of cases (weighted) for this variable (including the missing cases).

[13]   Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[14]   Indicates the number of decimal places in the variable.

[15]   Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[16]   Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

 The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms
 AGE <> 18 DICHOTOMY
  1=younger than 18 years old,
  2=18 years old or more
 -9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that
the questionnaire was administered. If the birth year value indicates that the respondent is
18, then the month of administration is compared to the month of birth. If the questionnaire
was given before the month of birth, or if both were the same month, then the respondent is
determined to be younger than 18.

 C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
  1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing
data on Q. C04.
 For 2006, each of the questionnaire forms contains the new version of the race question
which was introduced on half of the forms in 2005. The new version lists several different
response options and prompts the respondents to select all that apply to them.   In cases
where a respondent selected options which fell into more than one of the three recoded
categories (Black, White, Hispanic), the value for the recoded variable was deleted and
defined as missing.

 C07A. R'S # SIBLINGS
  Responses to questions C07A-B were combined and bracketed before original data were
deleted (see above)
  0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

 C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
  0=marked, 1=not marked, -9=none of the three items marked

 C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
  0=None, 1=One, 2=Two, 3=Three or More

 C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
  0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)
 *B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning
"crack" and "cocaine in any other form".

 *B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin
"using a needle" and heroin "WITHOUT using a needle".

Form 6
A10. EVER HELD BACK
1=No, 2=Yes

A11. NEED SUMMER SCHL
1=No, 2=Yes

A12. EVER SUSPENDED
1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

 The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series.   This additional text is meant to clarify and provide detail about the question

for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

FREQUENCIES
FILE

```
┌─────────────────────────────────────────────────────────────────────────┐
│ CASEID                    CASE IDENTIFICATION NUMBER                      │
└─────────────────────────────────────────────────────────────────────────┘
```

     2,521 cases (Wtd) (Range of valid codes: 1-2519)

     Data type: numeric
     Columns: 1-4

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V1                        YEAR OF ADMIN (4-DIGITS)                        │
└─────────────────────────────────────────────────────────────────────────┘
```

     Item Number:

     Question Number(s):

       PCT   PCT   N VALUE LABEL
     VALID   ALL
     100.0 100.0 2,521   2007
     ----- ----- -----
     100.0 100.0 2,521 cases (Wtd)

     Data type: numeric
     Columns: 5-8

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V3                        072     :FORM ID                                │
└─────────────────────────────────────────────────────────────────────────┘
```

     Item Number:

     Question Number(s):

       PCT   PCT   N VALUE LABEL
     VALID   ALL
     100.0 100.0 2,521   2
     ----- ----- -----
     100.0 100.0 2,521 cases (Wtd)

     Data type: numeric
     Columns: 9-10

V4   072   :R'S ID-SERIAL #

Item Number:

Question Number(s):

2,521 cases (Wtd) (Range of valid codes: 20001-22519)

Data type: numeric
Columns: 11-15

V5   SAMPLING WEIGHT

Item Number:

Question Number(s):

2,521 cases (Wtd) (Range of valid codes: 0.1393-3.5219)

Data type: numeric
Decimals: 4
Columns: 16-21

V13   072   :SCHL RGN-4 CAT

Item Number:

Question Number(s):

Region of the country, based on Census categories, in which
respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 19.1   19.1    482      1  NE:(1)
 21.3   21.3    537      2  NC:(2)
 38.4   38.4    968      3  S:(3)
 21.1   21.1    533      4  W:(4)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Columns: 22-23

```
V16                    072 LARGE MSA=1/NOT=0
```

Item Number:

Component variable, along with V17, for a standardized
3-category measure of population density. Population
density is largest ("Large MSA") when V16 is coded 1
and V17 is coded 1, medium-sized ("Other MSA") when
V16 is 0 and V17 1, and smallest ("Non-MSA") when
both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  67.9   67.9  1,710      0  ELSE:(0)
  32.1   32.1    810      1  LARGE MSA:(1)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Columns: 24-25

```
V17                    072     :SMSA/NON-SMSA = 0
```

Item Number:

Question Number(s):

SMSA: Metropolitan Statistical Area as defined for the US
Census, a county or group of contiguous counties (or, in
New England, Consolidated Metropolitan Areas) that contain
at least one city of 50,000 inhabitants or more. (Formerly
referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
  21.2   21.2    535      0  Non-MSA:(0)
  78.8   78.8  1,985      1  MSA:(1)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Columns: 26-27

V2208   **072A01 :VRY HPY THS DAYS**

```
      Item Number:  01190

      Question Number(s):  2A01

      Taking all things together, how would you say things are
      these days--would you say you're very happy, pretty happy,
      or not too happy these days?

      3="Very happy" 2="Pretty happy" 1="Not too happy"

        PCT     PCT      N  VALUE  LABEL
      VALID    ALL
       11.3   10.8     271      1  NT HAPPY:(1)
       63.2   60.1   1,514      2  PRTY HPY:(2)
       25.5   24.2     610      3  VRY HPY:(3)
               5.0     125     -9  MISSING:(-9)
      -----  -----   -----
      100.0  100.0   2,521 cases (Wtd)

      Data type: numeric
      Missing-data code: -9
      Columns: 28-29
```

V2209	**072A02A:DALY WATCH TV**

```
      Item Number:  05820

      Question Number(s):  2A02A

      The next questions ask about the kinds of things you might do.
      How often do you do each of the following?

      A: Watch TV

      5="Almost every day" 4="At least once a week" 3="Once or twice
      a month" 2="A few times a year" 1="Never"

        PCT     PCT      N  VALUE   LABEL
      VALID    ALL
        1.0    1.0     25      1   NEVER:(1)
        1.1    1.1     29      2   FEW /YR:(2)
        4.5    4.5    114      3   1-2 /MO:(3)
       25.8   25.7    648      4   1 /WK:(4)
       67.5   67.3  1,697      5   NR DAILY:(5)
               0.3      8     -9   MISSING:(-9)
      -----  -----  -----
      100.0  100.0  2,521 cases (Wtd)

      Data type: numeric
      Missing-data code: -9
      Columns: 30-31
```

V2210   **072A02B:DALY GO TO MOVIE**

    Item Number: 05830

    Question Number(s): 2A02B

    How often do you do each of the following?

    B: Go to movies

    5="Almost every day" 4="At least once a week" 3="Once or twice
    a month" 2="A few times a year" 1="Never"

      PCT   PCT   N VALUE   LABEL
    VALID   ALL
      1.7   1.7   42   1 NEVER:(1)
     35.3   35.2   887   2 FEW /YR:(2)
     54.2   54.0 1,361   3 1-2 /MO:(3)
      8.3   8.2   207   4 1 /WK:(4)
      0.6   0.6   16   5 NR DAILY:(5)
             0.3   8   -9 MISSING:(-9)
    ----- ----- -----
    100.0 100.0 2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 32-33

V2432	072A02C:DALY MUSIC CNCRT

```
Item Number:  05846

Question Number(s):  2A02C

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 38.5   38.3   965      1  NEVER:(1)
 52.8   52.5  1,324     2  FEW /YR:(2)
  7.1    7.0   177      3  1-2 /MO:(3)
  1.1    1.1    28      4  1 /WK:(4)
  0.4    0.4    11      5  NR DAILY:(5)
         0.6    14     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 34-35
```

V2212	**072A02D:DALY RIDE FORFUN**

Item Number: 05850

Question Number(s): 2A02D

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 13.3   13.2    334     1  NEVER:(1)
  9.8    9.8    247     2  FEW /YR:(2)
 16.7   16.6    418     3  1-2 /MO:(3)
 27.0   26.9    678     4  1 /WK:(4)
 33.2   33.1    833     5  NR DAILY:(5)
         0.4     10    -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 36-37

V2213	072A02E:DALY CMNTY AFFRS

```
Item Number:  05860

Question Number(s):  2A02E

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"
```

PCT VALID	PCT ALL	N	VALUE	LABEL
24.3	24.2	610	1	NEVER:(1)
41.8	41.5	1,047	2	FEW /YR:(2)
21.6	21.4	540	3	1-2 /MO:(3)
9.5	9.4	238	4	1 /WK:(4)
2.9	2.9	72	5	NR DAILY:(5)
	0.5	13	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

```
Data type: numeric
Missing-data code: -9
Columns: 38-39
```

V2214   **072A02F:DALY PLA MSC,SNG**

Item Number: 05870

Question Number(s): 2A02F

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT VALID	PCT ALL	N	VALUE	LABEL
40.5	40.3	1,016	1	NEVER:(1)
9.5	9.5	238	2	FEW /YR:(2)
5.9	5.9	148	3	1-2 /MO:(3)
10.1	10.0	253	4	1 /WK:(4)
34.1	33.9	855	5	NR DAILY:(5)
	0.4	9	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 40-41

V2215   **072A02G:DALY CREAT WRTNG**

```
     Item Number:  05880

     Question Number(s):  2A02G

     How often do you do each of the following?

     G: Do creative writing

     5="Almost every day" 4="At least once a week" 3="Once or twice
     a month" 2="A few times a year" 1="Never"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      35.9    35.7    899      1   NEVER:(1)
      25.1    25.0    629      2   FEW /YR:(2)
      19.7    19.6    493      3   1-2 /MO:(3)
      11.4    11.3    284      4   1 /WK:(4)
       8.0     8.0    200      5   NR DAILY:(5)
               0.6     14     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 42-43
```

V2216   **072A02H:DALY ACTV SPORTS**

Item Number: 05890

Question Number(s): 2A02H

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT VALID	PCT ALL	N	VALUE	LABEL
8.8	8.7	220	1	NEVER:(1)
8.9	8.8	222	2	FEW /YR:(2)
13.1	13.1	330	3	1-2 /MO:(3)
26.2	26.1	657	4	1 /WK:(4)
43.1	43.0	1,083	5	NR DAILY:(5)
	0.3	8	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 44-45

V2217	072A02I:DALY ART/CRAFTS

Item Number: 05900

Question Number(s): 2A02I

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT VALID	PCT ALL	N	VALUE	LABEL
26.1	25.9	654	1	NEVER:(1)
25.6	25.4	640	2	FEW /YR:(2)
21.3	21.1	533	3	1-2 /MO:(3)
12.8	12.7	320	4	1 /WK:(4)
14.2	14.1	354	5	NR DAILY:(5)
	0.8	20	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 46-47

V2218	072A02J:DALY WRK HSE,CAR

Item Number: 05910

Question Number(s): 2A02J

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT VALID	PCT ALL	N	VALUE	LABEL
6.4	6.4	162	1	NEVER:(1)
10.0	10.0	252	2	FEW /YR:(2)
23.1	23.0	581	3	1-2 /MO:(3)
34.7	34.6	873	4	1 /WK:(4)
25.8	25.7	648	5	NR DAILY:(5)
	0.2	5	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 48-49

V2219   **072A02K:DALY VIST W/FRDS**

```
     Item Number:  05920

     Question Number(s):  2A02K

     How often do you do each of the following?

     K: Get together with friends informally

     5="Almost every day" 4="At least once a week" 3="Once or twice
     a month" 2="A few times a year" 1="Never"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
       1.9     1.9      47      1  NEVER:(1)
       2.8     2.8      71      2  FEW /YR:(2)
      10.9    10.8     272      3  1-2 /MO:(3)
      39.5    39.2     988      4  1 /WK:(4)
      45.0    44.6   1,124      5  NR DAILY:(5)
               0.8      19     -9  MISSING:(-9)
     -----   -----   -----
     100.0   100.0   2,521  cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 50-51
```

V2521	**072A02L:DALY GO TO MALL**

```
Item Number:  05935

Question Number(s):  2A02L

How often do you do each of the following?

L: Go to a shopping mall.

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  3.5    3.4     87      1  NEVER:(1)
 18.6   18.5    466      2  FEW /YR:(2)
 50.5   50.2  1,266      3  1-2 /MO:(3)
 23.5   23.3    588      4  1 /WK:(4)
  4.0    3.9     99      5  NR DAILY:(5)
         0.6     15     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 52-53
```

V2221   **072A02M:DALY ALONE LEISR**

```
      Item Number:  05940

      Question Number(s):  2A02M

      How often do you do each of the following?

      M: Spend at least an hour of leisure time alone

      5="Almost every day" 4="At least once a week" 3="Once or twice
      a month" 2="A few times a year" 1="Never"

        PCT     PCT      N  VALUE   LABEL
      VALID    ALL
        5.7     5.7    143      1  NEVER:(1)
        5.8     5.8    146      2  FEW /YR:(2)
       12.6    12.6    317      3  1-2 /MO:(3)
       32.9    32.7    825      4  1 /WK:(4)
       42.9    42.7  1,076      5  NR DAILY:(5)
                0.6     14     -9  MISSING:(-9)
      -----   -----  -----
      100.0   100.0  2,521 cases (Wtd)

      Data type: numeric
      Missing-data code: -9
      Columns: 54-55
```

V2222	**072A02N:DALY READ BK,MAG**

Item Number: 05950

Question Number(s): 2A02N

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT VALID	PCT ALL	N	VALUE	LABEL
5.9	5.9	149	1	NEVER:(1)
9.3	9.2	232	2	FEW /YR:(2)
20.6	20.5	516	3	1-2 /MO:(3)
32.9	32.7	825	4	1 /WK:(4)
31.3	31.1	783	5	NR DAILY:(5)
	0.6	16	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 56-57

V2223	**072A02O:DALY GO TO BARS**

Item Number: 05960

Question Number(s): 2A02O

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

PCT VALID	PCT ALL	N	VALUE	LABEL
54.6	54.4	1,372	1	NEVER:(1)
19.3	19.2	484	2	FEW /YR:(2)
15.5	15.5	389	3	1-2 /MO:(3)
8.5	8.5	213	4	1 /WK:(4)
2.1	2.1	53	5	NR DAILY:(5)
	0.4	9	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 58-59

V2224	**072A02P:DALY GO TO PARTY**

```
     Item Number:  05970

     Question Number(s):  2A02P

     How often do you do each of the following?

     P: Go to parties or other social affairs

     5="Almost every day" 4="At least once a week" 3="Once or twice
     a month" 2="A few times a year" 1="Never"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
       7.9     7.9     200      1  NEVER:(1)
      22.5    22.4     564      2  FEW /YR:(2)
      34.4    34.3     863      3  1-2 /MO:(3)
      30.8    30.7     774      4  1 /WK:(4)
       4.4     4.4     111      5  NR DAILY:(5)
               0.4       9     -9  MISSING:(-9)
     -----   -----   -----
     100.0   100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 60-61
```

V2509	**072A02Q:DALY GO VID ARC**

Item Number: 29620

Question Number(s): 2A02Q

How often do you do each of the following?

Q: Go to video arcades

5="Almost every day" 4="At least once a week" 3="Once or twice
a month" 2="A few times a year" 1="Never"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 61.0   60.8  1,533      1  NEVER:(1)
 28.7   28.6    721      2  FEW /YR:(2)
  7.7    7.7    194      3  1-2/MO:(3)
  1.9    1.9     48      4  1 /WK:(4)
  0.7    0.7     18      5  NR DAILY:(5)
         0.2      6     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 62-63

V2225	**072A03A:US 2 MUCH PROFIT**

Item Number: 05990

Question Number(s): 2A03A

How much do you agree or disagree with each of the following
statements?

A: In the United States, we put too much emphasis on making
profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  4.2    4.2    106      1  DISAGREE:(1)
  7.1    7.0    177      2  MOST DIS:(2)
 21.0   20.9    526      3  NEITHER:(3)
 44.6   44.3  1,116      4  MOST AGR:(4)
 23.1   22.9    578      5  AGREE:(5)
         0.7     18     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 64-65

V2226   **072A03B:2MUCH CNCRN MTRL**

Item Number: 06000

Question Number(s): 2A03B

How much do you agree or disagree with each of the following
statements?

B: People are too much concerned with material things these
days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  2.0     2.0     50      1  DISAGREE:(1)
  4.2     4.2    106      2  MOST DIS:(2)
  8.3     8.3    208      3  NEITHER:(3)
 37.8    37.6    948      4  MOST AGR:(4)
 47.6    47.3  1,193      5  AGREE:(5)
          0.6     16     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 66-67

V2227	**072A03C:ENCOURG PPL BUY>**

```
Item Number:  06010

Question Number(s):  2A03C

How much do you agree or disagree with each of the following
statements?

C: Since it helps the economy to grow, people should be
encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 13.3   13.1    331      1  DISAGREE:(1)
 21.9   21.7    546      2  MOST DIS:(2)
 41.6   41.1  1,036      3  NEITHER:(3)
 16.1   15.9    401      4  MOST AGR:(4)
  7.1    7.1    178      5  AGREE:(5)
         1.1     29     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 68-69
```

V2228	072A03D:-WRNG ADVERTISNG

```
     Item Number:  06020

     Question Number(s):  2A03D

     How much do you agree or disagree with each of the following
     statements?

     D: There is nothing wrong with advertising that gets people
     to buy things they don't really need

     1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
     5="Agree"

       PCT     PCT      N  VALUE  LABEL
     VALID    ALL
      20.1    19.9     502      1  DISAGREE:(1)
      22.1    21.9     553      2  MOST DIS:(2)
      24.7    24.6     620      3  NEITHER:(3)
      19.4    19.3     487      4  MOST AGR:(4)
      13.7    13.6     342      5  AGREE:(5)
               0.7      17     -9  MISSING:(-9)
     -----   -----   -----
     100.0   100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 70-71
```

V2229   **072A03E:MOR SHORTGS FUTR**

Item Number: 06030

Question Number(s): 2A03E

How much do you agree or disagree with each of the following
statements?

E: There will probably be more shortages in the future, so
Americans will have to learn how to be happy with fewer
"things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  9.3    9.2    232     1  DISAGREE:(1)
 12.0   11.9    300     2  MOST DIS:(2)
 26.7   26.5    668     3  NEITHER:(3)
 28.1   27.9    703     4  MOST AGR:(4)
 23.9   23.7    598     5  AGREE:(5)
         0.8     20    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 72-73

V2468   **072A04A:RSK OF CIG1+PK/D**

```
Item Number:  12360

Question Number(s):  2A04A

The next questions ask for your opinions on the effects of
using certain drugs and other substances. How much do you
think people risk harming themselves (physically or in other
ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  3.9    3.9    98      1  NO RISK:(1)
  2.8    2.8    70      2  SLIGHT:(2)
 14.6   14.5   366      3  MOD RISK:(3)
 76.4   76.0 1,915      4  GRT RISK:(4)
  2.3    2.2    57      5  CANT SAY:(5)
         0.6    15     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 74-75
```

V2469   **072A04B:RSK OF MJ 1-2 X**

    Item Number: 12370

    Question Number(s): 2A04B

    How much do you think people risk harming themselves
    (physically or in other ways), if they . . .

    B: . . . Try marijuana once or twice?

    1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
    5="Can't Say, Drug Unfamiliar"

     PCT   PCT   N   VALUE   LABEL
    VALID   ALL
     33.0   32.8   827   1   NO RISK:(1)
     32.3   32.1   810   2   SLIGHT:(2)
     15.2   15.1   380   3   MOD RISK:(3)
     15.6   15.5   391   4   GRT RISK:(4)
      3.9   3.8   96   5   CANT SAY:(5)
              0.7   16   -9   MISSING:(-9)
    -----   ----- -----
    100.0   100.0 2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 76-77

V2470	072A04C:RSK OF MJ OCSNLY

```
Item Number:  12380

Question Number(s):  2A04C

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 15.6   15.4    387      1   NO RISK:(1)
 23.8   23.5    592      2   SLIGHT:(2)
 32.0   31.5    794      3   MOD RISK:(3)
 24.9   24.6    619      4   GRT RISK:(4)
  3.7    3.6     91      5   CANT SAY:(5)
         1.5     37     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 78-79
```

V2471	072A04D:RSK OF MJ REGLY

```
Item Number:  12390

Question Number(s):  2A04D

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

  PCT     PCT      N  VALUE   LABEL
VALID    ALL
  8.9    8.8     222      1  NO RISK:(1)
 10.0    9.9     249      2  SLIGHT:(2)
 21.2   20.9     527      3  MOD RISK:(3)
 56.0   55.3   1,395      4  GRT RISK:(4)
  3.9    3.8      96      5  CANT SAY:(5)
         1.3      32     -9  MISSING:(-9)
-----  -----   -----
100.0  100.0   2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 80-81
```

V2472   **072A04E:RSK OF 1-2 DRINK**

    Item Number: 12510

    Question Number(s): 2A04E

    How much do you think people risk harming themselves
    (physically or in other ways), if they . . .

    E: . . . Try one or two drinks of an alcoholic beverage
    (beer, wine, liquor)?

    1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
    5="Can't Say, Drug Unfamiliar"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 40.5   40.2  1,014     1  NO RISK:(1)
 37.0   36.7   926      2  SLIGHT:(2)
 12.5   12.4   312      3  MOD RISK:(3)
  8.1    8.0   202      4  GRT RISK:(4)
  2.0    2.0    50      5  CANT SAY:(5)
         0.7    17     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 82-83

V2473   072A04F:RSK OF 1-2 DR/DA

Item Number: 12520

Question Number(s): 2A04F

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
9.4	9.3	235	1	NO RISK:(1)
20.3	20.2	508	2	SLIGHT:(2)
36.8	36.5	920	3	MOD RISK:(3)
31.4	31.2	786	4	GRT RISK:(4)
2.1	2.1	52	5	CANT SAY:(5)
	0.8	20	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 84-85

V2474   **072A04G:RSK OF 4-5 DR/DA**

```
   Item Number:  12530

   Question Number(s):  2A04G

   How much do you think people risk harming themselves
   (physically or in other ways), if they . . .

   G: . . . Take four or five drinks nearly every day?

   1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
   5="Can't Say, Drug Unfamiliar"

     PCT     PCT      N  VALUE   LABEL
   VALID     ALL
     4.8     4.8     121      1  NO RISK:(1)
     5.5     5.5     138      2  SLIGHT:(2)
    18.0    17.9     452      3  MOD RISK:(3)
    69.3    69.0   1,738      4  GRT RISK:(4)
     2.4     2.4      60      5  CANT SAY:(5)
             0.4      11     -9  MISSING:(-9)
   -----   -----   -----
   100.0   100.0   2,521  cases (Wtd)

   Data type: numeric
   Missing-data code: -9
   Columns: 86-87
```

V2475   **072A04H:RSK OF 5+DR/WKND**

```
Item Number:  12540

Question Number(s):  2A04H

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each
weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  8.3    8.3    208     1  NO RISK:(1)
 12.0   11.9    301     2  SLIGHT:(2)
 27.1   26.9    678     3  MOD RISK:(3)
 50.2   49.9  1,258     4  GRT RISK:(4)
  2.5    2.4     61     5  CANT SAY:(5)
         0.5     14    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 88-89
```

V2238	072A05 :DFNTLY PRFR MATE

Item Number: 06120

Question Number(s): 2A05

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.8	21	1	DEF NOT:(1)
2.1	2.1	52	2	PROB NOT:(2)
10.5	10.4	262	3	NOT SURE:(3)
23.0	22.9	576	4	PROBABLY:(4)
63.6	63.2	1,594	5	DEFINTLY:(5)
	0.6	15	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 90-91

V2239	072A06 :THINK WILL MARRY

Item Number: 06130

Question Number(s): 2A06

Which do you think you are most likely to choose in the long
run?

3="Getting married" 2="I have no idea" 1="Not getting married"
8="Am already married"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  3.5    3.4     86      1  NT MARRY:(1)
 14.3   13.8    349      2  NO IDEA:(2)
 81.4   78.6  1,980      3  MARRY:(3)
  0.7    0.7     17      8  MARRIED:(8)
         3.5     89     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 92-93

V2240	**072A07A:LIKLY STAY MARRD**

Item Number: 06140

Question Number(s): 2A07A

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay
married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly
unlikely" 1="Very unlikely"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  0.9    0.8     21      1  V UNLKLY:(1)
  1.8    1.7     43      2  FRLY UNL:(2)
 12.8   12.1    306      3  UNCERTN:(3)
 23.7   22.4    565      4  FRLY LIK:(4)
 60.9   57.6  1,452      5  VY LIKLY:(5)
         5.3    134     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 94-95

V2241	072A07B:LIKLY HAVE KIDS

Item Number: 06150

Question Number(s): 2A07B

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
  2.9     2.8     70      1  V UNLKLY:(1)
  3.0     2.9     73      2  FRLY UNL:(2)
  9.4     9.0    226      3  UNCERTN:(3)
 18.4    17.6    442      4  FRLY LIK:(4)
 63.9    61.1  1,541      5  VY LIKLY:(5)
  2.4     2.3     58      8  HAVE KID:(8)
          4.4    111     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 96-97

V2242	072A08A:-CHL,HB WK1.,W=0

Item Number: 06160

Question Number(s): 2A08A

Imagine you are married and have no children. How would
you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 33.5    33.1    834      1  NT ACCEP:(1)
 34.5    34.1    860      2  SM ACCEP:(2)
 25.3    25.0    630      3  ACCEPTBL:(3)
  6.7     6.6    166      4  DESIRABL:(4)
          1.2     30     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 98-99

V2243	072A08B:-CHL,HB WK1.,W.5

Item Number: 06170

Question Number(s): 2A08B

Imagine you are married and have no children. How would
you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  5.6     5.5    139      1  NT ACCEP:(1)
 28.4    28.1    709      2  SM ACCEP:(2)
 54.5    53.9  1,358      3  ACCEPTBL:(3)
 11.5    11.4    288      4  DESIRABL:(4)
          1.1     27     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 100-101

V2244	072A08C:-CHL,HB&WF WK 1.

Item Number: 06180

Question Number(s): 2A08C

Imagine you are married and have no children. How would
you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  8.9    8.7    220      1  NT ACCEP:(1)
 15.0   14.7    371      2  SM ACCEP:(2)
 51.4   50.5  1,274      3  ACCEPTBL:(3)
 24.8   24.4    615      4  DESIRABL:(4)
         1.6     41     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 102-103

V2245   **072A08D:-CHL,HB&WF WK .5**

Item Number: 06190

Question Number(s): 2A08D

Imagine you are married and have no children. How would
you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 24.8   24.2    611     1  NT ACCEP:(1)
 33.0   32.2    812     2  SM ACCEP:(2)
 31.1   30.3    765     3  ACCEPTBL:(3)
 11.1   10.8    273     4  DESIRABL:(4)
         2.4     60    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 104-105

V2246	072A08E:-CHL,W WK 1.,H.5

```
Item Number:  06200

Question Number(s):  2A08E

Imagine you are married and have no children. How would
you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 37.0    36.5    920      1  NT ACCEP:(1)
 35.6    35.1    885      2  SM ACCEP:(2)
 24.2    23.9    601      3  ACCEPTBL:(3)
  3.2     3.2     80      4  DESIRABL:(4)
          1.4     34     -9  MISSING:(-9)
 -----   -----   -----
100.0   100.0   2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 106-107
```

V2247	072A08F:-CHL,W WK 1.,H=0

Item Number: 06210

Question Number(s): 2A08F

Imagine you are married and have no children. How would
you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 73.1   72.2  1,819      1  NT ACCEP:(1)
 14.8   14.6    368      2  SM ACCEP:(2)
  8.3    8.2    206      3  ACCEPTBL:(3)
  3.8    3.8     95      4  DESIRABL:(4)
         1.3     33     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 108-109

V2248   **072A09A:PSCH,HB WK1.,W=0**

```
     Item Number:  06220

     Question Number(s):  2A09A

     Imagine you are married and have one or more pre-school
     children. How would you feel about each of the following
     working arrangements?

     A: Husband works full-time, wife doesn't work

     1="Not at all acceptable" 2="Somewhat acceptable"
     3="Acceptable" 4="Desirable"

       PCT    PCT      N  VALUE  LABEL
      VALID   ALL
      13.1   13.0    327      1  NT ACCEP:(1)
      22.1   21.9    551      2  SM ACCEP:(2)
      41.9   41.4  1,043      3  ACCEPTBL:(3)
      22.8   22.5    568      4  DESIRABL:(4)
              1.2     31     -9  MISSING:(-9)
      -----  -----  -----
      100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 110-111
```

V2249   **072A09B:PSCH,HB WK1.,W.5**

```
Item Number:  06230

Question Number(s):  2A09B

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

  PCT     PCT     N  VALUE  LABEL
VALID    ALL
  5.0    4.9    123     1  NT ACCEP:(1)
 24.4   24.1    607     2  SM ACCEP:(2)
 56.6   55.8  1,406     3  ACCEPTBL:(3)
 14.1   13.9    350     4  DESIRABL:(4)
         1.3     34    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 112-113
```

V2250   **072A09C:PSCH,HB&WF WK 1.**

Item Number: 06240

Question Number(s): 2A09C

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 42.3   41.6  1,048      1  NT ACCEP:(1)
 25.9   25.5   642       2  SM ACCEP:(2)
 22.0   21.6   545       3  ACCEPTBL:(3)
  9.8    9.6   242       4  DESIRABL:(4)
         1.7    43      -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 114-115

V2251	072A09D:PSCH,HB&WF WK .5

Item Number: 06250

Question Number(s): 2A09D

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT VALID	PCT ALL	N	VALUE	LABEL
26.8	26.3	662	1	NT ACCEP:(1)
33.5	32.9	830	2	SM ACCEP:(2)
31.9	31.3	789	3	ACCEPTBL:(3)
7.8	7.7	194	4	DESIRABL:(4)
	1.8	46	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 116-117

V2252	**072A09E:PSCH,WF WK1.,H.5**

Item Number: 06260

Question Number(s): 2A09E

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 38.2    37.5    946      1   NT ACCEP:(1)
 34.1    33.5    845      2   SM ACCEP:(2)
 24.0    23.6    594      3   ACCEPTBL:(3)
  3.8     3.7     94      4   DESIRABL:(4)
          1.6     41     -9   MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 118-119

```
V2253                   072A09F:PSCH,WF WK1.,H=0
```

Item Number: 06270

Question Number(s): 2A09F

Imagine you are married and have one or more pre-school
children. How would you feel about each of the following
working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 60.0   59.0  1,487      1  NT ACCEP:(1)
 17.4   17.1    431      2  SM ACCEP:(2)
 17.5   17.2    434      3  ACCEPTBL:(3)
  5.0    5.0    125      4  DESIRABL:(4)
         1.7     44     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 120-121

V2254	072A10A:H WK,W -WK,W CCR

Item Number: 06280

Question Number(s): 2A10A

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

A: Wife does all child care

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 30.3   29.8    751      1  NT ACCEP:(1)
 28.2   27.8    700      2  SM ACCEP:(2)
 29.9   29.5    743      3  ACCEPTBL:(3)
 11.6   11.4    287      4  DESIRABL:(4)
        1.6     40     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 122-123

V2255	**072A10B:H WK,W -WK,W>CCR**

Item Number: 06290

Question Number(s): 2A10B

Imagine you are married and have one or more pre-school
children. Imagine also that the husband is working full-
time and the wife does not have a job outside the home.
How would you feel about each of these arrangements for
the day-to-day care of the child(ren)?

B: Wife does most of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 12.8   12.6   316      1  NT ACCEP:(1)
 32.1   31.6   795      2  SM ACCEP:(2)
 41.5   40.8 1,028      3  ACCEPTBL:(3)
 13.7   13.5   339      4  DESIRABL:(4)
         1.7    42     -9  MISSING:(-9)
-----  ----- -----
100.0  100.0 2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 124-125

V2256	072A10C:H WK,W -WK,=CHCR

Item Number: 06300

Question Number(s): 2A10C

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

C: Both do it equally

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  4.0    3.9     98      1  NT ACCEP:(1)
 13.4   13.2    332      2  SM ACCEP:(2)
 39.7   39.0    982      3  ACCEPTBL:(3)
 42.9   42.1  1,061      4  DESIRABL:(4)
         1.9     47     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 126-127

V2257	072A10D:H WK,W -WK,H>CCR

Item Number: 06310

Question Number(s): 2A10D

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

D: Husband does most of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT VALID	PCT ALL	N	VALUE	LABEL
38.4	37.6	947	1	NT ACCEP:(1)
43.5	42.6	1,073	2	SM ACCEP:(2)
16.0	15.7	396	3	ACCEPTBL:(3)
2.2	2.1	53	4	DESIRABL:(4)
	2.1	52	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 128-129

V2258	072A10E:H WK,W -WK,H CCR

Item Number: 06320

Question Number(s): 2A10E

Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)?

E: Husband does all of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 73.2    72.1  1,816      1   NT ACCEP:(1)
 17.2    16.9    427      2   SM ACCEP:(2)
  6.2     6.1    153      3   ACCEPTBL:(3)
  3.4     3.3     84      4   DESIRABL:(4)
          1.6     40     -9   MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 130-131

V2259	072A11 :INTEREST IN GOVT

Item Number: 06330

Question Number(s): 2A11

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

```
  PCT    PCT     N  VALUE   LABEL
VALID   ALL
  9.3    9.2    233      1  NO INTRS:(1)
 20.6   20.4    514      2  LIT INTR:(2)
 43.7   43.2  1,089      3  SOM INTR:(3)
 17.9   17.7    446      4  LOT INTR:(4)
  8.5    8.4    213      5  VGRT INT:(5)
         1.0     25     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 132-133

V2260	072A12 :GOVT PPL -DSHNST

Item Number: 06340

Question Number(s): 2A12

Do you think some of the people running the government are
crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are"
3="Some are" 4="Hardly any are" 5="None at all are crooked or
dishonest"

PCT VALID	PCT ALL	N	VALUE	LABEL
21.6	21.4	539	1	MOST CRK:(1)
35.8	35.3	891	2	QT A FEW:(2)
38.0	37.6	947	3	SOME:(3)
4.0	3.9	99	4	HDLY ANY:(4)
0.6	0.5	14	5	NONE@ALL:(5)
	1.3	32	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 134-135

V2261	072A13 :GOVT DSNT WASTE$

Item Number: 06350

Question Number(s): 2A13

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

PCT VALID	PCT ALL	N	VALUE	LABEL
11.4	11.3	284	1	NRLY ALL:(1)
47.0	46.2	1,165	2	A LOT:(2)
34.8	34.2	863	3	SOME:(3)
5.9	5.8	145	4	A LITTLE:(4)
0.9	0.9	22	5	NO WASTE:(5)
	1.7	42	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 136-137

V2262   **072A14 :NEVER TRUST GOVT**

```
       Item Number:  06360

       Question Number(s):  2A14

       How much of the time do you think you can trust the government
       in Washington to do what is right?

       1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

         PCT     PCT      N   VALUE   LABEL
        VALID    ALL
         5.0     4.9    123       1   ALWYS TR:(1)
        29.1    28.7    724       2   OFTEN:(2)
        43.8    43.2  1,089       3   SOMETIME:(3)
        17.8    17.5    442       4   SELDOM:(4)
         4.3     4.3    107       5   NEVER:(5)
                 1.4     35      -9   MISSING:(-9)
        -----   -----  -----
        100.0  100.0  2,521 cases (Wtd)

       Data type: numeric
       Missing-data code: -9
       Columns: 138-139
```

V2263	**072A15 :GVT PPL DK DOING**

Item Number: 06370

Question Number(s): 2A15

Do you feel that the people running the government are smart
people who usually know what they are doing?

1="They almost always know what they are doing" 2="They
usually know what they are doing" 3="They sometimes know
what they are doing" 4="They seldom know what they are
doing" 5="They never know what they are doing"

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	9.6	243	1	ALWYS KN:(1)
41.8	41.2	1,038	2	USUALLY:(2)
35.0	34.4	868	3	SOMETIME:(3)
9.6	9.4	238	4	SELDOM:(4)
3.8	3.8	95	5	NEVER:(5)
	1.5	39	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 140-141

V2264   **072A16 :GOVT RUN FOR PPL**

Item Number: 06380

Question Number(s): 2A16

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

PCT VALID	PCT ALL	N	VALUE	LABEL
12.4	12.3	309	1	ALWS FEW:(1)
27.3	26.9	678	2	USLY FEW:(2)
45.4	44.8	1,128	3	SOME:(3)
12.5	12.3	311	4	USLY ALL:(4)
2.3	2.2	56	5	ALWS ALL:(5)
	1.5	38	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 142-143

V2265	072A17A:DO OR PLN VOTE

Item Number: 06390

Question Number(s): 2A17A

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  5.2    5.2    131      1  PRB WONT:(1)
  8.9    8.8    222      2  DK:(2)
 78.3   77.5  1,954      3  PRB WILL:(3)
  7.5    7.4    187      4  HAV DONE:(4)
         1.0     26     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 144-145

V2266   **072A17B:DO OR PLN WRITE**

```
      Item Number:  06400

      Question Number(s):  2A17B

      Have you ever done, or do you plan to do, the following things?

      B: Write to public officials

      1="I probably won't do this" 2="I don't know" 3="I probably
      will do this" 4="I have already done this"

        PCT     PCT      N  VALUE   LABEL
      VALID    ALL
       33.8   33.4    842       1  PRB WONT:(1)
       42.9   42.4  1,068       2  DK:(2)
       13.7   13.6    342       3  PRB WILL:(3)
        9.6    9.5    239       4  HAV DONE:(4)
               1.2     29      -9  MISSING:(-9)
      -----  -----  -----
      100.0  100.0  2,521 cases (Wtd)

      Data type: numeric
      Missing-data code: -9
      Columns: 146-147
```

V2267   **072A17C:DO OR PLN GIVE $**

```
    Item Number:  06410

    Question Number(s):  2A17C

    Have you ever done, or do you plan to do, the following things?

    C: Give money to a political candidate or cause

    1="I probably won't do this" 2="I don't know" 3="I probably
    will do this" 4="I have already done this"

      PCT    PCT      N  VALUE   LABEL
    VALID    ALL
     43.2   42.6  1,073      1  PRB WONT:(1)
     39.2   38.6    974      2  DK:(2)
     14.6   14.4    364      3  PRB WILL:(3)
      3.0    3.0     75      4  HAV DONE:(4)
             1.4     35     -9  MISSING:(-9)
    -----  -----  -----
    100.0  100.0  2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 148-149
```

V2268   **072A17D:DO OR PLN WK CPG**

Item Number: 06420

Question Number(s): 2A17D

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 59.1   58.2  1,468     1  PRB WONT:(1)
 30.1   29.6    747     2  DK:(2)
  8.1    7.9    200     3  PRB WILL:(3)
  2.7    2.6     67     4  HAV DONE:(4)
         1.5     39    -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 150-151

V2269	072A17E:DO OR PLN DEMNST

Item Number: 06430

Question Number(s): 2A17E

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 40.8   40.2  1,015      1   PRB WONT:(1)
 38.7   38.2    962      2   DK:(2)
 16.7   16.5    415      3   PRB WILL:(3)
  3.9    3.8     97      4   HAV DONE:(4)
         1.3     32     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 152-153

V2270   **072A17F:DO OR PLN BOYCOT**

```
Item Number:  06440

Question Number(s):  2A17F

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably
will do this" 4="I have already done this"

   PCT    PCT     N  VALUE  LABEL
 VALID   ALL
  35.8   35.3    890     1  PRB WONT:(1)
  40.1   39.6    999     2  DK:(2)
  16.5   16.3    411     3  PRB WILL:(3)
   7.6    7.5    189     4  HAV DONE:(4)
          1.3     32    -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 154-155
```

V2271   **072A18A:US SHD DISARM**

Item Number: 06450

Question Number(s): 2A18A

How much do you agree or disagree with each of the following
statements?

A: The U.S. should begin a gradual program of disarming
whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 28.1   27.6    694      1  DISAGREE:(1)
 14.3   14.1    354      2  MOST DIS:(2)
 37.1   36.4    916      3  NEITHER:(3)
 13.6   13.3    336      4  MOST AGR:(4)
  6.9    6.7    170      5  AGREE:(5)
         2.0     50     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 156-157

V2272   **072A18B:US GO WAR FR OTH**

```
     Item Number:  05690

     Question Number(s):  2A18B

     How much do you agree or disagree with each of the following
     statements?

     B: There may be times when the U.S. should go to war to
     protect the rights of other countries

     1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
     5="Agree"

       PCT     PCT      N  VALUE  LABEL
     VALID    ALL
      11.3    11.2     282      1  DISAGREE:(1)
      14.1    13.9     350      2  MOST DIS:(2)
      23.0    22.6     570      3  NEITHER:(3)
      31.5    31.0     782      4  MOST AGR:(4)
      20.1    19.8     499      5  AGREE:(5)
               1.5      38     -9  MISSING:(-9)
     -----   -----   -----
     100.0   100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 158-159
```

V2273   **072A18C:US WAR PRTCT ECN**

```
    Item Number:  06460

    Question Number(s):  2A18C

    How much do you agree or disagree with each of the following
    statements?

    C: The U.S. should be willing to go to war to protect its own
    economic interests

    1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
    5="Agree"

      PCT     PCT      N  VALUE  LABEL
    VALID    ALL
      8.6     8.4     212      1  DISAGREE:(1)
     13.7    13.4     338      2  MOST DIS:(2)
     26.5    25.9     654      3  NEITHER:(3)
     30.1    29.5     743      4  MOST AGR:(4)
     21.1    20.6     520      5  AGREE:(5)
              2.1      53     -9  MISSING:(-9)
    -----   -----   -----
    100.0   100.0   2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 160-161
```

V2274   **072A18D:US ONLY WAR DFNS**

Item Number: 06470

Question Number(s): 2A18D

How much do you agree or disagree with each of the following
statements?

D: The only good reason for the U.S. to go to war is to
defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  7.9     7.7    194      1  DISAGREE:(1)
 12.9    12.6    319      2  MOST DIS:(2)
 18.8    18.4    464      3  NEITHER:(3)
 30.5    29.9    755      4  MOST AGR:(4)
 29.9    29.3    739      5  AGREE:(5)
          2.0     50     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 162-163

V2275   **072A18E:-US MIL PWR>USSR**

Item Number: 06480

Question Number(s): 2A18E

How much do you agree or disagree with each of the following
statements?

E: The U.S. does not need to have greater military power than
Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 28.2   27.6    696      1  DISAGREE:(1)
 18.2   17.9    450      2  MOST DIS:(2)
 33.9   33.3    839      3  NEITHER:(3)
 10.5   10.3    259      4  MOST AGR:(4)
  9.2    9.1    228      5  AGREE:(5)
         1.9     48     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 164-165

V2276	072A18F:US NEED>PWR OTHS

```
Item Number:  06490

Question Number(s):  2A18F

How much do you agree or disagree with each of the following
statements?

F: The U.S. ought to have much more military power than any
other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"
```

PCT VALID	PCT ALL	N	VALUE	LABEL
11.2	10.9	276	1	DISAGREE:(1)
11.5	11.2	283	2	MOST DIS:(2)
34.7	34.1	858	3	NEITHER:(3)
18.8	18.4	464	4	MOST AGR:(4)
23.9	23.4	590	5	AGREE:(5)
	2.0	50	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

```
Data type: numeric
Missing-data code: -9
Columns: 166-167
```

V2277   **072A18G:US FRN PLCY NRRW**

Item Number: 06500

Question Number(s): 2A18G

How much do you agree or disagree with each of the following
statements?

G: Our present foreign policy is based on our own narrow
economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  4.8    4.7    118      1  DISAGREE:(1)
  6.3    6.1    154      2  MOST DIS:(2)
 51.2   49.9  1,258      3  NEITHER:(3)
 23.5   22.9    577      4  MOST AGR:(4)
 14.2   13.8    348      5  AGREE:(5)
         2.6     66     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 168-169

V2279	072A19A:FRQ FIGHT PARNTS

Item Number: 06520

Question Number(s): 2A19A

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 12.5    9.8    246      1  NOT @ALL:(1)
 10.7    8.3    210      2  ONCE:(2)
 15.2   11.9    299      3  TWICE:(3)
 23.0   17.9    452      4  3-4TIMES:(4)
 38.6   30.1    759      5  5+ TIMES:(5)
        22.0    554     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 170-171

V2280   **072A19B:FRQ HIT SUPRVISR**

Item Number: 06530

Question Number(s): 2A19B

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.2	95.2	2,400	1	NOT @ALL:(1)
1.7	1.7	43	2	ONCE:(2)
0.8	0.8	20	3	TWICE:(3)
0.4	0.4	9	4	3-4TIMES:(4)
0.9	0.9	22	5	5+ TIMES:(5)
	1.0	26	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 172-173

V2281   **072A19C:FRQ FGT WRK/SCHL**

Item Number: 06540

Question Number(s): 2A19C

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
85.3	84.4	2,128	1	NOT @ALL:(1)
9.2	9.1	230	2	ONCE:(2)
2.8	2.8	71	3	TWICE:(3)
1.5	1.4	36	4	3-4TIMES:(4)
1.2	1.2	30	5	5+ TIMES:(5)
	1.0	26	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 174-175

V2282   **072A19D:FRQ GANG FIGHT**

Item Number: 06550

Question Number(s): 2A19D

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 82.7   81.7  2,059      1   NOT @ALL:(1)
  9.5    9.4    236      2   ONCE:(2)
  3.5    3.4     87      3   TWICE:(3)
  2.0    2.0     51      4   3-4TIMES:(4)
  2.3    2.3     57      5   5+ TIMES:(5)
         1.2     31     -9   MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 176-177

V2283	072A19E:FRQ HURT SM1 BAD

```
Item Number:  06560

Question Number(s):  2A19E

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a
doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"
```

PCT VALID	PCT ALL	N	VALUE	LABEL
86.5	85.5	2,155	1	NOT @ALL:(1)
7.7	7.6	191	2	ONCE:(2)
3.2	3.1	79	3	TWICE:(3)
1.0	1.0	25	4	3-4TIMES:(4)
1.6	1.6	41	5	5+ TIMES:(5)
	1.2	30	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

```
Data type: numeric
Missing-data code: -9
Columns: 178-179
```

V2284	**072A19F:FRQ THREAT WEAPN**

Item Number: 06570

Question Number(s): 2A19F

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club)
to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
96.4	95.4	2,404	1	NOT @ALL:(1)
1.3	1.3	32	2	ONCE:(2)
0.7	0.6	16	3	TWICE:(3)
0.5	0.5	13	4	3-4TIMES:(4)
1.1	1.1	28	5	5+ TIMES:(5)
	1.0	26	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 180-181

V2285	072A19G:FRQ STEAL <$50

Item Number: 06580

Question Number(s): 2A19G

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth
under $50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 73.2   72.3  1,822      1   NOT @ALL:(1)
 12.4   12.3    309      2   ONCE:(2)
  6.1    6.0    152      3   TWICE:(3)
  3.6    3.5     89      4   3-4TIMES:(4)
  4.7    4.6    116      5   5+ TIMES:(5)
         1.3     32     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 182-183

V2286	072A19H:FRQ STEAL >$50

Item Number: 06590

Question Number(s): 2A19H

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth
over $50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
89.3	88.2	2,222	1	NOT @ALL:(1)
4.7	4.6	116	2	ONCE:(2)
2.7	2.7	67	3	TWICE:(3)
1.5	1.5	38	4	3-4TIMES:(4)
1.8	1.7	44	5	5+ TIMES:(5)
	1.3	33	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 184-185

V2287	072A19I:FRQ SHOPLIFT

Item Number: 06600

Question Number(s): 2A19I

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 73.2   72.2  1,820      1  NOT @ALL:(1)
 11.1   10.9    276      2  ONCE:(2)
  5.5    5.4    137      3  TWICE:(3)
  4.7    4.7    118      4  3-4TIMES:(4)
  5.4    5.4    135      5  5+ TIMES:(5)
         1.4     35     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 186-187

V2288   **072A19J:FRQ CAR THEFT**

Item Number: 06610

Question Number(s): 2A19J

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.5	93.5	2,356	1	NOT @ALL:(1)
3.0	2.9	74	2	ONCE:(2)
1.0	1.0	25	3	TWICE:(3)
0.5	0.5	13	4	3-4TIMES:(4)
1.0	1.0	26	5	5+ TIMES:(5)
	1.0	26	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 188-189

V2289	072A19K:FRQ STEAL CAR PT

Item Number: 06620

Question Number(s): 2A19K

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 95.4   94.1  2,372      1  NOT @ALL:(1)
  1.9    1.9     47      2  ONCE:(2)
  1.2    1.2     30      3  TWICE:(3)
  0.5    0.5     12      4  3-4TIMES:(4)
  1.1    1.0     26      5  5+ TIMES:(5)
         1.3     34     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 190-191

V2290	072A19L:FRQ TRESPAS BLDG

Item Number: 06630

Question Number(s): 2A19L

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
76.3	75.2	1,895	1	NOT @ALL:(1)
11.5	11.3	285	2	ONCE:(2)
5.9	5.8	146	3	TWICE:(3)
3.1	3.1	77	4	3-4TIMES:(4)
3.3	3.2	82	5	5+ TIMES:(5)
	1.4	36	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 192-193

V2291	072A19M:FRQ ARSON

Item Number: 06640

Question Number(s): 2A19M

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.0	96.0	2,420	1	NOT @ALL:(1)
1.1	1.1	29	2	ONCE:(2)
0.8	0.8	20	3	TWICE:(3)
0.4	0.4	10	4	3-4TIMES:(4)
0.7	0.6	16	5	5+ TIMES:(5)
	1.0	25	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 194-195

V2292	072A19N:FRQ DMG SCH PPTY

Item Number: 06650

Question Number(s): 2A19N

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

```
   PCT     PCT      N   VALUE   LABEL
 VALID    ALL
 88.6    87.5   2,206      1   NOT @ALL:(1)
  6.0     6.0     150      2   ONCE:(2)
  2.6     2.5      64      3   TWICE:(3)
  1.3     1.3      32      4   3-4TIMES:(4)
  1.5     1.5      38      5   5+ TIMES:(5)
          1.2      31     -9   MISSING:(-9)
 -----   -----   -----
 100.0   100.0   2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 196-197

V2293   **072A19O:FRQ DMG WK PRPTY**

Item Number: 06660

Question Number(s): 2A19O

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 94.4    93.1  2,346     1  NOT @ALL:(1)
  3.1     3.0    76      2  ONCE:(2)
  1.1     1.0    26      3  TWICE:(3)
  0.3     0.3     8      4  3-4TIMES:(4)
  1.2     1.2    30      5  5+ TIMES:(5)
          1.4    34     -9  MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 198-199

V2295	072A20A:SM1 ROB YRS <$50

Item Number: 06680

Question Number(s): 2A20A

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . . Has something of yours (worth under $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
60.4	59.6	1,503	1	NOT @ALL:(1)
24.5	24.2	609	2	ONCE:(2)
8.7	8.6	216	3	TWICE:(3)
4.3	4.3	107	4	3-4TIMES:(4)
2.0	2.0	51	5	5+ TIMES:(5)
	1.3	34	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 200-201

V2296	072A20B:SM1 ROB YRS >$50

Item Number: 06690

Question Number(s): 2A20B

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 72.9   72.0  1,814     1  NOT @ALL:(1)
 18.8   18.5    467     2  ONCE:(2)
  5.2    5.1    129     3  TWICE:(3)
  2.3    2.3     58     4  3-4TIMES:(4)
  0.8    0.8     20     5  5+ TIMES:(5)
         1.3     33    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 202-203

V2297   **072A20C:SM1 DMG YR PRPTY**

    Item Number: 06700

    Question Number(s): 2A20C

    During the LAST 12 MONTHS, how often . . .

    C: . . . Has someone deliberately damaged your property
    (your car, clothing, etc.)?

    1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
    More Times"

```
   PCT    PCT      N  VALUE  LABEL
 VALID    ALL
 70.7   69.7  1,756      1  NOT @ALL:(1)
 18.3   18.0    454      2  ONCE:(2)
  6.9    6.8    172      3  TWICE:(3)
  3.1    3.0     77      4  3-4TIMES:(4)
  1.1    1.0     26      5  5+ TIMES:(5)
         1.4     36     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 204-205

V2298	072A20D:SM1 INJR U W/WPN

Item Number: 06710

Question Number(s): 2A20D

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.2	92.7	2,336	1	NOT @ALL:(1)
3.7	3.7	92	2	ONCE:(2)
1.0	1.0	24	3	TWICE:(3)
0.6	0.6	15	4	3-4TIMES:(4)
0.5	0.5	13	5	5+ TIMES:(5)
	1.6	40	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 206-207

V2299	072A20E:SM1 THRTN U W/WP

Item Number: 06720

Question Number(s): 2A20E

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but
not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
82.6	81.3	2,049	1	NOT @ALL:(1)
9.3	9.2	232	2	ONCE:(2)
4.5	4.4	111	3	TWICE:(3)
1.7	1.7	42	4	3-4TIMES:(4)
1.9	1.8	46	5	5+ TIMES:(5)
	1.6	40	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 208-209

V2300	**072A20F:SM1 INJR YU -WPN**

Item Number: 06730

Question Number(s): 2A20F

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without
using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 82.6  81.4  2,052     1  NOT @ALL:(1)
  9.1   9.0    227     2  ONCE:(2)
  3.8   3.7     93     3  TWICE:(3)
  2.0   1.9     49     4  3-4TIMES:(4)
  2.6   2.5     63     5  5+ TIMES:(5)
        1.4     37    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 210-211

V2301	**072A20G:SM1 THRT U W/INJ**

Item Number: 06740

Question Number(s): 2A20G

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with
injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

PCT VALID	PCT ALL	N	VALUE	LABEL
73.7	72.6	1,830	1	NOT @ALL:(1)
12.4	12.2	307	2	ONCE:(2)
5.4	5.4	135	3	TWICE:(3)
3.6	3.5	89	4	3-4TIMES:(4)
4.9	4.8	120	5	5+ TIMES:(5)
	1.5	39	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 212-213

V2302   **072A21A:EASY GT MARIJUAN**

```
Item Number:  06750

Question Number(s):  2A21A

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

  PCT     PCT      N  VALUE   LABEL
VALID    ALL
  6.3     6.1    155      1   PROB IMP:(1)
  3.0     2.9     74      2   VRY DIFF:(2)
  6.9     6.8    171      3   FRLY DIF:(3)
 26.8    26.2    661      4   FRLY EAS:(4)
 57.1    55.9  1,410      5   VRY EASY:(5)
          2.0     50     -9   MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 214-215
```

V2303   **072A21B:EASY GT LSD**

```
     Item Number:  06760

     Question Number(s):  2A21B

     How difficult do you think it would be for you to get each of
     the following types of drugs, if you wanted some?

     B: LSD

     1="Probably Impossible" 2="Very Difficult" 3="Fairly
     Difficult" 4="Fairly Easy" 5="Very Easy"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      21.9    21.0    529      1   PROB IMP:(1)
      18.8    18.0    455      2   VRY DIFF:(2)
      30.7    29.5    744      3   FRLY DIF:(3)
      20.8    20.0    504      4   FRLY EAS:(4)
       7.8     7.5    189      5   VRY EASY:(5)
              4.0    100     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 216-217
```

V2304   **072A21C:EASY GT PSYDELIC**

```
Item Number:  06770

Question Number(s):  2A21C

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or
psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 17.5   17.0    428      1  PROB IMP:(1)
 15.8   15.3    386      2  VRY DIFF:(2)
 23.1   22.4    564      3  FRLY DIF:(3)
 27.7   26.9    677      4  FRLY EAS:(4)
 15.8   15.3    387      5  VRY EASY:(5)
         3.1     79     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 218-219
```

V2305   **072A21D:EASY GT AMPHTMNS**

```
     Item Number:  06780

     Question Number(s):  2A21D

     How difficult do you think it would be for you to get each of
     the following types of drugs, if you wanted some?

     D: Amphetamines (uppers, pep pills, bennies, speed)

     1="Probably Impossible" 2="Very Difficult" 3="Fairly
     Difficult" 4="Fairly Easy" 5="Very Easy"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      16.0    15.5    390      1   PROB IMP:(1)
      13.8    13.3    336      2   VRY DIFF:(2)
      20.6    19.9    503      3   FRLY DIF:(3)
      27.7    26.8    676      4   FRLY EAS:(4)
      21.9    21.2    535      5   VRY EASY:(5)
               3.2     81     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 220-221
```

V2522   **072A21E:EASY GT SED/BARB**

```
     Item Number:  06795

     Question Number(s):  2A21E

     How difficult do you think it would be for you to get each of
     the following types of drugs, if you wanted some?

     E: Sedatives/barbiturates (downers)

     1="Probably Impossible" 2="Very Difficult" 3="Fairly
     Difficult" 4="Fairly Easy" 5="Very Easy"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      18.7    18.1    456      1   PROB IMP:(1)
      16.9    16.3    410      2   VRY DIFF:(2)
      22.6    21.8    551      3   FRLY DIF:(3)
      23.6    22.7    573      4   FRLY EAS:(4)
      18.2    17.5    442      5   VRY EASY:(5)
               3.6     90     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 222-223
```

V2307   **072A21F:EASY GT TRANQLIZ**

```
     Item Number:  06800

     Question Number(s):  2A21F

     How difficult do you think it would be for you to get each of
     the following types of drugs, if you wanted some?

     F: Tranquilizers

     1="Probably Impossible" 2="Very Difficult" 3="Fairly
     Difficult" 4="Fairly Easy" 5="Very Easy"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      27.3    26.3    664      1   PROB IMP:(1)
      24.3    23.4    591      2   VRY DIFF:(2)
      24.8    23.9    603      3   FRLY DIF:(3)
      14.7    14.2    359      4   FRLY EAS:(4)
       8.9     8.6    216      5   VRY EASY:(5)
               3.5     88     -9   MISSING:(-9)
     -----   -----   -----
     100.0   100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 224-225
```

V2308	**072A21G:EASY GT COCAINE**

```
Item Number:  06810

Question Number(s):  2A21G

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 17.2    16.7    421       1   PROB IMP:(1)
 15.0    14.6    367       2   VRY DIFF:(2)
 20.9    20.3    511       3   FRLY DIF:(3)
 25.5    24.7    623       4   FRLY EAS:(4)
 21.4    20.8    524       5   VRY EASY:(5)
          3.0     75      -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 226-227
```

V2309	072A21H:EASY GT HEROIN

```
     Item Number:  06820

     Question Number(s):  2A21H

     How difficult do you think it would be for you to get each of
     the following types of drugs, if you wanted some?

     H: Heroin

     1="Probably Impossible" 2="Very Difficult" 3="Fairly
     Difficult" 4="Fairly Easy" 5="Very Easy"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      24.7    23.9    603      1   PROB IMP:(1)
      22.0    21.4    538      2   VRY DIFF:(2)
      23.7    22.9    578      3   FRLY DIF:(3)
      18.2    17.6    444      4   FRLY EAS:(4)
      11.4    11.1    279      5   VRY EASY:(5)
               3.1     78     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 228-229
```

V2310	**072A21I:EASY GT NARCOTIC**

Item Number: 06830

Question Number(s): 2A21I

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some?

I: Some other narcotic (methadone, opium, codeine, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

```
  PCT    PCT     N  VALUE   LABEL
VALID    ALL
 22.7   22.0   555      1   PROB IMP:(1)
 18.5   18.0   453      2   VRY DIFF:(2)
 21.5   20.8   524      3   FRLY DIF:(3)
 19.7   19.1   482      4   FRLY EAS:(4)
 17.5   16.9   427      5   VRY EASY:(5)
         3.1    79     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 230-231

V2101	**072B01 :EVR SMK CIG,REGL**

Item Number: 00760

Question Number(s): 2B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT VALID	PCT ALL	N	VALUE	LABEL
52.2	51.4	1,295	1	NEVER:(1)
18.8	18.5	467	2	1-2X:(2)
13.1	12.8	324	3	OCCASNLY:(3)
5.3	5.2	131	4	REG PAST:(4)
10.6	10.4	263	5	REG NOW:(5)
	1.7	42	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 232-233

V2102   **072B02 :#CIGS SMKD/30DAY**

Item Number: 00780

Question Number(s): 2B02

How frequently have you smoked cigarettes during the past
30 days?

1="Not at all" [includes respondents who marked "1" on
question B01] 2="Less than one cigarette per day" 3="One to
five cigarettes per day" 4="About one-half pack per day"
5="About one pack per day" 6="About one and one-half packs
per day" 7="Two packs or more per day"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 76.5   75.3  1,897      1  NONE:(1)
 10.0    9.9    249      2  <1 CIG/D:(2)
  7.4    7.3    184      3  1-5/DAY:(3)
  3.2    3.2     80      4  1/2PK/D:(4)
  1.9    1.8     46      5  1 PK/DA:(5)
  0.7    0.7     17      6  1 1/2 PK/D:(6)
  0.2    0.2      6      7  2+ PKS/D:(7)
         1.6     41     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 234-235

V2103	072B03:EVER DRINK

Item Number: 00790

Question Number(s): 2B03

Next, we want to ask you about drinking alcoholic beverages,
including beer, wine, liquor, and any other beverage that
contains alcohol. Have you ever had any alcoholic beverage
to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 28.8   27.9    703     1  NO:(1)
 71.2   69.0  1,740     2  YES:(2)
         3.1     77    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 236-237

V2104   **072B04A:#X ALC/LIF SIPS**

```
Item Number:  00810

Question Number(s):  2B04A

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header
question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

   PCT     PCT     N  VALUE   LABEL
 VALID     ALL
 29.2    27.9    703      1   0 OCCAS:(1)
  8.0     7.6    192      2   1-2X:(2)
 10.0     9.5    240      3   3-5X:(3)
  8.7     8.3    209      4   6-9X:(4)
 11.1    10.7    269      5   10-19X:(5)
 10.2     9.7    245      6   20-39X:(6)
 22.9    21.9    551      7   40+OCCAS:(7)
          4.4    112     -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 238-239
```

V2105	072B04B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 2B04B

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
33.5	31.9	805	1	0 OCCAS:(1)
15.6	14.9	375	2	1-2X:(2)
13.0	12.4	313	3	3-5X:(3)
10.4	10.0	251	4	6-9X:(4)
10.8	10.2	258	5	10-19X:(5)
8.3	7.9	198	6	20-39X:(6)
8.4	8.0	201	7	40+OCCAS:(7)
	4.7	118	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 240-241

V2106   **072B04C:#X ALC/30D SIPS**

```
Item Number:  00830

Question Number(s):  2B04C

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

  PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 53.1    50.7  1,277      1   0 OCCAS:(1)
 21.7    20.7    521      2   1-2X:(2)
 11.5    11.0    277      3   3-5X:(3)
  5.9     5.6    141      4   6-9X:(4)
  4.4     4.2    106      5   10-19X:(5)
  1.7     1.7     42      6   20-39X:(6)
  1.7     1.7     42      7   40+OCCAS:(7)
          4.6    115     -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 242-243
```

V2107   **072B05 :#X DRK ENF FL HI**

Item Number: 00840

Question Number(s): 2B05

On the occasions that you drink alcoholic beverages, how
often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On
about half of the occasions" 4="On most of the occasions"
5="On nearly all of the occasions"

PCT VALID	PCT ALL	N	VALUE	LABEL
23.8	16.4	414	1	NONE:(1)
25.1	17.3	437	2	FEW:(2)
14.6	10.1	254	3	HALF:(3)
21.7	15.0	378	4	MOST:(4)
14.7	10.2	256	5	NRLY ALL:(5)
	31.0	781	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 244-245

V2108	072B06:5+DRK ROW/LST 2W

Item Number: 00850

Question Number(s): 2B06

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 70.2    65.9  1,660      1  NONE:(1)
 10.4     9.7    246      2  ONCE:(2)
  8.1     7.6    191      3  TWICE:(3)
  7.4     7.0    176      4  3-5X:(4)
  2.2     2.1     52      5  6-9X:(5)
  1.7     1.6     39      6  10+ TIME:(6)
          6.2    156     -9  MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 246-247

V2115   **072B07A:#XMJ+HS/LIFETIME**

Item Number: 00860

Question Number(s): 2B07A

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
56.4	54.5	1,373	1	0 OCCAS:(1)
9.3	9.0	226	2	1-2X:(2)
6.8	6.6	165	3	3-5X:(3)
3.8	3.6	92	4	6-9X:(4)
4.8	4.7	117	5	10-19X:(5)
3.6	3.5	88	6	20-39X:(6)
15.3	14.8	373	7	40+OCCAS:(7)
	3.4	87	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 248-249

V2116	072B07B:**#XMJ+HS/LAST12MO**

Item Number: 00870

Question Number(s): 2B07B

On how many occasions (if any) have you used marijuana (weed,
pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	64.5	1,625	1	0 OCCAS:(1)
9.9	9.6	242	2	1-2X:(2)
5.4	5.2	131	3	3-5X:(3)
3.6	3.5	88	4	6-9X:(4)
2.7	2.6	67	5	10-19X:(5)
3.4	3.3	82	6	20-39X:(6)
8.2	8.0	201	7	40+OCCAS:(7)
	3.4	86	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 250-251

V2117   **072B07C:#XMJ+HS/LAST30DA**

Item Number: 00880

Question Number(s): 2B07C

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
80.0	77.1	1,943	1	0 OCCAS:(1)
7.5	7.3	183	2	1-2X:(2)
2.9	2.8	70	3	3-5X:(3)
2.1	2.0	50	4	6-9X:(4)
2.4	2.3	58	5	10-19X:(5)
2.4	2.3	58	6	20-39X:(6)
2.8	2.7	67	7	40+OCCAS:(7)
	3.6	91	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 252-253

V2118   **072B08A:#X LSD/LIFETIME**

Item Number: 00890

Question Number(s): 2B08A

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 96.1   93.8  2,365      1  0 OCCAS:(1)
  2.5    2.5     62      2  1-2X:(2)
  0.6    0.6     15      3  3-5X:(3)
  0.2    0.2      6      4  6-9X:(4)
  0.2    0.2      6      5  10-19X:(5)
  0.2    0.2      5      6  20-39X:(6)
  0.1    0.1      1      7  40+OCCAS:(7)
         2.4     60     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 254-255

V2119   **072B08B:#X LSD/LAST 12MO**

```
     Item Number:  00900

     Question Number(s):  2B08B

     On how many occasions (if any) have you used LSD
     ("acid") . . .

     B: . . . during the last 12 months?

     1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
     Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
     More"

       PCT    PCT      N  VALUE  LABEL
     VALID    ALL
      97.5   95.2  2,400      1  0 OCCAS:(1)
       2.0    2.0     49      2  1-2X:(2)
       0.3    0.3      6      3  3-5X:(3)
       0.1    0.1      2      4  6-9X:(4)
       0.1    0.1      2      5  10-19X:(5)
       0.0    0.0      0      6  20-39X:(6)
       0.1    0.1      1      7  40+OCCAS:(7)
              2.4     60     -9  MISSING:(-9)
     -----  -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 256-257
```

V2120	**072B08C:#X LSD/LAST 30DA**

Item Number: 00910

Question Number(s): 2B08C

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 99.6   97.2  2,449     1  0 OCCAS:(1)
  0.4    0.3     9      2  1-2X:(2)
  0.1    0.1     1      3  3-5X:(3)
  0.0    0.0     0      4  6-9X:(4)
  0.0    0.0     0      5  10-19X:(5)
  0.0    0.0     0      6  20-39X:(6)
  0.0    0.0     0      7  40+OCCAS:(7)
         2.4    61     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 258-259

V2121   **072B09A:#X PSYD/LIFETIME**

    Item Number: 00920

    Question Number(s): 2B09A

    On how many occasions (if any) have you used hallucinogens
    other than LSD (like mescaline, peyote, "shrooms" or
    psilocybin, PCP) . . .

    A: . . . in your lifetime?

    1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
    Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
    More"

```
  PCT    PCT     N  VALUE   LABEL
VALID    ALL
 91.6   89.2  2,248      1  0 OCCAS:(1)
  5.2    5.1    127      2  1-2X:(2)
  1.7    1.6     41      3  3-5X:(3)
  1.0    0.9     24      4  6-9X:(4)
  0.2    0.2      4      5  10-19X:(5)
  0.2    0.2      4      6  20-39X:(6)
  0.2    0.2      5      7  40+OCCAS:(7)
         2.7     68     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 260-261

V2122   **072B09B:#X PSYD/LAST12MO**

```
Item Number:  00930

Question Number(s):  2B09B

On how many occasions (if any) have you used hallucinogens
other than LSD (like mescaline, peyote, "shrooms" or
psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

   PCT     PCT     N   VALUE   LABEL
 VALID     ALL
  94.7    92.2  2,323      1   0 OCCAS:(1)
   3.8     3.7     94      2   1-2X:(2)
   1.2     1.1     28      3   3-5X:(3)
   0.1     0.1      2      4   6-9X:(4)
   0.1     0.1      2      5   10-19X:(5)
   0.0     0.0      0      6   20-39X:(6)
   0.1     0.1      3      7   40+OCCAS:(7)
           2.7     68     -9   MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 262-263
```

V2123   **072B09C:#X PSYD/LAST30DA**

Item Number: 00940

Question Number(s): 2B09C

On how many occasions (if any) have you used hallucinogens
other than LSD (like mescaline, peyote, "shrooms" or
psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
 98.9    96.3  2,426      1   0 OCCAS:(1)
  0.9     0.9     22      2   1-2X:(2)
  0.1     0.1      2      3   3-5X:(3)
  0.1     0.1      3      4   6-9X:(4)
  0.0     0.0      0      5   10-19X:(5)
  0.0     0.0      0      6   20-39X:(6)
  0.1     0.1      1      7   40+OCCAS:(7)
          2.6     66     -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 264-265

V2124   **072B10A:#X COKE/LIFETIME**

```
Item Number:  00950

Question Number(s):  2B10A

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 91.6    89.4  2,254      1   0 OCCAS:(1)
  3.7     3.6     91      2   1-2X:(2)
  0.9     0.8     21      3   3-5X:(3)
  0.8     0.7     18      4   6-9X:(4)
  1.0     1.0     25      5   10-19X:(5)
  0.9     0.9     22      6   20-39X:(6)
  1.2     1.1     29      7   40+OCCAS:(7)
          2.4     60     -9   MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 266-267
```

V2125   **072B10B:#X COKE/LAST12MO**

Item Number: 00960

Question Number(s): 2B10B

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
94.5	92.3	2,326	1	0 OCCAS:(1)
2.5	2.4	61	2	1-2X:(2)
0.8	0.8	20	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.6	0.6	14	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.8	0.8	20	7	40+OCCAS:(7)
	2.3	59	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 268-269

V2126   **072B10C:#X COKE/LAST30DA**

Item Number: 00970

Question Number(s): 2B10C

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT      N  VALUE   LABEL
VALID     ALL
 98.0    95.7  2,413      1   0 OCCAS:(1)
  0.9     0.9     22      2   1-2X:(2)
  0.4     0.4      9      3   3-5X:(3)
  0.3     0.3      7      4   6-9X:(4)
  0.1     0.1      2      5   10-19X:(5)
  0.1     0.1      3      6   20-39X:(6)
  0.2     0.2      6      7   40+OCCAS:(7)
          2.3     59     -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 270-271

V2127   **072B11A:#X AMPH/LIFETIME**

Item Number: 00980

Question Number(s): 2B11A

Amphetamines have been prescribed by doctors to help people
lose weight or to give people more energy. They are sometimes
called uppers, ups, speed, bennies, dexies, pep pills, and
diet pills. Drugstores are not supposed to sell them without
a prescription from a doctor. Amphetamines do NOT include
any non-prescription drugs, such as over-the-counter diet
pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)),
or any mail-order drugs. On how many occasions (if any) have
you taken amphetamines on your own--that is, without a doctor
telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 86.8    84.5  2,130      1   0 OCCAS:(1)
  4.9     4.8    120      2   1-2X:(2)
  2.0     1.9     49      3   3-5X:(3)
  1.9     1.8     47      4   6-9X:(4)
  1.5     1.4     36      5   10-19X:(5)
  0.8     0.8     19      6   20-39X:(6)
  2.1     2.1     52      7   40+OCCAS:(7)
          2.7     68     -9   MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 272-273

V2128   **072B11B:#X AMPH/LAST12MO**

Item Number: 00990

Question Number(s): 2B11B

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 92.0   89.4  2,255      1  0 OCCAS:(1)
  3.2    3.1     78      2  1-2X:(2)
  1.5    1.4     37      3  3-5X:(3)
  1.4    1.3     33      4  6-9X:(4)
  0.8    0.8     19      5  10-19X:(5)
  0.5    0.4     11      6  20-39X:(6)
  0.7    0.7     18      7  40+OCCAS:(7)
                2.8     70     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 274-275

V2129   **072B11C:#X AMPH/LAST30DA**

Item Number: 01000

Question Number(s): 2B11C

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 96.0   93.2  2,350      1  0 OCCAS:(1)
  2.2    2.2     55      2  1-2X:(2)
  0.6    0.5     14      3  3-5X:(3)
  0.6    0.6     16      4  6-9X:(4)
  0.4    0.4     10      5  10-19X:(5)
  0.0    0.0      1      6  20-39X:(6)
  0.1    0.1      4      7  40+OCCAS:(7)
         2.9     72     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 276-277

V2130   **072B12A:#X ICE/LIFETIME**

Item Number: 24380

Question Number(s): 2B12A

On how many occasions (if any) have you smoked (or inhaled
the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 96.5   93.9  2,368      1   0 OCCAS:(1)
  1.7    1.7     42      2   1-2X:(2)
  0.5    0.5     13      3   3-5X:(3)
  0.3    0.3      7      4   6-9X:(4)
  0.4    0.4      9      5   10-19X:(5)
  0.3    0.3      8      6   20-39X:(6)
  0.3    0.3      8      7   40+OCCAS:(7)
         2.6     66     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 278-279

V2131   **072B12B:#X ICE/LAST12MO**

Item Number: 24390

Question Number(s): 2B12B

On how many occasions (if any) have you smoked (or inhaled
the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.4	96.0	2,419	1	0 OCCAS:(1)
0.7	0.7	17	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	2.5	63	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 280-281

V2132   **072B12C:#X ICE/LAST30DA**

Item Number: 24400

Question Number(s): 2B12C

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.4	96.8	2,441	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	2.6	66	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 282-283

V2133	072B13A:#X SED/BARB/LIFE

Item Number: 01042

Question Number(s): 2B13A

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
90.2	87.7	2,211	1	0 OCCAS:(1)
4.1	4.0	100	2	1-2X:(2)
1.3	1.3	32	3	3-5X:(3)
1.8	1.7	44	4	6-9X:(4)
0.8	0.8	20	5	10-19X:(5)
0.7	0.7	17	6	20-39X:(6)
1.1	1.1	27	7	40+OCCAS:(7)
	2.8	70	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 284-285

V2134   **072B13B:#X SED/BARB/12MO**

Item Number: 01052

Question Number(s): 2B13B

On how many occasions (if any) have you taken sedatives on
your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 93.8   91.2  2,299     1  0 OCCAS:(1)
  3.1    3.0    75      2  1-2X:(2)
  1.3    1.2    31      3  3-5X:(3)
  0.7    0.7    18      4  6-9X:(4)
  0.4    0.4    11      5  10-19X:(5)
  0.4    0.4    10      6  20-39X:(6)
  0.3    0.3     8      7  40+OCCAS:(7)
         2.8    70     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 286-287

V2135 **072B13C:#X SED/BARB/30DA**

Item Number: 01062

Question Number(s): 2B13C

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
  PCT    PCT     N  VALUE   LABEL
VALID    ALL
 97.5   94.8  2,389     1   0 OCCAS:(1)
  1.1    1.1     28     2   1-2X:(2)
  0.6    0.6     15     3   3-5X:(3)
  0.4    0.4     10     4   6-9X:(4)
  0.1    0.1      4     5   10-19X:(5)
  0.1    0.1      3     6   20-39X:(6)
  0.1    0.1      2     7   40+OCCAS:(7)
         2.8     70    -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 288-289

V2136   **072B14A:#X TRQL/LIFETIME**

```
Item Number:  01070

Question Number(s):  2B14A


Tranquilizers are sometimes prescribed by doctors to calm
people down, quiet their nerves, or relax their muscles.
Librium, Valium, and Xanax are all tranquilizers. On how
many occasions (if any) have you taken tranquilizers on
your own--that is, without a doctor telling you to take
them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

  PCT    PCT      N   VALUE   LABEL
 VALID   ALL
 90.1   87.7  2,211       1   0 OCCAS:(1)
  3.8    3.7     93       2   1-2X:(2)
  1.9    1.8     46       3   3-5X:(3)
  1.2    1.2     30       4   6-9X:(4)
  1.1    1.1     28       5   10-19X:(5)
  0.6    0.6     15       6   20-39X:(6)
  1.3    1.3     32       7   40+OCCAS:(7)
         2.6     66      -9   MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 290-291
```

V2137	072B14B:#X TRQL/LAST12MO

Item Number: 01080

Question Number(s): 2B14B

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE   LABEL
 VALID   ALL
 93.4   91.0  2,295     1  0 OCCAS:(1)
  2.7    2.6     67     2  1-2X:(2)
  1.2    1.2     30     3  3-5X:(3)
  0.9    0.9     23     4  6-9X:(4)
  0.8    0.8     20     5  10-19X:(5)
  0.3    0.3      8     6  20-39X:(6)
  0.6    0.5     14     7  40+OCCAS:(7)
         2.6     65    -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 292-293

V2138	**072B14C:#X TRQL/LAST30DA**

Item Number: 01090

Question Number(s): 2B14C

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 97.1  94.6  2,385     1  0 OCCAS:(1)
  1.2   1.2     30     2  1-2X:(2)
  0.8   0.8     19     3  3-5X:(3)
  0.4   0.4     10     4  6-9X:(4)
  0.2   0.2      6     5  10-19X:(5)
  0.1   0.1      3     6  20-39X:(6)
  0.1   0.1      3     7  40+OCCAS:(7)
        2.6     65    -9  MISSING:(-9)
 ----- ----- -----
100.0 100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 294-295

V2510	**072B15A:#X H LIF USE NDL**

Item Number: 29630

Question Number(s): 2B15A

On how many occasions (if any) have you taken heroin using
a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT     N  VALUE   LABEL
VALID    ALL
 99.4   96.5  2,434      1   0 OCCAS:(1)
  0.3    0.3      7      2   1-2X:(2)
  0.1    0.1      3      3   3-5X:(3)
  0.0    0.0      1      4   6-9X:(4)
  0.0    0.0      1      5   10-19X:(5)
  0.0    0.0      1      6   20-39X:(6)
  0.1    0.1      2      7   40+OCCAS:(7)
         2.9     73     -9   MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 296-297

V2511	072B15B:#X H 12M USE NDL

Item Number: 29640

Question Number(s): 2B15B

On how many occasions (if any) have you taken heroin using
a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 99.8   97.0  2,444     1  0 OCCAS:(1)
  0.0    0.0     1      2  1-2X:(2)
  0.0    0.0     1      3  3-5X:(3)
  0.0    0.0     1      4  6-9X:(4)
  0.0    0.0     1      5  10-19X:(5)
  0.0    0.0     0      6  20-39X:(6)
  0.1    0.1     1      7  40+OCCAS:(7)
         2.9    72     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 298-299

V2512	072B15C:#X H 30D USE NDL

Item Number: 29650

Question Number(s): 2B15C

On how many occasions (if any) have you taken heroin using
a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.9	97.0	2,444	1	0 OCCAS:(1)
0.0	0.0	0	2	1-2X:(2)
0.1	0.1	1	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	2.9	73	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 300-301

V2513   **072B16A:#X H LIF W/O NDL**

Item Number: 29660

Question Number(s): 2B16A

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.8	95.6	2,409	1	0 OCCAS:(1)
0.6	0.6	15	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.3	0.3	6	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.3	82	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 302-303

V2514   **072B16B:#X H 12M W/O NDL**

    Item Number: 29670

    Question Number(s): 2B16B

    On how many occasions (if any) have you taken heroin WITHOUT
    using a needle . . .

    B: . . . during the last 12 months?

    1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
    Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
    More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.2	96.0	2,419	1	0 OCCAS:(1)
0.5	0.5	12	2	1-2X:(2)
0.2	0.1	4	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.2	81	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

    Data type: numeric
    Missing-data code: -9
    Columns: 304-305

V2515	072B16C:#X H 30D W/O NDL

Item Number: 29680

Question Number(s): 2B16C

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.7	96.4	2,430	1	0 OCCAS:(1)
0.2	0.2	4	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.3	82	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 306-307

V2139   **072R*   :#X "H"/LIFETIME**

        Item Number: 01100

        Question Number(s): 2B16X

        Component questions for "any heroin" measure: "On how many
        occasions (if any) have you taken heroin using a needle . . .
        In your lifetime?" (item 29630) and "On how many occasions
        (if any) have you taken heroin WITHOUT using a needle . . .
        In your lifetime?" (item 29660).

        1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
        Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
        More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.5	96.0	2,421	1	0 OCCAS:(1)
0.7	0.7	18	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	2.5	64	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

        Data type: numeric
        Missing-data code: -9
        Columns: 308-309

| **V2140** | **072R* :#X "H"/LAST12MO** |

Item Number: 01110

Question Number(s): 2B16Y

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 12 months?" (item 29640) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 12 months?" (item 29670).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	96.6	2,435	1	0 OCCAS:(1)
0.5	0.5	12	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.5	64	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 310-311

V2141   **072R***   **:#X "H"/LAST30DA**

Item Number: 01120

Question Number(s): 2B16Z

Component questions for "any heroin" measure: "On how many
occasions (if any) have you taken heroin using a needle . . .
During the last 30 days?" (item 29650) and "On how many
occasions (if any) have you taken heroin WITHOUT using a
needle . . . During the last 30 days?" (item 29680).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 99.6   97.1  2,447     1  0 OCCAS:(1)
  0.1    0.1      4     2  1-2X:(2)
  0.1    0.1      2     3  3-5X:(3)
  0.0    0.0      1     4  6-9X:(4)
  0.1    0.1      1     5  10-19X:(5)
  0.0    0.0      0     6  20-39X:(6)
  0.1    0.1      1     7  40+OCCAS:(7)
         2.6     65    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 312-313

V2142   **072B17A:#X NARC/LIFETIME**

Item Number: 01130

Question Number(s): 2B17A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 86.5   83.6  2,107      1  0 OCCAS:(1)
  5.3    5.1    129      2  1-2X:(2)
  2.6    2.5     63      3  3-5X:(3)
  1.6    1.6     40      4  6-9X:(4)
  1.3    1.3     33      5  10-19X:(5)
  1.0    1.0     24      6  20-39X:(6)
  1.6    1.6     40      7  40+OCCAS:(7)
         3.4     85     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 314-315

V2143   **072B17B:#X NARC/LAST12MO**

Item Number: 01140

Question Number(s): 2B17B

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
91.1	87.9	2,215	1	0 OCCAS:(1)
3.9	3.8	95	2	1-2X:(2)
1.5	1.4	36	3	3-5X:(3)
1.0	1.0	25	4	6-9X:(4)
1.1	1.1	27	5	10-19X:(5)
0.8	0.8	19	6	20-39X:(6)
0.5	0.5	13	7	40+OCCAS:(7)
	3.6	90	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 316-317

V2144	072B17C:#X NARC/LAST30DA

Item Number: 01150

Question Number(s): 2B17C

On how many occasions (if any) have you taken narcotics other
than heroin on your own--that is, without a doctor telling
you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N   VALUE   LABEL
 VALID     ALL
  96.2    92.7  2,338       1   0 OCCAS:(1)
   2.2     2.1     54       2   1-2X:(2)
   0.6     0.6     15       3   3-5X:(3)
   0.6     0.5     14       4   6-9X:(4)
   0.3     0.3      8       5   10-19X:(5)
   0.0     0.0      0       6   20-39X:(6)
   0.1     0.1      1       7   40+OCCAS:(7)
           3.6     91      -9   MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 318-319

V2145   **072B18A:#X INHL/LIFETIME**

Item Number: 01160

Question Number(s): 2B18A

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
88.5	85.1	2,144	1	0 OCCAS:(1)
6.3	6.0	152	2	1-2X:(2)
2.0	2.0	49	3	3-5X:(3)
1.3	1.2	31	4	6-9X:(4)
1.0	0.9	24	5	10-19X:(5)
0.5	0.5	13	6	20-39X:(6)
0.4	0.3	9	7	40+OCCAS:(7)
	3.9	99	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 320-321

V2146   **072B18B:#X INHL/LAST12MO**

Item Number: 01170

Question Number(s): 2B18B

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
 95.6   91.9  2,317     1  0 OCCAS:(1)
  2.7    2.6     65     2  1-2X:(2)
  0.6    0.6     15     3  3-5X:(3)
  0.6    0.5     13     4  6-9X:(4)
  0.3    0.3      8     5  10-19X:(5)
  0.1    0.1      3     6  20-39X:(6)
  0.1    0.1      3     7  40+OCCAS:(7)
         3.8     97    -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 322-323

V2147   **072B18C:#X INHL/LAST30DA**

Item Number: 01180

Question Number(s): 2B18C

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
98.9	95.0	2,394	1	0 OCCAS:(1)
0.8	0.7	19	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	3.9	99	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 324-325

V2148   **072C01(R):AGE <>18 DICHOTOMY**

      Item Number:

      Question Number(s): 2C01-2

      Component variables: 1) Q.C01 "In what year were you born?"
      (item 00010), 2) Q. C02 "In what month were you born?"
      (item 00020), and 3) date of questionnaire administration
      as recorded by interviewer.

      1="younger than 18 years of age" 2="18 years of age or older"

        PCT   PCT   N VALUE LABEL
      VALID   ALL
       43.3   42.0 1,059   1 < 18:(1)
       56.7   55.1 1,389   2 18+:(2)
              2.9   73   -9 MISSING:(-9)
      ----- ----- -----
      100.0 100.0 2,521 cases (Wtd)

      Data type: numeric
      Missing-data code: -9
      Columns: 326-327

V2150   **072C03 :R'S SEX**

      Item Number: 00030

      Question Number(s): 2C03

      What is your sex?

      1="Male" 2="Female"

        PCT   PCT   N VALUE LABEL
      VALID   ALL
       47.8   44.6 1,124   1 MALE:(1)
       52.2   48.8 1,229   2 FEMALE:(2)
              6.7   168   -9 MISSING:(-9)
      ----- ----- -----
      100.0 100.0 2,521 cases (Wtd)

      Data type: numeric
      Missing-data code: -9
      Columns: 328-329

V2151   **072C04(R):R'S RACE B/W/H**

```
     Item Number:

     Question Number(s):  2C04

     How do you describe yourself? (Select one or more responses.)
     Black or African American; Mexican American or Chicano; Cuban
     American; Puerto Rican; Other Hispanic or Latino; Asian
     American; White (Caucasian); American Indian or Alaska Native;
     Native Hawaiian or Other Pacific Islander.

     [Recoded in this dataset so that "Black or African American"
     = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
     "Cuban..." or "Puerto Rican" or "Other Hispanic...").
     All other responses, including those of respondents who fell
     into more than one of the three categories, were deleted.]

     1="Black or African American" 2="White (Caucasian)"
     3="Hispanic" [see above]

       PCT      PCT       N  VALUE  LABEL
     VALID     ALL
      13.8    12.0     301       1  BLACK: (1)
      71.3    61.7   1,555       2  WHITE: (2)
      14.8    12.8     323       3  HISPANIC: (3)
              13.5     341      -9  MISSING:(-9)
     -----   -----   -----
     100.0   100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 330-331
```

V2152   **072C05 :R SPD >TIM R-URB**

Item Number: 00050

Question Number(s): 2C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small
city or town (under 50,000 people)" 4="In a medium-sized city
(50,000-100,000)" 5="In a suburb of a medium-sized city"
6="In a large city (100,000-500,000)" 7="In a suburb of a
large city" 8="In a very large city (over 500,000)" 9="In a
suburb of a very large city" 0="Can't say; mixed" and
nonresponse

PCT VALID	PCT ALL	N	VALUE	LABEL
10.5	10.5	264	0	DK/MIXED:(0)
4.8	4.8	121	1	FARM:(1)
10.5	10.5	265	2	COUNTRY:(2)
24.3	24.3	612	3	SML TOWN:(3)
13.3	13.3	334	4	MED CITY:(4)
8.8	8.8	222	5	SUBURB 4:(5)
10.2	10.2	256	6	LRG CITY:(6)
6.6	6.6	167	7	SUBURB 6:(7)
6.9	6.9	173	8	VRYLG CY:(8)
4.2	4.2	107	9	SUBURB 8:(9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 332-333

V2153	072C06 :R NOT MARRIED

```
Item Number:  00060

Question Number(s):  2C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

  PCT    PCT      N  VALUE  LABEL
VALID   ALL
  2.9    2.9     72      1  MARRIED:(1)
  5.9    5.7    144      2  ENGAGED:(2)
  1.6    1.6     40      3  SEP/DIV:(3)
 89.5   86.8  2,187      4  SINGLE:(4)
         3.1     77     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 334-335
```

V49	072C07(R):# SIBLINGS

Item Number:

Question Number(s): 2C07A-B

Component questions: "How many brothers and sisters do you
have? (Include stepbrothers and sisters and half-brothers
and sisters) a) Older brothers and sisters" (item 00075);
"b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or
more"

For this dataset, responses to the two questions are added
and bracketed so that 3 is the highest category, meaning
"Three or more younger or older brothers or sisters".

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
  5.7    5.6   140      0
 26.8   26.1   657      1
 25.0   24.3   613      2
 42.5   41.4 1,042      3  3 OR MORE:(3)
         2.7    67     -9  MISSING:(-9)
 -----  ----- -----
100.0  100.0 2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 336-337

V2155 **072C07Cb(R):R'S HSHLD FATHER**

Item Number: 00090

Question Number(s): 2C07Cb

Which of the following people live in the same household with
you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 27.4   26.6    671      0  NT MARKD:(0)
 72.6   70.7  1,782      1  MARKED:(1)
        2.7     68     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 338-339

V2156	072C07Cc(R):R'S HSHLD MOTHER

```
Item Number:  00100

Question Number(s):  2C07Cc

Which of the following people live in the same household with
you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 11.7   11.4    288     0  NT MARKD:(0)
 88.3   85.9  2,165     1  MARKED:(1)
         2.7     68    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 340-341
```

V2157   **072C07Cd(R):R'S HSHLD BR/SR**

```
Item Number:  00110

Question Number(s):  2C07Cd

Which of the following people live in the same household with
you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"
"My child(ren)," "Other relative(s)," "Non-relative(s),"
"I live alone" -- have been deleted for reasons of
confidentiality.

   PCT    PCT      N  VALUE  LABEL
 VALID   ALL
  33.4   32.5    820      0  NT MARKD:(0)
  66.6   64.8  1,633      1  MARKED:(1)
          2.7     68     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 342-343
```

V2163	072C08 :FATHR EDUC LEVEL

Item Number: 00310

Question Number(s): 2C08

The next three questions ask about your parents. If you were
raised mostly by foster parents, stepparents, or others,
answer for them. For example, if you have both a stepfather
and a natural father, answer for the one that was the most
important in raising you. What is the highest level of
schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
   3.5     3.4     85      1   GRDE SCH:(1)
  10.7    10.3    260      2   SOME HS:(2)
  28.0    27.1    683      3   HS GRAD:(3)
  16.6    16.1    406      4   SOME CLG:(4)
  21.8    21.1    533      5   CLG GRAD:(5)
  12.5    12.2    306      6   GRAD SCH:(6)
   6.9     6.7    170      7   DK:(7)
           3.0     76     -9   MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 344-345

V2164   **072C09 :MOTHR EDUC LEVEL**

Item Number: 00320

Question Number(s): 2C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

PCT VALID	PCT ALL	N	VALUE	LABEL
2.9	2.8	71	1	GRDE SCH:(1)
8.5	8.2	207	2	SOME HS:(2)
26.6	25.8	651	3	HS GRAD:(3)
21.0	20.4	515	4	SOME CLG:(4)
26.2	25.4	641	5	CLG GRAD:(5)
11.2	10.9	274	6	GRAD SCH:(6)
3.7	3.6	90	7	DK:(7)
	2.8	71	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 346-347

V2165	072C10 :MOTH PD JB R YNG

Item Number: 00330

Question Number(s): 2C10

Did your mother have a paid job (half-time or more) during
the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,
most of the time" 4="Yes, all or nearly all of the time"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 13.3   12.9   326      1  NO:(1)
 18.8   18.2   460      2  SOMETIME:(2)
 18.8   18.2   460      3  MOSTTIME:(3)
 49.1   47.6  1,199     4  ALL TIME:(4)
         3.0    76     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 348-349

V2166   **072C11 :R'S POLTL PRFNC**

Item Number: 00340

Question Number(s): 2C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly
Democrat" 4="Strongly Democrat" 5="Independent" 6="No
preference" 7="Other" 8="Don't know, haven't decided"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 11.1   10.2     257      1   STRG GOP:(1)
 14.6   13.5     340      2   MILD GOP:(2)
 12.1   11.2     282      3   MILD DEM:(3)
 11.9   10.9     276      4   STRG DEM:(4)
  9.0    8.3     209      5   INDEPNDT:(5)
 14.6   13.4     338      6   NO PREF:(6)
  2.3    2.2      54      7   OTHER:(7)
 24.4   22.5     567      8   DK:(8)
         7.8     197     -9   MISSING:(-9)
-----  -----   -----
100.0  100.0   2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 350-351

V2167   **072C12 :R'POL BLF RADCL**

Item Number: 00350

Question Number(s): 2C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the
above, or don't know"

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
   4.9    4.8    120      1  VRY CONS:(1)
  12.9   12.4    313      2  CONSERV:(2)
  25.6   24.6    620      3  MODERATE:(3)
  16.4   15.8    399      4  LIBERAL:(4)
   4.4    4.2    106      5  VRY LIB:(5)
   2.4    2.3     57      6  RADICAL:(6)
  33.4   32.2    811      8  NONE/DK:(8)
          3.7     94     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 352-353

V2169	**072C13B:R'ATTND REL SVC**

Item Number: 00370

Question Number(s): 2C13B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

```
  PCT    PCT     N  VALUE   LABEL
VALID    ALL
 19.5   14.8    374     1  NEVER:(1)
 34.0   25.9    653     2  RARELY:(2)
 16.0   12.2    306     3  1-2X/MO:(3)
 30.6   23.3    587     4  1/WK OR+:(4)
        23.8    600    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 354-355

V2170   **072C13C:RLGN IMP R'S LF**

```
     Item Number:  00380

     Question Number(s):  2C13C

     How important is religion in your life?

     1="Not important" 2="A little important" 3="Pretty important"
     4="Very important"

     Responses from the western region intentionally obliterated.

        PCT     PCT      N  VALUE  LABEL
      VALID     ALL
       18.3    13.9     351      1  NOT IMPT:(1)
       25.4    19.3     487      2  LITL IMP:(2)
       26.5    20.1     507      3  PRTY IMP:(3)
       29.8    22.6     570      4  VERY IMP:(4)
               24.0     605     -9  MISSING:(-9)
      -----   -----   -----
      100.0   100.0   2,521  cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 356-357
```

V2171	**072C14 :WHEN R XPCT GRAD**

```
Item Number:  00390

Question Number(s):  2C14

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 97.9   94.4  2,380      1  BY JUNE:(1)
  1.8    1.7     43      2  JULY-JAN:(2)
  0.0    0.0      0      3  AFT JAN:(3)
  0.4    0.3      9      6  WONT:(6)
         3.5     89     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 358-359
```

V2172	072C15 :R'S HS PROGRAM

```
Item Number:  00400

Question Number(s):  2C15

Which of the following best describes your present high
school program?

1="Academic or college prep" 2="General" 3="Vocational,
technical, or commercial" 4="Other, or don't know"

  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 50.9   48.7  1,228      1  CLG PREP:(1)
 31.8   30.5    768      2  GENERAL:(2)
  7.6    7.3    183      3  VOC-TECH:(3)
  9.7    9.3    235      4  OTH/DK:(4)
         4.2    105     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 360-361
```

```
V2173              072C16 :RT SF SCH AB>AVG
```

Item Number: 00410

Question Number(s): 2C16

Compared with others your age throughout the country, how
do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  1.7    1.6     40      1  FAR BLOW:(1)
  1.7    1.7     42      2  BELOW AV:(2)
  4.1    4.0    100      3  SL BELOW:(3)
 32.9   31.6    796      4  AVERAGE:(4)
 25.0   24.0    605      5  SL ABOVE:(5)
 27.4   26.3    663      6  ABOVE AV:(6)
  7.3    7.0    177      7  FAR ABOV:(7)
         3.9     98     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 362-363

V2174	**072C17 :RT SF INTELL>AVG**

Item Number: 00420

Question Number(s): 2C17

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

```
   PCT     PCT      N  VALUE   LABEL
 VALID     ALL
   1.5     1.4     36      1   FAR BLOW:(1)
   1.3     1.3     33      2   BELOW AV:(2)
   4.7     4.5    114      3   SL BELOW:(3)
  29.6    28.4    715      4   AVERAGE:(4)
  25.9    24.9    627      5   SL ABOVE:(5)
  27.9    26.8    676      6   ABOVE AV:(6)
   9.0     8.7    219      7   FAR ABOV:(7)
           4.0    101     -9   MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 364-365

V2175	072C18A:#DA/4W SC MS ILL

Item Number: 00430

Question Number(s): 2C18A

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
56.1	53.4	1,345	1	NONE:(1)
18.2	17.3	436	2	1 DAY:(2)
11.7	11.1	281	3	2 DAYS:(3)
6.0	5.7	145	4	3 DAYS:(4)
4.9	4.7	117	5	4-5 DAYS:(5)
1.8	1.7	43	6	6-10 DA:(6)
1.3	1.2	31	7	11+ DAYS:(7)
	4.8	122	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 366-367

V2176   **072C18B:#DA/4W SC MS CUT**

Item Number: 00440

Question Number(s): 2C18B

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
68.3	64.0	1,613	1	NONE:(1)
14.2	13.3	336	2	1 DAY:(2)
6.8	6.4	161	3	2 DAYS:(3)
4.7	4.4	111	4	3 DAYS:(4)
3.2	3.0	77	5	4-5 DAYS:(5)
1.4	1.3	33	6	6-10 DA:(6)
1.4	1.3	33	7	11+ DAYS:(7)
	6.2	157	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 368-369

V2177   **072C18C:#DA/4W SC MS OTH**

Item Number: 00450

Question Number(s): 2C18C

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
55.2	52.0	1,312	1	NONE:(1)
19.7	18.6	469	2	1 DAY:(2)
11.0	10.3	260	3	2 DAYS:(3)
6.2	5.8	146	4	3 DAYS:(4)
4.4	4.1	104	5	4-5 DAYS:(5)
1.8	1.7	44	6	6-10 DA:(6)
1.7	1.6	40	7	11+ DAYS:(7)
	5.8	145	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 370-371

V2178   **072C19 :#DA/4W SKP CLASS**

Item Number: 00460

Question Number(s): 2C19

During the LAST FOUR WEEKS, how often have you gone to
school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

```
  PCT    PCT     N  VALUE   LABEL
VALID    ALL
 63.6   60.7  1,529      1  NONE:(1)
 21.9   20.9    527      2  1-2:(2)
  8.4    8.0    201      3  3-5:(3)
  3.8    3.7     92      4  6-10:(4)
  1.1    1.1     27      5  11-20:(5)
  1.2    1.1     28      6  21+:(6)
         4.6    115     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 372-373

V2179   **072C20 :R HS GRADE/D=1**

```
Item Number:  00470

Question Number(s):  2C20

Which of the following best describes your average grade so
far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"
```

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	1.3	34	1	D:(1)
1.9	1.9	47	2	C-:(2)
5.3	5.0	127	3	C:(3)
8.2	7.8	196	4	C+:(4)
12.6	12.0	302	5	B-:(5)
18.4	17.5	441	6	B:(6)
19.7	18.7	472	7	B+:(7)
17.3	16.5	416	8	A-:(8)
15.3	14.5	367	9	A:(9)
	4.7	119	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

```
Data type: numeric
Missing-data code: -9
Columns: 374-375
```

V2180	072C21A:R WL DO VOC/TEC

```
Item Number:  00480

Question Number(s):  2C21A

How likely is it that you will do each of the following
things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 52.3   47.8  1,204      1  DEF WONT:(1)
 25.1   22.9    578      2  PRB WONT:(2)
 14.3   13.1    330      3  PRB WILL:(3)
  8.2    7.5    189      4  DEF WILL:(4)
         8.7    220     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 376-377
```

```
V2181                    072C21B:R WL DO ARMD FC
```

Item Number: 00490

Question Number(s): 2C21B

How likely is it that you will do each of the following
things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

```
  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
 69.9    63.9  1,611      1  DEF WONT:(1)
 18.5    16.9    426      2  PRB WONT:(2)
  6.9     6.3    160      3  PRB WILL:(3)
  4.6     4.2    107      4  DEF WILL:(4)
          8.6    217     -9  MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 378-379

V2182	072C21C:R WL DO 2YR CLG

Item Number: 00500

Question Number(s): 2C21C

How likely is it that you will do each of the following
things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT VALID	PCT ALL	N	VALUE	LABEL
35.9	32.7	825	1	DEF WONT:(1)
20.1	18.3	461	2	PRB WONT:(2)
22.6	20.5	518	3	PRB WILL:(3)
21.4	19.5	491	4	DEF WILL:(4)
	9.0	226	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 380-381

V2183	072C21D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 2C21D

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT VALID	PCT ALL	N	VALUE	LABEL
9.0	8.4	212	1	DEF WONT:(1)
10.6	9.9	249	2	PRB WONT:(2)
21.9	20.4	515	3	PRB WILL:(3)
58.5	54.7	1,379	4	DEF WILL:(4)
	6.6	166	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 382-383

V2184	072C21E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 2C21E

How likely is it that you will do each of the following
things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

PCT VALID	PCT ALL	N	VALUE	LABEL
17.2	15.8	398	1	DEF WONT:(1)
28.4	26.1	657	2	PRB WONT:(2)
30.9	28.3	713	3	PRB WILL:(3)
23.5	21.5	542	4	DEF WILL:(4)
	8.3	210	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 384-385

V2185	072C22A:R WNTDO VOC/TEC

```
Item Number:  00530

Question Number(s):  2C22A

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 83.7   78.4  1,976      0  NT MARKD:(0)
 16.3   15.3    386      1  MARKED:(1)
         6.3    159     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 386-387
```

V2186   **072C22B:R WNTDO ARMD FC**

```
     Item Number:  00540

     Question Number(s):  2C22B

     Suppose you could do just what you'd like and nothing stood
     in your way. How many of the following things would you WANT
     to do? (Mark all that apply.)

     B. Serve in the armed forces

     0="UNMARKED" 1="MARKED"

       PCT     PCT      N  VALUE  LABEL
     VALID    ALL
      86.8    81.4  2,050      0  NT MARKD:(0)
      13.2    12.3    311      1  MARKED:(1)
               6.3    159     -9  MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 388-389
```

V2187	072C22C:R WNTDO 2YR CLG

```
Item Number:  00550

Question Number(s):  2C22C

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 72.4   67.8  1,709     0  NT MARKD:(0)
 27.6   25.9    652     1  MARKED:(1)
         6.3    159    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 390-391
```

V2188   **072C22D:R WNTDO 4YR CLG**

Item Number: 00560

Question Number(s): 2C22D

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 19.6   18.4    463      0  NT MARKD:(0)
 80.4   75.3  1,898      1  MARKED:(1)
         6.3    159     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 392-393

V2189	072C22E:R WNTDO GRD/PRF

```
Item Number:  00570

Question Number(s):  2C22E

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

  PCT     PCT       N  VALUE  LABEL
VALID    ALL
 44.6    41.7  1,052      0  NT MARKD:(0)
 55.4    51.9  1,309      1  MARKED:(1)
          6.3    159     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 394-395
```

V2190	**072C22F:R WNTDO NONE**

Item Number: 00580

Question Number(s): 2C22F

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 95.7   89.6  2,259     0  NT MARKD:(0)
  4.3    4.0    102     1  MARKED:(1)
         6.3    159    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 396-397

V2191	**072C23 :HRS/W WRK SCHYR**

Item Number: 00590

Question Number(s): 2C23

On the average over the school year, how many hours per week
do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15
hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30
hours" 8="More than 30 hours"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  27.9    26.2    661      1  NONE:(1)
   8.6     8.1    204      2  5 OR <:(2)
  10.3     9.7    243      3  6-10 HRS:(3)
   9.9     9.3    234      4  11-15 HR:(4)
  15.1    14.2    358      5  16-20 HR:(5)
  10.3     9.7    244      6  21-25 HR:(6)
   8.5     8.0    202      7  26-30 HR:(7)
   9.3     8.8    221      8  30+ HRS:(8)
           6.0    152     -9  MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 398-399

V2192   **072C24A:R$/AVG WEEK JOB**

Item Number: 00600

Question Number(s): 2C24A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5="$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
32.2	29.7	748	1	NONE:(1)
1.1	1.1	27	2	$1-5:(2)
3.7	3.4	85	3	$6-10:(3)
1.9	1.7	44	4	$11-20:(4)
3.3	3.0	77	5	$21-35:(5)
4.8	4.4	110	6	$36-50:(6)
8.5	7.8	197	7	$51-75:(7)
20.3	18.7	472	8	$76-125:(8)
24.2	22.3	562	9	$126+:(9)
	7.9	200	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 400-401

V2193   **072C24B:R\$/AVG WEEK OTH**

Item Number: 00610

Question Number(s): 2C24B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5="$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
40.6	36.9	930	1	NONE:(1)
4.7	4.3	107	2	$1-5:(2)
9.0	8.2	206	3	$6-10:(3)
16.4	14.9	375	4	$11-20:(4)
10.3	9.4	236	5	$21-35:(5)
6.9	6.3	158	6	$36-50:(6)
3.5	3.2	81	7	$51-75:(7)
3.7	3.4	84	8	$76-125:(8)
5.0	4.5	114	9	$126+:(9)
	9.1	229	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 402-403

V2194	**072C25 :#X/AV WK GO OUT**

Item Number: 00620

Question Number(s): 2C25

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

```
  PCT    PCT     N  VALUE  LABEL
 VALID   ALL
 12.2   11.4   288     1   < 1:(1)
 16.0   15.0   378     2   ONE:(2)
 27.5   25.7   648     3   TWO:(3)
 22.2   20.8   524     4   THREE:(4)
 15.5   14.6   367     5   4-5:(5)
  6.5    6.1   154     6   6-7:(6)
         6.4   162    -9   MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 404-405

V2195   **072C26 :#X DATE 3+/WK**

Item Number: 00630

Question Number(s): 2C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 25.6   23.9    602      1   NEVER:(1)
 21.2   19.8    500      2   1/MO OR<:(2)
 15.6   14.6    368      3   2-3/MO:(3)
 15.1   14.1    354      4   1/WK:(4)
 16.2   15.1    380      5   2-3/WK:(5)
  6.3    5.9    148      6   3+/WK:(6)
         6.7    168     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 406-407

V2196   **072C27 :DRIVE>200 MI/WK**

Item Number: 00640

Question Number(s): 2C27

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT VALID	PCT ALL	N	VALUE	LABEL
19.6	18.4	465	1	NONE:(1)
9.8	9.2	232	2	1-10 MI:(2)
24.5	23.1	582	3	11-50:(3)
21.1	19.9	501	4	51-100:(4)
15.4	14.5	367	5	101-200:(5)
9.6	9.0	227	6	> 200:(6)
	5.8	147	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 408-409

V2197   **072C28 :#X/12MO R TCKTD**

Item Number: 00650

Question Number(s): 2C28

Within the LAST 12 MONTHS, how many times, if any, have you
received a ticket (OR been stopped and warned) for moving
violations, such as speeding, running a stop light, or
improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	68.8	1,733	0	NONE:(0)
15.3	14.2	358	1	ONE:(1)
6.7	6.2	157	2	TWO:(2)
2.2	2.0	51	3	THREE:(3)
1.6	1.5	38	4	4+:(4)
	7.2	183	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 410-411

V2198	**072C29AR:#TCKTS AFT DRNK**

```
Item Number:  00660

Question Number(s):  2C29A

How many of these tickets or warnings occurred after you
were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 93.3   22.2    560      0  None:(0)
  5.4    1.3     32      1  One:(1)
  0.6    0.1      3      2  Two:(2)
  0.7    0.2      4      3  3-4 or +:(3-4)
         76.2  1,921     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 412-413
```

V2199   **072C29BR:#TCKTS AFT MARJ**

Item Number: 00670

Question Number(s): 2C29B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

PCT VALID	PCT ALL	N	VALUE	LABEL
94.4	22.5	567	0	None:(0)
3.9	0.9	23	1	One:(1)
1.1	0.3	7	2	Two:(2)
0.6	0.1	4	3	3-4 or +:(3-4)
	76.1	1,919	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 414-415

V2200   **072C29CR:#TCKTS AFT OTDG**

```
     Item Number:  00680

     Question Number(s):  2C29C

     How many of these tickets or warnings occurred after you
     were . . .

     C: . . . Using other illegal drugs?

     0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

     Codes 3 and 4 are combined in this dataset.

      PCT    PCT     N  VALUE  LABEL
     VALID   ALL
      97.9  23.2    585     0  None:(0)
       1.2   0.3      7     1  One:(1)
       0.7   0.2      4     2  Two:(2)
       0.2   0.1      1     3  3-4 or +:(3-4)
            76.3  1,923    -9  MISSING:(-9)
     -----  -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 416-417
```

V2201   **072C30 :#ACCIDNTS/12 MO**

Item Number: 00690

Question Number(s): 2C30

We are interested in any accidents which occurred while you
were driving a car, truck, or motorcycle. ("Accidents" means
a collision involving property damage or personal injury--not
bumps or scratches in parking lots.) During the LAST 12
MONTHS, how many accidents have you had while you were
driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four
or more"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 79.9   73.3  1,848      0  NONE:(0)
 15.9   14.6    368      1  ONE:(1)
  3.3    3.0     75      2  TWO:(2)
  0.7    0.6     16      3  THREE:(3)
  0.3    0.3      7      4  4+:(4)
         8.2    206     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 418-419

V2202	072C31AR:#ACDTS AFT DRNK

```
Item Number:  00700

Question Number(s):  2C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  95.2    17.7    446      0  None:(0)
   3.7     0.7     17      1  One:(1)
   0.8     0.2      4      2  Two:(2)
   0.3     0.1      1      3  3-4 or +:(3-4)
          81.4  2,052     -9  MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 420-421
```

V2203	072C31BR:#ACDTS AFT MARJ

Item Number: 00710

Question Number(s): 2C31B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 96.0   17.8    449      0  None:(0)
  3.4    0.6     16      1  One:(1)
  0.2    0.0      1      2  Two:(2)
  0.5    0.1      2      3  3-4 or +:(3-4)
         81.5  2,053     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 422-423

V2204	072C31CR:#ACDTS AFT OTDG

Item Number: 00720

Question Number(s): 2C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.8   18.2    459      0  None:(0)
  0.8    0.1      4      1  One:(1)
  0.2    0.0      1      2  Two:(2)
  0.3    0.1      1      3  3-4 or +:(3-4)
         81.6  2,056     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 424-425

V2500	072D01A:4WKS ALC@SCHOOL

```
Item Number:  25690

Question Number(s):  2D01A

During the LAST FOUR WEEKS, on how many days (if any) were
you . . .

A: . . . Under the influence of alcohol while you were at
school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 93.7   87.4  2,202     1  NONE:(1)
  2.4    2.3     57     2  1 DAY:(2)
  2.1    2.0     49     3  2 DAYS:(3)
  0.9    0.9     22     4  3-5 DAYS:(4)
  0.4    0.3      9     5  6-9 DAYS:(5)
  0.4    0.4     10     6  10+ DAYS:(6)
         6.7    170    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 426-427
```

V2501   **072D01B:4WKS MJ/OTD@SCHL**

    Item Number: 25700

    Question Number(s): 2D01B

    During the LAST FOUR WEEKS, on how many days (if any) were
    you . . .

    B: . . . Under the influence of marijuana or some other
    illegal drug while you were at school?

    1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
    6="10 or more days"

```
  PCT     PCT     N  VALUE  LABEL
 VALID    ALL
 90.0    83.9  2,114      1  NONE:(1)
  2.8     2.6     66      2  1 DAY:(2)
  2.7     2.5     63      3  2 DAYS:(3)
  1.9     1.7     43      4  3-5 DAYS:(4)
  0.6     0.6     15      5  6-9 DAYS:(5)
  2.0     1.9     48      6  10+ DAYS:(6)
          6.8    171     -9  MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

    Data type: numeric
    Missing-data code: -9
    Columns: 428-429

V2502   **072D01C:4WKS TOBACCO@SCH**

```
Item Number:  25710

Question Number(s):  2D01C

During the LAST FOUR WEEKS, on how many days (if any) were
you . . .

C: . . . Smoking cigarettes or using chewing tobacco while
you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 90.8   84.7  2,134      1  NONE:(1)
  2.4    2.3     57      2  1 DAY:(2)
  1.8    1.7     43      3  2 DAYS:(3)
  1.5    1.4     34      4  3-5 DAYS:(4)
  0.5    0.5     12      5  6-9 DAYS:(5)
  3.0    2.8     70      6  10+ DAYS:(6)
         6.8    171     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 430-431
```

V2503   **072D01D:4WKS WEAPON@SCHL**

```
     Item Number:  25720

     Question Number(s):  2D01D

     During the LAST FOUR WEEKS, on how many days (if any) were
     you . . .

     D: . . . Carrying a weapon such as a gun, knife, or club to
     school?

     1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
     6="10 or more days"

       PCT     PCT     N  VALUE   LABEL
     VALID    ALL
      95.7    88.9  2,240      1  NONE:(1)
       1.5     1.4     35      2  1 DAY:(2)
       0.6     0.6     15      3  2 DAYS:(3)
       0.8     0.8     19      4  3-5 DAYS:(4)
       0.1     0.1      2      5  6-9 DAYS:(5)
       1.2     1.1     28      6  10+ DAYS:(6)
               7.2    181     -9  MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 432-433
```

V2504   **072D02A:#X TCHR INTRUPT**

Item Number: 25730

Question Number(s): 2D02A

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with
student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

```
  PCT     PCT     N  VALUE  LABEL
VALID    ALL
 16.4    15.2    384     1  NEVER:(1)
 22.3    20.8    523     2  <1/WK:(2)
 26.7    24.8    626     3  1-2X/WK:(3)
 18.8    17.5    440     4  3-5X/WK:(4)
  7.7     7.1    179     5  6-9X/WK:(5)
  3.4     3.1     79     6  10-19X/W:(6)
  4.7     4.4    111     7  20+X/WK:(7)
          7.1    179    -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 434-435

V2505	**072D02B:#X MISBHVR INT U**

Item Number: 25740

Question Number(s): 2D02B

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students
in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-
5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 38.5   35.6    897     1  NEVER:(1)
 21.9   20.2    510     2  <1/WK:(2)
 19.2   17.8    448     3  1-2X/WK:(3)
 10.7    9.9    249     4  3-5X/WK:(4)
  4.5    4.2    105     5  6-9X/WK:(5)
  1.8    1.7     43     6  10-19X/W:(6)
  3.4    3.1     79     7  20+X/WK:(7)
         7.5    189    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 436-437

V2506	072D02C:#X U UNEXCSD LAT

Item Number: 25750

Question Number(s): 2D02C

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun) without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

PCT VALID	PCT ALL	N	VALUE	LABEL
46.7	43.2	1,089	1	NEVER:(1)
27.7	25.6	646	2	<1/WK:(2)
13.8	12.8	322	3	1-2X/WK:(3)
6.8	6.3	159	4	3-5X/WK:(4)
2.1	1.9	49	5	6-9X/WK:(5)
1.1	1.0	26	6	10-19X/W:(6)
1.7	1.6	40	7	20+X/WK:(7)
	7.6	191	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 438-439

V2507   **072D03 :SCHL RULES FAIR**

```
Item Number:  25760

Question Number(s):  2D03

Do you feel that the rules about student behavior in your
school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No,
mostly" 1="No"

  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 10.5    9.7     243      1  NO:(1)
 16.2   14.9     377      2  NO MSTLY:(2)
 11.4   10.5     266      3  DK:(3)
 44.2   40.8   1,029      4  YESMSTLY:(4)
 17.7   16.3     412      5  YES:(5)
         7.7     195     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 440-441
```

V2311   **072D04 :CMP SATFD W/LIFE**

Item Number: 06840

Question Number(s): 2D04

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	3.5	88	1	COMP DIS:(1)
5.6	5.2	130	2	QUITE DS:(2)
7.3	6.7	169	3	SMWT DIS:(3)
11.0	10.2	256	4	NEITHER:(4)
21.4	19.7	497	5	SMWT SAT:(5)
39.2	36.1	910	6	QUITE ST:(6)
11.8	10.8	273	7	COMP SAT:(7)
	7.8	197	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 442-443

V2312   **072D05A:HOW GD AS SPOUSE**

    Item Number: 06850

    Question Number(s): 2D05A

    These next questions ask you to guess how well you might do
    in several different situations. How good do you think you
    would be . . .

    A: . . . As a husband or wife?

    1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very
    Good" 8="Don't Know"

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	2.2	54	1	POOR:(1)
1.4	1.3	32	2	NOT GOOD:(2)
7.1	6.6	166	3	FRLY GD:(3)
28.8	26.6	671	4	GOOD:(4)
56.7	52.4	1,321	5	VRY GOOD:(5)
3.6	3.3	84	8	DK:(8)
	7.6	192	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

    Data type: numeric
    Missing-data code: -9
    Columns: 444-445

V2313   **072D05B:HOW GD AS PARENT**

```
Item Number:  06860

Question Number(s):  2D05B

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very
Good" 8="Don't Know"

  PCT     PCT      N   VALUE   LABEL
 VALID    ALL
  2.4     2.2     55       1   POOR:(1)
  2.6     2.4     62       2   NOT GOOD:(2)
  8.2     7.5    190       3   FRLY GD:(3)
 27.2    25.1    633       4   GOOD:(4)
 54.7    50.4  1,271       5   VRY GOOD:(5)
  4.9     4.5    114       8   DK:(8)
          7.8    197      -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 446-447
```

V2314	072D05C:HOW GD AS WORKER

```
Item Number:  06870

Question Number(s):  2D05C

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very
Good" 8="Don't Know"

  PCT    PCT      N  VALUE   LABEL
VALID    ALL
  1.2    1.1     28      1   POOR:(1)
  0.6    0.6     14      2   NOT GOOD:(2)
  4.3    4.0    101      3   FRLY GD:(3)
 25.8   23.8    600      4   GOOD:(4)
 66.4   61.2  1,542      5   VRY GOOD:(5)
  1.7    1.5     38      8   DK:(8)
         7.8    197     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 448-449
```

V2328	072D06A:2MCH COMPTN SCTY

```
Item Number:  07010

Question Number(s):  2D06A

How much do you agree or disagree with each of the following
statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 11.0   10.1    254      1   DISAGREE:(1)
 11.2   10.2    258      2   MOST DIS:(2)
 25.0   22.9    577      3   NEITHER:(3)
 32.5   29.7    750      4   MOST AGR:(4)
 20.3   18.6    469      5   AGREE:(5)
         8.5    213     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 450-451
```

V2329	072D06B:2MANY YNG SLOPPY

Item Number: 07020

Question Number(s): 2D06B

How much do you agree or disagree with each of the following
statements?

B: Too many young people are sloppy about their grooming and
clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
11.7	10.7	270	1	DISAGREE:(1)
21.2	19.4	489	2	MOST DIS:(2)
27.2	24.9	627	3	NEITHER:(3)
26.4	24.2	610	4	MOST AGR:(4)
13.5	12.3	311	5	AGREE:(5)
	8.4	212	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 452-453

V2330   **072D06C:2MUCH HARD ROCK**

Item Number: 07030

Question Number(s): 2D06C

How much do you agree or disagree with each of the following
statements?

C: There is too much hard rock music on the radio these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
 38.3   34.8    878      1   DISAGREE:(1)
 19.0   17.2    435      2   MOST DIS:(2)
 29.7   27.0    681      3   NEITHER:(3)
  7.6    7.0    175      4   MOST AGR:(4)
  5.4    4.9    124      5   AGREE:(5)
         9.0    227     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 454-455

V2331	**072D06D:SHD DO OWN THING**

Item Number: 07040

Question Number(s): 2D06D

How much do you agree or disagree with each of the following
statements?

D: People should do their own thing, even if other people
think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	2.7	69	1	DISAGREE:(1)
4.0	3.6	92	2	MOST DIS:(2)
14.3	13.0	328	3	NEITHER:(3)
32.9	29.9	754	4	MOST AGR:(4)
45.7	41.6	1,048	5	AGREE:(5)
	9.1	229	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 456-457

V2332   **072D06E:KICK DO DANGR TH**

```
Item Number:  07050

Question Number(s):  2D06E

How much do you agree or disagree with each of the following
statements?

E: I get a real kick out of doing things that are a little
dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 12.8   11.6     292      1   DISAGREE:(1)
 12.8   11.6     292      2   MOST DIS:(2)
 29.0   26.3     662      3   NEITHER:(3)
 28.8   26.1     657      4   MOST AGR:(4)
 16.6   15.0     379      5   AGREE:(5)
         9.5     238     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 458-459
```

V2333	072D06F:LIKE RISK SOME X

Item Number: 07060

Question Number(s): 2D06F

How much do you agree or disagree with each of the following
statements?

F: I like to test myself every now and then by doing
something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 13.1    11.9    300      1  DISAGREE:(1)
 12.2    11.1    280      2  MOST DIS:(2)
 23.6    21.4    540      3  NEITHER:(3)
 33.6    30.6    770      4  MOST AGR:(4)
 17.4    15.9    400      5  AGREE:(5)
          9.2    231     -9  MISSING:(-9)
-----   -----   -----
100.0   100.0   2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 460-461

V2433	072D06G:POS ATT TWD SELF

Item Number: 12550

Question Number(s): 2D06G

How much do you agree or disagree with each of the following
statements?

G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	3.9	98	1	DISAGREE:(1)
6.1	5.5	140	2	MOST DIS:(2)
15.5	14.0	354	3	NEITHER:(3)
36.9	33.5	844	4	MOST AGR:(4)
37.2	33.8	851	5	AGREE:(5)
	9.3	235	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 462-463

V2434	**072D06H:AM PRSN OF WORTH**

Item Number: 12570

Question Number(s): 2D06H

How much do you agree or disagree with each of the following statements?

H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	2.7	68	1	DISAGREE:(1)
4.5	4.1	103	2	MOST DIS:(2)
15.1	13.7	345	3	NEITHER:(3)
33.4	30.2	762	4	MOST AGR:(4)
44.0	39.9	1,006	5	AGREE:(5)
	9.4	237	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 464-465

V2435	072D06I:DO WELL AS OTHRS

Item Number: 12580

Question Number(s): 2D06I

How much do you agree or disagree with each of the following
statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
  2.6     2.3     59      1  DISAGREE:(1)
  3.0     2.7     68      2  MOST DIS:(2)
  9.7     8.8    222      3  NEITHER:(3)
 37.7    34.1    860      4  MOST AGR:(4)
 47.0    42.6  1,073      5  AGREE:(5)
          9.5    240     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 466-467

V2436   **072D06J:SATISFD W MYSELF**

Item Number: 12620

Question Number(s): 2D06J

How much do you agree or disagree with each of the following
statements?

J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
  3.5    3.1     79      1  DISAGREE:(1)
  5.4    4.9    123      2  MOST DIS:(2)
 13.3   11.9    301      3  NEITHER:(3)
 33.7   30.3    765      4  MOST AGR:(4)
 44.2   39.8  1,003      5  AGREE:(5)
         9.9    249     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 468-469

V2437	072D06K:-MUCH TO B PROUD

Item Number: 12660

Question Number(s): 2D06K

How much do you agree or disagree with each of the following statements?

K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
41.7	37.7	951	1	DISAGREE:(1)
27.3	24.7	622	2	MOST DIS:(2)
15.4	13.9	350	3	NEITHER:(3)
9.5	8.6	216	4	MOST AGR:(4)
6.1	5.5	139	5	AGREE:(5)
	9.6	241	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 470-471

V2438   **072D06L:I AM NO GOOD**

Item Number: 12680

Question Number(s): 2D06L

How much do you agree or disagree with each of the following
statements?

L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 41.4   37.4   944      1  DISAGREE:(1)
 19.9   18.0   452      2  MOST DIS:(2)
 17.4   15.7   395      3  NEITHER:(3)
 13.9   12.6   317      4  MOST AGR:(4)
  7.4    6.7   169      5  AGREE:(5)
         9.6   242     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 472-473

V2439   **072D06M:I DO WRONG THING**

Item Number: 12720

Question Number(s): 2D06M

How much do you agree or disagree with each of the following
statements?

M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

PCT VALID	PCT ALL	N	VALUE	LABEL
46.9	42.3	1,067	1	DISAGREE:(1)
22.8	20.6	519	2	MOST DIS:(2)
18.2	16.4	414	3	NEITHER:(3)
7.9	7.1	180	4	MOST AGR:(4)
4.2	3.7	94	5	AGREE:(5)
	9.8	247	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 474-475

V2440   **072D06N:MY LIFE NT USEFL**

     Item Number: 12750

     Question Number(s): 2D06N

     How much do you agree or disagree with each of the following
     statements?

     N: I feel that my life is not very useful

     1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
     5="Agree"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  57.3   51.7  1,302      1  DISAGREE:(1)
  17.5   15.8    398      2  MOST DIS:(2)
  15.4   13.9    350      3  NEITHER:(3)
   6.2    5.6    141      4  MOST AGR:(4)
   3.5    3.2     80      5  AGREE:(5)
         9.8    248     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 476-477

V2334   **072D07A:ALL FRD SMK CIGS**

```
Item Number:  07070

Question Number(s):  2D07A

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

   PCT    PCT     N   VALUE   LABEL
 VALID    ALL
  22.9   20.8    524      1   NONE:(1)
  35.2   31.9    805      2   A FEW:(2)
  25.6   23.2    585      3   SOME:(3)
  14.5   13.2    332      4   MOST:(4)
   1.8    1.6     41      5   ALL:(5)
          9.3    234     -9   MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 478-479
```

V2335   **072D07B:ALL FRD SMK MARJ**

```
Item Number:  07080

Question Number(s):  2D07B

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  25.2   22.8    576      1  NONE:(1)
  30.0   27.1    683      2  A FEW:(2)
  25.7   23.3    587      3  SOME:(3)
  15.7   14.2    359      4  MOST:(4)
   3.4    3.0     77      5  ALL:(5)
          9.5    239     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 480-481
```

```
V2336                    072D07C:ALL FRD TAKE LSD
```

```
     Item Number:  07090

     Question Number(s):  2D07C

     How many of your friends would you estimate . . .

     C: . . . Take LSD?

     1="None" 2="A Few" 3="Some" 4="Most" 5="All"

       PCT     PCT      N   VALUE   LABEL
     VALID    ALL
      81.8    73.5  1,854       1   NONE:(1)
      12.9    11.6    292       2   A FEW:(2)
       4.2     3.8     95       3   SOME:(3)
       0.6     0.6     15       4   MOST:(4)
       0.5     0.5     12       5   ALL:(5)
              10.1    254      -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 482-483
```

V2337   **072D07D:ALL FRD TK PSYDL**

```
Item Number:  07100

Question Number(s):  2D07D

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote,
"shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

  PCT    PCT      N  VALUE  LABEL
 VALID   ALL
 70.0   63.1  1,592      1  NONE:(1)
 22.8   20.5    518      2  A FEW:(2)
  5.6    5.0    127      3  SOME:(3)
  1.0    0.9     22      4  MOST:(4)
  0.7    0.6     15      5  ALL:(5)
         9.8    247     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 484-485
```

V2338   **072D07E:ALL FRD TK AMPH**

Item Number: 07110

Question Number(s): 2D07E

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, pep pills, bennies, speed)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 72.6   65.5  1,652      1  NONE:(1)
 18.7   16.9    425      2  A FEW:(2)
  6.3    5.7    144      3  SOME:(3)
  1.7    1.5     39      4  MOST:(4)
  0.7    0.6     15      5  ALL:(5)
         9.8    246     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 486-487

V2339   **072D07F:ALL FRD TK QUALD**

```
     Item Number:  07120

     Question Number(s):  2D07F

     How many of your friends would you estimate . . .

     F: . . . Take quaaludes (quads, methaqualone)?

     1="None" 2="A Few" 3="Some" 4="Most" 5="All"

       PCT     PCT      N   VALUE   LABEL
     VALID    ALL
      86.6    78.0  1,965      1   NONE:(1)
       9.5     8.6    216      2   A FEW:(2)
       2.4     2.1     54      3   SOME:(3)
       0.8     0.7     18      4   MOST:(4)
       0.8     0.7     18      5   ALL:(5)
               9.9    251     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 488-489
```

V2523	072D07G:ALL FRD TK SED/B

Item Number: 07135

Question Number(s): 2D07G

How many of your friends would you estimate . . .

G: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 79.2   71.1  1,793      1  NONE:(1)
 15.4   13.9    349      2  A FEW:(2)
  3.8    3.4     85      3  SOME:(3)
  1.0    0.9     23      4  MOST:(4)
  0.6    0.5     13      5  ALL:(5)
        10.2    257     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 490-491

V2341   **072D07H:ALL FRD TK TRNQL**

```
    Item Number:  07140

    Question Number(s):  2D07H

    How many of your friends would you estimate . . .

    H: . . . Take tranquilizers?

    1="None" 2="A Few" 3="Some" 4="Most" 5="All"

      PCT     PCT      N   VALUE   LABEL
    VALID     ALL
     84.6    75.9  1,913      1   NONE:(1)
     10.3     9.2    233      2   A FEW:(2)
      3.4     3.0     77      3   SOME:(3)
      1.0     0.9     22      4   MOST:(4)
      0.8     0.7     17      5   ALL:(5)
              10.3    259     -9   MISSING:(-9)
    -----   -----  -----
    100.0   100.0  2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 492-493
```

V2342 **072D07I:ALL FRD TK COKE**

Item Number: 07150

Question Number(s): 2D07I

How many of your friends would you estimate . . .

I: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT VALID	PCT ALL	N	VALUE	LABEL
70.3	63.1	1,591	1	NONE:(1)
20.5	18.4	464	2	A FEW:(2)
7.1	6.4	160	3	SOME:(3)
1.4	1.2	31	4	MOST:(4)
0.7	0.7	17	5	ALL:(5)
	10.2	257	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 494-495

V2343   **072D07J:ALL FRD TK HERON**

Item Number: 07160

Question Number(s): 2D07J

How many of your friends would you estimate . . .

J: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
   PCT    PCT     N   VALUE  LABEL
 VALID    ALL
  87.1   77.6  1,955      1  NONE:(1)
   9.4    8.4    212      2  A FEW:(2)
   2.1    1.9     48      3  SOME:(3)
   0.6    0.6     14      4  MOST:(4)
   0.7    0.6     15      5  ALL:(5)
         11.0    276     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 496-497

V2344	072D07K:ALL FRD TK NARC

Item Number: 07170

Question Number(s): 2D07K

How many of your friends would you estimate . . .

K: . . . Take other narcotics (methadone, opium, codeine, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 79.4   71.3  1,796      1  NONE:(1)
 13.7   12.3    310      2  A FEW:(2)
  4.3    3.9     98      3  SOME:(3)
  1.7    1.6     39      4  MOST:(4)
  0.8    0.7     18      5  ALL:(5)
        10.3    259     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 498-499

V2345	072D07L:ALL FRD TK INHL

```
Item Number:  07180

Question Number(s):  2D07L

How many of your friends would you estimate . . .

L: . . . Use inhalants (sniff glue, aerosols, laughing gas,
etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  82.1   73.5  1,852      1  NONE:(1)
  12.7   11.3    285      2  A FEW:(2)
   3.7    3.3     83      3  SOME:(3)
   0.8    0.8     19      4  MOST:(4)
   0.7    0.6     16      5  ALL:(5)
         10.6    266     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 500-501
```

V2346	072D07M:ALL FRD DRK ALCL

Item Number: 07190

Question Number(s): 2D07M

How many of your friends would you estimate . . .

M: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
  PCT    PCT      N   VALUE  LABEL
VALID    ALL
 14.8   13.3    336      1   NONE:(1)
 14.2   12.8    322      2   A FEW:(2)
 19.0   17.1    431      3   SOME:(3)
 33.4   30.0    757      4   MOST:(4)
 18.6   16.7    420      5   ALL:(5)
        10.1    255     -9   MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 502-503

V2347   **072D07N:ALL FRD GT DRUNK**

Item Number: 07200

Question Number(s): 2D07N

How many of your friends would you estimate . . .

N: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 24.3   21.9    551      1  NONE:(1)
 24.7   22.2    559      2  A FEW:(2)
 24.0   21.6    544      3  SOME:(3)
 19.6   17.6    444      4  MOST:(4)
  7.5    6.7    170      5  ALL:(5)
        10.0    253     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 504-505

V2451   **072E01A:# FRNDS TK CRACK**

    Item Number: 07151

    Question Number(s): 2E01A

    Lately there has been some attention paid to certain drugs,
    including "crack" (cocaine in chunks or rocks). How many of
    your friends would you estimate . . .

    A: . . . Take "crack" cocaine?

    1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT VALID	PCT ALL	N	VALUE	LABEL
78.5	70.3	1,772	1	NONE:(1)
16.3	14.6	367	2	A FEW:(2)
3.9	3.5	89	3	SOME:(3)
0.5	0.4	11	4	MOST:(4)
0.8	0.7	18	5	ALL:(5)
	10.5	264	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

    Data type: numeric
    Missing-data code: -9
    Columns: 506-507

V2401 **072E01B:# FRNDS TAKE PCP**

```
     Item Number:  07201

     Question Number(s):  2E01B

     How many of your friends would you estimate . . .

     B: . . . Take PCP (angel dust)?

     1="None" 2="A Few" 3="Some" 4="Most" 5="All"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      90.8   81.2  2,048      1  NONE:(1)
       6.9    6.2    156      2  A FEW:(2)
       1.6    1.4     36      3  SOME:(3)
       0.2    0.2      5      4  MOST:(4)
       0.5    0.5     12      5  ALL:(5)
             10.5    265     -9  MISSING:(-9)
     -----  -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 508-509
```

V2402   **072E01C:# FRNDS TK PPRS**

Item Number: 07202

Question Number(s): 2E01C

How many of your friends would you estimate . . .

C: . . . Take amyl or butyl nitrites (poppers, snappers, Locker Room, Vaporole, Rush, Kick, Bullet)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT VALID	PCT ALL	N	VALUE	LABEL
92.3	82.5	2,078	1	NONE:(1)
5.6	5.0	126	2	A FEW:(2)
1.4	1.2	31	3	SOME:(3)
0.2	0.2	5	4	MOST:(4)
0.5	0.4	11	5	ALL:(5)
	10.7	269	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 510-511

V2452	**072E02A:RSK COK PWDR 1-2**

Item Number: 12501

Question Number(s): 2E02A

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
  PCT     PCT      N  VALUE   LABEL
 VALID    ALL
  9.5     8.4     212      1  NO RISK:(1)
 17.8    15.8     399      2  SLIGHT:(2)
 22.7    20.2     509      3  MOD RISK:(3)
 45.1    40.0   1,009      4  GRT RISK:(4)
  4.9     4.4     110      5  CANT SAY:(5)
         11.2     281     -9  MISSING:(-9)
 -----   -----   -----
100.0   100.0   2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 512-513

```
┌─────────────────────────────────────────────────────────────────────────┐
│  V2453                    072E02B:RSK COK PWDR OCC                        │
└─────────────────────────────────────────────────────────────────────────┘
```

Item Number: 12502

Question Number(s): 2E02B

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
  PCT     PCT       N  VALUE   LABEL
VALID    ALL
  6.1     5.4     137      1   NO RISK:(1)
  5.9     5.2     132      2   SLIGHT:(2)
 23.3    20.7     521      3   MOD RISK:(3)
 60.0    53.2   1,341      4   GRT RISK:(4)
  4.7     4.2     105      5   CANT SAY:(5)
         11.3     284     -9   MISSING:(-9)
 -----   -----   -----
100.0   100.0   2,521  cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 514-515

V2454   **072E02C:RSK COK PWDR REG**

Item Number: 12503

Question Number(s): 2E02C

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
  5.4    4.8    120      1  NO RISK:(1)
  2.6    2.3     57      2  SLIGHT:(2)
  5.7    5.0    126      3  MOD RISK:(3)
 81.4   72.0  1,816      4  GRT RISK:(4)
  5.0    4.4    111      5  CANT SAY:(5)
        11.5    289     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 516-517

```
┌─────────────────────────────────────────────────────────────────┐
│ V2455                072E02D:RSK CRACK 1-2X                       │
└─────────────────────────────────────────────────────────────────┘
```

     Item Number: 12504

     Question Number(s): 2E02D

     How much do you think people risk harming themselves
     (physically or in other ways), if they . . .

     D: . . . Try "crack" cocaine once or twice?

     1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
     5="Can't Say, Drug Unfamiliar"

       PCT   PCT   N VALUE   LABEL
     VALID   ALL
       8.3   7.3   183   1   NO RISK:(1)
      18.3   16.1   405   2   SLIGHT:(2)
      21.3   18.8   473   3   MOD RISK:(3)
      47.2   41.6   1,049   4   GRT RISK:(4)
       5.0   4.4   110   5   CANT SAY:(5)
             11.9   299   -9   MISSING:(-9)
     ----- -----   -----
     100.0 100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 518-519
```

```
  V2456                  072E02E:RSK CRACK OCC
```

     Item Number: 12505

     Question Number(s): 2E02E

     How much do you think people risk harming themselves
     (physically or in other ways), if they . . .

     E: . . . Take "crack" cocaine occasionally?

     1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
     5="Can't Say, Drug Unfamiliar"

```
   PCT    PCT      N  VALUE   LABEL
 VALID    ALL
   5.7    5.0    126      1  NO RISK:(1)
   4.7    4.1    104      2  SLIGHT:(2)
  21.1   18.7    471      3  MOD RISK:(3)
  63.7   56.3  1,419      4  GRT RISK:(4)
   4.9    4.3    109      5  CANT SAY:(5)
         11.6    292     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)
```

     Data type: numeric
     Missing-data code: -9
     Columns: 520-521

V2457   **072E02F:RSK CRACK REG**

```
     Item Number:  12506

     Question Number(s):  2E02F

     How much do you think people risk harming themselves
     (physically or in other ways), if they . . .

     F: . . . Take "crack" cocaine regularly?

     1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
     5="Can't Say, Drug Unfamiliar"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
       5.5    4.9     123      1   NO RISK:(1)
       1.6    1.4      36      2   SLIGHT:(2)
       5.2    4.6     115      3   MOD RISK:(3)
      82.5   73.0   1,839      4   GRT RISK:(4)
       5.2    4.6     116      5   CANT SAY:(5)
             11.5     290     -9   MISSING:(-9)
     -----  -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 522-523
```

V2458	072E02G:RSK PCP 1-2X

Item Number: 12415

Question Number(s): 2E02G

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.9	7.0	176	1	NO RISK:(1)
13.9	12.3	311	2	SLIGHT:(2)
20.7	18.4	463	3	MOD RISK:(3)
47.9	42.4	1,069	4	GRT RISK:(4)
9.5	8.5	213	5	CANT SAY:(5)
	11.5	289	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 524-525

V2476	072E02H:RSK ICE 1-2X

Item Number: 24420

Question Number(s): 2E02H

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

PCT VALID	PCT ALL	N	VALUE	LABEL
6.8	6.0	152	1	NO RISK:(1)
9.3	8.2	207	2	SLIGHT:(2)
16.9	14.9	376	3	MOD RISK:(3)
60.2	53.1	1,339	4	GRT RISK:(4)
6.7	5.9	150	5	CANT SAY:(5)
	11.7	296	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 526-527

V2459   **072E03A:#X CRACK/LIFETIM**

Item Number: 22260

Question Number(s): 2E03A

On how many occasions (if any) have you used "crack"
cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE   LABEL
VALID   ALL
 95.9   85.1  2,144     1  0 OCCAS:(1)
  1.6    1.4    35      2  1-2X:(2)
  0.9    0.8    20      3  3-5X:(3)
  0.3    0.3     7      4  6-9X:(4)
  0.4    0.3     8      5  10-19X:(5)
  0.4    0.4     9      6  20-39X:(6)
  0.6    0.5    13      7  40+OCCAS:(7)
        11.3   284     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 528-529

V2460	072E03B:#X CRACK/LAST12M

Item Number: 22270

Question Number(s): 2E03B

On how many occasions (if any) have you used "crack"
cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.4	86.4	2,177	1	0 OCCAS:(1)
0.9	0.8	21	2	1-2X:(2)
0.4	0.4	10	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.2	0.1	4	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	11.3	286	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 530-531

V2461 **072E03C:#X CRACK/LAST30D**

```
Item Number:  22280

Question Number(s):  2E03C

On how many occasions (if any) have you used "crack"
cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"
```

PCT VALID	PCT ALL	N	VALUE	LABEL
98.5	87.5	2,205	1	0 OCCAS:(1)
0.6	0.5	12	2	1-2X:(2)
0.4	0.3	9	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	11.2	282	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

```
Data type: numeric
Missing-data code: -9
Columns: 532-533
```

V2403   **072E04A:#X PCP/LIFETIME**

Item Number: 01181

Question Number(s): 2E04A

On how many occasions (if any) have you used PCP . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
97.9	86.3	2,175	1	0 OCCAS:(1)
1.4	1.2	30	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	11.8	298	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 534-535

V2404   **072E04B:#X PCP/LAST12MO**

Item Number: 01182

Question Number(s): 2E04B

On how many occasions (if any) have you used PCP . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.1	87.4	2,204	1	0 OCCAS:(1)
0.4	0.3	8	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	11.8	297	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 536-537

V2405   **072E04C:#X PCP/LAST30DA**

Item Number: 01183

Question Number(s): 2E04C

On how many occasions (if any) have you used PCP . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	87.8	2,213	1	0 OCCAS:(1)
0.1	0.1	2	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	11.7	296	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 538-539

V2406   **072E05A:#X PPRS/LIFETIME**

Item Number: 01184

Question Number(s): 2E05A

On how many occasions (if any) have you used amyl or butyl
nitrites . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 98.8    86.8  2,187      1  0 OCCAS:(1)
  0.5     0.4     11      2  1-2X:(2)
  0.2     0.2      4      3  3-5X:(3)
  0.2     0.2      5      4  6-9X:(4)
  0.0     0.0      0      5  10-19X:(5)
  0.0     0.0      1      6  20-39X:(6)
  0.3     0.2      6      7  40+OCCAS:(7)
         12.2    307     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 540-541

V2407   **072E05B:#X PPRS/LAST12MO**

Item Number: 01185

Question Number(s): 2E05B

On how many occasions (if any) have you used amyl or butyl
nitrites . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 99.3   87.4  2,202      1  0 OCCAS:(1)
  0.2    0.2      4      2  1-2X:(2)
  0.2    0.2      4      3  3-5X:(3)
  0.1    0.1      3      4  6-9X:(4)
  0.1    0.1      2      5  10-19X:(5)
  0.0    0.0      0      6  20-39X:(6)
  0.1    0.1      3      7  40+OCCAS:(7)
        12.0    302     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 542-543

V2408   **072E05C:#X PPRS/LAST30DA**

    Item Number: 01186

    Question Number(s): 2E05C

    On how many occasions (if any) have you used amyl or butyl
    nitrites . . .

    C: . . . during the last 30 days?

    1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
    Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
    More"

PCT VALID	PCT ALL	N	VALUE	LABEL
99.5	87.5	2,206	1	0 OCCAS:(1)
0.1	0.1	2	2	1-2X:(2)
0.2	0.1	3	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.1	4	7	40+OCCAS:(7)
	12.0	303	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

    Data type: numeric
    Missing-data code: -9
    Columns: 544-545

V2493   **072E06A:#X STRD/LIFETIME**

```
Item Number:  22690

Question Number(s):  2E06A

Steroids, or anabolic steroids, are prescription drugs
sometimes prescribed by doctors to treat certain conditions.
Some athletes, and others, have used them to try to increase
muscle development. On how many occasions (if any) have you
taken steroids on your own--that is, without a doctor telling
you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

   PCT    PCT      N   VALUE   LABEL
 VALID    ALL
  97.5   85.7  2,160       1   0 OCCAS:(1)
   1.4    1.2     31       2   1-2X:(2)
   0.4    0.4     10       3   3-5X:(3)
   0.2    0.2      4       4   6-9X:(4)
   0.1    0.1      1       5   10-19X:(5)
   0.0    0.0      0       6   20-39X:(6)
   0.3    0.3      8       7   40+OCCAS:(7)
         12.2    307      -9   MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 546-547
```

V2494	072E06B:#X STRD/LAST12MO

Item Number: 22700

Question Number(s): 2E06B

On how many occasions (if any) have you taken steroids on
your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 98.9   86.8  2,189     1  0 OCCAS:(1)
  0.4    0.4    10      2  1-2X:(2)
  0.2    0.2     4      3  3-5X:(3)
  0.2    0.2     5      4  6-9X:(4)
  0.0    0.0     1      5  10-19X:(5)
  0.1    0.1     1      6  20-39X:(6)
  0.2    0.2     4      7  40+OCCAS:(7)
        12.2   307     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 548-549

V2495   **072E06C:#X STRD/LAST30DA**

Item Number: 22710

Question Number(s): 2E06C

On how many occasions (if any) have you taken steroids on
your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

```
   PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 99.4    87.3  2,202      1   0 OCCAS:(1)
  0.1     0.0      1      2   1-2X:(2)
  0.2     0.1      4      3   3-5X:(3)
  0.1     0.1      2      4   6-9X:(4)
  0.1     0.1      2      5   10-19X:(5)
  0.1     0.1      1      6   20-39X:(6)
  0.1     0.1      2      7   40+OCCAS:(7)
         12.2    307     -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 550-551

V2496   **072E07A:MTHD STRD-INJECT**

Item Number: 23790

Question Number(s): 2E07A

What methods have you used for taking steroids on your own?
(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 72.7    1.3    33      0  NT MRKED:(0)
 27.3    0.5    13      1  MARKED:(1)
         98.2  2,475   -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 552-553

V2497   **072E07B:MTHD STRD-MOUTH**

```
Item Number:  23800

Question Number(s):  2E07B

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 40.3    0.7    19      0  NT MRKED:(0)
 59.7    1.1    27      1  MARKED:(1)
         98.2  2,475   -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 554-555
```

V2516   **072E07C:HVNT USED STRDS**

Item Number: 30940

Question Number(s): 2E07C

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported
nonuse on preceding prevalence question]"

```
   PCT     PCT      N  VALUE  LABEL
 VALID    ALL
   1.7     1.5     37      0  NOT MARKED:(0)
  98.3    86.1  2,169      1  MARKED:(1)
          12.5    314     -9  MISSING:(-9)
 -----   -----  -----
 100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 556-557

V2462	072E08A:GR 1ST TRY CRACK

Item Number: 05661

Question Number(s): 2E08A

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

```
  PCT    PCT      N  VALUE   LABEL
VALID    ALL
  0.2    0.2      5      1   GRADE  6:(1)
  0.1    0.1      3      2   GRADE  7:(2)
  0.4    0.3      8      3   GRADE  8:(3)
  0.6    0.5     12      4   GRADE  9:(4)
  0.5    0.4     11      5   GRADE 10:(5)
  0.8    0.7     18      6   GRADE 11:(6)
  1.0    0.8     21      7   GRADE 12:(7)
 96.4   82.9  2,090      8   NEVER:(8)
        14.0    353     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 558-559

V2463	072E08B:GR 1ST TR OT COK

Item Number: 05662

Question Number(s): 2E08B

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.2	6	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.3	0.3	6	3	GRADE 8:(3)
1.1	0.9	23	4	GRADE 9:(4)
1.5	1.3	32	5	GRADE 10:(5)
1.8	1.6	39	6	GRADE 11:(6)
2.2	1.9	47	7	GRADE 12:(7)
92.8	80.2	2,022	8	NEVER:(8)
	13.5	341	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 560-561

V2420   **072E08C:GR 1ST TRY PCP**

```
     Item Number:  05686

     Question Number(s):  2E08C

     When (if ever) did you FIRST do each of the following things?

     C: Try PCP

     8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
     4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
     (Junior)" 7="Grade 12 (Senior)"

       PCT     PCT      N   VALUE   LABEL
     VALID    ALL
      0.1     0.1      3       1   GRADE 6:(1)
      0.2     0.2      5       2   GRADE 7:(2)
      0.1     0.1      3       3   GRADE 8:(3)
      0.5     0.4     10       4   GRADE 9:(4)
      0.4     0.4      9       5   GRADE 10:(5)
      0.4     0.3      8       6   GRADE 11:(6)
      0.2     0.1      4       7   GRADE 12:(7)
     98.1    85.5  2,154       8   NEVER:(8)
             12.9    325      -9   MISSING:(-9)
     -----   -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 562-563
```

V2421   **072E08D:GR 1ST TRY PPRS**

```
     Item Number:  05687

     Question Number(s):  2E08D

     When (if ever) did you FIRST do each of the following things?

     D: Try amyl or butyl nitrites

     8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
     4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
     (Junior)" 7="Grade 12 (Senior)"

       PCT      PCT       N   VALUE   LABEL
     VALID     ALL
       0.1      0.1       3       1   GRADE  6:(1)
       0.0      0.0       1       2   GRADE  7:(2)
       0.1      0.1       1       3   GRADE  8:(3)
       0.2      0.2       5       4   GRADE  9:(4)
       0.4      0.3       8       5   GRADE 10:(5)
       0.1      0.1       2       6   GRADE 11:(6)
       0.3      0.3       7       7   GRADE 12:(7)
      98.7     86.0   2,168       8   NEVER:(8)
               12.9     325      -9   MISSING:(-9)
     -----    -----   -----
     100.0    100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 564-565
```

V2477   **072E08E:GR 1ST TRY ICE**

```
     Item Number:  24430

     Question Number(s):  2E08E

     When (if ever) did you FIRST do each of the following things?

     E: Try crystal meth ("ice")

     8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
     4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
     (Junior)" 7="Grade 12 (Senior)"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
       0.2     0.1      3      1   GRADE  6:(1)
       0.1     0.1      3      2   GRADE  7:(2)
       0.4     0.3      8      3   GRADE  8:(3)
       0.6     0.5     14      4   GRADE  9:(4)
       0.4     0.4     10      5   GRADE 10:(5)
       0.5     0.4     10      6   GRADE 11:(6)
       0.3     0.3      7      7   GRADE 12:(7)
      97.5    84.2  2,122      8   NEVER:(8)
              13.6    344     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 566-567
```

V2498   **072E08F:GR 1ST TRY STRDS**

```
    Item Number:  23810

    Question Number(s):  2E08F

    When (if ever) did you FIRST do each of the following things?

    F: Try steroids (anabolic steroids)

    8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
    4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
    (Junior)" 7="Grade 12 (Senior)"

      PCT     PCT       N   VALUE   LABEL
    VALID    ALL
     0.1     0.1       3       1   GRADE 6:(1)
     0.1     0.1       2       2   GRADE 7:(2)
     0.2     0.2       4       3   GRADE 8:(3)
     0.3     0.3       7       4   GRADE 9:(4)
     0.4     0.4       9       5   GRADE 10:(5)
     0.2     0.2       5       6   GRADE 11:(6)
     0.6     0.5      13       7   GRADE 12:(7)
    98.0    84.7   2,135       8   NEVER:(8)
            13.6     343      -9   MISSING:(-9)
    -----   -----   -----
    100.0   100.0   2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 568-569
```

V2464   **072E09A:EASY GT CRACK**

Item Number: 06811

Question Number(s): 2E09A

How difficult do you think it would be for you to get each
of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
22.3	19.2	485	1	PROB IMP:(1)
17.1	14.8	373	2	VRY DIFF:(2)
23.3	20.1	506	3	FRLY DIF:(3)
24.2	20.9	528	4	FRLY EAS:(4)
13.1	11.3	285	5	VRY EASY:(5)
	13.6	343	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 570-571

V2465   **072E09B:EASY GT COK PWDR**

    Item Number: 06812

    Question Number(s): 2E09B

    How difficult do you think it would be for you to get each
    of the following, if you wanted some?

    B: Cocaine in powder form

    1="Probably Impossible" 2="Very Difficult" 3="Fairly
    Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
21.4	18.4	465	1	PROB IMP:(1)
15.1	13.0	327	2	VRY DIFF:(2)
22.5	19.4	489	3	FRLY DIF:(3)
25.0	21.6	544	4	FRLY EAS:(4)
16.0	13.8	347	5	VRY EASY:(5)
	13.8	348	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

    Data type: numeric
    Missing-data code: -9
    Columns: 572-573

V2466	072E09C:EASY GT PCP

```
    Item Number:  06771

    Question Number(s):  2E09C

    How difficult do you think it would be for you to get each
    of the following, if you wanted some?

    C: PCP

    1="Probably Impossible" 2="Very Difficult" 3="Fairly
    Difficult" 4="Fairly Easy" 5="Very Easy"

      PCT     PCT      N  VALUE   LABEL
    VALID    ALL
     28.7    24.6    620      1   PROB IMP:(1)
     23.0    19.7    497      2   VRY DIFF:(2)
     27.4    23.5    593      3   FRLY DIF:(3)
     14.6    12.5    316      4   FRLY EAS:(4)
      6.2     5.3    134      5   VRY EASY:(5)
             14.3    360     -9   MISSING:(-9)
    -----   -----  -----
    100.0   100.0  2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 574-575
```

V2467   **072E09D:EASY GT NITRITES**

Item Number: 22350

Question Number(s): 2E09D

How difficult do you think it would be for you to get each
of the following, if you wanted some?

D: Amyl or butyl nitrites

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

```
  PCT     PCT       N  VALUE   LABEL
 VALID    ALL
 31.5    27.0     681      1   PROB IMP:(1)
 25.0    21.4     540      2   VRY DIFF:(2)
 25.5    21.9     552      3   FRLY DIF:(3)
 12.9    11.1     279      4   FRLY EAS:(4)
  5.1     4.3     109      5   VRY EASY:(5)
         14.2     359     -9   MISSING:(-9)
 -----   -----   -----
100.0   100.0   2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 576-577

V2478	072E09E:EASY GT ICE

Item Number: 24410

Question Number(s): 2E09E

How difficult do you think it would be for you to get each
of the following, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

PCT VALID	PCT ALL	N	VALUE	LABEL
28.1	24.2	609	1	PROB IMP:(1)
24.3	20.9	526	2	VRY DIFF:(2)
22.5	19.4	488	3	FRLY DIF:(3)
17.2	14.8	372	4	FRLY EAS:(4)
7.8	6.7	169	5	VRY EASY:(5)
	14.1	356	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 578-579

V2499   **072E09F:EASY GT STEROIDS**

```
     Item Number:  23060

     Question Number(s):  2E09F

     How difficult do you think it would be for you to get each
     of the following, if you wanted some?

     F: Steroids (anabolic steroids)

     1="Probably Impossible" 2="Very Difficult" 3="Fairly
     Difficult" 4="Fairly Easy" 5="Very Easy"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
      22.0    18.9    477      1   PROB IMP:(1)
      16.4    14.1    355      2   VRY DIFF:(2)
      21.6    18.5    467      3   FRLY DIF:(3)
      25.0    21.4    540      4   FRLY EAS:(4)
      15.0    12.9    324      5   VRY EASY:(5)
              14.2    358     -9   MISSING:(-9)
     -----   -----  -----
     100.0   100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 580-581
```

V2479	**072E10A:DAP SMK 1PCK CIG**

```
Item Number:  08560

Question Number(s):  2E10A

Individuals differ in whether or not they disapprove of
people doing certain things. Do YOU disapprove of people
(who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

  PCT    PCT      N  VALUE  LABEL
VALID   ALL
 28.5   24.6    621      1  DONT DIS:(1)
 36.8   31.8    802      2  DISAPPRV:(2)
 34.7   30.0    757      3  STRG DIS:(3)
        13.5    340     -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 582-583
```

```
V2480                072E10B:DAP TRY MRJ 1-2T
```

Item Number: 08570

Question Number(s): 2E10B

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT     N  VALUE   LABEL
VALID    ALL
 45.4   39.2   989      1   DONT DIS:(1)
 30.1   26.0   656      2   DISAPPRV:(2)
 24.5   21.2   534      3   STRG DIS:(3)
        13.6   342     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 584-585

V2481	**072E10C:DAP SMK MRJ OCCS**

Item Number: 08580

Question Number(s): 2E10C

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 35.5   30.7    773      1  DONT DIS:(1)
 29.6   25.6    645      2  DISAPPRV:(2)
 34.9   30.2    762      3  STRG DIS:(3)
        13.5    340     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 586-587

V2482   **072E10D:DAP SMK MRJ REGL**

```
Item Number:  08590

Question Number(s):  2E10D

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 23.5   20.2    510      1  DONT DIS:(1)
 27.9   24.1    606      2  DISAPPRV:(2)
 48.6   42.0  1,058      3  STRG DIS:(3)
        13.7    346     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 588-589
```

V2483   **072E10E:DAP COK PWD 1-2T**

```
Item Number:  23630

Question Number(s):  2E10E

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 16.5   14.3    360      1  DONT DIS:(1)
 28.3   24.5    617      2  DISAPPRV:(2)
 55.1   47.6  1,199      3  STRG DIS:(3)
        13.7    345     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 590-591
```

V2484   **072E10F:DAP COK PWDR OCC**

```
Item Number:  23640

Question Number(s):  2E10F

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  9.6    8.3   209      1  DONT DIS:(1)
 24.9   21.5   542      2  DISAPPRV:(2)
 65.6   56.8 1,430      3  STRG DIS:(3)
        13.5   339     -9  MISSING:(-9)
-----  ----- -----
100.0  100.0 2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 592-593
```

V2485   **072E10G:DAP COK PWDR REG**

```
Item Number:  23650

Question Number(s):  2E10G

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

   PCT    PCT     N  VALUE   LABEL
 VALID    ALL
   7.5    6.5    163      1   DONT DIS:(1)
  18.3   15.8    399      2   DISAPPRV:(2)
  74.2   64.2  1,618      3   STRG DIS:(3)
         13.5    340     -9   MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 594-595
```

V2486   **072E10H:DAP TRY CRK 1-2T**

```
Item Number:  23660

Question Number(s):  2E10H

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

  PCT     PCT     N  VALUE  LABEL
VALID    ALL
 11.3    9.8    247      1  DONT DIS:(1)
 26.5   22.9    576      2  DISAPPRV:(2)
 62.1   53.6  1,350      3  STRG DIS:(3)
        13.8    348     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 596-597
```

V2487   **072E10I:DAP CRACK OCC**

Item Number: 23670

Question Number(s): 2E10I

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
  7.7    6.6   167      1  DONT DIS:(1)
 21.9   18.9   476      2  DISAPPRV:(2)
 70.4   60.6 1,528      3  STRG DIS:(3)
        13.8   348     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 598-599

V2488	072E10J:DAP CRACK REG

```
     Item Number:  23680

     Question Number(s):  2E10J

     Do YOU disapprove of people (who are 18 or older) doing each
     of the following?

     J: Taking "crack" cocaine regularly

     1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

       PCT     PCT      N  VALUE   LABEL
     VALID    ALL
       6.5    5.6      142      1  DONT DIS:(1)
      17.0   14.7      370      2  DISAPPRV:(2)
      76.5   66.0    1,664      3  STRG DIS:(3)
             13.7      344     -9  MISSING:(-9)
     -----  -----    -----
     100.0  100.0    2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 600-601
```

```
V2489                    072E10K:DAP TRY DRK ALCL
```

Item Number: 08710

Question Number(s): 2E10K

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

K: Trying one or two drinks of an alcoholic beverage (beer,
wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 66.9   57.8  1,456      1  DONT DIS:(1)
 17.1   14.8    372      2  DISAPPRV:(2)
 16.0   13.8    347      3  STRG DIS:(3)
        13.7    345     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 602-603

V2490	072E10L:DAP 1-2 DRK/DAY

```
    Item Number:  08720

    Question Number(s):  2E10L

    Do YOU disapprove of people (who are 18 or older) doing each
    of the following?

    L: Taking one or two drinks nearly every day

    1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

      PCT     PCT     N  VALUE  LABEL
    VALID    ALL
     32.3    27.9    702      1  DONT DIS:(1)
     38.6    33.2    838      2  DISAPPRV:(2)
     29.1    25.1    632      3  STRG DIS:(3)
             13.8    349     -9  MISSING:(-9)
    -----   -----  -----
    100.0   100.0  2,521 cases (Wtd)

    Data type: numeric
    Missing-data code: -9
    Columns: 604-605
```

V2491   **072E10M:DAP 4-5 DRK/DAY**

```
Item Number:  08730

Question Number(s):  2E10M

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 14.7    12.7    319      1  DONT DIS:(1)
 31.0    26.7    672      2  DISAPPRV:(2)
 54.3    46.7  1,177      3  STRG DIS:(3)
         13.9    351     -9  MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 606-607
```

V2492   **072E10N:DAP 5+ DRK WKNDS**

```
Item Number:  08740

Question Number(s):  2E10N

Do YOU disapprove of people (who are 18 or older) doing each
of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

  PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 33.4    28.7    725      1   DONT DIS:(1)
 25.3    21.7    548      2   DISAPPRV:(2)
 41.3    35.5    896      3   STRG DIS:(3)
         14.0    352     -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 608-609
```

V2428   **072E11A:FAVOR MLTY DRAFT**

```
Item Number:  21060

Question Number(s):  2E11A

The next two questions are about military service. Do you
favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"
2="Mostly oppose" 1="Strongly oppose"

  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 47.2    40.2  1,014      1  STRG OPP:(1)
 16.4    14.0    353      2  MOST OPP:(2)
 27.9    23.8    600      3  DK/MIXED:(3)
  4.9     4.2    105      4  MOST FAV:(4)
  3.6     3.1     77      5  STRG FAV:(5)
         14.7    372     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 610-611
```

V2429   **072E11B:DRAFT INCL WOMEN**

Item Number: 21070

Question Number(s): 2E11B

Do you think any military draft in the U.S. should include
women as well as men?

3="Yes" 2="Uncertain" 1="No"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 36.8    32.3    815      1  NO:(1)
 33.8    29.7    748      2  UNCERTN:(2)
 29.3    25.7    649      3  YES:(3)
         12.2    308     -9  MISSING:(-9)
-----   -----   -----
100.0   100.0   2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 612-613

V2371   **072E12 :R LIKES SCHOOL**

Item Number: 07630

Question Number(s): 2E12

The next questions are about your experiences at school. Some
people like school very much. Others don't. How do you feel
about going to school?

5="I like school very much" 4="I like school quite a lot"
3="I like school some" 2="I don't like school very much"
1="I don't like school at all"

```
  PCT     PCT     N  VALUE   LABEL
VALID    ALL
  7.7     6.8    171     1   DLIK@ALL:(1)
 16.8    14.7    370     2   DNT LIKE:(2)
 41.6    36.4    917     3   LIK SOME:(3)
 21.4    18.7    472     4   LIK ALOT:(4)
 12.4    10.9    274     5   LIK VMCH:(5)
         12.6    317    -9   MISSING:(-9)
-----   -----   -----
100.0   100.0   2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 614-615

V2372   **072E13 :HRS/WK SPND HMWK**

Item Number: 07640

Question Number(s): 2E13

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

PCT VALID	PCT ALL	N	VALUE	LABEL
11.9	10.4	263	1	0 HOURS:(1)
49.9	43.6	1,100	2	1-4 HRS:(2)
19.1	16.7	421	3	5-9 HRS:(3)
9.8	8.5	215	4	10-14 HR:(4)
4.3	3.7	94	5	15-19 HR:(5)
2.2	1.9	48	6	20-24 HR:(6)
2.8	2.5	63	7	25+ HRS:(7)
	12.6	318	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 616-617

V2445   **072E14A:SCH ACTV-PBLCTNS**

```
     Item Number:  22170

     Question Number(s):  2E14A

     To what extent have you participated in the following school
     activities during this school year?

     A: School newspaper or yearbook

     1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
     5="Great"

       PCT      PCT      N  VALUE   LABEL
     VALID     ALL
      74.1     64.0  1,613      1   NOT @ALL:(1)
      11.5      9.9    250      2   SLIGHT:(2)
       4.2      3.6     91      3   MODERATE:(3)
       2.3      2.0     50      4   CONSDBLE:(4)
       7.9      6.8    172      5   GREAT:(5)
                13.7    345     -9   MISSING:(-9)
     -----    -----  -----
     100.0    100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 618-619
```

V2446	**072E14B:SCH ACTV-PRF ART**

Item Number: 22180

Question Number(s): 2E14B

To what extent have you participated in the following school
activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

```
  PCT     PCT      N  VALUE   LABEL
 VALID    ALL
 59.8    51.5  1,298      1   NOT @ALL:(1)
  8.7     7.5    189      2   SLIGHT:(2)
  9.1     7.8    196      3   MODERATE:(3)
  6.1     5.2    132      4   CONSDBLE:(4)
 16.3    14.0    353      5   GREAT:(5)
         14.0    352     -9   MISSING:(-9)
 -----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 620-621

V2447   **072E14C:SCH ACTV-ATHLTCS**

```
Item Number:  22190

Question Number(s):  2E14C

To what extent have you participated in the following school
activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

   PCT      PCT       N  VALUE   LABEL
 VALID     ALL
  45.7     39.4     994      1   NOT @ALL:(1)
   7.2      6.2     157      2   SLIGHT:(2)
  10.4      8.9     225      3   MODERATE:(3)
   8.7      7.5     189      4   CONSDBLE:(4)
  28.1     24.2     611      5   GREAT:(5)
           13.7     344     -9   MISSING:(-9)
 -----    -----   -----
 100.0    100.0   2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 622-623
```

V2448   **072E14D:SCH ACTV-OTH ACT**

Item Number: 22200

Question Number(s): 2E14D

To what extent have you participated in the following school
activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 33.5    28.9    727      1  NOT @ALL:(1)
 15.4    13.3    334      2  SLIGHT:(2)
 15.7    13.5    340      3  MODERATE:(3)
 12.7    11.0    276      4  CONSDBLE:(4)
 22.8    19.6    495      5  GREAT:(5)
         13.8    348     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 624-625

V2373   **072E15A:PRCL INFL SCL RN**

```
Item Number:  07650

Question Number(s):  2E15A

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate
Influence" 4="Considerable Influence" 5="A Great Deal of
Influence"

  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 16.2    13.9    350      1   NO INFLC:(1)
 12.1    10.4    262      2   SOME:(2)
 17.2    14.7    371      3   MODERATE:(3)
 24.2    20.8    523      4   CNSIDRBL:(4)
 30.3    25.9    654      5   GRT DEAL:(5)
         14.3    361     -9   MISSING:(-9)
-----   -----   -----
100.0   100.0   2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 626-627
```

V2374   **072E15B:TCHR INFL SCL RN**

```
Item Number:  07660

Question Number(s):  2E15B

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate
Influence" 4="Considerable Influence" 5="A Great Deal of
Influence"

  PCT     PCT      N  VALUE  LABEL
VALID    ALL
  9.2     7.9    199      1  NO INFLC:(1)
 16.8    14.4    363      2  SOME:(2)
 30.3    26.0    655      3  MODERATE:(3)
 27.8    23.9    601      4  CNSIDRBL:(4)
 15.8    13.6    342      5  GRT DEAL:(5)
         14.3    361     -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 628-629
```

V2375   **072E15C:STDS INFL SCL RN**

Item Number: 07670

Question Number(s): 2E15C

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate
Influence" 4="Considerable Influence" 5="A Great Deal of
Influence"

PCT VALID	PCT ALL	N	VALUE	LABEL
26.9	23.1	581	1	NO INFLC:(1)
20.6	17.6	444	2	SOME:(2)
18.8	16.1	405	3	MODERATE:(3)
16.1	13.8	348	4	CNSIDRBL:(4)
17.7	15.1	382	5	GRT DEAL:(5)
	14.3	361	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 630-631

V2376   **072E15D:PRTS INFL SCL RN**

Item Number: 07680

Question Number(s): 2E15D

In general, how much say or influence do you feel each of
the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate
Influence" 4="Considerable Influence" 5="A Great Deal of
Influence"

PCT VALID	PCT ALL	N	VALUE	LABEL
23.7	20.3	512	1	NO INFLC:(1)
27.0	23.1	583	2	SOME:(2)
22.2	19.0	479	3	MODERATE:(3)
14.5	12.4	312	4	CNSIDRBL:(4)
12.6	10.7	271	5	GRT DEAL:(5)
	14.4	364	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 632-633

V2377   **072E16 :HAD DRUG EDUCATN**

```
     Item Number:  07690

     Question Number(s):  2E16

     Have you had any drug education courses or lectures in
     school?

     1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO
     QUESTION 20" 3="Yes"

       PCT    PCT     N  VALUE  LABEL
     VALID   ALL
      24.6   20.2    510      1  NO:(1)
       2.9    2.4     59      2  WISH HAD:(2)
      72.5   59.7  1,505      3  YES:(3)
             17.7    446     -9  MISSING:(-9)
     -----  -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 634-635
```

V2378   **072E17 :DG ED,>DG INTRST**

Item Number: 07840

Question Number(s): 2E17

Would you say that the information about drugs that you
received in school classes or programs has . . .

1="Made you less interested in trying drugs." 2="Not changed
your interest in trying drugs" 3="Made you more interested in
trying drugs"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 51.5   30.6    771      1  <INTERST:(1)
 43.3   25.7    648      2  NO CHNGE:(2)
  5.2    3.1     77      3  >INTERST:(3)
        40.6  1,024     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 636-637

V2379   **072E18A:DG ED,SPC COURSE**

```
Item Number:  07850

Question Number(s):  2E18A

How many of the following drug education experiences have you
had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 68.6   39.6    998     0  NT MRKED:(0)
 31.4   18.1    456     1  MARKED:(1)
        42.3  1,067    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 638-639
```

V2380   **072E18B:DG ED,IN REG CRS**

```
Item Number:  07860

Question Number(s):  2E18B

How many of the following drug education experiences have you
had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular
courses

0="UNMARKED" 1="MARKED"

  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 30.0  17.3    436     0  NT MRKED:(0)
 70.0  40.4  1,017     1  MARKED:(1)
       42.3  1,067    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 640-641
```

V2381 **072E18C:DG ED,NT REG CRS**

```
Item Number:  07870

Question Number(s):  2E18C

How many of the following drug education experiences have you
had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 70.3   40.5  1,022     0  NT MRKED:(0)
 29.7   17.1    432     1  MARKED:(1)
        42.3  1,067    -9  MISSING:(-9)
 -----  -----  -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 642-643
```

V2382   **072E18D:DG ED,SPC DISCUS**

```
Item Number:  07880

Question Number(s):  2E18D

How many of the following drug education experiences have you
had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

  PCT     PCT      N  VALUE  LABEL
 VALID    ALL
  82.0   47.3  1,193      0  NT MRKED:(0)
  18.0   10.4    261      1  MARKED:(1)
         42.3  1,067     -9  MISSING:(-9)
 -----  -----  -----
 100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 644-645
```

V2383   **072E19 :DG ED,GRT VALUE**

Item Number: 07890

Question Number(s): 2E19

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"
4="Great value"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 25.8   15.0    379      1  NO VALUE:(1)
 40.5   23.6    596      2  SOME:(2)
 21.3   12.4    313      3  CNSIDRBL:(3)
 12.4    7.2    182      4  GT VALUE:(4)
        41.7  1,050     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 646-647

V2441	**072E20A:#X/2W DRIVE+ALCL**

```
Item Number:  01811

Question Number(s):  2E20A

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"
```

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	73.7	1,858	1	0 TIMES:(1)
6.7	5.7	144	2	1 TIME:(2)
3.4	2.8	72	3	2 TIMES:(3)
1.6	1.3	34	4	3-5 X:(4)
0.5	0.4	10	5	6-9 X:(5)
1.1	0.9	23	6	=>10 X:(6)
	15.1	381	-9	MISSING:(-9)

```
----- ----- -----
100.0  100.0  2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 648-649
```

V2442   **072E20B:#X/2W DRIVE+5DRK**

Item Number: 01812

Question Number(s): 2E20B

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

```
  PCT     PCT     N  VALUE  LABEL
VALID    ALL
 91.8   78.1  1,969     1  0 TIMES:(1)
  3.6    3.1     78     2  1 TIME:(2)
  1.9    1.6     41     3  2 TIMES:(3)
  1.3    1.1     28     4  3-5 X:(4)
  0.3    0.2      6     5  6-9 X:(5)
  1.0    0.9     22     6  =>10 X:(6)
         14.9    377    -9  MISSING:(-9)
-----   -----  -----
100.0   100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 650-651

V2517   **072E20C:#X/2W DRIVE+MJ**

Item Number: 01813

Question Number(s): 2E20C

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

```
  PCT    PCT     N  VALUE  LABEL
VALID   ALL
 88.4  75.1  1,893     1  0 TIMES:(1)
  4.0   3.4     85     2  1 TIME:(2)
  2.1   1.8     46     3  2 TIMES:(3)
  2.1   1.8     45     4  3-5 X:(4)
  1.2   1.1     27     5  6-9 X:(5)
  2.2   1.8     46     6  =>10 X:(6)
        15.0    379    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 652-653

V2518   **072E20D:#X/2W DRIVE+OTDG**

Item Number: 01814

Question Number(s): 2E20D

During the LAST TWO WEEKS, how many times have you driven a
car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

```
  PCT     PCT      N  VALUE   LABEL
VALID    ALL
 96.9   82.2  2,071      1   0 TIMES:(1)
  1.0    0.8     21      2   1 TIME:(2)
  0.5    0.4     11      3   2 TIMES:(3)
  0.7    0.6     16      4   3-5 X:(4)
  0.2    0.1      3      5   6-9 X:(5)
  0.7    0.6     15      6   =>10 X:(6)
        15.2    384     -9   MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 654-655

V2443   **072E21A:#X/2W RIDE+ALCL**

Item Number: 01815

Question Number(s): 2E21A

During the LAST TWO WEEKS, how many times (if any) have you
been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

```
  PCT    PCT      N  VALUE  LABEL
VALID    ALL
 81.9   69.5  1,752      1  0 TIMES:(1)
  9.7    8.2    207      2  1 TIME:(2)
  3.9    3.3     83      3  2 TIMES:(3)
  2.5    2.1     53      4  3-5 X:(4)
  0.6    0.5     12      5  6-9 X:(5)
  1.5    1.3     32      6  =>10 X:(6)
        15.2    382     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 656-657

V2444   **072E21B:#X/2W RIDE+5DRK**

```
     Item Number:  01816

     Question Number(s):  2E21B

     During the LAST TWO WEEKS, how many times (if any) have you
     been a passenger in a car . . .

     B: . . . when you think the driver had 5 or more drinks?

     1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
     or more"

       PCT     PCT      N   VALUE   LABEL
     VALID    ALL
      90.2   76.5   1,928      1   0 TIMES:(1)
       4.5    3.8      96      2   1 TIME:(2)
       2.4    2.0      51      3   2 TIMES:(3)
       1.6    1.3      33      4   3-5 X:(4)
       0.5    0.4      11      5   6-9 X:(5)
       0.9    0.7      18      6   =>10 X:(6)
              15.2     383     -9   MISSING:(-9)
     -----  -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 658-659
```

V2519   **072E21C:#X/2W RIDE+MJ**

Item Number: 01817

Question Number(s): 2E21C

During the LAST TWO WEEKS, how many times (if any) have you
been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10
or more"

```
  PCT     PCT      N  VALUE  LABEL
VALID    ALL
 82.5   69.8  1,760      1  0 TIMES:(1)
  6.5    5.5    138      2  1 TIME:(2)
  3.8    3.2     81      3  2 TIMES:(3)
  3.1    2.6     66      4  3-5 X:(4)
  1.6    1.4     34      5  6-9 X:(5)
  2.5    2.1     54      6  =>10 X:(6)
        15.4    388     -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 660-661

V2520   **072E21D:#X/2W RIDE+OTDG**

Item Number: 01818

Question Number(s): 2E21D

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

```
  PCT    PCT     N  VALUE  LABEL
VALID    ALL
 96.4   81.1  2,043     1  0 TIMES:(1)
  1.2    1.0     24     2  1 TIME:(2)
  0.7    0.6     15     3  2 TIMES:(3)
  0.6    0.5     12     4  3-5 X:(4)
  0.7    0.6     14     5  6-9 X:(5)
  0.5    0.4     11     6  =>10 X:(6)
        15.9    401    -9  MISSING:(-9)
-----  -----  -----
100.0  100.0  2,521 cases (Wtd)
```

Data type: numeric
Missing-data code: -9
Columns: 662-663

V2414   **072E22A:OFTN EAT BRKFST**

Item Number: 20740

Question Number(s): 2E22A

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
every day" 6="Every day"

PCT VALID	PCT ALL	N	VALUE	LABEL
9.0	7.7	193	1	NEVER:(1)
22.6	19.2	484	2	SELDOM:(2)
20.3	17.3	436	3	SOMETIME:(3)
13.9	11.9	299	4	MST DAYS:(4)
12.2	10.4	262	5	NR EV DA:(5)
21.9	18.7	471	6	EVERYDAY:(6)
	14.9	376	-9	MISSING:(-9)

----- ----- -----
100.0 100.0 2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 664-665

V2415   **072E22B:OFTN EAT GN VEG**

Item Number: 20750

Question Number(s): 2E22B

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT VALID	PCT ALL	N	VALUE	LABEL
6.2	5.2	132	1	NEVER:(1)
11.0	9.3	235	2	SELDOM:(2)
20.9	17.8	448	3	SOMETIME:(3)
26.2	22.2	560	4	MST DAYS:(4)
17.9	15.1	382	5	NR EV DA:(5)
17.8	15.1	381	6	EVERYDAY:(6)
	15.2	383	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

Data type: numeric
Missing-data code: -9
Columns: 666-667

V2416   **072E22C:OFTN EAT FRUIT**

```
     Item Number:  20760

     Question Number(s):  2E22C

     How often do you . . .

     C: . . . Eat at least some fruit?

     1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
     every day" 6="Every day"

       PCT     PCT      N   VALUE   LABEL
     VALID    ALL
       2.6     2.2      56      1   NEVER:(1)
       7.6     6.5     164      2   SELDOM:(2)
      22.1    18.8     473      3   SOMETIME:(3)
      26.8    22.8     574      4   MST DAYS:(4)
      20.5    17.4     439      5   NR EV DA:(5)
      20.4    17.3     436      6   EVERYDAY:(6)
               15.1     380     -9   MISSING:(-9)
     -----   -----   -----
     100.0   100.0   2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 668-669
```

V2417   **072E22D:OFTN EXERCISE**

Item Number: 20770

Question Number(s): 2E22D

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	5.8	147	1	NEVER:(1)
15.8	13.3	334	2	SELDOM:(2)
25.6	21.4	540	3	SOMETIME:(3)
18.0	15.1	380	4	MST DAYS:(4)
14.3	12.0	303	5	NR EV DA:(5)
19.4	16.2	409	6	EVERYDAY:(6)
	16.1	406	-9	MISSING:(-9)

----- ----- -----
100.0 100.0 2,521 cases (Wtd)

Data type: numeric
Missing-data code: -9
Columns: 670-671

V2418   **072E22E:OFTN 7HRS SLEEP**

```
     Item Number:  20780

     Question Number(s):  2E22E

     How often do you . . .

     E: . . . Get at least seven hours of sleep?

     1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
     every day" 6="Every day"

       PCT     PCT      N  VALUE  LABEL
     VALID    ALL
       6.4    5.5    138      1  NEVER:(1)
      18.0   15.2    384      2  SELDOM:(2)
      24.2   20.5    516      3  SOMETIME:(3)
      21.8   18.5    465      4  MST DAYS:(4)
      16.9   14.3    361      5  NR EV DA:(5)
      12.8   10.9    274      6  EVERYDAY:(6)
             15.2    383     -9  MISSING:(-9)
     -----  -----  -----
     100.0  100.0  2,521 cases (Wtd)

     Data type: numeric
     Missing-data code: -9
     Columns: 672-673
```

V2419	**072E22F:OFTN SLEEP <SHLD**

```
     Item Number:  20790

     Question Number(s):  2E22F

     How often do you . . .

     F: . . . Get less sleep than you think you should?

     1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly
     every day" 6="Every day"
```

PCT VALID	PCT ALL	N	VALUE	LABEL
7.5	6.4	160	1	NEVER:(1)
11.1	9.4	236	2	SELDOM:(2)
23.0	19.5	492	3	SOMETIME:(3)
19.5	16.5	416	4	MST DAYS:(4)
18.0	15.3	385	5	NR EV DA:(5)
20.9	17.7	445	6	EVERYDAY:(6)
	15.3	385	-9	MISSING:(-9)
-----	-----	-----		
100.0	100.0	2,521	cases (Wtd)	

```
     Data type: numeric
     Missing-data code: -9
     Columns: 674-675
```

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at http://www.monitoringthefuture.org/pubs.html.

Publications are divided into the following categories:

> Monographs
> Reference Volumes
> Books
> Journal Articles
> Chapters
> Research Reports
> Occasional Papers
> Congressional Testimony
> Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.