

PYAAS.

DARK STORE OPERATIONS · 90-DAY PILOT

The Before-7 AM Promise, Run on Three Systems

The complete operating playbook for the Pyaas micro-fulfilment hub — receive, chill, sort, dispatch and deliver every subscriber's milk to the door before 7 AM, across the 90-day Lucknow pilot.

Built on the three systems Pyaas runs — the **Pyaas consumer app** (subscriptions, addresses, wallet), **Dolibarr** (stock & finance back office) and the **Pyaas Rider app** (route & proof of delivery) — and grounded in Pyaas's own SOP K08 (Dark-Store Hub) and SOP K09 (Last-Mile Rider).



PROGRAMME

Parag (PCDF) × Pyaas · Lucknow

WINDOW

90 days · deliver by 7:00 AM

VERSION

v1.0 · 14 Aug 2026

BASIS

SOP K08 + K09, 3-system stack

CONFIDENTIAL — Internal operating manual. Contains no customer personal data. Blur all personal details on any screenshot.

A The three systems that run the hub

Pyaas runs the whole pilot on **three systems — and only three**. Knowing which does what is the difference between a smooth morning and chaos, and it answers the one question every sorter and rider asks: “**where do I get the address?**”

1 • PYAAS CONSUMER APP

The **system of record** & daily engine. Subscriptions, pause / skip / vacation, the **day's order list**, **customer addresses**, the **wallet**, and delivery notifications. Also the **hub operator view** that generates route trays.

PYAAS APP

2 • DOLIBARR

The **back-office ledger**. Product & **stock master**, **goods receipt (GRN)**, Milk-Union **procurement & settlement**, invoicing / GST, MIS — fed summarised data from the app.

DOLIBARR

3 • PYAAS RIDER APP

The **last mile**. Route & drop sequence, the address for each stop, **geo-photo proof of delivery (+OTP)**, returns scan-in. Notifies the customer on delivery.

RIDER APP

HOW THE 3 SYSTEMS WORK – where the address comes from

The customer typed their address when they subscribed, so it lives in the **app**. After the 9 PM cut-off the app builds tomorrow's list and generates **route trays**. The **sorter** picks to those trays; the **rider** gets each address and drop sequence in the **Rider app**. Neither reads the address from Dolibarr or a POS — the POS is not used at a dark store (no walk-ins). SOP K08/K09

ONE THING TO CONFIRM – the “hub app”

SOP K08 refers to a **hub app** for inbound, sortation and dispatch. Since Pyaas runs only three systems, treat this as the **operator / hub view of the Pyaas app** (same stack), not a fourth system. Confirm with the Pyaas team which screen the hub operator opens to generate route trays and scan trays out. PYAAS APP

Every packet still becomes an auditable sale — not through the POS, but because the **app** records every delivery (the receipt on the subscriber's profile) and a nightly batch posts the day's totals to **Dolibarr**. What proves nothing leaks is the nightly reconciliation:

Dispatched = Delivered (billed) + Returned (not billed) + Failed (credited)

Run at day-close every night. If it ties to zero, every packet that left the hub is accounted for.

1 Purpose & scope of the pilot

This playbook governs the **dark-store / micro-fulfilment hub** for the 90-day Parag × Pyaas pilot in Lucknow. The hub is where the night's finished milk becomes tomorrow morning's doorstep deliveries: **receive, chill, sort, dispatch and reconcile** so every subscriber gets the right order, cold, **before 7 AM**. **SOP K08/K09**

What the hub is — and is not

It is a **fulfilment-only** site: no walk-in customers, no counter sales. Its whole job is accurate sortation, an unbroken cold chain, on-time rider dispatch and a clean crate/COD reconciliation. Acquisition, pricing and marketing live in the GTM plan, not here.

The numbers that govern every night

Control point	The standard	Source
Order / change cut-off (app)	9:00 PM the night before — order book freezes	PYAAS APP
Delivery window / SLA	4:00–7:00 AM ; completion by 7:00 AM ≥ 98.5%	SOP K08/K09
Chiller temperature	0–4°C , 100% logged; excursion response ≤ 15 min	SOP K08/K09
Sort accuracy	≥ 99.8% (pick-to-tray scan + 2% recount)	SOP K08/K09
Proof of delivery	Geo-photo POD (+OTP if opted) , 100% — “no POD, no payment”	SOP K08/K09
Payment	Prepaid & cashless default (UPI / wallet); COD banked ≤ 24 h	SOP K08/K09
Shrinkage / crate recon	Shrinkage ≤ 0.3% ; crate reconciliation 100% per cycle	SOP K08/K09
Exclusivity	No competing dairy-subscription fulfilment from the same premises	SOP K08/K09

WATCH OUT – reconcile app vs SOP on day one

The hub SOP sets the delivery window at **4–7 AM** and the chiller at **0–4°C**. The consumer app currently shows a **5–7:30 AM** slot and packs say “4°C or below”. Make the app slot and the SOP agree before go-live, and treat **0–4°C / by 7 AM** as the operating truth. **PYAAS APP**

2 Roles & escalation

A hub team is small and every job has one named owner and a named backup. Standby cover of $\geq 10\%$ of routes is rostered so the loss of one rider never breaks the morning. **SOP K08/K09**

HUB IN-CHARGE (FRANCHISEE / OPERATOR)

Owns the hub and the night's result: inbound acceptance, cold chain, sortation accuracy, on-time dispatch, returns, and the crate & COD reconciliation. Escalates to City Ops. FoSTaC-trained supervisor on site.

SORTER / PACKER

Picks to the app-generated route trays with **scan verification**, loads insulated bags & ice packs per season, and keeps trays separated by rider. Never lets stock stand out of the chiller.

DELIVERY RIDER (OWN OR 3PL)

Scans the tray out against their ID, follows the Rider-app drop sequence, delivers to the instructed point before 7 AM, captures **geo-photo POD (+OTP)**, and returns undelivered chilled stock the same morning. "No POD, no payment."

CITY OPERATIONS MANAGER

Off-site owner of the territory: handles escalations (excursions, NDR, COD, complaints), audits hygiene, and signs off go-live and gate reviews.

CUSTOMER SUPPORT

Handles address / access issues via call → support conference, logs and resolves complaints, manages vacation / pause, and issues credits within authority.

Escalation matrix

Issue	Escalate to	Response time
Chiller excursion	Act ≤ 15 min; escalate to City Operations Manager	≤ 15 minutes
Inbound discrepancy vs dispatch note	Photo-log → Hub In-charge → City Ops	At handover
Undeliverable order (NDR) / access issue	Call → Support conference → Hub In-charge; return chilled	Same morning
COD shortfall / banking issue	City Ops → Finance	Same day
Customer complaint at the door	City Operations Manager (quarantine item for QC)	≤ 24 hours
Safety / accident	City Ops → Control Room	Immediate

Escalation levels and response times are taken from SOP K08 & K09 escalation matrices. **SOP K08/K09**

3 The nightly operating clock

Everyone works to this clock. The times are the recommended standard aligned to the SOP's **4–7 AM window**; the Hub In-charge may vary a step by a stated reason, but the three **fixed points** never move: the **9 PM cut-off**, **dispatch by 4:00 AM**, and the **7:00 AM** close of delivery. **RECOMMENDED**

Time	Step	Owner	System
9:00 PM (D-1)	App order cut-off — tomorrow's book freezes (pauses / skips / vacations applied)	System	PYAAS APP
9:15 PM	App consolidates demand by SKU & route; indent computed (demand + buffer – usable stock)	Hub In-charge	PYAAS APP
10:00 PM	Indent placed with the plant (prepaid DI) and acknowledged	Hub In-charge	DOLIBARR
~1:30–2:00 AM	Reefer inbound; GRN vs dispatch note; chilled SKUs into chiller immediately (0–4°C)	Hub In-charge / Sorter	DOLIBARR
2:00–3:15 AM	Sortation — app route trays; pick-to-tray with scan verify; 2% supervisor recount	Sorter	PYAAS APP
3:15–3:45 AM	Rider check-in; insulated bags + ice; tray scan-out against rider ID	Hub In-charge / Rider	PYAAS APP RIDER APP
4:00 AM	Dispatch — depart by cut-off; departure recorded	Rider	RIDER APP
4:00–7:00 AM	Delivery window; geo-photo POD (+OTP) at every drop; app notifies the customer	Rider	RIDER APP PYAAS APP
7:00–7:30 AM	Riders return; scan-in empties & undelivered → chiller (reason codes); routes closed	Rider / Sorter	PYAAS APP
7:30–8:30 AM	Crate reconciliation; COD reconciliation & banking; nightly sales reconciliation to Dolibarr	Hub In-charge	PYAAS APP DOLIBARR
Daytime	Support & complaints; QC quarantine; chiller cleaning log; next-day prep	Support / Hub	PYAAS APP

QUALITY STANDARD

Three fixed points that never move: the 9 PM cut-off, dispatch by 4:00 AM, and the 7:00 AM close. Missing any one is a reportable event, named with its cause. And **COD is banked within 24 hours** — never held overnight by any individual. **SOP K08/K09**

4 Step-by-step SOP

Six stages carry the night from the reefer at the gate to a reconciled close. Each step names what to do, the quality check, and how to fix it if it goes wrong. Where a screen is a live Dolibarr / app view, a **real capture** is shown; rider-app and hub-scan screens are marked to capture from the app. **SOP K08/K09**

HOW THE 3 SYSTEMS WORK – read this first

Which system each step uses: the day's list, route trays and addresses come from the **Pyaas app**; **Dolibarr** is opened only for stock, GRN, procurement and finance; the **Rider app** owns the last mile. The POS is not used.

Stage A. Inbound & cold-chain acceptance ~1:30–2:00 AM Hub In-charge / Sorter

A1 1:30 AM Hub In-charge

Do. Receive the reefer and **verify crates & batches against the dispatch note** — count, batch, manufacture/expiry, temperature, pack integrity and labelling.

The screenshot shows the Dolibarr 'VENDOR INVOICES' interface. On the left is a sidebar with navigation links: My Dashboard, Setup, Admin Tools, and Users & Groups. The main area displays a table of vendor invoices. The table has columns: Ref., Ref. vendor, Invoice date, Due date, Project ref., Third party, and Amount (excl. t...). A single invoice is listed with Ref. (PROV1), Ref. vendor TEST-DIAG-001, Invoice date 13/08/2026, Due date 13/08/2026, and Amount 0.00. A 'Total' row at the bottom also shows 0.00. Above the table are various filters and search options.

REAL SCREEN · captured from the live Pyaas system

Dolibarr inbound / vendor document booked against the dispatch note

Look here: the quantity, batch and the accepted total

Personal data redacted.

QUALITY CHECK

Physical count = dispatch note; product at 0–4°C; labelling compliant.

IF IT GOES WRONG

Short, warm, undated or damaged stock → refuse the affected packs, photo-log the discrepancy, and escalate at handover.

A2**1:45 AM****Sorter**

Do. Move chilled SKUs **into the chiller immediately** and log the temperature (0–4°C).



SCREENSHOT TO CAPTURE

Capture from chiller telemetry system, blur personal data, paste here.

from the chiller telemetry system

Chiller telemetry log showing 0–4°C at intake

QUALITY CHECK

Stock is in the chiller within minutes; reading 0–4°C and logged.

IF IT GOES WRONG

Stock stands out, or a reading is out of band → chill first; on any excursion act within 15 minutes and quarantine affected stock.

A3**2:00 AM****Hub In-charge**

Do. Post accepted / rejected / short to stock so on-hand is correct before sortation.

Ref.	Label	Stock limit for ...	Desired Stock	Physical Stock	Virtual stock
PRG-BUTTER-100GM	Parag Table Butter ...			48	
PRG-BUTTER-20GM	Parag Table Butter ...			100	10
PRG-BUTTER-500GM	Parag Table Butter ...			12	
PRG-BUTTER-50GM	Parag Table Butter ...			60	
PRG-BUTTER-NS-100GM	Parag Non Salted ...			24	
PRG-CHHACH-430ML	Parag Chhach (But...			48	

REAL SCREEN · captured from the live Pyaas system

Dolibarr stock updated to the accepted quantity

[Look here: the physical-stock quantities per SKU](#)

Personal data redacted.

QUALITY CHECK

System on-hand = physically accepted quantity, per SKU.

IF IT GOES WRONG

GRN signed but not entered in the system → enter it before 2:00 AM sortation; if the system is down, sort from the signed GRN and reconcile when it is back.

Stage B. Sortation & pick-to-tray

2:00–3:15 AM

Sorter

B1

2:00 AM

Sorter

Do. Open the app's **route trays** for tomorrow — the app builds one tray per rider/route from the frozen order book, net of pauses & skips.



SCREENSHOT TO CAPTURE

Capture from Pyaas app operator / hub view, blur personal data, paste here.

from the Pyaas app operator / hub view

Hub / operator view listing tonight's route trays

QUALITY CHECK

One tray per rider, in drop sequence; paused customers excluded.

IF IT GOES WRONG

Trays missing, or paused customers still showing → confirm the app generated tonight's trays; re-filter to tomorrow's date before picking.

B2

2:15 AM

Sorter

Do. Pick to the tray, drop by drop, with **scan verification**, earliest-expiry first (FEFO). Never pick into a common pile.



SCREENSHOT TO CAPTURE

Capture from Pyaas app hub / scan view, blur personal data, paste here.

from the Pyaas app hub / scan view

Pick-to-tray scan confirming SKU & quantity for a drop

QUALITY CHECK

Each tray matches its route lines exactly; earliest expiry picked first.

IF IT GOES WRONG

Picked SKU-by-SKU into a pile → re-pick to the tray — the classic error is the right total in the wrong tray.

B3

2:55 AM

Hub In-charge

Do. Supervisor 2% recount on a sample of trays to catch sort errors before they reach the door.

QUALITY CHECK

Sampled trays match their route lines.

IF IT GOES WRONG

A sampled tray is wrong → 100% recheck that route before it is bagged.

B4**3:05 AM****Sorter**

Do. Load insulated bags with ice packs per season and keep trays **separated by rider**. No tray is bagged without its label.

QUALITY CHECK

Cold hold sufficient for a ~3-hour run; trays never mixed between riders.

IF IT GOES WRONG

Too few ice packs, or trays mixed → re-ice for the season; re-separate by rider before dispatch.

Stage C. Rider dispatch**3:15–4:00 AM****Hub In-charge + Rider****C1****3:15 AM****Rider**

Do. Check in and verify the tray count **against the route manifest** in the Rider app.

**SCREENSHOT TO CAPTURE**

Capture from Pyaas Rider app, blur personal data, paste here.

from the Pyaas Rider app

Rider-app route manifest with tray/drop count

QUALITY CHECK

Tray count = manifest count.

IF IT GOES WRONG

Counts don't match → recount together with the Hub In-charge before release.

C2**3:30 AM****Hub In-charge**

Do. Scan every tray out against the rider's ID. No tray leaves the hub without a scan-out — it protects accuracy and traceability.

**SCREENSHOT TO CAPTURE**

Capture from Pyaas app hub / dispatch view, blur personal data, paste here.

from the Pyaas app hub / dispatch view

Tray scan-out screen tagging trays to a rider ID

QUALITY CHECK

Every tray shows scanned-out to a named rider.

IF IT GOES WRONG

A tray is loaded without scan-out → stop — do not dispatch; scan it out first.

C3**4:00 AM****Rider**

Do. Depart by the cut-off (4:00 AM); departure time recorded. A run leaving late is recorded with its cause.

QUALITY CHECK

100% of routes dispatched by the cut-off.

IF IT GOES WRONG

A rider is late or absent → dispatch anyway and record the cause; send the rostered standby rider (≥10% cover).

Stage D. Delivery & proof of delivery

4:00–7:00 AM

Rider

D1

4:00–7:00 AM

Rider

Do. Follow the **Rider-app drop sequence** and deliver to the **instructed point** (door hook / flat drop / hand over). Respect “no calls / no bells” and other stated preferences. Never force entry.



SCREENSHOT TO CAPTURE

Capture from Pyaas Rider app, blur personal data, paste here.

from the Pyaas Rider app

Rider-app stop screen: name, tower/flat, gate note, sequence

QUALITY CHECK

Delivered to the exact instructed point, before 7 AM, product still cold.

IF IT GOES WRONG

No answer, or an exposed drop point → follow the recorded fallback; for access issues call → Support conference, never force entry.

D2

at each drop

Rider

Do. Capture **geo-time-stamped photo POD** (and OTP where the customer opted). The app notifies the customer automatically.



SCREENSHOT TO CAPTURE

Capture from Pyaas Rider app, blur personal data, paste here.

from the Pyaas Rider app

Rider-app POD capture (photo / geo / time / OTP)

QUALITY CHECK


Every drop closes with a POD before you move on.

IF IT GOES WRONG

A drop has no POD → **no POD, no payment** — never mark delivered without proof; the run cannot close with a gap.

D3**at each drop****System**

Do. Confirm the customer sees the **“Delivered”** update and daily delivery log — this notification is part of the trust experience.



REAL SCREEN · captured from the live Pyaas system

Consumer app: the delivery / “your deliveries” log the customer sees

[Look here: the delivered status and log entry](#)

Personal data redacted.

QUALITY CHECK

“Delivered” shows for the customer with today’s items.

IF IT GOES WRONG

POD captured but no customer notification → Support confirms with the customer directly.

Stage E. Returns intake 7:00–7:30 AM Rider / Sorter

E1

7:00 AM

Rider / Sorter

Do. Scan in empties and undelivered stock. Return undelivered **chilled** stock to the chiller the **same morning**, tagged with a **reason code**.



SCREENSHOT TO CAPTURE

Capture from Pyaas app hub view, blur personal data, paste here.

from the Pyaas app hub view

Returns scan-in with reason codes

QUALITY CHECK

Undelivered chilled stock is back in the chiller, reason-coded; empties counted.

IF IT GOES WRONG

Stock left on the vehicle → return it to the chiller now — never carry chilled stock over.

E2

7:20 AM

Rider

Do. Close the route in-app and view the scorecard. Every drop must carry a completion type.

QUALITY CHECK

Route closed; no drop unaccounted.

IF IT GOES WRONG

A drop is still open → chase its POD before the route is closed.

Stage F. Day close & reconciliation 7:30–8:30 AM Hub In-charge

F1

7:30 AM

Hub In-charge

Do. Crate reconciliation, 100% — crates out equal crates in.


QUALITY CHECK

Crates out = crates in for the cycle.

IF IT GOES WRONG

A crate variance → investigate the same day; a steady loss is shrinkage — keep it $\leq 0.3\%$.

Do. Reconcile COD at order level and bank within 24 hours. Never hold cash overnight.



Ref.	Invoice date	Due date	Project ref.	Third party	Amount (excl. t...)	Am
FA2608-0001	13/08/2026	13/08/2026			60.95	
(PROV18)	13/08/2026	13/08/2026			628.57	
TC1-2607-0001	29/07/2026	29/07/2026			35.00	
TC1-2607-0002	29/07/2026	29/07/2026			35.00	
TC1-2607-0003	29/07/2026	29/07/2026			125.47	

REAL SCREEN · captured from the live Pyaas system

Dolibarr billing / COD position for the day (personal data redacted)

[Look here: the paid vs due figures](#)

Personal data redacted.

QUALITY CHECK


Cash due = collected = banked; digital settlement reconciled.

IF IT GOES WRONG

A COD shortfall or banking gap → escalate City Ops → Finance the same day.

F3**8:00 AM****Hub In-charge**

Do. Nightly sales reconciliation: dispatched = delivered + returned + failed. Post the day's revenue & stock summary to Dolibarr (aggregated, not per drop).



REAL SCREEN · captured from the live Pyaas system

Dolibarr dashboard — the day's orders / stock position

[Look here: the order & stock tiles](#)

Personal data redacted.

QUALITY CHECK

The equation ties to zero; every packet is revenue, a return, or a credited failure.

IF IT GOES WRONG

An unexplained gap → raise a named exception with an owner and close it within 48 hours.

F4**8:20 AM****Hub In-charge**

Do. Chiller cleaning log signed; quarantine complaint items for QC pickup.

QUALITY CHECK

Cleaning logged; complaint items separated and labelled for QC.

IF IT GOES WRONG

Log skipped or item mixed back in → complete the log and quarantine before close — never return a complaint item to saleable stock.

5 Cold chain, quality & KPIs

The cold chain and sort accuracy are what the customer feels as “the right order, fresh, before 7 AM.” These standards are non-negotiable and system-measured. **SOP K08/K09**

Standard	Target	Category
Chiller temperature	0–4°C, 100% logged ; chilled SKUs in the chiller immediately; excursion response ≤ 15 min	Cold chain
Sort accuracy	≥ 99.8% (pick-to-tray scan + 2% recount)	Accuracy
Rider dispatch by cut-off	100% — every route out by 4:00 AM	Timeliness
Completion by 7:00 AM	≥ 98.5% of drops	Timeliness
Proof of delivery (geo-photo)	100% — “no POD, no payment”	Compliance
Wrong / missed delivery	≤ 0.5%	Accuracy
Shrinkage / crate reconciliation	Shrinkage ≤ 0.3% ; crate reconciliation 100%	Efficiency
Complaints per 1,000 deliveries	≤ 2	Customer
COD banking	Within 24 h, 100%	Compliance
Hub hygiene audit	≥ 90% monthly	Compliance

Every target above is drawn from SOP K08 (hub) and SOP K09 (rider); measurement is system-based (scan verification, chiller telemetry, rider-app POD timestamps, reconciliation). **SOP K08/K09**

6 Exception SOPs

Each mini-SOP names the owner, response time, customer message, system action and escalation — taken straight from the K08/K09 escalation matrices. **SOP K08/K09**

E1. CHILLER EXCURSION (TEMPERATURE OUT OF 0–4°C)

Owner	Hub In-charge
Respond within	≤ 15 minutes
Tell the customer	Only if affected stock reached a customer
System action	Quarantine / debit affected stock; log the event; act on the alert
Escalate to	City Operations Manager

E2. INBOUND DISCREPANCY VS DISPATCH NOTE

Owner	Hub In-charge
Respond within	At handover
Tell the customer	—
System action	Photo-log the discrepancy; adjust the GRN before accepting
Escalate to	Hub In-charge → City Ops

E3. UNDELIVERABLE ORDER (NDR)

Owner	Rider → Support
Respond within	Same morning
Tell the customer	Call → support conference
System action	Return chilled stock to the hub chiller with a reason code; raise credit
Escalate to	Hub In-charge → City Ops

E4. ADDRESS / ACCESS ISSUE AT THE DOOR

Owner	Rider → Support
Respond within	During the route
Tell the customer	Call the customer to confirm
System action	Update the address / instruction in the app; never force entry
Escalate to	Support → Hub In-charge

E5. VACATION / PAUSE / SINGLE-DAY SKIP

Owner	Customer Support (or self-serve app)
Respond within	Before the 9 PM cut-off
Tell the customer	Confirm the change & effective date
System action	App applies the skip — no tray is generated for those days
Escalate to	None / L1

E6. COD SHORTFALL OR BANKING GAP

Owner	Hub In-charge
Respond within	Same day
Tell the customer	—
System action	Reconcile COD at order level; bank within 24 h
Escalate to	City Ops → Finance

E7. WRONG OR MISSED DELIVERY

Owner	Rider → Support
Respond within	Same day
Tell the customer	Apology + credit; correct on the next run
System action	Record the error; credit the wallet; schedule correct supply
Escalate to	City Operations Manager

E8. QUALITY COMPLAINT AT THE DOOR (ILLNESS = IMMEDIATE)

Owner	Support → City Ops
Respond within	≤ 24 h; illness immediate
Tell the customer	Apology; do not consume; replace or credit
System action	Quarantine the item for QC pickup; raise an incident report
Escalate to	City Ops (illness → Control Room, immediate)

7 The 90-day pilot plan

The daily operation is constant in shape across the 90 days; four overlapping phases change the SKU set, the traceability requirement and the acquisition intensity. Volume is deliberately held below capacity early, then scaled on density. **CONFIRMED**

Days 1–20 Phase 1 — Warm-up

Prove the physical operation on existing Parag SKUs (500 ml FCM & Toned). Service reliability, cold-chain discipline and register completeness first; volume held below capacity; society-level acquisition.

Days 15–50 Phase 2 — Existing-SKU engagement

Scale the base: subscriptions, retention, route density and rider productivity. First unit-economics read at the Day-30 gate.

Days 45–80 Phase 3 — Traceable-SKU transition

Introduce QR-coded pilot-batch packs alongside existing packs; prove farm-to-door traceability; begin measuring consumer scan rate.

Days 75–90 Phase 4 — Evaluation & scale-readiness

Freeze changes; consolidate the evidence trail; complete reconciliation; prepare handover and the scale-readiness case.

QUALITY STANDARD – the gates & the density rule

Formal gates at **Day 30** (first economics), **Day 55** (mid-pilot review), **Day 80** and **Day 90** (closure & reconciliation). No route goes live below the density gate of roughly **150 prepaid subscribers / ~120 L per day** in one tight cluster, and every route carries **≥ 10% standby cover**. **CONFIRMED**

The pilot dashboard — track daily, review at the gates

Metric	Target	Owner
On-time delivery (by 7:00 AM)	≥ 98.5%	Rider / Hub
First-delivery success (new subscribers)	≥ 95%	Hub / Support
Sort accuracy	≥ 99.8%	Sorter
Chiller compliance (0–4°C logged)	100%	Hub In-charge
POD compliance	100%	Rider
Shrinkage / crate reconciliation	≤ 0.3% / 100%	Hub In-charge
Complaints per 1,000	≤ 2	Support
Route density (litres / route / day)	≥ 120 L (~150 subs)	City Ops
Subscription retention (7 / 30 / 90 days)	7-day ≥75% · 30-day ≥80% · 90-day tracked	City Ops / Support
COD banked within 24 h	100%	Hub In-charge

8 Checklists, go-live & compliance

HUB — DAILY

- ☐ Reefer received; crates/batches verified vs dispatch note
- ☐ Chilled SKUs into chiller immediately (0–4°C)
- ☐ Pick-to-tray scan + 2% supervisor recount
- ☐ Insulated bags/ice loaded; trays scanned out by rider ID; dispatched by 4:00 AM
- ☐ Returns scanned in; chilled returns to chiller (reason codes)
- ☐ Crate + COD reconciled & banked; chiller cleaning logged

HUB — WEEKLY / MONTHLY

- ☐ Bag deep-clean logged; hygiene self-audit
- ☐ Sort accuracy / shrinkage / chiller compliance reviewed
- ☐ Standby-rider roster confirmed (≥10%)
- ☐ Hub-hygiene audit ≥ 90% (monthly)
- ☐ FSSAI / premises / chiller-telemetry validations current

RIDER — DAILY

- ☐ Checked in; tray-out scanned; count vs manifest verified
- ☐ Ice packs loaded per season
- ☐ Delivered to instructed point in app drop sequence
- ☐ Geo-photo POD (OTP if opted) captured for every drop
- ☐ Exceptions handled per app; no forced entry
- ☐ Undelivered chilled stock scanned back to chiller; route closed

RIDER — WEEKLY / MONTHLY

- ☐ Completion / complaints / POD compliance reviewed
- ☐ Bag hygiene checked; kit damage reported
- ☐ Standby / substitution cover confirmed
- ☐ Accident insurance / medical fitness / (3PL) EPFO-ESIC current
- ☐ Route productivity & CSAT reviewed

Go-live readiness — do not open a route until all are true

- ☐ All **three systems live**: consumer app (subscriptions/wallet), Dolibarr (stock/GRN/finance), Rider app (route/POD) — and the app **generates route trays** and **scan-out**. PYAAS APP DOLIBARR RIDER APP
- ☐ App delivery slot reconciled to the SOP (**by 7 AM**); chiller set to **0–4°C** with telemetry validated.
- ☐ **FSSAI** (storage/retail), **FoSTaC-trained supervisor**, staff **police-verified**, **security deposit** in place.
- ☐ **Density gate** met (~150 prepaid subs / ~120 L per route); **≥10% standby** rostered.
- ☐ A full **dry-run night** completed and signed off by City Ops.

STOP / ESCALATE – standing compliance rules

Customer address & order data is handled per the **DPDP Act, 2023** and used only for fulfilment. **No competing dairy-subscription fulfilment** from the same premises (exclusivity). **COD banked within 24 hours** — never held overnight. Any product-safety, illness, regulator, data-breach or brand-misuse issue goes **immediately** to City Ops / Control Room. SOP K08/K09

The promise, in one line: the **app** holds the subscription, address and wallet; **Dolibarr** holds stock and money; the **Rider app** proves the delivery — and an unbroken cold chain plus a nightly reconciliation turn all three into “the right order, fresh, before 7 AM,” every day of the 90-day pilot.

PYAAS Dairy Private Limited · Dark Store Operations Playbook, 90-Day Pilot (Lucknow) · v1.0, 14 Aug 2026. Grounded in SOP K08 (Dark-Store Hub) and SOP K09 (Last-Mile Rider) and the three-system stack. Contains no customer personal data.