Question			Answer	Marks	AO	Guidance
6			$a = 3$	**B1**	**1.1b**	
			Attempt to divide the cubic by $(x+2)$	**M1**	**1.1a**	Allow grid method or long division as far as the linear term of the quotient
			$b = -5$	**A1**	**1.1b**	May be embedded in final expression
			$c = 4$	**A1**	**1.1b**	May be embedded in final expression FT their b
			$d = -13$	**B1**	**1.1b**	May also be found using the remainder theorem. May be embedded in final expression
			[So $f(x) = (x+2)\left(3x^2 - 5x + 4\right) - 13$]			Need not be given explicitly if all coefficients seen
			By inspection			
			$f(x) = (x+2)\left(3x^2 - 5x + 4\right) - 13$	**B1**		B1 for a embedded in their expression even if incomplete
				M1		Method may be implied by correct b, or correct FT for c
				A1		$b = -5$
				A1		$c = 4$ FT their b with $c = -6 - 2b$
				B1		May also be found using the remainder theorem. May be embedded in their expression
				[5]		

			Alternative method $a = 3$	**B1**		
			expanding and equating coefficients quadratic term $2a + b = 1$ linear term $2b + c = -6$ constant term $2c + d = -5$	**M1**		expanding and equating coefficients for at least the quadratic or linear term
			$b = -5$	**A1**		May be embedded in final expression
			$c = 4$	**A1**		May be embedded in final expression FT their b
			$d = -13$	**B1**		May also be found using the remainder theorem. May be embedded in final expression
			So $f(x) = (x + 2)(3x^2 - 5x + 4) - 13$			Need not be given explicitly if all coefficients seen
				[5]		