6	**(a)**		Correct structure for two boxplots seen Range correct and clear on one diagram IQR correct and clear on one diagram Median correct and clear on one diagram Both boxplots completely correct with all details shown as above	**B1** **B1** **B1** **B1** **B1** **[5]**	**1.1a** **1.1** **1.1** **1.1** **1.1**	 F: 82.1 to 86.7 M: 77.6 to 83.3 F: 83.45 to 84.9 M 79 to 81.15 F: 84 M: 80.25 F /M label or with key	Through template circles
6	**(b)**		80.25 < 84 so typical male has lower life expectancy than typical female 2.15 > 1.45 OR 5.7 > 4.6 so life expectancy of males is more variable	**E1** **E1** **[2]**	**2.2a** **2.2a**	OR 80.2844 < 84.2313 so the average life expectancy is lower for males OR 1.4294 > 1.1563 so life expectancy of males is more variable	Or median (or mean) life expectancy for males is less than for females Or life expectancy for males is more variable than for females + ref to range, IQR or sd
6	**(c)**		eg The LDS deals with averages, not individuals, so it does not mean that everyone in London has a longer life expectancy than everyone in Lancashire eg There is no info available for Lancashire	**E1** **E1** **[2]**	**2.4** **2.4**	Any two valid different comments	
6	**(d)**		Either M: 80.2844 ± 2×1.4294 (= 83.1432) or F: 84.2313 ± 2×1.1563 = (86.5439) 83.1(432) < 83.3 and 86.5(439) < 86.7	**M1** **A1** **[2]**	**1.1** **2.4**	Correct use of criterion Both correct comparisons	83.1(432) or 81.9(187) or 86.5(439) or 77.4(256)

6	**(e)**		(linear) **correlation** (strong) **positive**	**M1** **A1** **[2]**	**2.2b** **1.1**		