14			$y = 16x^{\frac{1}{2}} + 8x^{-1}$	**B1**	**3.1a**	May be implied by correct derivative
			$\frac{dy}{dx} = 8x^{-\frac{1}{2}} - 8x^{-2}$	**M1**	**1.1**	At least one term of the form $\alpha x^{-\frac{1}{2}}$ or βx^{-2} obtained
				A1	**1.1**	All correct
			$x = 4, \frac{dy}{dx} = \frac{7}{2}$	**B1FT**	**1.1**	FT their $\frac{dy}{dx}$, dep on award of **M1**
			$x = 4$, $y = 34$	**B1**	**1.1**	
			y – *their* 34 = (*their* $\frac{7}{2}$)(x –4) **oe**	**M1 FT**	**1.1**	Their 7/2 must come from substituting x = 4 into their derivative
			e.g. sub (4, '34') into their $y = mx + c$ to find their 'c'			

Question			Answer	Marks	AO	Guidance
			$y = \frac{7}{2}x + 20$ o.e.	**A1**	**3.2a**	All correct. Depends on all previous marks. We can accept any form of the equation of the line: $7x - 2y + 40 = 0$ or $y - 34 = \frac{7}{2}(x - 4)$ o.e. Once the correct equation is seen in any form we can ISW if they simplify incorrectly etc NOTE: Final answer can be obtained from incorrect working- check their derivative
				[7]		