Question			Answer	Marks	AO	Guidance
9	(a)		p(A) = $\frac{1}{3}$ o.e.	B1	1.1	e.g. $\frac{2}{6}$ etc
				[1]		
9	(b)		p(B) = $\frac{1}{2}$ o.e.	B1	1.1	e.g. $\frac{3}{6}$ etc
				[2]		
9	(c)		$\frac{5}{6}$	B1FT	1.1	FT their $\frac{1}{3}+\frac{1}{2}$ provided their probability total ≤ 1
				[1]		
9	(d)		p(odd, odd) + p(even, even) **soi** **or** 1 - p(odd, even) etc	M1	3.1a	Can score this mark for the intention to calculate p(odd, odd) + p(even, even)- may be stated, or partial cases listed, or with a tree diagram with correct pathways or with a statement of 'odd, odd' and 'even, even' and an attempt to add.
			$\left(\frac{2}{3}\right)^2+\left(\frac{1}{3}\right)^2$	A1	2.1	
			$\frac{5}{9}$ o.e. $\frac{20}{36}$ etc	A1	1.1	allow $0.\dot{5}$ correct to 3 dp or better so 0.555… or 0.555 but not 0.55 however isw once $\frac{5}{9}$ o.e. seen. Condone 0.556

Question			Answer	Marks	AO	Guidance
			Alternative 1 Sample space: (table below) $\frac{5}{9}$ o.e. $\frac{20}{36}$ etc	**M1** **A1** **A1**	**3.1a** **2.1** **1.1**	Complete sample space diagram with maximum two errors Extraction of even outcomes- may circle or underline etc. allow $0.\dot{5}$ correct to 3 dp or better so 0.555… or 0.555 but not 0.55 however isw once $\frac{5}{9}$ o.e. seen. Condone 0.556
			Alternative 2 Listing cases: (1,3) (1, 5) (1, 7) (3,5) (3,7) (4,6) (5,7) x2 and (1, 1) (3, 3) (4, 4) (5, 5) (6, 6) (7, 7) A complete list extracted. $\frac{5}{9}$ o.e. $\frac{20}{36}$ etc	**M1** **A1** **A1**	**3.1a** **2.1** **1.1**	Must make a clear attempt at pairing odd with odd **and** even with even. The list can be incomplete for this mark. May be implied by a correct answer. allow $0.\dot{5}$ correct to 3 dp or better so 0.555… or 0.555 but not 0.55 however isw once $\frac{5}{9}$ o.e. seen. Condone 0.556
				[3]		

	1	**3**	**4**	**5**	**6**	**7**
1	2	4	5	6	7	8
3	4	6	7	8	9	10
4	5	7	8	9	10	11
5	6	8	9	10	11	12
6	7	9	10	11	12	13
7	8	10	11	12	13	14