| Question | Answer | Mark | Mark scheme | Additional guidance |
|---|---|---|---|---|
| 7 (a) | Completed bar chart | B2 | for a fully correct bar chart | Condone bars of unequal width<br>Condone no gaps or inconsistent gaps |
| | | (B1 | for one bar correct, eg '50p' plotted at 8 or '£1' plotted at 3<br>or both reversed ie '50p' plotted at 3 and '£1' plotted at 8) | |
| (b) | Shown | M1 | for method to find total amount of at least two coin types, from<br>10(p) × 12 (= 120(p)), 20(p) × 7 (= 140(p)),<br>50(p) × 8 (= 400(p)), (£)1 × 3 (= 300(p) or (£)3) | Accept mixed units for both method marks<br>e.g. 10p x 12 (= 120) , 20 x 7 (= 1.4) , 50(p) x 8 (= 4) , 1 x 3 (= 300) |
| | | M1 | for a complete method to find the total amount of money<br>e.g.<br>"120" + "140" + "400" + "300" (= 960)<br>or "1.20" + "1.40" + "4" + "3" (= 9.60) | Accept mixed units for both method marks<br>e.g. 120 + 140 + 4 + 3 ~~(= 9.60)~~ |
| | | C1 | (dep on method shown for totals for at least two coin types or separate correct totals for at least two coin types)<br>showing correct comparable figures<br>eg (£)9.6(0) or 960(p) and 1000(p)<br>or (£)0.4(0) or 40p | Answer must be in consistent units<br>9.60 oe alone with no working will score M1M1 |