Question	Answer	Mark	Mark scheme
17	180, 300, 75	M1	for complete method to find amount needed for 30 biscuits for one ingredient, eg 120 ÷ 20 × 30 (= 180) oe eg 120 + 120 ÷ 2 (= 180) **or** for method to find a scale factor, eg 30 ÷ 20 (= 1.5 oe) **or** for method to find amount needed for 10 biscuits for at least 2 ingredients eg 120 ÷ 2 (= 60) or 200 ÷ 2 (= 100) or 50 ÷ 2 (= 25) **or** for method to find amount needed for 1 biscuit for at least 2 ingredients eg 120 ÷ 20 (= 6) or 200 ÷ 20 (= 10) or 50 ÷ 20 (= 2.5)
		M1	for complete method to find amount needed for 30 biscuits for at least 2 ingredients, eg at least 2 of 120 ÷ 20 × 30 (= 180) or 200 ÷ 20 × 30 (= 300) or 50 ÷ 20 × 30 (= 75) oe **or** eg at least 2 of 120 × "1.5" (= 180) or 200 × "1.5" (= 300) or 50 × "1.5" (= 75) **or** eg at least 2 of 120 + "60" (= 180) or 200 + "100" (= 300) or 50 + "25" (= 75) **or** eg at least 2 of 30 × "6" (= 180) or 30 × "10" (= 300) or 30 × "2.5" (= 75)
		A1	for all quantities correct