Question			Answer	Marks	AO	Guidance
1			$R^2 = 1^2 + \sqrt{3}^2$	M1	1.1	may be implied by correct answer
			$\tan\alpha = \frac{\sqrt{3}}{1}$ or $\sin\alpha = \frac{\sqrt{3}}{2}$ or $\cos\alpha = \frac{1}{2}$ **soi**	M1	1.1	may see eg $\alpha = \tan^{-1}\left(\frac{\sqrt{3}}{1}\right)$ may be implied by correct answer
			$R = 2$ **or** $\alpha = \frac{\pi}{3}$ **or** $\alpha = 60^\circ$ seen	A1	1.1	
			$2\cos(\theta - \frac{\pi}{3})$ or $2\cos(\theta - 60^\circ)$ **isw**	A1	1.1	
				[4]		
			Alternatively $\cos\theta + \sqrt{3}\sin\theta = R\cos\theta\cos\alpha + R\sin\theta\sin\alpha$ so $1 = R\cos\alpha$ and $\sqrt{3} = R\sin\alpha$ $\frac{1}{\cos\alpha} = \frac{\sqrt{3}}{\sin\alpha}$ $\alpha = \frac{\pi}{3}$ **or** $\alpha = 60^\circ$ seen $2\cos(\theta - \frac{\pi}{3})$ or $2\cos(\theta - 60^\circ)$ **isw**	 M1 M1 A1 A1		 for equating coefficients for eliminating R