5			$\left[\begin{pmatrix}5\\-3\end{pmatrix}-\begin{pmatrix}3\\-1\end{pmatrix}=\right]\begin{pmatrix}2\\-2\end{pmatrix}$ **or** $\left[\begin{pmatrix}3\\-1\end{pmatrix}-\begin{pmatrix}5\\-3\end{pmatrix}=\right]\begin{pmatrix}-2\\2\end{pmatrix}$	**B1**	**2.1**	may be in coordinate form or may see distances identified or on diagram; may be implied by $\sqrt{(\pm2)^2+(\pm2)^2}$ **oe**
			$\sqrt{(\pm2)^2+(\pm2)^2}$ **oe**	**M1**	**1.1**	or **FT** their evaluation of $\begin{pmatrix}5\\-3\end{pmatrix}-\begin{pmatrix}3\\-1\end{pmatrix}$ may be implied by correct answer
			$\sqrt{8}$ or $2\sqrt{2}$ **isw**	**A1**	**1.1**	if **B0M0**; allow **SC1** for $\sqrt{80}$ or $4\sqrt{5}$ (from addition of vectors) if supported by Pythagoras; if **B0M0** allow **SC1** for $\sqrt{8}$ or $2\sqrt{2}$ unsupported
				[3]		