14 Douglas wants to construct a model for the height of the tide in Liverpool during the day, using a cosine graph to represent the way the height changes.

He knows that the first high tide of the day measures 8.55 m and the first low tide of the day measures 1.75 m.

Douglas uses t for time and h for the height of the tide in metres. With his graph-drawing software set to degrees, he begins by drawing the graph of $h = 5.15 + 3.4\cos t$.

(a) Verify that this equation gives the correct values of h for the high and low tide. **[1]**

Douglas also knows that the first high tide of the day occurs at 1 am and the first low tide occurs at 7.20 am. He wants t to represent the time in hours after midnight, so he modifies his equation to $h = 5.15 + 3.4\cos(at + b)$.

(b) (i) Show that Douglas's modified equation gives the first high tide of the day occurring at the correct time if $a + b = 0$. **[1]**

(ii) Use the time of the first low tide of the day to form a second equation relating a and b. **[1]**

(iii) Hence show that $a = 28.42$ correct to 2 decimal places. **[2]**

(c) Douglas can only sail his boat when the height of the tide is at least 3 m.

Use the model to predict the range of times that morning when he cannot sail. **[3]**

(d) The next high tide occurs at 12.59 pm when the height of the tide is 8.91 m.

Comment on the suitability of Douglas's model. **[2]**

14(a)	
14(b)(i)	
14(b)(ii)	
14(b)(iii)	

14(c)

14(d)