

Question	Answer	Mark	Mark scheme	Additional guidance
24	$-2.5 < x < \frac{4}{3}$	M1	for method to find the critical values of $4x^2 - 25 < 0$ eg $(2x + 5)(2x - 5)$ or critical values -2.5 and 2.5 oe	accept use of $=$ or incorrect inequality symbol for 1st and 3rd M marks
		M1	(dep on M1) for $x > -2.5$ and $x < 2.5$ or $x > a$ and $x < b$ where a and b are their critical values and $a < b$	This may be implied by a suitable diagram
		M1	for method to find the critical values of $12 - 5x - 3x^2 > 0$ or $3x^2 + 5x - 12 < 0$ eg $(4 - 3x)(x + 3)$ or $(3x - 4)(x + 3)$ $\frac{- -5 \pm \sqrt{(-5)^2 - 4 \times (-3) \times 12}}{2 \times (-3)} \text{ or } \frac{-5 \pm \sqrt{5^2 - 4 \times 3 \times (-12)}}{2 \times 3}$ $3 \left[\left(x + \frac{5}{6} \right)^2 - \left(\frac{5}{6} \right)^2 \right] - 12 = 0 \text{ oe}$ or critical values -3 and $\frac{4}{3}$ oe	
		M1	(dep on previous M1) for $x > -3$ and $x < \frac{4}{3}$ or $x > c$ and $x < d$ where c and d are their critical values and $c < d$	This may be implied by a suitable diagram
		A1	for $-2.5 < x < \frac{4}{3}$ oe eg $x < \frac{4}{3}$, $x > -2.5$	A correct answer with no supportive working gets 0 marks