

Question	Answer	Mark	Mark scheme	Additional guidance
19	0.204	P1 for a process to find a correct product, eg P(A plays C in the final) = 0.6×0.2 (= 0.12) or P(A plays D in the final) = 0.6×0.8 (= 0.48) or P(A wins against B and C) = 0.6×0.5 (= 0.3) or P(A wins against B and D) = 0.6×0.3 (= 0.18) P1 for a process to find the probability of A winning against C or winning against D in the final, eg P(A wins against C in the final) = “0.12” $\times$ 0.5 (= 0.06) or P(A wins against D in the final) = “0.48” $\times$ 0.3 (= 0.144) or P(A wins against C in the final) = “0.3” $\times$ 0.2 (= 0.06) or P(A wins against D in the final) = “0.18” $\times$ 0.8 (= 0.144) P1 for a complete process, eg P(A wins the tournament) = “0.06” + “0.144” A1 for 0.204 oe	for a process to find a correct product, eg P(A plays C in the final) = 0.6×0.2 (= 0.12) or P(A plays D in the final) = 0.6×0.8 (= 0.48) or P(A wins against B and C) = 0.6×0.5 (= 0.3) or P(A wins against B and D) = 0.6×0.3 (= 0.18) P1 for a process to find the probability of A winning against C or winning against D in the final, eg P(A wins against C in the final) = “0.12” $\times$ 0.5 (= 0.06) or P(A wins against D in the final) = “0.48” $\times$ 0.3 (= 0.144) or P(A wins against C in the final) = “0.3” $\times$ 0.2 (= 0.06) or P(A wins against D in the final) = “0.18” $\times$ 0.8 (= 0.144) P1 for a complete process, eg P(A wins the tournament) = “0.06” + “0.144” A1 for 0.204 oe	Could work with fractions Could be seen as part of a correct triple product