如何用Django在24小時 作出prototype微創業 以petneed.me為例

jslee 2013 at PyConTW

who am i?

- 不太會寫js的jslee
- 目前正在創立YouHack team
- 曾經任職過的公司有台達電子雲端技術中心, D-Link、中華電信、Yam、Yahoo! 以及飛行網(Kuro P2P download)

私人時間

- 畢業於實踐大學資管系,在學時與室友 創立實踐大學晨曦之星BBS bbs.kh.usc.edu.tw。
- 在2006年創立youfate.com,並靠Google
 Adsense取得遊學紐西蘭的資金。
- 在2012年的過年假期,創立petneed.me。

契機

- 在過年假期吃完年夜飯,大家在守歲的時候
- 看到台北市政府開放資料平台
- 裡面有一個「開放認養動物」的json API

長這樣

ent":"臺北市流浪貓保護協會","Phone":"0227261079","Email":"jingyi@so-net.net.tw","ChildreAnlong":"","AnimalAnlong":"可(貓)","Bodyweight":"4-5KG","ImageName":"http://163.29.39.183/uploads/images/medium/3713fd33-db97-4cbf-b49a-be2c4eb8c9f7.jpg "},{"Name":"蘭明^{"",}"Sex":"雄","Type":"貓","Build":"中","Age":"成年","Variety":"米克斯","Reason":"","AcceptNum":"101072605 ","ChipNum":"","IsSterilization":"已 絕 育 ","HairType":"虎 斑 ","Note":"個 性 淡 定 丶 釒 讚小童。 \n\n註:恕養人需年滿21歲,學生需家長同意,需能接受認養前探訪(相親)", "Resettlement":"臺北市流浪貓保護協會", "Phone":" 0227261079","Email":"jingyi@so-net.net.tw","ChildreAnlong":"可 ","AnimalAnlong":"","Bodyweight":"5KG","ImageName":"http:/ /163.29.39.183/uploads/images/medium/c3c33506-3b67-4154-a3e0-c1d42fd0f4c0.jpg"},{"Name":"Wendy","Sex":"雄 ","Type":"貓 ", Build":"大","Age":"成年","Variety":"米克斯","Reason":"","AcceptNum":"101072604","ChipNum":"","IsSterilization":"已絕育" "HairType":"虎斑白","Note":"手長腳長且長相俊秀的貓界男模豆-WENDY\n\n雖然身材比起同年齡貓咪都還要大隻 一 個 人 或 是 跟 其 他 貓 咪 一 起 玩 的 時 候 就 很 大 刺 刺 , 從 小 奶 貓 就 來 協 會 的 Wendy現 在 是 帥 氣 青 年 家 裡 有 足 夠 空 間 譲 他 玩 要 的 認 卷 人 嘬 ! \n\n預 估 生 日:2011年 2月 底 \n\n已 絕 育 丶 已 施 打 預 防 針 人 需 年 滿 21歲 ,學 生 需 家 長 同 意 ,需 能 接 受 認 養 前 探 訪 (相 親)", "Resettlement": "臺 北 市 流 浪 貓 保 護 協 會 ", "Phone": " 0227261079", "Email": "jingyi@so-net.net.tw", "ChildreAnlong": "", "AnimalAnlong": "", "Bodyweight": "5KG", "ImageName": "http://1 63.29.39.183/uploads/images/medium/4a10b64e-746c-424f-8c7a-8b2ed4f87ed3.jpg"},{"Name":"琵琶","Sex":"雌","Type":"貓","Bui ld":"中","Age":"成年","Variety":"米克斯","Reason":"","AcceptNum":"101072603","ChipNum":"","IsSterilization":"已絕育 irType":"黄白 ","Note":"眼睛又圓又亮超會放電的輕熟女 -琵琶 PIPPA\n本來是在路邊流浪由志 年滿 21歲,學生需家長同意,需能接受認養前探訪(相親)","Resettlement":"臺北市流浪貓保護協會","Phone":"0227261079","Email":"ji ngyi@so-net.net.tw","ChildreAnlong":"","AnimalAnlong":"可(貓)","Bodyweight":"4KG","ImageName":"http://163.29.39.183/uplo 'ads/images/medium/4ba2fe00-4b53-466a-86a1-12c5ce2a42c5.jpg"},{"Name":"蘭心湄","Sex":"雌","Type":"貓","Build":"小","Age": "年 輕 ","Variety":"米 克 斯 ","Reason":"","AcceptNum":"101072602","ChipNum":"","IsSterilization":"未 絕 育 ","HairType":"黑 白 " ·貓經驗,能處理緊張貓狀況的認養人 \n註:認養人需年滿21歲,學生需家長同意,需能接受認養前探訪 (相親)", "Resettlement":" 臺北市流浪貓保護協會","Phone":"0227261079","Email":"jingyi@so-net.net.tw","ChildreAnlong":"高中以下不建議","AnimalAnlong ":"可(貓)","Bodyweight":"3KG","ImageName":"http://163.29.39.183/uploads/images/medium/ac7a6af1-fd06-4ce9-8cab-ad335177d5 19.jpg"},{"Name":"蘭咪","Sex":"雄","Type":"貓","Build":"中","Age":"成年","Variety":"米克斯","Reason":"","AcceptNum":"101 061403", "ChipNum": "", "IsSterilization": "已絕育", "HairType": "虎斑", "Note": "2009年出生的貓咪 \n有著小手套及柔順的毛髮,個性 柔 順 ,可 摸 可 抱 ,\n剪 指 甲 都 OK,不 太 會 叫 ,\n活 動 力 適 中 ,\n推 薦 給 養 貓 新 手 ,適 合 上 班 族 、 家 中 有 老 人 、 小 孩 " , "Resettlement": "臺 北 市 流 浪貓保護協會","Phone":"0227261079","Email":"jingyi@so-net.net.tw","ChildreAnlong":"可","AnimalAnlong":"","Bodyweight":"4 -5KG","ImageName":"http://163.29.39.183/uploads/images/medium/4e48b048-f0f4-4116-bce5-a19811de1c97.jpg"},{"Name":"優尼Un ,"Sex":"雄 ","Type":"犬 ","Build":"中 ","Age":"年 輕 ","Variety":"米 克 斯 ","Reason":"動 物 救 援 ","AcceptNum":"101041102","Chip Num":"900128000641278","IsSterilization":"已絕育","HairType":"棕黑","Note":"你好!!我叫優尼,我活潑好動也很溫馴、黏人唷 !! ^^","Resettlement":"台北市動物之家 收容編號101041102","Phone":"02-87913062","Email":"tcapoa8@mail.taipei.gov.tw","Chi ldreAnlong":"","AnimalAnlong":"","Bodyweight":"18KG","ImageName":"http://163.29.39.183/uploads/images/medium/95ff0da5-14


還好在下比較宅有裝 chrome+json viewer

```
Name: "蘭萬鳳",
Sex: "雌",
Type: "貓",
Build: "中",
Age: "年輕",
Variety: "米克斯",
Reason: "",
AcceptNum: "102032907",
ChipNum: "",
IsSterilization: "已絕育",
HairType: "三花",
Note: "永遠有"驚"的表情的萬鳳 個性好,熟了很愛摸,也會呼叫你摸牠 很愛逗貓棒,但常常抓不準,常常逗笑義工 迷你身材,圓圓臉非常診
同意,需能接受認養前探訪(大台北地區優先) ",
Resettlement: "臺北市流浪貓保護協會",
Phone: "0227261079",
Email: "jingyi@so-net.net.tw",
ChildreAnlong: "回",
AnimalAnlong: "可,貓",
Bodyweight: "3KG",
ImageName: "http://163.29.39.183/uploads/images/medium/45adbc74-4fef-488e-93b8-ccbacb7358cd.jpg"
Name: "蘭芝心",
Sex: "雄",
Type: "貓",
Build: "大",
Age: "成年",
Variety: "米克斯",
Reason: "",
AcceptNum: "102032906",
ChipNum: "",
IsSterilization: "已絕育",
HairType: "黄白",
Note: "親人溫馴瞇瞇眼白指套橘子男生~蘭芝心 個性很乖又溫馴 會繞著人走來走去&叫人陪他玩 身材修長 已絕育,已點除蚤藥 註:認養
Bosottlement, "高小市运泊然仅辖位命"
```

Why I Start Coding?

我想要看JSON裡面的圖片

In 24hours I did



Step 0.

- Register a domain name. (10 USD)
- Get a VPS (20 USD/month)
- prepare Django development environment
- 寫一份完整的企劃書
- 從wrapbootstrap.com買份美美的 template.(7-14 USD)

Step. I

- 百善孝為先,萬惡*為首
- 先設計model準備好DB要怎麼放

設計model

與其說是設計,倒不如就是把json API裡面的schema直接倒到django的model裡

```
from django.db import models
 2 import datetime
  class Animal(models.Model):
5
       accept_num = models.IntegerField(unique=True)
6
       name = models.CharField(max_length=200)
       sex = models.CharField(max_length=200)
 7
       type = models.CharField(max_length=200)
 8
       build = models.CharField(max_length=200)
9
       age = models.CharField(max_length=200)
10
       variety = models.CharField(max_length=200)
11
12
       reason = models.CharField(max_length=200)
13
       accept_num = models.CharField(max_length=200)
       chip_num = models.CharField(max_length=200)
14
       is_sterilization = models.CharField(max_length=200)
15
16
       hair_type = models.CharField(max_length=200)
       note = models.TextField()
17
       resettlement = models.CharField(max_length=200)
18
       phone = models.CharField(max_length=200)
19
20
       email = models.EmailField()
21
       childre_anlong = models.CharField(max_length=200)
22
       animal_anlong = models.CharField(max_length=200)
23
       bodyweight = models.CharField(max_length=200)
24
       image_name = models.URLField(max_length=200)
       image_file = models.CharField(max_length=200)
25
26
       pub_date = models.DateTimeField(auto_now=True)
```

why Django model?

- 換DB不用重寫code, SQLite/MySQL/PostgreSQL隨便你切換
- 開發過程隨時可以增/改/刪 DB schema,只要下syncdb就能馬上同步
- 操作DB schema像是操作物件
- <u>聽說跟Ruby on Rails很像</u>

step 2.

● 需要一個crontab job每天去pull json-API then insert to model

django-admin commands

- 原本是要用django-cron套件
- 多方比較後還是用 custom django-admin command + crontab最方便

Crontab Job? django?

custom django-admin command

放在哪?

```
polls/
      init__.py
    models.py
    management/
         init__.py
        commands/
              init__.py
            private.py
            closepoll.py
    tests.py
    views.py
```

如何寫?

```
1 from django.core.management.base import BaseCommand
2 from animal.models import Animal
3 import json
4 import urllib2
5 import os
6 import Image
8 class Command(BaseCommand):
      args = '&'
      help = 'get animal data from http://data.taipei.gov.tw'
10
      url = "http://163.29.39.183/GetAnimals.aspx"
11
12
      def handle(self, *args, **options):
13
           print self.url
14
15
           data = urllib2.urlopen(self.url)
16
           j = json.load(data)
17
           for i in j:
18
               print i["Name"]
               a1 = Animal.objects.filter(accept_num=i["AcceptNum"])
19
              print a1
20
21
              if not a1:
22
                   url = i["ImageName"]
23
                   url_file = url.split("/")[-1]
24
                   f = urllib2.urlopen(url)
25
                   data = f.read()
                   with open("src/media/" + url_file, "wb") as code:
26
27
                       code.write(data)
```

update_animal.sh

```
1 #!/bin/sh
2 DJANGO_SETTINGS_MODULE=pets.settings
3 export DJANGO_SETTINGS_MODULE
4
5 PYTHONPATH=/home/ail/Envs/pets/lib/python2.7:/home/ail/mydev/pets/pets
6 export PYTHONPATH
7
8 #/path/to/python /path/to/my_django_script
9 /home/ail/Envs/pets/bin/python /home/ail/mydev/pets/pets/manage.py get_anim
```

crontab

 9 * * * * /home/ail/mydev/pets/cronjob/ update animal data.sh >/dev/null 2>& l

縮圖

```
def thumbnail(self, file, size='104x104', x2=False):
   # defining the size
   x, y = [int(x) for x in size.split('x')]
    # defining the filename and the miniature filename
    filehead, filetail = os.path.split(file.path)
   basename, format = os.path.splitext(filetail)
   miniature = basename + '_' + size + format
    if x2:
        miniature = basename + '_' + size + '@2x' + format
    filename = file.path
    miniature_filename = os.path.join(filehead, miniature)
    filehead, filetail = os.path.split(file.url)
   miniature_url = filehead + '/' + miniature
    if os.path.exists(miniature_filename) and os.path.getmtime(filename) >os.path.g
        os.unlink(miniature_filename)
   # if the image wasn't already resized, resize it
    if not os.path.exists(miniature_filename):
        image = Image.open(filename)
        image.thumbnail([x, y], Image.ANTIALIAS)
        try:
            image.save(miniature_filename, image.format, quality=90, optimize=1)
        except:
            image.save(miniature_filename, image.format, quality=90)
    return miniature_url
```

compress js/css

django_compressor

把

```
<script src="/static/js/jquery-1.8.2.js"></script>
<script src="/static/js/jquery.isotope.min.js"></script>
<script src="/static/js/jquery.imagesloaded.js"></script>
<script src="/static/js/bootstrap.js"></script>
<script src="/static/js/flexslider.js"></script>
<script src="/static/js/carousel.js"></script>
<script src="/static/js/jquery.cslider.js"></script>
<script src="/static/js/slider.js"></script>
<script src="/static/js/fancybox.js"></script>
<script src="/static/js/twitter.js"></script>
<script src="/static/js/jquery.placeholder.min.js"></script>
<script src="/static/js/jquery-easing-1.3.js"></script>
<script src="/static/js/layerslider.kreaturamedia.jquery.js"></script</pre>
<script src="/static/js/excanvas.js"></script>
<script src="/static/js/jquery.flot.js"></script>
<script src="/static/js/jquery.flot.pie.min.js"></script>
<script src="/static/js/jquery.flot.stack.js"></script>
<script src="/static/js/jquery.flot.resize.min.js"></script>
<script src="/static/js/jquery.infinitescroll.min.js"></script>
<script defer="defer" src="/static/js/modernizr.js"></script>
<script defer="defer" src="/static/js/retina.js"></script>
<script defer="defer" src="/static/js/custom.js"></script>
```




```
<!-- start: Java Script -->
<!-- Placed at the end of the document so the pages load faster -->
<script type="text/javascript" src="/static/CACHE/js/fdddbac9lcle.js"></script>
<!-- end: Java Script -->
```

that's it!

- 沒了
- 只有24小時這是極限了~

但是



結論

• 太陽都下山了,有夢想就趕快做

● YouHack Team 徵人中...

謝謝

Q & A